

# Cucumber Report

04-Oct-2024, 7:04:45 pm

Start : Oct 04, 7:04:44.829 pm

End : Oct 04, 7:04:44.841 pm

Duration : 0.012 s

Features


Scenarios

Steps


PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 1  
FAILED - 0  
SKIPPED - 0

PASSED - 4  
FAILED - 0  
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Get the data from supermarket</u>	0.012 s	1	1	0	0	4	4	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>Get the data from supermarket</u>	1	1	0	0	0.012 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Get the data from supermarket</u>	<u>Get all the super market search details</u>	4	4	0	0	0.011 s

## Get the data from supermarket

<b>PASSED</b>	DURATION - 0.012 s	Scenarios		Steps	
/ 7:04:44.829 pm // 7:04:44.841 pm /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Get all the super market search details

<div>PASSED</div>	<div>DURATION - 0.011 s</div>		<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 7:04:44.830 pm // 7:04:44.841 pm /				
Get the data from supermarket				

#	Step / Hook Details	Status	Duration
1	Given Send a GET request to the search endpoint	PASSED	0.003 s
2	When I get a response from the server	PASSED	0.000 s
3	Then The Response should contain the status code	PASSED	0.000 s
4	And Then Validate the status body	PASSED	0.001 s