02

EPTA 항공영어구술능력시험 안내서

항공영어구술능력시험
조종사용 샘플세트 Ⅰ

※ 한국교통안전공단 홈페이지(www.kotsa.or.kr)에서 제공되는 샘플 테스트 프로그램을 통해 본 샘플 문항을 실제 시험과 동일한 화면구성으로 연습하실 수 있습니다.

English Proficiency Test for Aviation

2 항공영어구술능력시험
조종사용 샘플세트 I

안내 시험장 내 마련된 전자패드를 통해 메모 가능 / 문항당 1회의 Say again 기능 사용 가능

Part I TASK A. Readback and Hearback

Directions : You will be listening to 4 ATC instructions. Your callsign will be HL123. Listen carefully and make a correct readback for each of them. "Say again (=Repeat)" available once only. You may take notes while listening.

* Correct / Full readback : necessary for standard operating procedures
* Response time for each question : 20 seconds or less

시험[응답] 요령

구 성	4문항 / 문항 별 응대시간 : 20초
평 가 요 소	기본적인 교신 능력 평가로 ATC의 지시사항에 맞게 표준교신용어로 readback
진 행	관제사 지시 → 응답녹음
평 가 항 목	• 표준 교신속도/발음/억양의 사용 여부 • 필요한 정보의 효율적 전달 능력 평가 • 정확한 표준 교신용어의 사용 여부 • 관제 지시 후 교신 응대의 즉시성 여부
유 의 사 항	• 올바른 readback : 운항절차에 필요한 필수 사항을 모두 포함한 readback • 필수사항은 아니지만 지시사항을 전체 readback 해도 감점되지 않음 (* 언어평가 목적이므로, 너무 짧은 readback 시, 발음/억양/속도 등을 표준에 맞게 하는 것이 평가자의 이해가 용이 할 수 있음)

Script & Sample Answer

Q1 **ATC** : HL123, cleared direct ATLAS.

(Record your full readback) (Ping)

Pilot : Cleared direct ATLAS, HL123.

Q2 **ATC** : HL123, stop climb at FL260, due to traffic.

(Record your full readback) (Ping)

Pilot : Stop climb at FL two six zero, HL123.

Q3 **ATC** : HL123, caution wake turbulence, runway three two, cleared for takeoff.

(Record your full readback) (Ping)

Pilot : Runway three two, cleared for takeoff, HL123.

Q4 **ATC** : HL123, start up and pushback approved, long pushback, tail east, until abeam gate 34.

(Record your full readback) (Ping)

Pilot : Start up and pushback approved, long pushback, tail east, until abeam gate 34, HL123.

Part I TASK B. Checking, Clarifying, Confirming, Informing

Directions : You will be listening to 6 audio clips, which consist of short situational prompts. Respond to each of them using mainly Standard Phraseology if possible. If not, you may use plain English to help clarify your response. "Say again (=Repeat)" available only once. Your callsign is HL123. You may take notes while listening.

* Response time for each question : 20 seconds or less

시험[응답] 요령

구 성	6문항 / 문항 별 응대시간 : 20초
평 가 요 소	기본적인 교신 능력 평가로 ATC의 지시사항에 맞게 표준교신용어로 readback
진 행	상황정보 제시 → 관제지시 → 응답녹음
평 가 항 목	• Task B는 상황정보 이해력 및 해당 교신에 대한 적절한 응대력 평가 • 처음 들려지는 상황정보에 근거하여 이어지는 관제 지시에 적절히 응대 • 상황정보 및 ATC의 교신에 따라 플레인 영어 사용이 요구될 수 있음 • 표준 교신속도/발음/억양의 사용 여부 및 정보의 효율적 전달능력 평가 • 플레인 영어 사용 시 정확한 의미를 효율적으로 전달하였는지 평가
유 의 사 항	• 표준교신용어 : 요구되는 교신내용에 맞게 표준 교신용어를 사용하여 전달 • 상황정보(prompt) 음성에는 교신용어가 플레인 영어(발음)로 들려질 수 있음 이에 대해 응시자는 필요 시 올바른 교신용어(발음)으로 응답해야 함 (예 : 음성에서 "B6"를 "bi six"라고 발음하더라도, 응시자는 "bravo six" 응대해야 함)

Script & Sample Answer

Q1 You are being cleared for takeoff from runway zero niner. Acknowledge what you hear.

ATC : HL123, behind the landing traffic, cleared for takeoff runway 09, behind.

(Record your response) (Ping)

Pilot : Cleared for takeoff runway 09, behind, HL123.

Q2 You are maintaining flight level three one zero. You are also approaching the boundary of the FIR. ATC contacts you, respond accordingly.

ATC : HL123, descend and maintain FL290, contact Tokyo control on 121.65.

(Record your response) (Ping)

Pilot : Descend and maintain FL290, contact Tokyo control on 121.65, HL123.

Q3 You are cruising at flight level two one zero. You have encountered moderate turbulence. Now ATC contacts you, respond accordingly.

ATC : HL123, request flight condition.

(Record your response) (Ping)

Pilot : HL123, Experiencing moderate turbulence at FL210.

Q4 After becoming airborne, you contact departure control. ATC gives you climbing restrictions to cross Johnson VOR, but you cannot comply due to performance reasons. Acknowledge and respond accordingly.

ATC : HL123, climb and maintain FL210, cross Johnson VOR at or above FL150.

(Record your response) (Ping)

Pilot : Climb and maintain FL210 unable cross Johnson VOR at or above FL150 due to performance, HL123.

Q5 ATC instructs you to make a ten degree right turn for traffic separation. You misunderstood the instruction and made a ten degree left turn. Now ATC contacts you, respond accordingly.

ATC : HL123, confirm maintaining 10 degrees to the right of your route?

(Record your response) (Ping)

Pilot : HL123, my mistake, now turning 10 degrees to the right of the route.

Q6 During an en-route phase of the flight, you are instructed to pass FRISO at 0100Z. But the flight computer shows that, even at maximum speed, the aircraft will not cross FRISO until 0103Z. Now ATC contacts you, respond accordingly.

ATC : HL123, cross FRISO at or before 0100Z.

FRISO

(Record your response) (Ping)

Pilot : Unable to cross FRISO at 0100Z, our ETA over FRISO is 0103Z, HL123.

Part II TASK A. Role-play & Follow-up

Directions : In Part 2 Task A, you will be going through a couple of flight situations of a normal passenger flight. Follow the prompts for providing your response, which you will either hear or see on the screen, or the both. "Say again (=Repeat)"available once only. Your callsign is HL123.

After finishing Task A Role play, you will be asked one or two follow-up questions. You will have up to 90 seconds to respond to them.

시험[응답] 요령

구 성	약 7~12회 롤 플레이 / 응대시간 : 30초, Follow up : 90초
평가 요소	정상상황에서 기본 교신능력과 비정상 발생시 상황보고 또는 요구사항 전달 등에 필요한 언어 구사력(교신용어와 플레인 영어의 복합 사용)
진 행	연속적인 비행 단계 또는 복합적인 상황의 롤 플레이 Initial Situation → continued → Situation update → continued
평가 항목	• 음성 또는 화면에 제공되는 Text clue()를 이용하여 지시대로 응대하는 능력 • 상황정보 및 ATC의 교신에 따라 요구되는 플레인 영어 사용능력 • 표준 교신속도/발음/억양의 사용 여부 및 정보의 효율적 전달능력 평가 • 교신 응대력(Role-play)과 플레인 영어(Follow-up) 능력을 전체적으로 평가
유의사항	• 교신상황은 시간제한 및 언어평가 목적에 따라 '인위적'일 수 있고, 상황 전개의 '비약'이 인정되므로 지시사항에 맞게 응답해야 함 • 100% 컴퓨터와 상호작용하게 되므로, Interaction은 응답 내용의 적절성, 유창성, 이해도 등과 연계하여 평가되며, 응답 직전 '약간의' 준비시간은 용인됨 다만 평가자가 느끼기에 '매우'늦은 응답 또는 무응답은 영향을 미침 • 롤 플레이 전체의 응대 내용이 Operational(Level4) 이상으로 판단될 경우, Follow-up에서의 플레인 영어 점수보다 우선하여 평가됨 • 롤 플레이 전체 응대 내용이 Operational(Level4) 이상으로 판단되고, Follow-up에서의 플레인 영어 점수가 Extended(Level5)로 판정되면, 해당 응시자의 Task A 수행력은 Level 5으로 평가됨

※ 15초의 그림 학습 시간이 주어집니다. 15초 동안 그림에서 제시된 상황 및 상태를 확인하십시오.

Flight Paths

In this scenario, you'll be the pilot flying HL123, which goes through 3 flight stages: Clearance, Apron, Taxi.

Initial Situation You are ready for clearance to Smith Airport. You may need to inquire about additional information. (dingdong)

Q1 ☞ Contact Clearance delivery and make a request. (Ping)

Pilot : Delivery HL123, request clearance.

Q2 ☞ Listen to the controller's message, advise that you are ready.

ATC : HL123, for route revision, advise when you're ready to copy. (Ping)

Pilot : HL123, ready to copy.

Q3 ☞ Listen to the controller and give a full readback.

ATC : HL123, cleared to Smith airport, after airborne fly runway heading until the Smith 1.5 DME and then a right turn direct HAPIE then as filed, maintain 5 thousand, Expect FL 350 10 minutes after departure, squawk 1766. (Ping)

Pilot : Cleared to Smith airport, after airborne fly runway heading until the Smith 1.5 DME and then a right turn direct HAPIE then as filed, maintain 5 thousand, Expect FL 350 10 minutes after departure, squawk 1766, HL123.

Q4 ☞ Listen to the controller's message, respond accordingly and inquire how long it will take.

ATC : HL123, read back is correct, hold for release. (Ping)

Pilot : Roger hold for release, HL123.

Situation Update You are ready for pushback and start up, you're at Gate Alpha 89. You experience a change in your plans. (dingdong)

Q5 ☞ Listen to the controller and give a full readback.

ATC : Contact Apron and request pushback and start up. (Ping)

Pilot : Apron, HL123, request pushback and startup at Gate Alpha 89.

Q6 ☞ Listen to controller's response and give a full readback. (Ping)

Apron : HL123, pushback and startup approved. And pushback lane Alpha then pull forward clear gate 87. (Ping)


Pilot : Pushback and startup, lane Alpha then pull forward clear gate 87, HL123.

Situation Update You are still on the apron and realize that you have too much fuel. You will need to burn some off, or possibly defuel if able. (dingdong)

Q7 ☞ Inform the controller of the situation and inquire about a holding spot to assess the problem. (Ping)

Pilot : Apron HL123, We have too much fuel and need to burn some off or defuel. Request spot to assess the problem.

(Q8)



Q8 ☞ Listen to the controller's response and state your intentions.

Contact / ground ops / defueling time

Apron : Roger, HL123, how long do you think that will take? (Ping)

Pilot : Apron, HL123, we will contact our ground operation and inquire about the defueling time.

Q9 ☞ Contact Apron and inform them that de-fueling can non be done, a 30 minute hold is needed. (Ping)

Pilot : Apron, HL123, de-fueling cannot be done. We need 30 minutes holding to burn fuel.

Situation Update You have burnt off your extra fuel and are now holding short of Golf with Information Alpha. There may be an alteration to your taxi route. (dingdong)

Q10 ☞ Contact ground and request to taxi. (Ping)


Pilot : Ground, HL123, holding short of Golf with information alpha and request to taxi.

Q11 ☞ Listen to the controller's response and give a full readback.

Ground : HL123, Ground, runway 13L, Taxi left on Golf, Cross Runway 22R, follow the Gulfstream passing left to right. (Ping)

Pilot : HL123, taxi to runway 13L, left on Golf, Cross Runway 22R, follow the Gulfstream passing left to right.

(Q12)



Q12 ☞ Listen to the controller's message, respond accordingly.

unsure of wingtip clearance / hold position

Ground : HL123, it appears the Gulfstream blew a tire, are you able to continue straight on Golf 2 then left on Hotel? (Ping)

Pilot : HL123, we are unsure of wingtip clearance. Hold at present position.

Q13 Follow-up question:

You have just finished Task A, as the pilot of Hotel Lima one two three.

In this situation, what problem did you discover while on the ramp and how did you resolve that problem? (Ping)

<A sample answer is not made available for this task. Please consult the task tips and try on your own response.>

Part II TASK B. Extended Role-play : Single Incident/Emergency Related

Directions : You will be interacting with an Air traffic controller or Ground crew based on short situational prompts. Follow the prompts and respond as necessary. Assume you can accept all the instructions, unless being specified otherwise. "Say again (=Repeat)" available only once. Your callsign is HL123.

* Response time for each question : 30 seconds or less

시험[응답] 요령 ※ Task B의 교신내용이 Task C의 태스크와 연계되므로, 관련 정보의 메모가 필요

구 성	약 7~12회 롤 플레이 / 응대시간 : 30초
평 가 요 소	단일 상황에서 비정상/비상상황에서 문제를 해결과정에서의 상황보고 또는 의사전달능력 등에 필요한 언어 구사력(플레인 영어의 빈도가 높아짐)
진 행	비정상 또는 비상 상황이 포함된 '단일'사건의 롤 플레이 Initial Situation → continued → Situation update → continued
평 가 항 목	• 음성 또는 화면에 제공되는 Text clue(▣)를 이용하여 지시대로 응대하는 능력 • 상황정보 및 ATC의 내용에 따라 요구되는 교신용어 또는 플레인 영어 사용 능력 • 표준 교신속도/발음/억양의 사용 여부 및 정보의 효율적 전달능력 평가 • 교신 응대력(Role-play)과 플레인 영어능력을 전체적으로 평가
유 의 사 항	• 교신상황은 시간제한 및 언어평가 목적에 따라 '인위적'일 수 있고, 상황 전개의 '비약'이 인정되므로 지시사항에 맞게 응답해야 함 • 100% 컴퓨터와 상호작용하게 되므로, Interaction은 응답 내용의 적절성, 유창성, 이해도 등과 연계하여 평가되며, 응답 직전 '약간의' 준비시간은 용인됨 다만 평가자가 느끼기에 '매우'늦은 응답 또는 무응답은 영향을 미침 • 플레인 영어 사용 빈도가 다소 높을 수 있고, 응대 내용의 정확도 및 유창도에 따라 Operational(Level4)과 Extended(Level5) 여부가 평가됨

Initial Situation You are the pilot of HL123, currently descending through FL180 to 11000 approaching Cheong-Ju Airport. You have ATIS information Oscar. (dingdong)

Q1 ☞ Contact Approach and report your position. (Ping)

Pilot : Approach, HL123, descending through FL180 to 11000. We have information Oscar.

Q2 Continued…

☞ Listen to the controller's response, and respond accordingly.

Approach : HL123, Approach good afternoon. Descend and maintain 6000, reduce speed to 210 and expect DIXIE ONE arrival Runway 24 Left transition followed by ILS 24 Left.

Dixie One Arrival / ILS runway 24 Left (Ping)

Pilot : Descend and maintain 6000, reduce speed to 210 and expect DIXIE ONE arrival Runway 24 Left transition followed by ILS 24 Left, HL123.

Situation Update While descending and preparing for the approach you have noticed that you have lost a lot of your instrument displays. (dingdong)

Q3 The controller contacts you.

Approach : HL123, turn right heading 190, descend and maintain 4000 to intercept the Runway 24 Left localizer. (Ping)

☞ Respond accordingly; stating you're leveling off at 4,000, inform them of your situation and request vectors for troubleshooting.

Pilot : Approach, HL123, we lost a lot of our instruments. We are leveling off at 4,000ft and request radar vectors for troubleshooting.

Q4 Continued…

Listen to the controller's response.

Approach : HL123, roger, fly heading 270, maintain 4000 and say intentions?

☞ Respond, give a full readback and request weather information for Incheon and Gimpo Airports. You prefer VMC conditions.

Incheon Airport / Gimpo Airport (Ping)

Pilot : Fly heading 270, maintain 4,000. Request weather information for Incheon and Gimpo Airport. We prefer VMC conditions HL123.

Q5 Continued…

Listen to the controller's response.

Approach : HL123, Incheon weather, wind 350 at 6, visibility 1 mile with ceiling 300 overcast, temperature 10, dew point 9. Gimpo looks better wind 170 at 5, visibility 10, ceiling 2200 broken, temperature 16, dew point 12.

☞ Request vectors to Gimpo Airport for a visual approach. (Ping)

Pilot : HL123, request vectors to Gimpo Airport for visual approach.

Situation Update As you start your turn towards Gimpo Airport, you get some instruments back that will allow you to shoot the ILS approach at Cheong-ju Airport.

(dingdong)

Q6 ☞ Contact approach control to give them an update of your situation and request ILS 24 Left at Cheong-ju Airport. (Ping)

Pilot : Approach, HL123, we got some instruments back and we are requesting clearance to Cheong-Ju airport for ILS 24 Left.

Q7 Continued…

Listen to the controller's response.

☞ Respond and give a full readback. Advise Approach to stand by for further information.

Approach : HL123, roger, you're cleared to Cheong-Ju Airport, turn right heading 140 and maintain 4000, and let me know if anything changes. (Ping)

Pilot : HL123 we are clear to Cheong-Ju Airport, turning right 140 and maintain 4,000 ft. We will let you know if anything changes.

Part II TASK C. Reporting about Task B

Directions : You have just finished Part 2 Task B. Now you will be listening to the ATC's radiotelephony messages to better recall the events. Afterwards, you will be asked two questions about the situation. You will have 90 seconds for each question.

시험[응답] 요령

구 성	2문항/ 응대시간 : 90초
평 가 요 소	Task B에서 수행한 롤 플레이 내용에 대한 리포팅(플레인 영어) 능력
진 행	TASK B의 ATC 교신 내용 다시 듣기 → 질문 → 응답하기
평 가 항 목	• 구체적인 사건과 상황 전개의 내용을 묻는 질문(Q1)에 대한 사실전달 능력 • 사건에 대한 이해를 바탕으로 의견을 묻는 질문(Q2)에 대한 의견제시 능력 • 질문의 취지를 정확히 파악하고 답변하였는지에 대한 평가(이해력)
유 의 사 항	• 교신상황은 시간제한 및 언어평가 목적에 따라 '인위적'일 수 있고, 상황 전개의 '비약'이 인정되므로 지시사항에 맞게 응답해야 함 • Interaction에 대한 설명은 TASK B 참고 • 제공시간을 최대한 활용하여 평가항목(유창성, 이해력, 어휘, 발음, 문장구조)에 대한 능력을 충분히 표현 • 경험 사례 또는 관련 지식/보도 등을 활용하여 플레인 영어능력을 최대로 발휘

☞ Now listen to the controller's radiotelephony messages.

ATC: HL123, Approach good afternoon. Descend and maintain 6,000, reduce speed to 210 and expect DIXIE ONE arrival Runway 24 L transition followed by ILS 24 L.

ATC: HL123, turn right heading 190, descend and maintain 4000 to intercept the Runway 24 Left localizer.

ATC: HL123, roger, fly heading 270, maintain 4000 and say intentions?

ATC: HL123, Incheon weather, wind 350 at 6, visibility 1 mile with ceiling 300 overcast, temperature 10, dew point 9. Gimpo looks better wind 170 at 5, visibility 10, ceiling 2200 broken, temperature 16, dew point 12.

ATC: HL123, roger, you're cleared to Cheong-Ju Airport, turn right heading 140 and maintain 4000, and let me know if anything changes. (dingdong)

☞ Now answer the questions.

Q1 What happened to your aircraft (HL123)? Explain the nature of the incident. (Ping)

Q2 How do you think the incident was handled by the air traffic controller? Do you feel the situation could have been handled differently? Make a comment from a pilot's point of view. (Ping)

<A sample answer is not made available for this task. Please consult the task tips and try on your own response.>

03

EPTA 항공영어구술능력시험 안내서

항공영어구술능력시험

조종사용 샘플세트 Ⅱ

※ 한국교통안전공단 홈페이지(www.kotsa.or.kr)에서 제공되는 샘플 테스트 프로그램을 통해 본 샘플 문항을 실제 시험과 동일한 화면구성으로 연습하실 수 있습니다.

English Proficiency Test for Aviation

3 항공영어구술능력시험
조종사용 샘플세트 Ⅱ

안내 시험장 내 마련된 전자패드를 통해 메모 가능 / 문항당 1회의 Say again 기능 사용 가능

Part Ⅰ TASK A. Readback and Hearback

Directions : You will be listening to 4 ATC instructions. Your callsign will be HL123. Listen carefully and make a correct readback for each of them. "Say again (=Repeat)" available once only. You may take notes while listening.

* Correct / Full readback : necessary for standard operating procedures
* Response time for each question : 20 seconds or less

시험[응답] 요령

구 성	4문항 / 문항 별 응대시간 : 20초
평 가 요 소	기본적인 교신 능력 평가로 ATC의 지시사항에 맞게 표준교신용어로 readback
진 행	관제사 지시 → 응답녹음
평 가 항 목	• 표준 교신속도/발음/억양의 사용 여부 • 필요한 정보의 효율적 전달 능력 평가 • 정확한 표준 교신용어의 사용 여부 • 관제 지시 후 교신 응대의 즉시성 여부
유 의 사 항	• 올바른 readback : 운항절차에 필요한 필수 사항을 모두 포함한 readback • 필수사항은 아니지만 지시사항을 전체 readback 해도 감점되지 않음 (* 언어평가 목적이므로, 너무 짧은 readback 시, 발음/억양/속도 등을 표준에 맞게 하는 것이 평가자의 이해가 용이 할 수 있음)

Script & Sample Answer

Q1 **ATC** : HL123, start up and pushback approved, pushback tail east.

(Record your full readback) (Ping)

Pilot : Start up and pushback approved, pushback tail east, HL123

Q2 **ATC** : HL123, backtrack approved, backtrack runway one six, vacate via Delta two.

(Record your full readback) (Ping)

Pilot : Backtrack approved, backtrack runway one six, vacate via Delta two, HL123.

Q3 **ATC** : HL123, runway change in progress to runway three five, continue approach and circle north for runway three five.

(Record your full readback) (Ping)

Pilot : Runway change to three five, continue approach and circle north for runway three five, HL123.

Q4 **ATC** : HL123, climb to flight level three one zero on current heading and reduce speed two zero knots when level.

(Record your full readback) (Ping)

Pilot : Climb to flight level three one zero on current heading and reduce speed two zero knots when level, HL123.

Part Ⅰ TASK B. Checking, Clarifying, Confirming, Informing

Directions : You will be listening to 6 audio clips, which consist of short situational prompts. Respond to each of them using mainly Standard Phraseology if possible. If not, you may use plain English to help clarify your response. "Say again (=Repeat)" available only once. Your callsign is HL123. You may take notes while listening.

* Response time for each question : 20 seconds or less

시험[응답] 요령

구 성	6문항 / 문항 별 응대시간 : 20초
평 가 요 소	기본적인 교신 능력 평가로 ATC의 지시사항에 맞게 표준교신용어로 readback
진 행	상황정보 제시 → 관제지시 → 응답녹음
평 가 항 목	• Task B는 상황정보 이해력 및 해당 교신에 대한 적절한 응대력 평가 • 처음 들려지는 상황정보에 근거하여 이어지는 관제 지시에 적절히 응대 • 상황정보 및 ATC의 교신에 따라 플레인 영어 사용이 요구될 수 있음 • 표준 교신속도/발음/억양의 사용 여부 및 정보의 효율적 전달능력 평가 • 플레인 영어 사용 시 정확한 의미를 효율적으로 전달하였는지 평가
유 의 사 항	• 표준교신용어 : 요구되는 교신내용에 맞게 표준 교신용어를 사용하여 전달 • 상황정보(prompt) 음성에는 교신용어가 플레인 영어(발음)로 들려질 수 있음 이에 대해 응시자는 필요 시 올바른 교신용어(발음)으로 응답해야 함 (예 : 음성에서 "B6"를 "bi six"라고 발음하더라도, 응시자는 "bravo six" 응대해야 함)

Script & Sample Answer

Q1 During an en-route phase of the flight, ATC is giving you holding instructions for time separation. Now ATC contacts you, respond accordingly.

ATC : HL123, hold over Doosan VOR as published, expect further clearance at 20.

(Record your response) (Ping)

Pilot : Hold over Doosan VOR as published, expect further clearance at 20, HL123.

Q2 After receiving ATC clearance, you are taxiing to the runway for departure. Now the ground controller relays a message from the delivery controller. Acknowledge and respond accordingly.

ATC : HL123, your SID has been changed to HIPPO 1 departure. Rest of the clearance unchanged.

(Record your response) (Ping) 

Pilot : HL123, roger, change SID HIPPO 1 Departure.

Q3 The airport is conducting low visibility procedures. You are taxing to runway zero niner for takeoff. While you are following the ATC taxi instruction, you stopped at a red stop light and it remains on. Acknowledge and say your intentions accordingly.

ATC : HL123, taxi to the holding point runway 09. Follow the green light.

(Record your response) (Ping)

Pilot : HL123, taxi to the holding point runway 09, but we have a red stop light on and stopping.

Q4 During an en-route phase of the flight, ATC gives you a direct instruction to a waypoint. On your radar display you can see CB's around the waypoint near the fix, Sierra Yankee Tango, which was given by the ATC instruction. Now ATC contacts you. Deny ATC's instruction with a reason.

ATC : HL123, proceed direct to SYT (Sierra-Yankee-Tango).

(Record your response) (Ping)

Pilot : HL123, Unable direct Sierra Yankee Tango due to CB on the route.

Q5 Approach and landing was made during heavy fog conditions. After landing you were unable to see the taxiway lead lights so the stop was made on the runway. Acknowledge and respond accordingly to ATC.

ATC : HL123, vacate right at the next available taxiway.

(Record your response) (Ping)

Pilot : HL123, we are unable to taxi due to heavy fog. Stopping on the runway.

Q6 You request twenty miles deviation to the right side of the route due to weather. During the deviation, ten more miles are needed to avoid the weather. Now make a request to ATC.

ATC : HL123, say your request.

(Record your response) (Ping)

Pilot : HL123, request deviation 10 miles more to the right side.

Part II TASK A. Role-play & Follow-up

Directions : In Part 2 Task A, you will be going through a couple of flight situations of a normal passenger flight. Follow the prompts for providing your response, which you will either hear or see on the screen, or the both. "Say again (=Repeat)"available once only. Your callsign is HL123.

After finishing Task A Role play, you will be asked one or two follow-up questions. You will have up to 90 seconds to respond to them.

시험[응답] 요령

구 성	약 7~12회 롤 플레이 / 응대시간 : 30초, Follow up : 90초
평가 요소	정상상황에서 기본 교신능력과 비정상 발생시 상황보고 또는 요구사항 전달 등에 필요한 언어 구사력(교신용어와 플레인 영어의 복합 사용)
진 행	연속적인 비행 단계 또는 복합적인 상황의 롤 플레이 Initial Situation → continued → Situation update → continued
평가 항목	• 음성 또는 화면에 제공되는 Text clue(🖻)를 이용하여 지시대로 응대하는 능력 • 상황정보 및 ATC의 교신에 따라 요구되는 플레인 영어 사용능력 • 표준 교신속도/발음/억양의 사용 여부 및 정보의 효율적 전달능력 평가 • 교신 응대력(Role-play)과 플레인 영어(Follow-up) 능력을 전체적으로 평가
유의사항	• 교신상황은 시간제한 및 언어평가 목적에 따라 '인위적'일 수 있고, 상황 전개의 '비약'이 인정되므로 지시사항에 맞게 응답해야 함 • 100% 컴퓨터와 상호작용하게 되므로, Interaction은 응답 내용의 적절성, 유창성, 이해도 등과 연계하여 평가되며, 응답 직전 '약간의' 준비시간은 용인됨 다만 평가자가 느끼기에 '매우'늦은 응답 또는 무응답은 영향을 미침 • 롤 플레이 전체의 응대 내용이 Operational(Level4) 이상으로 판단될 경우, Follow-up에서의 플레인 영어 점수보다 우선하여 평가됨 • 롤 플레이 전체 응대 내용이 Operational(Level4) 이상으로 판단되고, Follow-up에서의 플레인 영어 점수가 Extended(Level5)로 판정되면, 해당 응시자의 Task A 수행력은 Level 5으로 평가됨

※ 15초의 그림 학습 시간이 주어집니다. 15초 동안 그림에서 제시된 상황 및 상태를 확인하십시오.

Flight Paths

In this scenario, you'll be the pilot flying HL123, which goes through 3 flight stages: Clearance, Apron, Taxi.

Initial Situation You are en-route to your destination, Paramount Airport. You may encounter an event which requires further reporting to the controller. There may be a slight change or alteration to your flight plan. (dingdong)


Q1 ☞ Listen to the Center Controller's message and give a full readback.

Center : HL123, descend to FL230. (Ping)

Pilot : Descend to FL230 HL123.

Situation Update As you are descending you notice something is not working properly in the cockpit (See picture of the screen). You can't get it to move, even when trying with the co-pilot. (dingdong)

(Q2)



Q2 ☞ Contact the controller explaining the situation and advise you'll be at a faster speed because of the problem. (Ping)

Pilot : Control, HL123, we have a throttle problem. We will be at faster than normal speed.

Q3 ☞ Listen to the Controller's response and request priority.

Center : HL123, roger, what are your intentions?

Paramount airport (Ping)

Pilot : HL123, request divert to Paramount Airport and request priority.

Q4 ☞ Listen to the controller's question and provide the requested information.


Center : HL123, roger, any idea what is causing the problem?

unsure mechanical linkage or jam / no warning messages (Ping)

Pilot : HL123, we are unsure but it may be a mechanical linkage or jam. We do not have any warning messages.

Situation Update 2 You have declared an emergency and have been handed off to Paramount Approach control. You may encounter an event which requires further reporting to the controller. (dingdong)

(Q5)



Q5 ☞ Contact Paramount Approach accordingly and report your altitude. (Ping)

Pilot : Paramount Approach, HL123, leaving FL230 for 13,000 ft.

Q6 Your message is understood, and the controller contacts you.


☞ Listen to the controller's response, give a readback and request ILS Approach Runway 27, for a longer runway.

Approach : HL123, good morning, descend and maintain 10000 and expect RNAV 30, Paramount altimeter 29.83. (Ping)

Pilot : HL123, descend and maintain 10,000ft and expect RNAV 30, altimeter 29.83, and we are requesting ILS Approach 27 for a longer runway.

Situation Update You are now descending down and getting ready for the approach when something happens with the aircraft around FL180. (dingdong)

(Q7)



Q7 ☞ Contact Approach, explain the situation and cancel the emergency. (Ping)

Pilot : HL123, now cancelling Mayday. The throttle is now working.

Q8 ☞ Listen to the controller's response and respond positively.

Approach : HL123, roger, would you still like ILS 27 or switch over to RNAV 30?

ILS 27 (Ping)

Pilot : HL123, request ILS Approach runway 27.

Q9 Follow-up question:

You have just finished Task A, as the pilot of Hotel Lima one two three.

In this situation, why did you request a specific approach from ATC? In your role as a pilot, how do you trouble shoot or try to solve a mechanical problem with the aircraft? (Ping)

<A sample answer is not made available for this task. Please consult the task tips and try on your own response.>

Part II TASK B. Extended Role-play : Single Incident/Emergency Related

Directions : You will be interacting with an Air traffic controller or Ground crew based on short situational prompts. Follow the prompts and respond as necessary. Assume you can accept all the instructions, unless being specified otherwise. "Say again (=Repeat)" available only once. Your callsign is HL123.

* Response time for each question : 30 seconds or less

시험[응답] 요령

※ Task B의 교신내용이 Task C의 태스크와 연계되므로, 관련 정보의 메모가 필요

구 성	약 7~12회 롤 플레이 / 응대시간 : 30초
평 가 요 소	단일 상황에서 비정상/비상상황에서 문제를 해결과정에서의 상황보고 또는 의사전달능력 등에 필요한 언어 구사력(플레인 영어의 빈도가 높아짐)
진 행	비정상 또는 비상 상황이 포함된 '단일'사건의 롤 플레이 Initial Situation → continued → Situation update → continued
평 가 항 목	• 음성 또는 화면에 제공되는 Text clue( )를 이용하여 지시대로 응대하는 능력 • 상황정보 및 ATC의 내용에 따라 요구되는 교신용어 또는 플레인 영어 사용 능력 • 표준 교신속도/발음/억양의 사용 여부 및 정보의 효율적 전달능력 평가 • 교신 응대력(Role-play)과 플레인 영어능력을 전체적으로 평가
유 의 사 항	• 교신상황은 시간제한 및 언어평가 목적에 따라 '인위적'일 수 있고, 상황 전개의 '비약'이 인정되므로 지시사항에 맞게 응답해야 함 • 100% 컴퓨터와 상호작용하게 되므로, Interaction은 응답 내용의 적절성, 유창성, 이해도 등과 연계하여 평가되며, 응답 직전 '약간의' 준비시간은 용인됨 다만 평가자가 느끼기에 '매우'늦은 응답 또는 무응답은 영향을 미침 • 플레인 영어 사용 빈도가 다소 높을 수 있고, 응대 내용의 정확도 및 유창도에 따라 Operational(Level4)과 Extended(Level5) 여부가 평가됨

Initial Situation You have departed your departure airport and are climbing from 13,000 to FL 200. You have been handed off to control. (dingdong)

Q1 ☞ Contact Control and make initial contact. (Ping)

Pilot : Control, HL123, Climbing FL200, passing 13,000ft.

Q2 Continued…

☞ Listen to the controller's response. Respond accordingly.

Center : HL123, turn left heading 070, traffic 11 o'clock and 10 miles, MD eighty descending.

request for traffic(MD80) altitude (Ping)

Pilot : HL123, turning left heading 070, Looking for Traffic. Request altitude of MD80?

Q3 Continued…

Listen to the controller's response.

Center : HL123, do you have the traffic in sight? They are at FL 230 descending.

☞ Respond positively. (Ping)

Pilot : HL123, traffic in sight.

Situation Update As you level off at your cruise altitude of FL 200, you get a TCAS advisory and do not think the traffic is stopping their descent at FL 210. (dingdong)

Q4 ☞ Contact Control and make request.

descend for traffic (Ping)

Pilot : HL123, the traffic appears to be descending to our altitude. Request descend for traffic.

Q5 Continued…

☞ Listen to the controller's response. Respond accordingly.

Center : HL123, roger, do what you need to do.

Inform TCAS RA (Ping)

Pilot : HL123, TCAS RA.

Q6 Continued…

Listen to the controller's response.

Center : Roger, HL123, the traffic is supposed to be leveling off at FL 210. I'm sorry about that.

☞ Inform the controller the traffic descended to FL 200 and is now clear of traffic.

(Ping)

Pilot : Control, HL123, the traffic descended to our level FL200. We are clear of traffic.

Q7 Continued…

☞ Listen to the controller's response. Respond accordingly.

Center : HL123, give me a call when you get on the ground so we get some information from you and we will figure it out what happened.

ask how to contact / direct line (Ping)

Pilot : Control, HL123, how can we contact you? Request a direct line.

Part II TASK C. Reporting about Task B

Directions : You have just finished Part 2 Task B. Now you will be listening to the ATC's radiotelephony messages to better recall the events. Afterwards, you will be asked two questions about the situation. You will have 90 seconds for each question.

시험[응답] 요령

구 성	2문항/ 응대시간 : 90초
평 가 요 소	Task B에서 수행한 롤 플레이 내용에 대한 리포팅(플레인 영어) 능력
진 행	TASK B의 ATC 교신 내용 다시 듣기 → 질문 → 응답하기
평 가 항 목	• 구체적인 사건과 상황 전개의 내용을 묻는 질문(Q1)에 대한 사실전달 능력 • 사건에 대한 이해를 바탕으로 의견을 묻는 질문(Q2)에 대한 의견제시 능력 • 질문의 취지를 정확히 파악하고 답변하였는지에 대한 평가(이해력)
유 의 사 항	• 교신상황은 시간제한 및 언어평가 목적에 따라 '인위적'일 수 있고, 상황 전개의 '비약'이 인정되므로 지시사항에 맞게 응답해야 함 • Interaction에 대한 설명은 TASK B 참고 • 제공시간을 최대한 활용하여 평가항목(유창성, 이해력, 어휘, 발음, 문장구조)에 대한 능력을 충분히 표현 • 경험 사례 또는 관련 지식/보도 등을 활용하여 플레인 영어능력을 최대로 발휘

☞ Now listen to the controller's radiotelephony messages.

ATC: HL123, turn left heading 070, traffic 11 o'clock and 10 miles, MD eighty descending.

ATC: HL123, do you have the traffic in sight? They are at FL 230 descending.

ATC: HL123, roger, do what you need to do.

ATC: Roger, HL123, the traffic is supposed to be leveling off at FL 210. I'm sorry about that.

ATC: HL123, give me a call when you get on the ground so we get some information from you and we will figure it out what happened. (dingdong)

☞ Now answer the questions.

Q1 What happened during your flight of HL123? Explain the nature of the incident. (Ping)

Q2 How do you think the incident was handled by the air traffic controller? Do you feel the situation could have been handled differently? Make a comment from a pilot's point of view. (Ping)

<A sample answer is not made available for this task. Please consult the task tips and try on your own response.>

04

EPTA 항공영어구술능력시험 안내서

항공영어구술능력시험

조종사용 샘플세트 Ⅲ

※ 한국교통안전공단 홈페이지(www.kotsa.or.kr)에서 제공되는 샘플 테스트 프로그램을 통해 본 샘플 문항을 실제 시험과 동일한 화면구성으로 연습하실 수 있습니다.

English Proficiency Test for Aviation

4 항공영어구술능력시험
조종사용 샘플세트 Ⅲ

안내 시험장 내 마련된 전자패드를 통해 메모 가능 / 문항당 1회의 Say again 기능 사용 가능

Part Ⅰ TASK A. Readback and Hearback

Directions : You will be listening to 4 ATC instructions. Your callsign will be HL123. Listen carefully and make a correct readback for each of them. "Say again (=Repeat)" available once only. You may take notes while listening.

* Correct / Full readback : necessary for standard operating procedures
* Response time for each question : 20 seconds or less

시험[응답] 요령

구 성	4문항 / 문항 별 응대시간 : 20초
평 가 요 소	기본적인 교신 능력 평가로 ATC의 지시사항에 맞게 표준교신용어로 readback
진 행	관제사 지시 → 응답녹음
평 가 항 목	• 표준 교신속도/발음/억양의 사용 여부 • 필요한 정보의 효율적 전달 능력 평가 • 정확한 표준 교신용어의 사용 여부 • 관제 지시 후 교신 응대의 즉시성 여부
유 의 사 항	• 올바른 readback : 운항절차에 필요한 필수 사항을 모두 포함한 readback • 필수사항은 아니지만 지시사항을 전체 readback 해도 감점되지 않음 (* 언어평가 목적이므로, 너무 짧은 readback 시, 발음/억양/속도 등을 표준에 맞게 하는 것이 평가자의 이해가 용이 할 수 있음)

Script & Sample Answer

Q1 **ATC** : HL 123, taxi to runway three four left, via Bravo, Tango, Charlie, hold short of runway three four left.

(Record your full readback) (Ping)

Pilot : Taxi to runway three four left, via Bravo, Tango, Charlie, hold short of runway three four left, HL123.

Q2 **ATC** : HL123, climb and maintain Flight Level three five zero, expedite climb until passing Flight Level two eight zero.

(Record your full readback) (Ping)

Pilot : Climb and maintain Flight Level three five zero, expedite climb until passing Flight Level two eight zero, HL123.

Q3 **ATC** : HL123, winds two two zero at ten, cleared for takeoff runway two four.

(Record your full readback) (Ping)

Pilot : Cleared for takeoff runway two four, HL123.

Q4 **ATC** : HL123, Good morning, cleared to Robinson, HULKK three departure, JULIA transition, FL380, departure runway 24, squawk 3675.

(Record your full readback) (Ping)

Pilot : Cleared to Robinson, HULKK three departure, JULIA transition, FL380, departure runway 24, squawk 3675, HL123.

Part Ⅰ TASK B. Checking, Clarifying, Confirming, Informing

Directions : You will be listening to 6 audio clips, which consist of short situational prompts. Respond to each of them using mainly Standard Phraseology if possible. If not, you may use plain English to help clarify your response. "Say again (=Repeat)" available only once. Your callsign is HL123. You may take notes while listening.

* Response time for each question : 20 seconds or less

시험[응답] 요령

구 성	6문항 / 문항 별 응대시간 : 20초
평 가 요 소	기본적인 교신 능력 평가로 ATC의 지시사항에 맞게 표준교신용어로 readback
진 행	상황정보 제시 → 관제지시 → 응답녹음
평 가 항 목	• Task B는 상황정보 이해력 및 해당 교신에 대한 적절한 응대력 평가 • 처음 들려지는 상황정보에 근거하여 이어지는 관제 지시에 적절히 응대 • 상황정보 및 ATC의 교신에 따라 플레인 영어 사용이 요구될 수 있음 • 표준 교신속도/발음/억양의 사용 여부 및 정보의 효율적 전달능력 평가 • 플레인 영어 사용 시 정확한 의미를 효율적으로 전달하였는지 평가
유 의 사 항	• 표준교신용어 : 요구되는 교신내용에 맞게 표준 교신용어를 사용하여 전달 • 상황정보(prompt) 음성에는 교신용어가 플레인 영어(발음)로 들려질 수 있음 이에 대해 응시자는 필요 시 올바른 교신용어(발음)으로 응답해야 함 (예 : 음성에서 "B6"를 "bi six"라고 발음하더라도, 응시자는 "bravo six" 응대해야 함)

Script & Sample Answer

Q1 During a climb, you are approaching a fix which requires a frequency change to the next air traffic controller. Now ATC contacts you. Acknowledge and respond accordingly.

ATC : HL123, when passing FL150, contact Smith control, on 129.1.

(Ping)

Pilot : Roger, when passing FL150, contact Smith control, 129.1, HL123.

Q2 You contact departure frequency after takeoff. Now ATC contacts you. Acknowledge and respond accordingly.

ATC : HL123, follow JFK 1 departure. Climb via SID.

(Ping)

Pilot : Follow JFK 1 departure, climb via SID, HL123.

Q3 You are being radar vectored for the approach. ATC instructs you to turn to heading zero niner zero. But you mistakenly turned to a heading which was different than the ATC instruction. Now ATC contacts you, respond accordingly.

ATC : HL123, confirm maintaining heading 090?

(Ping)

Pilot : Control, my mistake, we are turning back to heading 090, HL123.

Q4 ATC instructed you to maintain speed two one zero until established on the final approach course. But you need to reduce the speed by twenty knots, due to a performance reason. Say your request to ATC.

ATC : HL123, maintain 210 knots until established on the final.

(Ping)

Pilot : Control, HL123, unable, request to reduce speed to 190 knots due to performance.

Q5 You are now lining up on runway one niner and take off clearance was given from the tower. While lining up, you saw an aircraft crossing the takeoff runway. Now ATC contacts you, respond accordingly.

ATC : HL123, Cleared for takeoff runway 19.

(Ping)

Pilot : Tower, request to cancel takeoff clearance due to traffic on runway 19.

Pilot : Tower, verify take off clearance? We have an aircraft crossing the runway. We will hold short until the traffic is cleared, HL123.

Q6 ATC instructed you to maintain 300 knots for en-route separation. But you are now experiencing turbulence at 300 knots. Now ATC contacts you. Respond accordingly.

ATC : HL123, confirm maintaining 300 knots?

request reduce speed 280 knots (Ping)

Pilot : Control, unable to maintain 300 knots due to turbulence, request 280 knots until out of the turbulence area, HL123.

Part II TASK A. Role-play & Follow-up

Directions : In Part 2 Task A, you will be going through a couple of flight situations of a normal passenger flight. Follow the prompts for providing your response, which you will either hear or see on the screen, or the both. "Say again (=Repeat)"available once only. Your callsign is HL123.

After finishing Task A Role play, you will be asked one or two follow-up questions. You will have up to 90 seconds to respond to them.

시험[응답] 요령

구 성	약 7~12회 롤 플레이 / 응대시간 : 30초, Follow up : 90초
평가 요소	정상상황에서 기본 교신능력과 비정상 발생시 상황보고 또는 요구사항 전달 등에 필요한 언어 구사력(교신용어와 플레인 영어의 복합 사용)
진 행	연속적인 비행 단계 또는 복합적인 상황의 롤 플레이 Initial Situation → continued → Situation update → continued
평가 항목	• 음성 또는 화면에 제공되는 Text clue()를 이용하여 지시대로 응대하는 능력 • 상황정보 및 ATC의 교신에 따라 요구되는 플레인 영어 사용능력 • 표준 교신속도/발음/억양의 사용 여부 및 정보의 효율적 전달능력 평가 • 교신 응대력(Role-play)과 플레인 영어(Follow-up) 능력을 전체적으로 평가
유의사항	• 교신상황은 시간제한 및 언어평가 목적에 따라 '인위적'일 수 있고, 상황 전개의 '비약'이 인정되므로 지시사항에 맞게 응답해야 함 • 100% 컴퓨터와 상호작용하게 되므로, Interaction은 응답 내용의 적절성, 유창성, 이해도 등과 연계하여 평가되며, 응답 직전 '약간의' 준비시간은 용인됨 다만 평가자가 느끼기에 '매우'늦은 응답 또는 무응답은 영향을 미침 • 롤 플레이 전체의 응대 내용이 Operational(Level4) 이상으로 판단될 경우, Follow-up에서의 플레인 영어 점수보다 우선하여 평가됨 • 롤 플레이 전체 응대 내용이 Operational(Level4) 이상으로 판단되고, Follow-up에서의 플레인 영어 점수가 Extended(Level5)로 판정되면, 해당 응시자의 Task A 수행력은 Level 5으로 평가됨

※ 15초의 그림 학습 시간이 주어집니다. 15초 동안 그림에서 제시된 상황 및 상태를 확인하십시오.


Flight Paths

In this scenario, you'll be the pilot flying HL123, which goes through 3 flight stages : Approach, Landing and Taxi.

Initial Situation You have started your descent into your destination airport and have been handed off to Approach Control. There may be a slight change or altercation to your flight plan.

(dingdong)

(Q1~Q2)



Q1 ☞ Contact Approach Control and report your passing altitude. (Ping)

Pilot : Approach, HL123, leaving 6,000ft for 3,000ft.

Q2 ☞ Listen to the controller's response and question. Give a full read-back, acknowledge positively.

ATC : HL123, Approach, altimeter 3033, Quebec now current, what's your maximum forward speed?

200 knots (Ping)


Pilot : Altimeter 3033, we've got Quebec and our maximum forward speed is 200 knots, HL123.

(Q3~Q6)

Simplified Approach Chart

(Not for Navigation or Altitudes)

NB: Only for referencing location of waypoint DVETO on chart



Q3 ☞ Listen to the controller's message then request a verification of the waypoint you're cleared direct to, you can't find it on the approach plate.

Unsure of the FIX

Approach : HL123, clear direct DVETO to intercept the course for RNAV visual, maintain maximum forward speed until ASALT, there is a Boeing 757 behind you. (Ping)

Pilot : Can you spell the first fix for us? Can't seem to find it on the approach plate, HL123.

Q4 ☞ Listen to the controller's response, respond implying you have found the fix and give a full readback.

Approach : It's the very first fix outside of ASALT, Delta Victor Echo Tango Oscar. Nobody seems to find it. (Ping)

Pilot : Ok, we now see it on the top left corner, thanks. We are cleared direct DVETO, maintain maximum forward speed till ASALT, HL123.

Q5 ☞ Listen to the controller's response and give a full readback.

Approach : HL123, you are cleared for RNAV visual 13R, contact Tower 118.3. (Ping)


Pilot : Cleared, RNAV visual runway 13R approach, contact Tower 118.3, HL123.

Situation Update You are now over ASALT intersection at 3,000ft. (dingdong)

Q6 ☞ Contact Tower Control and report your position and intention. (Ping)

Pilot : Tower, HL123, over ASALT at 3,000ft for RNAV visual runway 13R approach.

(Q7)



Q7 ☞ Listen to Tower and give your full readback, then inquire about the traffic on your TCAS screen.

Tower : HL123, hello, winds 110 at 26 gust 35, cleared to land, runway 13R. (Ping)

Pilot : Cleared to land on 13R, are we following anyone? We see an aircraft about two - three miles in front of us on our TCAS, HL123.

※ 일부 상황에서는 이미지 자료가 제공되지 않습니다. 잘 듣고 문제를 푸셔야 합니다.

Situation Update You have landed and vacated the runway on Taxiway Victor and holding short of taxiway Bravo. The controller may need some additional information.

(dingdong)

Q8 ☞ Contact Ground and inform them of your current location. (Ping)

Pilot : Ground, HL123, vacated runway 13R on Victor holding short of Bravo.

Q9 ☞ Listen to the controller's response and notify them Gate B6.

Ground : HL123, what gate are you going to? (Ping)

Pilot : Gate Bravo 6, HL123.

Q10 ☞ Listen to Ground and respond accordingly.

Gate B6 in 3 minutes

Ground : HL123, any idea when you are going in? (Ping)

Pilot : They can accept us at Gate Bravo 6 in 3 minutes, HL123.

Q11 Follow-up question:

You have just finished Task A, as the pilot of HL123.

In this situation, why did you ask ATC for clarification about the waypoint during your approach? From your own experiences, how common is it for you to ask for this type of clarification? Give an example. (Ping)

<A sample answer is not made available for this task. Please consult the task tips and try on your own response.>

Part II TASK B. Extended Role-play : Single Incident/Emergency Related

Directions : You will be interacting with an Air traffic controller or Ground crew based on short situational prompts. Follow the prompts and respond as necessary. Assume you can accept all the instructions, unless being specified otherwise. "Say again (=Repeat)" available only once. Your callsign is HL123.

* Response time for each question : 30 seconds or less

시험[응답] 요령

※ Task B의 교신내용이 Task C의 태스크와 연계되므로, 관련 정보의 메모가 필요

구 성	약 7~12회 롤 플레이 / 응대시간 : 30초
평 가 요 소	단일 상황에서 비정상/비상상황에서 문제를 해결과정에서의 상황보고 또는 의사전달능력 등에 필요한 언어 구사력(플레인 영어의 빈도가 높아짐)
진 행	비정상 또는 비상 상황이 포함된 '단일'사건의 롤 플레이 Initial Situation → continued → Situation update → continued
평 가 항 목	• 음성 또는 화면에 제공되는 Text clue(▣)를 이용하여 지시대로 응대하는 능력 • 상황정보 및 ATC의 내용에 따라 요구되는 교신용어 또는 플레인 영어 사용 능력 • 표준 교신속도/발음/억양의 사용 여부 및 정보의 효율적 전달능력 평가 • 교신 응대력(Role-play)과 플레인 영어능력을 전체적으로 평가
유 의 사 항	• 교신상황은 시간제한 및 언어평가 목적에 따라 '인위적'일 수 있고, 상황 전개의 '비약'이 인정되므로 지시사항에 맞게 응답해야 함 • 100% 컴퓨터와 상호작용하게 되므로, Interaction은 응답 내용의 적절성, 유창성, 이해도 등과 연계하여 평가되며, 응답 직전 '약간의' 준비시간은 용인됨 다만 평가자가 느끼기에 '매우'늦은 응답 또는 무응답은 영향을 미침 • 플레인 영어 사용 빈도가 다소 높을 수 있고, 응대 내용의 정확도 및 유창도에 따라 Operational(Level4)과 Extended(Level5) 여부가 평가됨

Initial Situation You are the pilot of HL123 and currently holding short of runway two five left. (dingdong)

Q1 ☞ Listen and respond accordingly.

Tower : HL123, wind calm, runway two five left, cleared for takeoff. (Ping)

Pilot : Runway two five left, cleared for takeoff, HL123.

Situation Update You are now airborne and climbing out. Suddenly you need to declare an emergency. You are having difficulty controlling the aircraft's Yawing. (dingdong)

Q2 The controller contacts you.

Tower : HL123, contact departure, good day.

☞ Declare an emergency and request vectors back to the airport. (Ping)

Pilot : Tower, HL123, we are declaring emergency, we need to come back around and land / return to the airport.

Q3 Continued…

☞ Listen to the controller's response. Respond accordingly.

Tower : HL123, make a left downwind for Runway two five left and contact departure please. (Ping)

Pilot : Left downwind for two five left and contact departure, HL123.

Q4 You are now on departure frequency and they contact you.

Departure : HL123, radar contact, say the nature of the emergency.

☞ Respond and state : Having difficulty controlling the aircraft's yawing, request vectors to trouble shoot. (Ping)

Pilot : HL123, we are having a little trouble controlling the airplane, we got a yaw problem.

Q5 Continued…

Departure : HL123, say your intentions?

☞ Respond and state approach configuration needs testing. State how you will need to do it. (Ping)

Pilot : Yes, we are going to need to fly straight and slow down and configure to see how the airplane behaves.

Situation Update You have tested the configuration and have been cleared by the company to head back in for a landing. (dingdong)

Q6 ☞ Contact Approach, explain your situation and say your intentions. (Ping)

Pilot : Approach, HL123, We've finished setting up and are ready for an approach back to the airport.

Q7 Continued…

☞ Listen to the controller's response. Respond accordingly.

Approach : HL123, turn right heading 160, maintain 3,000 until established, cleared for ILS 25L. (Ping)

Pilot : Right heading 160, maintain 3,000ft, cleared for ILS runway 25L approach, HL123.

Q8 Continued…

☞ The controller contacts you. Respond accordingly.

Approach : HL123, let me know fuel and souls on board, so I can advise tower.

3 hours, 175 SOB (souls on board) (Ping)

Pilot : We have 3 hours of fuel and 175 souls on board, HL123.

Part II TASK C. Reporting about Task B

Directions : You have just finished Part 2 Task B. Now you will be listening to the ATC's radiotelephony messages to better recall the events. Afterwards, you will be asked two questions about the situation. You will have 90 seconds for each question.

시험[응답] 요령

구 성	2문항/ 응대시간 : 90초
평 가 요 소	Task B에서 수행한 롤 플레이 내용에 대한 리포팅(플레인 영어) 능력
진 행	TASK B의 ATC 교신 내용 다시 듣기 → 질문 → 응답하기
평 가 항 목	• 구체적인 사건과 상황 전개의 내용을 묻는 질문(Q1)에 대한 사실전달 능력 • 사건에 대한 이해를 바탕으로 의견을 묻는 질문(Q2)에 대한 의견제시 능력 • 질문의 취지를 정확히 파악하고 답변하였는지에 대한 평가(이해력)
유 의 사 항	• 교신상황은 시간제한 및 언어평가 목적에 따라 '인위적'일 수 있고, 상황 전개의 '비약'이 인정되므로 지시사항에 맞게 응답해야 함 • Interaction에 대한 설명은 TASK B 참고 • 제공시간을 최대한 활용하여 평가항목(유창성, 이해력, 어휘, 발음, 문장구조)에 대한 능력을 충분히 표현 • 경험 사례 또는 관련 지식/보도 등을 활용하여 플레인 영어능력을 최대로 발휘

☞ Now listen to the controller's radiotelephony messages.

ATC: HL123, wind calm, runway two five left, cleared for takeoff.
ATC: HL123, contact departure, good day.
ATC: HL123, make a left downwind for Runway two five left and contact departure please.
ATC: HL123, radar contact, say the nature of the emergency.
ATC: HL123, say your intentions.
ATC: HL123, turn right heading 160, maintain 3,000 until established, cleared for ILS 25L.
ATC: HL123, let me know fuel and souls on board, so I can advise tower.

☞ Now answer the questions.

Q1 What happened to your aircraft (HL123)? Explain the nature of the incident. (Ping)

Q2 How do you think the incident was handled by the air traffic controller? Do you feel the situation could have been handled differently? Make a comment from a pilot's point of view. (Ping)

<A sample answer is not made available for this task. Please consult the task tips and try on your own response.>