AUNLP™

http://www.AUNLP.org

NLP PRACTITIONER MANUAL

By Steve G. Jones, M.Ed. © 2010
http://www.BetterLivingWithHypnosis.com
Unauthorized reproduction prohibited.

AUNLP™
American University of Neuro Lingistic Programming
912.897.9799

Welcome to the AUNLP Practitioner Program. You have taken the first step into a fascinating world of helping people with the most advanced NLP technology available today. Please visit http://www.hypnosiscertified.com/dap and watch all 10 videos (your password has been e-mailed to you), read this entire manual, and take the final exam at the end of this manual. Once you have completed the final exam, please send it to the office (see instructions at the end of the final).

This manual and the 10 videos do not necessarily follow each other exactly. I have made every effort to present concepts differently in the manual than the way they are presented in the videos. Research shows this will enhance your learning experience. Additionally, there are some concepts covered in the videos that are not in the manual and vice versa.

I hope you enjoy learning as much as I enjoy teaching. If you have any questions as you go through the program, please e-mail me at Steve@SteveGJones.com.

Steve G. Jones, M.Ed.
NLP Trainer

Introduction to NLP
(Neuro Linguistic Programming)

Welcome to the world of NLP, Neurolinguistic Programming, the systematic study of human performance. NLP is a subjective experience; the structure can be broken into individual components, and/or changed, modified, improved, or removed. It's a fluid framework that transforms at much deeper levels, faster than we ever imagined.

In the 1970's, distinguished names such as David Gordon, Leslie Cameron-Bandler, Steve and Connirae Andreas, Robert Dilts, Richard Bandler and John Grinder developed NLP methods, which are part of a continuum that continues to evolve. A practical application of how people think, NLP is based on the work of Alfred Korzybski, Virginia Satir, Milton Erickson, Fritz Pearls and Gregory Bateson, among others. NLP provides therapists an opportunity to initiate change in the lives of their clients. Neurolinguistic Programming analyzes and transfers human excellence, which results in the most valuable, helpful and practical psychology practiced.

A real hands-on learning experience and an open mind, pushes the limits of the training at all levels.

Very important: This guidebook is your companion, supplement, and a handy reference manual. It is not an exact duplication of the videos/DVDs. You will find that some of the exercises don't follow class order. Check the table of contents for page numbers.

Table of Contents

AUNLP™ **1**
Introduction to NLP **3**
Chapter 1 ..... **6**
Questions and Answers About NLP 7
Chapter 2 ..... **9**
Rapport 10
Sensory Acuity 11
Opening Your Senses 11
Wide Eyes (or Soft Eyes) 12
Chapter 3 ..... **13**
Eye Accessing Cues (Movements) 14
Representational Systems 18
Predicates 20
Chapter 4 ..... **21**
Sensory Perceptual Strategies 22
Chapter 5 ..... **23**
Sub-Modality Distinctions 24
Questions 24
Visual 24
Auditory 25
Kinesthetic 25
States of Excellence 26
Chapter 6 ..... **27**
Major Presuppositions of NLP 28
Chapter 7 ..... **29**
Meta Model 30
Information Gathering: The Key to Successful Interactions 31
The Key Questions 31
Meta Model Chart 32
DELETIONS 32
DISTORTIONS 32
GENERALIZATIONS 33
Anchoring 35
Anchoring and Adding a Resource 37
Chapter 8 ..... **38**
Chaining Anchors 39
Behavior Transfer 39
Changing Personal History 40
Lie / Truth Submodalities Exercise 41
Chapter 9 ..... **43**
Eliminating Fears 44
The Visual Squash Exercise with Regression 46
Visual Squash – Revised 49
The Swish Pattern 52
Swish Pattern Exercises 53
Computer Swish 54
Chapter 10 ..... **55**
Godiva Chocolate Pattern 56
New Behavior Generator 57
NLP Handshake Interrupt (Instant) Induction 58
Re-Parenting 59
How to Mend a Broken Heart 60
6-Step Reframing Outline 63
NLP-Based "Nonverbal" Induction 65

Building Self-Confidence 67
Developing Self-Appreciation 68
Metaphor for Change 70
Appendix A: The Meta-Model 74
Three Universal Modeling Processes 75
Meta-Model Outline Summary: 87
APPENDIX B: Timelines 88
APPENDIX C: Dave Elman Induction 92
APPENDIX D: Reframing 95
Glossary of Common NLP Terms 97
References 102
Final Exam 104
Part I 104

Chapter 1

Questions and Answers About NLP

Q. What's a quick definition of NLP?

A. A unique model, it teaches people how to learn, how to motivate themselves, and change their behavior. The goal: striving for excellence.

Q. Where does the name come from?

A. Alfred Habdank Skarbek Korzybsk, a pioneer in the field of Neurolinguistic Programming said, "God may forgive you for your sins, but your nervous system won't." The Polish-American scientist believed that NLP is an integration of neurology, psychology, linguistics, cybernetics, and systems theory. The component of the term Neurolinguistic Programming describes what this obscure and complex science encompasses. NEURO: all of our experiences, both conscious and subconscious, are derived through and from our senses and central nervous system. LINGUISTIC: our mental processes are given meaning, coded, organized, and, then transformed through language. PROGRAMMING: people interact as a system in which experience and communication are composed of sequences of patterns or "programs." His work gave birth to the Neurolinguistic Programming or as we like to call it, NLP.

AANLP uses PSYCHOLOGY rather than Programming because Psychology comes from "psyche" meaning "Spirit" and "ology", the "study of systems."

Q. How does NLP work?

A. It lets you model or copy human excellence in any form. In addition, you can identify the things that make someone exceptionally skilled, acquire that skill for yourself, pass it on and teach it to others. NLP improves the most important aspects of your life: pushing yourself to be the best you can be, whether it's with your family or on the job.

Q. How and where can you use Neurolinguistic Programming?

A. Wherever human communications skills can enhance results: business consultation, management, negotiation, education, counseling, therapy, relationships, parenting, nursing, public speaking, sports performance and many other areas.

Q. What can I expect, in terms of an end result?

A. NLP helps therapists change the impact of the past on a client; boosts a teacher's capacity to teach and improves a student's spelling skills; increases a businessperson's non-verbal rapport, assists them in running more efficient meetings; enhances an athlete's concentrations and more.

Q. How would you classify NLP?

A. A method of therapy, NLP's applications are much broader. The process teaches people how to use their brains. Most therapy is remedial, directed towards solving problems from the past. NLP goes much deeper. It studies excellence and teaches skills that promote positive change, which generates new possibilities and opportunities.

Chapter 2

Rapport

Groups of three, Programmer chooses a situation:

1. ***You want to breathe in rhythm with the person.*** If they are breathing quickly, pace them to slow down.

2. ***Echo or parallel the person's posture and movements.*** Don't mimic, flow with them.

3. ***Match the kinds of words your client uses:*** If a client says they can't see things working out or can't clearly picture the outcome, you should match the visual words so they will clearly visualize the conclusion.

4. ***Go over everything the client said.***

SPEND A COUPLE OF MINUTES DOING THIS, THEN:

Mismatch as many words, processes, and questions you can.

Note: All of these Rapport Techniques should be used with subtlety so clients aren't aware of your actions. Remember you want to be calm, centered, relaxed and positive. Remain focused. Think Creatively. Positively. Visualize Success!

Sensory Acuity

You are only as good in NLP as the information you own. Sensory acuity is extremely important when gathering the right information. These exercises will help improve your sensory acuity.

Opening Your Senses
Visual * Auditory * Kinesthetic

1) Kinesthetic (sense of touch) -

Groups of three people - 2 Programmers and 1 Experiencer

Ask the Experiencer to close their eyes. This helps them access a highly charged kinesthetic state. Remember a moment when you were in tune with your body. Each Programmer touches the Experiencer's hand or wrist and calls out his/her name. When the Experiencer finally distinguishes the touches, TEST the kinesthetic sense. Repeat the process on a sleeve or another article of clothing.

Stretch the exercise: this time the touches should be as close to the same space as possible. Then rotate the exercise so everyone experiences the position of Experiencer.

2) Auditory -

Same group of three people - 2 Programmers and 1 Experiencer

In this exercise you want the Experiencer to access a vivid auditory state. Each Programmer produces simple sounds: claps, finger snaps, hand rubbing anything that can be done on the spot.
Call out the Programmer's name. The moment the Experiencer distinguishes between the sounds, TEST the auditory sense.
Again, rotate until each of you experiences the position of the Experiencer.

3) Visual -

Same group: 1 Programmer; 1 Experiencer; and 1 Meta Person or watcher:

You want the Experiencer to access a very clear visual state.

While this is happening, the Programmer sits down and the Experiencer takes a mental photograph of the Programmer's position. Once it's embedded in his/her mind, the Experiencer shuts his or her eyes.

Now the Programmer shifts or moves, which challenges the Experiencer to identify the changes.

As you've done before, rotate the exercise until everyone experiences the position of the Experiencer.

Wide Eyes (or Soft Eyes)

Stand with your feet shoulder width apart. Put your hands in front of you with the index finger extended. Focus on your fingers.

Pull your fingers apart. Stop when they're out of your sight line.

Repeat the procedure: If you think about "wide eyes" or "soft eyes" you should be able to expand your field of vision.

***** Again, do it daily for as long as you follow this curriculum.

Chapter 3

Eye Accessing Cues (Movements)

Study the diagram and you'll see the direction of a person's eyes as they accesses movements while you are face-to-face with that person.



As we process information we do it visually, auditorily, kinesthetically, olfactorally, or gustatorally. It's possible to access the meaning of a word in one, or any combination, of the five sensory channels.

VC Visual Created: View images of things you've never seen or look at them differently. For instance: "What will my appearance be like or how will I appear to others when I'm 90?"

AC Auditory Created: Hearing sounds for the first time. Questions to ask: "How would I feel hearing my name backwards?" "What about a combination of: dogs barking, car horns blaring and children having fun on the playground?

K Kinesthetic: What's the emotional context with tactile sensations

		– running barefoot through the grass and you ask how does it feel? Or how about the perceptive feeling or muscle movement, where you wonder, ask, How cold is your nose?"
VR	Visual Remembered:	You've seen something before, but somehow looking at it this time is like seeing it for the first time. Pose this question: "Tell me what the raincoat and umbrella look like?"
AR	Auditory Remembered:	Recall a familiar sound: "What did I say before we hung up the other night?" "Can you describe your garden?"
ID	Internal Dialog:	A conversation with yourself is more than common, so get yourself to repeat something you know by heart: lyrics to your favorite song or poem; your family's birthdays.

Author and psychotherapist, Virginia Satir, is just one of many who have observed that people move their eyes in systematic directions. The movement, eye-accessing cues, depends on what the person is thinking. The chart above indicates the kind of processing most people do when they move their eyes in a particular direction; however, a small percentage of people are "reversed" or mirror image the chart.

Eye accessing cues: a car salesman might stress different features to a customer once he keys into the customer's primary representational system. The salesman "steps into his

model of the world." *Auditory* customers: the salesman stresses the quiet ride, the thud of the reinforced doors and the upscale stereo system. *Visual* customers: the salesman points out the clean, sleek lines; the clear view of the scenery through the large tinted windows and sunroof. If he's really in tune with the customer's visual needs he should ask them to imagine themselves on the open road behind the wheel on a beautiful clear day. A kinesthetic person might respond to the feel of full grain leather seats and a smooth ride that makes you feel like you're floating on air, the freedom you get with the wind in your hair and the warmth of the sun caressing your face. A smart salesman goes for all the senses because we all use, and respond to, more than one system. A great deal of the time, decisions like this are made with the help of a parent or spouse. The more systems at work the better the other systems respond.

As therapists we learn this is another way of gaining rapport with our clients. We phrase our inductions by using a representational system, which gets them to respond.

An **auditory** husband leaves his socks on the floor, dishes on the table, shoes in the corner, newspapers all over the place. A **visual** wife thinks she's married a total slob who doesn't appreciate the way she strives to keep a picture perfect house. "If he loved me", she thinks, "He'd understand and appreciate how much I do for him."

On the flip side, the auditory husband comes home to his castle after a demanding day at work. Stress-free at last, his only desire: read the paper in silence. Nope! The sounds of the food processor, TV, CD player and hungry dog converge at the same moment. Impossible to focus on his visual task, the auditory husband asks, "Can't I get some peace and quiet in my own home?" More misunderstandings.

A trip to divorce court could be avoided if the parties involved realized:

Visual appearances are important to the wife, but make absolutely no impression on the auditory spouse.

Normal household noise, more punishing to the auditory husband make no impression on the visual wife.

Communication and understanding differences makes any sort of living arrangement run more smoothly.

If your teenager breaks curfew, asking why they're late is one way to utilize eye-accessing cues. If the they look up and left, they're visually remembering and telling you where they were. If they look up and right (visual construct), it's possible they're making it up as they go. They may not be lying, but it's time for the parent to probe a little deeper.

Not sure how to do it? Learn from the best. Watch great interviewers like Oprah and Larry King get the answers they want. Good, thoughtful questions come from listening to the subject. Listening is the key. People readily respond, sub-consciously. Tape the shows. Study those eye-accessing cues and take a cue from the best.

Representational Systems

Seeing [Visual]

Eyes	As people gaze up or down, right or left, you look at the eyes that seem to lack focus.
Gestures	You can make them speedy, sudden and sharp, which includes pointing.
Breathing &	Elevated, thin and rapid.
Speech	Swift
Words	Words that gain notice: Observe, watch, envision, disclose, viewpoint.
Presentations	They choose images, illustrations, films.

Hearing [Auditory]

Eyes	People who look down to the left and may seem “shifty-eyed."
Gestures	If gestures are in balance, like thinking and rubbing your chin.
Breathing &	Mid-chest: cadenced.
Speech	Talk in a musical patter.
Words	Words that obtain other people’s notice: Heed, listen, question, enlighten, clicks, in-tune.
Presentations	People favor lists, summaries, quotations, read.

Feeling [Kinesthetic]

Eyes	Those of us who look down to the right.
Gestures	Those of us whose gestures are rhythmic – which is very common for men – touching their chests when talking, providing sincerity.
Breathing &	Profound, measured with silences.

Speech	Talks bit by bit.
Words	Words that seize attention:
	Experience, pat, clutch, comprehend, bond.
Presentations	Aiming for objectives: accomplish, conquer, profit.
	Getting away from issues: evade, alleviate, exposed.

To be more persuasive with all groups, make the representation: BIGGER, CLOSER, MORE COLORFUL, 3-D, MOVIE.

Predicates

The following are predicates (verbs, adverbs and adjectives) associated with specific representational systems. To detect the primary representational system - listen to a person's language: how they construct sentences, how they use predicates.

Visual	Auditory	Kinesthetic	Unspecified	Olfactory/Gust
Hazy	Outspoken	Grip	Indicate	Fresh
Observe	Articulate	Warm	Consider	Bland
Flash	Scream	Rush	Motivate	Stale
Focus	Pronounce	Firm	Plan	Fresh
Bright	Remark	Euphoric	Anticipate	Bitter
Scene	Resonate	Clammy	Create	Salty
Perspective	Harmony	Touch	Generate	Nutty
Imagine	Shrill	Calm	Deduce	Delicious
View	Oral	Dull	Direct	Salivate
Vista	Whimper	Burning	Achieve	Spoiled
See	Sound	Feel	Think	Smell
Picture	Hear	Relax	Decide	Fragrant
Perceive	Discuss	Grasp	Understand	Stink
Notice	Listen	Handle	Know	Reek
Look	Talk	Stress	Develop	Aroma
Show	Call on	Pressure	Prepare	Pungent
Appear	Quiet	Smooth	Activate	Sour
Clear	Inquire	Clumsy	Manage	Sweet
Pretty	Noisy	Rough	Repeat	Acrid
Colorful	Loud	Hard	Advise	Musty
Horizon	Mention	Stinging	Accomplish	Sniff
Make a scene	Tongue-tied	Get the drift	Initiate	Smokey
Tunnel vision	Ring a bell	Boils down to	Conclude	Bitter pill
Plainly see	Loud and clear	Hang in there	New knowledge	Fish notion
Catch a glimpse	Rap session	Moment of panic	Incorporate	
Bright future	Unheard of	Smooth operator	Differentiate	
In light of	Call on	Get the drift	Represent	
See eye-to-eye	Idle talk	Sharp as a tack	Creative option	
Mind's eye	To tell the truth	Slipped my mind	Aware of	
Bird's eye view	Word for word	Pull some strings	Intensify	

Chapter 4

Sensory Perceptual Strategies

Every person has his or her own Sensory Perceptual Strategy program, which he uses to communicate. These strategies are the primary, secondary and tertiary representational styles of the communicator. A person can be a V-A-K - Visual-Auditory-Kinesthetic. When you communicate with that person, use processor words that go hand-in-hand with V-A-K strategy. You should do this with all representational strategies.

Possible strategies? An infinite number, but the six most common:

V-A-K	Visual-Auditory-Kinesthetic
V-K-A	Visual-Kinesthetic-Auditory
K-V-A	Kinesthetic-Visual-Auditory
K-A-V	Kinesthetic-Auditory-Visual
A-V-K	Auditory-Visual-Kinesthetic
A-K-V	Auditory-Kinesthetic-Visual

It's so easy to learn another person's Sensory Perceptual Style, or representational strategy. Make it simple. UNPACK it! Ask the person to remember a happy moment in their lives. Probe. Ask what made them so happy. Don't stop. Come at the questions from different angles and listen for those processor words. Inevitably, you'll get the answers, they'll tell you what they saw, experienced or heard. Once they've told you three times, you've got it, their basic strategy. To communicate effectively with them, develop rapport, PLAYBACK their strategy.

Strategy playback makes you a silent partner or co-conspirator. You communicate with that person in their modalities of reality. You use the same order or representation, such as V-A-K, but in a different context. You tell them a story with the appropriate processor words. When they experience this story through their sensory perceptual style, they'll develop rapport with you. Communication will be instantaneous. More and more people will enjoy your company because you communicate effectively with them. They won't even realize it. They'll just like it.

Chapter 5

Sub-Modality Distinctions

Modality	Sub-Modality	Questions
Visual	Color/Black & White	• Do you want black and white? • What about full-color spectrum? • How bright or dull are the colors?
	Brightness	When looking, does it appear brighter or darker than normal?
	Contrast	What about the intensity versus the lackluster?
	Focus	And the visual – clear & crisp or just plain hazy?
	Texture	How dies it appear: velvety or coarse?
	Detail	• Can you spot foreground and background details? • How do you see or define the details as part of a whole? Is it necessary to shift focus to keep them in view?
	Size	Ask for the exact size of the picture?
	Distance	And, get the distance, how far is it -- exactly.
	Shape	Get the description: shapes of the picture --- angles - square, rectangular, round?
	Border	• Ask them to describe borders, if there is one and what's the feel? • What kinds of colors are there? • How thick or deep is it?
	Location	• Get a description of the location within the space? • Describe – using both where and how uou see the pictures?
	Movement	• Freeze frame? Movie? Still picture? • And, the speed of the movement – slower, faster than the usual rate? • Can the image remain secure? • What direction is it moving? • What's the speed of that movement?
	Orientation	Does the picture slant one way or the other?
	Association / Dissociation	How do you imagine or view yourself – or as if you were in the middle of the event?
	Perspective	• What's your perspective? • Should it be If Dissociated, is your view of yourself form the either side (right/left) Do you see yourself from the right or left, behind or facing you?
	Proportion	What about people and/or things within the frame, are they in proportion to each other, as well as you? Do they appear tinier or bigger than life?

	Dimension	• Are they flat or is it 3-D? • Do you perceive the features envelop you?
	Singular / Plural	• How many pictures are there? • Can you see them in succession or all at once?
Auditory	Location	• Where does the sound come from? In or out?
	Pitch	• High or low-pitched? • And, is it higher or lower than it usually is?
	Tonality	Ask about the tonality: twangy, deep, full-bodied, husky, smokey, throaty, like nails on a chalkboard?
	Melody	Is it all the same - boring or is there a harmonious scale?
	Inflection	What's accentuated?
	Volume	What about the volume - loud?
	Tempo	The speed? Quick? Deliberate?
	Rhythm	Is there a certain pulse or regularity?
	Duration	Does it stop and go or is it constant?
	Mono / Stereo	Is it like surround sound or do you hear it from one particular side?
Kinesthetic	Intensity	How powerful is the feeling?
	Quality	Can you illustrate the body sensations: prickly, cool, hot tranquil, edgy, tangled, subtle?
	Location	Where parts of your body feel it, if you feel it?
	Movement	• Does the sensation provide any movement? • And if there is, is it uninterrupted or does it move in a regular pattern?
	Direction	• Where does it begin? • How does it move --- from the point where it starts to its most startling?
	Speed	How does it move – steady stream or full-throttle?
	Duration	Uninterrupted? Irregular?

States of Excellence

Groups of three (Programmer, Client, and Meta-person roles) standing:

1. ***Identify Excellent State.*** "Decide upon the states or levels of excellence in your life and what state do you want your resources available to you?"

2. ***Organize a Circle of Excellence.*** "I want you to envision a circle of excellence right in front of you. Tell me about the colors and sounds, if there are any?"

3. ***Access Excellence Circle and ANCHOR.*** " Reflect back on your life when you were in a place that was completely blissful. As it envelops you, step into that circle." Every experience or access to this tranquil spot should help you step into the circle and the programmer should place one hand on the client's shoulder - **The Anchor**.

4. ***Separator State/Testing.*** "Come out of the circle, relax for a moment, then walk back into the circle – **Anchor** - and discover just how completely you produce those feelings. Now, remove yourself from the circle, breathe, enjoy the moment."

5. ***Desired Context.*** "From now on, whenever I touch you on the shoulder - **Anchor** – walk back into the circle. Visualize a future situation, or set of circumstances where you want to experience or feel this exalted state.

6. ***Chaining.*** "As I touch your shoulder – **Anchor** – I'd like you to return to the circle and recapture that exalted state. Breathe ---- wait a moment. Think about how, precisely that old problem will be different?

7. ***Testing.*** Ask your client to leave the circle, get them to think about where they want help. Ask them to explain the non-verbal areas.

Chapter 6

Major Presuppositions of NLP

NLP is one way of looking at the world:

1. Communication is a constant.
2. The way you communicate elicits a response.
3. People reply to their perceived sense of reality, as opposed to what's really going on.
4. There should be variety. An element with the most flexibility is usually the controlling element within a system.
5. People make the best choice available to them.
6. All behaviors are constructive in some way.
7. There is structure in experience. Chunking. We can achieve anything if it's broken into tiny doses.
8. Usually we have most of what we need.
9. We don't fail. We try, and improve with feedback.
10. And, when things are out of control, not pushing you forward, make a left or right turn and try another route.



Chapter 7

Meta Model

Developed by **John Grinder** and **Richard Bandler**, the Meta Model, which bears a close resemblance to the list of ten "cognitive distortions" found in Cognitive-Behavioral Therapy, identifies common language patterns and hampers first-class communication. Meta opens the channels, demonstrates how to tackle the problems and paves the way for simpler, more effective communication.

The Meta Model covers a variety of misleading language patterns such as: Unspecified nouns, unspecified verbs, unqualified comparisons, missing referential indices, unqualified absolutes, and unquestioned rules. Each are described in the glossary under relevant headings: **Deletions**, **Distortions**, **Generalizations**, **Nouns**, unspecified, **Verbs**, and so on. (For a detailed discussion of the meta model, please see Appendix A).

Information Gathering: The Key to Successful Interactions
The Meta Model

The Key Questions

1) What do you desire?

    a) Put it in positive terms
    b) The client should start, be in command.
    c) Precise-Sensory Based - See - Hear - Feel
    d) Little bits – small portions

1A) What will that particularly provide for you?

2) When will you be aware you've got it?

3) Decide with whom you want it – Where, as well as, when?

    a) Make it sensory based and environmentally friendly

3A) What about the affects on you and the other people in your life?

4) What keeps you from getting what you want --- now?

5) Are there assets you own that might help you reach the final result?

6) What else do you need to reach that goal?

7) What's the route you need to take to get there?

    a) Start with goals that you can achieve - be specific.
    b) Try every possible path to realize your dream.

Meta Model Chart

PATTERN
DELETIONS
Nominalizations: Use process words: verbs that become nouns
Unspecified Verbs: "He eliminated me."
Simple Deletions: (a) Simple Deletions: Ex: "I am embarrassed." (b) Lack of Referential Index: Ex: "They pay no attention to me." Unsuccessfully specifies a specific person or thing. Comparative Deletions: Ex: "She's a healthier person." Decent, superior, best, extra, fewest, inferior, worst
DISTORTIONS
Mind Reading: Understand Someone's Internal State - "Why don't you like me."
Lost Performative: Value Judgments – The Person who does the Judging is omitted: Inconsistency is a no-no.
Cause – Effect: (A>B) How is cause incorrectly placed outside oneself? i.e.: You make me sad.
Complex Equivalence: (A=B)
Presuppositions: "If my wife knew how hard I tried to surprise her, she would stop asking questions." 3 Presuppositions: 1. I try 2. My wife reacts strongly 3. My wife husband doesn't know I try to make her happy.

GENERALIZATIONS
Universal Quantifiers: All, every, never, everyone, no one, and so on… Ex: "She never pays attention to me."
Modal Operators (a) Required Modal Operators of necessity: should, shouldn't, must, must not, have to, need to, it is necessary Ex: "I must take care of her." (b) Modal Operators of Possible or impossible: can/can't, will/won't, may/may not, possible/impossible i.e.: "How can I tell her the truth?"

Nominalization

This is the process of turning a verb into a noun - “to educate” becomes “education.” The verb form is clear-cut. The noun form is not. A common NLP expression: “You can’t put a nominalization in a wheelbarrow.”

Politicians love nominalizations. Why? They talk without saying anything at all.

Anchoring
Multiple Accessing Representations

Communication with a client achieves a much-desired level of rapport and changes as often as the discussion changes. To that end it's important to have a back-up plan, which quickly re-establishes the initial method of rapport. Anchoring is the ticket:

1) You can establish an anchor quickly. Repeated motivations and conditioning reinforces an anchor.

2) It's not necessary to use reinforcement and direct rewards for an anchor's association.

3) Internal responses and experiences are significant, but internal reactions are impossible to measure....they are a definitive response.

4) Anchors are "set" and "fired off". The more profound the experience when the catalyst is set, the stronger the retaliatory response.

5) Timing is crucial when you establish an anchor. Use the correct trigger and you'll get the desired response. The strength of that response guides your client's mind down the necessary and desired path.

6) The more original the motivation, the easier it will be to reestablish the desired rapport. The repercussions of mixed responses due to general stimuli can be detrimental to the client as well as to your entire relationship. If you establish unique stimuli, you'll discover there is less room for error, and you'll easily re-access the desired state.

7) Anchors can be established in the visual, auditory, and kinesthetic representational systems.

8) Anchors are set and fired off consciously and unconsciously. People regularly create anchors in everyday experiences. Breaking news or an on-going event can trigger positive or negative feelings. After that, anything tied to that event will elicit a certain response. An anchor has been "set" and "fired off."

Anchoring and Adding a Resource

1. ***Identify Resourceful Behavior or State.*** "Consider what you do well, some behavior or state that you'd like to improve.

2. ***Access and ANCHOR #1.*** "What's that behavior like?" As your client accesses that state, reach over and ANCHOR it with a touch of your arm.

3. ***Identify Additional Resource (#2).*** "Think of some other resource state or behavior that you can add so that you'll be even more delighted with that resourceful behavior." As they access this resource, ANCHOR it with a touch of your other arm.

4. ***Integration.*** "Take this resource (fire ANCHOR #2) and relive that resourceful behavior (fire ANCHOR #1) with the additional resource available to you. Watch and listen to everything that happens as those two experiences combine. You'll be even more effective. Take the time you need and come on back."

5. ***Test.*** Fire ANCHOR #1 and look for a new response.

Note: Anchors should be set (installed) at the peak of the experience. Make sure your client uses all of the senses - sight, sound, feel, smell, touch and taste - that were associated with their experience. Ask your client to nod when they reach the very peak of that experience. Now, set the anchor. Why now? You can easily call up that particular desired state when needed.

Chapter 8

Chaining Anchors

1) Elicit Dissociation

"Look at yourself from my point of view."

"Pretend you're in a movie theater, on the screen."

Anchor this Dissociated State. *Anchor # 1*

2) Elicit Stuck (Problem) State.

Anchor. *Anchor # 2*

3) Chain to Dissociation

Fire Anchor # 2 , which is Stuck/Problem and fire Anchor #1 with you on the screen

4) Test - Have your client think of stuck/problem.

Behavior Transfer

5) Choose the past resource or behavior you want to use in the problem/stuck state.

6) Think of a time you had this.

Anchor. *Anchor # 3*

7) Fire #2, then #1, and finally #3.

Whenever you find yourself in this situation (Fire #2), pull back (Fire #1) and then like magic you'll find yourself resourceful. (Fire #3)

8) Attach a self-anchor, if you think it's appropriate.

Changing Personal History

1. ***Identify the Problem State.*** "Remember when things didn't go the way you wanted them to. You'd like to feel differently about the memory. You still think of that memory from time to time. You'd like to lose the bad feelings it provokes."

2. ***Access and ANCHOR the Problem State.*** "Do you feel bad, thinking about this now?"

3. ***Identify the Resource.*** "What resource - courage, humor, alertness, etc. - would have made it possible for you to have had a much more useful experience in that situation?"

4. ***Access & ANCHOR (#2) Resource State.*** "Think about a moment when you experienced a great deal of this resource." While your client accesses this state, ANCHOR it with a different touch (ANCHOR #2).

5. ***Break State.***

6. ***Integration.*** "You should use this special resource (fire ANCHOR #2) and back into the problem memory (fire ANCHOR #1). Find out what happens with this resource, now available to you. Watch and listen as you relive the old memory in a new way. Take your time, and then come on back."

7. ***Test.*** Ask the client about that memory. Check non-verbal responses.

Lie / Truth Submodalities Exercise

1. You can perform the lie-truth exercise - Tell one the truth: something unbelievable from your past. Make up a believable fabrication. You should tell both stories to the group. Ask them which was true? False? Don't reveal anything, just yet.
2. Get your group into pairs and elicit the submodalities of:
   A: The truth
   B: The lie
3. Map across and make the lie like the truth and the truth a lie.
4. Test
5. Switch

Where is this useful in the real world? For the teller and listener! The exercise teaches you how to utilize your sub-modalities when you're telling a story, truths and lies, as well as how to pick up clues when you're listening to someone else. Pay attention to what you feel, whether it's the truth or a lie.

Watch a movie. Make a conscious effort to track the unimportant details that either sell you on the movie or totally blow the plausibility. If the minutia is plausible, you'll go with the larger "lies".

Once you strike up rapport with someone, mirror and match them while they're regaling you with their latest escapade. Go into "think" mode and listen carefully. That zone or rapport will help you distinguish the truth from the tale they're embellishing. External behavior models an internal process. If you share that rapport, you'll fine-tune your senses while you listen. Great actors on film understand the art of listening transcends the screen and makes the audience feel their pain or joy.

That's why it's harder to lie or be lied to by family and friends as opposed to strangers. The better your rapport the more in tune you are with each other.

If you're telling a story, dig deep and use your sub-modalities to sell that story. Be the best raconteur you can be. The more in state you are, the harder it will be for the listener to tell the difference between fact and fiction. If you try to build rapport while you're engaged in storytelling, make sure you mirror and match the listener. It becomes even more difficult for your audience to decipher the truth – or the lie!

Subtlety is a no-no! You won't get anywhere. Rapport will be elusive. If you want to be effective - be blatant!

Chapter 9

Eliminating Fears
The Fast Fear Relief Technique

This technique neutralizes the powerful, negative feelings of fears and traumatic events.

Remember: A phobia takes over when people are stuck or caught in a situation that frightens them or catches them off-guard. Translation: perceived danger becomes the phobia. Individuals can do what psychologists call "one-trial learning" proof that the human brain learns and re-learns quite rapidly. Voilà, a new way for you or your client to respond to old traumas!

That hidden, but important, part of you that's been protecting you all these years with those unwanted phobias is important and valuable. We need and want to preserve the ability to protect ourselves in dangerous situations. The purpose: refine and improve your brain's ability to protect you by updating the information.

1. With your eyes open or closed, imagine sitting in the middle of a movie theater. Visualize a black and white snapshot of you up there on the screen.

2. Float out of your body, up into the projection booth and look down at your other self, curled up in the best seat in the house, then past the orchestra seats up to that black and white glossy of you on the screen. If this makes you nervous, protect yourself with imaginary Plexiglas over the booth's hole.

3. Watch and listen, protected in your own little corner, as you view the black and white movie of a younger you going through a thorny situation, the one that brought on the phobia. Pay attention to every little detail. Don't miss a beat. The problem might have started seconds before the actual disaster. Follow it through until the end, then even beyond when something resembling next to normal took over.

You must be detached, a spectator in your own drama. If not, decrease the size of the screen, zoom out and make it smaller. Follow this up by using your imagination to create a grainier more sepia looking picture, drain the color. Stop and start the film. Re-wind, if necessary. But, detach yourself. And, instead of THE END, freeze that last frame, the one after the event that caused you to stumble, fall and maybe even hide all these years.

4. On that frozen frame you leave the projection booth and slip back into the *present you* down there in the middle of the theatre. Step into the freeze frame of the younger you, who feels OK again, as the movie comes to an end. This is **double dissociation.** An instant re-play, in about two seconds or less, of the experience, but backwards and in color, is next on your agenda. Go all the way back, before the beginning, before once upon a time. See, hear, and feel everything, backwards in those two seconds or less.

5. Test the process - attempt to return to the phobic state any way you can. What if you were in that situation now? When will you next encounter one of these situations? If you still get a phobic response, repeat steps 1 to 4 exactly, but faster each time, until none of the phobic response remains.

Because you were traumatized, you've stayed far away from those situations, which made you feel phobic. Hiding never gave you the chance to face them or learn how to control your feelings. As you begin to encounter and explore these situations in the future, exercise a certain degree of caution until you're more comfortable with them.

The Visual Squash Exercise with Regression
"Classic"

Once you sort a conflict into its two parts, your next step - integrate the two by combining or integrating the anchors of the two sides. You accomplish this with the "Visual Squash."

1. **Access and get outcome for side #1** - the part that wants to change. Put one polarity in the hand that is appropriate. You'll see what that part of you looks like. You'll hear its tone of voice and so on. Do you realize how valuable this is (positive outcomes or functions)? Another way to attack the issue, ask that part just how positive that function is? Keep that part in that hand, as you turn to look at your other hand.

2. **Access and get outcome for side #2 -** the part that resists change. Do the same thing with the other polarity in the opposite hand. It might help you to consciously remember the events that continue to hold you back. Perhaps, you'll remember fragments of this, or these, events. You might be very surprised at how your pre-conscious takes you back to these experiences now…take a beat, a pause…rest.

Often our pre-conscious minds misinterpret events or situations. Parents and authority figures constantly remind us to work harder so we can achieve something in life, other wise you're bound to be a loser. Our minds only hear the negative. Sometimes an event that failed ---- a dropped ball, a bad move, a split second pause, that forces us to replay these events as if they were a part of us right now. Instead of something we can learn from.

Now you should invite this part to release the event and any others that might hold you back, keep you from moving forward. This should free you to see yourself, these events or causes in a new light.

3. **Mutual appreciation of outcome –** With outstretched arms, look straight ahead and watch both hands as they turn to face each other. Ask each one if it understands and appreciates the value of the other. Each polarity should express some appreciation for the positive or valuable function of its partner.

4. **Integration of parts –** Take your pick of any of the following verbalizations.

A. Watch and listen to both of these valuable parts of yourself. Let your hands come together at their own pace, blend and integrate in an easy comfortable manner. Each should retain its own identity, importance and usefulness, however they should pick up or gather qualities and capacities they lack or need. They are gifting each other.

B. You'll fixate on the changes as the separate images come together…and assimilate each other's parts. Once the two images converge you'll be surprised by the picture they present as they become one, as they melt into each other and take on each other's capacities. Absorb this new image. It represents a combination of brand new abilities. You're about to enjoy additional skills and skills that *you* never imagined. A new beginning, a new way of accomplishing important outcomes simultaneously.

When the integration is complete, pay special attention to your client simultaneously observing their facial expressions, breathing and posture as their hands merge.

5. **Associate with the new integrated part -** When it's time, physically use your hands to bring this part into yourself – into your body, so that it easily and readily becomes part of you and your behaviors. You'll feel a surge of energy in your body as the hands reunite with you. Please make time to appreciate and enjoy the qualities of this unique experience.

6. **Future-Pace –** Give some thought to how and when you want to integrate these qualities, where they can be used to their fullest in the future…"

Visual Squash – Revised
By Steve G. Jones

There are some changes to the Visual Squash. For those of who need some clarification, you use a Visual Squash when your client has a polarity response. Part of them wants to do something; part of them fights it. The best time to use it is when a part of that person wants to give up emotional eating, while the other part wants their comfort food.

1) You can start the Visual Squash by proposing the client think of a person, place, or thing they love. Help them locate the feeling - ask them to describe the color, shape, sound and where it sits inside of them.

2) Use a Dave Elman or my Escalator technique to get your client into a relaxed state, nothing too deep, just relaxed, enough to get their conscious mind out of the way. Once they've reached this zone:

3) Ask them to picture, in their mind's eye, exactly what they want to change, the part that brought them to this place and that really wants to reach this goal. And, you should repeat it here, in the positive, of course. If the client has given you their reasons this is a good time to list them - better health, more confidence, a new look, whatever they desire. There may be others you're not consciously aware of. That's okay. The amorphous feelings will begin to take shape and color with sounds and feelings. It's your client's vision – anything from a white cloud to a pink heart. Who knows? Forms need thanks, from your client and you. Don't forget. They only want what's best for you.

4) Next on the agenda, get your client to imagine, again, that part of, for whatever reason, stops them from achieving their goal. The reasons may or may not be clear, or rise to a conscious level. That's okay. Make sure this part matures into a color, a shape, sound, and feeling. Anything works. You want your client to understand the part of you that holds them back, keeps them from achieving this particular goal. You and your client should thank this part. We may not like what it has done, but it's been doing it for a reason. You want this part to look at each of the behaviors and beliefs that created the issue. When we're growing, maturing, we absorb unintended patterns. As children we often hear, "Clean your plate, people are starving in parts of the world." What do our

parents really mean? They want us to be careful, don't want us to waste or overeat. What we hear might be very different, a perfect example of mis-learning information.

You can insert specifics here:

A. Sometimes, our subconscious minds misunderstand events or situations.

B. Often a parent or authority figure tells us, "work harder or you'll never succeed," or "you're a loser". Unfortunately our minds tend to hang onto the negative.

C. Sometimes an event that failed - dropped ball, bad move, split-second pause, causes us to replay these events as if they were part of us, as opposed to an innocent moment that we can learn from.

5) This is the moment you want to invite this part to release the event and any others that hold you back. This is the time you begin to see these events or causes in a new light and your life changes direction, all for the better.

This part is embarking on a new journey, relearning what it needs to do so it can take better care of you.

6) In your mind's eye, get these two parts to face and acknowledge each other. You might even begin to notice an energy connection between the two because each part realizes they're gaining something, not losing something. Each has something the other needs and they'll each be stronger as they fuse together, forming a more perfect union.

7) It's important to watch and listen to these valuable parts of yourself as they come together at their own pace, blending and integrating at a comfortable and useful way to you. Neither part loses anything, yet retains the usefulness and importance of both parts. They gain each others best qualities, those lacking in themselves and present in the other.

You'll find the changes fascinating…coming together at their own speed and as comfortably as they can assimilate the changes. When the two images eventually join, you'll be surprised by the newly formed single image that dissolves into one and take on each other's capacities. Observe the new image closely because the new part represents a combination of abilities you've never had before. You'll enjoy more skills and abilities, new ways of accomplishing all of these important outcomes simultaneously…

8) Associate with the new integrated part.

9) Take your time and when the moment presents itself, imagine this part moving into that place where you feel love and belief, inside your body, where it meshes with you and all of your many behaviors, easily and readily available. It's as true for you as the love you feel for this person, place, or thing. While this is happening, you'll feel a surge of energy, internally, as this part reunites with you…take a few moments to appreciate and enjoy the qualities of this unique new part.

10) Once you're feeling comfortable think of the specific times and places you want these integrated qualities and capacities to be fully at your disposal down the line.

The Swish Pattern

This technique takes any unwanted behavior and transforms it into a desire to become more of the person you want to be. It is useful anytime you want to change unwanted behaviors or feelings.

1. Visualize a large disassociated picture of yourself - at your very best - the way you want to look. Imagine the image as a book cover or publicity poster for your latest blockbuster. Make it as large and colorful as possible. Sweeten it up with sounds and smells, which make it almost life-like, let your imagination go wild. Store your "very best you picture" in your brain, front and center.

2. Establish another picture, of the problem or behavior you wish to remove - fingernail biting, cigarette smoking, anything you want to change or improve. Store this associated picture - through your eyes as your "cue picture".

3. File the "cue picture" in front of the "very best you picture." Put a dot in the center of the "cue picture" and give it the option to open, similar to a camera shutter. All you see is the big colorful picture of you at your very best.

   Open your eyes.

4. Repeat this process 5-6 times.

5. Test.

Swish Pattern Exercises

1. Have your partner choose a compulsion you wish to remove. Ask them to visualize a large brightly colored image of the unwanted compulsion. Set it aside for a moment.

2. Then, picture yourself in control of your own destiny, a person who's achieved their goals and desires. The visualization must be done with a profound gripping intensity. Finish it off with a forceful dedicated voice that confirms your need of this future.

3. Turn your attention to the large, bright, unwanted compulsion image and place a small dark image of your desired state in the lower left-hand corner. Make sure the large bright picture suddenly gets dark, just as the small dark picture simultaneously springs up in size to replace it – large, bright and light.

4. Very quickly, you must repeat this process five times in succession and make the "swish" sound each time. After you complete each process, briefly open your eyes.

5. Place the image of the unwanted compulsion on a rubber band and push it out towards the horizon. When it's almost imperceptible create a tiny image of how you want to be. Begin in the center of the compulsion then release the rubber band and it don't be surprised when it "snaps back" – in your face.

6. This is your opportunity to make the unwanted compulsion image affect you, yet, again in the most negative way.

Computer Swish

1. Imagine the problem – see it through your eyes VAK.
2. Imagine the ideal you – that is someone that would never have this problem. The ideal you – looking, acting, being – way beyond the problem.
3. Imagine a computer screen – see the problem. Imagine the mouse in your hand. Notice the icon.
4. Double-click and watch the problem disappear, instantly replaced with the ideal you.
5. Repeat 5 times. Your problem should have trouble coming back.
6. Drag the problem to the trash folder – dump it in a bin that contains all the things you never want to do – again!

This is an incredible way to track your brain's speed. FAST. Open the file, think about rewriting programs and watch the system run differently - more efficiently.

Chapter 10

Godiva Chocolate Pattern
Richard Bandler

1) Create an associated intense picture of something you are compelled to do, you love, etc. Get cues.

Anchor. (*Anchor #1*)

2) Break state.

3) Create a picture of something you need to do - bills, paperwork, taxes – but find it easier to procrastinate.

Dissociated – watch yourself perform these actions.)

Anchor. (*Anchor #2*)

4) Bring up the picture from step 1. Fire and hold Anchor #1.

As the person fades the image, bring up picture #2. Fire Anchor #2.

5) Hold both anchors simultaneously.

6) TEST

New Behavior Generator

1. Choose someone you want to emulate, who has the skills and abilities you desire.

2. Watch a movie of this person performing all the things you'd like to accomplish.

3. Watch the movie again. Be sure to notice all the nuances, make sure you understand how comfortable they are at this moment.

4. Take in this person's life force. Notice the color, vibration, and sound. Notice how it gives them that special something. You'll realize the more we give this away the more we have.

5. Watch the movie again and put yourself in the starring role. Repeat the actions you witnessed, but do it with your essence.

6. Watch yourself a second time. Noticing the nuances and see how comfortable you are this time. Absorb the life force.

7. Walk inside the movie. See, hear, and feel everything as you replay the scene, but make it your own.

Cue yourself – watch as these talents and abilities emerge.

NLP Handshake Interrupt (Instant) Induction
From Milton Erikson and Dave Elman

1) Reach out as if to shake hands.

2) Clasp your client's wrist, turn their palm inward, and bring it to eye level.

3) Point to your client's palm and tell him/her to focus and stare at his/her hand.

4) Ask your client to relax, to focus on his/her palm. Your client should start feeling drowsy. His/her eyes are **really** tired.

5) Now tell your client to close their eyes, but remain focused on their hand.

6) You must let go of the client's hand while you tell them to lower their arm as fast or as slow as they comfortably can.

7) Use the More The More technique: The more you find yourself wondering what is going on; the more you find yourself deeply relaxing. The more you try to remain alert; the more you relax and let go.

8) Push down your client's arm and repeat the above step.

9) Implant suggestion and instill the ability to return to the trance state.

10) Wake your client while you shake their hand.

Re-Parenting

1. ***Identify Problem State.*** Ask your client, "Think of a time when your parent(s) did not make the best choice in your life. It's something that's affected you ever since."

2. ***Access and ANCHOR Problem State.*** You keep it going and ask, "When you think of this now, do you feel bad?" ANCHOR the state with your touch. ANCHOR #1

3. ***Identify Resource.*** Continue your probe with, "What resource - courage, humor, compassion, etc. - do you now have that you wish your parents had back then?

4. ***Think of a time you had a lot of this resource.*** ANCHOR #2

5. ***Integration.*** "Put this particular resource (fire ANCHOR #2) back into your client's memory (fire ANCHOR #1). You'll discover what happens with this resource available to you and your client's parents." Pay attention as you recall the old memory with new eyes. Pace yourself, then return…

6. ***Test.*** Ask your client about that memory, "What difference do you notice, now?" You should watch for the non-verbal responses.

How to Mend a Broken Heart

By Steve G. Jones

I've received a lot of calls from people who want tips on how to help others suffering from failed relationships. It's hard to let go of a negative relationship. Our conscious mind can't override these intense feelings. It's even more painful during holidays or anniversaries. When I have a client struggling with a broken heart, I use a version of the fear technique, which I've spiced up - Mending A Broken Heart Process.

This is for every kind of relationship – lovers, friends, even losing your job. When you lose your job, you undergo more of these grieving/loss feelings than any of us realize.

How can we help ourselves and each other? Use the tools we've learned to speed up the natural process of grief and loss. Get the person to think of someone they were crazy about once upon a time, long ago. Get them to see the bad times through rose-colored glasses and that distant feel-good memory. The feelings are hazy at best, but gone.

The first time I used this I was pleasantly surprised at how well it worked. A weight loss client was very down at one of her follow up sessions. I asked what made her so sad. Her on-off relationship with her boyfriend was finally off. Then, I asked if she wanted to be rid of this strong attachment to the failed relationship. YES! I walked her through this process and made a note to follow up on her next visit.

The next time she said, "I felt fine after our session, but a couple of days later he called and wanted to talk. I told him no. The next day he sent me flowers at work and called. I wasn't interested. The following day he showed up at my job with more flowers and a ring. I thought about it but, nope, I wasn't getting back on that merry-go-round. It was strange; this would have worked before, but not now."

I wanted to know if she would like her attachment for him back? We could install it. She laughed and shook her head no. The moral: make sure your patient/client wants to remove the strong feelings.

Here are the steps.

First we must acknowledge the protection process involved:

The part of you that has been protecting you all this time by making you feel bad is important and valuable. We want to preserve its ability to protect you in future situations. The purpose of this technique is to refine and improve your brain's ability to protect you by updating its information. We will not remove the memories, just the strong emotional response.

1. With your eyes open or closed, imagine sitting in the middle of a movie theater. Up on the screen is a black and white snapshot of you!

2. Float out of your body, up into the projection booth and that other you down there in the orchestra seat watching the black and white photo on the screen. If you need more protection add some Plexiglas to the hole in the projection booth.

3. Protected in the projection booth, as the other you in the movie theatre watches a black and white movie of a younger you going through the entire relationship, the good, the bad, and the ugly from beginning to end. The first meeting to the last long good-bye. Observe until you are beyond the end of it, when everything was OK again.

If you are not fully detached, make the screen smaller, pull back so the screen appears smaller. Drain the color. Make the picture grainier. Stop and start the movie. When you reach the end, you should be completely detached. End the movie after the relationship event, with a freeze frame of yourself.

4. Leave the projection booth, slip back into your seat and the *present you*. Step inside that freeze photo of the younger you, who's feeling OK again, at the movie's end. This is **double dissociation.** Re-run the entire movie of that relationship backwards in full-blown Technicolor. Do it in two seconds or less. Go all the way back, before the beginning. See, hear, and feel everything rewinding in those two seconds or less. Make yourself feel better. Add a soundtrack, circus music might do the trick. Take your imagination one step

further, add hair and make-up --- visualize your ex-partner with a clown nose, droopy eyes, wild hair, oversized shoes and feet. Turn that partner into the clown you know him or her to be.

5. Repeat this process 2 to 3 times.
6. Now bring up a collage of all the negative times you had with this person. Be honest, all the hurts and slights should be present.
7. You should let them fade away…into your past.
8. Now bring up an image of this person, and notice all of the connections you have with this person. You may notice cords of light, or energy strings. Pay attention to all the connections. Head to head, heart to heart, sex to sex, spirit to spirit. In whatever way is right for you, cut these cords. Use a silver sword or special scissors. Once you cut the cords, reattach them to yourself, and let them reattach theirs to them. Release them to find their highest good, as you release your self.

You should test the process and attempt to return to the bad feeling state in any way you can. What if you come face to face with that person now? If you still get a negative response, repeat steps 1 to 8 exactly. Faster each time, until the phobic response is history. Thank your higher self for helping and get on with your life.

6-Step Reframing Outline

1. **Organize yes/no signals with the subconscious.**

2. **Distinguish a pattern of behavior you want to change.** Talk to the subconscious part or X-factor behavior you want to change. Thank it for the good job and give it a sign, let it know that you know it has a positive intention in causing the behavior.

3. **Organize yes/no signals with the subconscious.**

Distinguish a pattern of behavior you want to change

a. Raise your index finger when you ask your subconscious mind to give you yes or no signals. The right index finger - yes and the left index finger for no. Thank it once the signals are known.

b. You want to know/ask: When X occurs do you want the conscious mind to comprehend the incident? If "yes," you want to say thank you. Proceed and make sure to alert it when you're finished. Then give me the "yes" signal and if no, continue.

4. **Create new alternatives.**

a. Ask that part if it's willing to go into the person's creative resources and discover 3 new ways to accomplish this positive function other than X. The part is under no obligation to accept or use these choices, only to find them.

b. Once you get "yes" again, thank the part and tell it to move ahead by giving you a "yes" signal when there are 3 more new choices.

Evaluate new alternatives.

a. Ask that part to evaluate each choice, whether subconsciously it believes the choice is at least as immediate, effective and available as X. Each time the part identifies one that it believes *is*, have it give you a "yes" signal.

b. If you get less than three, reprocess Step 4 until you've got the choices.

5. **Select one alternative.**

a. Ask the part to choose what it considers the most satisfying and available way to achieve the positive function? Again, ask it to give you a "yes" signal when the selection is complete.

b. Ask the subconscious part if it's willing to try a new alternative in the appropriate situation. Wait for that "yes" signal.

6. **Future-Pace**. Propose that the subconscious enter a fantasy, giving the new behaviors a shot in the appropriate context. Think of it as trying on a new pair of shoes. Walk around in appropriate situations and get comfortable, see if this new behavior is a good fit. If it is, how does it affect others? What about side affects? Are there any dangers? Ask each parts if there are any objections to the new behavior. Make sure all parts agree and notify you, "yes" it's working, or "no" it isn't. If the answer is "yes," you're on your way. If not, recycle to Step 4 and generate new alternatives.

NLP-Based "Nonverbal" Induction

1) Set the pre-trance state.

Strictly use the same words that assume a deep trance.

With a downward motion, gesture and bring on a deep trance.

Embed the More The More state of mind and bear in mind the more you resist the more deeply you relax.

2) Signal your client and they'll open their eyes, which will continue to reinforce the deep trance state.

3) Put the client's hand in yours and move it left to right just above eye level. Please ask the client to follow by holding their head perfectly still.

4) Close your client's eyes with a downward motion and touch your client if necessary.

5) Perform the Arm Lock for ten seconds:

a. Lower the client's arm and pull down.

b. Pull down on the client's opposite arm. Both arms should be dangling.

c. Press down on the shoulder as the client exhales.

d. Repeat the exercise three to five times.

6) Pull your client's arm down and let it flop on their lap. Push down on the client's forearms.

7) Perform a head roll, if possible.

8) Arm lock – about 5 to 10 seconds.

9) Lower the client's arm in stages. Then, pull the arm, let it flop into his/her lap.

10) You should check the muscles – are they relaxed and loose? How's the skin temperature and the client's breathing? If everything is working properly, proceed.

11) Repeat the process - as your client exhales, push down on their shoulders.

12) You should give suggestions and/or reinforcements now.

13) Signal your client to open their eyes.

Building Self-Confidence
A Strategy for Responding to Criticism

This technique is a good way to *stay resourceful* when you're criticized in any situation. It enables you to use criticism as feedback, a way to improve your relationships.

1. *See yourself*, in front of you. *That self* is about to learn a new approach to criticism, while you watch from the outside. Do whatever is necessary to create the detachment from *that self*. View *that self* farther away, in black and white, or behind Plexiglas, whatever it takes.

2. Watch and listen as *that self* is criticized and instantly dissociates. There are several ways *that self* can dissociate. He/She can surround him/herself with a Plexiglas shield when he/she is criticized. Or, *that self* can see the words of criticism printed within a cartoon balloon or anything else that helps. *That self* uses one of these methods to keep feeling neutral or resourceful.

3. Watch as *that self* makes a slide or movie of the criticizer in action. What does that person mean? Does *that self* have enough information to paint a clear detailed picture? If the answer is "no," gather more information. If the answer is "yes," proceed to the next step.

4. *That self* must decide on a response. *That self*, and you, can agree with any part of the criticism. Or, *that self* can apologize, "I'll give it some serious thought," or "I see things differently now."

5. Would *that self* like to use this valuable criticism to change behavior patterns? If so, have *that self* select a new behavior. *That self* should make the future come alive by imagining the new behavior in detail. Next, *that self* can step inside the movie and use the new behavior, just to get a sense of what it feels like.

6. Since you've watched *that self* go through this entire strategy, is this the right thing for you? If the answer is "no," dig deep inside and ask how you can modify the strategy so it fits like a glove. If the answer is "yes," continue.

7. Thank *that self* as a special resource, which helped you learn the new strategy. Pull *that self* into you, feel it fill you up so the knowledge is fully integrated with the rest of you.

Developing Self-Appreciation

Seeing Yourself Through the Eyes of Someone Who Loves You

This technique helps you gain the appreciation for yourself that others have for you. It is useful for building self-appreciation and confidence.

1. Identify someone who loves you. Or think of someone you've done something for and who, as a result, sincerely appreciates you.

2. Imagine you're writing your autobiography and glance up to see on the other side of a glass door, the person who loves or appreciates you.

3. Float your awareness outside the room. Stand next to this special person and view yourself through the glass door, notating your own observations.

4. Now, enter the body of the person who loves you. See yourself through this person's eyes of love and appreciation. Listen carefully and you'll hear how they love. Take on this person's feelings.

5. Once you've completed the task, float back into your body, write the qualities and aspects of yourself you saw and heard as you looked through the eyes of love and appreciation.

6. Think of possible times and places, both now and in the future, when you'll want to re-experience this sense of deep self-appreciation.

Metaphor for Change

I had a friend who was a farmer. Walking past the chicken coop he spotted a very ugly chicken. He looked at that thing — every time he looked at it, it got bigger and uglier.

After weeks of looking he realized the ugly chicken was huge, bigger than any of the others. A friend of the farmer's noticed this disgusting hunk of feathers, too and said, "Hey man! That's not a chicken…that's an eagle! How did you get an eagle in here?" Nobody knew. But there it was, pecking corn, acting like – well, a, chicken.

The farmer let the eagle, who thought he was a chicken, grow alongside his only friends. The eagle felt rather restricted. He was bigger – and more overpowering than all the feathery creatures in the coop. Slowly, he began to feel very different. Odd-man out, he tried, with some difficulty to ear the corn but his beak was hooked and different from the others. Even worse, the taste was disgusting.

His drives and urges were nothing like his coopmates. A mouse scurried by his enormous beak and disappeared into the woodwork. Annoyed at a missed opportunity to bite something tasty, the Eagle complained to anyone who would listen, "Don't you ever just want to get one of those, rip it apart and eat it?" Freaked out, upset and angry at his murderous words, the chickens cried out, "You're nothing but a carnivore!" A talk with one of the older chickens got the oversized outsider nowhere --- fast. Too late to make amends.

The Farmer sensed his sensitive chicks were in trouble, but how to solve the problem was a lot tougher than he wanted to admit. The chickens were restless. He had to do something. He stuck the eagle up in the hayloft and left him there in his new perch, which, shock of all shocks, the eagle liked. The view, perfection! Roomy and spacious,

with a killer view – rabbits, birds, squirrels --- getting on with the business of living, but impossible to grab.

Aside from the surprising loneliness, the eagle was starving. He longed for something, anything, even corn. Finally, needs were becoming more important than desire. Since he thought he was a chicken, he couldn't fly. But that need to eat was so powerful he decided to go for it. He was going to take a leap of faith, jump off his perch, hit the ground, he hoped in one piece, and find something to devour.

Closed eyes and one deep breath later, the eagle took off, nothing beneath his feet, but air. He wasn't falling. Much to his surprise he was gliding. His wings spread naturally, as if he'd been doing this all his young life. A slight breeze gave him the tail wind he didn't know he needed. Afraid to look around, the eagle forgot about his hunger and cracked open one eye, then the other. Scared, his voluntary muscles kept flapping the wings. Two hundred feet up, he was airborne. How could this be? Everyone knows chickens can't fly! But eagles can. They soar.

Even though he had no idea what he was doing, the unwitting eagle followed his instincts. He discovered a whole new him. If he flapped his wings, he rose like a phoenix, even if he didn't know what a phoenix was. If he tilted his wings he banked left and right. And, all by doing what comes naturally.

He's free for the first time in his life and he likes it. Watch out world! Watch out rabbits. He swoops down and gulps the poor defenseless creature before he has a chance to make it down the rabbit hole. It's the best meal he's ever had. Who needs corn? But pangs of guilt overcame him. This isn't what chickens do. He's no carnivore. At least that's what he thought. One large circle around the barnyard and the chickens ran for

cover. Once they figured out who he was, they came out of hiding and ignored him the way they always did. This was much too confusing for the young pilot. He needed advice and found it with his old friend and mentor, Mr. Rooster.

Mr. Rooster, a sage full of age reminded his young friend that he was different and that was just fine --- not good, not bad --- just different.

"You look different, you act different," Mr. Rooster crowed, "Sometimes it takes more courage to fly the coop, than it does to stay. Change is never easy, my friend."

The eagle took off, thinking long and hard about the aged sages advice. He almost bumped into another low-flying object who wasn't paying attention to what was coming his way. It was a hawk. Terrified because eagles prey on hawks, he tried to zoom out of sight, but the young eagle was too fast. The hawk thought he was done for, but the eagle wanted to talk. "I'm just a big chicken flying around here. Why are you afraid of me?"

The hawk said, "Chicken? What are you talking about? You are an eagle, king of the sky!"

The eagle said, "But I live on the ground."

The hawk answered, "No, you don't. You are supposed to live in the trees." Somebody had to point it out.

Too much information for his young brain, the eagle needed a place to think and found a nice big comfy tree with long powerful branches. Mother Nature, his newfound ally, helped him learn how to hunt, dive, fish. Then something came at him, something just like himself. A girl eagle made his feathers quiver. Someone he can talk to. Someone who understands him, he hoped. It didn't take long for two lonely souls to

become soul mates. He took her to his old stomping ground in the barnyard, “It’s interesting down here! But I really don’t like the smell. I don’t like the people, either! Other than that I guess it’s all right.”

She introduced him to her friends who never made fun of the eagle who thought he was a chicken. His unique point of view brought a different perspective to the birds that had more pride than prejudice. He bridged two worlds and finally climbed the ranks of the noble world he was destined to join, with the girl he loved in a nest built for two…

Appendix A: The Meta-Model

The meta-model, a concise set of linguistic information gathering tools has been designed to reconnect a person's language to the experience that is represented by their language.

Essential to the useful application of this material is the concept that language is not experience, but rather a representation of experience. And, this idea is a healthy way of looking at the people who support and aide people in altering, not completely changing their lives. It's the interaction between internal and external experience. Since we construct buildings with blueprints of what came before, we build upon life changes with the same sort of knowledge --- tools provided by the meta-model is priceless. The meta-model connects or crosses lines or intersects language and experience.

Three Universal Modeling Processes

Our world and how we gauge the overwhelming information highway bearing down on us, comes through our five senses. Combined with our brains, they sculpt the models we use to guide our behavior. We need them to make sense of what came before, so we can move ahead with the now, in a better and healthier fashion. Nothing is judged as good, bad, healthy, sick, or crazy – only possibilities to cope effectively and respond imaginatively to our environment.

In order to be a valuable therapist, it's imperative to comprehend the patient/client's sense of the world. Each patient's behavior, no matter how complex or strange is only seen in the context of the choices, or lack of choices they design or sculpt out for themselves. It's not that they're choices are wrong. Perhaps, they don't have enough choices available to successfully confront a problem.

We all try to make the best choices we can with the information available at any given moment. So many of us have adopted models lacking in useful choices, proven by the difficult and endless conflicts handed down from generation to generation. "It is not the world that lacks choices but the individual's model of the world," say Grinder and Bandler.

Our models come through three universal processes: generalization, deletion, and distortion. Through them we discover how to survive, grow, learn, understand, and experience the richness the world has to offer. If we mistake our *subjective reality* for reality, these same processes limit us, smother any chance we have of flexibility.

Generalization: Method we use or develop during our original, and often forgotten, experiences. Our roles work for us because we've learned to generalize. If a youngster learns to open a door by turning the knob, the child transfers this experience to other types of activities that closely resemble the same process. If you walk into a pitch-black room your first instinct is to feel around for the light switch. Once you've learned how to operate the system, create light, you do it.

This can also be limiting. If a man fails sexually in a way that he believes successful, then generalizes that moment and resolves that sex isn't his thing, he woefully denies himself pleasure, love and intimacy. If a woman stubbornly comes to a decision that all

men are insensitive based on very limited and selective experiences, like the man whose given up sex, she misses out on some of life's greatest joys.

We all make too many generalizations based on what works or doesn't work in any given situation. If a child understands, from a very early age, that crying and whining gets him whatever he wants, the child will manipulate his family and friends, until someone gets wise and refuses him. It feels like abuse, when it's really just no. If the child generalizes only the former behavior and not the latter, he may not be able to generate more appropriate and useful behavior in the company of his peers. If a young man generalizes only those behaviors that are useful among fellow males, he may experience great difficulty in obtaining respect and interest from women. Whether or not a generalization is useful must be evaluated in the particular context.

Deletion: Another method that helps us cope in a healthy and successful manner, and provides limits we must maintain. Like the delete button on a computer, which helps us quickly lose what we don't want, deletions work only when we selectively pay attention to certain aspects of our experience and exclude others. We can zero in on certain portions or experiences above all others. Some people can read a book while people chat and fuss all around them. They can delete that noise as easily as blaring TV or stereo. Tuning out helps us cope with too much external stimuli.

Even though, it's limiting, we need to delete portions of our experiences so we can obtain what seems important and necessary in our lives. Teenagers who play the pity card, carrying on that they are the only ones picked on, or that whatever the issue it's only happening to them, has yet to develop a useful model of the world. If a therapist drops out for a moment or two during a session, he or she foregoes all sensory information and limits his or her own experience as well as that of his client.

Distortion: The third process permits us to shift sensory information. It gives us license to make plans for the future or turn dreams into reality. Fiction, art, and even science give us a wide berth to interpret or misinterpret what we see or perceive. Authors, painters and scientists craft their own reality, while reconstructing or distorting established world-views, which can be changed through a brush stroke or a word. There are countless ways we limit ourselves through distortion.

When someone distorts all criticism with, "I'm unlovable," any and all value in the criticism is lost – along with the chance to grow and change. If the process of relating is disassociated from "relationship," the parties involved suffer a loss. The relationship becomes amorphous, out there, out of control. It's no longer unique.

Since these three universal modeling processes are expressed in language patterns, we utilize a set of linguistic tools known as the meta-model to challenge them when they limit rather than expand a person's behavioral choices.

The meta-model teaches the listener how to hear and respond to another person who wants to communicate with them. Content can fluctuate substantially, but the form of the information gives the listener the chance to respond and obtain the fullest meaning from the communication. The meta-model provides us with the tools to quickly discern the richness and the limits of the information given, in addition to the human modeling processes used by the speaker. If we listen and respond with meta-model distinctions, we create infinite ways of understanding and learning from any specific communication.

The meta-model distinctions fall into three natural groupings:

- Gathering Information
- Limits of the Speaker's Model
- Semantic Ill-formedness

Gathering information: We gain an accurate and full description of the content through appropriate questions and responses. The process aids in re-establishing the speaker's language with his or her experience. There are four sub-distinctions in this category.

- Deletion (About Whom or What?)
- Lack of Referential Index (Who or What?)
- Unspecified Verbs (How?)
- Nominalizations (Thing or Event rephrased as a Process)

Deletion: The ability to recognize when a deletion occurs and, then, recovering the deleted information aids in restoring a fuller representation of the experience. When recovering missing material, the meta-modeler questions: ABOUT WHOM? ABOUT WHAT?

"I don't get it."
(Response) "You don't get what?"
(Or) "What don't you get?"

"I'm frightened."
(Response) "What or whom are you frightened of?"

"I don't like the book."
(Response) "What about the book, don't you like?"

"He's incredible."
(Response) "Why is he incredible?"

"He's an incredible friend."
(Response) "He's an incredible amongst whom?"
(Or) "Between whom?"

With deletions, ask, "How, specifically?" will elicit information concerning the representational system used by the client.

"I don't get it."
(Response) "How, specifically, do you know you don't get it?"
"It's just not that simple to me." (i.e., visual representation)

Lack of Referential Index: A type of generalization, which limits a person's model of the world by omitting the detail and richness necessary to have a variety of options for

coping. We can take an experience and generalize it so that it's totally out of perspective or proportion. Challenge a lack of referential index and question: WHO SPECIFICALLY? WHAT SPECIFICALLY?

"No one's interested in me."
(Response) "Who, *specifically,* isn't interested in you?"

"They are pigheaded."
(Response) "Who, *specifically,* is pigheaded?"

"This is difficult."
(Response) "What, *specifically,* about this is difficult for you?"

Unspecified Verbs leave us in the dark when it comes to description. Verbs are relatively vague. "Kiss" is much more specific than "touch." When someone's hurt, it can be physical - a gunshot wound, or emotional - a nasty look or callous word from a loved one. Verb specification reunites the person more fully to their experience. To challenge unspecified verbs, ask: HOW SPECIFICALLY?

"He doesn't want me."
(response) "How, *specifically,* doesn't want you?"

"They overlooked me."
(response) "How, *specifically,* did they overlook you?'

"The children push me to discipline them."
(response) "How, *specifically,* do the children push you to discipline them?"

Nominalizations: Words transformed from verbs, or process words, into nouns – which turns an ongoing process into a thing or an event. When this happens, choices disappear and must be hooked up with the ongoing, dynamic process of life. Reversing

nominalizations help a person see that what they had considered an event – over and beyond their control – is, in fact, a continuing process that can be changed.

Nominalizations are distinguished from regular nouns in several ways. Visualization: picture a wheelbarrow. Fill it up with a chair, cat and last but not least, your mother. What would happen if you tried to put failure, virtue, projections, and confusion into that same wheelbarrow? Nominalizations are not persons, places, or things tossed into that wheelbarrow. Another way to test for nominalizations is to check whether the event word fits into a syntactic frame. If yes, it's a nominalization.

an ongoing *problem* (nominalization)

an ongoing *elephant*

an ongoing *chair*

an ongoing *relationship* (nominalization)

To transform a nominalization back into a process word, use it as a verb in the response:

"I don't get any acknowledgment."

(Response) "How would you like to be acknowledged?"

"Concentrate."

(R*esponse)* "What do you want me to concentrate on?"

"I regret my choice."

(R*esponse)* "Does anything stop you from choosing again?"

"I want assistance."

(Response) "How do you want to be assisted?"

Another group of meta-model distinctions are called *limits of the speaker's model*. They identify unsupported generalizations or restrictions in a person's thinking and you can sustain a person and enrich their model of the world by expanding it. Two distinctions in this category:

- Universal Quantifiers (All or nothing thinking)
- Modal Operators (Must and can't thinking)

Universal Quantifiers: Words like ALL, EVERY, ALWAYS, NEVER and NOBODY fall into this category. Highlight the generalization described by the speaker's universal quantifiers, exaggerate it – through voice quality or insert additional universal quantifiers, which serves to challenge them, assists in finding the exception to their generalization and helps the quantifiers identify more choices. You can also ask whether the speaker has had an experience that contradicts his or her own generalization.

"I never get anything right."
(Response) "You *absolutely never ever* get *anything* right?"
(Or) "Have you ever gotten *anything* right?"

"You're always yelling at me."
(Response) "I'm *always* yelling at you?"

"It's impossible to do what's necessary."
(Response) "Have you *ever* done what's necessary?"

Modal Operators of Necessity indicates a lack of choice: HAVE TO, MUST, CAN'T, IT'S NECESSARY. Challenging these modal operators pushes a person beyond the limits they've accepted. Two superb answers that challenge the limits are: WHAT STOPS YOU? WHAT WOULD HAPPEN IF YOU DID?

The reply, "What stops you?" takes the person back to the past where they discover the experience from which this generalization was formed. "What would happen if you did?" demands that the client head to the future and imagine possible consequences. These responses help someone achieve a richer and fuller model of the world.

"I can't work that out."
(Response) "What stops you?"

"You have to find the answers today by Tuesday."
(Response) "What would happen if I don't?"

"I have to bake six dozen cookies."
(Response) "What will happen if you don't?"

"I can't say I'm sorry one more time."
(Response) "What will happen if you do?"
(Or) "What stops you from trying one more time?"

The third group of distinctions: *semantic ill-formedness*. The significance of recognizing sentences based on unsubstantiated responsibility, assumptions or judgments allows you to help the person in identifying the portions of their model that are distorted in some way. Once the speaker is responsive to those portions of their model based on unsubstantiated beliefs rather than fact, it gives them greater choice and freedom. These ill-formed portions frequently stop the person from acting in ways they would otherwise choose to act. The three classes of semantic ill-formedness are:

- Cause and Effect (Perceived responsibility)
- Mind Reading (Assumptions)
- Lost Performative (Judgements)

Cause and Effect: An action on the part of one person causes another person to behave in a particular way or to experience some emotion or inner state. When a person believes there are no choices on how to respond to the challenge, it permits them to explore and question their cause-effect connection. And they can speculate on other possible responses to choose from. The challenge: HOW DOES X CAUSE Y?

"Your drawings make me uncomfortable."
(Response) "How do my drawings make you uncomfortable?"

(Or) "...make you feel uneasy?"

"You annoy me."
(Response) "How do I annoy you? How is it possible that I annoy you?"

(Or) " ... make you feel aggravated?"

"I'm angry because you're never on time."

(Response) "How does my being late make you angry?"

Mind Reading: The speaker's belief that one person knows what another person thinks or feels without direct communication from the second person. If the speaker acts on assumptions rather than information mind reading can do much to inhibit the usefulness of a person's model of the world. The challenge to mind reading: HOW SPECIFICALLY, DO YOU KNOW X? The challenge helps the speaker become aware of, and even to question, those assumptions he or she may have previously taken for granted.

"Most people believe I'm much too slow."

(Response) "How, specifically, do you believe that most people think you're too slow?"

"I bet you understand what I'm going through."

(Response) "How, specifically, do you know I understand what you're going through?"

"I get what his day is like."
(Response) "How, specifically, do you get what his day is like?"

"In no way does he think about the cost of what he's doing."

(Response) "How, specifically, do you know he doesn't think about the cost of what he'?"

Lost Performative refers to statements made in the form of a generalization about the world rather than recognized as part of the speaker's model of the world. Usually, they are judgments. The speaker uses a lost performative when applying "rules" from his model of the world on others. Called *laying your trip on somebody else,* the purpose of this challenge enables the speaker to have his own rules and opinions, while content to let others own theirs. Sometimes with the use of the lost performative, the speaker may not be aware of other options or possibilities. To challenge it, ask FOR WHOM?

"It's wrong to jaywalk."
(Response) "It's wrong for whom to jaywalk?"

"This is the best route to take."
(Response) "This is the best route to take for whom?"

"That's a ridiculous thing to do."
(Response) "Ridiculous for whom?"

The meta-model is simply a set of tools that establishes better communication, which helps and expects your client to communicate more clearly: Asking what, how, and who in response to the specific form of the client's language. Your skills as a meta-modeler depend on your willingness and ability to implement the questions and the responses provided by the meta-model.

When you implement the meta-model, pay careful attention to your internal processes. A formalization of intuitive behavior, you can turn to meta-model responses rather than refer to your own internally generated experience to understand a client's communication. When a client declares, "My father hurt me," you must ask, "How?" if you want to fully comprehend what the surprising statement means. Should the client have suffered physical or verbal attacks, or was just plain invisible, you must probe to find out the meaning behind the word "hurt." However, if you understand what is meant by the word "hurt" by simply calling on your own experience, then you are, in fact, meeting the client at your model for the world, not his.

The meta-model permits you to remain attuned to your client's perception of the world instead of slipping into your own subjective experience for understanding. You can easily insert the appropriate meta-model responses at those points where you previously would have had to refer to your own internal experience to understand or attempt to understand your client's meaning.

Suppose a client says, "I'm afraid of crowds." If you go with, "Oh yeah, afraid of crowds, yes, I know about that," then you've bypassed an important opportunity to further connect the client on his level. If you use the responses provided by the meta-model – "How do you know you are afraid of crowds? What frightens you about crowds? "What keeps you from being comfortable in crowds?" – you'll be able to keep up with your client's experience and help them generate answers and new possibilities for growth from his or her own resources. These resources might be ones you have yet to develop.

Once you discover these points you'll experience and understand a given communication. The meta-model questions will definitely boost your value as a therapist and facilitate the integration of the meta-model internally as part of your automatic unconscious behavior. Get a friend to produce sentences that contain a meta-model violation. With each one, determine how your intuitions express themselves.

If someone says, "My feelings were hurt," form a mental picture and you'll figure out how they were hurt, how and by whom? If you remember visually, kinesthetically or auditorally a time when your own feelings were hurt, than you "understand" the experience from your point of view, not the client's. Once you're aware of your own internal processes, you'll learn to hold onto the signals that push you inside yourself instead of staying in the present. Once you've identified your own signal, you'll automatically insert the meta-model responses instead of your own internalizations. Each time an internal bell goes off, alerting you that something is missing or doesn't make sense, you'll know that a meta-model response is both constructive and suitable.

Practically speaking, the meta-model is rooted in human intuition. If you learn, and trust, those intuitions, the meta-model is a speedy and straightforward process. Expressed in any representational system, the intuitions are – visual, auditory, kinesthetic. If someone says, "The King himself," your intuition tells you something was left out. The picture needs more color. If you represent kinesthetically, you don't know what the king

did. Neither of these representations is complete until you know the answer to "the King did what?" No matter how your intuitions express themselves, insert the meta-model question now and you'll extract the fullest possible meaning from the communication.

To utilize these intuitions in teaching the meta-model distinctions: (1) generate sentences that contain one pattern of meta-model violation; (2) ask the learner what his experience is; (3) once you've determined how the learner's intuitions express themselves concerning this pattern, reverse the process and make them ask the appropriate meta-model question – make it an integral portion of the expression of those same intuitions. If the learner has an incomplete picture, he'll ask for more information. If he's puzzled, slip in the best possible question which will help him put the piece in place. If it's odd or out of tune, insert question that will harmonize the chords and strip away the dissonant ones. Alter the statements and the content with the meta-model violation and the repetition necessary to integrate the meta-model question with the intuition should remain stimulating.

Intuitions will vary within a person for the various patterns. A feeling for universal quantifier might be present as well as a picture for nominalizations and a sound for cause and effect. Each person has a unique set, yet each person falls into consistent patterns. Once the patterns are established, these exercises can help further integrate them into everyday behavior.

Make sure to learn or teach the three meta-model categories outlined in the appendix: Gathering Information, Limits of the Speaker's Model and Semantic Ill-formedness. You, or the student, will appropriately organize the meta-model for easy and full integration and conscious and unconscious processes.

Meta-Model Outline Summary:

A. **Gathering Information**

1. Deletion
2. Lack of Referential Index
3. Unspecified Verbs
4. Nominalizations

B. Limits of the speaker's model

5. Universal Quantifiers
6. Modal Operators

C. Semantic Ill-formedness

7. Cause and Effect
8. Mind Reading
9. Lost Perfomative

APPENDIX B: Timelines

Controlling your Perception of Time

What can I give to you, therapists, that will help you immediately, that will enable you to be more effective in every area of your lives? Give you an internal edge? In early August while preparing for the NGH Convention, I got it. I needed help! I thought of a statement I heard at my NLP Master Trainers Training.

Controlling our internal time clocks is one of the most beneficial things we can learn. When I was preparing for the convention, time was closing in on me – maintaining my clients' needs, proposing and organizing new business plans, rehearsing my convention presentation, working on my book, and preserving family ties. I was a mess. Over-worked, over-stressed and overwhelmed. Suddenly it hit me. I really needed to "hurry up and slow down"; to reset my internal time clock; to focus on the moment and feel like I had all the time in the world.

NLP: the study of how people's brains work. The more I thought about it, the more I realized that time is a subjective experience. As hypnotists we understand time distortion, which Milton Erickson used for many client problems, including weight control. He would have his clients move into "slow time" whenever they ate. This way they were aware of how much they ate, and allowed themselves to feel full.

Many of us understand the concept of time moving at a snail's pace vs. time whizzing by. Language expresses it best: time drags; time flies. If you break down either experience into tiny chunks, repeat it with consistent results, you've hit nirvana – NLP at its best.

How people function in relation to time is almost as infinite as time itself …I'd like to share a few of my discoveries:

Things that are physically and mentally fun and challenging naturally speed up the internal clock. "Time flies when you're having fun."

Things that are repetitive or boring seem to go on forever and slow time down. "This class drags."

Sporadically, people find themselves in a place where time seems to stop. Everything around them slows down and they appear to be in total control. Like the perfect shot as the 4th quarter buzzer rings just as the ball is thrown from the opposite side of the court

swishes through the hoop and your team wins the championship. Other events distort time: speeding down the freeway at 75mph, then suddenly turning onto the service road and slowing down to 35. Everything's moving in slow motion, while you're at normal speed. Traumatic events stop time and there's no accounting for it.

If this were really true, then you could speed up or slow down the process of time. What about mixing and matching time as you wanted or needed too? Wouldn't it be nice if therapy sessions were experienced in slow-motion? Think of how much information you could cull from your client? Then, there are airplanes. Push the limits of time to the extreme.

Try this little experiment on for size and see where time takes you:

Giving Yourself More Time – Control Your Internal Clock

1. Find a moment in your life when time moved very slowly and minutes seemed like hours:

   Example: boring class or lecture; traffic jams; waiting for the tardy doctor or bad news; the dentist's chair; anxiously waiting for your child, who is two hours late.

2. Select one or two and re-live the experience. Notice everything, about yourself. Don't miss a detail. What do you see, hear, smell, feel?

   SEE: Is your vision narrow and focused? Broad and open? Is it colorful? Dull and shades of grey?

   HEAR: Are the sounds loud or quiet? Clear? Muffled? Close or far away? Any internal sounds? Where are the voices?

   FEEL: Where is your center? Externally or internally focused? How is your stomach and chest? Do you feel heavy or light?

   SMELL or TASTE: Do you notice anything?

   <u>Be as specific as possible. These are your sub-modalities.</u>

3. Clear your mind; break the state.
4. Find a time where time moved very quickly.

Examples: a party is so much fun, it's over before you know it; a great movie, where you're so inside it, you're not even aware of yourself; a sporting event so close

you can't leave, even though you know you'll be stuck in a tremendous traffic jam; sharing something special with the person you love.

5. Find your sub-modalities for this experience.
6. Compare the differences. Mix and match the experiences, if you can.

Step into "Slow Time," but with a sense of excitement.

* Try accessing a time in which you used SLOW TIME naturally. Driving down the freeway at 70mph. Everything moves much more slowly on the surface streets. Did you just avoid an accident because time seemed to slow down or stop? Step into slow time and give yourself more time. If you give it a go during a session with a client, you'll take in so much more vital information.

Add some background music, whether it's real or in your mind. Your focus shifts. Everything's sharper.



There are two basic types of Timeline:

Through Time – Your timeline never touches you. Your past, present and future merge in front of you; you can see through time. This type of person is organized, prefers to plan things in advance and is too busy worrying about the future to be in the moment.

Numbers 1 and 4 above are typical lines of this type.

In Time – Your timeline goes through you at some point per illustrations 2, 3 and 5. Planning and follow through are a problem, but you live for the moment.

Nothing is written in stone! It's ever changing and evolving. Remember something very important that many "timeliners" don't: we all use different timelines for different things. People who are the epitome of *Through Time* at work are the complete opposite at home. *In Time* works better for their personal life. Addictions are an *In Time* phenomenon. You can't see past your actions because of your addiction.

As you elicit your client's timeline for information be sure you get the client to elicit a timeline for the issues at hand.

APPENDIX C: Dave Elman Induction

We're coming to the end. At last. Breathe. Take a long deep breath. Hold it for a few seconds. As you slowly exhale, close your eyes, let go of the surface tension in your body. Relax. Your whole body. As much as possible…right now.

Take that internal focus and direct it towards your eye muscles. Relax those outer muscles to the point that they just stop. Make sure those eye muscles are so relaxed, they won't work. Hold on to the relaxation. Test them to make sure THEY WON'T WORK.

Channel this quiet, this perfect relaxation, throughout your entire body. Let this state of nirvana flow from the top of your head, to the tips of your toes.

Let's deepen this relaxation even more. In a moment, you will open and close your eyes. When you close your eyes, dig even deeper, 10 times deeper, to that quiet part of yourself for a more tranquil feeling. Simply let it happen because you want it and need it. Let nature take its course. Ok open your eyes again…now close your eyes and feel that relaxation flow through your entire body, taking you much deeper. Use your limitless imagination and envision your whole body…covered and wrapped in a warm blanket of relaxation.

Now, we deepen this relaxation much more. In a moment, you're going to open and close your eyes one more time. Again, when you close your eyes, double the relaxation you now have. Make it twice as deep. All right, now once more, open your eyes…close your eyes and double your relaxation…good. Let every muscle in your body go limp. As long as you hold on to this quality of relaxation, no muscle in your body will work.

In a moment, I'm going to have you open and close your eyes one more time. Again, when you close your eyes, double the relaxation you now have…twice as deep. Ok, now, once more, open your eyes…close your eyes and double your relaxation…good. Let go. Let every muscle in your body become so relaxed that as long as you hold on to this quality of relaxation, every muscle in your body will is quietly resting.

In a moment, I'm going to lift your hand by the wrist, just a few inches, and drop it. If you have followed my instructions up to this point that hand will be so relaxed it will be just as loose and limp as a wet dish cloth and will simply plop down. Don't try to help me. You have to remove relaxation. Let me do all the lifting so that when I release it, it just plops down and you'll permit yourself to go much deeper.

If the subject helps to lift the hand, say, "No, no let me do all the lifting. Don't help me. Let it be heavy. Don't help me. You'll feel it when you have it.

Now that's complete physical relaxation. There are two ways a person can relax… physically… and…mentally. You've already proved you can relax physically, now let me show you how to relax mentally. In a moment I'll ask you to begin slowly counting backwards, out loud, from 100. Now, here's the secret to mental relaxation. With each number you say, double your mental relaxation. With each number you say, let your mind become twice as relaxed. Now if you do this, by the time you reach the number 98, or maybe even sooner, your mind will be so relaxed, you will have actually cleared the numbers that come after 98, right out of your mind. There won't be any more numbers. Now you have to do this. I can't do it for you. Those numbers will leave if you will them away. Now start with the idea that you will make that happen and you can easily dispel them from your mind.

Hypnotist: Now, say the first number, 100, and double your mental relaxation.
Client: 100
Hypnotist: Now double that mental relaxation. Let those numbers start to fade.
Client: 99
Hypnotist: Double your mental relaxation. Start to make those numbers leave. They'll go if you will them away.
Client: 98
Hypnotist: Now, they'll be gone. Dispel them. Banish them. Make it happen. You can do it. I can't do it for you. Push them out. Make it happen! ARE THEY ALL GONE?

APPENDIX D: Reframing

Reframing should be one of the most powerful tools you have to open up new levels of communication. Or it can make you seem like a pushy manipulator, someone who uses word games to swindle people. One of the bad raps about NLP comes from the misuse of reframing.

What is reframing? A way to use language to reset in someone's mind an event, belief, or feeling. An opportunity to see, hear or feel differently about it. When you change the frame of reference, you are reframing as NLP likes to call it. The purpose: Reframing helps a person experience their actions, the impact of their beliefs, behaviors, and feelings from a different perspective or frame and potentially become more resourceful; react with more choices than before.

An event, belief, feeling, has no meaning on its own. It just is. People give it meaning according to their beliefs, values, preoccupations, like and dislikes.

During the 1984 presidential campaign, there was considerable concern about Ronald Reagan's age. During the debate with Walter Mondale, Reagan said, "I will not make age an issue of this campaign. I am not going to exploit for political purposes, my opponent's youth and inexperience." Reagan's age was not an issue for the remainder of the campaign!

Reframing changes the way you perceive an event, the way you make others perceive an event, and more than anything reframing the context of the moment. That moment changes the meaning of everything from that moment on. As the meaning changes, so does response and behavior.

Five important points are imperative, if reframing proves to be effective. They're often over looked by NLP people, because there's just way too much focus on technique and not enough on the "Big Five".

1. RAPPORT: You must be in Rapport or your reframe will come across as interference or pushiness.
2. Understand how the techniques work: Not just theory, but on a deep, deep level; what's happening in your targets and your mind.
3. Correct information: A reframe or readjustment before you have all the information leads to technique interrupt us, which will make you look impudent.
4. Permission to offer it.
5. Reframes are natural if done right.

Then and only then, will reframe do what it is supposed to do. Now here is the big secret to reframing: it's not a complete technique on its own! Yep, I said it. It will, not in and of itself, produce a complete change in someone. (Stories where a one line reframe totally shifted a person are almost impossible to believe.)

Reframe techniques are solely meant to "open the doorway" to a person's mind. A glimpse of other possibilities leads you towards this momentary opening with your rapport skills and correct information you can lead the client in a whole new direction.

Bottom line, the meaning of an experience is dependent on the context, or on the content.

One of the great reframes of all times comes from Thomas Edison. It's still used today, to reframe the idea of failure. When it was pointed out that it took 1000 (or 10,000 according to the story and the storyteller) tries to successfully get the electric light bulb to work, a reporter asked Edison how he felt about the 1000 failures. Edison replied, "We did not fail, we found 1000 ways that did not work."

Of course, in NLP and hypnosis we often quote Milton Erickson. When asked about his failures with clients, he reframed it as, "There is no failure, only feedback. Always be willing to try something else."

A young worker made a mistake that lost IBM $1 million in business. Summoned to the President's office she said, "Well, I guess you've called me here to fire me." "Fire you?" the president replied, "Why would I fire you? I just spent $1 M on your education! That is an MBA in real world experience."

There are two types of reframing:

Context Reframing

Almost all behaviors are useful in some context. A context reframe can be used to see that the behavior itself can be useful. In what context does this behavior have value?

Content Reframing

The meaning or content of any situation is determined by what you choose to focus on. This will give it meaning to you and by reframing, it changes its meaning.

What else could this mean and what is the positive value in this behavior? The positive value could be related to the targets behavior (as above) or it could be related to your target's behavior. A possible reframe: "Isn't it great you know your boundaries and are not prepared to allow someone to violate them?"

Reframing is going on all around us. Politicians are masters at it. A positive spin is little more than reframing. Listen to a conservative talk show, then switch to a liberal (if you can find one) and listen to the same story.

Glossary of Common NLP Terms

Accessing cues – Behaviors that are used to relate to a representational system; i.e. eye movements, postures, breathing, etc.

Analog change – A change that varies continuously; e.g. a shift in body position.

Analog marking – Putting emphasis on a specific part of a sentence utilizing verbal or non-verbal means; e.g. a louder tone, a hand gesture, or italics in a document.

Anchor – A trigger that leads to an all-encompassing sensory experience.

Auditory – Sense of hearing.

Backtrack – To review what you have already learned.

Break state – To make a major change in a person's state.

Behavioral flexibility – The ability to change someone's behavior, which elicits a behavioral response from someone else.

Calibrate – To "read" another person's verbal and non-verbal cues and associate specific behaviors with specific internal processes or states.

Calibrated loop – An ongoing interaction between two or more people, in which specific behaviors of each person triggers specific responses in each other.

Chaining anchors – Firing anchors in a specific sequence in order to direct a person's experience along that pattern.

Channel – One of the five senses or representational systems (VAKOG).

Chunk size – The size of the object, situation or experience being considered. It can change by chunking up (broader focus), chunking down (more specific focus), chunking sideways or laterally (focusing on others of the same type of class).

Collapsing Anchors – Firing several anchors at once in order to promote integration of the experiences.

Complex equivalent – A linguistic term used to describe the complex set of behaviors that pertain to a certain nominalization in a person's map of reality; e.g. the behaviors that are "proof" that a certain person "loves" you.

Congruent – When all of a person's internal strategies, behaviors, processes and parts are in agreement and working together.

Contrastive analysis – Determines the differences between the sub modalities of two or more representations.

Conversational Postulates – Behavioral presuppositions, which are implied, but are not identified overtly; e.g. "Do you have a watch?" leads the other person to tell you the time.

Critical Sub modalities – The sub modalities that determine a person's response.

Cross-over Mirroring – Matching a person's rhythms with a different type of behavior.

Digital Change – A change that is all-or-none, on-or-off with no steps or positions in between the ends.

Dissociated – Experiencing something from a perspective other than your own.

Driver – The most important sub modality. Changing it may result in changes in other sub modalities.

Dovetail – To fit together many outcomes and stories.

Ecology – Considering the effects on the whole system, not just one part or one person.

Embedded command – Nesting a command, so that it is grammatically not a command, but it is marked out as a command by your analogs.

Eye accessing cues – Movements of the eyes that indicate a representational system.

Firing an anchor – Repeating a behavior that triggers a certain response.

First position – Experiencing the world from your perspective.

Flexibility – Having more than one choice in a situation or decision.

Future Pace – Rehearsing, both mentally and physically, so that a specific behavior will occur naturally and automatically in a certain situation.

Generative intervention – An intervention that solves the presenting problem and also generates other changes that makes the person's life better.

Gustatory – Sense of taste.

Incongruent – When two or more of a person's programs are not in alignment.

Installation – Creating a new strategy or behavior within yourself.

Kinesthetic – Sense of feeling.

Lead system – The representational system a person uses to access stored information.

Leading – Guiding someone in a certain direction.

Lost performative – A linguistic pattern in which the person performing the action is missing from the sentence.

Map of reality – A person's perception of reality.

Meta-model – A model of language patterns that focuses attention on words people use to delete, distort, generalize, limit or specify their realities. It provides a series of outcome-specific questions used for recovering lost information and or loosening rigid patterns of thinking.

Metaphor – Usually a story that relates one situation, experience or phenomenon to another.

Meta-outcome – An outcome that is more general than the stated one

Meta-person – Being in third position.

Milton model – A categorization of language patterns useful for delivering a message so that the person readily accepts it.

Mirroring – Matching one's behavior to that of another person.

Modal operators – A linguistic term for the way one judges or evaluates actions.

Modality – One of the five senses.

Modeling – Observing how something happens or how someone thinks, and then demonstrating the process for other people.

Negative command – A command that is stated in the negative and marked out with analogs.

Nest – To fit one thing (outcome or story) within another.

Nominalization – A linguistic term for the words, which actually have no existence as things. Examples of nominalizations are "love", "freedom", "happiness", "respect", etc.

Olfactory – Sense of smell.

Organ language – Words that refer to specific body parts; e.g. "Get off my back,"

Outcome – Desired result.

Pacing – Matching or mirroring another person's verbal and/or non-verbal behavior. Helpful in gaining short-term rapport.

Parts – Metaphor for the different areas of a person's strategies, programs, personality or ego states; e.g. the "parts" that want you to be safe, independent, in control, loved, respected, spiritual, etc.

Perceptual filter – A perspective or set of presuppositions about an object, person or situation. Also called a "mask."

Polarity response – A response that reverses or takes the opposite position from the previous statement.

Predicates –Words that express action or relationship with respect to a subject (verbs, adverbs and adjectives). The words may reflect the representational system being used or they may be non-specific.

Preferred representational system- The representational system which a person habitually uses to process information.

Process words – See predicates.

Quotes – A way of expressing a desired message in quotations as if someone else said it.

Rapport – A condition in which trust and cooperation has been established between people.

Reframing – A process by which a person's perception of a certain behavior is changed.

Remedial Intervention – An intervention method that solves the presenting problem.

Representational systems – Refers to the five senses: visual, auditory, kinesthetic, gustatory and olfactory.

Resource state – The experience of an ability, attitude, behavior, characteristic, or perspective that is useful.

Second position – Experiencing the world from someone else's perspective.

Secondary gain – The positive or desired result of an undesired behavior.

Sensory acuity – The ability to use the senses to make distinctions between different bits of incoming information.

Sensory based – Information that is correlated once the five senses have processed it.

Separator state – See break state.

Shift referential index – To take the perspective of someone else, but to keep your own criteria.

Six-step reframe – A process in which an undesirable behavior is separated from the desired outcome and can more easily adopt new behaviors that satisfy its positive intention and do not have the negative effects of the original behavior.

Sorting polarities – Something that pulls a person in opposite directions.

Stacking anchors – Using the same anchor for a number of resources.

State – A condition of body/mind or an experience at a particular moment.

Stealing an anchor – Identifying an anchored pattern and then firing that anchor.

Stimulus-response – The association between an experience and a response.

Strategy – A pattern of mental and behavioral steps, which leads to a specific outcome.

Sub modalities – The subdivisions of the representational systems.

Switch referential index – To take the perspective and the criteria of someone else.

Synthesia – An overlap between representational systems.

Tag questions – Negative questions added to the end of a sentence in order to diffuse polarity responses.

Tape editing – A process of reviewing past behavior and then future pacing, in order to make changes to future responses in similar situations.

Third position – Experiencing the world from a distant position.

Transderivational search – The process of searching through past memories to find a reference experience.

Translating – The process of rephrasing words from one representational system to another.

References

Meta Publications – Cupertino, CA:

Bandler, Richard; and MacDonald, Will. *An Insider's Guide to Sub-Modalities.* 1988

Cameron-Bandler, Leslie. *They Lived Happily Ever After.* 1978.

Dilts, Robert; and Cameron-Bandler, Leslie. *Neuro-Linguistic Programming, vol. I.* 1980.

Farrelly, Frank; and Brandsma, Jeff. *Provacative Therapy.* 1978.

Richardson, Jerry. *The Magic of Rapport.* 1987.

Futurepace, Inc – San Rafael, CA:

Cameron-Bandler, Leslie; Gordon, David; and Lebeau, Michael. *Know How.* 1985.

Cameron-Bandler, Leslie; Gordon, David; and Lebeau, Michael. *The Emprint Method.* 1985.

Real People Press – Moab, UT:

Andreas, Steve; and Andreas, Connirae. *Change Your Mind -- and Keep the Change.* 1987.

Andreas, Steve; and Andreas, Conirae. *Heart of the Mind: engaging your inner power to change with Neuro-Linguistic Programming.* 1989.

Bandler, Richard. *Using Your Brain – for a CHANGE.* 1989.

Bandler, Richard; and Grinder, John. *Frogs into Princes.* 1979.

Bandler, Richard; and Grinder, John. *Reframing: Neuro-Linguistic Programming and the Transformation of Meaning.* 1982.

Science and Behavior Books – Palo Alto, CA:

Bandler, Richard; and Grinder, John. *The Structure of Magic, vols. 1 and 2.* 1975 and 1976.

Final Exam

Date:

Name:

Address:

Telephone:

Email:

Part I

1. Define ***NLP*** in your own words in one paragraph.
2. In its most simple terms, ***NLP*** is a (Please further reduce your definition from question one to complete this short sentence)

   _____.
3. The _____ _____ (Complete this sentence with two words) is a good tool for addictions counselors as it settles internal conflicts.
4. Outline the basic steps of the ***Visual Squash***.
5. Define a ***Swish Pattern*** in your own words.
6. Eye movements upward (And to the right or left) potentially represent a _____ person. (Complete this sentence with one word).
7. The ***Meta Model*** is powerful because it allows us to_____. (Complete this sentence with a few words).
8. Giving new meaning to a behavior is a type of _____. (Complete this sentence with one word).
9. A way of going back and helping a person perceive how they view their past can be done using which technique?

10. ***States of Excellence***, or a ***Circle of Excellence***, are good to use when _____. (Complete this sentence with a few words).

11. The _____ _____ _____ (Complete this sentence with three words) can give people new behaviors.

12. Define ***Rapport*** in your own words in one paragraph.

13. _____(Complete this sentence with one word) is a basic way to maintain ***Rapport.***

14. Placing a person in a future situation is called (Complete this sentence with two words)_____ _____.

15. Give a several-paragraph example of how you will use ***Anchoring***. Describe the situation of the client (real or fictional) and details of how you will use ***Anchoring***.

16. Define ***Reframing*** in your own words in one paragraph.

17. How would one ***Re-write the History of a Client***? (Explain in one paragraph).

18. Outline the ***Fast Fear Relief Technique***.

19. Outline ***Re-parenting***.

20. List the ***Presuppositions of NLP***.

21. Who are the ***Founders of NLP?***

22. List the ***Frames of NLP***

23. Draw and label the ***Eye Accessing Cues***.

Final Exam

Part II

1. Describe how you would use ***Rapport*** techniques in a professional setting (Therapy, sales, etc.) and then how you would use them in a social setting (One paragraph for each).
2. Write an example of ***Information Gathering*** in both professional and interpersonal settings.
3. How will you use ***NLP*** to personally improve your own life?
4. Pick **only two** topics below. Describe (Using several paragraphs for each) how you would use ***NLP*** to treat:

   a) An addiction (i.e. smoking, alcohol, sex, food)

   b) Sports enhancement

   c) Interfamily communication challenges

   d) Public speaking fear (i.e. fear of being in front of people, lack of confidence due to speaking with an accent, etc.)

   e) Road rage

   f) Working with children/youth

5. Write up a case study. This can be an actual case study or one you create. Describe the condition and treatment techniques you would or did use.

Mail or E-Mail to:

American University of NLP
107 Picket Row
Savannah, GA 31410
912.897.9799
Office@SteveGJones.com