

# My Vim Keymaps

[quickref](#)  
[explorer](#)

## My remaps

,	enter <b>in</b> <b>command</b> mode (:)
---	---

## Neovim Parameters

nvim -O3	opens vim with 3 windows split vertically
nvim -v	show version

## Windows & Buffers

C-w s	:sp	splits horizontally
C-w v	:vs	splits vertically
C-w q	:wq	quit window
C-w r		rotate windows
C-w x		swap windows
C-w c	:close	close window
C-w n	:new	new window
C-w v	:vnew	new vertical window
:echo @%	C-g	show current file
:e <file>	.	opens buffer
:b Tab		show list of buffers
:bd		closes buffer
C-^		alternate to last buffer
:buffers		show buffer list
:ls		show buffer list
:sp +10		Split from line 10
C-w T		moves current window to new tabpage

### Resizing

:res 10   +10	resizes split
:vert res 10   +10	resizes vertical split

## Tab Pages

:h tabpage	<a href="#">help</a> about tabpages
:tabs	list of tab pages
:tab split	opens current buffer <b>in</b> new tab page
:tabnew	new tab
:tabc	close current tab
:tabo	close all others tab
gt	go to next tab
gTab	go to last accessed tab
:tabn	go to next tab
:tabm 1	move tab to the right

## Explorer

:Ex	open explore
:Ve	open explore <b>in</b> vertical split
:He	open explore <b>in</b> horizontal split at bottom
:Se	open explore <b>in</b> horizontal split at top
%	new file
d	new directory
R	rename file or directory
D	delete
v	open current file at new vertical

## Telescope

telescope.nvim	
Normal mode + ?	
Leader Space	buffer list
Leader tf	Search file
Leader th	Search <a href="#">help</a>
Leader tw	Grep current word
Leader tw	Grep
Leader tg	Diagnostics
Leader ?	Recent opened files
Leader n	Next item
Leader p	Previous item

## Editing

### Insert Mode

C-d	indent to left
C-t	indent to right
C-o	execute a <b>command</b> and <b>return</b> to insert mode

## Normal Mode

H	cursor to top of screen
L	cursor to bottom of screen
M	cursor to middle of screen
ZZ	write and close window
ZQ	discard changes and close window
~	toggle <b>case</b> of char or selection
zz	moves current line to middle of screen
zt	moves current line to top of screen
zb	moves current line to bottom of screen
C-y	Moves screen up one line
C-e	Moves screen down one line
C-u	Moves cursor & screen up ½ page
C-d	Moves cursor & screen down ½ page
C-b	Moves screen up one page, cursor to last line
C-f	Moves screen down one page, cursor to first line
%	Moves to end or begin of structure (tag or <b>functi</b>

--	--

## Visual Mode

gq	formats text with textwidth setting
----	-------------------------------------

### Command Mode

q:	shows <b>command history</b>
----	------------------------------

## Tips

### Abbreviations

:ab ycp Claudinei	creates abbreviation <b>for</b> the text
-------------------	--

### Full window for current split

:tabm \$	moves current tabpage to end
:tab split	creates a new tabpage <b>for</b> current window
:wq	closes tabpage e <b>return</b> to last tabpage

## Language and Completion

### LSP

Leader rn	rename object
Leader ca	code action
gd	goto definition
gr	show references
gI	goto implementation
Leader D	<b>type</b> definition
Leader rs	list of document symbols
Leader ws	list of workspace symbols
K	hover documentation
C-K (ins mode)hover documentation	
C-k	signature <a href="#">help</a>
gD	goto declaration
Leader wa	add folder to workspace
Leader wr	remove folder from workspace
Leader wl	list folder of workspace
:Format	format buffer

### CMP

C-Space	complete
[d	goto prev diagnostic
]d	goto next diagnostic
Leader e	open <a href="#">float</a>
Leader q	<a href="#">set</a> loclist

## Registers

:h registers	shows <a href="#">help</a> about registers
:dis	shows all registers content
:Telescope registers	shows all registers
:let @a="content"	sets register content manually

## Syntax

"xp	paste from register x
"xy	yank to refister x

## Sessions

'0	opens last position when close vim
:mksession <name>	saves complete current session
nvim -S <name>	opens session

## Views

:mkview	save current view <b>for</b> current file
:loadview	load saved view <b>for</b> the current file
:mkview 1	specify 1-9 views <b>for</b> file