Homework 4

The Impulse Response and Convolution

The questions for Homework 4 are based on the examples given in [Section 6.8 (https://ebookcentral.proquest.com/lib/swansea-ebooks/reader.action?docID=3384197&ppg=207)](https://ebookcentral.proquest.com/lib/swansea-ebooks/reader.action?docID=3384197&ppg=207) of {cite} `karris` .

1. Confirm the result of [Example 5 (https://cpjobling.github.io/eg-247-textbook/laplace_transform/5/convolution.html#Example-5)](https://cpjobling.github.io/eg-247-textbook/laplace_transform/5/convolution.html#Example-5) from the notes using the convolution integral

$$h(t) * u_0(t) = \int_{-\infty}^{\infty} u_0(\tau)h(t-\tau)\,d\tau$$

2. Compute the impulse response $h(t) = i_s(t)$ (where $i_s(t) = \delta(t)$) in terms of R and L for the circuit shown in Fig. Q2 below. Use this result to compute the voltage $v_L(t)$ across the inductor.



Fig. Q2: An RL Circuit

3. Redo the graphical convolution [Example 2 (https://cpjobling.github.io/eg-247-textbook/laplace_transform/5/convolution.html#Example-2)](https://cpjobling.github.io/eg-247-textbook/laplace_transform/5/convolution.html#Example-2) from the notes by forming $h(t-\tau)$ instead of $u(t-\tau)$. That is, use the convolution integral

\begin{equation}

```
\int_{-\infty}^{\infty} u(\tau)h(t-\tau)\,d\tau.
```

\end{equation}

Confirm the result in MATLAB.

4. Redo the graphical convolution [Example 3 (https://cpjobling.github.io/eg-247-textbook/laplace_transform/5/convolution.html#Example-3)](https://cpjobling.github.io/eg-247-textbook/laplace_transform/5/convolution.html#Example-3) from the notes by forming $h(t-\tau)$ instead of $u(t-\tau)$. Confirm the result in MATLAB.
5. Derive the transfer function

\begin{equation}

    H(s) = \frac{V_L(s)}{I_s(s)}

\end{equation}

for the circuit of Fig. Q2.

Use this result to

A. Confirm the impulse response of this circuit $V_L(t)$.
B. Compute the step response

   $$

       V_L(t) = \mathcal L^{-1}\left\{ H(s) U_0(s) \right\}.

   $$
C. Validate this result in MATLAB.

6. For the network show in Fig. Q6 compute:
   A. The transfer function

      \begin{equation}

          H(s) = \frac{V_{\mathrm{out}}(s)}{V_{\mathrm{in}}(s)};

      \end{equation}
   B. The response of this circuit to the input $v_{\mathrm{in}}(t) = u_0(t) - u_0(t-1)$.
   C. Validate this result in MATLAB.



Fig. Q6: An LR Network

7. For the network shown in Fig. Q7 compute:
   A. The transfer function

      \begin{equation}

          H(s) = \frac{V_{\mathrm{out}}(s)}{V_{\mathrm{in}}(s)};

      \end{equation}
   B. Determine the step response of the network.
   C. State the time constant of the network.
   D. Validate this result in MATLAB.



Fig. Q7: An RC Network

Answers to selected problems

- For question 2:

  $$
  h(t) = i_s(t) = \left(\frac{1}{L}\right)e^{-\left(\frac{R}{L}\right) t}\,u_0(t);
  $$

  $$
  v_L(t)=-\left(\frac{R}{L}\right)e^{-\left(\frac{R}{L}\right)t}u_0(t) +\delta(t).
  $$

- For question 5 the transfer function is

  $$
  H(s) = \frac{s}{s + R/L}
  $$

  and the step response is:

  $$
  v_L(t) = Le^{-\left(\frac{R}{L}\right)t}u_0(t).
  $$

- For question 6 the transfer function is

  $$
  H(s) = \frac{3/2}{s + 3/2}
  $$

  and the impulse response is:

$$

```
v_L(t) = \left(1 - e^{-1.5t}\right)u_0(t) - \left(1 - e^{-1.5(t-1)}\
right)u_0(t-1).
```

$$

- For question 7 the transfer function is

$$H(s) = \frac{50}{s + 50};$$

  the step response is

  $$

  ```
  \left(1 - e^{-50t}\right)u_0(t)
  ```

  $$

  and the time constant is: $T = RC = 1/50$ s.

Reference

See Bibliography (/zbib).

```
In [ ]:
```