






Supplied weights | BEFORE: starting matrix | All foils, N=73188
Delta (%)
20
15
10
5
0
−5
−10
−15
−6
−4
−2
0
2
4
6
Reconstructed ytar (cm)
Events / bin
10
1



Supplied weights | AFTER: new fit | All foils, N=73188
Delta (%)
20
15
10
5
0
−5
−10
−15
−6
−4
−2
0
2
4
6
Reconstructed ytar (cm)
Events / bin
10
1



Supplied weights | BEFORE: starting matrix | Foil 0, z=+10 cm, N=24396
Delta (%)
20
15
10
5
0
−5
−10
−15
−6
−4
−2
0
2
4
6
Reconstructed ytar (cm)
Events / bin
10
1


Supplied weights | AFTER: new fit | Foil 0, z=+10 cm, N=24396
Delta (%)
20
15
10
5
0
−5
−10
−15
−6
−4
−2
0
2
4
6
Reconstructed ytar (cm)
Events / bin
10
1


Supplied weights | BEFORE: starting matrix | Foil 1, z=+0 cm, N=24396
Delta (%)
20
15
10
5
0
−5
−10
−15
−6
−4
−2
0
2
4
6
Reconstructed ytar (cm)
Events / bin
10
1


Supplied weights | AFTER: new fit | Foil 1, z=+0 cm, N=24396
Delta (%)
20
15
10
5
0
−5
−10
−15
−6
−4
−2
0
2
4
6
Reconstructed ytar (cm)
Events / bin
10
1


Supplied weights | BEFORE: starting matrix | Foil 2, z=-10 cm, N=24396
Delta (%)
20
15
10
5
0
−5
−10
−15
−6
−4
−2
0
2
4
6
Reconstructed ytar (cm)
Events / bin
10
1


Supplied weights | AFTER: new fit | Foil 2, z=-10 cm, N=24396
Delta (%)
20
15
10
5
0
−5
−10
−15
−6
−4
−2
0
2
4
6
Reconstructed ytar (cm)
Events / bin
10
1