

DOH Reviewer Findings — Triage Progress Report

Xylee Javier (XJ) PAPI-vs-CAPI review of the UHC Year-2 CAPI instruments

Prepared for: ASPSI – DOH UHC Year-2 CAPI Team From: Carl Patrick L. Reyes · IT Consultant (CAPI Development)
Date: 20 July 2026 Status: Triaged · remediation scheduled post-pretest

In plain terms: DOH reviewer **Xylee Javier** submitted a screenshot-based comparison of the paper (PAPI) questionnaires against the CAPI build for the **Healthcare-Worker (F2)** and **Household (F4)** instruments. We triaged **all 149 comments one-by-one**. The result: the large majority are **already handled in the live build** or are **documentation/screenshot gaps** (the reviewer worked from April screenshots with no test-environment access); a smaller set are **genuine candidate changes** for ASPSI/DOH to weigh **after pre-testing**. Every comment is now tracked as its own ticket so nothing is lost.

GOVERNING POSTURE — PARKED THROUGH PRETEST, SCHEDULED FOR REMEDIATION AFTER
Per **Dr. Myra Silva-Javier's 12 June 2026 decision**: the tools were already accepted and submitted to **SJREB and PSA**; the comments are **parked** and revisited when they resurface in the SJREB review, PSA review, or **pre-testing**. The **April-20 version is the accepted build baseline** and **stays frozen through the pretest**. The remediation is now **scheduled for the post-pretest window** (see §5) — this report tracks and dispositions each item so that pass is ready to execute the moment fieldwork ends. It is **not** authorization to change the instruments during pretest.

1. WHAT WAS REVIEWED

- ▶ **Two instruments, 149 comments.** HCW / F2 (PWA) — **63** comments; Household / F4 (CSPro) — **86** comments. The Facility-Head (F1) and Patient (F3) review documents have **not yet been shared**; they will get the same treatment when they arrive.
- ▶ **The reviewer worked from April screenshots, without test-environment access.** This single fact explains most of the findings: many features exist in the live build but simply were not visible in the static April screenshots.
- ▶ **XJ rates the CAPI favourably where she could see it** — she calls the F2/PWA interface the more polished one (section headers, progress indicators, no repeated question text) and praises the Q35 date design as an improvement over PAPI.

2. HOW WE TRIAGED — FOUR BUCKETS

Every comment was sorted into one of four dispositions. Only the last (D) is potential future work.

BUCKET	MEANING	COUNT*	TYPICAL ACTION
A Already built	Feature exists in the live instrument; the April screenshot just didn't show it.	≈18	"Implemented — current screen attached."
B Deliberate design	A real, intentional difference from PAPI (chosen on purpose).	≈6	Document the rationale.
C Evidence gap	Real feature, but unverifiable from screenshots alone.	≈10	Supply a skip/validation matrix + a test login.
D Candidate change	A genuine gap or improvement worth considering.	≈27	ASPSI/DOH decide, post-pretest.
A/D Other-specify	"Every 'Other' option needs a free-text field" — one comment per question (38 F2 + 51 F4).	≈88	Verify per item against the current dictionary; add only where truly missing.

*Counts approximate — a handful of comments were merged as duplicates at ticketing. Net: roughly **112 of 149** are already-built, deliberate, or verify-only (A / B / C / A/D); the genuine candidate-change tail (D) is **~27**.

3. ITEMS RAISED — TRIAGE RESULT & ACTION (BY THEME)

All 149 comments consolidated into the recurring themes XJ raised. The complete per-question list is in the appendix and one-per-ticket on GitHub.

ITEM XJ RAISED	INSTR.	TRIAGE	ACTION TO BE TAKEN
Informed Consent / ICF section not seen in the screenshots	F2, F4	A	Attach current consent-gate screens (F2 per-case consent shipped R6; F1/F3/F4 carry consent/break-off); note offline parity.
QN / Field-Control / Geographic-ID sections not shown	F2, F4	A	Attach current screens; explain enrolment carries the facility code + questionnaire number; Field Control handled via the break-off/disposition flow.
Navigation controls (Next / Back / Go-To) not shown	F2, F4	A	Documentation gap — CSEntry has built-in navigation; the PWA has section navigation. Show it in the screenshot pack.
Autosave on interruption + resume from last save	F2, F4	A	Document IndexedDB autosave/resume (F2, in production) and CSEntry partial-save resume (F1/F3/F4).
Session timeout / expiry handling	F2, F4	B	State the designed behaviour (self-administered PWA / persistent CSEntry case).
Geographic ID — implement cascading Region→Province→City→Barangay	F4	A	The 12-digit key already gates a PSGC cascade at field 1; verify the household-address presentation and attach current screens.
GPS lat/long — how captured, recorded, validated	F4	A	Document end-of-flow warm-radio GPS capture with accuracy recorded.
Multi-answer exclusivity (block None/Refuse/DK when a listed/Other option is chosen)	F2, F4	A	Exclusivity + ascending-order shipped (#830 / #832); demonstrate per item.
Household roster (Q30–Q50) — member-loop workflow + visible member identifier	F4	A	Document the repeating-record roster workflow; member name is displayed on the roster line.
Employment-type definitions available in the self-administered CAPI	F2	A	Confirm the current #826 newline-rendered Q2 definitions render correctly.
Q35 date design (Year required; Month/Day optional) — praised	F2	A	No change — note it as the model pattern to reuse where applicable.
Disposition: "Refused" → "Withdraw Participation/Consent"; code order vs the other forms	F4	B	Document the deliberate change + the cross-instrument harmonization intent.
Questionnaire Number: 9-digit (PAPI) vs 12-digit (CAPI)	F4	B	Document the deliberate 12-digit respondent key (facility-9 + sequence-3), not an inconsistency.
Visit-date format (M-D-Y vs YYYYMMDD) & first/final-visit model	F4	B	Explain the format choice; map the manual's 3-callback Visit Sheet to the CAPI break-off/disposition model.
Skip patterns / validation checks not verifiable without test access	F2, F4	C	Highest-leverage: supply one skip-pattern + validation matrix (keyed to question numbers) and a test login. Answers most of the "please confirm it's programmed" items at once.
Full / near-final CAPI screenshots for review	F2, F4	C	Provide a current screenshot pack + the deployed test build (covers Q6 "no screenshot", missing sections).
Single- vs multi-select correctness per item; "select one/all" instructions	F2, F4	C	Cover in the validation matrix; enforced by the single/multi controls.
Specific routing checks (Q62 "proceed to" typo, Q71 separate input, Q57/Q69–73 eligibility)	F2, F4	C	Verify each against the questionnaire spec; confirm or correct.
"Other (specify)" — every "Other" option needs a free-text field	F2 (38 q) F4 (51 q)	A/D	Per-item verify against the current DCF/spec — many already expose <code>_OTHER_TXT</code> via the checkbox conversion; add only those genuinely missing.

Repeated question text (shown twice on the CSPro screens)	F4	D	Presentation cleanup candidate (CSPro prompt + field render).
Section titles / sub-headers / intros missing or out of order (E1, E2, Q98, Q113, Q186–194)	F2, F4	D	Add the section headers/instructions; presentation candidate.
Filter instructions ("Ask if.../Only answer if...") left inside the question text	F4	D	Confirm the skips are programmed; style the notes distinctly or automate them (Q1, Q45.1/45.2, Q78, Q117, Q118).
Manual enumerator notes that should be system logic — automate	F4	D	Broad logic/presentation cleanup candidate; re-word retained notes for CAPI ("tick" → "select").
Auto-derive answers from prior data (Q38 role; roster pre-fill of known respondent info)	F2, F4	D	Candidate logic changes; ASPSI/DOH call.
Q18 income bracket — dropdown + auto-derive bracket from amount	F4	D	Multiple candidate changes on one item; verify then decide.
Household Expenditure block — heavy repetition; group per item	F4	D	Presentation redesign candidate (one labelled screen per item).
Q67 travel time split into Hours/Minutes — combine + show question once	F4	D	Presentation / data-structure candidate.
Travel-duration limit must allow > 1 day (> 1440 min) for GIDA households	F4	D	Verify the range validation; widen if capped.
Input labels/units (Year/Day/Hour) — Q9/Q10/Q11; red-asterisk legend	F2	D	Verify current labels; add a one-line required-field legend. Small UX candidates.
Content nits: Q11 option order, Q22 wording, Q29 Refuse option, Q103 missing option, Q199 range, Q15 external list, an added "None" option	F2, F4	D	Verify each against the spec; correct/add only if confirmed.

4. THE SINGLE HIGHEST-LEVERAGE ACTION

One deliverable clears most of the review: a skip-pattern + validation matrix (keyed to question numbers) plus a **test login** to the deployed build. That directly answers the recurring "we have no test access / please confirm the skip is programmed / validation not demonstrated" items across **both** instruments — i.e. the entire bucket C and much of A. The project's [verify_questions.py](#) reachability output is the starting point for that matrix. This is preparation for the eventual reply, still gated by the parked decision.

5. SCHEDULE — AFTER PRETESTING

The remediation is **scheduled for the post-pretest window** (pretest wraps ~22–24 Jul 2026; LBDH is the last site). Nothing changes on the instruments during fieldwork — a build change mid-pretest would invalidate the very run that tells us which of these findings actually matter. Immediately after pretest, in this order:

- ▶ **Consolidate what pretest surfaced** — cross the pretest findings against this triage; any XJ item that showed up in the field is promoted from "candidate" to "confirmed."
- ▶ **Ship the bucket-C evidence pack** — the skip/validation matrix + a test login (the single highest-leverage deliverable; answers most of the review at once).
- ▶ **Decide + implement the bucket-D candidates** — ASPSI/DOH pick which of the ~27 genuine candidate changes to make; implement in the generators, regenerate, redeploy.
- ▶ **Run the other-specify DCF audit** — the ~88 "verify" items, adding a field only where one is genuinely missing.
- ▶ **Assemble the consolidated DOH response** — one reply covering all 149, ahead of the August training window.

Tracked as a post-pretest epic on the Product Backlog + a milestone on the GitHub trackers (#849 / #850). This is consistent with the park decision — pretest is exactly the gate Dr. Myra named for revisiting the comments.

6. WHERE THIS IS TRACKED

- ▶ **GitHub:** 149 child issues (#851-#999) under two tracking epics — #849 (F2 HCW, 63) and #850 (F4 Household, 86). Each ticket carries XJ's comment, its disposition bucket, and a one-line current-build status. Label: from-doh-review-xj-2026-07 , all marked parked .
- ▶ **Wiki:** the reasoning lives in Analysis - XJ PAPI-vs-CAPI Reviews vs Current CAPI Build , with the source summaries and the PAPI-to-CAPI Translation Review Criteria rubric.
- ▶ **Next:** F1 (Facility-Head) and F3 (Patient) reviews get the same one-ticket-per-finding triage once XJ shares those documents.

BOTTOM LINE

All 149 of XJ's comments are triaged and tracked, and the remediation is **scheduled for immediately after pretest**. The build stays frozen on the accepted April-20 baseline through fieldwork. Roughly three-quarters are already handled in the live build, deliberate design choices, or things a screenshot pack + test login will simply demonstrate; the genuine candidate changes (~27) are a short, clearly-labelled list for ASPSI/DOH to weigh once pretest tells us which actually surfaced. The one move that unlocks the most is a skip/validation matrix plus a test account.

Appendix — Full per-finding triage

Every named finding, verbatim theme + disposition + action. "Other (specify)" items are listed once (identical in nature) with their question numbers.

F2 — HEALTHCARE WORKER (PWA) · 63 COMMENTS

REF	FINDING	BKT	ACTION / CURRENT-BUILD STATUS
Form-wide	Interface differs from other instruments — clarify platform + rationale	B	F2 is the PWA by design (self-administered, online/offline); document the rationale. XJ recommends the others match F2.
Docs	Provide full/near-final CAPI screenshots	C	Supply current screenshots + a test login.
Sections	Screenshots omit QN / ICF / Field Control / Geo ID sections	A	Consent gate shipped (R6 #808); enrolment carries facility/QN. Attach current screens; state offline parity.
Navigation	Next/Back/Go-To/navigator not shown	A	PWA has section navigation. Documentation gap.
Autosave	Autosave on connectivity loss/interruption	A	IndexedDB autosave in production. Document it.
Resume	Resume a partially-completed questionnaire	A	Resume supported in production. Document it.
Timeout	Session timeout / expiration handling	B	State the designed behaviour.
Required	Red-asterisk mark has no legend	D	Add a brief legend. Small UX candidate.
Skip matrix	Provide skip-pattern matrix / specs / test access	C	Highest-leverage: one skip/validation matrix + a test login.
Validation	Multi-answer: block exclusive options when a listed/Other option is chosen	A	Exclusivity handled; demonstrate per item.
Validation	Multi-answer: prevent simultaneous selection of exclusive options	A	Handled; demonstrate.
Validation	Single-answer items shouldn't allow multi-select (and vice versa)	C	Verify via the validation matrix.
Employment	Employment-type definitions not shown in CAPI	A	Shipped as #826 newline-rendered Q2 definitions. Confirm render.
Select-one	"Select one answer only" instruction not observed	C	Enforced by single-select controls; confirm.
Q9/10/11	Add input labels/units (Year(s)/Day(s)/Hour(s))	D	Verify current labels; add.
Q38	Auto-derive "Not a physician/dentist" from Q5 role	D	Candidate logic change; ASPSI/DOH call.
E1	Sub-header "E1. Awareness of ... BUCAS" missing	D	Add section sub-header.
E2	Sub-header "E2. Awareness of GAMOT Package" missing	D	Add section sub-header.
Q62	Possible "proceed to Q63" typo + who answers Q62 given Q61 skip	C	Verify routing against spec; confirm/correct.
Q71	Separate input field when Q69=yes & Q70=yes (as in PAPI)	C	Verify against spec/build.
Q35	Date design (Year required, M/D optional) — praised	A	Positive; note as the model to reuse.
Q98	Missing instruction before Q98 (to Q107)	D	Add the section instruction; verify.
Q113	Missing instruction before Q113 (to Q120)	D	Add the section instruction; verify.
Q6	Q6 has no screenshot	C	Screenshot gap; attach current screen.
Form-wide	A "None" option appears added — confirm intent	D	Verify the item; confirm.

Other-spec (×38)	Every "Other (specify)" option needs a free-text "specify" field — Q2, 5, 6, 13, 15, 17, 18, 19, 20, 21, 22, 23, 24, 25, 34, 36, 37, 39, 42, 43, 45, 46, 47, 50, 52, 55, 56, 57, 60, 62, 92, 93, 94, 109, 110, 112, 123, 124	A/D	Verify each against the current F2 spec — some <code>Q*_other</code> fields already exist; add any truly missing.
---------------------	--	------------	---

F4 — HOUSEHOLD (CSPRO) · 86 COMMENTS

REF	FINDING	BKT	ACTION / CURRENT-BUILD STATUS
Consent	Consent Form section not found in CAPI	A	Consent/break-off handling exists; screenshot/clarify.
Field Ctrl	Field Control at end — accessible mid-interview for callbacks?	A	Break-off + disposition model handles this; document callback flow.
Disposition	Justify "Refused"→"Withdraw Participation/Consent"; harmonize codes/order	B	Deliberate; document rationale + harmonization intent.
Visit-date	PAPI M-D-Y vs CAPI YYYYMMDD — rationale	B	Design choice; document.
Visits	Only first/final recorded vs manual's 3 callbacks	C	Map callbacks to the break-off/disposition model; document.
Navigation	Navigation controls not shown	A	CSEntry built-in navigation. Documentation gap.
Autosave	Autosave on interruption	A	CSEntry partial-save. Document.
Resume	Resume incomplete interviews from last save	A	Partial-save resume. Document.
Timeout	Session timeout / expiration handling	B	Document behaviour.
QN	9-digit PAPI vs 12-digit CAPI — flagged inconsistent	B	Deliberate 12-digit key (facility-9 + seq-3). Document.
Geo	Geo ID incomplete + implement cascading Region→...→Barangay	A	12-digit key gates a PSGC cascade. Verify household-address presentation; attach screens.
Geocodes	Geocode status + GPS capture/record/validation	A	GPS captured at end-of-flow (warm-radio); accuracy recorded. Document.
Repeated text	Question text displayed twice throughout	D	Presentation (CSPro prompt+field); candidate cleanup.
Section titles	Titles/introductions missing or out of order	D	Presentation; candidate.
Skip matrix	Provide skip-pattern matrix / specs / test access	C	Same high-leverage answer as F2: matrix + test login.
Validation	Multi-answer: block exclusive options when a listed/Other option chosen	A	Exclusivity handled (#830/#832). Demonstrate.
Validation	Multi-answer: prevent simultaneous selection of exclusive options	A	Handled; demonstrate.
Validation	Single-answer items shouldn't allow multi-select (and vice versa)	C	Verify via validation matrix.
Travel dur.	Must allow > 1 day (> 1440 min) for GIDA households	D	Verify the range validation; adjust if capped.
Notes	Automate enumerator notes (skip/eligibility/validation)	D	Broad presentation/logic cleanup; candidate.
Select-all	"Select all that apply" instruction missing on some items	D	Verify multi-select items; add instruction.
Q1	"Ask all questions unless a skip applies" note — remove if skips programmed	D	Presentation cleanup; candidate.
Q15	External-list note + open text — consider dropdown/searchable	D	Candidate UX/data-quality change.
Q18	Income bracket — remove note, "tick"→"select", dropdown, auto-derive	D	Multiple candidate changes on one item.

Q45.1/45.2/78/117/118	Filter instructions retained in question text	D	Presentation; verify these are programmed skips; distinguish/automate.
Q57/Q69–73	Address-based eligibility — automate rather than manual instruction	D	Candidate logic change.
Q11	Inconsistent order of options vs PAPI	D	Verify option order; align.
Q22	Inconsistent wording (house vs household)	D	Wording fix; verify.
Q29	No "Refuse to answer" option in CAPI	D	Verify; add if intended.
Q103	Missing option "No, I haven't accessed any medical care"	D	Verify; add if intended.
Q199	Amount range not shown	D	Verify; add range.
Q30–Q50	Roster member-loop workflow + visible member identifier	A	Repeating-record roster; member name shown. Document the workflow.
Roster	Auto-populate already-collected respondent info for confirmation	D	Candidate UX; verify prefill.
Q67	Travel time split Hours/Minutes; combine + show question once	D	Candidate presentation/data-structure change.
Expenditure	Heavy repetition; group all questions per item on one screen	D	Candidate presentation redesign.
Q186–Q194	Section intro/overarching question not observed	D	Presentation/context; candidate.
Other-spec (×51)	Every "Other (specify)" option needs a free-text "specify" field — Q5, 10, 11, 17, 23, 38, 45.2, 46, 52, 53, 55, 56, 58, 59, 61, 65, 66, 70, 71, 74, 77, 78, 79, 80, 82, 85, 88, 91, 92, 93, 94, 101, 102, 103, 106, 107, 109, 110, 111, 113, 121, 127, 128, 133, 134, 137, 141, 143, 194, 199	A/D	Verify each against the current F4 DCF — the checkbox conversion adds <code>_OTHER_TXT</code> for many; add any truly missing.

Full itemization also tracked one-per-ticket: GitHub #851–#999 under epics #849 (F2) / #850 (F4)

Label: from-doh-review-xj-2026-07 · parked