



SN - Cp1016/21/220629

CENTRE FOR PLANT MEDICINE RESEARCH.
MICROBIOLOGY DEPARTMENT

Product Code	Product Form	Date Received	Date Analysed
Cp/054/22	Capsules	5 th July, 2022	12 th July, 2022

Microbial Load Analysis


Test	Result (CFU/g)	Acceptance Criterion BP (2021)	Compliance
¹ TAMC/ 37 °C /24h/PCA	7.2 x 10 ⁵	5.0 x 10 ⁴	Failed
² TYMC/ 25 °C /5Days/MEA	7.6 x 10 ⁵	5.0 x 10 ²	Failed
<i>E. coli</i>	Absent	Absent	Passed
<i>Salmonella sp.</i>	Absent	Absent	Passed
<i>Staphylococcus sp.</i>	Absent	Absent	Passed

¹ TAMC = Total Aerobic Microbial Count ² TYMC = Total Yeast and Molds Counts

General Comment: The sample does not meet the microbial load requirements as per BP specifications.

General Conclusion: The product did not pass the microbial load analysis.

Analyzed By

 Image not found or type unknown

Miss. Salomey Acheampong
Technologist

Supervisor

 Image not found or type unknown

Mrs. Susana Oteng Mintah
Research Scientist