



SN - Nd335/22/210611

**CENTRE FOR PLANT MEDICINE RESEARCH.
MICROBIOLOGY DEPARTMENT**

Product Code	Product Form	Date Received	Date Analysed
Nd/002/21	Nasal Drop	21 st June, 2021	21 st June, 2021

Microbial Load Analysis

Test	Result (CFU/g)	Acceptance Criterion BP (2021)	Compliance
1 TAMC/ 37 ⁰ C /24h/PCA	2.0 x 10 ³	5.0 x 10 ⁴	Passed
2 TYMC/ 25 ⁰ C /5Days/MEA	4.0 x 10 ²	5.0 x 10 ²	Passed
<i>E. coli</i>	Absent	Absent	Passed
<i>Salmonella sp.</i>	Absent	Absent	Passed
<i>Staphylococcus sp.</i>	Absent	Absent	Passed


1 TAMC = Total Aerobic Microbial Count 2 TYMC = Total Yeast and Molds Counts

General Comment: The sample meets the microbial load requirements as per BP specifications

General Conclusion: The product passed the microbial load analysis.

Analyzed By


Image not found or type unknown



Miss. Salomey Acheampong
Technologist

Supervisor

Image not found or type unknown



Dr. Daniel Boamah
Head of Department