

Contents

Write a program to add two number	1
add.html.....	1
add.jsp.....	2
Write a program to see greeting message.....	2
index.jsp.....	2
Write a program to create login page.....	2
login.jsp.....	2
login-process.jsp	3
Write a program to create signup page	4
register.jsp	4
register-process.jsp.....	5

Write a program to add two number

add.html

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Calculate</title>
<link href="assets/css/bootstrap.min.css" type="text/css"
      rel="stylesheet" />

</head>
<body>
    <div class="container">
        <strong>Calculation</strong>
        <form action="add.jsp" method="post">
            <label>First Number: </label> <input type="number"
                name="first_number" class="form-control"/><br />
            <label>Second Number: </label> <input
                type="number" name="second_number" class="form-
                control" /><br />
            <button type="submit" class="btn btn-
                success">Add</button>
        </form>
```

```
        </div>
</body>
</html>
```

add.jsp

```
<%

out.print("Welcome to index.jsp page<br/>");

Integer n1 =Integer.parseInt(request.getParameter("first_number"));
Integer n2 = Integer.parseInt(request.getParameter("second_number"));
Integer sum = n1+n2;

out.print("Sum: "+sum);

%>

<a href="add.html">Add More</a>
```

Write a program to see greeting message

index.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Welcome to JSP</title>
</head>
<body>
<h1>Welcome to 2<sup>nd</sup> Group to JSP World!</h1>
</body>
</html>
```

Write a program to create login page

login.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
```

```

<title>App Login</title>
<link href="assets/css/bootstrap.min.css" type="text/css"
      rel="stylesheet" />
</head>
<body>
    <div class="container">
        <div class="row">
            <div class="col-md-4">
                <form method="post" action="login-process.jsp">
                    <table>
                        <tr>
                            <td>Uername</td>
                            <td><input type="text"
name="username" /></td>
                        </tr>
                        <tr>
                            <td>Password</td>
                            <td><input type="password"
name="password" /></td>
                        </tr>
                        <tr>
                            <td><a href="forget.jsp">Forger
Password</a></td>
                            <td><input type="submit"
name="login" value="Login" /></td>
                        </tr>
                    </table>
                </form>
            </div>
        </div>
    </div>
</body>
</html>

```

login-process.jsp

```

<%
    String userName = request.getParameter("username");
    String password = request.getParameter("password");
    if (userName.equals("nast") && password.equals("Engineering@6"))
    {
        out.println("you are authenticated user, welcome, " +
userName);
    } else {
        response.sendRedirect("login.jsp?error");
    }
}

```

%>

Write a program to create signup page

register.jsp

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Register Page</title>
<link href="assets/css/bootstrap.min.css" type="text/css"
    rel="stylesheet" />
</head>
<body>
    <div class="container">
        <div class="row">
            <div class="col-md-6">
                <% if((request.getParameter("err")!=null) &&
(request.getParameter("err")!=null)){
                    out.print("Sorry your password and conform
password doesnot match");
                }%>
                <form method="post" action="register-
process.jsp">
                    <table>
                        <tr>
                            <td><label>Full
Name</label></td>
                            <td><input type="text"
class="form-control" name="full_name" required/></td>
                        </tr>
                        <tr>
                            <td><label>Email
Address</label></td>
                            <td><input type="email"
name="email" class="form-control" required/></td>
                        </tr>
                        <tr>
                            <td><label>Password</label></td>
                            <td><input type="password"
name="password" class="form-control" required/></td>
                        </tr>
```

```

                <tr>
                    <td><label>Conform-
Password</label></td>
                    <td><input type="password"
name="conform_password" class="form-control" required/></td>
                </tr>
                <tr>
                    <td><a
href="login.jsp">Already have an account/ Login</a></td>
                    <td><button type="submit"
class="btn btn-primary">Register</button></td>
                </tr>
            </table>
        </form>
    </div>
</div>
</div>
</body>
</html>

```

register-process.jsp

```

<%@page import="java.sql.Statement"%>
<%@page import="java.sql.DriverManager"%>
<%@page import="java.sql.Connection"%>
<%
    String fullName = request.getParameter("full_name");
    String email = request.getParameter("email");
    String password = request.getParameter("password");
    String conformPassword =
request.getParameter("conform_password");
    out.print(fullName + " " + email);
    /*
    if (password.equals(conformPassword)) {
        out.println("Both password and conform password match");
    }
    */
    //load database driver
    try{
        Class.forName("com.mysql.jdbc.Driver");
        //System.out.println("driver loaded successfully..");
        out.print("driver loaded successfully...");

        //establish connection
        Connection conn =DriverManager
.getConnection("jdbc:mysql://localhost:3306/engineering6","root",
"");

```

```

        out.print("database connection successful.....");
        //prepare sql statement

        String sql="insert into
tbl_registration(full_name,email,password)+"
        " VALUES('"+fullName+"','"+email+"','"+password+"')";

        Statement stmt = conn.createStatement();

        //execure queries
        stmt.executeUpdate(sql);

        out.println("user registered to db");
        //close connection
        conn.close();
        response.sendRedirect("register.jsp?success");

    }catch(Exception e){
        out.print(e.getMessage());
    }

/*
    } else {
        response.sendRedirect("register.jsp?err=1");
    } */
%>

```