READYMAX TOOLS & SAFETY 2014



READYMAX TOOLS & SAFETY

ABOUT US

AT READYMAX TOOLS AND SAFETY™, WE ARE PASSIONATE ABOUT CREATING PRODUCTS THAT MAKE LIFE EASIER AND SAFER IN THE HOME, WORKPLACE AND OUTDOORS. INNOVATION IS SECOND NATURE TO US AND WE LOOK FOR SIMPLE, CLEVER WAYS TO MAKE TOOLS BETTER AND SAFETY PRODUCTS SAFER. SIMPLY SMARTER SOLUTIONS THAT BRING CONVENIENCE AND FUNCTIONALITY TO VARIOUS ACTIVITIES TO IMPROVE PEOPLE'S LIVES. THAT'S WHAT WE ARE ALL ABOUT.

RE	ΕΔ	D	Y	M	A	X	ij	0	0	L	S	A	N	D	5	SA	۱F	E	1	Y	T	1		A	L	W	IA	Y	S	R	E	A	D	Y	W	/H	E	N		10	U	J	N	3	=[)	T
		20			0.7.0	7/2	5,00	100	2.0	5 50				7/7		30.50	0.3	201	2.7	10		12.2	7.07		202	7.3	705	2.0			12.0	105.0	5.30	800		5.50	20	0.3	2.2	7.67		2000	5.3	761	2.3	1505	212)
- 115																																															
0.000	50503	100	100	50.513	50.0	5(5)	0.50	1000	5.0573	1.00	B) (b)	202	1000	27.0	100	52.83	21.5	20.00	100	10.00	20.0	10.0	723		515	313	10.65	100	1 2 3	120		15(1)	B. (53)	10.00	5.50	1 10	2.3	300	(m) (s	27.3	100	51.53	51.5	207	100	8.8	4/2
100																																															
10.00																																															
	2/4/4	110	820	121					2/2/1	100	2/2/	- 4	100		Na.	4(4)	114	12/4	270	1	- 4	100	40	1	4 4	114	7274	270	100	021	24	000	L(4)	2420	2/2/	2 20	4 4	474		40	123	4/4	114	4/4	274	414	12/21
(10)	-30	9.0	0953	6(9))	63.	600		-	-313	. 100	× 7)	= (9)	10.1	900		v (+)	y. =	31.00	¥ (3	(m)	= (4)) #. a	W(1)		× =	300	000	9.03	0.00	6(9)3	634.	- (6)	- 1	*).Y.	e000	e 90	× ×	= (4)	9.0	*10		(+)	y	000	V ((9) (0)
02000	2/2/2	27	313313	5/6/	33.	100	200	200	2327	2 20	200	3/6	100	20	150	600	2000	1272	200	31331	3/4	100	20	200	1202	200	1972	27	1000	5/6/1	5%	10	2010	2000	2007	2 33	272	300	000	275	100	108	200	274	272	1250	2020

INDEPENDENT CONSUMER RESEARCH

Baker Street Solutions of San Francisco conducted extensive consumer research to assess the consumer interest in ReadyMax™ Tools and Safety products. The study concluded that ReadyMax™ lighted pliers scored in the top 25% of consumer purchase intent compared to conventional pliers, indicating that 3 out of 4 consumers who regularly use pliers will pay a retail price premium to buy ReadyMax™ lighted pliers compared to conventional pliers at a lower price.


The Baker Street study also concluded that ReadyMax™ safety products ranked in the top 5% of consumer purchase intent compared to similar products, indicating that 19 out of 20 consumers will buy ReadyMax™ safety products compared to conventional products in the same category.

ReadyMax™....consumer tested as the preferred choice for tools and safety.

READYMAX HUBLIGHT (R)

US Utility Patent # 7,399,101





READYMAX TOOLS™ FEATURE A PATENTED HIGH-INTENSITY LED THAT TURNS ON WITH A TOUCH OF A BUTTON AND SHINES THROUGH THE JAWS OF A PLIERS OR ADJUST-ABLE TOOL TO ALWAYS STAY FOCUSED ON THE WORK SURFACE. NO MORE FUMBLING FOR A FLASHLIGHT OR NEEDING AN EXTRA PAIR OF HANDS WHEN WORKING IN TIGHT, LOW-LIGHT CONDITIONS.

- SEALED HUBLIGHT(*) IS WATERPROOF, OIL PROOF AND CHEMICAL PROOF
- EASY BATTERY REPLACEMENT OF THREE (3) STANDARD #392 WATCH BATTERIES
 - HIGH-INTENSITY NARROW BEAM LED RATED AT 10,000 HOURS
- USES NICKEL PLATING ON THE CIRCUIT BOARD/BATTERY CONTACT TO ELIMINATE CORROSION
- MICROFARAD CAPACITOR PROTECTS AGAINST ELECTRICAL AND MECHANICAL SHOCK.


 IMPACT- PROTECTED COMPONENTS ARE DOUBLE- SOLDERED FOR LONG-LASTING RELIABILITY.



THE PATENTED HUBLIGHT(R) PROVIDES PRECISE LIGHTING ON THE WORK AREA REGARDLESS OF THE JAW POSITIONING. IDEAL FOR ALL LOW-LIGHT CONDITIONS.

Sizes: 10" and 12" Metal: Carbon #55 steel Hardness: HRC 45

Finish options: Nickel or Teflon Plated MIM Hub: 17-4 stainless steel



THE PATENTED HUBLIGHT(R) PROVIDES PRECISE LIGHTING ON THE WORK AREA REGARDLESS OF THE JAW POSITIONING. IDEAL FOR ALL LOW-LIGHT CONDITIONS.

Sizes: 7" and 8" Metal: Carbon #55 steel

Tool Hardness: HRC 45

Cutting Edge Hardness: HRC 59 Finish Options: Nickel or Teflon Plated

MIM Hub: 17-4 stainless steel



CRIMPS NON-INSULATED AND INSULATED CONNECTORS SIZES 10-22AWG

THE PATENTED HUBLIGHT(*) PROVIDES PRECISE LIGHTING ON THE WORK AREA REGARDLESS OF THE JAW POSITIONING. IDEAL FOR ALL LOW-LIGHT CONDITIONS

Size: 9"

Metal: Carbon #55 steel Tool Hardness: HRC 45

Cutting Edge Hardness: HRC 59 Finish Options: Nickel or Teflon Plated MIM Hub: 17-4 stainless steel



EDGE HARDENED FOR CUTTING HEAVY WIRE AND OTHER ITEMS.

THE PATENTED HUBLIGHT(R) PROVIDES PRECISE LIGHTING ON THE WORK AREA REGARDLESS OF THE JAW POSITIONING. IDEAL FOR ALL LOW-LIGHT CONDITIONS.

Sizes: 7" and 8"

Metal: Carbon #55 steel

Tool Hardness: HRC 45

Cutting Edge Hardness: HRC 59
Finish Options: Nickel or Teflon Plated
MIM Hub: 17-4 stainless steel

READYMAX LONG NOSE PLIERS




THE PATENTED HUBLIGHT(*) PROVIDES PRECISE LIGHTING ON THE WORK AREA REGARDLESS OF THE JAW POSITIONING. IDEAL FOR ALL LOW-LIGHT CONDITIONS

Sizes: 7" and 8"

Metal: Carbon #55 steel Tool Hardness: HRC 45

Cutting Edge Hardness: HRC 59 Finish Options: Nickel or Teflon Plated MIM Hub: 17-4 stainless steel



SALTWATER SAFE MULTI PURPOSE PLIERS WITH A WIDE VARIETY OF MARINE AND WATER SPORT ACTIVITIES INCLUDING, FISHING, HUNTING, BOATING AND KAYAKING. INCLUDES PRECISION CUTTING BLADES FOR MONOFILAMENT FISHING LINE, SMALL BRAID SYNTHETIC ROPE AND STEEL WIRE.

INCLUDES CORDURA SHEATH AND MEMORY FREE COILED TETHER
FOR ADDED CONVENIENCE AND LOSS PREVENTION

Sizes: 7"
Aluminum Alloy body
Cutting Blades: Tungsten Carbide
MIM Hub: 17-4 stainless steel
Finish Options: Anodized Silver or Black



OUR READYMAX SAFETY™ PRODUCTS USE A COMPLETELY UNIQUE APPROACH TO HEARING PROTECTION TO ENSURE WORKER SAFETY AND COMPLIANCE. WE MAKE A FULL LINE OF PATENTED HEARING PROTECTION PRODUCTS WITH RETRACTABLE EARPLUGS THAT ENSURE HEARING PROTECTION IS ALWAYS WITH THE USER. HEARING LOSS IS 100% PREVENTABLE; ALL THAT IS NEEDED IS TO WEAR APPROPRIATE HEARING PROTECTION. WE HAVE SOLVED THE PROBLEM OF WORKERS NOT HAVING HEARING PROTECTION WITH THEM WHEN NEEDED. READYMAX SAFETY™ PRODUCTS ARE ALWAYS THERE WHEN YOU NEED THEM

READYMAX ZIP-OUTS ™

ALWAYS READY HEARING PROTECTION FOR HARDHATS



PATENTED TETHERING SYSTEM THAT MEETS OSHA AND ANSI REQUIREMENTS AND INSTALLS IN HARDHATS IN SECONDS. (US PATENTS #6,877,168 & #7,469,428)

DURABLE VINYL ZIPPER COVER LASTS A LIFETIME

NYLON ZIPPER WILL NOT RUST

STAINLESS COATED ZIPPER SLIDE WILL NOT CORRODE OR RUST
CERTIFIED 3M ADHESIVE IS TESTED TO WITHSTAND EXTREME HEAT AND COLD

READYMAX SAFETY GLASSES

HEARING PROTECTION & SAFETY EYEWEAR COMBINED





RMS-GL-INOD-DF [ReadyMax, Indoor/Outdoor, Safety Glasses w/DuraFoam Plug]



RMS-GL-GRY-DF [ReadyMax, Gray, Anti-Fog, Safety Glasses w/DuraFoam Pluqs]



RMS-GL-AMB-DF [ReadyMax, Amber, Safety Glasses, w/DuraFoam Plugs]



RMS-GL-CLR-DF [ReadyMax, Clear, Anti-Fog, Safety Glasses, w/DuraFoam Plugs]



RMS-GL-BF2.0-DF [ReadyMax, Clear, Bi-Focal 2.0, Anti-Fog, Safety Glasses, w/DuraFoam Plugs]

PATENT PENDING

INTUITIVE EARPLUG CORD EXTENSION & RETRACTION WITHIN TEMPLE PIECES OF THE GLASSES
EARPLUGS EXTEND OVER 4.5" FOR EASY INSERTION INTO EAR CANALS
LIGHTWEIGHT, CONTEMPORARY DESIGNS WITH POLYCARBONATE LENSES
99.9% UV LIGHT PROTECTION

LENSES MEET THE REQUIREMENTS OF ANSI Z87.1-2010



RMS-GL-INOD-PP [ReadyMax, Indoor/Outdoor, Safety Glasses, w/Perma Plugs]

RMS-GL-GRY-PP [ReadyMax, Gray, Anti-Fog, Safety Glasses, w/Perma Plugs]



RMS-GL-AMB-PP IReadyMax, Amber, Safety Glasses, w/Perma Plugs]



RMS-GL-CLR-PP [ReadyMax, Clear, Anti-Fog, Safety Glasses, w/Perma Plugs]



RMS-GL-BF2.0-PP [ReadyMax, Clear, Bi-Focal 2.0, Anti-Fog, Safety Glasses, w/Perma Plugs]

AVAILABLE IN MANY DIFFERENT LENS COLORS:

Clear with anti-fog coating/scratch resistant
Clear Bi-Focal 2.0 with anti-fog coating/scratch resistant
Gray with anti-fog coating/scratch resistant
Amber lens scratch resistant
Indoor/Outdoor lens scratch resistant



READYMAX RETRACTOR PLUGS

ALWAYS READY HEARING PROTECTION FOR HARDHATS



RMS-RECT-DF-6 (ReadyMax, Retractor, DuraFoam, 6 pair) RMS-RECT-PP-6 (ReadyMax, Retractor, Perma Plug, 6 pair)

PATENTED TETHERING SYSTEM THAT MEETS OSHA AND ANSI REQUIREMENTS AND INSTALLS IN HARDHATS IN SECONDS. (US PATENTS #6,877,168 & #7,469,428)

ATTACH QUICKLY AND EASILY USING 3M CERTIFIED PEEL & STICK ADHESIVE

DURABLE PUSH-BUTTON RETRACTORS WITH HEAVY DUTY SPRING AND CLUTCH ASSEMBLY PROVIDES POSITIVE LOCKING WHEN TETHERED EARPLUGS ARE EXTENDED

STRONG COILED SPRING RETRACTS TETHERED EARPLUGS QUICKLY INTO THE COVERED REFLECTIVE POCKET
TETHERED EARPLUGS EXTEND OVER 15" FOR EASY INSERTION INTO EAR CANAL

WILL NOT IMPEDE HEAD ROTATION OR MOVEMENT

EASY TO INSTALL

ENSURES SAFETY COMPLIANCE FOR EVERY EMPLOYEE ON THE JOB SITE



READYMAX PLUGPOCKETS ™

ALWAYS READY HEARING PROTECTION FOR SAFETY VESTS AND HARDHATS



RMS-POC-DF-24 [ReadyMax, Pocket, DuraFoam, Case of 24]. RMS-POC-PP-24 [ReadyMax, Pocket, Perma Plug, Case of 24].

ATTACH QUICKLY AND EASILY TO MOST SAFETY VESTS USING 3M CERTIFIED PEEL & STICK ADHESIVE

DURABLE PUSH-BUTTON RETRACTORS WITH HEAVY DUTY SPRING AND CLUTCH ASSEMBLY PROVIDES POSITIVE

LOCKING WHEN TETHERED EARPLUGS ARE EXTENDED

STRONG COILED SPRING RETRACTS TETHERED EARPLUGS QUICKLY INTO THE COVERED REFLECTIVE POCKET
TETHERED EARPLUGS EXTEND OVER 15" FOR EASY INSERTION INTO EAR CANAL

WILL NOT IMPEDE HEAD ROTATION OR MOVEMENT

EASY TO INSTALL

ENSURES SAFETY COMPLIANCE FOR EVERY EMPLOYEE ON THE JOB SITE

READYMAX EARPLUGS



CORDED MULTI-USE MOLDED EARPLUGS

- 26" long soft, flexible nylon tether
- Earplug breakaway tension is set to meet safety standards
- Two piece molded earplug provides both softness for comfort and stiffness for ease of insertion
- · Very competitively priced
- NRR 25/SLC80 18, Class 3/SNR29

RMS-RP-PPC-100 [ReadyMax, Replacement Plugs, Perma, Corded, Case of 100]



PU FOAM EARPLUG REFILLS

- Very comfortable roll & expanded fit
- · Great for extremely noisy environments
- Conical shape is designed for both fit and comfort
- TPU insert provides easy attachment to all ReadyMax Safety products
- Easy to screw On/Off for replacement
- NRR30/SLCA0 22 Class 4/SNR 35

RMS-RP-DF-100 [ReadyMax, Replacement Plugs, DuraFoam, Case of 100]



TPE MOLDED EARPLUGS REFILLS

- Two piece co-molded design uses two different material durometers (hardness) to achieve an ultra-comfortable fit with a stiff core for easy insertion. This is the most comfortable earplug on the market!
- · Triple flange design insures proper fit
- · Very competitively priced
- Easy to screw On/Off for replacement
- Extremely durable TPE creates extended life of the earplugs
- NRR 25/SLC80 18, Class 3/SNR 29
- Optional Metal Detectible units for industrial food service use

RMS-RP-PP-100 [ReadyMax, Replacement Plugs, Perma, Case of 1001

RMS-RP-PPMD-100 [ReadyMax, Replacement Plugs, Perma, Metal Detectable, Case of 100]

READYMAX HATLIGHT PLUS

THE CLIP-ON HAT LIGHT



- RMS-HL-1 [ReadyMax, Hatlight]
- RMS-HL-12PM [ReadyMax, Hatlight w/12 pak Merchandiser]
 - CLEAR UNBREAKABLE LIGHT CLIP WORKS ON ALL HATS
 - ARTICULATING HEAD FOCUSES THE LIGHT WHERE YOU NEED IT
 - REMOVABLE LIGHT MODULE DOUBLES AS A HAND HELD FLASHLIGHT
 - USES TWO CR2032 BATTERIES (INCLUDED)
 - FEATURES THREE-WAY SWITCH:
 - 1. TWO ULTRA-BRIGHT WHITE LED'S
 - 2. SINGLE RED LED
 - 3. SINGLE RED FLASHING LED FOR SAFETY

READYMAX TOOLS & SAFETY

TEL 800.333.6304 | WWW.READYMAX.COM

READYMAX, INC. 3132 DWIGHT ROAD, SUITE 200 ELK GROVE, CA 95758 USA