



Gulfstream G280




WORLDWIDE RANGE




DEPARTING NEW YORK




DEPARTING HONG KONG



DEPARTING SÃO PAULO







DEPARTING LONDON



¹NBAA IFR theoretical range. 4 passengers, 2 crew and NBAA IFR reserves. Actual range will be affected by ATC routing, operating speed, weather, outfitting options and other factors.

G280™ SPECIFICATIONS

		<h2>PERFORMANCE</h2> <table><tr><td>Maximum Range¹ <i>(Mach 0.80, 4 passengers, 2 crew and NBAA IFR reserves)</i></td><td>3,600 nm 6,667 km</td></tr><tr><td>High-Speed</td><td>Mach 0.84 482 ktas 893 km/h</td></tr><tr><td>Long-Range</td><td>Mach 0.80 459 ktas 850 km/h</td></tr><tr><td>Maximum Operating Mach Number <i>(Mmo)</i></td><td>Mach 0.85</td></tr><tr><td>Takeoff Distance (SL, ISA, MTOW)</td><td>4,750 ft 1,448 m</td></tr><tr><td>Landing Distance (SL, ISA, MLW)</td><td>2,720 ft 829 m</td></tr><tr><td>Initial Cruise Altitude</td><td>43,000 ft 13,106 m</td></tr><tr><td>Maximum Cruise Altitude</td><td>45,000 ft 13,716 m</td></tr></table>		Maximum Range ¹ <i>(Mach 0.80, 4 passengers, 2 crew and NBAA IFR reserves)</i>	3,600 nm 6,667 km	High-Speed	Mach 0.84 482 ktas 893 km/h	Long-Range	Mach 0.80 459 ktas 850 km/h	Maximum Operating Mach Number <i>(Mmo)</i>	Mach 0.85	Takeoff Distance (SL, ISA, MTOW)	4,750 ft 1,448 m	Landing Distance (SL, ISA, MLW)	2,720 ft 829 m	Initial Cruise Altitude	43,000 ft 13,106 m	Maximum Cruise Altitude	45,000 ft 13,716 m								
Maximum Range ¹ <i>(Mach 0.80, 4 passengers, 2 crew and NBAA IFR reserves)</i>	3,600 nm 6,667 km																										
High-Speed	Mach 0.84 482 ktas 893 km/h																										
Long-Range	Mach 0.80 459 ktas 850 km/h																										
Maximum Operating Mach Number <i>(Mmo)</i>	Mach 0.85																										
Takeoff Distance (SL, ISA, MTOW)	4,750 ft 1,448 m																										
Landing Distance (SL, ISA, MLW)	2,720 ft 829 m																										
Initial Cruise Altitude	43,000 ft 13,106 m																										
Maximum Cruise Altitude	45,000 ft 13,716 m																										
<h2>WEIGHTS</h2> <table><tr><td>Maximum Takeoff</td><td>39,600 lb 17,962 kg</td></tr><tr><td>Maximum Landing</td><td>32,700 lb 14,832 kg</td></tr><tr><td>Maximum Zero Fuel</td><td>28,200 lb 12,791 kg</td></tr><tr><td>Basic Operating <i>(including 2 crew)</i>²</td><td>24,150 lb 10,954 kg</td></tr><tr><td>Maximum Payload²</td><td>4,050 lb 1,837 kg</td></tr><tr><td>Maximum Payload / Full Fuel²</td><td>1,000 lb 454 kg</td></tr><tr><td>Maximum Fuel</td><td>14,600 lb 6,622 kg</td></tr></table>		Maximum Takeoff	39,600 lb 17,962 kg	Maximum Landing	32,700 lb 14,832 kg	Maximum Zero Fuel	28,200 lb 12,791 kg	Basic Operating <i>(including 2 crew)</i> ²	24,150 lb 10,954 kg	Maximum Payload ²	4,050 lb 1,837 kg	Maximum Payload / Full Fuel ²	1,000 lb 454 kg	Maximum Fuel	14,600 lb 6,622 kg	<h2>DESIGN STANDARDS</h2> <table><tr><td>Avionics</td><td>Gulfstream PlaneView280™</td></tr><tr><td>Engines</td><td>Two Honeywell HTF7250G</td></tr><tr><td>Rated Takeoff Thrust <i>(each)</i></td><td>7,624 lb 33.90 kN</td></tr><tr><td>Passengers</td><td>up to 10</td></tr><tr><td>Sleeps</td><td>up to 5</td></tr></table> <div></div>		Avionics	Gulfstream PlaneView280™	Engines	Two Honeywell HTF7250G	Rated Takeoff Thrust <i>(each)</i>	7,624 lb 33.90 kN	Passengers	up to 10	Sleeps	up to 5
Maximum Takeoff	39,600 lb 17,962 kg																										
Maximum Landing	32,700 lb 14,832 kg																										
Maximum Zero Fuel	28,200 lb 12,791 kg																										
Basic Operating <i>(including 2 crew)</i> ²	24,150 lb 10,954 kg																										
Maximum Payload ²	4,050 lb 1,837 kg																										
Maximum Payload / Full Fuel ²	1,000 lb 454 kg																										
Maximum Fuel	14,600 lb 6,622 kg																										
Avionics	Gulfstream PlaneView280™																										
Engines	Two Honeywell HTF7250G																										
Rated Takeoff Thrust <i>(each)</i>	7,624 lb 33.90 kN																										
Passengers	up to 10																										
Sleeps	up to 5																										
<h2>INTERIOR</h2> <table><tr><td>Total Interior Length</td><td>32 ft 3 in 9.83 m</td></tr><tr><td>Cabin Length <i>(excluding baggage)</i></td><td>25 ft 10 in 7.87 m</td></tr><tr><td>Cabin Height</td><td>6 ft 3 in 1.91 m</td></tr><tr><td>Cabin Width</td><td>7 ft 2 in 2.18 m</td></tr><tr><td>Cabin Volume</td><td>935 cu ft 26.50 cu m</td></tr><tr><td>Baggage Compartment Usable Volume</td><td>120 cu ft 3.40 cu m</td></tr></table>		Total Interior Length	32 ft 3 in 9.83 m	Cabin Length <i>(excluding baggage)</i>	25 ft 10 in 7.87 m	Cabin Height	6 ft 3 in 1.91 m	Cabin Width	7 ft 2 in 2.18 m	Cabin Volume	935 cu ft 26.50 cu m	Baggage Compartment Usable Volume	120 cu ft 3.40 cu m														
Total Interior Length	32 ft 3 in 9.83 m																										
Cabin Length <i>(excluding baggage)</i>	25 ft 10 in 7.87 m																										
Cabin Height	6 ft 3 in 1.91 m																										
Cabin Width	7 ft 2 in 2.18 m																										
Cabin Volume	935 cu ft 26.50 cu m																										
Baggage Compartment Usable Volume	120 cu ft 3.40 cu m																										
		<h2>COMFORT</h2> <ul style="list-style-type: none">19 Large Oval WindowsForward GalleyAft Vacuum Lavatory4 Floorplans																									

¹NBAA IFR theoretical range. Actual range will be affected by ATC routing, operating speed, weather, outfitting options and other factors.

²Stated weights are based on theoretical standard outfitting configurations. Actual weights will be affected by outfitting options and other factors.

