

April 19, 2018

The Marginal Cost of Making Mistakes

Chris Swan (@cpswan)
Fellow, VP, CTO Global Delivery

Agile:

Make it up as you go along.



Waterfall:

Make it up before you start, live with the consequences.

<https://twitter.com/psd/status/568324759521501184>

Agility, Agility, Agility

High-performing IT organizations report experiencing:



more frequent deployments



faster recovery from failures



lower change failure rate




shorter lead times

Source: 2016 State of DevOps Report

Business Agility

Agile Software Platform

Agile Infrastructure



#define DevOps

The operational practices that have co-evolved with IaaS

or

Flow

Feedback


Continuous Learning by Experimentation



All industries evolve



Design for Purpose




Design for Manufacture



Design for Operations

IT is no different



Design for Purpose




Design for Manufacture





Design for Operations

The Toyota Production System



The Software Factory – A Continuous Delivery Pipeline






No canaries were injured to make this programme




By Alan Manson - Flickr: Yellow Canary (*Serinus flaviventris*), CC BY-SA 2.0
<https://commons.wikimedia.org/w/index.php?curid=17379213>


***“I have not failed.
I've just found 10,000 ways that won't work.”***



We're Here Because Automated Infrastructure is Needed to Connect CI to Production for CD



Do the Istio Katacoda – 10m Well Spent




The screenshot shows the Katacoda web interface for the course "Get Started with Istio and Kubernetes". The browser address bar shows the URL <https://www.katacoda.com/courses/istio/deploy-istio-on-kubernetes>. The page has a blue header with the Katacoda logo and navigation links: "More Information about Katacoda", "Search", "Log In", and "Sign Up".

The main content area is divided into two sections. The left section, titled "Get Started with Istio and Kubernetes", shows "Step 1 of 9" and the heading "Launch Kubernetes Cluster". It includes the text: "To start, launch the Kubernetes cluster. This will launch a two-node Kubernetes cluster with one master and one node." Below this is a code block containing `launch.sh`. The right section, titled "Health Check", includes the text: "Once started, you can get the status of the cluster with" and a code block containing `kubectl cluster-info`. An orange "CONTINUE" button is located at the bottom of the left section.

The right section of the interface displays two terminal windows. The top window, labeled "Terminal Host 1", shows a "Your Interactive Bash Terminal" with the prompt `master $`. The bottom window, labeled "Terminal Host 2", shows a "Your Interactive Bash Terminal" with the prompt `node01 $`.

<https://www.katacoda.com/courses/istio/deploy-istio-on-kubernetes>



Thank you