Manual

1. Login Process

Public User

E.g. Login as a guest.

- Step 1. Users without an account can access the annotator with press "guest login".


- Step 2. At the dashboard page left click the "Document" button.

- Step 3 Left click "file" pattern.

- Step 4. Select "resources".

- Step 5. Select "TimeAnnotator".

- Step 6. Select "Public User".

- Step 7. Select "ISO Space Annotator".

User with an Account

E.g. Login with an account.

- Step 1. Input username and password, left click "login".

- Step 2. At the dashboard page left click the "Document" button.

- Step 3. Left click the "file" icon.

- Step 4. Left click the "list" icon.

- Step 5. Left click the "list" icon.

- Step 6. Left click the "list" icon.

- Step 7. Left click the "list" icon.

- Step 8. Select the annotating document.

- Step 9. Select user name as "current view".

- Step 10. Select "ISO Space Annotator" as "open tool".

2. Add Entities

E.g. add an event entity after "schon"

- Step 1. Left click "schon".

- Step 2 Select the arrow after "Event".

- The result is shown below.

3. Add Attributes

E.g. Add attributes for "Hotel".

- Step 1. Left click "Hotel".

- Step 2. Scroll down, select "Area" as Dimensionality and input "a hotel" as Comment .
- The result is shown below.

4. Apply to All the Unset Attributes

E.g. Apply the Dimensionality in all the unset PLACE entities to "Area".

- Step 1. Select "Area" as the dimensionality of Japan.

- Step 2. Select "Apply to all unset".

- The result is shown below.
- The dimensionality of Tokyo is also defined as "Area".

5. Add a Link

E.g. Add a QSLink between "land" and "state".

- Step 1. Left click the start of the link "land".

- Step 2. Select "QSLink".

- Step 3. Select the End for QSLink.

- The result is shown below.

Add a cross-page link

E.g. Add a cross-page MetaLink between "you" and "you".

- Step 1. Left click the start of the link "you".

- Step 2. Select "MetaLink".

- Step 3. Left click the "next page" button.

- Step 4. Select the End for MetaLink.

- The result is shown below.

6. Delete a Link

E.g. Delete the QSLink between "Letzten" and "Dienstag".

- Step 1. Left click "Delete Link".

7. Multi Selection

E.g. Select "nach" and "San" as Mids for "Letzten".

- Step 1. Left click "Letzten".

- Step 2. Scroll down and find the "Mids" attribute.

- Step 3. Select "nach" and "San"separately.

- The result is shown below.

8. Delete a Selection

E.g. Delete the start attribute"nach".

- Step 1. Left click the cross at the end of "nach".

9. Create a Multi Token

E.g. Combine "15", "-", "20"

- Step 1. Long left click or left click with Ctrl the start of the multi token "(" .

- Step2 Long left click the end of the multi token ")" .

- The result is shown below.

10. Split a Multi Token

E.g. Split the multi token "(Hungarian people living in Eastern Transylvania)"

- Step 1. Long left click the multi token "(Hungarian people living in Eastern Transylvania)" .

- The result is shown below.

11. Filter View

E.g. Show all the "Motion" attributes.

- Step 1. Left click the "wrench" button at the top right corner.

- Step 2. Select filter.

- Step 3. Select "Motion".

- Step 4. Select "Accept".

- The result is shown below.

# 12.　Save a Document

E.g. Save the document after editing.

- Step 1. Left click the "save" button at the top right corner.

- The result is shown below.

13. Undo a Description on the Token

E.g. Undo the description of "Tokyo" and change it from "event" to "place".

- The original description.

- Step 1. Left click the "left arrow" button in the toolbar below

- The result is shown below.

Undo the Undefined Description

E.g. Undo the undefined description.

The undefined description.

- Step 1. Left click the "left arrow" button in the toolbar below

- The result is shown below, "Japan" disappeared.

- Step 2. Left click the "save" button at the top right corner.

- Step 3. Left click the "refresh" button of the browser.

- The result is shown below.