

# Manual


<b>Login Process</b>	<b>2</b>
Public User	2
User with an Account	6
<b>Add Entities</b>	<b>11</b>
<b>Add Attributes</b>	<b>13</b>
<b>Add a Link</b>	<b>14</b>
<b>Delete a Link</b>	<b>16</b>
<b>Multi Selection</b>	<b>17</b>
<b>Delete a Selection</b>	<b>19</b>
<b>Create a Multi Token</b>	<b>20</b>
<b>Split a Multi Token</b>	<b>22</b>
<b>Filter View</b>	<b>23</b>
<b>Save a Document</b>	<b>26</b>

# 1. Login Process

## Public User


E.g. Login as a guest.

- Step 1. Users without an account can access the annotator with press “guest login”.




The screenshot shows the MobileAnnotator login interface. At the top is a blue header with the text "MobileAnnotator", a language dropdown set to "EN", and a user profile icon. Below the header is a white "sign in" form. The form contains two input fields: "username \*" and "password \*". At the bottom of the form are two buttons: a grey "login" button and a green "guest login" button. The "guest login" button is highlighted with a red rectangular box.

- Step 2. At the dashboard page left click the “Document” button.




The screenshot shows the MobileAnnotator dashboard. The top blue header is identical to the previous image. Below the header, the page title is "Dashboard" with "Public User" underneath. A section titled "Tasks:" contains a table with columns "tool" and "done?". Below the table is a pagination bar showing "Items per page: 5" and "0 of 0", along with navigation arrows. On the right side of the dashboard, a green "documents" button is highlighted with a red rectangular box. At the bottom of the page, a dark grey notification box displays a green checkmark and the text "login accepted!".


- Step 3 Left click “file” pattern.




- Step 4. Select “resources”.




- Step 5. Select “TimeAnnotator”.



- Step 6. Select “Public User”.




- Step 7. Select “ISO Space Annotator”.



## User with an Account

E.g. Login with an account.

- Step 1. Input username and password, left click “login”.



MobileAnnotator EN

sign in

username \*


Tom

password \*

.....

login guest login

- Step 2. At the dashboard page left click the “Document” button.



MobileAnnotator EN

Dashboard


Tasks:

tool	done?
0 of 0	


Items per page: 5

documents


- Step 3. Left click the “file” icon.




- Step 4. Left click the “list” icon.



- Step 5. Left click the “list” icon.




- Step 6. Left click the “list” icon.







- Step 7. Left click the “list” icon.




- Step 8. Select the annotating document.



- Step 9. Select user name as “current view”.




- Step 10. Select “ISO Space Annotator” as “open tool”.




## 2. Add Entities

E.g. add an event entity after “schon”


- Step 1. Left click “schon”.



- Step 2 Select the arrow after “Event”.




- The result is shown below.




### 3. Add Attributes

E.g. Add attributes for “Hotel”.

- Step 1. Left click “Hotel”.




- Step 2. Scroll down, select “Area” as Dimensionality and input “a hotel” as Comment .
- The result is shown below.




## 4. Add a Link

E.g. Add a QSLink between “land” and “state”.

- Step 1. Left click the start of the link “land”.




- Step 2. Select “QSLink”.



- Step 3. Select the End for QSLink.




- The result is shown below.



## 5. Delete a Link

E.g. Delete the QSLink between “Letzten” and “Dienstag”.

- Step 1. Left click “Delete Link”.






## 6. Multi Selection

E.g. Select “nach” and “San” as Mids for “Letzten”.

- Step 1. Left click “Letzten”.




- Step 2. Scroll down and find the “Mids” attribute.



- Step 3. Select “nach” and “San” separately.




- The result is shown below.



## 7. Delete a Selection

E.g. Delete the start attribute “nach”.

- Step 1. Left click the cross at the end of “nach”.




## 8. Create a Multi Token

E.g. Combine “15”, “-”, “20”


- Step 1. Long left click the start of the multi token “(” .



- Step2 Long left click the end of the multi token “)”




- The result is shown below.




## 9. Split a Multi Token

E.g. Split the multi token “(Hungarian people living in Eastern Transylvania)”

- Step 1. Long left click the multi token “(Hungarian people living in Eastern Transylvania)” .



- The result is shown below.



## 10. Filter View

E.g. Show all the “Motion” attributes.

- Step 1. Left click the “wrench” button at the top right corner.



- Step 2. Select filter.



- Step 3. Select “Motion”.




- Step 4. Select “Accept”.





- The result is shown below.



## 11. Save a Document

E.g. Save the document after editing.

- Step 1. Left click the “wrench” button at the top right corner.



- Step 2. Select “Save”.

