Manual

1. Login Process

Public User

E.g. Login as a guest.

- Step 1. Users without an account can access the annotator with press "guest login".


- Step 2. At the dashboard page left click the "Document" button.

- Step 3. Select "TimeAnnotator".

- Step 4. Select "Resources"

Step 5. Select "Public User"

Step 6. Select "ISO Space Annotator".

User with an Account

E.g. Login with an account.

Input username and password, left click "login".

2. Add Entities

E.g. add an event entity after "schon"

Step 1. Left click "schon".

Step 2 Select the arrow after "Event".

The result is shown below.

3. Add Attributes

E.g. Add attributes for "Hotel".

Step 1. Left click "Hotel".

Step 2. Scroll down, select "Area" as Dimensionality and input "a hotel" as Comment .

The result is shown below.

4. Add a Link

E.g. Add a QSLink between "Letzten" and "Dienstag".

Step 1. Left click the start of the link "Letzten".

Step 2. Select "QSLink".

Step 3. Select the End for QSLink.

5. Delete a Link

E.g. Delete the QSLink between "Letzten" and "Dienstag".

Left click "Delete Link".

6. Multi Selection

E.g. Select "nach" and "San" as Mids for "Letzten".

Step1. Left click "Letzten".

Step 2. Scroll down and find "Mids" attribute.

Step 3. Select "nach" and "San"separately.

The result is shown below.

7. Delete a Selection

E.g. Delete the start attribute "nach".

Left click the cross at the end of "nach".

8. Filter View

E.g. Show all the "Motion" attribute.

Step 1. Left click the "wrench" button at the top right corner.

Step 2. Select filter.

Step 3. Select "Motion".

Step 4. Select "Accept".

The result is shown below.

ISO Space Annotator

back

Letzten Dienstag fuhren Ø wir nach

Toulouse Ø und Ø besuchten zwei

interessante Galerien . Tags darauf Ø

Page 1/1

9. Save a Document

E.g. Save the document after editing.

Step 1. Left click the "wrench" button at the top right corner.

Step 2. Select "Save".