

INDEX

TRANSFUSION & INFUSION

2-4

GASTROENTEROLOGY

04

ANESTHESIA

5-07

GENERAL SURGERY

08

UROLOGY

08

MISCELLANEOUS

08



TRANSFUSION & INFUSION

BEWEL INFUSION SET - IV Infusion Set



Specifications

1. Bewel Non Vented
2. Bewel Vented
3. Bewel Vented Premium (Y- Injection site & Combi lock)
4. Bewel with Microdrip Set.

- Conventional Infusion Set.
- Superior quality latex bulb for additional medication
- Sterile, disposable, non-pyrogenic, individually packed.
- 150 cm long super smooth kink resistant tubing
- Manufactured from non-toxic and transparent material

B.T SET

Blood transfusion set
is use for Blood transfusion



Specifications

Features and Benefits

- Blood transfusion set with single drip chamber, latex bulb, luer slip.
- Strong and sharp spike for easy insertion in blood container.
- Clear, transparent and kink resistant tubing of medical grade bio-compatible PVC.
- Provided with 200μ blood filter facilitated with latex bulb
- Kink Resistance tubing facilitate with thumb controlling roller clamp.
- Roller clamp provide efficient flow control of blood infusion.
- Facilitate with latex bulb provide the self-sealing injection site.
- Drip tube designed as approximately 20 drops of distilled water equivalent to 1ml.
- Tube length: 150cm.
- In compliance with IS and ISO standard.
- Single use, Sterile, Non Pyrogenic.

M.V SET

Measure volume burette set **Specifications**



Features and Benefits

- Super Smooth Kink Resistance Tube
- Smooth penetration of fluid with beveled strong spike
- Efficient Roller Controller Give Flow Rate Accuracy
- Latex/ Latex Free for Flushing
- Needle:medical grade disposable hypodermic needle
- E.O. Sterile & Disposable products
- Individual Packed In PE/Blister/Ribbon Pack
- Clear, Transparent & soft cylindrical measure volume chamber with built in air vent & with hanger, available in 110 ml & 150 ml
- Available With "Y" Connector for Extra Medication
- Supply and Lure Lock for Secure Connection.

IV CANNULA

IV Cannula with wings & Injection Port




Specifications

GAUGE	COLOUR	INT-EXT DIA	LENGTH	WATER FLOW
14G	▲	2.1	32,45	300
16G	■	1.7	32,45	200
18G	▲	1.3	32,38,45	90
20G	▲	1.1	25,32,38	60
22G	▲	0.9	19,25	33
24G	▲	0.7	17,19	20
26G	▲	0.6	17,19	15

- All age group
- 26G for Neonatal, 22G-24G for Child, 14G-20G for Adult.

TRANSFUSION & INFUSION

AV FISTULA NEEDLE



Specifications

- Latex free product.
- Ultra-thin wall and Siliconized for smoother penetration.
- Special process on blade reduces bain and skin damage for smoother penetration.
- Colour coded wings makes it efficient and quicker to be used.
- Back eve feature is designed with slippery prevention for smooth puncture.
- Sterilization by EO gas and Gamma rays.

EXTENSION LINE - BEVEL LINE



Specifications

Features and Benefits

- Low pressure large bore extension line made up of PVC.
- Used primarily to connect the transducer system to the indwelling catheter.
- Male luer lock at one end and 3-way stop cock at other enabling the user to run two lines simultaneously.
- Three way stop cock may be used for blood sampling or extra medication.
- Can sustain a pressure upto 7 kg/ cm² or 100 psi.
- Sterile, individually packed in Blister pack.

THREE WAY STOP COCK



Specifications

Features and Benefits

- Available in both- Smooth 360° rotation or Dispoclick 45° Step rotation
- Clear body for easy visual of fluid flow.
- Arrow for indicating flow direction.
- Prevents vortex and reduces thrombus formation.
- Excellent pressure resistance upto 300kPa 045 psi.
- Two 120 female luer, one 110 male luer for secure connection with accessories.

I.V FLOW REGULATOR



Specifications

Features and Benefits

- Designed to control flow rate from 5ml/hr - 250 ml/hr manually.
- Built-in Y-connector injection site for extra medication.
- Two hand operation eliminates the danger of accidental tampering.
- Provision of male and female luer lock makes it compatible with other devices.
- Disposable, sterile and non-pyrogenic.

TRANSFUSION & INFUSION

HIGH PRESSURE MONITORING LINE - Extension Tube High Pressure



Specifications

Features and Benefits

- Pressure monitoring lines are used to transmit the invasive blood pressure to the pressure monitoring system.
- It also can be used with Syringe infusion pump
- Thick wall to avoid fluctuation in pressure monitoring.
- Transparent, kink resistant tube.
- Standard luer connectors in compliance with 6% luer taper. so it can be used with all standard Equipments.

GASTROENTEROLOGY

INFANT FEEDING TUBE - CAT IN



Specifications

- For neonatal and paediatric nutritional feeding.
- Super smooth kink resistance tubing ensures uniform flowrate.
- Atraumatic, soft rounded, closed tip with two lateral eyes for efficient aspiration & admixture.
- Proximal end is fitted with female luer mount for easy connection to feeding funnel or syringe.
- Color coded connectors for easy identification of size as per standards.
- Tube is marked at 20cm away from the distal tip.
- X-Ray opaque line provided through out the length of Tube.
- Available with graduation mark after every cm.

RYLE'S TUBE - Nasogastric Feeding Tube



Specifications

Features and Benefits

- Made of Soft, frosted and kink resistant PVC tubing.
- Placement. Four lateral eyes for aspiration and administration.
- Tube with radio-opaque line, marked at 50, 60 and 70 cms from the tip for accurate measurement.
- Manufactured from Non-toxic, Non-irritant medical grade PVC.
- Smooth, low friction surface facilitates easy introduction.
- Disposable, Sterile, single use.

ANESTHESIA

RESP-ON-O - OXYGEN MASK KIT - Oxygen mask with star lumen tube. It has been made to deliver oxygen to the patient from the oxygen source.



Specifications

Features and Benefits

- Soft, Kink resistant, star lumen, anti-crush tube
- Soft, large, anatomical shaped face mask, comfortably fits over face.
- Nose clip for easy adjustment over patient nose
- Provide rotating connector for patient comfort.
- Made from Non-toxic, non-irritant, biocompatible medical grade PVC.
- Elastic strap provided to position the mask properly.
- Tube length- 200 cm

RESP-ON-N - NEBULIZER MASK KIT - Disposable nebulizer mask with chamber & tube for nebulization with the help of nebulizer machine.



Specifications

Features and Benefits

- Soft, large, anatomical shaped face mask fits comfortably over face.
- Nose clip for easy adjustment over patient nose
- Made from Non-toxic, non-irritant, bio-compatible, medical grade PVC.
- Elastic strip provided to position the mask properly.
- Transparent graduated chamber with capacity of 6ml and over limit of 4ml.
- Soft, kink resistant, Star lumen, anti-crush tube.
- Tube length-200cm
- Fast & efficient generation.
- Sizes available are Adult, Pediatric and Infant.

NAS-ON - NASAL OXYGEN SET



Specifications

Features and Benefits

- Single use| Sterile| Non pyrogenic.
- Two extra soft nasal prongs fits properly into the nostrils.
- Provide end connector to attach with oxygen source
- Provide with adjustment clip to properly fix around ears/head.
- Tube length -200 cm. Made up of soft, non-toxic, medical grade PVC to ensure long term use.
- Light weight twin O2 set provide maximum comfort to the patient and keep patient's mouth free for communication and nutritional zone.
- Star lumen non crush tube ensure uninterrupted supply of oxygen to patient even tie tube bends or kink accidentally.

HIGH MASK - High Concentration Oxygen Mask.



Specifications

Features and Benefits

- Soft, transparent and odor free mask for greater patient comfort.
- The mask also has a reservoir bag that is inflated with pure oxygen.
- The mask fits snugly over the patient's mouth and nose.
- Adjustable elastic strap fits over the patient's head holding the mask in place.
- Non-return valves provided at inhale and exhale points prevent carbon-dioxide retention.
- Light weight reservoir improves the oxygen efficiency.
- The smooth, feathered edges are designed for patient comfort while reducing irritation points.

ANESTHESIA

VENTURI OXYGEN MASK



Specifications

Features and Benefits

- Single Dial Venturi masks are devices that are constructed to supply oxygen or other gases to an individual.
- Transparent green or white plastic masks also leave the face visible, allowing care providers to better ascertain patients conditions.
- Smooth and feathered edge of face mask for patient comfort and reducing irritation points.
- Made of medical-grade PVC, 100% latex free.
- Tube Length : As per requirements
- EO Sterile/ Disposable/ Individual Packed

G- WAY GUEDEL AIRWAYS - Oro - Pharyngeal Airway




Specifications

Features and Benefits

- Manufactured from non-toxic, non-irritant Pt polymer
- Provides access for the insertion of suction catheters.
- Flexible to ensure dental protection.
- Design of the tube conforms to the oropharyngeal anatomy.
- Stepless airway path for easy cleaning.
- Bite blocks are color coded for instant size identification.
- Individually packed in peelable soft blister pack.
- Sterile, ready for use.

VENT ON - VENTILATOR BREATHING CIRCUIT



Specifications

Features and Benefits

- Provide expandable tube helps in adjustment of length as when required.
- Options available – With HME filter or without HME filter.
- Provided with 360° swivel connector for easy connection and positioning and the gas sampling with 90° angle prevents kinking of tubing.
- With Nebulization port

LIMBO CIRCUIT



Size : 1.5 Meter, 2 Meter, 3 Meter

ANESTHESIA

CATHETER MOUNT



Specifications

Features and Benefits

- Expandable corrugated tube for adjustment of length as per need.
- All tube and connector are compatible with gases and reagents.
- 360° rotation at both junction for patient.
- Universal 15mm ID, 22mm OD connector.
- The end-cone is of 22 mm to connect with ventilator circuit.
- Equipped with gas sampling & Suction port.
- Single use, Sterile, Non-Pyrogenic.

BREATHING FILTER



Specifications

Features and Benefits

- Clear housing.
- Low flow resistance High filtration efficiency.
- Mign neat & numialty level, Cuz Mentoring level
- Port Sterile package.
- Size: Adult, Paediatric
- Sterile / Disposable / Individually Packed.

SPIRO PLUS – 3 BALL RESPIROMETER - Intended use for increasing lung capacity.



Specifications

Features and Benefits

- Made up of medical grade Poly carbonate material.
- Provide detachable Parts helpul in cleaning ana maintenance
- Provide with tube and mouthpiece to easily inspiration.
- Non-Sterile.
- Provided with three color coded balls Red, Yellow, Blue in specially designed three stages chamber 600 CC/Sec, 900 CC/Sec, 1200 CC/Sec respectively for efficient and stepwise monitoring of improvements.

YANSU – YANKUR SUCTION SET



Specifications

Features and Benefits

- Smooth transparent Injection moulded handle.
- Packea In Mbon pouch
- Provide with or without vacuum thumb control.
- Available in Standard tip or crown tip.
- Sterile, Non-Pyrogenic, Single use.
- 2.5 meter long flexible kink resistant tube with a length for unobstructed drainage.
- Flexible connectors at both the ends for easy and safe connection with handle and machine.

GENERAL SURGERY

CAT -SU - SUCTION CATHETER - For removal of secretion from mouth, oropharynx, trachea and bronchial tubes.



Specifications

Features and Benefits

- Single use, Sterile, Non Pyrogenic.
- Trocar needle assist in placement of catheter inside wound.
- Depending on need different sizes of redon drain tube and trocar available.
- Leak proof cap and single step pinch clamp for easy and one hand operation.
- Smooth andatraumatic multiple eyes for easy Drainage and prevents Post-operative trauma.
- With two redon drain tube with RO line and smooth eyes to check and discuss drainage in case of need.

MISCELLANEOUS

CODSEAL - UMBILICAL CORD CLAMP

For the clamping of umbilical cord in new born.



Specifications

Features and Benefits

- Provided with secure and leak proof jaws to ensure better clamping.
- Provided with non re-openable locks to avoid any accidental opening of clamp.
- Grooved clamping area to prevent slipping of umbilical cord.
- Made up of non-toxic material
- Single use, Non Pyrogenic, Sterile..

UROLOGY

URI FLOW - URO BAG - Urine Collection Bag with Measuring Chamber



Specifications

Features and Benefits

- Use for urine collection. bag capacity of 2000ml urine.
- Made of medical grade Non-toxic, bio-compatible PVC.
- Main tube length is approximately 100cm.
- Non return valve & drainage outlet at top.
- Provided with premium hanging & carrying systems.
- Printed with Patients detail like: Patient name, bed, Ward, Doctor's name, Date.
- Options- U bag premium with/without Bi-lam sheet.
- Single use, Sterile, Non-Pyrogenic.