Phase 1: Domain Model

Craig Certo — April 14, 2026

The customer system is the first domain built on the Indemn Operating System. This document defines the Phase 1 entities — the source of truth that answers **"What's the story with [customer]?"** for anyone on the team.

Design Principles

- **Entities are cheap.** The OS auto-generates CLI, API, UI, and audit trail from entity definitions. A richer model means more capability, not more burden.
- **AI populates everything.** Data is extracted from meetings, emails, Slack, integrations — not manually entered. Design for AI extraction, not human data entry.
- **Enums over free text.** AI classifies more reliably into defined categories.
- **If it passes the entity criteria, make it an entity.** Identity, lifecycle, independence, CLI test, watchable, multiplicity — if it qualifies, don't cram it into a field on something else.
- **The kernel handles connective tissue.** Activity logging (changes collection), notifications (watches), audit trail, role-based access — these are kernel mechanisms, not domain entities.

Entity Map

Phase 1 has 14 entities across 5 groups:

```
ROOT
  Company ─── Contact (many)
    │
    ├── Deal (many) ─── Conference (source)
    │
    ├── Associate Deployment (many) ─── Associate Type (catalog)
    │
    ├── Outcome (many) ─── Outcome Type (reference)
    │
    ├── Meeting (many) ──┬── Decision (many)
```

```
    │                    ├── Commitment (many)
    │                    └── Signal (many)
    │
    └── Task (many, also linked to Deal, Meeting)

REFERENCE
  Associate Type
  Outcome Type
  Stage
```

Entity Definitions

1. Company

The root entity. Any business Indemn has a relationship with — prospect, lead, pilot, customer. One entity, one lifecycle.

Fields:

Field	Type	Description
name	string	Company name
type	enum	Broker, MGA_MGU, Carrier, InsurTech, Other
cohort	enum	Core_Platform, Graduating, AI_Investments, Prospect
tier	enum	Enterprise, Core
icp_fit	enum	Strong, Medium, Low
source	enum	Conference, Inbound, Referral, Outbound, Existing
source_detail	string	Specific conference, referrer name, etc.
owner	actor_ref	Account lead
standin	actor_ref	Backup account lead
website	string	
domain	string	

linkedin_url	string	
industry	string	
hq_location	string	
employee_count	integer	
annual_revenue	decimal	
founded_year	integer	
ams_system	string	What AMS they use
technologies	list[string]	Software and platforms they run
specialties	list[string]	Lines of business, focus areas
drive_folder_url	string	Transitional — link to existing Google Drive folder
notes	text	

State Machine:

```
prospect → pilot → customer → expanding → churned
                              → paused
```

`prospect` : Any company we're in conversation with but haven't started work for. Covers all sales stages — the specific sales stage lives on Deal.

`pilot` : We've started work. Resources are committed. (Kyle's Pipeline Source of Truth: "prospects enter customer tracking at pilot start.")

`customer` : Live in production. Paying or in active engagement.

`expanding` : Active and growing — additional deals, new associates, deeper engagement.

`churned` : Relationship ended.

`paused` : Relationship on hold — not dead, but not active. Replaces "parked" from Kyle's docs.

Relationships: Has many Contacts, Deals, Associate Deployments, Outcomes, Meetings, Tasks, Signals, Commitments, Decisions.

---

2. Contact

A person at a company. The "who do we talk to" piece.

Fields:

Field	Type	Description
company	entity_ref	Relationship to Company
name	string	Full name
title	string	Job title
email	string	
phone	string	
role	enum	Decision_Maker, Executive_Sponsor, Technical, Day_to_Day, Champion, Influencer, End_User
is_primary	boolean	Primary contact for this company
how_met	enum	Conference, LinkedIn, Email_Intro, Referral, Discovery_Call, Inbound, Cold_Outreach
linkedin_url	string	
notes	text	

State Machine: None. Contacts are active by default. If someone leaves the company, a new Contact is created at their new company; the old record remains as history.

---

3. Deal

A specific business opportunity with a company. The sales stages live here, not on Company.

Fields:

Field	Type	Description
company	entity_ref	Relationship to Company
name	string	What the deal is ("Initial engagement", "Voice expansion", "Email intelligence pilot")

primary_contact	entity_ref	Relationship to Contact — who we're working with on their side
owner	actor_ref	Who on our team owns this deal
stage	enum	See state machine
expected_arr	decimal	Expected annual recurring revenue
primary_outcome	enum	Revenue_Growth, Operational_Efficiency, Client_Retention, Strategic_Control
source	enum	Conference, Inbound, Referral, Outbound
source_conference	entity_ref	Relationship to Conference, if source is conference
company_fit_score	integer	1-5
relationship_score	integer	1-5
eagerness_score	integer	1-5
use_case_score	integer	1-5
milestone_score	integer	1-5
composite_score	computed	Average of the five scores
warmth	enum	Cold, Cool, Warm, Hot, On_Fire
probability	computed	Auto-calculated from stage
weighted_value	computed	expected_arr × probability × (composite_score / 5)
stale_threshold_days	computed	Derived from stage (14 for contact, 5 for verbal)
days_since_activity	computed	Days since last entity change or related Task/Meeting
is_stale	computed	days_since_activity > stale_threshold_days
follow_up_date	date	When the next follow-up should happen
competitive_notes	text	What we know about competition on this deal
lost_reason	text	If lost, why
notes	text	

State Machine:

```
contact → discovery → demo → proposal → negotiation → verbal → signed → lost
                                                                        → parked
```

Probability auto-calculated: contact=5%, discovery=15%, demo=25%, proposal=40%, negotiation=60%, verbal=80%, signed=100%.

When a Deal transitions to `signed`, a watch triggers the Company to evaluate its own state — if the Company is `prospect`, it transitions to `pilot` or `customer`.

Relationships: Belongs to Company. Has many Tasks. May reference a Conference as source. Links to Associate Deployments that result from this deal.

---

4. Conference

A specific event Indemn attends. Manages preparation, lead tracking, and ROI.

Fields:

Field	Type	Description
name	string	"InsurTechNY Spring 2026"
location	string	City, venue
date_start	date	
date_end	date	
owner	actor_ref	Who's coordinating Indemn's presence
cost	decimal	Total cost of attendance (booth, travel, etc.)
attendee_list_ref	string	Reference to attendee data source
attendee_count	integer	Total attendees at the conference
leads_collected	computed	Count of Deals with source_conference = this conference
contacts_collected	computed	Count of Contacts with how_met referencing this conference
revenue_generated	computed	Sum of signed Deal ARR where source_conference = this conference
roi	computed	revenue_generated / cost
notes	text	

State Machine:

```
planning → pre_event → active → follow_up → complete
```

`planning` : Researching attendees, preparing materials, setting up demos.

`pre_event` : Outreach to attendees, scheduling meetings.

`active` : Conference is happening. Collecting contacts, having conversations.

`follow_up` : Conference is over. Working through leads, scheduling demos, sending materials.

`complete` : All leads processed. ROI calculated.

Relationships: Referenced by Deals (as source). Referenced by Contacts (how_met context).

---

5. Associate Deployment

A specific associate deployed (or planned) for a specific customer.

Fields:

Field	Type	Description
company	entity_ref	Relationship to Company
deal	entity_ref	Relationship to Deal this deployment came from
associate_type	entity_ref	Relationship to Associate Type (catalog entry)
name	string	Specific instance name ("GIC Email Intelligence", "Branch Front Desk")
outcome	entity_ref	Relationship to Outcome this deployment contributes to
channels	list[enum]	Voice, Chat, Email, Copilot
tier	enum	Tier_1, Tier_2, Tier_3 (quick win, real value, expansion)
owner	actor_ref	Who's building/maintaining this
integration_requirements	list[string]	What external systems need to be connected
escalation_paths	text	How and when this associate escalates to a human

success_metrics	text	How we measure whether this deployment is working
notes	text	

State Machine:

```
planned → building → testing → live → paused → retired
```

Relationships: Belongs to Company. Belongs to Deal. References Associate Type. References Outcome. Has many Tasks.

---

6. Outcome

A per-customer mapping to one of the Four Outcomes. Tracks which deployments contribute and what value is being generated.

Fields:

Field	Type	Description
company	entity_ref	Relationship to Company
outcome_type	entity_ref	Relationship to Outcome Type
associate_deployments	list[entity_ref]	Which deployments contribute to this outcome
notes	text	Qualitative observations about value being delivered

State Machine: None. Outcomes evolve over time. The changes collection tracks how the data changes. Value/ROI calculation fields are added in a later phase when the underlying data (disposition maps, performance metrics, unit economics) exists to support them.

Relationships: Belongs to Company. References Outcome Type. Links to Associate Deployments.

---

7. Meeting

A meeting with a customer or prospect. The event itself — intelligence extracted from it becomes separate entities.

Fields:

Field	Type	Description
company	entity_ref	Relationship to Company
contacts	list[entity_ref]	Which Contacts were present
team_members	list[actor_ref]	Which Indemn Actors were present
title	string	Meeting title
date	datetime	When the meeting occurred
duration_minutes	integer	How long the meeting lasted
source	enum	Gemini, Granola, Google_Meet, Zoom, Phone, In_Person
transcript_ref	string	Reference to transcript source (Drive doc ID, etc.)
recording_ref	string	Reference to recording (Drive file ID, etc.)
summary	text	AI-generated meeting summary
notes	text	

State Machine:

```
recorded → processed → intelligence_extracted
```

`recorded` : Meeting happened, we have a reference to the transcript/recording.

`processed` : AI has generated a summary.

`intelligence_extracted` : AI has extracted Decisions, Action Items (→ Tasks), Commitments, and Signals as separate entities.

Relationships: Belongs to Company. References Contacts and Actors. Has many Decisions, Commitments, Signals. Generates Tasks (action items).

---

8. Task

A unit of work that needs to be done. Unifies deal next-steps, meeting action items, implementation tasks (Phase 2), and manual tasks into one entity.

Fields:

Field	Type	Description
company	entity_ref	Relationship to Company (always present for context)
title	string	What needs to be done
description	text	Details
assignee	actor_ref	Who is responsible
owner_type	enum	Internal, Customer (is this our task or theirs?)
due_date	date	When it's due
priority	enum	Low, Medium, High, Critical
category	enum	Technical, Training, Testing, Compliance, Sales, Relationship, Administrative
source	enum	Meeting, Deal, Implementation, Playbook, Manual
source_meeting	entity_ref	If from a meeting, which one
source_deal	entity_ref	If from a deal, which one
source_implementation	entity_ref	If from an implementation (Phase 2), which one
effort	enum	Small, Medium, Large
notes	text	

State Machine:

```
open → in_progress → completed → cancelled
                   → blocked → in_progress
```

`blocked` : Something is preventing progress. Watchable — blocked tasks should surface to managers.

Relationships: Belongs to Company. May reference Meeting, Deal, or Implementation as source. Assigned to an Actor.

Why this is one entity, not separate Action Item / Deal Task / Implementation Task: They all have identity, lifecycle, assignee, due date, priority. The only difference is source. A unified Task entity lets you query "what are all the open tasks for GIC?" regardless of whether they came from a meeting, a deal, or an implementation. One entity, one queue.

---

9. Commitment

A promise made by Indemn to a customer, or by a customer to Indemn. Extracted from meetings, tracked for accountability.

Fields:

Field	Type	Description
company	entity_ref	Relationship to Company
meeting	entity_ref	Which meeting this was extracted from
description	text	What was promised
made_by	string	Who made the promise (person name — could be Indemn team or customer)
made_by_side	enum	Indemn, Customer
made_to	string	Who it was made to
due_date	date	When it should be fulfilled (may be vague — "by end of month")
due_date_precision	enum	Exact, Approximate, Unspecified
notes	text	

State Machine:

```
open → fulfilled → missed → dismissed
```

`missed` : The due date passed without fulfillment. Watchable — missed commitments should alert the account owner.

`dismissed` : Explicitly acknowledged as no longer relevant (circumstances changed, customer rescinded, etc.).

Relationships: Belongs to Company. References Meeting. May generate a Task for tracking the work needed to fulfill it.

Why this is separate from Task: A commitment is a PROMISE — it's about accountability and trust. A task is WORK — it's about execution. Commitment "we'll have the renewal engine ready by Q2" might generate multiple tasks. The commitment tracks whether the promise was kept; the tasks track the work to keep it.

10. Signal

A health, expansion, or risk indicator extracted from a meeting or other source. Used for health scoring and early warning.

Fields:

Field	Type	Description
company	entity_ref	Relationship to Company
meeting	entity_ref	Which meeting this was extracted from (if meeting-sourced)
type	enum	Health_Positive, Health_Negative, Expansion, Churn_Risk, Blocker, Champion_Identified, Budget_Concern, Competitor_Mentioned, Escalation, Satisfaction
description	text	What was observed
source	enum	Meeting, Email, Slack, Usage_Data, Manual
severity	enum	Low, Medium, High
attributed_to	string	Who exhibited or stated this signal (person name)
notes	text	

State Machine: None. Signals are point-in-time observations. They don't transition. They accumulate and are aggregated for health scoring.

Relationships: Belongs to Company. May reference Meeting.

Why this is an entity: Signals are queryable across meetings and time periods. "Show me all churn risk signals for GIC in the last 30 days." "How many expansion signals does INSURICA have?" Health scoring aggregates signals. You can't do this if signals are buried as text in Meeting notes.

11. Decision

A decision made in a meeting or conversation that affects the customer relationship or Indemn's approach.

Fields:

Field	Type	Description
company	entity_ref	Relationship to Company (null if company-wide/internal decision)
meeting	entity_ref	Which meeting this was extracted from
description	text	What was decided
decided_by	string	Who made or announced the decision
participants	list[string]	Who was part of the decision
rationale	text	Why this decision was made (if captured)
impact	enum	Customer_Scope, Pricing, Technical, Timeline, Staffing, Strategy, Process
supersedes	entity_ref	If this decision replaces a previous one, link to it
notes	text	

State Machine: None. Decisions are recorded facts. They may be superseded by later decisions (the `supersedes` field handles this).

Relationships: May belong to Company (or be company-agnostic). References Meeting. May reference a superseded Decision.

Why this is an entity: "Distinguished ARR is $12K, not $250K" is a decision that changes how you think about the customer. "GIC lead is Craig+Kyle, not Jonathan" changes staffing. These need to be findable: "what decisions have we made about GIC?" The changes collection records WHAT changed; Decision records WHY and by whom.

---

12. Associate Type (Reference Entity)

The catalog of associates Indemn offers. Updated as the product evolves.

Fields:

Field	Type	Description
name	string	"Front Desk Associate", "Quote Associate", etc.
engine	enum	Revenue, Efficiency, Retention, Control
maturity	enum	Proven, Ready, In_Dev

deployment_modes	list[enum]	Voice, Chat, Copilot
description	text	What this associate does
proof_points	text	Evidence from existing deployments
standard_checklist	text	Default delivery checklist for deploying this type
required_inputs	text	What we need from the customer to deploy
integration_requirements	list[string]	External systems typically needed
typical_timeline	string	How long deployment typically takes
escalation_paths	text	Standard escalation patterns
success_metrics	text	How we measure success for this type
notes	text	

State Machine: None for Phase 1. Maturity (Proven/Ready/In_Dev) is a field, not a state machine — it doesn't enforce transitions.

Relationships: Referenced by Associate Deployments.

---

13. Outcome Type (Reference Entity)

The Four Outcomes framework. Small, stable, but referenced everywhere.

Fields:

Field	Type	Description
name	string	Revenue Growth, Operational Efficiency, Client Retention, Strategic Control
engine	string	Revenue Engine, Efficiency Engine, Retention Engine, Control Engine
description	text	What this outcome means for the customer
key_metrics	list[string]	How this outcome is measured
proof_points	text	Cross-customer evidence
language_guidance	text	How to talk about this outcome (from Language Rules doc)

State Machine: None. These are the four pillars. They don't change.

Relationships: Referenced by Outcomes.

---

14. Stage (Reference Entity)

Defines the deal pipeline stages with probability and staleness thresholds.

Fields:

Field	Type	Description
name	string	Contact, Discovery, Demo, Proposal, Negotiation, Verbal, Signed
probability	decimal	0.05, 0.15, 0.25, 0.40, 0.60, 0.80, 1.00
stale_after_days	integer	14, 14, 10, 10, 7, 5, N/A
definition	text	What this stage means
order	integer	Sequence position

State Machine: None. This is a lookup table.

Relationships: Referenced by Deals.

Summary

#	Entity	Type	State Machine	Key Purpose
1	Company	Domain	prospect → pilot → customer → expanding → churned/paused	The root — who they are, relationship status
2	Contact	Domain	None	People at companies
3	Deal	Domain	contact → discovery → demo → proposal → negotiation → verbal → signed/lost/parked	Business opportunities, pipeline tracking
4	Conference	Domain	planning → pre_event → active → follow_up → complete	Events, lead source, ROI

5	Associate Deployment	Domain	planned → building → testing → live → paused → retired	What's deployed per customer
6	Outcome	Domain	None	Value mapping per customer
7	Meeting	Domain	recorded → processed → intelligence_extracted	Customer meetings with intelligence extraction
8	Task	Domain	open → in_progress → completed/cancelled, blocked	All work items from any source
9	Commitment	Domain	open → fulfilled → missed → dismissed	Promises tracked for accountability
10	Signal	Domain	None	Health/expansion/risk indicators
11	Decision	Domain	None	Recorded decisions with rationale
12	Associate Type	Reference	None	Product catalog
13	Outcome Type	Reference	None	Four Outcomes framework
14	Stage	Reference	None	Deal pipeline stages

11 domain entities + 3 reference entities = 14 total.

The OS kernel provides: activity logging (changes collection), notifications (watches on roles), audit trail, role-based access, CLI/API/UI auto-generation. None of these need to be modeled as domain entities.

Key Relationships

```
Company (1) ——— (many) Contact
Company (1) ——— (many) Deal
Company (1) ——— (many) Associate Deployment
Company (1) ——— (many) Outcome
Company (1) ——— (many) Meeting
Company (1) ——— (many) Task
Company (1) ——— (many) Commitment
Company (1) ——— (many) Signal
Company (1) ——— (many) Decision
```

```
Deal (many) ——— (1) Conference [source]
Deal (1) ——— (many) Task
Deal (1) ——— (1) Contact [primary_contact]

Associate Deployment (many) ——— (1) Associate Type
Associate Deployment (many) ——— (1) Outcome

Meeting (1) ——— (many) Decision
Meeting (1) ——— (many) Commitment
Meeting (1) ——— (many) Signal
Meeting (1) ——— (many) Task [action items]

Commitment ——— may generate Task
Decision ——— may supersede Decision

Task ——— source: Meeting | Deal | Implementation | Playbook | Manual
```

What the Team Gets on Day One

Once these entities are defined on the OS:

- **Kyle** can `indemn company list --stage customer` and see all active customers. Can `indemn company get GIC` and see the full picture. Can `indemn deal list --is-stale true` and see what needs attention. Can `indemn commitment list --status missed` and see what promises we've broken.
- **George** can `indemn task list --assignee george --status open` before a customer call and know exactly what's on his plate. Can `indemn meeting list --company "Union General" --limit 5` and see recent meeting history. Can `indemn signal list --company "JM" --type expansion` and see growth opportunities.
- **Peter** knows when something goes live because a watch on Associate Deployment state= `live` notifies the team. Can `indemn task list --status blocked` and see what's stuck.
- **Cam** can `indemn company list --cohort Core_Platform` and see the portfolio. Can `indemn signal list --type churn_risk` and see red flags across all customers.

- **Ganesh** can see delivery status per customer through the auto-generated UI. The base UI renders entity lists, detail views, and state machines without any custom UI code.

The UI, CLI, and API all exist the moment the entities are defined. AI populates the data from existing sources (Pipeline API, Google Sheets, meeting transcripts, Slack). The changes collection records every update. Watches notify the right people when things change.