


Enumeration of (unique reduced alternating) knot diagrams

Ciaran McCreesh, Alice Miller, Patrick Prosser,
Craig Reilly, James Trimble

University
of Glasgow

What is a knot?

- A *knot* is an embedding of the circle in \mathbb{R}^3 .

What is a knot?

- A *knot* is an embedding of the circle in \mathbb{R}^3 .
- An intuitive way to think about this is to consider a knot as a knotted piece of string with the ends glued together.

Drawing knots on paper

- A function $f : \mathbb{R}^3 \rightarrow \mathbb{R}^2$ where $f(x, y, z) = f(x, y)$, is called a *projection map*, and the image of a knot K under f is called the *projection* of K .
- Such a projection is often referred to as the *shadow* of K .


Drawing knots on paper

- Information regarding the orientation of arcs at crossings is given by leaving gaps in a knot's shadow..

Drawing knots on paper



Drawing knots on paper



Representations of knots

- Knot diagrams are really just 4-valent planar graphs.
 - The vertices in the graph correspond to the crossings in the knot diagram.
 - The arcs between vertices correspond to arcs between crossings in the knot diagram.
 - The arcs are decorated with their orientation at their source and target crossings.
- Other data structures familiar to computer scientists can be used, linked lists of crossings were popular in the 1950's.

Representations of knots

- The representations used by topologists are typically also used for representing knots in a computer.
- Examples are Dowker-Thistlethwait codes (DT codes), **Gauss codes**, braid representatives, Conway notation, and many more.


Representing knots with Gauss codes

- The strategy for representing a given knot (with n crossings) by a Gauss code is as follows.
 - 1 Label the crossings with the numbers 1 to n .
 - 2 Pick a point on the knot.
 - 3 Pick a direction and walk around the knot, writing out a list of the numbers you come to (with a negative sign indicating that a crossing was visited on an under strand).




Representing knots with Gauss codes

- The strategy for representing a given knot (with n crossings) by a Gauss code is as follows.
 - 1 Label the crossings with the numbers 1 to n .
 - 2 Pick a point on the knot.
 - 3 Pick a direction and walk around the knot, writing out a list of the numbers you come to (with a negative sign indicating that a crossing was visited on an under strand).




Representing knots with Gauss codes

- The strategy for representing a given knot (with n crossings) by a Gauss code is as follows.
 - 1 Label the crossings with the numbers 1 to n .
 - 2 Pick a point on the knot.
 - 3 Pick a direction and walk around the knot, writing out a list of the numbers you come to (with a negative sign indicating that a crossing was visited that a crossing was visited on an under strand).



Representing knots with Gauss codes

- The strategy for representing a given knot (with n crossings) by a Gauss code is as follows.
 - 1 Label the crossings with the numbers 1 to n .
 - 2 Pick a point on the knot.
 - 3 Pick a direction and walk around the knot, writing out a list of the numbers you come to (with a negative sign indicating that a crossing was visited that a crossing was visited on an under strand).



Representing knots with Gauss codes

- The strategy for representing a given knot (with n crossings) by a Gauss code is as follows.
 - 1 Label the crossings with the numbers 1 to n .
 - 2 Pick a point on the knot.
 - 3 Pick a direction and walk around the knot, writing out a list of the numbers you come to (with a negative sign indicating that a crossing was visited that a crossing was visited on an under strand).

