

Equifax Client Integration Document

Document Control

Classification	Protected
Reference	INT001
Version	9
Updated	03/04/25
Author	James Broderick
Owner	Chief Technology Officer

Change History

February 6th, 2025

- Added batch data request
- Added ID to CZ JSON response
- Added historic PDF and JSON endpoints
- Added PDF stream endpoint

February 12th, 2025

- Add Basic Auth API Authentication

February 18th 2025

- Added account summary
- Removed non motor data from insight data

February 22nd 2025

- Documented access token timeout
- Move KBA request above ZC search in document
- Add Address Lookup Endpoint
- Added AML documentation to KBA
- Added documentation for IVAs, Insolvency and Previous Searches
- Information on accompanying sample API responses

February 25th, 2025

- Added typical customer journey
- Added summary PDF
- Added testing procedure
- Added documentation for identifying data in credit file

March 13th, 2025

- Added friendly KBA Errors
- Changed token timeout to 8 hours

April 3rd, 2025

- Added address name to the CZ summary report at account level
- Added new batch request/fulfillment date endpoint

May 27th, 2025

- Removed legacy batch

Introduction

This document and accompanying materials will help you quickly integrate with the Valifi APIs. It includes:

1. Postman Collection
2. Typical Customer Journey and Flow
3. Authentication
4. Address Lookup
5. KBA Questions
6. CZ Search
7. Summary Report
8. CZ Historic Data
9. Batch Data Retrieval
10. PDF as a Stream
11. Testing
12. Identifying Elements in the CZ Report

Postman Collection

A Postman collection will be provided alongside this integration document to help you interact with the Valifi platform UAT environment.

Modify the collection variables with your provided username and password.

Typical Customer Journey and Flow

Customer Journey

1. Visits your landing page
2. Enters name, address and date of birth
3. Asked to verify identity
4. Presented with 3 simple multiple-choice questions
5. Answers 2 of the 3 questions correctly
6. Presented with a list of HP agreements
7. Capture contact details, e-sign etc.
8. Alert 24 hours later with any additional agreements found

Application Flow

1. Capture name, date of birth and postcode
2. Pass your credentials securely to the Valifi authentication endpoint
3. Retrieve an access token that will be used with every subsequent request
4. Optionally pass the postcode to Valifi API for list of matched addresses
5. Allow customer to pick the correct address
6. Pass the address or address ID to the KBA endpoint
7. Retrieve 3 questions and multiple-choice answers

8. Store the correlation ID
9. Present the questions to your customer
10. Pass the question IDs, answer IDs and the correlation ID to the KBA result endpoint
11. If 2 out of the 3 questions are answered correctly, the KBA check has been passed. If less than 2 are correct, a further 3 questions will be returned
12. Capture any AML or verification data that you require from the KBA success message
13. Pass the same address to the CZ search endpoint
14. Interrogate the raw credit file or summary, store the results and optionally return information back to the customer
15. Call the batch API or request a previous search 24 hours later to retrieve any historic finance agreements that were not found in the standard CZ credit report

Notes:

- The token will expire in 60 minutes and will need to be reauthenticated. It is recommended that you catch any 403 errors and reauthenticate as required. This would typically be with an Axios interceptor in a React platform.
- The CZ endpoint can return a full CZ report, a summary of motor finance agreements, a PDF summary of the CZ report or a PDF of the account summary.
- In most cases the summary report will be the easiest data to work with, showing a clear array of motor finance agreements, without having to crawl the CZ report.

Authentication

To access data APIs, you must first obtain an access token. This token will automatically be stored in the collection variables. You are responsible for keeping your user credentials and access token secure.

In a production environment, real users must verify their identity with a 2FA SMS code. API users must submit their calling IP addresses for whitelisting.

Access tokens expire after 8 hours, at which point you must request a new one.

Post: <https://staging-app.valifi.click/basic-auth>

Request

Your supplied client ID (username) and secret (password) should be sent in the header as Basic Auth

Response

```
{
  "status": true,
  "data": {
    "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJlbnVzZXJuYW1lIjoiaW5mb0B2YWxpZmkuY2t"
  }
}
```

Address Lookup

The address lookup service allows you to search for addresses using a UK postcode. The addresses returned will be in an optimal format to pass into a CZ or KBA search request, increasing the chances of a customer match.

In addition to the formatted address, each returned address will contain a unique address identifier. This address identifier can be passed into the CZ and KBA search instead of the full address.

Post: <https://staging-app.valifi.click/bureau/v1/equifax/postcode-lookup>

Request

```
{
  "clientReference": "test",
  "postCode" : "BA13 3BN"
}
```

Response

```
{
  "success": true,
  "data": {
    "listAddressByPostcodeResponse": {
      "clientRef": "test",
      "totalResults": 869,
      "matchedStructuredAddress": [
        {
          "county": "WILTS",
          "name": "BLENLEY LODGE",
          "postcode": "BA13 3BN",
          "postTown": "WESTBURY",
          "street1": "HIGH ST",
          "addressID": 58150004506
        },
        {
          "county": "WILTS",
          "name": "BRIARFIELD",
          "postcode": "BA13 3BN",
          "postTown": "WESTBURY",
          "street1": "HIGH ST",
          "addressID": 58150004256
        }
      ]
    }
  }
}
```

KBA Questions

Our APIs can return three simple questions generated from the customer's credit file.

Two of the three questions must be answered correctly to pass.

If fewer than two questions are answered correctly, an additional three questions will be provided. Across all six questions, a total of three must be answered correctly.

The KBA request uses a similar input format to the CZ search.

NOTE: It is a contractual requirement that all customers must pass the KBA check before requesting a CZ credit report search. The two services are independent, and there is no correlation between them—no customer IDs need to be passed between the services.

Example customer journey

A typical customer journey can be interacted with at: <https://kba-demo.valifi.click/>

These example journeys do not capture any data, so you can quickly click through the various screens.

Post: <https://staging-app.valifi.click/bureau/v1/equifax/identity-assurance>

Request

```
{
  "clientReference": "myrefid",
  "title": "Mr",
  "forename": "ROSALIE",
  "middleName": "",
  "surname": "PARSONS",
  "dateOfBirth": "1960-01-18",
  "currentAddress": {
    "flat": null,
    "houseName": null,
    "houseNumber": "318",
    "street": "",
    "street2": null,
    "district": null,
    "postTown": "ELY",
    "county": null,
    "postCode": "CB6 2AG"
  },
  "previousAddress": null,
  "previousPreviousAddress": null
}
```

Response

The response will return a decision.

If the decision is "CHALLENGE", the response will include a set of questions.

If the decision is "UNDECISIONED", this could be because either customer details were incorrect, the customer has a thin credit file without enough data to generate questions, or a duplicate request for the customer has been made too quickly.

Make sure to retain the questionnaireId, correlationId, and authenticationId, as you'll need to submit these along with the answers.

```
{
  "status": true,
  "clientRef": "myrefid",
  "originalTransactionId": "0925d49f-0417-4ec5-a503-8143f8e3e029",
  "decision": "CHALLENGE",
  "questions": {
    "questionnaireId": 1,
    "questionGroups": [
      {
        "questionGroup": "MOBILE_PHONE",
        "questionHeader": "Your Equifax credit file indicates that you may have a mobile phone or broadband account",
        "appliesToQuestionId": [
          1
        ]
      }
    ]
  },
  {

```

```

    "questionGroup": "CURRENT_ACCOUNT",
    "questionHeader": "Your Equifax credit file indicates that you may have a current account.",
    "appliesToQuestionId": [
      2
    ]
  },
  {
    "questionGroup": "MORTGAGE",
    "questionHeader": "Your Equifax credit file indicates that you may have a mortgage account.",
    "appliesToQuestionId": [
      3
    ]
  }
],
"questions": [
  {
    "questionId": 1,
    "questionText": "Who provides the finance for your mobile phone?",
    "choiceType": {
      "type": "SINGLE_CHOICE"
    },
    "choices": [
      {
        "choiceId": 1,
        "choiceText": "EE",
        "isCorrect": false
      },
      {
        "choiceId": 2,
        "choiceText": "Virgin Mobile",
        "isCorrect": true
      },
      {
        "choiceId": 3,
        "choiceText": "O2",
        "isCorrect": false
      },
      {
        "choiceId": 4,
        "choiceText": "3",
        "isCorrect": false
      },
      {
        "choiceId": 5,
        "choiceText": "None of the Above",
        "isCorrect": false
      }
    ]
  },
  {
    "questionId": 2,
    "questionText": "Who is your account provider?",
    "choiceType": {
      "type": "SINGLE_CHOICE"
    },
    "choices": [
      {
        "choiceId": 1,

```

```

        "choiceText": "Lloyds Bank",
        "isCorrect": true
    },
    {
        "choiceId": 2,
        "choiceText": "Santander",
        "isCorrect": false
    },
    {
        "choiceId": 3,
        "choiceText": "Barclays Bank",
        "isCorrect": false
    },
    {
        "choiceId": 4,
        "choiceText": "TSB Bank",
        "isCorrect": false
    },
    {
        "choiceId": 5,
        "choiceText": "None of the Above",
        "isCorrect": false
    }
}
],
{
    "questionId": 3,
    "questionText": "Who is your mortgage provider?",
    "choiceType": {
        "type": "SINGLE_CHOICE"
    },
    "choices": [
        {
            "choiceId": 1,
            "choiceText": "HSBC",
            "isCorrect": true
        },
        {
            "choiceId": 2,
            "choiceText": "Lloyds Bank",
            "isCorrect": false
        },
        {
            "choiceId": 3,
            "choiceText": "TSB Bank",
            "isCorrect": false
        },
        {
            "choiceId": 4,
            "choiceText": "Woolwich / Barclays",
            "isCorrect": false
        },
        {
            "choiceId": 5,
            "choiceText": "None of the Above",
            "isCorrect": false
        }
    ]
}
]

```

```

    }
  ]
},
"authenticationId": "7f95bbfe-4e4d-4882-ab0a-471f618ca542",
"correlationId": "b09c27a7-72a3-4880-83ba-139e5c6c1a59",
}

```

Notes:

- In the UAT (testing) environment, responses include an "isCorrect" flag to show which answer is correct. This flag is only for testing and will not appear in the live environment.

KBA Answers

The answers should be submitted to the answers endpoint. Remember to include the IDs captured in previous response

Post: <https://staging-app.valifi.click/bureau/v1/equifax/identity-assurance-result>

Request

```

{
  "correlationId": "{{correlationId}}",
  "data": {
    "kba": {
      "authenticationId": "{{authenticationId}}",
      "questionnaireId": "{{questionnaireId}}",
      "questionAnswers": [
        {
          "questionId": 1,
          "answer": [
            3
          ]
        },
        {
          "questionId": 2,
          "answer": [
            4
          ]
        },
        {
          "questionId": 3,
          "answer": [
            3
          ]
        }
      ]
    }
  }
}

```

KBA Result

The results of the KBA search will contain a decision value.

decision: PASS

If 2 out of the 3 questions have been answered correctly, the decision will equal "PASS".

decision: CHALLENGE

If fewer than 2 questions have been answered correctly, the decision will be "CHALLENGE" and will include 3 new questions for the customer to answer.

The

decision: PASS

If the customer answers the appropriate number of questions correctly, the decision will equal "PASS".

decision: FAIL

If the customer has not answered enough questions correctly, the decision will equal "FAIL".

decision: UNDECISIONED

This typically occurs when the KBA engine cannot generate any more questions from the available credit data. It may happen if more than two requests are made for the same customer within a 5-minute period.

This will also be accompanied by a message in the kbaCharacteristics:

```
"decision": "UNDECISIONED",
"kbaCharacteristics": [
  {
    "key": "decision",
    "value": "undecided",
    "text": "QNGR: Not enough questions to meet questionnaire generation criteria."
  }
],
```

Friendly errors

The friendly errors will help diagnose cases where no questions have been returned.

The errors will be returned in an array under the key friendlyErrors:

```
"friendlyErrors": [
  {
    "rule": "IDV0080",
    "description": "Failed to achieve first AML profile"
  }
]
```

KBA Additional Result Information

The KBA results includes additional customer validation insights:

- AML Assessment
- Address Insights
- Deceased

A sample response will be provided alongside this document.

CZ Search

A CZ credit search can be performed by passing in a customer's name, date of birth, and current address.

We require that a customer has been validated with appropriate consent before a CZ search can be made. Equifax KBA questions can be used as a simple tool to perform this task.

Note: Including the PDF in the response can significantly increase overhead and response time. We recommend retrieving the PDF separately using the dedicated PDF endpoint after completing the CZ search.

Post: <https://staging-app.valifi.click/bureau/v1/equifax/cz>

Request

```
{
  "includeJsonReport": true,
  "includePdfReport": false,
  "includePdfSummaryReport" : false
  "includeSummayReport": false,
  "clientReference": "test2",
  "title": "",
  "forename": "MIHAI-ADRI",
  "middleName": "",
  "surname": "SPOUGE",
  "dateOfBirth": "1956-11-04",
  "currentAddress": {
    "flat": null,
    "houseName": null,
    "houseNumber": "14",
    "street": "asas",
    "street2": null,
    "district": null,
    "postTown": "",
    "county": null,
    "postCode": "CB6 1AS"
  },
  "previousAddress": null,
  "previousPreviousAddress": null
}
```

Notes:

- Instead of using a fully formatted address, you can pass in the addressId value obtained from the address search.
Note: While the address search returns "addressID", you must use "addressId" when making CZ and KBA requests.

Request using addressId

```
{
  "includeJsonReport": true,
  "includePdfReport": false,
  "includePdfSummaryReport" : false
  "includeSummaryReport": true,
  "clientReference": "test2",
  "title": "",
  "forename": "MIHAI-ADRI",
  "middleName": "",
  "surname": "SPOUGE",
  "dateOfBirth": "1956-11-04",
  "currentAddress": {
    "addressId": 28030103958
  },
  "previousAddress": { "addressId": 28030098332},
}
```

```
"previousPreviousAddress": { "addressId": 28030098340}
}
```

Response

A simplified sample response is provided below for clarity.

Sample reports will be provided alongside this document.

The response can include three components: the raw credit report in JSON format, a summary report, a PDF version of the raw credit report, a PDF of the summary report.

Please note that including the PDF significantly increases response time, so we recommend retrieving it in a separate request.

```
{
  "status": "true",
  "data": {
    "id": 94,
    "jsonReport": {
      "consumerCreditSearchResponse": {
        "clientRef": "TEST2",
        "soleSearch": {
          "primary": {
            "suppliedAddressData": {

            },
            "linkedAddressData": {

            }
          }
        }
      }
    },
    "summaryReport": {
      "totalAccounts": 5,
      "hpAccounts": 5,
      "leaseAccounts": 0,
      "totalInCzReport": 1,
      "totalInBatch": 4,
      "totalInOriginalBatch": 5,
      "accounts": [
        {
          "accountNumber": "SSBDSDDSJS&",
          "lenderName": "FINANCIAL SERVICES UK",
          "addressType": "supplied",
          "forename": "Jon",
          "surname": "Doe",
          "accountType": "hp",
          "repaymentTerm": 46,
          "monthlyPayment": 171,
          "currentStatus": "S",
          "paymentFrequency": "monthly",
          "creditLimit": 0,
          "startBalance": 0,
          "currentBalance": 0,

```

```

        "defaultBalance": 0,
        "startDate": "2018-01-11",
        "addressNumber": "00014",
        "addressStreet1": "Street 1",
        "addressPostTown": "Town",
        "addressDistrict": "District",
        "addressCounty": "County",
        "addressPostCode": "XXXX XXX",
        "addressID": 16040013895,
        "companyClass": "FN",
        "clientNumber": 625521,
        "lastUpdateDate": "2021-12-02",
        "sourcedFrom": "CZ"
    },
]
},
"pdfReport": "Base 64 Data"
}
}

```

Notes:

- The [data.id](#) should be stored and can be used to retrieve the saved report at a later date.
- Insight data has been redacted from the raw credit report for accounts other than motor finance
- When integrating the raw credit file, be aware that insight data can appear in the matched address or linked addresses
- Equifax data can return either a single object or a collection of objects when multiple items exist. This affects how you access the data in your integration. For example:
linkedAddressData.linkedAddress.address (for single objects) or linkedAddressData[index].linkedAddress.address (for multiple objects)
- The example reports provided will include full customer insight data. Depending on your use case, accounts other than hire purchase or lease accounts will be redacted from the file.
- The reports will contain CCJ, insolvency and previous search data, if available for the customer match

Summary Report

Both the initial request for a CZ report and the subsequent retrieval of a previous report, can include a summary report by passing in includeSummaryReport: true.



In most cases, the summary report will be the preferable data to retrieve and work with

The summary report is highly advantageous as it negates the need to interrogate the raw credit file. The summary report will also include batch data if it has been added (usually 24 hours after the original request)

The summary report can also be retrieved as a PDF.

Example

```

{
  "status": "true",
  "data": {
    "id": 3220,

```

```

"summaryReport": {
  "addressMatchStatus": "singleMatch",
  "matchedAddress": {
    "sourcedFrom": "ADO",
    "address": {
      "county": "WESTSHIRE",
      "district": "ROSEFIELD",
      "name": "MAPLE GROVE",
      "postcode": "WS1 2AB",
      "postTown": "GREENVILLE",
      "street1": "OAK STREET",
      "addressID": 9999999999
    }
  },
  "totalAccounts": 3,
  "hpAccounts": 3,
  "leaseAccounts": 0,
  "czHpAccounts": 1,
  "czLeaseAccounts": 0,
  "batchHpAccounts": 2,
  "batchLeaseAccounts": 0,
  "totalInCzReport": 1,
  "totalInBatch": 2,
  "totalInOriginalBatch": 3,
  "accounts": [
    {
      "accountNumber": "12345678901234",
      "lenderName": "ACME FINANCE LTD",
      "addressType": "supplied",
      "forename": "JANE",
      "surname": "DOE",
      "dob": "1980-01-01",
      "accountType": "hp",
      "repaymentTerm": 48,
      "monthlyPayment": 265,
      "currentStatus": "ZERO",
      "paymentFrequency": "monthly",
      "creditLimit": 0,
      "startBalance": 0,
      "currentBalance": 531,
      "defaultBalance": 0,
      "startDate": "2021-04-28",
      "addressNumber": "12",
      "addressStreet1": "FAIRWAY DRIVE",
      "addressPostTown": "GREENVILLE",
      "addressDistrict": "ROSEFIELD",
      "addressCounty": "WESTSHIRE",
      "addressPostCode": "WS1 2AB",
      "addressID": 888888888888,
      "companyClass": "FS",
      "clientNumber": 12345678,
      "lastUpdateDate": "2025-03-05",
      "sourcedFrom": "CZ"
    },
    {
      "accountNumber": "XYZ9876543",
      "lenderName": "OMEGA LEASING LTD",
      "addressType": "supplied",

```

```

    "forename": "JANE",
    "surname": "DOE",
    "dob": "1980-01-01",
    "accountType": "hp",
    "repaymentTerm": 36,
    "monthlyPayment": 265,
    "currentStatus": "S",
    "paymentFrequency": "M",
    "creditLimit": 0,
    "startBalance": 17884,
    "currentBalance": 0,
    "startDate": "2007-01-08",
    "endDate": null,
    "dateLastDelinquent": null,
    "dateSettled": "2010-01-07",
    "defaultDate": null,
    "addressNumber": "45",
    "addressStreet1": "CEDAR ROAD",
    "addressPostTown": "WILLOWTOWN",
    "addressDistrict": "ROSEFIELD",
    "addressCounty": "WESTSHIRE",
    "addressPostCode": "WS2 3CD",
    "sourcedFrom": "BATCH"
  },
  {
    "accountNumber": "ABC1122334",
    "lenderName": "ZETA FINANCIAL GROUP",
    "addressType": "supplied",
    "forename": "JANE",
    "surname": "DOE",
    "dob": "1980-01-01",
    "accountType": "hp",
    "repaymentTerm": 36,
    "monthlyPayment": 226,
    "currentStatus": "S",
    "paymentFrequency": "M",
    "creditLimit": 0,
    "startBalance": 8153,
    "currentBalance": 0,
    "startDate": "2015-11-23",
    "endDate": null,
    "dateLastDelinquent": null,
    "dateSettled": "2018-11-30",
    "defaultDate": null,
    "addressNumber": "12",
    "addressStreet1": "FAIRWAY DRIVE",
    "addressPostTown": "GREENVILLE",
    "addressDistrict": "ROSEFIELD",
    "addressCounty": "WESTSHIRE",
    "addressPostCode": "WS1 2AB",
    "sourcedFrom": "BATCH"
  }
]
}
}
}

```

Notes

- The report contains a summary that makes it easier to check the total motor finance accounts found across both the CZ search and the follow-up historic batch retrieval.
- totalAccounts: Total unique accounts across both CZ search and historic batch report
- hpAccounts: Number of PCP/HP accounts in the total
- leaseAccounts: Number of lease accounts in the total
- totalInCzReport: Number of accounts found in the initial CZ search
- totalInBatch: Number of unique accounts found in the historic batch report after deduplication
- totalInOriginalBatch: Number of accounts found in the historic batch report before deduplication
- accounts: List of unique accounts found
- The address can include an addressName and/or addressNumber, which are omitted if undefined

CZ Report Historic Retrieval

To retrieve a previous search as either a PDF, JSON string or summary report, pass the report ID (captured in the initial search) to the following endpoint.



The summary report that can be included in this request will include any batch data if available. It may be advantageous to use this approach rather than interrogating the batch data directly, which would require work to deduplicate accounts against the initial CZ search.

Get: <https://staging-app.valifi.click/bureau/v1/equifax/cz-report/{id}?includePdfReport=true>

The available query parameters are:

```
includePdfReport,  
includePdfSummaryReport,  
includeJsonReport,  
includeSummaryReport
```

Setting these parameters to true determines whether a base64 PDF, JSON report or the summary is included in the response.

Response

A sample response can be provided but has been simplified here for document clarity.

```
{  
  "status": "true",  
  "data": {  
    "id": 94,  
    "jsonReport": {  
      "consumerCreditSearchResponse": {  
        "clientRef": "TEST2",  
        "soleSearch": {  
          "primary": {  
            "suppliedAddressData": {  
  
            },  
            "linkedAddressData": {  
  
            }  
          }  
        }  
      }  
    }  
  }  
}
```

```

    }
  },
  "summaryReport": {
    "totalAccounts": 5,
    "hpAccounts": 5,
    "leaseAccounts": 0,
    "totalInCzReport": 1,
    "totalInBatch": 4,
    "totalInOriginalBatch": 5,
    "accounts": [
      {
        "accountNumber": "SSBDSJS&",
        "lenderName": "STELLANTIS FINANCIAL SERVICES UK LTD (I)",
        "addressType": "supplied",
        "forename": "Jon",
        "surname": "Doe",
        "accountType": "hp",
        "repaymentTerm": 46,
        "monthlyPayment": 171,
        "currentStatus": "S",
        "paymentFrequency": "monthly",
        "creditLimit": 0,
        "startBalance": 0,
        "currentBalance": 0,
        "defaultBalance": 0,
        "startDate": "2018-01-11",
        "addressNumber": "00014",
        "addressStreet1": "Street 1",
        "addressPostTown": "Town",
        "addressDistrict": "District",
        "addressCounty": "County",
        "addressPostCode": "XXXX XXX",
        "addressID": 16040013895,
        "companyClass": "FN",
        "clientNumber": 625521,
        "lastUpdateDate": "2021-12-02",
        "sourcedFrom": "CZ"
      },
    ],
  },
  "pdfReport": "Base 64 Data"
}

```

PDF as a stream

The CZ and Summary PDF can be retrieved as a stream by passing the report ID (captured in the initial search) to the following endpoint.

Get: <https://staging-app.valifi.click/bureau/v1/equifax/cz-pdf/{id}>.

Get: <https://staging-app.valifi.click/bureau/v1/equifax/cz-summary-pdf/{id}>.

Batch Data

Equifax by default returns 6 years of credit data in its CZ credit search responses. This includes accounts that may have been opened more than 6 years ago but remained active within the past 6 years.

Equifax is uniquely placed to offer credit data going back to 2007 in its archived datasets.

Once a CZ search has been performed, Equifax will search their historic database and provide the data to Valifi, typically within 24 hours. This historic data can then be retrieved from Valifi through a simple API call.

Get: <https://api.valifi.co.uk/bureau/v1/equifax/cz-batch-timestamps?dateFrom=2025-01-01&dateTo=2025-05-01>

The available query parameters are:

```
dateFrom (required),  
dateTo (required),  
id (optional) ,  
clientRef (optional)
```

A typical process would be to use the date filter to search for all CZ searches within a specific date range. This returns a collection of searches, each containing an ID, your original search reference, the date the batch was sent to Equifax, and the date it was received back. These dates may be null for recent searches, or the batchCreatedAt field might be populated while batchReceivedAt remains null until the batch is received and processed.

```
{  
  "status": true,  
  "data": [  
    {  
      "id": 343534,  
      "clientRef": "67d14c8de5cf78963e9dba28",  
      "requestAt": "2025-03-12T09:00:56.000Z",  
      "batchCreatedAt": "2025-03-12T17:38:23.000Z",  
      "batchReceivedAt": "2025-03-13T10:10:13.000Z"  
    },  
    {  
      "id": 343535,  
      "clientRef": "67d2acccccdc6c873cc263be",  
      "requestAt": "2025-03-13T10:04:31.000Z",  
      "batchCreatedAt": "2025-03-13T18:23:25.000Z",  
      "batchReceivedAt": null  
    }  
  ]  
}
```

Once your system has a list of IDs with confirmed batch data returned, you can use the history retrieval endpoint to retrieve the CZ summary report. This will give you a clean, deduplicated set of motor finance accounts, highlighting whether each account was found in the original CZ search or the subsequent batch process.

Get: <https://staging-app.valifi.click/bureau/v1/equifax/cz-report/3220?includeSummaryReport=true>

Testing

The Valifi staging environment that you have been set up with is connected to the Equifax UAT environment.

Equifax Test Cases

Equifax provides an extensive list of test customer details that should be included in the request. Equifax test cases will be provided to you and should cover all possible data scenarios.

Simplified Test Cases

The Equifax test pack contains over 4,000 scenarios. Valifi has simplified this to a few key test customers that cover most common responses. You can find these test customers in the Equifax test pack.

Name	CCJ	Previous Search	Electoral	HP in Primary Address	Rental in Primary Address	Linked Addresses	HP in L Address
LYDA HIBBETT	1	2	0	0	0	3	0
MARIE JALLOW	1	5	1	0	0	2	0
ASI BASIT	0	0	1	2	0	0	0
LM JACKSONGOYEA	0	2	1	0	0	1	1
EDISON WARRINGTON	0	1	1	2	0	1	0
URSULA CAVE	0	0	1	1	1	1	0
CATHEIRNE GILMOUR	0	0	1	1	0	2	1

Testing with Postman

A Postman collection is included. Simply add your provided user credentials to the collection variables to instantly interact with the Valifi APIs. Initial test input data has been added to the request, which you can modify using any of the test customers from the test pack.

Testing with the Client Dashboard

By logging into the client interface at <https://www.valifi.click/>, you can manually request CV reports and KBA questions. The request page provides a pre-defined list of test customers for quick selection.

Request CZ Report

Test Cases

KAMRAN PATTEN | 10

Your Reference

ref-lxqogvue8

First Name

KAMRAN

Last Name

PATTEN

At the bottom of the page, you will be able to view the request and response JSON, allowing you to quickly compare with your own code.

Hide JSON

Request Data:

```
✓ { 5 items
  "clientReference": string "ref-lxqogvue8"
  "firstName": string "KAMRAN"
  "lastName": string "PATTEN"
  ✓ "address": { 4 items
    "streetNumber": string "10"
    "street1": string "CROMWELL ROAD "
    "postTown": string "ELY"
    "postcode": string "CB6 1AS"
  }
  "dateOfBirth": string "1971-08-30"
}
```

Response Data:

```
✓ { 2 items
  "status": string "true"
  ✓ "data": { 2 items
    "id": int 13360
    > "jsonReport": {...} 1 item
  }
}
```

Interrogating CZ Report

The Equifax CZ credit report is a JSON file whose structure varies based on the customer data returned. An official data dictionary will be provided, along with example credit files for the simplified test cases.

A typical report can include:

- Matched Address
 - Electoral Roll
 - Previous Searches
 - Courts and Insolvency
 - Matched Address
 - Insight Data (Credit agreements)
- Linked Addresses
 - All of the above for linked address

It's important to note that if data is not available, the corresponding element will not exist in the report.

If there is only one set of data for a given element, the children of the element will be key-value pairs.

If there are multiple sets of data for a given element, the child of the element will be an array, with its children containing the key-value pairs. This means it is essential to check if the element exists, and then check if it is an array of data.

Examples:

Example JavaScript code to capture report data if it exists. Note the depth of some of the data.

```
const dataObject = {
  primaryData: report?.consumerCreditSearchResponse?.soleSearch?.primary,
  insightData: report?.consumerCreditSearchResponse?.soleSearch?.primary?.suppliedAddressData?.addressSpecifi
  previousSearches: report?.consumerCreditSearchResponse?.soleSearch?.primary?.suppliedAddressData?.address:
  courtAndInsolvencyInformation: report?.consumerCreditSearchResponse?.soleSearch?.primary?.suppliedAddressC
  electoralRoll: report?.consumerCreditSearchResponse?.soleSearch?.primary?.suppliedAddressData?.addressSpecifi
  matchedAddress: report?.consumerCreditSearchResponse?.soleSearch?.primary?.suppliedAddressData?.matched/
  addressMatchStatus: report?.consumerCreditSearchResponse?.soleSearch?.primary?.suppliedAddressData?.addre
  linkedAddressData: report?.consumerCreditSearchResponse?.soleSearch?.primary?.linkedAddressData,
  unmatchedAddress: report?.consumerCreditSearchResponse?.soleSearch?.primary?.suppliedAddressData?.unmatc
  potentialMatchedAddress: report?.consumerCreditSearchResponse?.soleSearch?.primary?.suppliedAddressData?.p
};
```

It's helpful to normalise the data into arrays, ensuring you're always working with an array of data—even when there's only one object in the array.

```
// Normalize arrays if necessary
if (dataObject.linkedAddressData && !Array.isArray(dataObject.linkedAddressData)) {
  dataObject.linkedAddressData = [dataObject.linkedAddressData];
}
```

Hire Purchase agreements can be found within the insight data (insightData.hirePurchase). This data could be a set of key-value pairs or an array. It's useful to normalise this into an array, especially if you plan to work with the data or display it to the customer.