

OTP / Mobile ID Client Integration

Document Control

Classification	Protected
Reference	INT003
Version	1
Updated	22/05/25
Author	James Broderick
Owner	Chief Technology Officer

Change History

May 22nd, 2025

- Initial Draft

Introduction

This document and accompanying materials will help you quickly integrate with the Valifi OTP and Mobile ID APIs. It includes:

1. Postman Collection
2. Typical Customer Journey and Flow
3. Authentication
4. OTP
5. Mobile ID
6. AML

Postman Collection

A Postman collection will be provided alongside this integration document to help you interact with the Valifi platform UAT environment.

Modify the collection variables with your provided username and password.

Typical Customer Journey and Flow with OTP

Customer Journey

1. Visits your landing page
2. Enters name, address, contact details and date of birth
3. Sent 6 digit code to mobile phone
4. Enters code into your application form
5. Mobile and AML checked with Valifi
6. Presented with a list of HP agreements
7. Capture e-sign etc.
8. Alert 24 hours later with any additional agreements found

Application Flow

1. Enters name, address, contact details and date of birth
2. Pass your credentials securely to the Valifi authentication endpoint
3. Retrieve an access token that will be used with every subsequent request
4. Optionally pass the postcode to Valifi API for list of matched addresses
5. Allow customer to pick the correct address
6. Pass customers mobile to Valifi OTP service
7. Valifi sends customer 6 digit pass code
8. Customer enters pass code into your application
9. Pass mobile and passcode back to Valifi
10. Valifi returns pass / fail response

11. Pass customer details to Valifi Mobile ID / AML service
12. Valifi returns AML and Mobile confidence indicators
13. You decide if customer has been sufficiently verified
14. Pass the same address to Trans Union and / or Equifax search endpoints
15. Interrogate the raw credit file or summary, store the results and optionally return information back to the customer
16. Call the batch API or request a previous search 24 hours later to retrieve any historic finance agreements that were not found in the standard CZ credit report

Notes:

- The token will expire in 60 minutes and will need to be reauthenticated. It is recommended that you catch any 403 errors and reauthenticate as required. This would typically be with an Axios interceptor in a React platform.
- The TransUnion and Equifax endpoints can return a full credit report, a summary of motor finance agreements, a PDF summary of the CZ report or a PDF of the account summary.
- In most cases the summary report will be the easiest data to work with, showing a clear array of motor finance agreements, without having to crawl the CZ report.

Authentication

The authentication method is common across all Valifi APIs.

To access data APIs, you must first obtain an access token. This token will automatically be stored in the collection variables. You are responsible for keeping your user credentials and access token secure.

In a production environment, real users must verify their identity with a 2FA SMS code. API users must submit their calling IP addresses for whitelisting.

Access tokens expire after 8 hours, at which point you must request a new one.

Post: <https://staging-app.valifi.click/basic-auth>

Request

Your supplied client ID (username) and secret (password) should be sent in the header as Basic Auth

Response

```
{
  "status": true,
  "data": {
    "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiJlbnVzIiwiaWF0IjE5NjU0MjUwMC4"
  }
}
```

OTP

OTP (One-Time Password) verifies that customers have access to the mobile number they provided in their application. Valifi sends a 6-digit passcode to their phone, which they then enter into your web application.

OTP Request

Post: <https://staging-app.valifi.click/otp/v1/request>

```
{
  "mobile": "447973288569"
}
```

OTP Response

```
{
  "status": true
}
```

OTP Verify Request

Post: <https://staging-app.valifi.click/otp/v1/verify>

```
{
  "mobile": "447973288569",
  "code": "123456"
}
```

OTP Verify Response

```
{
  "status": true,
  "data": {
    "result": "PASS"
  }
}
```

Notes:

OTP can fail for various reasons. Its important that you DO NOT pass the reasons on to the user and only use for internal debugging/monitoring.

OTP request failures include:

- Invalid mobile number format
- Failure to send OTP via SMS

Verify reasons for failure include:

- OTP expired. Request a new OTP
- Maximum attempts exceeded. Request a new OTP
- Incorrect OTP. Try again (upto 3 times in total. 3rd incorrect attempt will invalidate the OTP)

- Server error

AML and Mobile ID

The AML and Mobile ID check can help you spot potential fraud and comply with required regulatory responsibilities.



It is a Valifi and Equifax requirement that before accessing an Equifax CZ credit report, you must obtain customer consent and verify their identity through either KBA questions or a combination of OTP and Mobile ID.

Although you have to comply with all necessary regulatory requirements and verify customer consent, TransUnion does not mandate KBA questioning, OTP or Mobile ID.

Request

Post: <https://staging-app.valifi.click/bureau/v1/tu/validate>

```
{
  "includeJsonReport": true,
  "includeMobileKYC": true,
  "clientReference": "test2",
  "title": "Mr" ,
  "forename": "Mark",
  "middleName": "",
  "surname": "Kirk",
  "dateOfBirth": "1990-12-26T00:00:00",
  "mobileNumber": "07777777777",
  "emailAddress": "your@youremail.com",
  "currentAddress": {
    "flat": "1",
    "street": "NoKBA Street",
    "postTown": "TEST TOWN",
```

```
    "postCode": "X9 1WS"
  }
}
```

Response

```
{
  "status": "true",
  "data": {
    "id": "cf1164bb-7692-470e-9451-df39167e1f7b",
    "summaryReport": {
      "data": {
        "OtherChecks": {
          "IdentityResult": "Fail",
          "IdentityScore": "30"
        },
        "WatchlistScreening": {
          "MatchType": "near",
          "Results": {
            "SummaryResults": {
              "CountOfPEPs": "2",
              "CountOfSanctions": "2",
              "CountOfRCAs": "0"
            },
            "Matches": {
              "Match": [
                {
                  "IndividualProfile": {
                    "IndividualProfileId": "4664",
                    "PrimaryName": "Bleu de Gascoyne, Basset",
                    "RiskCategories": {
                      "RiskCategory": [
                        {
                          "RiskIndicator": "PEP"
                        },
                        {

```

```

        "RiskIndicator": "SAN"
    }
]
},
"ActivePEP": "yes",
"Title": "OFAC - Prime Minister",
"Countries": {
    "Country": [
        {
            "CountryCode": "CUB",
            "CountryConnection": "Citizenship"
        },
        {
            "CountryCode": "CUB",
            "CountryConnection": "Resident of"
        },
        {
            "CountryCode": "CUB",
            "CountryConnection": "Jurisdiction"
        }
    ]
},
"DatesOfBirth": {
    "DateOfBirth": "13/8/1926"
},
"Gender": "M",
"LatestRevisionsDate": "",
},
"MatchName": {
    "MatchedName": "Basset Bleu de Gascoyne",
    "MatchedNameType": ""
},
"Score": "0.89"
},
{
    "IndividualProfile": {
        "IndividualProfileId": "4664",
        "PrimaryName": "Bleu de Gascoyne, Basset",

```



```

    "RiskCategories": {
      "RiskCategory": [
        {
          "RiskIndicator": "PEP"
        },
        {
          "RiskIndicator": "SAN"
        }
      ]
    },
    "ActivePEP": "yes",
    "Title": "OFAC - Prime Minister",
    "Countries": {
      "Country": [
        {
          "CountryCode": "CUB",
          "CountryConnection": "Citizenship"
        },
        {
          "CountryCode": "CUB",
          "CountryConnection": "Resident of"
        },
        {
          "CountryCode": "CUB",
          "CountryConnection": "Jurisdiction"
        }
      ]
    },
    "DatesOfBirth": {
      "DateOfBirth": "13/8/1926"
    },
    "Gender": "M",
    "LatestRevisionsDate": ""
  },
  "MatchName": {
    "MatchedName": "Basset Bleu de Gascoyne",
    "MatchedNameType": ""
  },

```

```

        "Score": "0.96"
      }
    ]
  }
},
"Phone": {
  "MobileID": {
    "TotalPositiveMatches": "18",
    "InputIdentityMatches": {
      "NumMatches": "6",
      "NumSources": "4",
      "FirstMatchSeen": "2016-07-18",
      "LastMatchSeen": "2017-05-02"
    },
    "LinkedIdentityMatches": {
      "NumMatches": "6",
      "NumSources": "4",
      "FirstMatchSeen": "2016-07-18",
      "LastMatchSeen": "2017-05-02"
    },
    "InputAddressMatches": {
      "NumMatches": "6",
      "NumSources": "4",
      "FirstMatchSeen": "2016-07-18",
      "LastMatchSeen": "2017-05-02"
    },
    "UnknownMatches": {
      "NumMatches": "6",
      "NumSources": "4",
      "FirstMatchSeen": "2016-07-18",
      "LastMatchSeen": "2017-05-02"
    },
    "UnknownMatchDetails": {
      "NumUniqueIdentities": "6",
      "NumUniqueAddresses": "6"
    }
  }
}

```

```

    },
    "Email": {
      "EmailID": {
        "TotalPositiveMatches": "0",
        "InputIdentityMatches": {
          "NumMatches": "0",
          "NumSources": "0"
        },
        "LinkedIdentityMatches": {
          "NumMatches": "0",
          "NumSources": "0"
        },
        "InputAddressMatches": {
          "NumMatches": "0",
          "NumSources": "0"
        },
        "UnknownMatches": {
          "NumMatches": "0",
          "NumSources": "0"
        },
        "UnknownMatchDetails": {
          "NumUniqueIdentities": "0",
          "NumUniqueAddresses": "0"
        }
      }
    },
    "Warnings": {
      "NonGBRCardWarning": "false",
      "NamePicklistWarning": "false",
      "AddressPicklistWarning": "false",
      "PAFNonValidWarning": "false",
      "CardAccountClosedWarning": "false",
      "BankAccountClosedWarning": "false"
    },
    "InputData": {
      "Individual": {
        "Dateofbirth": "1971-10-31T00:00:00",

```

```

        "Title": "Mrs",
        "Firstname": "Basset",
        "Surname": "Bleu De Gascoyne"
    },
    "Address": {
        "Abodenumber": "31",
        "Address1": "Fiskerton Lane",
        "Town": "TEST TOWN",
        "Postcode": "X9 9XY"
    }
},
"Errors": ""
}
}
}
}
}

```

What to look for in AML / Mobile ID check

AML

Detailed information can be found in an accompanying document “TransUnion AML Information”, however in summary, the purpose of much of the information returned is help you gather deeper insights into the customers identity and possible alert.

The Validate AML response provides a comprehensive dataset detailing individual AML checks. To simplify processing, we have provided a consolidated score for use on your platform.

The "OtherChecks" section contains two key fields: "IdentityResult" and "IdentityScore".

The "IdentityResult" field returns either "Pass" or "Fail".

The "IdentityScore" field returns a numeric value—a score of 40 or higher indicates a Pass.

```
"OtherChecks": {  
  "IdentityResult": "Fail",  
  "IdentityScore": "30"  
},
```



While the score serves as a guideline, you are responsible for determining a customer's pass or fail status based on your organization's risk appetite, considering all provided information.

Mobile ID and Email ID

MobileID and EmailID returns information on associations between a telephone number / email address and an identity. The results are split by match level:

- Identity Match – Mobile / Email associated with the input name and address
- Linked Identity Match – Mobile / Email associated with linked addresses and/or known name aliases
- Address Match – Mobile / Email associated with input address only
- Unknown Match – Mobile / Email associated with other identities not linked to the input name and address

```
"MobileID": {  
  "TotalPositiveMatches": "18",  
  "InputIdentityMatches": {  
    "NumMatches": "6",  
    "NumSources": "4",  
    "FirstMatchSeen": "2016-07-18",  
    "LastMatchSeen": "2017-05-02"
```

```

},
"LinkedIdentityMatches": {
  "NumMatches": "6",
  "NumSources": "4",
  "FirstMatchSeen": "2016-07-18",
  "LastMatchSeen": "2017-05-02"
},
"InputAddressMatches": {
  "NumMatches": "6",
  "NumSources": "4",
  "FirstMatchSeen": "2016-07-18",
  "LastMatchSeen": "2017-05-02"
},
"UnknownMatches": {
  "NumMatches": "6",
  "NumSources": "4",
  "FirstMatchSeen": "2016-07-18",
  "LastMatchSeen": "2017-05-02"
},
"UnknownMatchDetails": {
  "NumUniqueIdentities": "6",
  "NumUniqueAddresses": "6"
}
}

```



The Mobile and Email ID data should be used only as a guide. You must determine a customer's pass or fail status according to your organization's risk appetite, taking into account all provided information – particularly your tolerance levels for TotalPositiveMatches.