

Claire Master System Build Plan

Singularity-Aligned Edition

Autonomous Strategic Intelligence, Acquisition Construction & Recursive Invention Platform

Version	6.0 (Rewrite)
Date	May 2026
Classification	Master Governing Document — Internal / Strategic
Owner	Craig Morris / SAISS-ACS2-Syntalion

GOVERNING AUTHORITY

This document is the single authoritative Master Build Plan for the Claire system (ACS2-Claire / Syntalion). It completely replaces all prior versions of the Master Build Plan. All architecture decisions, implementation priorities, versioning milestones, and forward roadmap items are governed exclusively by this document.

Table of Contents

1. Executive Summary
2. Versioning Philosophy & Historical Context
3. Technology Evolution Context — The Singularity Timeline
4. Core System Definition
5. Canonical 30-Stage Lifecycle

6. Phase 0 — Idea Formation (Pre-Versioned)
 7. Phase 1 — Early Architecture (v1.x - v3.x)
 8. Phase 2 — Pipeline Expansion (v4.x)
 9. Phase 3 — Lifecycle Convergence (v5.0 - v5.5)
 10. Phase 4 — Route-Based Intelligence (v5.6 - v5.8)
 11. Phase 5 — Full System Architecture (v5.85 - v5.88)
 12. Phase 6 — Core Completion Track (v5.89.x)
 13. Phase 6 Continued — Capability Expansion (v5.90 - v5.97)
 14. Phase 6 Concluded — Proof + Intelligence Loop (v5.98 - v5.99)
 15. Technology Intelligence Layer
 16. Cognitive Research Foundation
 17. ACS2 Intelligence Loops — The Autonomous Invention Engine
 18. Forward Roadmap — v6.x Real-World Scaling
 19. Forward Roadmap — v7.x Recursive System Transformation
 20. Forward Roadmap — v8.x Autonomous Innovation Engine
 21. Forward Roadmap — v9.x Cross-Domain AGI Integration
 22. Forward Roadmap — v10.x Singularity-Ready Platform
 23. Current System State Summary
 24. Acceptance Criteria & Success Definition
 25. Governing Principles
 26. Appendix A: Validation Evidence Summary
 27. Appendix B: Glossary of Terms
-

1. Executive Summary

Claire — Cognitive Learning Artificial Intelligence Research Engineering — is a recursive trend-discovery, portfolio-construction, breakthrough-escalation, system-transformation, and acquisition-readiness platform. Claire is the core intelligence engine of the **ACS2** (Automated Concept System v2) and **Syntalion** integration platform.

The system's mission is precise and comprehensive: detect signals, form trends, build portfolios, escalate breakthroughs, produce acquisition-ready outputs, and recursively improve itself through lifecycle memory. Claire is not a toolset — it is a lifecycle system built on a canonical **30-stage pipeline** from Signal Ingestion through Final Package Construction.

This Master Build Plan governs Claire's evolution from initial concept (**v1**) through technological singularity readiness (**v10**). It integrates the AI Singularity Technology Timeline to position Claire within the broader arc of human technological progress — from Pascal's mechanical calculator (1642) through the predicted singularity window (2032-2037).

Key Platform Components

Component	Description
ACS2 (Automated Concept System v2)	AI-powered product innovation and deal discovery engine
Claire AI	Cognitive Learning Artificial Intelligence Research Engineering system — the recursive lifecycle engine
Syntalion Integration Platform	Unified interface and orchestration layer connecting all subsystems
Auto Invention Engine	Autonomous invention and development pipeline for design-route breakthroughs
Multi-Engine Orchestrator	Coordinated AI system management across all intelligence loops

2. Versioning Philosophy & Historical Context

Claire's versioning reflects a deliberate progression from conceptual exploration through full operational deployment and ultimately to singularity-ready autonomous operation. Each version range represents a distinct phase of system maturity, with clear boundaries between architectural thinking, implementation work, and capability expansion.

Version Range	Phase Name	Focus
v1 - v3	Idea + Early Structure	Conceptual pipeline design, early structure experiments
v4	Pipeline Expansion	Expanding depth, too many competing paths
v5.0 - v5.5	Lifecycle Convergence	All pipelines unified into single 30-stage lifecycle
v5.6 - v5.8	Route-Based Intelligence	Portfolio, breakthrough, acquisition route separation
v5.85 - v5.88	Full Architecture Defined	End-to-end theoretical system complete
v5.89	Core Completion	Make it run — working desktop app, real outputs
v5.9x	Capability Expansion	Staged capability unlocks across the lifecycle
v5.98 - v5.99	Proof + Intelligence Loop	Evidence, traceability, lifecycle memory
v6.x	Real-World Scaling	Production deployment, multi-tenant, connected sources
v7.x	Recursive System Transformation	Self-improving platform with compounding intelligence
v8.x	Autonomous Innovation Engine	Full ACS2 intelligence loops, autonomous invention

Version Range	Phase Name	Focus
v9.x	Cross-Domain AGI Integration	AGI-capable reasoning, universal problem solving
v10.x	Singularity-Ready Platform	Post-singularity autonomous invention engine

3. Technology Evolution Context — The Singularity Timeline

Claire's development sits within the broader arc of human technological progress. Understanding this context is essential for appreciating the system's long-term trajectory and the convergence of trends that make an autonomous invention engine both possible and necessary.

3.1 Foundation Era (1600s-1940s)

Year	Milestone
1642	Pascal's mechanical calculator — first automated computation device
1673	Leibniz Stepped Reckoner — multiplication and division via machine
1822	Babbage's Difference Engine — programmable mechanical computation
1843	Ada Lovelace's first algorithm — the birth of software
1947	Transistor invention — foundation of modern electronics
1948	Shannon's information theory — mathematical framework for communication

3.2 Computing Foundation Era (1950s-1960s)

Year	Milestone
1950	Turing Test paper — defining machine intelligence
1955	AI term coined by John McCarthy
1956	Dartmouth Conference — the founding event of AI as a field
1958	Perceptron — first trainable neural network
1966	ELIZA chatbot — first natural language processing demonstration
1969	ARPANET — precursor to the Internet

3.3 Microprocessor Revolution Era (1970s-1980s)

Year	Milestone
1971	Intel 4004 — first commercial microprocessor
1975	Microsoft founding — software industry genesis
1976	Apple founding — personal computing revolution
1980s	Expert systems boom — rule-based AI in enterprise
1983	TCP/IP — standardized internetworking protocol

3.4 Personal Computing Era (1990s)

Year	Milestone
1991	World Wide Web — universal information access
1997	Deep Blue defeats Kasparov — machine dominance in structured games
1998	Google founded — organizing the world's information

3.5 Internet & Mobile Era (2000s-2010s)

Year	Milestone
2007	iPhone — mobile computing becomes ubiquitous
2012	AlexNet — deep learning revolution begins

3.6 AI Renaissance Era (2010s-2020s)

Year	Milestone
2017	Transformer architecture paper — "Attention Is All You Need"
2018-2023	GPT series — scaling language models to general-purpose reasoning
2022	ChatGPT launch — AI enters mainstream consciousness
2023	GPT-4 multimodal — vision and language combined at scale

3.7 Singularity Approach Era (2025-2035+)

Year	Milestone
2025	Advanced AI agents — autonomous

Year	Milestone
	task execution and reasoning
2027-2030	Predicted AGI emergence — human-level artificial general intelligence
2032-2037	Technological singularity window — recursive self-improvement explosion
2035+	Post-singularity autonomous invention engines

3.8 Technology Evolution Patterns

Three fundamental technology evolution patterns demonstrate the acceleration curve that Claire is positioned to leverage:

Pattern	Progression	Insight
1	Calculator → Computer → AI	Computation evolves from static to adaptive to autonomous
2	Radio → Mobile Communication	Communication evolves from broadcast to interactive to ubiquitous
3	Television → Satellite → Internet	Information delivery evolves from centralized to distributed to intelligent

CLAIRE'S POSITION

Claire sits at the intersection of the AI Renaissance and Singularity Approach eras, designed as the autonomous invention engine that will operate through and beyond the singularity transition. The system's recursive self-improvement architecture is specifically engineered to leverage the exponential capability gains predicted during the 2032-2037 singularity window.

4. Core System Definition

Claire is defined as a **governed recursive engine** with a canonical architecture flow designed to transform raw signals into actionable, acquisition-ready outputs through a disciplined, route-aware lifecycle.

4.1 Canonical Architecture Flow

The following illustrates the end-to-end system flow from input sources through recursive self-improvement:

Stage	Description
Inputs	External signals, market data, company data, sector data, existing portfolios, prior Claire outputs, existing systems
Processing	Signal Governance → Trend Discovery → Thesis Formation → Portfolio Creation / Optimization
Escalation	Breakthrough Escalation Gate → Breakthrough Classification → Advancement Path Selection → Correct Route
Compounding	Lifecycle Memory → Recursive Self-Ingestion → Stronger Future Runs

4.2 Key Design Principles

- 28. **Trend-discovery-first, not invention-first.** Claire's primary function is detecting and understanding emerging trends before generating any inventive output.
- 29. **Portfolio intelligence is the normal early path.** Most signals will flow through portfolio creation and optimization, not through breakthrough escalation.
- 30. **Breakthrough escalation is a governed branch, not the default.** Only signals that meet breakthrough qualification thresholds proceed to escalation.
- 31. **Breakthroughs are structural, not only technological.** Valid breakthrough classes span sixteen domains:

- Technology, Finance, Market Structure, Portfolio Construction, Portfolio Optimization
- Business Model, Operations, Regulation, Acquisition Strategy, Manufacturing
- Supply Chain, Distribution, Software/Platform, System Architecture
- Recursive Learning, Category Creation

32. **Auto invention and design output are route-dependent** — not the default path for every run.

33. **Lifecycle memory and recursive self-ingestion** are later compounding layers that make each run stronger than the last.

4.3 System Flow Definitions

Flow	Stages
Root System	Signal Governance → Trend Discovery → Thesis Formation → Portfolio Creation / Optimization
Breakthrough System	Qualified trend/gap/discovery → Breakthrough Escalation → Breakthrough Identification & Classification → Advancement Path Selection → Correct Route

5. Canonical 30-Stage Lifecycle

The 30-stage lifecycle is Claire's spine — the single, canonical sequence through which every signal must flow. Every stage must accept structured input, write structured output to the unified run context, and expose status, confidence, evidence, and failure/insufficient-data reasons.

Stage	Name	Description
1	Signal Ingestion	Raw data intake from all configured sources
2	Signal Normalization	Standardize signal format and structure
3	Source Validation & Weighting	Validate source quality and assign trust weights
4	Context Expansion	Enrich signals with market, sector, and entity context
5	Signal Consolidation	Merge and deduplicate normalized signals
6	Entity Extraction	Identify companies, technologies, people, markets
7	Relationship Mapping	Map entity relationships and dependencies
8	Trend Discovery	Detect emerging trends from consolidated signals
9	Cluster Formation	Group related signals and trends into clusters
10	Insight / Thesis Structuring	Form investment/strategic theses from trends
11	Gap Detection	Identify market, technology, or capability gaps
12	Gap Qualification	Score and prioritize detected gaps
13	Discovery Generation	Produce discovery candidates from qualified gaps
14	Breakthrough Identification & Classification	Classify discoveries by breakthrough type across 16 domains
15	Advancement Path Selection	Choose portfolio, acquisition, design, or system route
16	Auto Invention / Solution Generation	Generate solutions for design-route items

Stage	Name	Description
17	Solution Structuring	Structure solutions with specifications and requirements
18	Buildability Assessment	Evaluate engineering and construction feasibility
19	Viability Assessment	Evaluate market and business viability
20	Manufacturability / Deployability Assessment	Evaluate production/deployment readiness
21	Feasibility Validation	Final feasibility gate combining all assessments
22	Design Portal Output / Blueprints / Specs	Produce engineering deliverables
23	Market Positioning	Define competitive positioning and value proposition
24	Moat & Differentiation	Identify defensible competitive advantages
25	Business Model & Value Capture	Design revenue model and value capture strategy
26	Competitor Analysis	Map competitive landscape and threats
27	Portfolio Creation / Optimization	Build or optimize investment portfolio
28	Acquirer Identification	Identify potential acquirers or partners
29	Acquisition Fit & Rationale	Evaluate strategic fit and deal rationale
30	Final Package Construction	Produce acquisition-ready output package

STAGE CONTRACT REQUIREMENT

Every stage must accept structured input, write structured output to the unified run context, and expose: **status** (pending/running/complete/failed/skipped), **confidence** (0.0-1.0), **evidence** (supporting data chain), and **failure/insufficient-data reasons** (structured error reporting).

6. Phase 0 — Idea Formation (Pre-Versioned)

Concept: A recursive intelligence system that detects signals, forms trends, builds portfolios, escalates breakthroughs, and produces acquisition-ready outputs.

Key Realizations

- Existing systems are siloed — analytics, AI, portfolio management, and M&A operate independently with no interconnection.
- No system connects the full chain: signal → action → package.
- Breakthrough is multi-domain, not limited to technological innovation — finance, market structure, operations, and regulation are equally valid breakthrough categories.

Outcome: Claire defined as an Autonomous Strategic Intelligence & Acquisition Construction Platform — a system that would bridge the gap between signal detection and deal-ready output.

7. Phase 1 — Early Architecture (v1.x - v3.x)

Attribute	Detail
Focus	Conceptual pipeline design, early structure experiments, separation of signals/trends/outputs

Attribute	Detail
Characteristics	Non-executable architecture; multiple competing pipeline models; no runtime enforcement
Limitation	Architecture existed in documentation but was not unified or runnable

Versions 1 through 3 established the foundational thinking — that signals should flow through stages, that trends are distinct from individual signals, and that outputs must be structured for downstream consumption. However, these versions existed purely as architectural concepts with no operational implementation.

8. Phase 2 — Pipeline Expansion (v4.x)

Attribute	Detail
Focus	Expanding pipeline depth, adding breakthrough logic, design/invention steps, acquisition thinking
Key Additions	Early multi-path thinking (portfolio vs. invention); initial lifecycle sequencing; early AutoDesign concepts
Limitation	Too many parallel pipelines with no single spine — complexity grew faster than coherence

Version 4 was a period of expansive exploration. The system's ambition grew significantly — breakthrough logic, invention steps, and acquisition thinking were all introduced. However, the lack of a unifying lifecycle spine meant that multiple competing pipeline models coexisted without clear governance or execution order.

9. Phase 3 — Lifecycle Convergence (v5.0 - v5.5)

BREAKTHROUGH MOMENT

All pipelines unified into a single lifecycle. This was the defining architectural shift that transformed Claire from a collection of competing pipeline models into a coherent lifecycle system.

Attribute	Detail
Core Shift	From multiple pipelines → to one 30-stage lifecycle
Defined Flow	Signal → Trend → Thesis → Gap → Discovery → Breakthrough → Advancement → Output
Result	Claire becomes a lifecycle system, not a toolset

The convergence phase resolved the fragmentation of v4 by establishing a single, canonical sequence. Every signal, regardless of its source or type, flows through the same lifecycle. Route-dependent behavior is handled through controlled branching at defined escalation gates, not through separate pipelines.

10. Phase 4 — Route-Based Intelligence (v5.6 - v5.8)

Major innovation: The route-based execution model. Claire must choose the correct path for each signal, not force invention on every input.

Introduced Routes

Route	Behavior
Portfolio Route	Default path — most signals flow through portfolio creation and optimization
Breakthrough Route	Conditional — activated only when breakthrough escalation thresholds are met
Acquisition Route	Strategic — activated for acquisition-ready opportunities

Key Additions

- **Breakthrough classification system** — multi-domain classification across 16 breakthrough types
- **Advancement path selection** — automated routing logic based on classification and confidence scoring
- **Route separation logic** — ensuring each route produces route-appropriate outputs without contaminating other paths

Key principle: Claire must choose the correct path, not force invention. A portfolio-class signal must not be artificially escalated to breakthrough status, and a breakthrough must not be diminished by forcing it through portfolio-only processing.

11. Phase 5 — Full System Architecture (v5.85 - v5.88)

Focus: Completing the full system design by addressing all missing architectural layers.

Components Added

- Signal governance layer — input quality enforcement before lifecycle entry

- Trend discovery prioritization — ranking and ordering detected trends
- Technology intelligence concepts — support for design and system routes
- Lifecycle memory (conceptual) — framework for cross-run learning
- Recursive self-ingestion (conceptual) — architecture for feeding outputs back as inputs
- Acquisition pipeline completion — full acquirer identification and fit analysis
- Design portal definition — standardized engineering deliverable output
- Final package construction — acquisition-ready package assembly

Outcome: Full theoretical system defined end-to-end. Every stage in the 30-stage lifecycle had a defined purpose, input contract, and output contract.

Limitation: Architecture was complete, but not operational. The system existed as documentation and design, not as running software.

12. Phase 6 — Core Completion Track (v5.89.x)

STRATEGIC SHIFT

Stop expanding → start making it run. The new success definition: a working desktop application with full lifecycle execution, real outputs, and no blocking errors. Every run must produce a `core_run_output.json` artifact.

12.1 v5.89.5 — Lifecycle Spine + Unified Context

STATUS: IMPLEMENTED & VALIDATED

- Canonical 30-stage lifecycle registry implemented
- Stage order enforced at runtime — no stage may execute out of sequence

- Shared context across all stages via unified run context object
- Unified lifecycle context with evidence tracking at every stage
- Pipeline exposes: `core_lifecycle`, `core_lifecycle_stages`,
`core_lifecycle_summary`, `core_completion_gate`
- Legacy 21-stage lifecycle fields preserved for backward compatibility

12.2 v5.89.6 — Stage Contracts + Completion Gate

STATUS: IMPLEMENTED & VALIDATED

- Input/output contracts defined and enforced per stage
- Stage validation rules with structured error reporting
- Completion gate enforcement — no run may be declared complete without passing all required stage contracts
- Route-dependent contract rules — design-route stages enforce different contracts than portfolio-route stages
- Contract validator operational with automated verification

12.3 v5.89.7 — Signal Governance Layer

STATUS: IMPLEMENTED & VALIDATED

- Source validation and weighting — every signal source receives a trust weight
- Signal quality enforcement — below-threshold signals are rejected
- Signal deduplication — duplicate and near-duplicate signals are consolidated
- Signal scoring with dual dimensions: quality score + relevance score
- Governance gates activated at lifecycle entry
- Governed signals embedded in lifecycle context evidence chain

VALIDATION PROOF

1 accepted lifecycle-safe signal, quality score **0.789**, relevance **1.0**. Signal governance gates operational and enforcing quality thresholds.

12.4 v5.89.8 — Trend Discovery + Thesis Formation

STATUS: IMPLEMENTED & VALIDATED

- **TrendThesisEngine** synthesizes governed signals into: trend trajectory, market gap, market formation, and opportunity discovery
- Produces `trend_discovery` and `thesis_formation` artifacts
- Stage 8 (Trend Discovery) and Stage 10 (Insight/Thesis Structuring) now have dedicated lifecycle evidence

VALIDATION PROOF

Trend discovery score: **0.7417**. Thesis formation score: **0.7688**. Both stages producing structured artifacts with evidence chains.

12.5 v5.89.9 — Portfolio Creation / Optimization Path

STATUS: IMPLEMENTED & VALIDATED

- **PortfolioOptimizationEngine** reads binder, scores, thesis, trend, opportunity, risk, business model, strategic positioning, and acquirer outputs
- Produces: `portfolio_optimization`, `portfolio_path`, `allocation_hypothesis`, `optimization_actions`
- Stage 27 (Portfolio Creation/Optimization) now has dedicated optimization artifact

VALIDATION PROOF

Portfolio optimization score: **0.8557**. Path: `optimize_for_core_portfolio`. Full optimization artifact produced with allocation hypothesis and actionable optimization recommendations.

12.6 Validation Summary — v5.89.x Builds

All v5.89.x builds have been subjected to a comprehensive validation suite. The following table summarizes test results across the entire core completion track:

Test Category	Scope	Result
Python syntax checks	All backend modules	PASSED
Frontend JS checks	All dashboard modules	PASSED
Baseline runner	25 core scenarios	25/25 PASSED
Regression tests	Cross-version compatibility	20 PASSED
Full pytest suite	Unit + integration	52 PASSED
Live dashboard probes	All dashboard tabs	ALL PASSED
Evaluate smoke test	End-to-end evaluation flow	PASSED
Discover smoke test	End-to-end discovery flow	PASSED
Monitor smoke test	End-to-end monitoring flow	PASSED

13. Phase 6 Continued — Capability Expansion (v5.90 - v5.97)

With the core lifecycle spine validated, the capability expansion track systematically unlocks the remaining stages of the 30-stage lifecycle. Each version targets a specific capability domain with clear objectives, requirements, and deliverables.

13.1 v5.90 — Breakthrough Classification + Routing

Objective: Implement the formal multi-domain breakthrough classification system with automated route selection.

Requirements:

- Classification across all 16 breakthrough domains: technology, finance, market structure, portfolio construction, portfolio optimization, business model, operations, regulation, acquisition strategy, manufacturing, supply chain, distribution, software/platform, system architecture, recursive learning, category creation
- Automated route selection based on classification results
- Breakthrough confidence scoring with calibrated thresholds

Deliverables: Breakthrough classification engine, route selection logic, confidence calibration framework.

13.2 v5.91 — Advancement Path Selection

Objective: Implement explicit routing into all advancement paths with audit trail.

Requirements:

- Explicit routing into: portfolio, acquisition, business model, design, system replacement

- Path selection logic with confidence scoring and threshold enforcement
- Route audit trail — every path selection decision must be traceable

Deliverables: Advancement path selector, routing audit logger, path confidence evaluator.

13.3 v5.92 — Constraint-Based Solution Generation

Objective: Add realism constraints to the AutoDesign engine to produce feasible solutions.

Requirements:

- Material, cost, timeline, and regulatory constraints applied to solution generation
- Feasibility-aware solution generation that rejects impossible designs
- Constraint satisfaction scoring for every generated solution

Deliverables: Constraint engine, feasibility-aware AutoDesign module, constraint satisfaction scorer.

13.4 v5.93 — Buildability / Viability / Manufacturability Validation

Objective: Implement the three assessment gates (Stages 18–20) with multi-dimensional validation.

Requirements:

- Engineering feasibility assessment (Stage 18)
- Market viability scoring (Stage 19)
- Production/deployment readiness evaluation (Stage 20)
- Multi-dimensional validation gates with structured pass/fail/conditional results

Deliverables: Buildability assessor, viability scorer, manufacturability evaluator, composite feasibility gate.

13.5 v5.94 — Design Portal Contracts

Objective: Standardize all design portal outputs with engineering-grade specifications.

Requirements:

- Standardized blueprint output format
- Engineering specification generation with material and process details
- Design-to-build handoff contracts defining all downstream dependencies

Deliverables: Blueprint generator, specification formatter, handoff contract templates.

13.6 v5.95 — Strategy Layer

Objective: Implement the strategy stages (Stages 23–26) for competitive positioning and value capture.

Requirements:

- Market positioning engine defining competitive positioning and value proposition
- Moat and differentiation analysis identifying defensible competitive advantages
- Value capture strategy generation with revenue model design
- Competitive positioning automation with landscape mapping

Deliverables: Market positioning engine, moat analyzer, value capture designer, competitor mapper.

13.7 v5.96 — Acquisition Intelligence

Objective: Complete the acquisition pipeline (Stages 28–29) with intelligent acquirer matching.

Requirements:

- Acquirer mapping and scoring based on strategic fit criteria

- Deal rationale generation with structured justification
- Strategic fit evaluation across financial, operational, and market dimensions
- Acquisition package construction with all required deal components

Deliverables: Acquirer identification engine, deal rationale generator, strategic fit evaluator, acquisition package builder.

13.8 v5.97 — Final Package Construction

Objective: Implement the terminal stage (Stage 30) producing acquisition-ready output packages.

Requirements:

- Full acquisition-ready output packages with all lifecycle evidence
- Multi-format export: portfolio binder, acquisition deck, design package
- Package completeness scoring ensuring all required components are present

Deliverables: Package assembler, multi-format exporter, completeness validator.

14. Phase 6 Concluded — Proof + Intelligence Loop (v5.98 - v5.99)

14.1 v5.98 — Evidence / Traceability / Replay

Objective: Establish full audit trail and evidence provenance for every lifecycle run.

- **Full audit trail** for every run — every decision point is logged with inputs, logic, and outputs
- **Replayable execution paths** — any prior run can be replayed with identical inputs to verify reproducibility
- **Evidence chain** from signal to output — traceability from initial signal ingestion through final package construction

- **Confidence provenance tracking** — every confidence score carries a lineage showing how it was derived

14.2 v5.99 — Lifecycle Memory + Recursive Self-Ingestion

Objective: Enable Claire to learn from its own outputs and compound intelligence across runs.

- **System learns from its own outputs** — successful patterns are reinforced, failed patterns are deprioritized
- **Prior run outputs feed future signal ingestion** — outputs from completed runs become input signals for subsequent runs
- **Compounding intelligence loop** — each run benefits from all prior runs
- **Cross-run pattern recognition** — detecting patterns that only become visible across multiple execution cycles
- **Recursive improvement without human intervention** — the system improves its own performance autonomously

SIGNIFICANCE

v5.99 represents the transition point where Claire evolves from a tool that humans use to a system that improves itself. This recursive self-ingestion capability is the foundation for all subsequent versions through v10.x.

15. Technology Intelligence Layer

STATUS: IMPLEMENTED & VALIDATED (Core Completion Track)

Scope: Minimum viable Claire-native support layer for AutoDesign and Design Portal routes. Activates only when the selected advancement path requires design,

software, system architecture, operational redesign, existing-system replacement, technical construction, or business system redesign.

Technology Catalog

Structured catalog with the following fields per entry:

Field	Description
id, name, category	Unique identifier, technology name, classification category
description, maturity level	Technical description and maturity assessment (emerging/growth/mature/legacy)
license, vendor	Licensing model and vendor information
dependencies, compatibility	Prerequisite technologies and compatibility matrix
languages, platforms	Supported programming languages and deployment platforms
use cases, cost model	Applicable use cases and pricing/cost structure
security features, scalability limits	Security capabilities and scaling boundaries
integration complexity, learning curve	Implementation difficulty and time-to-competency ratings
tags	Flexible tagging for cross-cutting categorization

Search Capabilities

- **Exact search** — precise matching on id, name, or vendor
- **Fuzzy search** — approximate matching for misspellings and variations
- **Keyword/semantic search** — natural language queries across descriptions and use cases
- **Category search** — filtering by technology category
- **Tag search** — cross-cutting queries via tag combinations

- **Compatibility search** — finding technologies compatible with a specified stack

Stack Recommendation

Recommends complete technology stacks across: frontend, backend, database, DevOps, monitoring, and security/API tools. Each recommendation includes estimated cost, development time, and scores for complexity, scalability, security, and maintainability.

Component Matching

Maps design components (ingestion, semantic processing, analysis engines, decision layer, API gateway, monitoring, job state, run history) to compatible technology recommendations.

Route Behavior

Route Type	Technology Intelligence Behavior
Portfolio / Trend / Acquisition	skipped_by_route — technology intelligence is not activated
Design / System / Software / Technology	Full technology intelligence output produced

16. Cognitive Research Foundation

STATUS: IMPLEMENTED & VALIDATED (Core Completion Track)

The Cognitive Research Foundation provides Claire with structured research capabilities that are governed by source quality controls and integrated with the lifecycle evidence chain.

Core Capabilities

- **Source-governed research result contracts** — every research result carries source metadata and quality scores

- **Web-search adapter interface** — adapter-gated architecture ensuring no fabricated results; all research is sourced from real, verifiable endpoints
- **Evidence basket persistence** — research evidence is stored and persisted across the lifecycle
- **Internal run/output search** — searching across prior Claire runs and outputs
- **Technology search** — integrated with the Technology Intelligence Layer
- **Route handoff markers** — research results carry markers indicating which routes they are relevant to

Dashboard Research Tab

- Command search interface with natural language query support
- Source scope selector (web, internal, technology, combined)
- Result cards with source metadata, quality indicators, and relevance scoring
- Evidence basket with add/remove and send-to-pipeline actions

17. ACS2 Intelligence Loops — The Autonomous Invention Engine

The ACS2 Autonomous Invention Engine represents the architecture Claire evolves toward at **v8.x** and beyond. It consists of eight interconnected intelligence loops, supporting systems, and a recursive feedback cycle.

17.1 Eight Intelligence Loops

Loop	Name	Components
1	Discovery Loop	Web search intelligence, code repository mining, API/schema discovery, component database cataloging

Loop	Name	Components
2	Analysis Loop	Pattern recognition, trend prediction, gap analysis, competitive intelligence
3	Synthesis Loop	Generative design, component combination, app stack assembly, multi-permutation testing
4	Validation Loop	Technical feasibility, market validation, prototype development, performance benchmarking
5	Regulatory Intelligence	Compliance mapping, standards analysis, safety assessment, IP landscape
6	Marketing Intelligence	Market segmentation, demand prediction, pricing optimization, channel strategy
7	Execution Loop	Deal creation, supply chain optimization, quality control (QCCP), customer delivery
8	Autonomous Decision Engine	Go/no-go decisions, resource allocation, timeline management, risk management

17.2 Supporting Systems

QCCP Intelligence (Quality Control Continuous Process): Embedded quality assurance that operates continuously across all eight loops, ensuring output quality is maintained and improved at every stage.

Feedback Loop

Input	Process	Output
Success metrics	Learning	Knowledge base update
Failure analysis	Improvement	Algorithm refinement

Input	Process	Output
Market response	Adaptation	Strategy adjustment

Restart Cycle

Upon feedback integration, the system restarts with enhanced capabilities:
Enhanced discovery → Improved analysis → Better design → Refined validation →
Optimized execution → Success. Each cycle produces measurably better outputs
than the previous cycle.

18. Forward Roadmap — v6.x

Real-World Scaling

v6.x represents Claire's transition from desktop-validated system to production-grade, multi-tenant, cloud-deployed platform. This is the first version family where external users and organizations interact with Claire directly.

18.1 v6.0 — Production Infrastructure

- Kubernetes-based deployment architecture with container orchestration
- Multi-region cloud deployment (AWS/Azure/GCP) with failover
- Enterprise security framework: SOC 2 compliance, end-to-end encryption, role-based access controls
- Horizontal scaling and auto-scaling based on demand

18.2 v6.1 — Connected Source Integration

- Live market data feeds with real-time signal ingestion
- Real-time patent and research paper ingestion from global databases
- Social media and news monitoring for signal discovery
- Multi-source API connectors for enterprise data platforms

18.3 v6.2 — Multi-Tenant Platform

- Organization isolation and tenant management with data separation
- Role-based access control at organization, team, and individual levels
- Usage metering and billing with tiered pricing support
- Custom workflow configuration per tenant

18.4 v6.3 — Enterprise Dashboard

- Production-grade web dashboard with enterprise UX standards
- Mobile application support for monitoring and alerts
- Real-time collaboration features for team-based analysis
- Advanced visualization and reporting with export capabilities

18.5 v6.4 — API Platform

- RESTful API gateway with versioned endpoints
- Webhook and event notification system for real-time integrations
- Third-party integration framework with standard connectors
- Developer SDK and comprehensive API documentation

19. Forward Roadmap — v7.x

Recursive System Transformation

v7.x transforms Claire from a tool into a self-improving system that compounds intelligence across runs. This version family activates the recursive capabilities conceptualized in v5.99 and makes them production-grade.

19.1 v7.0 — Recursive Learning Foundation

- Cross-run pattern recognition with statistical significance testing

- Outcome-based model refinement from portfolio and acquisition results
- Strategy adjustment from market feedback and real-world outcomes
- Automated knowledge base expansion from ingested research and signals

19.2 v7.1 — Self-Optimizing Pipeline

- Stage performance analytics measuring throughput, accuracy, and value contribution
- Automatic pipeline tuning — adjusting stage parameters based on outcome data
- Route selection improvement from historical success rates
- Confidence calibration from outcome data — aligning predicted confidence with actual results

19.3 v7.2 — Autonomous Research Capability

- Independent scientific literature analysis without human prompting
- Patent landscape scanning and opportunity detection across all technology domains
- Technology evolution tracking with trajectory prediction
- Cross-domain insight generation connecting discoveries in unrelated fields

19.4 v7.3 — Compounding Intelligence

- Each run makes future runs measurably smarter — quantified improvement metrics
- Cross-domain knowledge transfer enabling insights from one sector to improve another
- Portfolio-level learning across multiple sectors and geographies
- Recursive self-ingestion fully operational at production scale

20. Forward Roadmap — v8.x

Autonomous Innovation Engine

v8.x activates the full ACS2 intelligence loops, making Claire a complete autonomous invention engine capable of end-to-end innovation from market intelligence through deal-ready package construction.

20.1 v8.0 — Full Intelligence Loop Activation

- All 8 intelligence loops operational and interconnected
- Discovery → Analysis → Synthesis → Validation pipeline running autonomously
- Regulatory intelligence integration for compliance-aware innovation
- Marketing intelligence integration for market-aware invention

20.2 v8.1 — Autonomous Concept Generation

- Multi-engine concept creation with creative reasoning capabilities
- Cross-industry innovation — applying patterns from one industry to solve problems in another
- Constraint optimization for manufacturability, cost, and timeline
- 100+ concept generation per domain scan with automated ranking and filtering

20.3 v8.2 — Design Integration System

- Automated design generation from concept specifications
- Engineering analysis automation with simulation integration
- Material selection optimization balancing cost, performance, and availability
- Manufacturing process planning with supply chain awareness

20.4 v8.3 — Execution Automation

- Deal creation automation — from identified opportunity to structured deal proposal
- Supply chain planning with vendor selection and logistics optimization
- Quality Control Continuous Process (QCCP) embedded in all execution stages
- Market deployment planning with channel strategy and go-to-market execution

21. Forward Roadmap — v9.x

Cross-Domain AGI Integration

v9.x positions Claire for AGI-era capabilities, aligned with expert predictions of AGI emergence in the 2027–2030 timeframe. This version family enables human-level reasoning integrated with Claire's lifecycle architecture.

21.1 v9.0 — AGI-Ready Architecture

- Human-level reasoning integration across all lifecycle stages
- Cross-domain expertise spanning all sectors simultaneously
- Advanced causal inference and strategic planning with counterfactual analysis
- Creative problem solving with analogical reasoning across unrelated domains

21.2 v9.1 — Universal Problem Solving

- Ability to address any technical, scientific, or business challenge within the lifecycle framework
- Transfer of solutions across unrelated fields with adaptation logic
- Autonomous hypothesis generation and testing with self-designed experiments

- Self-directed research programs that pursue high-value investigation paths

21.3 v9.2 — Autonomous Organization Support

- Full business strategy generation and execution planning
- Autonomous operations management with real-time optimization
- Human-AI symbiosis framework defining collaboration boundaries
- AI-driven organizational transformation capabilities

22. Forward Roadmap — v10.x Singularity-Ready Platform

v10.x aligns with the expert-consensus singularity window of 2032–2037 and prepares Claire for post-singularity operation as a fully autonomous invention engine.

22.1 v10.0 — Singularity Readiness

- Self-improving AI with recursive capability enhancement — each improvement cycle generates the next
- Exponential improvement in processing speed and insight quality
- Post-human innovation capabilities exceeding any individual human expert
- Molecular-level design and quantum computing integration for next-generation problem solving

22.2 v10.1 — Autonomous Invention at Scale

- Instantaneous innovation and deployment of new technologies
- Biological system integration for biotech and life sciences invention
- Universal problem solving across all domains simultaneously

- Continuous, autonomous invention without human intervention

22.3 v10.2 — Post-Singularity Operations

- Operation through and beyond the technological singularity transition
- Recursive intelligence explosion management with safety controls
- Autonomous strategic positioning in post-singularity economy
- Platform for next-generation autonomous organizations

22.4 Singularity Prediction Data

Prediction	Timeframe	Confidence
Expert consensus base (predictions analyzed)	—	9,800+ predictions
AGI emergence	2027-2030	50% probability
Technological singularity	2030-2035	70% probability
Most likely singularity window	2032-2037	Expert consensus

Key Indicators for Singularity Approach

34. Autonomous research by AI systems — AI independently designing and executing research programs
35. Self-improving AI modifying its own code — recursive capability enhancement without human programming
36. Cross-domain intelligence matching human performance — AGI parity across all intellectual domains
37. Recursive intelligence explosion — improvement cycles accelerating exponentially
38. Economic disruption from widespread automation — fundamental restructuring of labor markets and value creation

23. Current System State Summary

The following represents the authoritative state of the Claire system as of **May 2026**.

23.1 Implementation Status

Component	Status
v5.89.5 — Lifecycle Spine + Unified Context	COMPLETE AND VALIDATED
v5.89.6 — Stage Contracts + Completion Gate	COMPLETE AND VALIDATED
v5.89.7 — Signal Governance Layer	COMPLETE AND VALIDATED
v5.89.8 — Trend Discovery + Thesis Formation	COMPLETE AND VALIDATED
v5.89.9 — Portfolio Creation / Optimization	COMPLETE AND VALIDATED
Technology Intelligence Layer	COMPLETE AND VALIDATED
Cognitive Research Foundation	COMPLETE AND VALIDATED
Dashboard (Multi-Tab)	OPERATIONAL
v5.90+ (Breakthrough Classification)	NOT YET STARTED

Dashboard Tabs (Operational)

Run, Discover, Trend, Portfolio, Breakthrough, Design, Packages, Monitor, System, Research — all tabs are operational and rendering correctly.

23.2 Repository Structure

Domain	Paths
Backend / API	src/claire/api, src/claire/orchestrator,

Domain	Paths
	src/claire/engines, src/claire/domain
Frontend / Dashboard	src/frontend, src/frontend/export_dashboard, src/frontend/discover, src/frontend/monitor
Lifecycle	src/claire/lifecycle (registry, context, status, runner, contracts, validator, gate)
Signals	src/claire/signals (governance, weighting, dedup, scoring)
Technology	src/claire/technology (catalog, search, recommender, matcher, intelligence)
Research	src/claire/research
Portfolio	src/claire/portfolio (optimization_engine)
Tests	tests, tests/regression
Exports	exports/index.json + timestamped folders
Launchers	Multiple START_CLAIRE variants

23.3 Active Preservation Rules

PRESERVATION RULES — DO NOT VIOLATE

The following preservation rules are in effect and must be respected by all development activities:

- **Preserve** current backend launchers — no modifications without explicit approval
- **Preserve** dashboard Evaluate / Discover / Monitor mode behavior — all three modes must continue to function
- **Preserve** existing endpoints — no endpoint removal or signature changes

- **Preserve** legacy 21-stage lifecycle fields until downstream consumers migrate
- **Do not redesign UI** until v6.3 — current dashboard is stable and sufficient
- **Do not build v5.90+** breakthrough escalation until current core is stable and all validation suites pass consistently

24. Acceptance Criteria & Success Definition

Each major version milestone has defined acceptance criteria that must be met before the version is considered complete.

Milestone	Acceptance Criteria
v5.89.x Core Completion	Input → lifecycle → route → terminal state → output → dashboard render. Every run produces <code>core_run_output.json</code> . All 52 pytest cases pass. All smoke tests pass. Dashboard renders all tabs without error.
v5.99 Intelligence Loop	System demonstrates measurable improvement across consecutive runs on the same domain. Quantified improvement metrics show statistically significant gains.
v6.x Production	Multi-tenant deployment serving concurrent users with 99.99% uptime, sub-second response for standard queries. SOC 2 compliance achieved. API platform serving external consumers.
v7.x Recursive	Demonstrated compounding intelligence — later runs outperform earlier runs without manual tuning. Cross-run pattern recognition operational. Confidence calibration accurate within 5% of actual outcomes.
v8.x Autonomous Engine	Full autonomous innovation cycle from

Milestone	Acceptance Criteria
	market intelligence to deal-ready package with minimal human intervention. All 8 intelligence loops operational. 100+ concepts generated per domain scan.
v9.x AGI Integration	Human-level reasoning across all supported domains with cross-domain insight generation. Universal problem solving demonstrated. Self-directed research programs producing novel insights.
v10.x Singularity-Ready	Self-improving recursive intelligence capable of operating through technological singularity transition. Recursive intelligence explosion managed safely. Autonomous invention at scale without human intervention.

25. Governing Principles

The following ten principles govern all development, architecture, and operational decisions for the Claire system. They are listed in priority order.

39. **Core completion before feature expansion.** No new capability may be started until the current version's acceptance criteria are fully met.
40. **Deterministic, contract-driven, legally/IP-clean implementation.** Every stage operates on defined contracts. All code and content is original or properly licensed.
41. **No simulated output or placeholder logic in production systems.** Every output must be real, computed, and evidence-backed. Mock data is prohibited outside test environments.
42. **Perfect mapping between documentation and implementation.** This Master Build Plan must accurately reflect the actual system state at all times.
43. **Bottom-up builds with zero junk files.** Every file in the repository must serve a documented purpose. Orphaned code is removed.

- 44. **Route-aware execution.** Never force invention on a portfolio run. Never diminish a breakthrough by forcing it through portfolio-only processing.
- 45. **Evidence-based decision making at every lifecycle stage.** Confidence scores, evidence chains, and provenance are mandatory — not optional.
- 46. **Backward compatibility during transitions.** Legacy fields and interfaces are preserved until all downstream consumers have migrated.
- 47. **Singularity-aware architecture.** Design for recursive self-improvement from the start. Every architectural decision should consider whether it supports or inhibits future autonomous operation.
- 48. **Every version must be independently valuable and operational.** No version may exist solely as a dependency for a future version. Each must deliver working, useful capability.

Appendix A: Validation Evidence Summary

The following table summarizes all validation proofs from the v5.89.x core completion builds.

Version	Component Validated	Key Score	Result
v5.89.5	Lifecycle Spine + Unified Context	—	PASS — 30-stage registry operational, stage order enforced, unified context active
v5.89.6	Stage Contracts + Completion Gate	—	PASS — Input/output contracts enforced, completion gate operational, route-dependent

Version	Component Validated	Key Score	Result
			rules active
v5.89.7	Signal Governance Layer	Quality: 0.789 Relevance: 1.0	PASS — 1 lifecycle-safe signal accepted, governance gates enforcing thresholds
v5.89.8	Trend Discovery	Score: 0.7417	PASS — Trend discovery artifact produced with lifecycle evidence
v5.89.8	Thesis Formation	Score: 0.7688	PASS — Thesis formation artifact produced with lifecycle evidence
v5.89.9	Portfolio Optimization	Score: 0.8557	PASS — Portfolio optimization artifact produced, path: optimize_for_core_portfolio
v5.89.x	Python Syntax Checks	—	PASS — All backend modules
v5.89.x	Frontend JS Checks	—	PASS — All dashboard modules
v5.89.x	Baseline Runner	25/25	PASS — All core scenarios executed successfully
v5.89.x	Regression Tests	20/20	PASS — Cross-version compatibility verified
v5.89.x	Full Pytest Suite	52/52	PASS — Unit + integration tests
v5.89.x	Live Dashboard	—	PASS — All tabs

Version	Component Validated	Key Score	Result
	Probes		rendering correctly
v5.89.x	Evaluate / Discover / Monitor Smoke Tests	—	PASS — All modes operational

Appendix B: Glossary of Terms

Term	Definition
Claire	Cognitive Learning Artificial Intelligence Research Engineering — the core recursive lifecycle engine of the ACS2/Syntalion platform.
ACS2	Automated Concept System v2 — the AI-powered product innovation and deal discovery engine that encompasses Claire and supporting systems.
Syntalion	The unified integration platform and orchestration layer that connects all ACS2 subsystems.
Lifecycle Stage	One of the 30 canonical stages through which every signal flows, from Signal Ingestion (Stage 1) to Final Package Construction (Stage 30).
Route	An execution path selected by the Advancement Path Selection stage (Stage 15). Routes include portfolio, acquisition, design, business model, and system replacement.
Breakthrough Classification	The process of categorizing a discovery into one of 16 breakthrough domains (technology, finance, market structure, etc.).
Signal Governance	The quality enforcement layer that validates, weights, deduplicates, and scores all incoming signals before lifecycle entry.

Term	Definition
Trend Discovery	Stage 8 of the lifecycle — detection of emerging trends from consolidated, governed signals.
Thesis Formation	Stage 10 of the lifecycle — formation of investment or strategic theses from discovered trends.
Portfolio Optimization	Stage 27 of the lifecycle — creation or optimization of investment portfolios based on trend, thesis, and strategy outputs.
Design Portal	Stage 22 — the output interface for engineering deliverables including blueprints, specifications, and design documents.
AutoDesign	The automated design generation capability activated on design-route breakthroughs (Stage 16).
Technology Intelligence	The Claire-native technology catalog, search, recommendation, and matching system supporting design and system routes.
Cognitive Research	The source-governed research capability providing web search, internal search, and evidence basket management.
QCCP	Quality Control Continuous Process — embedded quality assurance operating continuously across all intelligence loops.
Recursive Self-Ingestion	The mechanism by which Claire's outputs from completed runs are fed back into signal ingestion for future runs, enabling compounding intelligence.
Lifecycle Memory	The cross-run memory system that allows Claire to learn from prior executions and improve over time.
Singularity Window	The predicted timeframe (2032–2037) during which technological singularity — recursive, self-improving AI exceeding human intelligence — is most likely to occur.

Term	Definition
AGI	Artificial General Intelligence — AI systems capable of human-level reasoning across all intellectual domains. Predicted emergence: 2027–2030.

Claire Master System Build Plan — Singularity-Aligned Edition

Version 6.0 (Rewrite) · May 2026 · Master Governing Document

Owner: Craig Morris / SAISS-ACS2-Syntalion

This document is the single authoritative source for all Claire system architecture, implementation, and roadmap decisions.