Tallmark Brand and Marketing Guide

For anyone writing Tallmark marketing: blog posts, emails, social posts, case studies and sales sheets. Updated January 2026. Product facts, prices and lead times are in the Product Catalog and Price Guide; company facts are in the Company and Solutions Overview; customer results are only those in the Customer Case Studies.

> **Positioning in one line.** Tallmark is the local automation partner for Midwest manufacturers: motion, controls, sensing, conveyors, cobots and fluid power from one supplier, backed by applications engineers in every branch and same-day shipping on 28,000 stocked items.

1. Who we write for

Audience	What they care about	What to give them
Plant and operations managers	Output, on-time delivery, labor shortages and overtime, budget	Practical paths to automate repetitive work, realistic timelines, total cost, a clear next step
Maintenance managers and technicians	Uptime, spare parts, fast repair, equipment that is easy to support	Repair and exchange options, stocked spares, wiring and setup tips, troubleshooting checklists
Engineering managers and controls engineers	Specifications, sizing, integration, safety	Accurate specs, sizing guidance, application notes; offer Applications Engineering for sizing and safety questions
Purchasing and buyers	Price, lead time, fewer suppliers, simple ordering	House-brand savings (typically 15-30% below comparable name brands), one order and one invoice, stock availability
OEM machine builders	Standard components, kitting, consistent supply	Standardized bills of materials, kitting and vendor-managed inventory

Region: Indiana, Ohio, Kentucky, Michigan and Illinois. Company size: 50 to 1,000 employees. Strongest industries: food and beverage packaging, automotive tier 2 and 3, plastics and rubber, metal fabrication, consumer products, warehousing and distribution.

2. Voice

Tallmark sounds like a good applications engineer: practical, specific, plain-spoken and helpful. We respect the reader's expertise and never talk down to them.

Do	Don't

Lead with the reader's problem (downtime, labor, quality, lead times)	Open with "In today's fast-paced world" or other filler
Use specifics: part counts, lead times, specs, steps	Use vague hype: "revolutionary", "game-changing", "cutting-edge", "seamless", "unlock", "leverage", "synergy"
Short sentences and short paragraphs; active voice	Long walls of text or stacked jargon
Explain an acronym the first time (PLC, HMI, VFD)	Assume every reader knows every term
One clear call to action	Several competing asks
Position on service, engineering support and total cost	Criticize or name a competitor

3. Messaging pillars and proof points

- **Local engineering.** An applications engineer in every branch (14 in total), at no charge for sizing, selection and application review.
- **One supplier.** Motion, controls, sensing, conveyors, cobots and fluid power on one order and one invoice.
- **Speed.** Same-day shipping on 28,000+ stocked items ordered by 3:00 p.m. Eastern; 97.2% on-time delivery in 2025.
- **Uptime support.** Repair center with 5-day standard turnaround, exchange units for MotionPro motors and drives, preventive maintenance plans and stocking of critical spares.
- **Total cost.** House brands typically 15-30% below comparable name brands, with a 2-year warranty on MotionPro, ControlLine, SenseLine and FlexConvey.

Company facts you may use: founded 1994; headquartered in Indianapolis with branches in Columbus, Louisville and Grand Rapids; 165 employees; about 2,400 active customer accounts.

4. Claims and compliance (always)

- Never promise uptime, throughput, payback, savings amounts or safety outcomes. Say what the product does, not what the customer will gain.
- Customer results come only from the Customer Case Studies and are always followed by: "Results vary by application and are shared as an example, not a guarantee." Case study customers are described by industry and region only, never by company name.
- Prices, discounts and lead times are not published in marketing content unless taken from the current price guide and marked as typical. Do not mention account tiers or customer-specific pricing.
- Cobot content always says that Applications Engineering completes an application review and risk assessment before a cobot is deployed. Safety questions go to Applications Engineering.

- Do not invent statistics, survey data, market sizes, quotes or testimonials. If a statistic is not in our documents, leave it out or ask for a source.
- Use only Tallmark product names and specifications from the catalog.

5. Blog standards

- **Length:** 900-1,400 words for how-to and buyer's-guide posts; 600-900 words for news and quick tips.
- **SEO:** one primary keyword per post, used in the title, the first 100 words, one H2 and the meta description. 3-5 related secondary terms used naturally. No keyword stuffing.
- **Title:** under 60 characters, specific, includes the primary keyword. **Meta description:** 140-155 characters with a reason to click. **URL slug:** short, lowercase, hyphens.
- **Structure:** short intro that names the reader's problem; 4-7 H2 sections; bulleted steps or checklists where useful; a short FAQ (3-4 questions) at the end; one call to action.
- **Internal links:** suggest 2-3 links to product line pages (MotionPro, ControlLine, SenseLine, FlexConvey, CoBot, Fluid power) or services (Applications Engineering, Repair and exchange, Preventive maintenance, Training).
- **Calls to action we use:** "Talk to an applications engineer", "Request a free application review", "Check stock and lead times with the Inside Sales Desk", "Schedule a preventive maintenance visit".

Priority topic clusters

Cluster	Example post ideas
Palletizing and cobots	Is a palletizing cobot right for your line; cobot vs. traditional robot palletizer; what a cobot risk assessment covers
Servo and motion retrofits	Signs your servo system is due for replacement; how to size a servo motor; planning a retrofit during a shutdown
Conveyors and material handling	Choosing belt width and load rating; planning a conveyor layout; reducing part damage at takeaway
Sensing and vision	Photo-eye vs. proximity sensor; when to add a vision sensor for quality checks
Uptime and maintenance	Building a critical spares list; repair vs. replace for drives and motors; what preventive maintenance should include
Supplier consolidation	The hidden cost of buying automation parts from many suppliers; kitting and VMI for OEM builders

6. Email standards

- Subject line under 50 characters; offer 3 options with different angles (benefit, curiosity, practical). Preview text 40-90 characters that adds to the subject.

- Body 120-250 words, one idea, one call-to-action button. Personalize with the first name merge tag when available.
- Footer, unsubscribe link and mailing address are added by the email platform.
- Exclude accounts with a past-due balance from promotional offers; route them to their account manager instead.
- Monthly newsletter: one feature article, one product spotlight, one tip, one event or training note.

7. LinkedIn standards

- Hook in the first line (a problem, a number from our documents or a question). 80-200 words. Line breaks for readability.
- One call to action or link. 3 hashtags at most, for example #Automation #Manufacturing #IndustrialAutomation.
- Post types: tip of the week, product spotlight, case study highlight (with the results disclaimer), behind the scenes at the repair center or panel shop, training and events.
- Cadence: 3 posts per week; blog posts repurposed into 3-5 social posts.

8. Images

- Style: realistic, well-lit modern Midwest manufacturing settings: conveyors, cobots, control panels, sensors, clean factory floors. Navy and amber accents where natural.
- No text inside images, no logos (ours or anyone else's), no recognizable real brands, no identifiable faces in close-up; people shown at a distance wearing proper PPE.
- Sizes: blog header 1536×1024 (landscape); email header 1536×1024 cropped to a banner; LinkedIn 1024×1024 (square).
- Generated images are illustrative; never present them as photos of a real customer site.

9. Brand basics

Element	Value
Colors	Navy #1F3A5F (primary), amber #E8A33D (accent), ink #1D2733 (text), light panel #F3F6FA
Fonts	Montserrat for headings, Arial or Inter for body text
Company name	Tallmark Industrial Supply on first use; Tallmark after that
Product brands	Tallmark MotionPro, Tallmark ControlLine, Tallmark SenseLine, Tallmark FlexConvey, Tallmark CoBot
Boilerplate	Tallmark Industrial Supply is the local automation partner for Midwest manufacturers. From branches in Indianapolis, Columbus, Louisville and Grand Rapids, Tallmark supplies motion control, automation and controls, sensing, conveyors, collaborative robots and fluid power, backed by

	applications engineers in every branch and same-day shipping on 28,000+ stocked items.

Sample marketing material for demonstration. Tallmark Industrial Supply is a fictional company; products, prices, customers and results are illustrative.