

WYNN MACAU

Virtual Asset Programme

Hex Trust - Clarification Request

CONFIDENTIAL - VENDOR CLARIFICATION

Issued to Hex Trust for response in support of Phase 1 go-live

From:	WML Logistics Services Limited / Wynn Macau Casino Operations / HKBO
To:	Hex Trust Limited (Custodian)
Date Issued:	19 May 2026
Source Reference:	Wynn Macau Virtual Assets SOP Advisory Review Memorandum - 1 May 2026
Companion Documents:	(i) Virtual Asset Transactions Platform - SOP & Control Framework (Draft, 9 April 2026); (ii) Proposed SOP Language for Travel Rule & Patron Wallet Screening (19 May 2026)
Number of Questions:	Thirty-six (36), organised by topic
Response Due:	Within five (5) business days of receipt
Wynn Point of Contact:	Melcom Copeland, Senior Strategic Advisor, Compliant Stablecoin Payment Acceptance

PURPOSE OF THIS REQUEST

Wynn Macau is finalising its Virtual Asset Programme Standard Operating Procedures and Control Framework in advance of Phase 1 go-live. In the course of internal advisory review, a number of items have been identified that require input or clarification from Hex Trust as the designated custodian. This document consolidates those items into a single structured questionnaire. Hex Trust is requested to provide written responses in the spaces provided within five (5) business days. Where supporting documentation, demos, or sample reports are available, please reference them in the response and provide them as separate attachments.

Part I - Background and Process Context

1.1 Background

WML Logistics Services Limited ('WML Logistics'), a Cayman Islands subsidiary of Wynn Macau, Limited, will receive USDT and USDC stablecoin deposits from selected resort patrons for the purposes of (i) settling outstanding marker balances at Wynn Resorts Macau ('WRMSA') ('Resort Balance Payments'), and (ii) funding future resort services consumption ('Resort Services Deposits'). Hex Trust is the designated regulated custodian for the platform. Phase 1 acceptance limits are USD 2,000,000 per transaction and USD 25,000,000 in aggregate. No gaming operations are conducted by WML Logistics; no virtual assets are transmitted to WRMSA; and no Macau-based resources will operate the platform.

1.2 Wynn Deposit Flow / Balance Payment Process - Steps 1–3

The clarifications requested in Parts II to XII below are framed in relation to the following three-step process. Many of the questions concern Hex Trust's role in Steps 2 and 3.

Step	Description
Step 1 - Receipt of VA Deposit	WML Logistics receives a virtual asset (USDT or USDC) deposit from a pre-screened, KYC-verified patron. Receipt is conditional on successful completion of (a) wallet screening through the Wynn-contracted Blockchain Analytics Provider, and (b) Travel Rule data collection from the patron's originating VASP. No deposit address is generated absent those clearances.
Step 2 - Recording and Management	The deposit is recorded at the Hex Trust custody platform and reconciled into the WML Logistics internal ledger. The SOP requires explicit identification of: (i) the HT systems that capture the transaction; (ii) the data fields captured at HT and ledger level; (iii) the named person/role within HT responsible for entry and maintenance; and (iv) the frequency and format of reconciliation.
Step 3 - Deposit Receipt Issuance	The deposit receipt is issued to the patron only after the on-chain transaction has reached the agreed confirmation threshold. The SOP must define the confirmation standard before a receipt is issued, and the mechanism by which HT signals confirmation finality to WML Logistics so that the receipt can be released.

RESPONSE INSTRUCTIONS

Please respond to each question by entering Hex Trust's answer in the shaded box beneath the question. Where a response cannot be provided in writing alone (e.g., demonstration of platform behaviour, sample report formats, API specifications), please note this in the response field and attach the supporting material to your reply email. Where a question is not applicable, please

mark 'N/A' and provide a brief explanation. The complete set of responses should be returned to the Wynn Point of Contact identified on the cover page within ten (10) business days.

Part II - Supported Blockchain Networks and Asset Recovery

This section consolidates clarifications relating to the blockchain networks Hex Trust supports for USDT and USDC, and the procedures and liabilities applicable where a deposit is received on an unsupported network.

HT-Q1

New question (Item 5)

Question: Which blockchain networks does Hex Trust support for USDT and USDC transfers under the WML Logistics platform at Phase 1 go-live? Please confirm the specific networks (e.g., Ethereum ERC-20, Tron TRC-20, Solana SPL, BNB Chain BEP-20, Polygon, Arbitrum, Base, or other), and indicate Hex Trust's recommendation for the Phase 1 supported set.

Hex Trust Response:

Hex Trust supports over 30 blockchains and 550+ tokens. The Hex Trust asset support list can be viewed on our website, new assets are added on average every two weeks according to client demand:

<https://help.hextrust.com/knowledge/which-assets-are-currently-supported-on-hex-safe-2>

Within Hex Trust custody, USDT is supported on: Arbitrum, Avalanche, Base, Binance Smart Chain, **Ethereum**, Flare, Injective, Polygon, Solana, and **Tron**.

USDC is supported on: Base, Binance Smart Chain, **Ethereum**, Etherlink, Injective, Polygon, Solana, and **Tron**.

For phase 1, Hex Trust suggests using USDT on Ethereum or Tron, and USDC on Ethereum, as these are the most commonly transacted. Should Wynn have specific client demands for settlement on alternative blockchains, we are able to accommodate, given the broad asset support.

Question: For each network Hex Trust supports, please identify any technical or operational constraints (e.g., minimum block confirmation expectations, fee structures, gas/native token requirements, peak congestion limits, withdrawal cut-off times, if any) of which WML Logistics should be aware.

Hex Trust Response:

Gas Tokens: Each blockchain has its own specific gas tokens; these tokens are required to move stablecoins on their respective chains. For example, to transact with USDT on Ethereum, you will need ETH for gas, or to transact with USDT on Tron, you will need TRX for gas. Hex Trust is able to simplify this and provide Wynn with small amounts of the needed gas tokens to cover daily transactions. Any tokens provided for gas will be invoiced at the end of each month.

Withdrawal Cut-off times: There are no blockchain withdrawal cut-off times. Hex Trust custody operates 24/7 with no manual intervention needed for onchain transactions.

Minimum block confirmations: for EVM chains (E.g. Ethereum, Binance Smart Chain etc), the minimum number of block confirmations before a deposit can be credited is 5. For TRON the minimum number is 4.

Peak Congestion Limits: Chain congestion is a consequence of global blockchain usage. Wynn has the ability to modify the gas used for each transaction. In times of high on-chain congestion, Wynn may choose the “Fast” option when selecting a gas fee. This option is updated dynamically based on the on-chain activity.

Question: What is Hex Trust's procedure and capability for recovering funds sent to a WML Logistics-controlled wallet via an unsupported blockchain network (e.g., USDT sent on Tron TRC-20 to an Ethereum ERC-20 wallet)? Please describe the recovery process, expected timeline, fees, and the success rate Hex Trust has historically observed for each unsupported network. Or, advise whether this transaction will result in total loss of the patron's assets.

Hex Trust Response:

To clarify the technical scenario described, it is not possible to send USDT on the Tron network (TRC-20) to an Ethereum ERC-20 wallet address. These two blockchains use entirely different address formats — Tron addresses begin with "T" in Base58 format, while Ethereum addresses use a "0x" hex prefix. A TRC-20 transaction with an Ethereum address as the destination would be rejected by our platform before it is ever broadcast. The inverse is equally true.

As a result, the specific scenario you've described — a completed, on-chain transaction of this type — is technically not possible.

That said, if a transaction has occurred involving an asset or network that Hex Trust does not currently support, we are able to assess recovery options on a case-by-case basis. Where the asset resides on a

supported chain, we can typically add asset-level support and recover the funds. If the asset resides on an unsupported chain, our team will evaluate the required technical effort and advise accordingly.

HT-Q4

Advisory Memo Q19

Question: What are Hex Trust's contractual liabilities (if any) where funds are sent to a WML Logistics wallet via an unsupported network and cannot be recovered? Please reference the specific contractual provisions in the existing or proposed services agreement.

Hex Trust Response:

The custodian agreement between Wynn and Hex Trust provides no contractual basis for asset recovery on unsupported networks; any recovery assistance Hex Trust offers would be discretionary, on a best-effort basis, and outside the scope of the custody agreement.

Part III - Custody Architecture, Wallet Security, and Incident Response

Documentation of Hex Trust's cold/hot wallet architecture, allocation policy, and incident response for the WML Logistics-custodied assets.

HT-Q5	Advisory Memo Q20
Question: What is Hex Trust's cold wallet / hot wallet allocation policy for assets held on behalf of WML Logistics? Please describe the wallet architecture in detail, including multi-signature configuration, signer composition, geographic distribution of key shares, and the ceremonies governing hot-to-cold and cold-to-hot transfers.	
Hex Trust Response: Hex Trust operates a fully air-gapped cold wallet architecture. There is no hot wallet component; all client assets are held in offline storage. No private keys are held online or on a server at any point. Because the architecture is entirely cold, hot-to-cold and cold-to-hot transfer ceremonies do not apply. Private Keys are generated in FIPS 140-3 Level 3 HSMs using Hierarchical Deterministic key derivation (BIP-44 and SLIP-10). The platform enforces multi-party authorisation at the application and governance layer, with quorum-based approval requirements (for example, 3-of-5) before any transaction can proceed. A Maker-Checker(s) workflow can be applied to all transactions, and a Cross Domain Solution with data diodes and one-way communications governs the air-gapped signing environment. The quorum-based approval workflows can be defined by Wynn, including custody account users and their user roles, directly within the Hex Trust custody platform.	

HT-Q6	Advisory Memo Q20
Question: What percentage of WML Logistics's custodied assets will be held in cold storage versus hot storage at any given time? Please describe any thresholds or rebalancing rules (e.g., maximum hot wallet balance, automatic sweep-to-cold once a threshold is exceeded).	
Hex Trust Response: 100% of client assets custodied on the Hex Safe platform are held in cold storage. As noted above, Hex Trust does not operate hot wallets. Hex Trust wallets operate in an air-gapped environment with no online key exposure. There is no cold-to-hot rebalancing policy and no threshold-based sweep mechanism, as these are not applicable to the architecture. Allocation of assets between segregated cold wallets is determined by the client's specific operational requirements rather than by any internal allocation rule.	

Question: What is Hex Trust's incident response procedure in the event of a hot wallet breach, compromise, or anomalous outflow? Please specify: (i) detection mechanisms; (ii) notification timelines to WML Logistics; (iii) containment steps; (iv) communication protocol with affected patrons; and (v) insurance coverage applicable to such an event (insurer, sub-limits, deductibles).

Hex Trust Response:

Given that Hex Trust does not operate hot wallets, the scenario most relevant to WML Logistics would be an anomalous outflow or platform-level security incident. On that basis:

(i) Detection: CrowdStrike NGAV/EDR is deployed across all servers and workstations for real-time behavioural threat detection. Network-level protection is provided by FortiGate Next-Generation Firewalls and Cloudflare Zero Trust, including a WAF and DNS-layer gateway. Real-time on-chain monitoring is in place, and all privileged access is subject to PAM controls and hardware-based authentication via YubiKey.

(ii) Notification to WML Logistics: Any incident impacting client assets is reported to the client within 24 hours. Critical issues (full system down) have a 1-hour response SLA; high-severity issues have a 4-hour response SLA.

(iii) Containment: The air-gapped architecture and Cross Domain Solution limit the blast radius of any compromise by design.

(iv) Patron communication protocol: Hex Trust would not have a direct line of communication with Wynn Patrons; Hex Trust can communicate directly with Wynn to notify patrons of any downtime/disruption to custody services.

(v) Insurance: AON-arranged, \$25 million aggregate.

Question: Please confirm the insurance coverage Hex Trust maintains on assets custodied for WML Logistics (insurer, policy limit, sub-limits for hot vs cold storage, exclusions). Please provide a current certificate of insurance.

Hex Trust Response:

Insurer: Aon (lead underwriter rated A- by S&P).

Policy limit: \$25 million aggregate species insurance across all wallet types.

Coverage scope per source documents includes: physical loss or damage resulting in key loss, deliberate or dishonest acts by a Designated Custodian, and theft or copying of private keys by anyone physically present on premises.

Our insurance policy was previously shared with Wynn/Clifford Chance.

Part IV - Direct Issuer Relationships and Stablecoin Redemption

Offset payment mechanism), the depeg liquidation policy. Wynn potentially independently evaluating direct Circle Mint and Tether institutional accounts in parallel with these clarifications.

HT-Q9

Advisory Memo Q18

Question: Does Hex Trust have a direct institutional relationship with Circle for USDC redemption (e.g., Circle Mint or equivalent)? If yes, please describe the operational mechanics: how WML Logistics would instruct redemption via Hex Trust, the settlement currency, the banking rails used, and the typical processing time.

Hex Trust Response:

Yes, the HT Markets trading desk has a direct relationship with Circle for USDC redemption. This facility is used as part of the trading desk's daily operations, in conjunction with a network of other liquidity providers, to facilitate client on- and off-ramp demand.

WML Logistics can trade USDC for fiat, or vice-versa, directly with the HT Markets OTC desk via the dedicated OTC trading desk channel, or via email. WML Logistics would not directly interact with Circle.

HT-Q10

Advisory Memo Q18

Question: What are Hex Trust's minimum redemption thresholds, processing times, and fee structure for USDC off-ramp to USD? Please provide a complete fee schedule including any spread, broker fees, banking fees, and minimum/maximum redemption amounts. Please differentiate between 1:1 par redemption (via the issuer) and market-rate redemption (via an exchange or OTC desk).

Hex Trust Response:

WML Logistics would not face the respective stablecoin issuers (Tether, Circle) directly, and instead have access to on/off-ramp with HT Markets.

Fees:

- **USDT/USDC to USD:** 0.50% all-in fee (inclusive of broker fees, banking fees)
- **USD to USDT/USDC:** 0.50% all-in fee (inclusive of broker fees, banking fees)

Minimum Trade Size:

- There is no minimum trade size; the HT Markets trading desk has a minimum fee of 150 USD, meaning any trade below 30,000 USD would be subject to the minimum fee

Maximum Trade Size:

- There is no maximum trade size.

Processing Times:

- For most trade sizes, same business day.

HT-Q11

Derivative of Q18

Question: Does Hex Trust have a direct institutional relationship with Tether for USDT redemption? If yes, please describe the same operational details (mechanics, thresholds, processing time, fees) as for USDC above. If no, what alternative offramp channels does Hex Trust use for USDT redemption, and what are the price-risk implications for WML Logistics?

Hex Trust Response:

Yes, the HT Markets trading desk has a direct relationship with Tether for USDT redemption. This facility is used as part of the trading desk's daily operations, in conjunction with a network of other liquidity providers, to facilitate client on- and off-ramp demand.

WML Logistics can trade USDT for fiat, or vice-versa, directly with the HT Markets OTC desk via the dedicated OTC trading desk channel, or via email. WML Logistics would not directly interact with Tether.

HT-Q12

Derivative of Q18 / Section 2.10

Question: What is Hex Trust's recommended workflow for WML Logistics to execute an emergency liquidation of stablecoin holdings in the event of a depeg below 0.95 USD (per the WML Logistics depeg policy)? Please describe the speed, capacity, and slippage exposure of Hex Trust's execution channel.

Hex Trust Response:

WML Logistics can approach the Hex Trust trading desk via its dedicated OTC trading channel to liquidate stablecoins if a stablecoin depegs below 0.95 USD/stablecoin. The HT Markets trading desk operates 24/7, with traders responding nearly immediately via the trading channel. Converting a stablecoin to fiat, however, requires banks to be in operation, and thus off-ramp trades are subject to banking hours. The HT Markets trading desk can facilitate trades in alternative stablecoins (crypto-to-crypto trades).

Part V - On-Chain Confirmation Standards Before Deposit Receipt Issuance

This section relates to Wynn Deposit Flow. The Phase 1 SOP requires the deposit receipt to be issued to the patron only after on-chain confirmation finality. Hex Trust is the technical authority on what constitutes finality on the supported networks.

HT-Q13

Advisory Memo Q15 / Section 2.6

Question: What is Hex Trust's default standard for the number of on-chain confirmations required before a deposit is considered finalised for credit purposes, on each supported network? Please differentiate by asset (USDT, USDC) and by transaction value tier if applicable. Or, is a confirmation and receipt only issued once assets are evident and arrived in the wallet held at Hex Trust?

Hex Trust Response:

Hex Trust applies a standardized confirmation policy across supported networks before a deposit is considered finalised and credited to a client's account. There is no differentiation by asset type (e.g. USDT vs. USDC) or by transaction value tier — the confirmation threshold is determined solely by the underlying blockchain network.

A deposit receipt and credit confirmation is only issued once the required number of block confirmations has been reached on-chain. Deposits that are visible in the mempool or have fewer confirmations than the required threshold are not credited and no confirmation is issued to the client until finality is achieved.

The confirmation requirements for networks most relevant to Wynn's use case are as follows:

Network	Min. Block Confirmations
Bitcoin	2
Ethereum	5
Solana	5
Tron	4
BNB Smart Chain	5
XRP Ledger	5
Polygon	5
Arbitrum	5
Avalanche	5
Base	5

HT-Q14

New (Step 3 context)

Question: Can Hex Trust support a custom confirmation threshold defined by WML Logistics (for example: 6 confirmations as standard for transactions up to USD 100,000; 12+ confirmations for transactions above USD 100,000)? If supported, how is the threshold configured, and can it be varied per transaction or per patron risk tier?

Hex Trust Response:

Deposit confirmation thresholds are defined at the custodian level and cannot be customised per client or by transaction amount. This reflects Hex Trust's risk management framework, which sets chain-specific thresholds to protect against reorg and double-spend risk. Clients are not required to configure or manage confirmation logic; this is handled operationally by Hex Trust and applied uniformly across all clients on each supported network.

HT-Q15

New (Step 3 context)

Question: At what point post-confirmation does Hex Trust notify WML Logistics that a deposit is finalised, and via what method (real-time API call, webhook, SFTP, email, dashboard update)? Please describe the typical latency between on-chain confirmation and WML Logistics-side notification.

Hex Trust Response:

Upon a deposit reaching the required number of on-chain confirmations, Hex Trust notifies clients via multiple methods depending on their operational preference and integration setup:

- **Webhook:** Event-driven push notifications to a WML Logistics-designated endpoint, triggered automatically upon deposit finalisation. Latency between on-chain confirmation and webhook delivery is typically within seconds.
- **REST API:** WML Logistics may poll deposit and transaction status programmatically via the Hex Safe API, subject to a rate limit of 60 requests per minute.
- **Hex Safe Dashboard:** Deposit status is updated in real time and accessible via the Hex Safe web interface for manual monitoring or reconciliation.
- **Email notifications:** Configurable alerts can be sent to designated contacts upon deposit confirmation.
- **SFTP:** Scheduled batch reporting (e.g. daily transaction files in CSV format) can be delivered to a WML Logistics-managed SFTP server for reconciliation workflows. Transaction reporting can also be directly downloaded from the Hex Safe platform in CSV format.

Hex Trust supports all of the above methods, and the specific configuration — including webhook endpoint registration, API access credentials, reporting cadence, and SFTP setup — is established during client onboarding in coordination with Hex Trust's Client Operations team.

Typical latency between on-chain finalisation and notification is **within seconds** for webhook and dashboard, and **within the agreed reporting cycle** (e.g. end-of-month) for SFTP batch delivery.

HT-Q16

New (Step 3 context)

Question: What is the maximum waiting period Hex Trust has observed under normal Ethereum mainnet conditions for a USDT or USDC transaction to reach 6 confirmations / 12 confirmations? What is Hex Trust's escalation procedure for materially delayed confirmations (e.g., during network congestion, mempool replacement, chain reorganisation)?

Hex Trust Response:

Ethereum's block time is approximately 14 seconds; a usual transaction within the Hex Trust custody platform is detected in under one minute.

If withdrawals are taking an extraordinarily long time (and your transaction was initiated prior to a gas fee spike), clients have the ability to replace the gas fee paid with a higher one by sending a 0 ETH transaction to the sending wallet address with a higher gas fee than the current market rate to reject the transaction so a new one can be submitted with a higher fee. The Hex Trust customer support team and WML's relationship manager can assist with this process.

HT-Q17

Advisory Memo Q15

Question: Has Hex Trust's technical team confirmed the feasibility of integrating the WML Logistics-defined confirmation gate such that no deposit receipt issuance signal is transmitted to WML Logistics until the defined threshold is met?

Hex Trust Response:

Deposits are made available on the custody platform only once the required number of blockchain confirmations is reached and the transaction screening/travel rule steps are completed, where travel rule data collection is required by applicable regulation. Once this and the required number of confirmations is reached, the balances will become available/spendable via the custody platform.

Part VI - Recording, Reconciliation, and Receipt Issuance (Step 2)

This section addresses the recording and management of deposits on the Hex Trust custody platform and the reconciliation interface with the WML Logistics internal ledger. It corresponds to Step 2 of the Wynn Deposit Flow.

HT-Q18	New (Step 2 context)
Question: Which Hex Trust system(s) capture the deposit transaction at the point of receipt? Please describe the platform components involved (custody engine, transaction ledger, customer portal, API gateway), and how the transaction record is created, validated, and made available to WML Logistics.	
Hex Trust Response: The core platform is Hex Safe, built entirely in-house across 90+ microservices with a proprietary key management system. Client-facing access to transaction data is available through the Hex Safe v2 REST API, which supports programmatic management of vaults, transaction status, and balances. Data can be accessed via API polling, webhook-based event triggers, or SFTP for batch processing. All transactions are recorded with full audit trails and transaction logs, which are designed to support reconciliation and regulatory oversight.	

HT-Q19	New (Step 2 context)
Question: What data fields are recorded at the Hex Trust level for each inbound deposit? Please confirm at minimum: transaction hash; originating wallet address; beneficiary wallet address; asset and network; amount (gross and net of any fees); on-chain timestamp; confirmation count; internal processing timestamps; and any other fields that should be captured in the WML Logistics ledger for reconciliation.	
<i>Hex Trust Response:</i> The fields recorded by Hex Trust for each inbound deposit can be found here: https://hexsafe.gitbook.io/hex-safe-v2-rest-api-documentation/hexsafe-api-reference/deposit. These fields are visible via the API. Clients can also view relevant details of their deposits in the transaction dashboard for their custody account.	

HT-Q20	New (Step 2 context)
Question: Who within Hex Trust is operationally responsible for the entry, validation, and maintenance of these transaction records? Please identify the role (not necessarily the named individual) and the segregation-of-duty controls applied.	
<i>Hex Trust Response:</i> The entry, validation, and maintenance of transaction records depend on the transaction type and are governed by strict role assignments for both clients and internal staff. Access to the customer data necessary for these tasks is strictly restricted to the Operations and Custody team and the Customer Support and Management team. Privileged Access Management (PAM): For deep internal system access, Hex Trust uses a PAM platform called Teleport,. Any engineering or DevOps access to production environments requires explicit, logged approval from designated personnel, ensuring oversight over technical maintenance.	

HT-Q21	Advisory Memo Q11
Question: At what frequency does Hex Trust provide reconciliation reports to WML Logistics (daily batch, real-time API stream, on-demand, T+1)? Please describe the format (CSV, JSON, dashboard, signed PDF), the delivery channel, and the typical timing window.	
<i>Hex Trust Response:</i> Reconciliation data is available through three channels; API polling, webhook-based event triggers for real-time or near-real-time updates, and SFTP for legacy or batch processing scenarios. All transactions include full audit trails and reporting outputs designed for reconciliation. Wynn may also download CSVs of transactions from the transactions dashboard page, or may reach out to clients@hextrust.com for customised data. Each month, Wynn will receive an official Hex Trust client	

statement that will detail end-of-month balances, as well as any transactions that took place within the month. Additionally, all records are fully visible onchain, as Hex Trust provides on chain segregated wallets, a Hex Trust client can view their own activity by looking up their wallet addresses in a block explorer.

HT-Q22


Advisory Memo Q11

Question: Can Hex Trust provide a sample reconciliation report and a live or recorded demonstration of the reconciliation interface? Please attach samples to your response or schedule a demonstration with the Wynn Finance team.

Hex Trust Response:

Hex Trust is happy to facilitate a live demonstration of the Hex Trust custody dashboard at Wynn's convenience (a live demonstration has been provided to Simon Tang), and can also provide a Sandbox account for Wynn to test in our testnet environment.

Example of a received transaction within our Sandbox environment:



HT-Q23	New (Step 3 context)
Question: Does Hex Trust provide an automated trigger (API webhook, message-queue event, or equivalent) that WML Logistics can subscribe to in order to gate deposit receipt issuance behind on-chain confirmation finality? Please provide the relevant API specification, expected payload, and delivery guarantees.	
<i>Hex Trust Response:</i> Hex Trust offers an enterprise-grade RESTful API suite, and data synchronisation can be delivered via API polling or webhook-based event triggers. API documentation is available at https://hexsafe.gitbook.io/hex-safe-v2-rest-api-documentation/resources/webhooks	

HT-Q24	New (Step 2 context)
Question: What is Hex Trust's recordkeeping retention policy for transaction records, system logs, and audit trails relating to WML Logistics? Please confirm the retention period meets or exceeds seven (7) years, and describe the procedure for WML Logistics, its auditors, and regulators to access historical records.	
<i>Hex Trust Response:</i> Hex Trust's retention policy is a minimum of five years after the end of the business relationship, subject to longer periods under applicable civil or commercial law. Historical records can be obtained directly within the custody platform in the form of CSV exports, or by reaching out to the Hex Trust support team at clients@hextrust.com	

Part VII - Travel Rule Capabilities and Integration

This section relates to the SOP requiring Travel Rule compliance under FATF Recommendation 16 as implemented in Hong Kong (AMLO) and the Cayman Islands (VASPA/AMLR). WML Logistics is independently evaluating Notabene, Sygna Bridge, and TRP, but requires confirmation of Hex Trust's native capabilities and the integration options available.

HT-Q25

Advisory Memo Q21

Question: Does Hex Trust's compliance tooling include Travel Rule messaging capability? If yes, please describe (i) the protocol(s) supported (IVMS 101 compliance, TRP/TRUST/VerifyVASP); (ii) the counterparty VASP network coverage available to WML Logistics through Hex Trust's platform; and (iii) the data fields supported. If no, please confirm that WML Logistics is expected to procure a separate Travel Rule Messaging Solution.

Hex Trust Response:

Hex Trust's platform includes Travel Rule messaging capability. Our Travel Rule function is powered by Sumsb, integrated via API. All protocols transmit data fields compliant with IVMS 101. Sumsb maintains a global VASP directory. Connectivity for any given transaction depends on whether the counterparty VASP participates in Sumsb's network or supports one of the four protocols above (GTR, TRP, CODE, Sygna Bridge). Where a counterparty VASP is unreachable via all supported protocols, Sumsb falls back to email notification. The platform specifically supports and requires the name and the address for both the originator and the beneficiary for every virtual asset transfer.

The integrated system automatically enforces these rules by temporarily holding incoming assets until the required originator information is provided and by mandating that users input beneficiary information before any outgoing transaction can be broadcast to the blockchain.

Important Note: WML Logistics is contracting with the Hex Trust Limited custodian, which is based in Hong Kong. Currently, the travel rule is not enforced by this custodian entity; therefore, the built-in travel rule capabilities are not applicable. Hex Trust will, however, collect KYC information from Wynn's patrons and conduct compliance/sanction screening checks.

Question: If WML Logistics procures a third-party Travel Rule Messaging Solution (e.g., Notabene, Sygna Bridge, TRP), can Hex Trust integrate with that solution at the platform level - i.e., automatically suspend a deposit pending Travel Rule data receipt and release upon completion? Please provide API documentation or describe the integration model.

Hex Trust Response:

Under Hex Trust Limited — the Hong Kong entity under which WML Logistics is contracting — Travel Rule is not currently a regulatory requirement and is therefore not enforced at the platform level. However, given that Wynn will be conducting KYC on all their end clients/patrons, travel rule-related information is already being captured by Wynn, this information would also be shared with Hex Trust so that we can run our sanctions screening/compliance checks on the end patrons.

If WML Logistics procures its own Travel Rule messaging solution, the Hex Safe API can be used to retrieve inbound transaction data (e.g. transaction hash, originating wallet address, asset type, amount, and confirmation status) which can then be fed into that solution to initiate and manage the Travel Rule exchange on WML Logistics's side.

However, it is important to note that the Hex Trust platform does not support hard-freezing a deposit pending Travel Rule completion. Once a deposit reaches the required on-chain confirmation threshold, it will be available on the platform regardless of TR data status. Any workflow that gates downstream processing on TR completion would need to be enforced within WML Logistics's own systems and operational controls, not at the Hex Trust platform layer.

API documentation is available at: <https://hexsafe.gitbook.io/hex-safe-v2-rest-api-documentation>

Part VIII - Wallet Screening and Compliance Tooling Integration

This section relates to WML Logistics intent to procure a Blockchain Analytics Provider (Chainalysis, TRM Labs, Merkle Science, SumSub, or Elliptic) directly. Hex Trust's native compliance tooling will function as a secondary control. The questions below clarify how the two layers interoperate.

HT-Q27

New (Section 2.3 context)

Question: What wallet screening capabilities are native to the Hex Trust platform? Please describe the screening provider used by Hex Trust, the sanctions lists covered (OFAC, UN, EU, HMT, HK autonomous), the illicit-exposure scoring methodology, and whether screening is point-in-time or continuous.

Hex Trust Response:

Hex Trust operates a multi-layered compliance screening framework covering both on-chain transaction monitoring and entity-level screening. All inbound and outbound transactions are screened in real time against a comprehensive set of risk indicators, including exposure to sanctioned entities and other illicit typologies. Screening is continuous rather than point-in-time, and covers all major international sanctions lists. Alerts are triaged by the Compliance team with auto-block and manual-review triggers applied based on risk level. Exact screening methodologies and tooling cannot be disclosed for internal compliance reasons.

HT-Q28

New (Section 2.3 context)

Question: If WML Logistics procures a third-party Blockchain Analytics Provider (Chainalysis, TRM Labs, Merkle Science, SumSub, or Elliptic) and uses it as the primary screening tool, can Hex Trust integrate with that provider - such that screening outcomes flow into the Hex Trust platform and gate the creation or release of wallet addresses? Please describe the supported integration model.

Hex Trust Response:

Hex Trust performs its own transaction screening on all inbound and outbound transactions, which includes screening with 3rd party providers and will automatically block or flag transactions based on the results of that screening.

If WML Logistics wishes to perform additional screening independently, this can be done via the Hex Safe API. For inbound deposits, WML Logistics can retrieve transaction data (e.g. transaction hash, originating wallet address, asset, amount) and feed that into their chosen blockchain analytics provider. For outbound withdrawals, WML Logistics can screen the destination address independently before initiating the transfer. Please note this is not an out-of-the-box solution — any integration would require development work on WML Logistics's side. API documentation is available at:

<https://hexsafe.gitbook.io/hex-safe-v2-rest-api-documentation>

Part IX - Stablecoin Issuer Freeze and Blacklist Scenarios

This section relates to the issuer-freeze risk. Both Circle and Tether retain the contractual right to freeze, blacklist, or seize tokens at the issuer level.

HT-Q29	Advisory Memo Q12
Question: What is Hex Trust's notification procedure if Tether or Circle freezes or blacklists a wallet address holding WML Logistics-controlled assets, or freezes the tokens themselves while in WML Logistics's custody? Please describe the detection mechanism, notification timeline to WML Logistics, and any contractual obligations Hex Trust has accepted in respect of such events.	
<i>Hex Trust Response:</i> If Tether/Circle freezes stablecoin assets on chain, Hex Trust is not automatically notified by the respective issuer as this form of asset freezing is done at a smart contract/chain level. This sort of halt/freeze is out of Hex Trust's control. However, we will endeavour to notify the client as soon as commercially, legally and reasonably possible should such an event occur, taking into account Tether/Circle as well as Hex Trust compliance investigations. If Hex Trust compliance detects a high-risk transaction being deposited/withdrawn from the platform, the funds are locked at the platform (custody) level, not at the smart contract/blockchain level. For such freezes/locks carried out by Hex Trust, Hex Trust cannot be constrained by a fixed notification timeline or release until each Compliance team has satisfactorily concluded the investigation.	

HT-Q30	Derivative of Q12
Question: Where Hex Trust is informed that a counterparty wallet from which a deposit has been received is subsequently blacklisted by Tether or Circle, what is Hex Trust's procedure with respect to the affected deposit? Are the affected tokens segregated, returned, or held pending issuer guidance?	
<i>Hex Trust Response:</i> We will endeavour to notify the client as soon as commercially, legally and reasonably possible should such an event occur, taking into account Tether/Circle as well as Hex Trust compliance investigations and the prohibition on tipping-off the client. When high-risk deposits are detected by Hex Trust's automated systems/compliance monitoring, Hex Trust freezes the relevant deposit, removing it from the client's available spendable balance. Such assets are frozen pending the Hex Trust compliance team's investigation.	

Part X - Access Controls, System Integration, and Geographic Restrictions

This section prohibits Macau-based resources from accessing the platform. The prohibition must be enforced at the technical layer, not merely the policy layer.

HT-Q31

Advisory Memo Q16

Question: Has Hex Trust confirmed technical operability of the access control framework - Okta SSO integration, role-based permissions, address masking for the Cayman/Hong Kong platform? Please confirm. If any HT-specific integration dependencies remain unresolved, please list them with target resolution dates.

Hex Trust Response:

Hex Trust supports a granular role-based access control framework natively within the Hex Safe platform. Email-based logins are protected by two-factor authentication, and each action performed on the platform requires confirmation via the Hex Safe mobile app. Additionally, passkey authentication can be configured as an alternative login method, providing hardware-backed, phishing-resistant access. Client-side SSO solutions such as Okta are not supported at the Hex Trust platform level.

Hex Safe operates with five distinct user roles: Admin, Admin Approver, Initiator, Approver, and Auditor. Each role carries strictly defined permissions — for example, an Initiator can submit a transaction but cannot approve it, and an Approver can approve transactions but cannot initiate them. This enforces segregation of duties by design. Each user can hold one or multiple roles.

Roles and transaction policies are configurable at the individual vault level, giving WML Logistics full control over who can access, initiate, or approve activity on any given wallet or sub-wallet. As a practical example: an employee designated as an Initiator on Vault A can submit withdrawal requests from that vault, but those requests would still require approval from a defined quorum of Approvers (e.g. 3 out of 5) before the transaction is broadcast. That same employee can be given no role on Vault B whatsoever — in which case Vault B is entirely invisible to them on the platform.

Full details on user roles are available here:

<https://help.hextrust.com/knowledge/user-roles-in-hex-safe-v2>

Question: Can Hex Trust enforce network-level access restrictions at the platform level - specifically, an IP allowlist that excludes Macau-based IPs and an Okta location policy that blocks Macau-based device sessions - to give effect to the prohibition on Macau resources operating the platform? Please describe the controls available and any limitations.

Hex Trust Response:

Hex Trust does not have client-side restrictions on accessing its custody platform; these restrictions would need to be enabled on employee devices/networks on Wynn's side. In the Hex Trust custody platform, user entitlement would be handled by Wynn, hence Wynn would be able to only provision Hex Trust accounts to non-Macau staff at its discretion.

Question: Can Hex Trust provide a system-generated address notification feature that delivers the wallet address to the patron via a Hex Trust-controlled channel, bypassing Wynn administrator visibility? If yes, please confirm the target delivery date and the compensating controls Hex Trust recommends for the interim period.

Hex Trust Response:

A system-generated wallet address notification can be configured using the Hex Trust custody API. Wynn's systems could query the custody API to retrieve a deposit address and then share it via a channel/method of Wynn's choosing. The Hex Trust API is readily available to integrate into Wynn's end systems. Prior to this sort of integration from Wynn, a designated Wynn administrator can obtain the wallet address via the Hex Trust custody dashboard and share the address with the end patron by their chosen means of communication.

Part XI - Regulatory Status, Licences, and Attestations

Wynn requires current evidence of Hex Trust's regulatory standing and third-party assurance to support board approval, regulator engagement, and external audit of the WML Logistics Virtual Asset Programme.

HT-Q34	New (regulatory)
Question: Please confirm Hex Trust's current licences and registrations in Hong Kong (Trust or Company Service Provider, SFC where applicable), Singapore (MAS), and Dubai (VARA) that are relevant to the WML Logistics platform. Please provide current copies of each licence certificate and confirm the renewal date.	
Hex Trust Response:	
Hong Kong: Hex Trust Limited holds a Trust and Company Service Provider licence under the Companies Registry, which serves as the primary regulatory basis for custody operations in Hong Kong. A pre-application for the SFC Virtual Asset Custodial Services Licence has been submitted and is in progress.	
Singapore: Hex Technologies Pte. Ltd. holds a Major Payment Institution licence granted by the Monetary Authority of Singapore: https://eservices.mas.gov.sg/fid/institution/detail/426705-HEX-TECHNOLOGIES-PTE-LTD	
Dubai: Hex Trust holds a Virtual Asset Service Provider (VASP) License granted by the Dubai Virtual Assets Regulatory Authority (VARA) through its Dubai-based entity, Hex Trust MENA FZE. Under this VARA license, Hex Trust is authorised to provide the following specific services:	
● Custody Services ● Broker-Dealer Services ● Management and Investment Services	
https://www.vara.ae/en/licenses-and-register/public-register/hex-trust-mena-fze/	
https://www.vara.ae/en/licenses-and-register/public-register/ht-markets-mena-fze/	

HT-Q35	New (regulatory)
Question: What is Hex Trust's regulatory status with respect to Cayman Islands operations (CIMA)? Is Hex Trust registered, exempt, or relying on a cross-border passporting arrangement to service a Cayman entity such as WML Logistics? Please provide written confirmation suitable for delivery to Cayman counsel.	
Hex Trust Response:	
Hex Trust is not incorporated in the Cayman Islands and does not hold a separate CIMA license. However, Hex Trust currently services 70+ institutional clients domiciled in the Cayman Islands, including a substantial number of CIMA-licensed investment funds, private equity vehicles, and family offices. These relationships operate on a cross-border basis, with Hex Trust providing custody and treasury services from	

our licensed jurisdictions (Hong Kong TCSP, Singapore MAS, Dubai VARA) to Cayman-domiciled entities on a client-initiated basis.

HT-Q36

New (assurance)

Question: Please provide Hex Trust's current SOC 1, SOC 2 Type II, ISO 27001, or equivalent third-party attestations, together with the date of last audit and the name of the auditing firm.

Hex Trust Response:

All Hex Trust security and audit certificates can be requested at trust.hextrust.com. Please kindly request access to the required documentation, and Hex Trust will approve the request upon receipt.

Part XII - Question Index

Question ID	Topic	Source
HT-Q1	Supported networks (USDT/USDC) at Phase 1	<i>Item 5 (new)</i>
HT-Q2	Network-specific technical/operational constraints	<i>Derivative</i>
HT-Q3	Recovery of funds on unsupported network	<i>Q19</i>
HT-Q4	Contractual liabilities - unsupported network	<i>Q19</i>
HT-Q5	Cold/hot wallet architecture	<i>Q20</i>
HT-Q6	Cold storage percentage / rebalancing rules	<i>Q20</i>
HT-Q7	Hot wallet breach incident response	<i>Q20</i>
HT-Q8	Insurance coverage / certificate	<i>Derivative</i>
HT-Q9	Direct relationship with Circle (USDC)	<i>Q18</i>
HT-Q10	USDC redemption thresholds / fees / processing time	<i>Q18</i>
HT-Q11	Direct relationship with Tether (USDT)	<i>Q18 (deriv.)</i>
HT-Q12	Emergency depeg liquidation workflow	<i>§2.10</i>
HT-Q13	Default confirmation count standard	<i>Q15 / §2.6</i>
HT-Q14	Custom confirmation thresholds by tier	<i>Step 3</i>
HT-Q15	Notification mechanism & latency post-confirmation	<i>Step 3</i>
HT-Q16	Confirmation delay handling / escalation	<i>Step 3</i>
HT-Q17	Technical feasibility of receipt-issuance gate	<i>Q15</i>
HT-Q18	Systems capturing the deposit transaction	<i>Step 2</i>
HT-Q19	Transaction data fields recorded at HT level	<i>Step 2</i>
HT-Q20	Operational ownership of the record at HT	<i>Step 2</i>
HT-Q21	Reconciliation report frequency / format / channel	<i>Q11</i>
HT-Q22	Sample reconciliation report / demonstration	<i>Q11</i>
HT-Q23	Automated trigger for deposit-receipt gating	<i>Step 3</i>
HT-Q24	Record retention period & access procedure	<i>Step 2</i>
HT-Q25	Native Travel Rule messaging capability	<i>Q21</i>
HT-Q26	Integration with third-party Travel Rule solution	<i>Q21</i>
HT-Q27	Native wallet screening capabilities	<i>§2.3</i>

HT-Q28	Integration with third-party Blockchain Analytics	\$2.3
HT-Q29	Issuer freeze / blacklist notification procedure	Q12
HT-Q30	Procedure for tokens received from blacklisted wallet	Q12 (deriv.)
HT-Q31	Okta SSO + RBAC + address masking - technical readiness	Q16
HT-Q32	Macau-IP exclusion / Okta location policy enforcement	Q17
HT-Q33	System-generated address delivery (replace copy/paste)	Q14
HT-Q34	HK / SG / Dubai licences and renewal dates	New
HT-Q35	Cayman Islands regulatory standing	New
HT-Q36	SOC 2 / ISO 27001 / equivalent attestations	New

- END OF CLARIFICATION REQUEST -

Issued by Wynn Macau for Hex Trust response. Confidential - Vendor Clarification. Not for further distribution.