Dose Building Using Example Vanderbilt EHR Data

Introduction

We have provided the medExtractR output and gold standards for the tacrolimus and lamotrigine test sets used to develop the dose building algorithm detailed in this paper. This data comes from Vanderbilt's EHR system. In this vignette, we show how to access this data, how to implement the algorithm, and how to compare the algorithm output to the gold standard using the tacrolimus data. More details of the functions used in the algorithm can be found in our EHR vignette for Extract-Med and Pro-Med-NLP.

medExtractR Output

Several rows of the medExtractR output for tacrolimus are shown below.

```
tac_mxr_fn <- system.file("examples", "tac_mxr_out.csv", package = "EHR")
tac_mxr <- read.csv(tac_mxr_fn, na = '')
tac_mxr[c(135:139,163:167,283:289,343:346),]
```

```
##                           filename    entity              expr     pos
## 135 X240866534_2010-01-28_4070129  DrugName        Tacrolimus 839:849
## 136 X240866534_2010-01-28_4070129  DrugName           Prograf 851:858
## 137 X240866534_2010-01-28_4070129  Strength              1 mg 860:864
## 138 X240866534_2010-01-28_4070129   DoseAmt                 4 874:875
## 139 X240866534_2010-01-28_4070129 Frequency every twelve hours 888:906
## 163 X240866534_2010-01-28_9659069  DrugName        Tacrolimus 150:160
## 164 X240866534_2010-01-28_9659069  DrugName           Prograf 162:169
## 165 X240866534_2010-01-28_9659069  Strength              1 mg 171:175
## 166 X240866534_2010-01-28_9659069   DoseAmt                 4 185:186
## 167 X240866534_2010-01-28_9659069 Frequency every twelve hours 199:217
## 283 X410930205_2006-06-20_3473651  DrugName           Prograf 870:877
## 284 X410930205_2006-06-20_3473651      Dose               3mg 878:881
## 285 X410930205_2006-06-20_3473651 Frequency               BID 882:885
## 286 X410930205_2006-06-20_3473651  DrugName           prograf 943:950
## 287 X410930205_2006-06-20_3473651  Strength               1mg 951:954
## 288 X410930205_2006-06-20_3473651   DoseAmt                 3 955:956
## 289 X410930205_2006-06-20_3473651 Frequency               bid 961:964
## 343 X410930205_2006-06-20_2809083  DrugName           prograf 560:567
## 344 X410930205_2006-06-20_2809083  Strength               1mg 568:571
## 345 X410930205_2006-06-20_2809083   DoseAmt                 3 572:573
## 346 X410930205_2006-06-20_2809083 Frequency               bid 578:581
```

Part I

The first step of Part I of our algorithm is parsing the raw NLP output. This results in a standardized form of the data that includes a row for each drug mention and columns for all entities anchored to that drug mention. Here, we use the `parseMedExtractR` function since we are using medExtractR output as an example.

```
tac_mxr_parsed <- parseMedExtractR(tac_mxr_fn)
```

Below are the rows of the parsed output corresponding to the raw NLP output from above.

```
##                        filename           drugname        strength
## 1 X240866534_2010-01-28_4070129 Tacrolimus::839::849
## 2 X240866534_2010-01-28_4070129    Prograf::851::858 1 mg::860::864
## 3 X240866534_2010-01-28_9659069 Tacrolimus::150::160
## 4 X240866534_2010-01-28_9659069    Prograf::162::169 1 mg::171::175
## 5 X410930205_2006-06-20_3473651    Prograf::870::877
## 6 X410930205_2006-06-20_3473651    prograf::943::950  1mg::951::954
## 7 X410930205_2006-06-20_2809083    prograf::560::567  1mg::568::571
##
##            dose route                            freq        dosestr
## 1
## 2 4::874::875        every twelve hours::888::906
## 3
## 4 4::185::186        every twelve hours::199::217
## 5                                     BID::882::885 3mg::878::881
## 6 3::955::956                          bid::961::964
## 7 3::572::573                          bid::578::581
##
##       dosechange lastdose
## 1
## 2
## 3
## 4
## 5
## 6
## 7
```

Next, the parsed entities are paired using the `buildDose` function. This results in a dataset with a column for each entity and a row for each pairing.

```
tac_mxr_part1_out <- buildDose(tac_mxr_parsed)
```

The output is shown below.

```
##                        filename   drugname strength dose route
## 51  X240866534_2010-01-28_4070129 Tacrolimus     <NA> <NA>  <NA>
## 52  X240866534_2010-01-28_4070129    Prograf     1 mg    4  <NA>
## 55  X240866534_2010-01-28_9659069 Tacrolimus     <NA> <NA>  <NA>
## 56  X240866534_2010-01-28_9659069    Prograf     1 mg    4  <NA>
## 104 X410930205_2006-06-20_2809083    prograf     1mg    3  <NA>
## 105 X410930205_2006-06-20_3473651    Prograf     <NA> <NA>  <NA>
## 106 X410930205_2006-06-20_3473651    prograf     1mg    3  <NA>
##                   freq dosestr dosechange lastdose drugname_start
## 51                <NA>    <NA>       <NA>     <NA>            839
## 52  every twelve hours    <NA>       <NA>     <NA>            851
## 55                <NA>    <NA>       <NA>     <NA>            150
## 56  every twelve hours    <NA>       <NA>     <NA>            162
## 104               bid    <NA>       <NA>     <NA>            560
## 105               BID    3mg        <NA>     <NA>            870
## 106               bid    <NA>       <NA>     <NA>            943
```

Comparing to Gold Standard

We have provided the gold standard that we generated for part 1. Several rows are shown below.

```r
tac_gs_part1 <- read.csv(system.file("examples", "tac_gs_part1.csv", package = "EHR"),
                         stringsAsFactors = FALSE, na = '')
```

```
##                             filename   drugname drugname_start strength dose route
## 51  X240866534_2010-01-28_4070129 Tacrolimus            839     <NA> <NA>    NA
## 52  X240866534_2010-01-28_4070129    Prograf            851     1 mg    4    NA
## 53  X240866534_2010-01-28_9659069 Tacrolimus            150     <NA> <NA>    NA
## 54  X240866534_2010-01-28_9659069    Prograf            162     1 mg    4    NA
## 104 X410930205_2006-06-20_3473651    Prograf            870     <NA> <NA>    NA
## 105 X410930205_2006-06-20_3473651    prograf            943     1mg     3    NA
## 107 X410930205_2006-06-20_2809083    prograf            560     1mg     3    NA
##                      freq dosestr dosechange
## 51                   <NA>    <NA>       <NA>
## 52   every twelve hours    <NA>       <NA>
## 53                   <NA>    <NA>       <NA>
## 54   every twelve hours    <NA>       <NA>
## 104                   BID     3mg       <NA>
## 105                   bid    <NA>       <NA>
## 107                   bid    <NA>       <NA>
```

The following code compares the gold standard to the Part I output and provides the recall and precision measures.

```r
precall <- function(dat, gs) {
  tp1 <- sum(dat %in% gs)
  fp1 <- sum(!(dat %in% gs))
  fn1 <- sum(!(gs %in% dat))
  r1 <- c(tp1, tp1 + fn1)
  p1 <- c(tp1, tp1 + fp1)
  r <- rbind(r1,p1)
  dimnames(r) <- list(c('recall','prec'), c('num','den'))
  cbind(r, prop = round(r[,1] / r[,2], 2))
}

colsToCompare <- c('filename','drugname','strength','dose','route','freq',
  'dosestr','dosechange','drugname_start')
tac_mxr_part1_out <- tac_mxr_part1_out[,colsToCompare]
tac_gs_part1 <- tac_gs_part1[,colsToCompare]

tacxrrow <- do.call(paste, c(tac_mxr_part1_out, sep = '|'))
gs.tacxrrow <- do.call(paste, c(tac_gs_part1, sep = '|'))

precall(tacxrrow, gs.tacxrrow)
```

```
##        num den prop
## recall 285 285    1
## prec   285 285    1
```

Part II

In part II of the algorithm, the final datasets are formed containing dose intake and daily dose, and redundancies are removed at the note and date level for each patient.

This part of the algorithm requires more detailed meta data associated with each clinical note file. This is shown below using our example tacrolimus data.

```
bmd <- function(x) {
  fns <- strsplit(x, '_')
  pid <- sapply(fns, `[`, 1)
  date <- as.Date(sapply(fns, `[`, 2), format = '%Y-%m-%d')
  note <- sapply(fns, `[`, 3)
  data.frame(filename = x, pid, date, note, stringsAsFactors = FALSE)
}
tac_metadata <- bmd(tac_mxr_part1_out[['filename']])
```

```
##                           filename        pid       date    note
## 51  X240866534_2010-01-28_4070129 X240866534 2010-01-28 4070129
## 55  X240866534_2010-01-28_9659069 X240866534 2010-01-28 9659069
## 104 X410930205_2006-06-20_2809083 X410930205 2006-06-20 2809083
## 105 X410930205_2006-06-20_3473651 X410930205 2006-06-20 3473651
```

Below, a few rows of the note level and date level collapsing are shown for our example tacrolimus data.

```
tac_part2 <- collapseDose(tac_mxr_part1_out, tac_metadata, naFreq='most')
```

Note level:

```
##                            filename drugname strength dose  route freq dosestr
## 40 X240866534_2010-01-28_4070129  Prograf       1 mg    4 orally  bid    <NA>
## 42 X240866534_2010-01-28_9659069  Prograf       1 mg    4 orally  bid    <NA>
## 68 X410930205_2006-06-20_2809083  prograf        1mg    3 orally  bid    <NA>
## 69 X410930205_2006-06-20_3473651  Prograf      <NA> <NA> orally  bid     3mg
##
##        dosechange drugname_start dosestr.num strength.num doseamt.num
##     40       <NA>            851          NA            1           4
##     42       <NA>            162          NA            1           4
##     68       <NA>            560          NA            1           3
##     69       <NA>            870           3           NA          NA
##
##        freq.num dose.intake intaketime dose.seq dose.daily
##     40        2           4       <NA>       NA          8
##     42        2           4       <NA>       NA          8
##     68        2           3       <NA>       NA          6
##     69        2           3       <NA>       NA          6
```

Date level:

```
##                            filename drugname strength dose  route freq dosestr
## 29 X240866534_2010-01-28_4070129  Prograf       1 mg    4 orally  bid    <NA>
## 42 X410930205_2006-06-20_2809083  prograf        1mg    3 orally  bid    <NA>
##
##        dosechange drugname_start dosestr.num strength.num doseamt.num
##     29       <NA>            851          NA            1           4
##     42       <NA>            560          NA            1           3
##
##        freq.num dose.intake intaketime dose.seq dose.daily
```

4

```
##     29      2          4      <NA>       NA        8
##     42      2          3      <NA>       NA        6
```

Comparing to Gold Standard

We have provided the gold standards that we generated for part 2.

Note level:

```
tac_gs_part2_note <- read.csv(
  system.file("examples", "tac_gs_part2_note.csv", package = "EHR"),
  stringsAsFactors = FALSE, na = ''
)
```

```
##                             filename drugname drugname_start strength dose route
## 40 X240866534_2010-01-28_4070129  Prograf                851        1    4    NA
## 41 X240866534_2010-01-28_9659069  Prograf                162        1    4    NA
## 68 X410930205_2006-06-20_3473651  Prograf                870       NA   NA    NA
## 70 X410930205_2006-06-20_2809083  prograf                560        1    3    NA
##    freq intaketime dosestr dosechange doseintake daily
## 40    2       <NA>      NA       <NA>          4     8
## 41    2       <NA>      NA       <NA>          4     8
## 68    2       <NA>       3       <NA>          3     6
## 70    2       <NA>      NA       <NA>          3     6
```

Date level:

```
tac_gs_part2_date <- read.csv(
  system.file("examples", "tac_gs_part2_date.csv", package = "EHR"),
  stringsAsFactors = FALSE, na = ''
)
```

```
##                             filename drugname drugname_start strength dose route
## 29 X240866534_2010-01-28_4070129  Prograf                851        1    4    NA
## 42 X410930205_2006-06-20_3473651  Prograf                870       NA   NA    NA
##    freq intaketime dosestr dosechange doseintake daily
## 29    2       <NA>      NA       <NA>          4     8
## 42    2       <NA>       3       <NA>          3     6
```

The following code compares the gold standard to the Part II output and provides the recall and precision measures for note level and date level collapsing for dose intake and daily dose. In order to replicate the results from this paper, we use the Part I gold standard as the input to `collapseDose`.

```
precall <- function(dat, gs) {
  tp1 <- sum(dat %in% gs)
  fp1 <- sum(!(dat %in% gs))
  fn1 <- sum(!(gs %in% dat))
  r1 <- c(tp1, tp1 + fn1)
  p1 <- c(tp1, tp1 + fp1)
  r <- rbind(r1,p1)
  dimnames(r) <- list(c('recall','prec'), c('num','den'))
  cbind(r, prop = round(r[,1] / r[,2], 2))
}

metaData <- bmd(unique(tac_gs_part1$filename))
tacxr <- collapseDose(tac_gs_part1, metaData, 'bid')
tacxr.note <- tacxr[['note']]
```

5

```r
tacxr.date <- tacxr[['date']]

tacxr.note$pid <- sub("_.*","",tacxr.note$filename)
tacxr.date$pid <- sub("_.*","",tacxr.date$filename)
tac_gs_part2_note$pid <- sub("_.*","",tac_gs_part2_note$filename)
tac_gs_part2_date$pid <- sub("_.*","",tac_gs_part2_date$filename)

tacxrrow.note.intake <- do.call(paste, c(tacxr.note[,c('pid','dose.intake',
                                                        'dosechange')],sep = '|'))
tacxrrow.note.daily <- do.call(paste, c(tacxr.note[,c('pid','intaketime','dose.daily',
                                                      'dosechange')], sep = '|'))
tacxrrow.date.intake <- do.call(paste, c(tacxr.date[,c('pid','dose.intake',
                                                       'dosechange')], sep = '|'))
tacxrrow.date.daily <- do.call(paste, c(tacxr.date[,c('pid','intaketime','dose.daily',
                                                      'dosechange')], sep = '|'))

gs.tacxrrow.note.intake <- do.call(paste, c(tac_gs_part2_note[,c('pid','doseintake',
                                                                 'dosechange')], sep = '|'))
gs.tacxrrow.note.daily <- do.call(paste, c(tac_gs_part2_note[,c('pid','intaketime','daily',
                                                                'dosechange')], sep = '|'))
gs.tacxrrow.date.intake <- do.call(paste, c(tac_gs_part2_date[,c('pid','doseintake',
                                                                 'dosechange')], sep = '|'))
gs.tacxrrow.date.daily <- do.call(paste, c(tac_gs_part2_date[,c('pid','intaketime','daily',
                                                                'dosechange')], sep = '|'))

precall(tacxrrow.note.intake, gs.tacxrrow.note.intake)
precall(tacxrrow.note.daily, gs.tacxrrow.note.daily)
precall(tacxrrow.date.intake, gs.tacxrrow.date.intake)
precall(tacxrrow.date.daily, gs.tacxrrow.date.daily)
```

```
##        num den prop
## recall 205 205    1
## prec   205 205    1

##        num den prop
## recall 205 206    1
## prec   205 205    1

##        num den prop
## recall 116 116    1
## prec   116 116    1

##        num den prop
## recall 116 117 0.99
## prec   116 116 1.00
```