Application of RESET to Seurat pbmc_small scRNA-seq data using Seurat log normalization.

H. Robert Frost

1 Load the RESET package

```
> library(RESET)
```

2 Summary statistics for the pbmc_small scRNA-seq data

This example uses the pbmc_small data set included in the SeuratObject package and two contrived gene sets. Please see the other vignettes for more realistic examples using larger scRNA-seq data sets and gene set collections based on MSigDB.

```
> if (requireNamespace("Seurat", quietly=TRUE) && requireNamespace("SeuratObject", quietly=TRUE))
+         SeuratObject::pbmc_small
+         gene.names = rownames(SeuratObject::pbmc_small)
+         gene.names[1:5]
+         Seurat::VariableFeatures(SeuratObject::pbmc_small)[1:5]
+ } else {
+         message("Seurat package not available! Not executing associated vignette content.")
+ }

[1] "PPBP"   "IGLL5"  "VDAC3"  "CD1C"    "AKR1C3"
```

3 Define gene set collection

Create a gene set collection containing two contrived sets: one with the top 5 variable genes and one with randomly selected genes.

```
> if (requireNamespace("Seurat", quietly=TRUE)) {
+         gene.set.id.list = list()
+         # Create set with top 5 variable genes
+         gene.set.id.list[[1]] = c("PPBP", "IGLL5", "VDAC3", "CD1C", "AKR1C3")
+         names(gene.set.id.list)[1] = "VarGenes"
+         # Create set with 5 random genes
+         gene.set.id.list[[2]] = c("TREML1", "CD79B", "LRRC25", "GPX1", "CFD")
+         names(gene.set.id.list)[2] = "RandomGenes"
+         print(gene.set.id.list)
+         # Create the list of gene indices required by resetForSeurat()
+         gene.set.collection = createVarSetCollection(var.names=gene.names,
+                 var.sets=gene.set.id.list)
+ } else {
+         message("Seurat package not available! Not executing associated vignette content.")
+ }
```

```
$VarGenes
[1] "PPBP"   "IGLL5"  "VDAC3"  "CD1C"   "AKR1C3"

$RandomGenes
[1] "TREML1" "CD79B"  "LRRC25" "GPX1"   "CFD"
```

4 Execute RESET method

Since the scRNA-seq data has been processed using Seurat, we execute RESET using the resetForSeurat()
function with scores based on the reconstruction of the top 5 PCs. Setting k=5, which is the size of the
gene sets, will generate the reconstruction using a non-randomized algorithm.

```
> if (requireNamespace("Seurat", quietly=TRUE)) {
+         pbmc.reset = resetForSeurat(seurat.data=SeuratObject::pbmc_small,
+                                    num.pcs=5,
+                                    gene.set.collection=gene.set.collection,
+                                    k=5)
+ } else {
+         message("Seurat package not available! Not executing associated vignette content.")
+ }
```

Look at the sample level and overall scores in "RESET" Assay

```
> if (requireNamespace("Seurat", quietly=TRUE)) {
+   # Display RESET scores for first 10 cells
+         print(pbmc.reset@assays$RESET[,1:10])
+   # Display overall RESET scores
+         pbmc.reset@assays$RESET@meta.features
+ } else {
+         message("Seurat package not available! Not executing associated vignette content.")
+ }

2 x 10 sparse Matrix of class "dgCMatrix"

VarGenes    -0.03700534 -0.3487615 -1.0352413 0.6593956 -0.03700534 -0.03700534
RandomGenes  0.81625397 -0.6717611 -0.2919618 0.2320531  0.16016885 -0.07241738


VarGenes     0.7299613  0.6429792 -0.03700534  0.6525384
RandomGenes 0.1846493 -0.1173882  0.52504962 -0.2143701
              RESET
VarGenes    1.0402079
RandomGenes 0.5397981
```

5 Visualize RESET scores for the variable gene set

Visualize RESET scores using Seurat FeaturePlot(). The default Assay must first be changed to "RESET".

```
> if (requireNamespace("Seurat", quietly=TRUE)) {
+         Seurat::DefaultAssay(object = pbmc.reset) = "RESET"
+         Seurat::FeaturePlot(pbmc.reset, reduction="tsne", features="VarGenes")
+ } else {
```

```
+         message("Seurat package not available! Not executing associated vignette content.")
+         oldpar = par(mar = c(0,0,0,0))
+         plot(c(0, 1), c(0, 1), ann = F, bty = 'n', type = 'n', xaxt = 'n', yaxt = 'n')
+         text(x = 0.5, y = 0.5,paste("Seurat package not available!\n",
+                                     "FeaturePlot not generated."),
+         cex = 1.6, col = "black")
+   par(oldpar)
+ }
```

VarGenes