RProtoBuf : Unit testing results

Romain François Dirk Eddelbuettel Murray Stokely RProtoBuf version 0.4.11 as of October 3, 2017

Test Execution

Executing t	test	function	test.ascii done successfully.
Executing t	test	function	test.fileDescriptor done successfully.
Executing t	test	function	test.personOne done successfully.
Executing t	test	function	test.size done successfully.
Executing t	test	function	test.bool done successfully.
Executing t	test	function	test.all done successfully.
Executing t	test	function	test.descriptor done successfully.
Executing t	test	function	test.enums done successfully.
Executing t	test	function	test.extension done successfully.
Executing t	test	function	test.uint32 done successfully.
Executing t	test	function	test.FieldDescriptor.class done successfully.

```
Executing test function test.has ... done successfully.
Executing test function test.import ... done successfully.
Executing test function test.invalidAssignments ... done successfully.
Executing test function test.readProtoFile ... done successfully.
Executing test function test.repeated.bools ... done successfully.
Executing test function test.repeatedFields ... done successfully.
Executing test function test.assign.in.global ... done successfully.
Executing test function test.import ... /tmp/Rinst55691fa39f78/RProtoBuf/DESCRIPTION:1:1:Expected top-1
/tmp/Rinst55691fa39f78/RProtoBuf/DESCRIPTION:2:13:Already saw decimal point or exponent; can't have anot
/tmp/Rinst55691fa39f78/RProtoBuf/DESCRIPTION:13:19:Already saw decimal point or exponent; can't have and
/tmp/Rinst55691fa39f78/RProtoBuf/DESCRIPTION:18:64:Already saw decimal point or exponent; can't have and
/tmp/Rinst55691fa39f78/RProtoBuf/DESCRIPTION:19:16:Expected top-level statement (e.g. "message").
/tmp/Rinst55691fa39f78/RProtoBuf/DESCRIPTION:19:27:Already saw decimal point or exponent; can't have and
/tmp/Rinst55691fa39f78/RProtoBuf/DESCRIPTION:26:13:Already saw decimal point or exponent; can't have and
/tmp/Rinst55691fa39f78/RProtoBuf/DESCRIPTION:26:17:Expected top-level statement (e.g. "message").
/tmp/Rinst55691fa39f78/RProtoBuf/DESCRIPTION:26:38:Expected top-level statement (e.g. "message").
/tmp/Rinst55691fa39f78/RProtoBuf/DESCRIPTION:26:63:Expected top-level statement (e.g. "message").
done successfully.
Executing test function test.int32 ... done successfully.
Executing test function test.int64 ... done successfully.
Executing test function test.message ... done successfully.
```

```
Executing test function test.nested ... done successfully.
Executing test function test.proto3 ... done successfully.
Executing test function test.serialize_pb ... done successfully.
Executing test function test.serialize_pb.alldatasets ... done successfully.
Executing test function test.arrayinputstream ... done successfully.
Executing test function test.encoding ... done successfully.
Executing test function test.serialize ... done successfully.
Test Results
RUNIT TEST PROTOCOL -- Tue Oct 3 06:22:59 2017
***************
Number of test functions: 29
Number of errors: 0
Number of failures: 0
1 Test Suite :
RProtoBuf unit testing - 29 test functions, 0 errors, 0 failures
Details
********
Test Suite: RProtoBuf unit testing
Test function regexp: ^test.+
Test file regexp: ^runit.+\.[rR]$
Involved directory:
/tmp/Rinst55691fa39f78/RProtoBuf/unitTests
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.addressbook.R
test.ascii: (8 checks) ... OK (0.01 seconds)
test.fileDescriptor: (1 checks) ... OK (0 seconds)
test.personOne: (11 checks) ... OK (0 seconds)
```

test.size: (3 checks) ... OK (0 seconds)

```
_____
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.bool.R
test.bool: (7 checks) ... OK (0.01 seconds)
_____
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.bytes.R
test.all: (10 checks) ... OK (0 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.descriptors.R
test.descriptor: (6 checks) ... OK (0 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.enums.R
test.enums: (15 checks) ... OK (0 seconds)
_____
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.extensions.R
test.extension: (13 checks) ... OK (0 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.extremevalues.R
test.uint32: (5 checks) ... OK (0 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.FieldDescriptor.R
test.FieldDescriptor.class: (23 checks) ... OK (0.01 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.golden.message.R
test.has: (4 checks) ... OK (0 seconds)
test.import: (5 checks) ... OK (0 seconds)
test.invalidAssignments: (1 checks) ... OK (0 seconds)
test.readProtoFile: (61 checks) ... OK (0 seconds)
test.repeated.bools: (3 checks) ... OK (0 seconds)
test.repeatedFields: (5 checks) ... OK (0 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.import.R
test.assign.in.global: (1 checks) ... OK (0 seconds)
test.import: (1 checks) ... OK (0 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.int32.R
test.int32: (8 checks) ... OK (0.01 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.int64.R
test.int64: (8 checks) ... OK (0.01 seconds)
_____
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.messages.R
test.message: (7 checks) ... OK (0.01 seconds)
_____
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.nested.R
test.nested: (1000 checks) ... OK (0.09 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.proto3.R
test.proto3: (3 checks) ... OK (0 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.serialize_pb.R
test.serialize_pb: (2 checks) ... OK (0.03 seconds)
test.serialize_pb.alldatasets: (1 checks) ... OK (0.28 seconds)
Test file: /tmp/Rinst55691fa39f78/RProtoBuf/unitTests/runit.serialize.R
```

test.arrayinputstream: (3 checks) ... OK (0.02 seconds)

test.encoding: (4 checks) ... OK (0 seconds) test.serialize: (5 checks) ... OK (0 seconds)