
Regularization and Variable Selection for Parametric Models (3)

February 1, 2012

```
> library(lqa)
> library(catdata)
> data(heart)
> X<-heart[,-1]
> y<-heart[,1]
> X.std<-scale(X)
> p<-ncol(X)
> n<-length(y)
> family <- binomial()</pre>
> n.fold<-10
> ylab.text<-""
> xlab.text<-""
> Width = 6
> Height = 6
> oma.vec < -c(1,1,1,3)
> size.axis=1.4
> size.lab=1.4
> size.main=1.4
> size.right=1.2
> size.width=2.0
> colour=1
   LASSO IMPROVED CORRELATION BASED (with L_1 term)
   Fixed Tuning parameter
> lambda2 <- 0.05
> ### COEF BUILD-UPS
> main.text<-"Lasso Improved Correlation Based"
> penalty.family<-licb
> Plot.mat<-plot.lqa (y = y, x = X, family=family, penalty.family=penalty.family,
+ offset.values = c (NA, lambda2),add.MLE = FALSE, ret.true=TRUE,really.plot = FALSE,
+ show.standardized=TRUE)
> par(oma=oma.vec,cex.axis=size.axis,cex.lab=size.lab,cex.main=size.main)
> matplot(Plot.mat$s1,Plot.mat$beta.mat,type="1",ylab=ylab.text,xlab=xlab.text,
+ main=main.text, lwd=size.width)
```

```
> axis(4, at = Plot.mat$beta.mat[1, ], labels = colnames(X), adj = 0, las = 1,
+ cex.axis=size.right)
>
```


Lasso Improved Correlation Based



CORREALTION BASED COEF BUILD-UPS

```
> main.text<-"Correlation Based"
> penalty.family<-penalreg
> Plot.mat<-plot.lqa (y = y, x = X, family=family, penalty.family=penalty.family,
+ add.MLE = FALSE, ret.true=TRUE,really.plot = FALSE,show.standardized=TRUE,gamma=0.01)
> par(oma=oma.vec,cex.axis=size.axis,cex.lab=size.axis,cex.main=size.main)
> matplot(Plot.mat$s1,Plot.mat$beta.mat,type="1",ylab=ylab.text,xlab=xlab.text,
+ main=main.text,lwd=size.width)
> axis(4, at = Plot.mat$beta.mat[1, ], labels = colnames(X), adj = 0, las = 1,
+ cex.axis=size.right)
```

Correlation Based



Forward Boost mit correlation based

