


At Risk

Events



| 0.00 | | | | |
|------------------------------------|----------|----------------------|--------------|--------------------|
| | 0 | 10 | 20 | 30 |
| | | Survival | time, months | |
| Male, Asymptomatic — | Male, In | bed <50% of the day | — Female, A | symptomatic |
| Male, Symptomatic and ambulatory — | Male, In | bed > 50% of the day | Female, S | ymptomatic and amb |
| | At Risk | ζ | | |
| Male, Asymptomatic | 36 | 18 | 6 | 1 |
| Male, Symptomatic and ambulatory | 71 | 20 | 5 | 1 |
| Male, In bed <50% of the day | 29 | 6 | 2 | 0 |
| Male, In bed > 50% of the day | 1 | 0 | 0 | 0 |
| Female, Asymptomatic | 27 | 13 | 2 | 0 |
| Female, Symptomatic and ambulatory | 42 | 23 | 8 | 1 |
| Female, In bed <50% of the day | 21 | 7 | 1 | 0 |
| | Events | | | |
| Male, Asymptomatic | 0 | 13 | 24 | 28 |

Male, In bed <50% of the day


Male, In bed > 50% of the day


Female, Asymptomatic

Female, Symptomatic and ambulatory

Female, In bed <50% of the day


Male, Symptomatic and ambulatory





| 0.25 - | | VVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVVV | | |
|------------|--------|--|-----------------|-----|
| 0.00 - | 0 | 10 | 20 | 30 |
| | Ü | | al time, months | 30 |
| | | — M | ale — Female | |
| | Male | | | |
| At Risk | 138 | 44 | 13 | 2 |
| CUM EVENTS | 0 | 76 | 103 | 112 |
| | Female | | | |
| At Risk | 90 | 43 | 11 | 1 |

CUM EVENTS



| S 0.25 - | | | | |
|---|-----------|------------------------|--------------|----------------------|
| 0.00 - | 0 | 10 | 20 | 30 |
| | | Survival | time, months | |
| Male, Asymptomatic — N | /lale, Ir | n bed <50% of the day | — Female, | Asymptomatic |
| Male, Symptomatic and ambulatory $-\!-\! \Lambda$ | ∕lale, Ir | n bed > 50% of the day | — Female, | Symptomatic and ambu |
| | At Ris | sk | | |
| Male, Asymptomatic | 36 | 18 | 6 | 1 |
| Male, Symptomatic and ambulatory | 71 | 20 | 5 | 1 |
| Male, In bed <50% of the day | 29 | 6 | 2 | 0 |
| Male, In bed > 50% of the day | 1 | 0 | 0 | 0 |
| Female, Asymptomatic | 27 | 13 | 2 | 0 |
| Female, Symptomatic and ambulatory | 42 | 23 | 8 | 1 |
| Female, In bed <50% of the day | 21 | 7 | 1 | 0 |
| | CUM | EVENTS | | |

| 0.00 | | | | |
|------------------------------------|----------|----------------------|--------------|----------------------|
| | Ö | 10 | 20 | 30 |
| | | Survival | time, months | |
| Male, Asymptomatic — | Male, In | bed <50% of the day | — Female, A | symptomatic |
| Male, Symptomatic and ambulatory — | Male, In | bed > 50% of the day | Female, S | symptomatic and ambu |
| | At Ris | K | | |
| Male, Asymptomatic | 36 | 18 | 6 | 1 |
| Male, Symptomatic and ambulatory | 71 | 20 | 5 | 1 |
| Male, In bed <50% of the day | 29 | 6 | 2 | 0 |
| Male, In bed > 50% of the day | 1 | 0 | 0 | 0 |
| Female, Asymptomatic | 27 | 13 | 2 | 0 |
| Female, Symptomatic and ambulatory | 42 | 23 | 8 | 1 |
| Female, In bed <50% of the day | 21 | 7 | 1 | 0 |
| | CUM | EVENTS | | |
| Male, Asymptomatic | 0 | 13 | 24 | 28 |

Male, Symptomatic and ambulatory


Male, In bed <50% of the day


Male, In bed > 50% of the day

Female, Asymptomatic

Female, Symptomatic and ambulatory


Female, In bed <50% of the day





| 0.23 | | ,,,,,, | \ | |
|------------|--------|------------------|--------------|-----|
| 0.00 - | | | | |
| | Ö | Survival time, r | 20 months | 30 |
| | | — Male — | Female | |
| | Male | | | |
| N RISK | 138 | 44 | 13 | 2 |
| CUM EVENTS | 0 | 76 | 103 | 112 |
| | Female | | | |
| N RISK | 90 | 43 | 11 | 1 |

CUM EVENTS



| 0.00 | | | | |
|------------------------------------|----------|----------------------|--------------|--------------------|
| | Ö | 10 | 20 | 30 |
| | | Survival | time, months | |
| Male, Asymptomatic — | Male, In | bed <50% of the day | — Female, A | symptomatic |
| Male, Symptomatic and ambulatory — | Male, In | bed > 50% of the day | Female, S | ymptomatic and amb |
| | N RISK | (| | |
| Male, Asymptomatic | 36 | 18 | 6 | 1 |
| Male, Symptomatic and ambulatory | 71 | 20 | 5 | 1 |
| Male, In bed <50% of the day | 29 | 6 | 2 | 0 |
| Male, In bed > 50% of the day | 1 | 0 | 0 | 0 |
| Female, Asymptomatic | 27 | 13 | 2 | 0 |
| Female, Symptomatic and ambulatory | 42 | 23 | 8 | 1 |
| Female, In bed <50% of the day | 21 | 7 | 1 | 0 |
| | CUM E | VENTS | | |

| 0.00 |) - | | | |
|------------------------------------|--------------------|----------------------|--------------|--------------------|
| | 0 | 10 | 20 | 30 |
| | | Survival | time, months | |
| Male, Asymptomatic — | Male, In | bed <50% of the day | — Female, A | symptomatic |
| Male, Symptomatic and ambulatory — | Male, In N RISH | bed > 50% of the day | — Female, S | ymptomatic and amb |
| Male, Asymptomatic | 36 | 18 | 6 | 1 |
| Male, Symptomatic and ambulatory | / 71 | 20 | 5 | 1 |
| Male, In bed <50% of the day | 29 | 6 | 2 | 0 |
| Male, In bed > 50% of the day | 1 | 0 | 0 | 0 |
| Female, Asymptomatic | 27 | 13 | 2 | 0 |
| Female, Symptomatic and ambulatory | / 42 | 23 | 8 | 1 |
| Female, In bed <50% of the day | 21 | 7 | 1 | 0 |
| | CUM E | EVENTS | | |
| Male, Asymptomatic | 0 | 13 | 24 | 28 |

Male, Symptomatic and ambulatory


Male, In bed <50% of the day

Male, In bed > 50% of the day

Female, Asymptomatic


Female, Symptomatic and ambulatory


Female, In bed <50% of the day





At Risk


Events



















At Risk 228 87 24 3

Events 0 103 148 165






 Drug B

 At Risk 102
 102
 95
 75
 55
 0

 Events 0
 0
 4
 17
 26
 33




| | — D | rug A, II — Dru | ıg B, I D | rug B, III |
|---------|-----|-----------------|-------------|------------|
| At Risk | | | | |
| 35 | 35 | 35 | 30 | |


Drug A, I

Drug B, III

| 02 | 30 | 27 | 23 | 0 |
|----|----------|---|--|---|
| 30 | 29 | 26 | 16 | 0 |
| 33 | 33 | 28 | 23 | 0 |
| 36 | 32 | 23 | 17 | 0 |
| 33 | 30 | 24 | 15 | 0 |
| | 33 36 | 30 29 33 33 36 32 | 30 29 26 33 33 28 36 32 23 | 30 29 26 16 33 33 28 23 36 32 23 17 |

| Drug D, III | 55 | 33 | 30 | 27 | 13 | U |
|-------------|-------|----|----|----|----|----|
| E | vents | | | | | |
| Drug A, I | 0 | 0 | 0 | 4 | 7 | 9 |
| Drug A, II | 0 | 0 | 1 | 2 | 3 | 5 |
| Drug A, III | 0 | 0 | 1 | 1 | 7 | 10 |
| Drug B, I | 0 | 0 | 0 | 3 | 5 | 9 |
| Drug B, II | 0 | 0 | 2 | 8 | 12 | 12 |






| At Risk | 98 | 97 | 94 | 83 | 61 | 0 |
|------------|--------|----|----|----|----|----|
| CUM EVENTS | 0 | 0 | 2 | 7 | 17 | 24 |
| I | Drug B | | | | | |

At Risk

CUM EVENTS




| | — Drug A, II — | Drug B, I — | Drug B, III |
|---------|----------------|-------------|-------------|
| At Risk | | | |

| Drug A, I | 35 | 35 | 35 | 30 | 22 | 0 |
|-------------|----|----|----|----|----|---|
| Drug A, II | 32 | 32 | 30 | 27 | 23 | 0 |
| Drug A, III | 31 | 30 | 29 | 26 | 16 | 0 |
| Drug B, I | 33 | 33 | 33 | 28 | 23 | 0 |
| Drug D II | 26 | 26 | 22 | 22 | 17 | 0 |

| Drug B, II | 36 | 36 | 32 | 23 | 17 | 0 |
|-------------|------------|----|----|----|----|---|
| Drug B, III | 33 | 33 | 30 | 24 | 15 | 0 |
| C | CUM EVENTS | | | | | |

| C | CUM EVE | NTS | | | | |
|-------------|---------|-----|---|---|----|----|
| Drug A, I | 0 | 0 | 0 | 4 | 7 | 9 |
| Drug A, II | 0 | 0 | 1 | 2 | 3 | 5 |
| Drug A, III | 0 | 0 | 1 | 1 | 7 | 10 |
| Drug B, I | 0 | 0 | 0 | 3 | 5 | 9 |
| Drug B, II | 0 | 0 | 2 | 8 | 12 | 12 |

Drug B, III





 Drug B


 At Risk 102
 102
 95
 75
 55
 0

 Events 0
 0
 4
 17
 26
 33


| Cumulative Ind | 0 | 5 | 10 Months to Dea | 15 th/Censor | 20 | 25 |
|----------------|-------------|----|-----------------------------------|-----------------|----|----|
| Cn | | | ug A, I — Drug ug A, II — Drug | | | |
| | Drug A, I | | | | | |
| At Risk | 35 | 35 | 35 | 30 | 22 | 0 |
| Events | 0 | 0 | 0 | 4 | 7 | 9 |
| | Drug A, II | | | | | |
| At Risk | 32 | 32 | 30 | 27 | 23 | 0 |
| Events | 0 | 0 | 1 | 2 | 3 | 5 |
| | Drug A, III | | | | | |
| At Risk | 31 | 30 | 29 | 26 | 16 | 0 |
| Events | 0 | 0 | 1 | 1 | 7 | 10 |
| | Drug B, I | | | | | |
| At Risk | 33 | 33 | 33 | 28 | 23 | 0 |
| Events | 0 | 0 | 0 | 3 | 5 | 9 |
| | Drug B, II | | | | | |
| At Risk | 36 | 36 | 32 | 23 | 17 | 0 |
| Events | 0 | 0 | 2 | 8 | 12 | 12 |
| | Drug B, III | | | | | |
| At Risk | 33 | 33 | 30 | 24 | 15 | 0 |
| Events | 0 | 0 | 2 | 6 | 9 | 12 |
| | | | | | | |








At Risk 200 199 189 158 116 0 Events 0 1 11 42 84 11.



 Drug B

 At Risk 102
 102
 95
 75
 55
 0

 Events 0
 0
 7
 27
 47
 60






| Drug A, I | 35 | 35 | 35 | 30 | 22 | U |
|-------------|----|----|----|----|----|---|
| Drug A, II | 32 | 32 | 30 | 27 | 23 | 0 |
| Drug A, III | 31 | 30 | 29 | 26 | 16 | 0 |
| Drug B, I | 33 | 33 | 33 | 28 | 23 | 0 |
| Drug B, II | 36 | 36 | 32 | 23 | 17 | 0 |


Drug B, III


Drug B, III

| Drug A, I | 0 | 0 | 0 | 5 | 13 | 16 |
|------------|---|---|---|---|----|----|
| Drug A, II | 0 | 0 | 2 | 5 | 9 | 16 |
| Drug A III | 0 | 1 | 2 | 5 | 15 | 20 |

| Diug A, III | U | I | 2 | 3 | 13 | 20 |
|-------------|---|---|---|----|----|----|
| Drug B, I | 0 | 0 | 0 | 5 | 10 | 17 |
| Drug B, II | 0 | 0 | 4 | 13 | 19 | 20 |








| 0.25 | | | |
|--------------------------------|--------------|----------------|------------|
| 0.00 | 10 | 20 | 30 |
| | Surviva | I time, months | |
| | <u>—</u> Ма | ale — Female | |
| Male | | | |
| At Risk (Cum. Events) 138 (0) | 44 (76) | 13 (103) | 2 (112) |
| Survival (95% CI) % (100, 100) | 42% (34, 52) | 15% (9, 23) | 4% (1, 12) |
| Female | | | |

At Risk (Cum. Events) 90 (0) 43 (27) 11 (45) 1 (53) Survival (95% CI) % (100, 100) 67% (58, 78) 34% (24, 49) 8% (3, 27)



bι

| 0.00 | | | | |
|--------------------------------------|--------------------|---------------|-----------------|----------------|
| | 0 | 10 | 20 | 30 |
| | | Survival time | , months | |
| Male, Asymptomatic — N | Male, In bed <50% | of the day — | Female, Asympto | omatic |
| Male, Symptomatic and ambulatory — M | Male, In bed > 50% | of the day — | Female, Sympton | matic and ambi |
| | At Risk (Cum. Ev | vents) | | |
| Male, Asymptomatic | 36 (0) 1 | 8 (13) | 6 (24) | 1 (28) |
| Male, Symptomatic and ambulatory | 71 (0) 2 | 20 (39) | 5 (51) | 1 (54) |
| Male, In bed <50% of the day | 29 (0) | 6 (22) | 2 (26) | 0 (28) |
| Male, In bed > 50% of the day | 1 (0) | 0 (1) | 0 (1) | 0 (1) |
| Female, Asymptomatic | 27 (0) | 13 (4) | 2 (8) | 0 (9) |
| Female, Symptomatic and ambulatory | 42 (0) | 23 (12) | 8 (22) | 1 (28) |

7 (11)

62% (47, 81)

41% (30, 55)

24% (13, 46)

NA% (NA, NA)

85% (73, 100)

69% (56, 86)

41% (24, 71)

1 (15)

23% (12, 45)

13% (6, 28)

8% (2, 30)

NA% (NA, NA)

52% (30, 88)

34% (21, 57)

18% (6, 49)

0 (16)

6% (1, 32)

5% (1, 19)

NA% (NA, NA)

NA% (NA, NA)

NA% (NA, NA)

6% (1, 36)

NA% (NA, NA)

21 (0)

5 (100, 100)

5 (100, 100)

5 (100, 100)

5 (100, 100)

5 (100, 100)

Survival (95% CI)

Female, In bed <50% of the day

Male, Asymptomatic

Female, Asymptomatic


Female, In bed <50% of the day


Male, In bed <50% of the day


Male, In bed > 50% of the day

Male, Symptomatic and ambulatory 5 (100, 100)

Female, Symptomatic and ambulatory 5 (100, 100)







13 (4)

23 (12)

7 (11)

2 (8)

8 (22)

1 (15)

0 (9)

1 (28)

0 (16)

| 0.00 | | | | |
|---|------------------------|--------------|-------------------|-----|
| 0 | 10 | 20 | 30 | |
| | Survival | time, months | | |
| Male, Asymptomatic — Male, Ir | n bed <50% of the day | — Female, As | symptomatic | |
| Male, Symptomatic and ambulatory — Male, Ir | n bed > 50% of the day | — Female, S | ymptomatic and am | ıbι |
| No. at | Risk (Events) | | | |
| Male, Asymptomatic 36 (0) | 18 (13) | 6 (24) | 1 (28) | |
| Male, Symptomatic and ambulatory 71 (0) | 20 (39) | 5 (51) | 1 (54) | |
| Male, In bed <50% of the day 29 (0) | 6 (22) | 2 (26) | 0 (28) | |
| Male, In bed > 50% of the day 1 (0) | 0 (1) | 0 (1) | 0 (1) | |


27 (0)


21 (0)


Female, Asymptomatic


Female, In bed <50% of the day


Female, Symptomatic and ambulatory 42 (0)





















At Risk

Events



| 0 - | | 1 71 | |
|------------|---|--|---|
| Ö | 10 | 20 | 30 |
| | Survival | time, months | |
| Male, In b | ed <50% of the day | — Female, A | symptomatic |
| Male, In b | ed > 50% of the day | Female, S | ymptomatic and ambu |
| At Risk | | | |
| 36 | 18 | 6 | 1 |
| y 71 | 20 | 5 | 1 |
| 29 | 6 | 2 | 0 |
| 1 | 0 | 0 | 0 |
| 27 | 13 | 2 | 0 |
| y 42 | 23 | 8 | 1 |
| 21 | 7 | 1 | 0 |
| Events | | | |
| 0 | 13 | 24 | 28 |
| y 0 | 39 | 51 | 54 |
| | Male, In b Male, In b At Risk 36 y 71 29 1 27 y 42 21 Events 0 | Male, In bed <50% of the day Male, In bed > 50% of the day At Risk 36 | Survival time, months Male, In bed <50% of the day — Female, A Male, In bed > 50% of the day — Female, S At Risk 36 |


Male, In bed <50% of the day


Male, In bed > 50% of the day


Female, Asymptomatic

Female, Symptomatic and ambulatory

Female, In bed <50% of the day







Male, Asymptomatic Male, In bed <50% of the day Female, Asymptomatic Male, Symptomatic and ambulatory Male, In bed > 50% of the day Female, Symptomatic and ambu At Risk Male, Asymptomatic 36 18 6 Male, Symptomatic and ambulatory 71 20 5 Mala In had <50% of the day

| Male, In bed <50% of the day | 29 | 6 | 2 | 0 |
|------------------------------------|--------|----|----|----------|
| Male, In bed > 50% of the day | 1 | 0 | 0 | 0 |
| Female, Asymptomatic | 27 | 13 | 2 | 0 |
| Female, Symptomatic and ambulatory | 42 | 23 | 8 | 1 |
| Female, In bed <50% of the day | 21 | 7 | 1 | 0 |
| | Events | | | |
| Male, Asymptomatic | 0 | 13 | 24 | 28 |
| Male, Symptomatic and ambulatory | 0 | 39 | 51 | 54 |
| Male, In bed <50% of the day | 0 | 22 | 26 | 28 |
| Male, In bed > 50% of the day | 0 | 1 | 1 | 1 |
| Female, Asymptomatic | 0 | 4 | 8 | 9 |
| Female, Symptomatic and ambulatory | 0 | 12 | 22 | 28 |
| Female, In bed <50% of the day | 0 | 11 | 15 | 16 |
| | | · | | <u> </u> |