



Events



Female, Asymptomatic

Female, Symptomatic and ambulatory


Female, In bed <50% of the day




|                                      | 0                         | <sup>10</sup><br>Survival | time, months | 30                 |
|--------------------------------------|---------------------------|---------------------------|--------------|--------------------|
| Male, Asymptomatic — I               | Male, In bed <            | 50% of the day            | — Female, As | ymptomatic         |
| Male, Symptomatic and ambulatory — I | Male, In bed ><br>At Risk | 50% of the day            | — Female, Sy | mptomatic and ambu |
| Male, Asymptomatic                   | 36                        | 18                        | 6            | 1                  |
| Male, Symptomatic and ambulatory     | , 71                      | 20                        | 5            | 1                  |
| Male, In bed <50% of the day         | 29                        | 6                         | 2            | 0                  |
| Male, In bed > 50% of the day        | 1                         | 0                         | 0            | 0                  |
| Female, Asymptomatic                 | 27                        | 13                        | 2            | 0                  |
| Female, Symptomatic and ambulatory   | 42                        | 23                        | 8            | 1                  |
| Female, In bed <50% of the day       | 21                        | 7                         | 1            | 0                  |
|                                      | Events                    |                           |              |                    |
| Male, Asymptomatic                   | 0                         | 13                        | 24           | 28                 |
| Male, Symptomatic and ambulatory     | 0                         | 39                        | 51           | 54                 |
| Male, In bed <50% of the day         | 0                         | 22                        | 26           | 28                 |
|                                      |                           |                           |              |                    |

| ılatory | 42     | 23 | 8  | 1  |
|---------|--------|----|----|----|
| day     | 21     | 7  | 1  | 0  |
|         | Events |    |    |    |
|         | 0      | 13 | 24 | 28 |
| ılatory | 0      | 39 | 51 | 54 |
| day     | 0      | 22 | 26 | 28 |
| day     | Ω      | 1  | 1  | 1  |


Male, In bed > 50% of the day





**CUM EVENTS** 





|                                      | 0                       | 10                  | 20           | 30                 |  |
|--------------------------------------|-------------------------|---------------------|--------------|--------------------|--|
|                                      | Survival time, months   |                     |              |                    |  |
| Male, Asymptomatic — N               | /lale, In be            | ed <50% of the day  | — Female, As | ymptomatic         |  |
| Male, Symptomatic and ambulatory — N | /lale, In be<br>At Risk | ed > 50% of the day | — Female, Sy | mptomatic and ambu |  |
| Male, Asymptomatic                   | 36                      | 18                  | 6            | 1                  |  |
| Male, Symptomatic and ambulatory     | 71                      | 20                  | 5            | 1                  |  |
| Male, In bed <50% of the day         | 29                      | 6                   | 2            | 0                  |  |
| Male, In bed > 50% of the day        | 1                       | 0                   | 0            | 0                  |  |
| Female, Asymptomatic                 | 27                      | 13                  | 2            | 0                  |  |
| Female, Symptomatic and ambulatory   | 42                      | 23                  | 8            | 1                  |  |
| Female, In bed <50% of the day       | 21                      | 7                   | 1            | 0                  |  |
|                                      | CUM E\                  | /ENTS               |              |                    |  |
| Male, Asymptomatic                   | 0                       | 13                  | 24           | 28                 |  |
| Male, Symptomatic and ambulatory     | 0                       | 39                  | 51           | 54                 |  |

| iviale, Asymptomatic — iv            | raie, in be            | ed <50% of the day  | — Female, As | ymptomatic        |
|--------------------------------------|------------------------|---------------------|--------------|-------------------|
| Male, Symptomatic and ambulatory — N | lale, In be<br>At Risk | ed > 50% of the day | — Female, Sy | mptomatic and amb |
| Male, Asymptomatic                   | 36                     | 18                  | 6            | 1                 |
| Male, Symptomatic and ambulatory     | 71                     | 20                  | 5            | 1                 |
| Male, In bed <50% of the day         | 29                     | 6                   | 2            | 0                 |
| Male, In bed > 50% of the day        | 1                      | 0                   | 0            | 0                 |
| Female, Asymptomatic                 | 27                     | 13                  | 2            | 0                 |
| Female, Symptomatic and ambulatory   | 42                     | 23                  | 8            | 1                 |
| Female, In bed <50% of the day       | 21                     | 7                   | 1            | 0                 |
|                                      | CUM E                  | /ENTS               |              |                   |
| Male, Asymptomatic                   | 0                      | 13                  | 24           | 28                |


Male, In bed <50% of the day


Male, In bed > 50% of the day

Female, Asymptomatic


Female, Symptomatic and ambulatory

Female, In bed <50% of the day






**CUM EVENTS** 



Female, Asymptomatic

Female, Symptomatic and ambulatory

Female, In bed <50% of the day



| 0.0                                | 0                      |                    |                |                    |
|------------------------------------|------------------------|--------------------|----------------|--------------------|
|                                    | 0                      | 10                 | 20             | 30                 |
|                                    |                        | Surviva            | I time, months |                    |
| Male, Asymptomatic —               | Male, In bed           | d <50% of the day  | — Female, As   | symptomatic        |
| Male, Symptomatic and ambulatory — | Male, In bed<br>N RISK | d > 50% of the day | — Female, Sy   | mptomatic and ambu |
| Male, Asymptomatic                 | 36                     | 18                 | 6              | 1                  |
| Male, Symptomatic and ambulator    | y 71                   | 20                 | 5              | 1                  |
| Male, In bed <50% of the day       | 29                     | 6                  | 2              | 0                  |
| Mala la bad. 500/ af the day.      | 4                      | •                  | •              | ^                  |


| Survival time, months    |   |   |   |  |
|--------------------------|---|---|---|--|
| lale, In bed <           | <50% of the day                                   | — Female, As  | symptomatic   |  |
| lale, In bed ><br>N RISK | > 50% of the day                                  | — Female, Sy  | mptomatic and amb   |  |
| 36                       | 18  | 6   | 1   |  |
| 71                       | 20  | 5   | 1   |  |
| 29                       | 6   | 2   | 0   |  |
| 1                        | 0   | 0   | 0   |  |
| 27                       | 13  | 2   | 0   |  |
| 42                       | 23  | 8   | 1   |  |
| 21                       | 7   | 1   | 0   |  |
| CUM EVE                  | NTS   |   |   |  |
| 0                        | 13  | 24  | 28  |  |
| 0                        | 39  | 51  | 54  |  |
|                          | lale, In bed a N RISK 36 71 29 1 27 42 21 CUM EVE | lale, In bed <50% of the day N RISK  36 18 71 20 29 6 1 0 27 13 42 23 21 7  CUM EVENTS 0 13 | lale, In bed <50% of the day — Female, As lale, In bed > 50% of the day — Female, Sy N RISK  36 |  |

|                                      |                        |                  | , , , , , , , , , , , , , , , , , , , |                   |  |
|--------------------------------------|------------------------|------------------|---------------------------------------|-------------------|--|
| Male, Symptomatic and ambulatory — M | Male, In bed<br>N RISK | > 50% of the day | — Female, Sy                          | mptomatic and amb |  |
| Male, Asymptomatic                   | 36                     | 18               | 6                                     | 1                 |  |
| Male, Symptomatic and ambulatory     | 71                     | 20               | 5                                     | 1                 |  |
| Male, In bed <50% of the day         | 29                     | 6                | 2                                     | 0                 |  |
| Male, In bed > 50% of the day        | 1                      | 0                | 0                                     | 0                 |  |
| Female, Asymptomatic                 | 27                     | 13               | 2                                     | 0                 |  |
| Female, Symptomatic and ambulatory   | 42                     | 23               | 8                                     | 1                 |  |
| Female, In bed <50% of the day       | 21                     | 7                | 1                                     | 0                 |  |
|                                      | CUM EVE                | NTS              |                                       |                   |  |
| Male, Asymptomatic                   | 0                      | 13               | 24                                    | 28                |  |
| Mala Symptomatic and ambulatory      | 0                      | 20               | <b>E</b> 1                            | ΕΛ                |  |

|                                    | • •     | . • | •  | •  |  |
|------------------------------------|---------|-----|----|----|--|
| Male, Symptomatic and ambulatory   | 71      | 20  | 5  | 1  |  |
| Male, In bed <50% of the day       | 29      | 6   | 2  | 0  |  |
| Male, In bed > 50% of the day      | 1       | 0   | 0  | 0  |  |
| Female, Asymptomatic               | 27      | 13  | 2  | 0  |  |
| Female, Symptomatic and ambulatory | 42      | 23  | 8  | 1  |  |
| Female, In bed <50% of the day     | 21      | 7   | 1  | 0  |  |
|                                    | CUM EVE | NTS |    |    |  |
| Male, Asymptomatic                 | 0       | 13  | 24 | 28 |  |
| Male, Symptomatic and ambulatory   | 0       | 39  | 51 | 54 |  |
| Male, In bed <50% of the day       | 0       | 22  | 26 | 28 |  |


| e day   | 1     | 0     | 0  | 0  |
|---------|-------|-------|----|----|
|         | 27    | 13    | 2  | 0  |
| ulatory | 42    | 23    | 8  | 1  |
| day     | 21    | 7     | 1  | 0  |
|         | CUM E | VENTS |    |    |
|         | 0     | 13    | 24 | 28 |
| ulatory | 0     | 39    | 51 | 54 |
| day     | 0     | 22    | 26 | 28 |
|         |       |       |    |    |


| remaie, Asymptomatic            | 21      | 13   | 2  | U  |  |
|---------------------------------|---------|------|----|----|--|
| ale, Symptomatic and ambulatory | 42      | 23   | 8  | 1  |  |
| emale, In bed <50% of the day   | 21      | 7    | 1  | 0  |  |
|                                 | CUM EVI | ENTS |    |    |  |
| Male, Asymptomatic              | 0       | 13   | 24 | 28 |  |
| ale, Symptomatic and ambulatory | 0       | 39   | 51 | 54 |  |
| Male, In bed <50% of the day    | 0       | 22   | 26 | 28 |  |
| Male, In bed > 50% of the day   | 0       | 1    | 1  | 1  |  |





Events


| rviva            | Survival time, months   |                             |                        |    |       |
|------------------|-------------------------|-----------------------------|------------------------|----|-------|
| =<br>omatic<br>m | — Male, Male, Asymptoma | In bed <50% of the day atic | — Female, Asymptomatic |    | — Fen |
| At Risk          | 36                      | 18                          | 6                      | 1  |       |
| Events           | 0                       | 13                          | 24                     | 28 |       |
|                  | Male, Symptomat         | tic and ambulatory          |                        |    |       |
| At Risk          | 71                      | 20                          | 5                      | 1  |       |
| Events           | 0                       | 39                          | 51                     | 54 |       |
|                  | Male, In bed <50°       | % of the day                |                        |    |       |
| At Risk          | 29                      | 6                           | 2                      | 0  |       |
| Events           | 0                       | 22                          | 26                     | 28 |       |
|                  | Male, In bed > 50       | % of the day                |                        |    |       |
| At Risk          | 1                       | 0                           | 0                      | 0  |       |
| Events           | 0                       | 1                           | 1                      | 1  |       |
|                  | Female, Asympto         | matic                       |                        |    |       |
| At Risk          | 27                      | 13                          | 2                      | 0  |       |
| Events           | 0                       | 4                           | 8                      | 9  |       |
|                  | Female, Sympton         | natic and ambulatory        |                        |    |       |
| At Risk          | 42                      | 23                          | 8                      | 1  |       |
| Events           | 0                       | 12                          | 22                     | 28 |       |
|                  | Female, In bed <        | 50% of the day              |                        |    |       |
| At Risk          | 21                      | 7                           | 1                      | 0  |       |
| Events           | 0                       | 11                          | 15                     | 16 |       |
|                  |                         |                             |                        |    |       |

















At Risk 228 87 24 3


Events 0 103 148 165








**Events** 















**Events** 

| Cumulative In | Ó           | 5     | 10<br>Months to De | 15<br>eath/Censor | 20    | 25 |
|---------------|-------------|-------|--------------------|-------------------|-------|----|
| Cur           |             | — Dru | ug A, I — Dru      | g A, III — Drug B | , II  |    |
|               |             | — Dru | ug A, II — Dru     | g B, I — Drug B   | , III |    |
|               | Drug A, I   |       |                    |                   |       |    |
| At Risk       | 35          | 35    | 35                 | 30                | 22    | 0  |
| Events        | 0           | 0     | 0                  | 4                 | 7     | 9  |
|               | Drug A, II  |       |                    |                   |       |    |
| At Risk       | 32          | 32    | 30                 | 27                | 23    | 0  |
| Events        | 0           | 0     | 1                  | 2                 | 3     | 5  |
|               | Drug A, III |       |                    |                   |       |    |
| At Risk       | 31          | 30    | 29                 | 26                | 16    | 0  |
| Events        | 0           | 0     | 1                  | 1                 | 7     | 10 |
|               | Drug B, I   |       |                    |                   |       |    |
| At Risk       | 33          | 33    | 33                 | 28                | 23    | 0  |
| Events        | 0           | 0     | 0                  | 3                 | 5     | 9  |
|               | Drug B, II  |       |                    |                   |       |    |
| At Risk       | 36          | 36    | 32                 | 23                | 17    | 0  |
| Events        | 0           | 0     | 2                  | 8                 | 12    | 12 |
|               | Drug B, III |       |                    |                   |       |    |
| At Risk       | 33          | 33    | 30                 | 24                | 15    | 0  |
| Events        | 0           | 0     | 2                  | 6                 | 9     | 12 |
| i             |             |       |                    |                   |       |    |










 Drug B


 At Risk 102
 102
 95
 75
 55
 0

 Events 0
 0
 7
 27
 47
 60



|             | Drug A, II | i — Drug B, i — | Drug B, III |    |    |   |
|-------------|------------|-----------------|-------------|----|----|---|
| P           | At Risk    |                 |             |    |    |   |
| Drug A, I   | 35         | 35              | 35          | 30 | 22 | 0 |
| Drug A, II  | 32         | 32              | 30          | 27 | 23 | 0 |
| Drug A, III | 31         | 30              | 29          | 26 | 16 | 0 |
| Drug B, I   | 33         | 33              | 33          | 28 | 23 | 0 |
| Drug B, II  | 36         | 36              | 32          | 23 | 17 | 0 |
| Drug B, III | 33         | 33              | 30          | 24 | 15 | 0 |
| E           | Events     |                 |             |    |    |   |

| Drug A, I   | 0 | 0 | 0 | 5  | 13 | 16 |
|-------------|---|---|---|----|----|----|
| Drug A, II  | 0 | 0 | 2 | 5  | 9  | 16 |
| Drug A, III | 0 | 1 | 2 | 5  | 15 | 20 |
| Drug B, I   | 0 | 0 | 0 | 5  | 10 | 17 |
| Drug B, II  | 0 | 0 | 4 | 13 | 19 | 20 |
| Drug B, III | 0 | 0 | 3 | 9  | 18 | 23 |




52% (45, 59)

21% (16, 29)

5% (2, 12)


Survival (95% CI) % (100, 100)






34% (24, 49)

8% (3, 27)



67% (58, 78)


Survival (95% CI) % (100, 100)



Female, Asymptomatic

Female, In bed <50% of the day

Female, Symptomatic and ambulatory 5 (100, 100)



bu

|                                      | Survival time, months         |                              |               |                   |  |
|--------------------------------------|-------------------------------|------------------------------|---------------|-------------------|--|
| Male, Asymptomatic — N               | Male, In bed <                | 50% of the day               | — Female, Asy | ymptomatic        |  |
| Male, Symptomatic and ambulatory — M | Male, In bed ><br>At Risk (Cu | 50% of the day<br>m. Events) | — Female, Syr | mptomatic and amb |  |
| Male, Asymptomatic                   | 36 (0)                        | 18 (13)                      | 6 (24)        | 1 (28)            |  |
| Male, Symptomatic and ambulatory     | 71 (0)                        | 20 (39)                      | 5 (51)        | 1 (54)            |  |
| Male, In bed <50% of the day         | 29 (0)                        | 6 (22)                       | 2 (26)        | 0 (28)            |  |
| Male, In bed > 50% of the day        | 1 (0)                         | 0 (1)                        | 0 (1)         | 0 (1)             |  |
| Female, Asymptomatic                 | 27 (0)                        | 13 (4)                       | 2 (8)         | 0 (9)             |  |
| Female, Symptomatic and ambulatory   | 42 (0)                        | 23 (12)                      | 8 (22)        | 1 (28)            |  |
| Female, In bed <50% of the day       | 21 (0)                        | 7 (11)                       | 1 (15)        | 0 (16)            |  |
|                                      | Survival (95                  | 5% CI)                       |               |                   |  |

Male, Asymptomatic 5 (100, 100) 62% (47, 81) 23% (12, 45) 6% (1, 32)

5 (100, 100)

Male, Symptomatic and ambulatory 5 (100, 100) 41% (30, 55) 13% (6, 28) 5% (1, 19)

69% (56, 86)

41% (24, 71)

5 (100, 100) 24% (13, 46) 8% (2, 30)

Male, In bed <50% of the day Male, In bed > 50% of the day 5 (100, 100) NA% (NA, NA) NA% (NA, NA)

NA% (NA, NA) NA% (NA, NA) 5 (100, 100) 85% (73, 100) NA% (NA, NA) 52% (30, 88)

34% (21, 57)


18% (6, 49)

6% (1, 36)


NA% (NA, NA)

1.00 -

Survival Probability







|                                  | 0.00 - |             |                                   |                |                     |
|----------------------------------|--------|-------------|-----------------------------------|----------------|---------------------|
|                                  | l      | 0           | 10                                | 20             | 30                  |
|                                  |        |             | Surviva                           | I time, months |                     |
| Male, Asymptomatic               | — м    | ale, In bed | d <50% of the day                 | — Female, A    | symptomatic         |
| Male, Symptomatic and ambulatory |        |             | d > 50% of the day<br>sk (Events) | — Female, S    | ymptomatic and ambu |

| 0.00                                 | +            |                  |               |                    |
|--------------------------------------|--------------|------------------|---------------|--------------------|
|                                      | 0            | 10               | 20            | 30                 |
|                                      |              | Survival         | time, months  |                    |
| Male, Asymptomatic — N               | Male, In bed | <50% of the day  | — Female, Asy | ymptomatic         |
| Male, Symptomatic and ambulatory — M | Male, In bed | > 50% of the day | — Female, Syı | mptomatic and ambu |
|                                      | No. at Risl  | k (Events)       |               |                    |
| Male, Asymptomatic                   | 36 (0)       | 18 (13)          | 6 (24)        | 1 (28)             |
| Male, Symptomatic and ambulatory     | 71 (0)       | 20 (39)          | 5 (51)        | 1 (54)             |
| Male, In bed <50% of the day         | 29 (0)       | 6 (22)           | 2 (26)        | 0 (28)             |
| Male, In bed > 50% of the day        | 1 (0)        | 0 (1)            | 0 (1)         | 0 (1)              |
| Female, Asymptomatic                 | 27 (0)       | 13 (4)           | 2 (8)         | 0 (9)              |
| Female, Symptomatic and ambulatory   | 42 (0)       | 23 (12)          | 8 (22)        | 1 (28)             |


21 (0)


7 (11)


1 (15)


0 (16)


Female, In bed <50% of the day






















Events



Female, Asymptomatic

Female, Symptomatic and ambulatory


Female, In bed <50% of the day




|                                      | 0                         | <sup>10</sup><br>Survival | time, months | 30                 |
|--------------------------------------|---------------------------|---------------------------|--------------|--------------------|
| Male, Asymptomatic — I               | Male, In bed <            | 50% of the day            | — Female, As | ymptomatic         |
| Male, Symptomatic and ambulatory — I | Male, In bed ><br>At Risk | 50% of the day            | — Female, Sy | mptomatic and ambu |
| Male, Asymptomatic                   | 36                        | 18                        | 6            | 1                  |
| Male, Symptomatic and ambulatory     | <sup>,</sup> 71           | 20                        | 5            | 1                  |
| Male, In bed <50% of the day         | 29                        | 6                         | 2            | 0                  |
| Male, In bed > 50% of the day        | 1                         | 0                         | 0            | 0                  |
| Female, Asymptomatic                 | 27                        | 13                        | 2            | 0                  |
| Female, Symptomatic and ambulatory   | 42                        | 23                        | 8            | 1                  |
| Female, In bed <50% of the day       | 21                        | 7                         | 1            | 0                  |
|                                      | Events                    |                           |              |                    |
| Male, Asymptomatic                   | 0                         | 13                        | 24           | 28                 |
| Male, Symptomatic and ambulatory     | 0                         | 39                        | 51           | 54                 |
| Male, In bed <50% of the day         | 0                         | 22                        | 26           | 28                 |
|                                      |                           |                           |              |                    |


| ılatory | 42     | 23 | 8  | 1  |
|---------|--------|----|----|----|
| day     | 21     | 7  | 1  | 0  |
|         | Events |    |    |    |
|         | 0      | 13 | 24 | 28 |
| ılatory | 0      | 39 | 51 | 54 |
| day     | 0      | 22 | 26 | 28 |
| day     | Λ      | 1  | 1  | 1  |

Male, In bed > 50% of the day









| 0.25<br>0.00  |             |                   |              |             |  |  |  |
|---|-------------|-------------------|--------------|-------------|--|--|--|
|   | 0           | 10                | 20           | 30          |  |  |  |
|   |             | Survival          | time, months |             |  |  |  |
| Male, Asymptomatic — N  | lale, In be | d <50% of the day | — Female, A  | symptomatic |  |  |  |
| Male, Symptomatic and ambulatory — Male, In bed > 50% of the day — Female, Symptomatic and ambu |             |                   |              |             |  |  |  |
|   | At Risk     |                   |              |             |  |  |  |
| Male, Asymptomatic  | 36          | 18                | 6            | 1           |  |  |  |
| Male, Symptomatic and ambulatory  | 71          | 20                | 5            | 1           |  |  |  |
| Male, In bed <50% of the day  | 29          | 6                 | 2            | 0           |  |  |  |
| Male, In bed > 50% of the day   | 1           | 0                 | 0            | 0           |  |  |  |
| Female, Asymptomatic  | 27          | 13                | 2            | 0           |  |  |  |
| Female, Symptomatic and ambulatory  | 42          | 23                | 8            | 1           |  |  |  |
| Female, In bed <50% of the day  | 21          | 7                 | 1            | 0           |  |  |  |

| Male, Symptomatic and ambulatory   |        | 20 | 5  | 1  |
|------------------------------------|--------|----|----|----|
| Male, In bed <50% of the day       | 29     | 6  | 2  | 0  |
| Male, In bed > 50% of the day      | 1      | 0  | 0  | 0  |
| Female, Asymptomatic               | 27     | 13 | 2  | 0  |
| Female, Symptomatic and ambulatory | 42     | 23 | 8  | 1  |
| Female, In bed <50% of the day     | 21     | 7  | 1  | 0  |
|                                    | Events |    |    |    |
| Male, Asymptomatic                 | 0      | 13 | 24 | 28 |
| Male, Symptomatic and ambulatory   | 0      | 39 | 51 | 54 |
| Male, In bed <50% of the day       | 0      | 22 | 26 | 28 |
| Male, In bed > 50% of the day      | 0      | 1  | 1  | 1  |
| Female, Asymptomatic               | 0      | 4  | 8  | 9  |
| Female, Symptomatic and ambulatory | 0      | 12 | 22 | 28 |
| Female, In bed <50% of the day     | 0      | 11 | 15 | 16 |