Package 'gtsummary'

October 16, 2021

Title Presentation-Ready Data Summary and Analytic Result
Tables

Version 1.5.0

Description Creates presentation-ready tables summarizing data
sets, regression models, and more. The code to create the tables is
concise and highly customizable. Data frames can be summarized with
any function, e.g. mean(), median(), even user-written functions.
Regression models are summarized and include the reference rows for
categorical variables. Common regression models, such as logistic
regression and Cox proportional hazards regression, are automatically
identified and the tables are pre-filled with appropriate column
headers.

License MIT + file LICENSE

URL https://github.com/ddsjoberg/gtsummary,

http://www.danieldsjoberg.com/gtsummary/

BugReports https://github.com/ddsjoberg/gtsummary/issues

Depends R (>= 3.4)

Imports broom (>= 0.7.9),
broom.helpers (>= 1.4.0),
cli (>= 2.3.0),
dplyr (>= 1.0.3),
forcats (>= 0.5.0),
glue (>= 1.4.1),
gt (>= 0.3.0),
knitr (>= 1.29),
lifecycle (>= 0.2.0),
purrr (>= 0.3.4),
rlang (>= 0.4.10),
stringr (>= 1.4.0),
tibble (>= 3.0.3),
tidyr (>= 1.1.1)

Suggests broom.mixed (>= 0.2.7),
car (>= 3.0-11),
covr,
effectsize (>= 0.4.0),
flextable (>= 0.5.10),
geepack,

GGally (>= 2.1.0),
Hmisc,
huxtable (>= 5.0.0),
insight (>= 0.14.4),
kableExtra,
lme4,
mgcv,
mice (>= 3.10.0),
nnet,
officer,
parameters (>= 0.6.0),
parsnip (>= 0.1.7),
rmarkdown,
scales,
smd (>= 0.6.6),
spelling (>= 2.2),
survey,
survival (>= 3.2-11),
testthat (>= 3.0.4),
workflows (>= 0.2.3)

VignetteBuilder knitr

RdMacros lifecycle

Encoding UTF-8

Language en-US

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.1.2

Config/testthat/edition 3

Config/testthat/parallel true

R topics documented:

---

add_ci   *Add Proportion CIs*

Description

Add a new column with the confidence intervals for proportions.

Usage

```
add_ci(x, ...)

## S3 method for class 'tbl_summary'
add_ci(
  x,
  method = NULL,
  include = everything(),
  statistic = NULL,
  conf.level = 0.95,
  style_fun = NULL,
  ...
)
```

Arguments

x	A `tbl_summary` object
...	Not used
method	Confidence interval method. Default is `list(all_categorical() ~ "wilson",all_continuous()` `~ "t.test")`. Must be one of `c("wilson","wilson.no.correct","exact","asymptotic")` for categorical variables, and `c("t.test","wilcox.test")` for continuous variables. See details below.
include	variables to include in the summary table. Default is `everything()`
statistic	Formula indicating how the confidence interval will be displayed. Default is `list(all_categorical() ~ "{conf.low}%,{conf.high}%",all_continuous()` `~ "{conf.low},{conf.high}")`
conf.level	Confidence level. Default is `0.95`
style_fun	Function to style upper and lower bound of confidence interval. Default is `list(all_categorical() ~ purrr::partial(style_sigfig,scale = 100),all_continuous()` `~ style_sigfig)`.

Value

gtsummary table

method argument

Methods c("wilson","wilson.no.correct") are calculated with prop.test(correct = c(TRUE,FALSE)). The default method, "wilson", includes the Yates continuity correction. Methods c("exact","asymptotic") are calculated with Hmisc::binconf(method=). Confidence intervals for means are calculated using t.test() and wilcox.test() for pseudo-medians.

Example Output

See Also

Other tbl_summary tools: add_n.tbl_summary(), add_overall(), add_p.tbl_summary(), add_q(), add_stat_label(), bold_italicize_labels_levels, inline_text.tbl_summary(), inline_text.tbl_survfit(modify, separate_p_footnotes(), tbl_custom_summary(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_summary()

Examples

```
# Example 1 --------------------------------
add_ci_ex1 <-
  trial %>%
  select(age, response, trt) %>%
  tbl_summary(missing = "no",
              statistic = all_continuous() ~ "{mean} ({sd})") %>%
  add_ci()

# Example 2 --------------------------------
add_ci_ex2 <-
  trial %>%
    select(response, trt) %>%
    tbl_summary(statistic = all_categorical() ~ "{p}%",
                missing = "no") %>%
    add_ci() %>%
    modify_cols_merge(
      rows = !is.na(ci_stat_0),
      pattern = "{stat_0} ({ci_stat_0})"
    ) %>%
    modify_footnote(everything() ~ NA)
```

| add_difference | *Add difference between groups* |

Description

Add the difference between two groups (typically mean difference), along with the difference confidence interval and p-value.

Usage

```
add_difference(
  x,
  test = NULL,
  group = NULL,
  adj.vars = NULL,
  test.args = NULL,
  conf.level = 0.95,
  include = everything(),
  pvalue_fun = NULL,
  estimate_fun = NULL
)
```

Arguments

x	"tbl_summary" or "tbl_svysummary" object
test	List of formulas specifying statistical tests to perform for each variable, e.g. list(all_continuous() ~ "t.test"). Common tests include "t.test" or "ancova" for continuous data, and "prop.test" for dichotomous variables. See tests for details and more tests.
group	Column name (unquoted or quoted) of an ID or grouping variable. The column can be used to calculate p-values with correlated data. Default is NULL. See tests for methods that utilize the group= argument.
adj.vars	Variables to include in mean difference adjustment (e.g. in ANCOVA models)
test.args	List of formulas containing additional arguments to pass to tests that accept arguments. For example, add an argument for all t-tests, use test.args = all_tests("t.test") ~ list(var.equal = TRUE)
conf.level	Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
include	Variables to include in output. Input may be a vector of quoted variable names, unquoted variable names, or tidyselect select helper functions. Default is everything().
pvalue_fun	Function to round and format p-values. Default is style_pvalue. The function must have a numeric vector input (the numeric, exact p-value), and return a string that is the rounded/formatted p-value (e.g. pvalue_fun = function(x) style_pvalue(x,digits = 2) or equivalently, purrr::partial(style_pvalue,digits = 2)).
estimate_fun	List of formulas specifying the formatting functions to round and format differences. Default is list(all_continuous() ~ style_sigfig,all_categorical() ~ function(x) paste0(style_sigfig(x * 100),"%")) Function to round and format difference. Default is style_sigfig()

Example Output

Examples

```
# Example 1 --------------------------------
add_difference_ex1 <-
  trial %>%
```

```
   select(trt, age, marker, response, death) %>%
   tbl_summary(
     by = trt,
     statistic =
       list(
         all_continuous() ~ "{mean} ({sd})",
         all_dichotomous() ~ "{p}%"
       ),
     missing = "no"
   ) %>%
   add_n() %>%
   add_difference()

# Example 2 --------------------------------
# ANCOVA adjusted for grade and stage
add_difference_ex2 <-
  trial %>%
  select(trt, age, marker, grade, stage) %>%
  tbl_summary(
    by = trt,
    statistic = list(all_continuous() ~ "{mean} ({sd})"),
    missing = "no",
    include = c(age, marker, trt)
  ) %>%
  add_n() %>%
  add_difference(adj.vars = c(grade, stage))
```

---

add_glance   *Add Model Statistics*

Description

Add model statistics returned from broom::glance(). Statistics can either be appended to the table (add_glance_table()), or added as a table source note (add_glance_source_note()).

Usage

```
add_glance_table(
  x,
  include = everything(),
  label = NULL,
  fmt_fun = NULL,
  glance_fun = broom::glance
)

add_glance_source_note(
  x,
  include = everything(),
  label = NULL,
  fmt_fun = NULL,
  glance_fun = broom::glance,
  text_interpret = c("md", "html"),
  sep1 = " = ",
```

```
   sep2 = "; "
)
```

Arguments

x	'tbl_regression' object
include	list of statistics to include in output. Must be column names of the tibble returned by `broom::glance()`. The include argument can also be used to specify the order the statistics appear in the table.
label	List of formulas specifying statistic labels, e.g. `list(r.squared ~ "R2",p.value ~ "P")`
fmt_fun	List of formulas where the LHS is a statistic and the RHS is a function to format/round the statistics. The default is to round the number of observations and degrees of freedom to the nearest integer, p-values are styled with `style_pvalue()` and the remaining statistics are styled with `style_sigfig(x,digits = 3)`
glance_fun	function that returns model statistics. Default is `broom::glance()`. Custom functions must return a single row tibble.
text_interpret	String indicates whether source note text will be interpreted with [gt::md()](gt::md()) or gt::html(). Must be "md" (default) or "html".
sep1	Separator between statistic name and statistic. Default is " = ", e.g. "R2 = 0.456"
sep2	Separator between statistics. Default is "; "

Value

gtsummary table

Default Labels

The following statistics have set default labels when printed. When there is no default, the column name from `broom::glance()` is printed.

Statistic Name	Default Label
r.squared	R²
adj.r.squared	Adjusted R²
p.value	p-value
logLik	Log-likelihood
statistic	Statistic
df.residual	Residual df
null.deviance	Null deviance
df.null	Null df
nevent	N events
concordance	c-index
std.error.concordance	c-index SE
nobs	No. Obs.
deviance	Deviance
sigma	Sigma

Tips

When combining add_glance_table() with tbl_merge(), the ordering of the model terms and the glance statistics may become jumbled. To re-order the rows with glance statistics on bottom, use the script below:

```
tbl_merge(list(tbl1, tbl2)) %>%
  modify_table_body(~.x %>% arrange(row_type == "glance_statistic"))
```

Example Output

Examples

```
mod <- lm(age ~ marker + grade, trial) %>% tbl_regression()

# Example 1 --------------------------------
add_glance_ex1 <-
  mod %>%
  add_glance_table(
    label = list(sigma ~ "\U03C3"),
    include = c(r.squared, AIC, sigma)
  )

# Example 2 --------------------------------
add_glance_ex2 <-
  mod %>%
  add_glance_source_note(
    label = list(sigma ~ "\U03C3"),
    include = c(r.squared, AIC, sigma)
  )
```

---

add_global_p *Add the global p-values*

Description

This function uses car::Anova(type = "III") to calculate global p-values variables. Output from tbl_regression and tbl_uvregression objects supported.

Usage

```
add_global_p(x, ...)

## S3 method for class 'tbl_regression'
add_global_p(
  x,
  include = everything(),
  type = NULL,
  keep = FALSE,
  quiet = NULL,
  ...,
```

```
  terms = NULL
)

## S3 method for class 'tbl_uvregression'
add_global_p(
  x,
  type = NULL,
  include = everything(),
  keep = FALSE,
  quiet = NULL,
  ...
)
```

Arguments

x	Object with class tbl_regression from the [tbl_regression](#) function
...	Additional arguments to be passed to car::Anova
include	Variables to calculate global p-value for. Input may be a vector of quoted or unquoted variable names. Default is everything()
type	Type argument passed to car::Anova. Default is "III"
keep	Logical argument indicating whether to also retain the individual p-values in the table output for each level of the categorical variable. Default is FALSE
quiet	Logical indicating whether to print messages in console. Default is FALSE
terms	DEPRECATED. Use include= argument instead.

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_uvregression tools: [add_q()](#), [bold_italicize_labels_levels](#), [inline_text.tbl_uvregression()](#), [modify](#), [tbl_merge()](#), [tbl_split()](#), [tbl_stack()](#), [tbl_strata()](#), [tbl_uvregression()](#)

Other tbl_regression tools: [add_q()](#), [bold_italicize_labels_levels](#), [combine_terms()](#), [inline_text.tbl_regres](#), [modify](#), [tbl_merge()](#), [tbl_regression()](#), [tbl_split()](#), [tbl_stack()](#), [tbl_strata()](#)

Examples

```
# Example 1 ----------------------------------
tbl_lm_global_ex1 <-
  lm(marker ~ age + grade, trial) %>%
  tbl_regression() %>%
  add_global_p()

# Example 2 ----------------------------------
tbl_uv_global_ex2 <-
  trial[c("response", "trt", "age", "grade")] %>%
```

```
tbl_uvregression(
  method = glm,
  y = response,
  method.args = list(family = binomial),
  exponentiate = TRUE
) %>%
add_global_p()
```

---

add_n   *Adds column with N to gtsummary table*

Description

Adds column with N to gtsummary table

Usage

```
add_n(x, ...)
```

Arguments

x	Object created from a gtsummary function
...	Additional arguments passed to other methods.

Author(s)

Daniel D. Sjoberg

See Also

[add_n.tbl_summary()](), [add_n.tbl_svysummary()](), [add_n.tbl_survfit()](), [add_n.tbl_regression](), [add_n.tbl_uvregression]()

---

add_n.tbl_summary   *Add column with N*

Description

For each variable in a tbl_summary table, the add_n function adds a column with the total number of non-missing (or missing) observations

Usage

```
## S3 method for class 'tbl_summary'
add_n(
  x,
  statistic = "{n}",
  col_label = "**N**",
  footnote = FALSE,
  last = FALSE,
  missing = NULL,
  ...
)

## S3 method for class 'tbl_svysummary'
add_n(
  x,
  statistic = "{n}",
  col_label = "**N**",
  footnote = FALSE,
  last = FALSE,
  missing = NULL,
  ...
)
```

Arguments

x   Object with class tbl_summary from the [tbl_summary](#) function or with class
                tbl_svysummary from the [tbl_svysummary](#) function

statistic   String indicating the statistic to report. Default is the number of non-missing
                observation for each variable, statistic = "{n}". Other statistics available to
                report include:

                • "{N}" total number of observations,
                • "{n}" number of non-missing observations,
                • "{n_miss}" number of missing observations,
                • "{p}" percent non-missing data,
                • "{p_miss}" percent missing data The argument uses [glue::glue](#) syntax and
                  multiple statistics may be reported, e.g. statistic = "{n} / {N} ({p}%)"

col_label   String indicating the column label. Default is "**N**"

footnote   Logical argument indicating whether to print a footnote clarifying the statistics
                presented. Default is FALSE

last   Logical indicator to include N column last in table. Default is FALSE, which will
                display N column first.

missing   DEPRECATED. Logical argument indicating whether to print N (missing =
                FALSE), or N missing (missing = TRUE). Default is FALSE

...   Not used

Value

A tbl_summary or tbl_svysummary object

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_summary tools: add_ci(), add_overall(), add_p.tbl_summary(), add_q(), add_stat_label(),
bold_italicize_labels_levels, inline_text.tbl_summary(), inline_text.tbl_survfit(),
modify, separate_p_footnotes(), tbl_custom_summary(), tbl_merge(), tbl_split(), tbl_stack(),
tbl_strata(), tbl_summary()

Other tbl_svysummary tools: add_overall(), add_p.tbl_svysummary(), add_q(), add_stat_label(),
modify, separate_p_footnotes(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(),
tbl_svysummary()

Examples

```
# Example 1 --------------------------------
tbl_n_ex <-
  trial[c("trt", "age", "grade", "response")] %>%
  tbl_summary(by = trt) %>%
  add_n()
```

---

add_n.tbl_survfit   *Add column with number of observations*

Description

[**Maturing**] For each survfit() object summarized with tbl_survfit() this function will add
the total number of observations in a new column.

Usage

```
## S3 method for class 'tbl_survfit'
add_n(x, ...)
```

Arguments

x	object of class "tbl_survfit"
...	Not used

Example Output

See Also

Other tbl_survfit tools: add_nevent.tbl_survfit(), add_p.tbl_survfit(), modify, tbl_merge(),
tbl_split(), tbl_stack(), tbl_strata(), tbl_survfit()

Examples

```
library(survival)
fit1 <- survfit(Surv(ttdeath, death) ~ 1, trial)
fit2 <- survfit(Surv(ttdeath, death) ~ trt, trial)

# Example 1 --------------------------------
add_n.tbl_survfit_ex1 <-
  list(fit1, fit2) %>%
  tbl_survfit(times = c(12, 24)) %>%
  add_n()
```

---

add_nevent   *Add number of events to a regression table*

Description

Adds a column of the number of events to tables created with [tbl_regression](#) or [tbl_uvregression](#). Supported model types are among GLMs with binomial distribution family (e.g. [stats::glm](#), lme4::glmer, and geepack::geeglm) and Cox Proportion Hazards regression models ([survival::coxph](#)).

Usage

```
add_nevent(x, ...)
```

Arguments

x	tbl_regression or tbl_uvregression object
...	Additional arguments passed to or from other methods.

Author(s)

Daniel D. Sjoberg

See Also

[add_nevent.tbl_regression](#), [add_nevent.tbl_uvregression](#), [add_nevent.tbl_survfit](#)

---

add_nevent.tbl_survfit

Add column with number of observed events

Description

[Maturing] For each survfit() object summarized with tbl_survfit() this function will add the total number of events observed in a new column.

Usage

```
## S3 method for class 'tbl_survfit'
add_nevent(x, ...)
```

Arguments

x	object of class 'tbl_survfit'
...	Not used

Example Output

See Also

Other tbl_survfit tools: add_n.tbl_survfit(), add_p.tbl_survfit(), modify, tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_survfit()

Examples

```
library(survival)
fit1 <- survfit(Surv(ttdeath, death) ~ 1, trial)
fit2 <- survfit(Surv(ttdeath, death) ~ trt, trial)

# Example 1 ---------------------------------
add_nevent.tbl_survfit_ex1 <-
  list(fit1, fit2) %>%
  tbl_survfit(times = c(12, 24)) %>%
  add_n() %>%
  add_nevent()
```

---

add_nevent_regression *Add event N to regression table*

Description

Add event N to regression table

Usage

```
## S3 method for class 'tbl_regression'
add_nevent(x, location = NULL, ...)

## S3 method for class 'tbl_uvregression'
add_nevent(x, location = NULL, ...)
```

Arguments

x	a tbl_regression or tbl_uvregression table
location	location to place Ns. When "label" total Ns are placed on each variable's label row. When "level" level counts are placed on the variable level for categorical variables, and total N on the variable's label row for continuous.
...	Not used

Example Output

Examples

```
# Example 1 --------------------------------
add_nevent.tbl_regression_ex1 <-
  trial %>%
  select(response, trt, grade) %>%
  tbl_uvregression(
    y = response,
    method = glm,
    method.args = list(family = binomial),
  ) %>%
  add_nevent()
# Example 2 --------------------------------
add_nevent.tbl_regression_ex2 <-
  glm(response ~ age + grade, trial, family = binomial) %>%
  tbl_regression(exponentiate = TRUE) %>%
  add_nevent(location = "level")
```

---

add_n_regression   *Add N to regression table*

Description

Add N to regression table

Usage

```
## S3 method for class 'tbl_regression'
add_n(x, location = NULL, ...)

## S3 method for class 'tbl_uvregression'
add_n(x, location = NULL, ...)
```

Arguments

x	a tbl_regression or tbl_uvregression table
location	location to place Ns. When "label" total Ns are placed on each variable's label row. When "level" level counts are placed on the variable level for categorical variables, and total N on the variable's label row for continuous.
...	Not used

Example Output

Examples

```
# Example 1 --------------------------------
add_n.tbl_regression_ex1 <-
  trial %>%
  select(response, age, grade) %>%
  tbl_uvregression(
    y = response,
```

```
    method = glm,
    method.args = list(family = binomial),
    hide_n = TRUE
  ) %>%
  add_n(location = "label")

# Example 2 --------------------------------
add_n.tbl_regression_ex2 <-
  glm(response ~ age + grade, trial, family = binomial) %>%
  tbl_regression(exponentiate = TRUE) %>%
  add_n(location = "level")
```

---

add_overall   *Add column with overall summary statistics*

Description

Adds a column with overall summary statistics to tables created by tbl_summary or tbl_svysummary.

Usage

```
add_overall(x, last, col_label)

## S3 method for class 'tbl_summary'
add_overall(x, last = FALSE, col_label = NULL)

## S3 method for class 'tbl_svysummary'
add_overall(x, last = FALSE, col_label = NULL)

## S3 method for class 'tbl_custom_summary'
add_overall(x, last = FALSE, col_label = NULL)
```

Arguments

x	Object with class tbl_summary from the tbl_summary function or object with class tbl_svysummary from the tbl_svysummary function.
last	Logical indicator to display overall column last in table. Default is FALSE, which will display overall column first.
col_label	String indicating the column label. Default is "**Overall**, N = {N}"

Value

A tbl_summary object or a tbl_svysummary object

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_summary tools: add_ci(), add_n.tbl_summary(), add_p.tbl_summary(), add_q(),
add_stat_label(), bold_italicize_labels_levels, inline_text.tbl_summary(), inline_text.tbl_survfit(
modify, separate_p_footnotes(), tbl_custom_summary(), tbl_merge(), tbl_split(), tbl_stack(),
tbl_strata(), tbl_summary()

Other tbl_svysummary tools: add_n.tbl_summary(), add_p.tbl_svysummary(), add_q(), add_stat_label(),
modify, separate_p_footnotes(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(),
tbl_svysummary()

Examples

```
tbl_overall_ex <-
  trial[c("age", "grade", "trt")] %>%
  tbl_summary(by = trt) %>%
  add_overall()
```

---

add_p   *Adds p-values to gtsummary table*

Description

Adds p-values to gtsummary table

Usage

```
add_p(x, ...)
```

Arguments

x   Object created from a gtsummary function

...   Additional arguments passed to other methods.

Author(s)

Daniel D. Sjoberg

See Also

add_p.tbl_summary, add_p.tbl_cross, add_p.tbl_svysummary, add_p.tbl_survfit

---

add_p.tbl_cross　　　　　　*Adds p-value to crosstab table*

Description

Calculate and add a p-value comparing the two variables in the cross table. Missing values are included in p-value calculations.

Usage

```
## S3 method for class 'tbl_cross'
add_p(x, test = NULL, pvalue_fun = NULL, source_note = NULL, ...)
```

Arguments

x	Object with class tbl_cross from the tbl_cross function
test	A string specifying statistical test to perform. Default is "chisq.test" when expected cell counts >=5 and "fisher.test" when expected cell counts <5.
pvalue_fun	Function to round and format p-value. Default is style_pvalue, except when source_note = TRUE when the default is style_pvalue(x,prepend_p = TRUE)
source_note	Logical value indicating whether to show p-value in the {gt} table source notes rather than a column.
...	Not used

Example Output

Author(s)

Karissa Whiting

See Also

Other tbl_cross tools: inline_text.tbl_cross(), tbl_cross()

Examples

```
# Example 1 --------------------------------
add_p_cross_ex1 <-
  trial %>%
  tbl_cross(row = stage, col = trt) %>%
  add_p()

# Example 2 --------------------------------
add_p_cross_ex2 <-
  trial %>%
  tbl_cross(row = stage, col = trt) %>%
  add_p(source_note = TRUE)
```

---

add_p.tbl_summary *Adds p-values to summary tables*

Description

Adds p-values to tables created by tbl_summary by comparing values across groups.

Usage

```
## S3 method for class 'tbl_summary'
add_p(
  x,
  test = NULL,
  pvalue_fun = NULL,
  group = NULL,
  include = everything(),
  test.args = NULL,
  exclude = NULL,
  ...
)
```

Arguments

x	Object with class tbl_summary from the tbl_summary function
test	List of formulas specifying statistical tests to perform for each variable, e.g. list(all_continuous() ~ "t.test",all_categorical() ~ "fisher.test"). Common tests include "t.test", "aov", "wilcox.test", "kruskal.test", "chisq.test", "fisher.test", and "lme4" (for clustered data). See tests for details, more tests, and instruction for implementing a custom test.
	Tests default to "kruskal.test" for continuous variables ("wilcox.test" when "by" variable has two levels), "chisq.test.no.correct" for categorical variables with all expected cell counts >=5, and "fisher.test" for categorical variables with any expected cell count <5.
pvalue_fun	Function to round and format p-values. Default is style_pvalue. The function must have a numeric vector input (the numeric, exact p-value), and return a string that is the rounded/formatted p-value (e.g. pvalue_fun = function(x) style_pvalue(x,digits = 2) or equivalently, purrr::partial(style_pvalue,digits = 2)).
group	Column name (unquoted or quoted) of an ID or grouping variable. The column can be used to calculate p-values with correlated data. Default is NULL. See tests for methods that utilize the group= argument.
include	Variables to include in output. Input may be a vector of quoted variable names, unquoted variable names, or tidyselect select helper functions. Default is everything().
test.args	List of formulas containing additional arguments to pass to tests that accept arguments. For example, add an argument for all t-tests, use test.args = all_tests("t.test") ~ list(var.equal = TRUE)
exclude	DEPRECATED
...	Not used

Value

A `tbl_summary` object

Example Output

Author(s)

Daniel D. Sjoberg, Emily C. Zabor

See Also

See tbl_summary vignette for detailed examples

Other tbl_summary tools: add_ci(), add_n.tbl_summary(), add_overall(), add_q(), add_stat_label(), bold_italicize_labels_levels, inline_text.tbl_summary(), inline_text.tbl_survfit(), modify, separate_p_footnotes(), tbl_custom_summary(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_summary()

Examples

```
# Example 1 --------------------------------
add_p_ex1 <-
  trial[c("age", "grade", "trt")] %>%
  tbl_summary(by = trt) %>%
  add_p()

# Example 2 --------------------------------
add_p_ex2 <-
  trial %>%
  select(trt, age, marker) %>%
  tbl_summary(by = trt, missing = "no") %>%
  add_p(
    # perform t-test for all variables
    test = everything() ~ "t.test",
    # assume equal variance in the t-test
    test.args = all_tests("t.test") ~ list(var.equal = TRUE)
  )
```

---

add_p.tbl_survfit   *Adds p-value to survfit table*

Description

[Maturing] Calculate and add a p-value

Usage

```
## S3 method for class 'tbl_survfit'
add_p(
  x,
  test = "logrank",
  test.args = NULL,
  pvalue_fun = style_pvalue,
  include = everything(),
  quiet = NULL,
  ...
)
```

Arguments

x	Object of class "tbl_survfit"
test	string indicating test to use. Must be one of "logrank", "survdiff", "petopeto_gehanwilcoxon", "coxph_lrt", "coxph_wald", "coxph_score". See details below
test.args	List of formulas containing additional arguments to pass to tests that accept arguments. For example, add an argument for all t-tests, use test.args = all_tests("t.test") ~ list(var.equal = TRUE)
pvalue_fun	Function to round and format p-values. Default is style_pvalue. The function must have a numeric vector input (the numeric, exact p-value), and return a string that is the rounded/formatted p-value (e.g. pvalue_fun = function(x) style_pvalue(x, digits = 2) or equivalently, purrr::partial(style_pvalue, digits = 2)).
include	Variables to include in output. Input may be a vector of quoted variable names, unquoted variable names, or tidyselect select helper functions. Default is everything().
quiet	Logical indicating whether to print messages in console. Default is FALSE
...	Not used

test argument

The most common way to specify test= is by using a single string indicating the test name. However, if you need to specify different tests within the same table, the input in flexible using the list notation common throughout the gtsummary package. For example, the following code would call the log-rank test, and a second test of the *G-rho* family.

```
... %>%
  add_p(test = list(trt ~ "logrank", grade ~ "survdiff"),
        test.args = grade ~ list(rho = 0.5))
```

Example Output

See Also

Other tbl_survfit tools: add_n.tbl_survfit(), add_nevent.tbl_survfit(), modify, tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_survfit()

Examples

```
library(survival)

gts_survfit <-
  list(
    survfit(Surv(ttdeath, death) ~ grade, trial),
    survfit(Surv(ttdeath, death) ~ trt, trial)
  ) %>%
  tbl_survfit(times = c(12, 24))

# Example 1 --------------------------------
add_p_tbl_survfit_ex1 <-
  gts_survfit %>%
  add_p()

# Example 2 --------------------------------
# Pass `rho=` argument to `survdiff()`
add_p_tbl_survfit_ex2 <-
  gts_survfit %>%
  add_p(test = "survdiff", test.args = list(rho = 0.5))
```

---

add_p.tbl_svysummary   *Adds p-values to svysummary tables*

Description

Adds p-values to tables created by tbl_svysummary by comparing values across groups.

Usage

```
## S3 method for class 'tbl_svysummary'
add_p(
  x,
  test = NULL,
  pvalue_fun = NULL,
  include = everything(),
  test.args = NULL,
  ...
)
```

Arguments

x	Object with class tbl_svysummary from the [tbl_svysummary](#) function
test	List of formulas specifying statistical tests to perform, e.g. list(all_continuous() ~ "svy.t.test",all_categorical() ~ "svy.wald.test"). Options include

- "svy.t.test" for a t-test adapted to complex survey samples (cf. survey::svyttest),
- "svy.wilcox.test" for a Wilcoxon rank-sum test for complex survey samples (cf. survey::svyranktest),
- "svy.kruskal.test" for a Kruskal-Wallis rank-sum test for complex survey samples (cf. survey::svyranktest),

- "svy.vanderwaerden.test" for a van der Waerden's normal-scores test for complex survey samples (cf. survey::svyranktest),

- "svy.median.test" for a Mood's test for the median for complex survey samples (cf. survey::svyranktest),

- "svy.chisq.test" for a Chi-squared test with Rao & Scott's second-order correction (cf. survey::svychisq),

- "svy.adj.chisq.test" for a Chi-squared test adjusted by a design effect estimate (cf. survey::svychisq),

- "svy.wald.test" for a Wald test of independence for complex survey samples (cf. survey::svychisq),

- "svy.adj.wald.test" for an adjusted Wald test of independence for complex survey samples (cf. survey::svychisq),

- "svy.lincom.test" for a test of independence using the exact asymptotic distribution for complex survey samples (cf. survey::svychisq),

- "svy.saddlepoint.test" for a test of independence using a saddlepoint approximation for complex survey samples (cf. survey::svychisq),

Tests default to "svy.wilcox.test" for continuous variables and "svy.chisq.test" for categorical variables.

pvalue_fun   Function to round and format p-values. Default is style_pvalue. The function must have a numeric vector input (the numeric, exact p-value), and return a string that is the rounded/formatted p-value (e.g. pvalue_fun = function(x) style_pvalue(x,digits = 2) or equivalently, purrr::partial(style_pvalue,digits = 2)).

include   Variables to include in output. Input may be a vector of quoted variable names, unquoted variable names, or tidyselect select helper functions. Default is everything().

test.args   List of formulas containing additional arguments to pass to tests that accept arguments. For example, add an argument for all t-tests, use test.args = all_tests("t.test") ~ list(var.equal = TRUE)

...   Not used

Value

A tbl_svysummary object

Example Output

Author(s)

Joseph Larmarange

See Also

Other tbl_svysummary tools: add_n.tbl_summary(), add_overall(), add_q(), add_stat_label(), modify, separate_p_footnotes(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_svysummary()

Examples

```
# Example 1 --------------------------------
# A simple weighted dataset
add_p_svysummary_ex1 <-
  survey::svydesign(~1, data = as.data.frame(Titanic), weights = ~Freq) %>%
  tbl_svysummary(by = Survived) %>%
  add_p()

# A dataset with a complex design
data(api, package = "survey")
d_clust <- survey::svydesign(id = ~dnum, weights = ~pw, data = apiclus1, fpc = ~fpc)

# Example 2 --------------------------------
add_p_svysummary_ex2 <-
  tbl_svysummary(d_clust, by = both, include = c(cname, api00, api99, both)) %>%
  add_p()

# Example 3 --------------------------------
# change tests to svy t-test and Wald test
add_p_svysummary_ex3 <-
  tbl_svysummary(d_clust, by = both, include = c(cname, api00, api99, both)) %>%
  add_p(
    test = list(
      all_continuous() ~ "svy.t.test",
      all_categorical() ~ "svy.wald.test"
    )
  )
```

---

add_q   *Add a column of q-values to account for multiple comparisons*

Description

Adjustments to p-values are performed with stats::p.adjust.

Usage

```
add_q(x, method = "fdr", pvalue_fun = NULL, quiet = NULL)
```

Arguments

x	a gtsummary object
method	String indicating method to be used for p-value adjustment. Methods from stats::p.adjust are accepted. Default is method = "fdr".
pvalue_fun	Function to round and format p-values. Default is style_pvalue. The function must have a numeric vector input (the numeric, exact p-value), and return a string that is the rounded/formatted p-value (e.g. pvalue_fun = function(x) style_pvalue(x, digits = 2) or equivalently, purrr::partial(style_pvalue, digits = 2)).
quiet	Logical indicating whether to print messages in console. Default is FALSE

Example Output

Author(s)

Esther Drill, Daniel D. Sjoberg

See Also

Other tbl_summary tools: `add_ci()`, `add_n.tbl_summary()`, `add_overall()`, `add_p.tbl_summary()`, `add_stat_label()`, `bold_italicize_labels_levels`, `inline_text.tbl_summary()`, `inline_text.tbl_survfit(`, `modify`, `separate_p_footnotes()`, `tbl_custom_summary()`, `tbl_merge()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`, `tbl_summary()`

Other tbl_svysummary tools: `add_n.tbl_summary()`, `add_overall()`, `add_p.tbl_svysummary()`, `add_stat_label()`, `modify`, `separate_p_footnotes()`, `tbl_merge()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`, `tbl_svysummary()`

Other tbl_regression tools: `add_global_p()`, `bold_italicize_labels_levels`, `combine_terms()`, `inline_text.tbl_regression()`, `modify`, `tbl_merge()`, `tbl_regression()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`

Other tbl_uvregression tools: `add_global_p()`, `bold_italicize_labels_levels`, `inline_text.tbl_uvregression`, `modify`, `tbl_merge()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`, `tbl_uvregression()`

Examples

```
# Example 1 --------------------------------
add_q_ex1 <-
  trial[c("trt", "age", "grade", "response")] %>%
  tbl_summary(by = trt) %>%
  add_p() %>%
  add_q()

# Example 2 --------------------------------
add_q_ex2 <-
  trial[c("trt", "age", "grade", "response")] %>%
  tbl_uvregression(
    y = response,
    method = glm,
    method.args = list(family = binomial),
    exponentiate = TRUE
  ) %>%
  add_global_p() %>%
  add_q()
```

---

add_significance_stars

Add significance stars

Description

[Experimental] Add significance stars to estimates with small p-values

Usage

```
add_significance_stars(
  x,
  pattern = "{estimate}{stars}",
  thresholds = c(0.001, 0.01, 0.05),
  hide_ci = TRUE,
  hide_p = TRUE,
  hide_se = FALSE
)
```

Arguments

x	a 'tbl_regression' or 'tbl_uvregression' object
pattern	glue-syntax string indicating what to display in formatted column. Default is "{estimate}{stars}". Other common patterns are "{estimate}{stars} ({conf.low},{conf.high})" and "{estimate} ({conf.low} to {conf.high}){stars}"
thresholds	thresholds for significance stars. Default is c(0.001,0.01,0.05)
hide_ci	logical whether to hide confidence interval. Default is TRUE
hide_p	logical whether to hide p-value. Default is TRUE
hide_se	logical whether to hide standard error. Default is FALSE

Future Updates

There are planned updates to the implementation of this function with respect to the pattern= argument. Currently, this function replaces the numeric estimate column, with a formatted character column following pattern=. Once gt::cols_merge() gains the rows= argument the implementation will be updated to use it, which will keep numeric columns numeric. For the *vast majority* of users, *the planned change will be go unnoticed*.

Example Output

Examples

```
tbl <-
  lm(time ~ ph.ecog + sex, survival::lung) %>%
  tbl_regression(label = list(ph.ecog = "ECOG Score", sex = "Sex"))

# Example 1 --------------------------------
add_significance_stars_ex1 <-
  tbl %>%
  add_significance_stars(hide_ci = FALSE, hide_p = FALSE)

# Example 2 --------------------------------
add_significance_stars_ex2 <-
  tbl %>%
  add_significance_stars(
    pattern = "{estimate} ({conf.low}, {conf.high}){stars}",
    hide_ci = TRUE, hide_se = TRUE
  ) %>%
  modify_header(estimate ~ "**Beta (95% CI)**") %>%
  modify_footnote(estimate ~ "CI = Confidence Interval", abbreviation = TRUE)
```

```
# Example 3 --------------------------------
# Use <br> to put a line break between beta and SE in HTML output
add_significance_stars_ex3 <-
  tbl %>%
  add_significance_stars(
    hide_se = TRUE,
    pattern = "{estimate}{stars}<br>({std.error})"
  ) %>%
  modify_header(estimate ~ "**Beta (SE)**") %>%
  modify_footnote(estimate ~ "SE = Standard Error", abbreviation = TRUE) %>%
  as_gt() %>%
  gt::tab_style(
    style = "vertical-align:top",
    locations = gt::cells_body(columns = vars(label))
  )
```

---

add_stat   *Add a custom statistic column*

Description

[**Maturing**] The function allows a user to add a new column (or columns) of statistics to an existing
`tbl_summary` or `tbl_svysummary` object.

Usage

```
add_stat(x, fns, location = NULL, ...)
```

Arguments

x	`tbl_summary` or `tbl_svysummary` object
fns	list of formulas indicating the functions that create the statistic. See details below.
location	list of formulas indicating the location the new statistics are placed. The RHS of the formula must be one of c("label","level","missing"). When "label", a single statistic is placed on the variable label row. When "level" the statistics are placed on the variable level rows. The length of the vector of statistics returned from the `fns` function must match the dimension of levels. Default is to place the new statistics on the label row.
...	DEPRECATED

Details

The returns from custom functions passed in fns= are required to follow a specified format. Each
of these function will execute on a single variable from tbl_summary()/tbl_svysummary().

1. Each function must return a tibble or a vector. If a vector is returned, it will be converted to a
   tibble with one column and number of rows equal to the length of the vector.

2. When location = "label", the returned statistic from the custom function must be a tibble
   with one row. When location = "level" the tibble must have the same number of rows as
   there are levels in the variable (excluding the row for unknown values).

3. Each function may take the following arguments: `foo(data,variable,by,tbl,...)`

- data= is the input data frame passed to `tbl_summary()`
- variable= is a string indicating the variable to perform the calculation on
- by= is a string indicating the by variable from tbl_summary=, if present
- tbl= the original `tbl_summary()`/`tbl_svysummary()` object is also available to utilize

The user-defined does not need to utilize each of these inputs. It's encouraged the user-defined function accept ... as each of the arguments *will* be passed to the function, even if not all inputs are utilized by the user's function, e.g. `foo(data,variable,by,...)`

- Use `modify_header()` to update the column headers
- Use `modify_fmt_fun()` to update the functions that format the statistics
- Use `modify_footnote()` to add a explanatory footnote

If you return a tibble with column names `p.value` or `q.value`, default p-value formatting will be applied, and you may take advantage of subsequent p-value formatting functions, such as `bold_p()` or `add_q()`.

Example Output

Examples

```
library(dplyr, warn.conflicts = FALSE)
library(stringr)
# Example 1 --------------------------------
# fn returns t-test pvalue
my_ttest <- function(data, variable, by, ...) {
  t.test(data[[variable]] ~ as.factor(data[[by]]))$p.value
}

add_stat_ex1 <-
  trial %>%
  select(trt, age, marker) %>%
  tbl_summary(by = trt, missing = "no") %>%
  add_stat(fns = everything() ~ my_ttest) %>%
  modify_header(
    list(
      add_stat_1 ~ "**p-value**",
      all_stat_cols() ~ "**{level}**"
    )
  )

# Example 2 --------------------------------
# fn returns t-test test statistic and pvalue
my_ttest2 <- function(data, variable, by, ...) {
  t.test(data[[variable]] ~ as.factor(data[[by]])) %>%
    broom::tidy() %>%
    mutate(
    stat = str_glue("t={style_sigfig(statistic)}, {style_pvalue(p.value, prepend_p = TRUE)}")
    ) %>%
    pull(stat)
}
```

```
add_stat_ex2 <-
  trial %>%
  select(trt, age, marker) %>%
  tbl_summary(by = trt, missing = "no") %>%
  add_stat(fns = everything() ~ my_ttest2) %>%
  modify_header(add_stat_1 ~ "**Treatment Comparison**")

# Example 3 --------------------------------
# return test statistic and p-value is separate columns
my_ttest3 <- function(data, variable, by, ...) {
  t.test(data[[variable]] ~ as.factor(data[[by]])) %>%
    broom::tidy() %>%
    select(statistic, p.value)
}

add_stat_ex3 <-
  trial %>%
  select(trt, age, marker) %>%
  tbl_summary(by = trt, missing = "no") %>%
  add_stat(fns = everything() ~ my_ttest3) %>%
  modify_header(
    list(
      statistic ~ "**t-statistic**",
      p.value ~ "**p-value**"
    )
  ) %>%
  modify_fmt_fun(
    list(
      statistic ~ style_sigfig,
      p.value ~ style_pvalue
    )
  )
```

---

add_stat_label   *Add statistic labels*

Description

Adds labels describing the summary statistics presented for each variable in the tbl_summary /
tbl_svysummary table.

Usage

```
add_stat_label(x, location = NULL, label = NULL)
```

Arguments

x   Object with class tbl_summary from the tbl_summary function or with class
              tbl_svysummary from the tbl_svysummary function

location   location where statistic label will be included. "row" (the default) to add the
              statistic label to the variable label row, and "column" adds a column with the
              statistic label.

label   a list of formulas or a single formula updating the statistic label, e.g. label =
              all_categorical() ~ "No. (%)"

Value

A `tbl_summary` or `tbl_svysummary` object

Tips

When using `add_stat_label(location='row')` with subsequent `tbl_merge()`, it's important to have somewhat of an understanding of the underlying structure of the gtsummary table. `add_stat_label(location='ro` works by adding a new column called ″stat_label″ to x$table_body. The ″label″ and ″stat_label″ columns are merged when the gtsummary table is printed. The `tbl_merge()` function merges on the ″label″ column (among others), which is typically the first column you see in a gtsummary table. Therefore, when you want to merge a table that has run `add_stat_label(location='row')` you need to match the ″label″ column values before the ″stat_column″ is merged with it.

For example, the following two tables merge properly

```
tbl1 <- trial %>% select(age, grade) %>% tbl_summary() %>% add_stat_label()
tbl2 <- lm(marker ~ age + grade, trial) %>% tbl_regression()

tbl_merge(list(tbl1, tbl2))
```

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_summary tools: `add_ci()`, `add_n.tbl_summary()`, `add_overall()`, `add_p.tbl_summary()`, `add_q()`, `bold_italicize_labels_levels`, `inline_text.tbl_summary()`, `inline_text.tbl_survfit()`, `modify`, `separate_p_footnotes()`, `tbl_custom_summary()`, `tbl_merge()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`, `tbl_summary()`

Other tbl_svysummary tools: `add_n.tbl_summary()`, `add_overall()`, `add_p.tbl_svysummary()`, `add_q()`, `modify`, `separate_p_footnotes()`, `tbl_merge()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`, `tbl_svysummary()`

Examples

```
tbl <- trial %>%
  dplyr::select(trt, age, grade, response) %>%
  tbl_summary(by = trt)

# Example 1 --------------------------------
# Add statistic presented to the variable label row
add_stat_label_ex1 <-
  tbl %>%
  add_stat_label(
    # update default statistic label for continuous variables
    label = all_continuous() ~ ″med. (iqr)″
  )

# Example 2 --------------------------------
add_stat_label_ex2 <-
```

```
  tbl %>%
  add_stat_label(
    # add a new column with statistic labels
    location = "column"
  )

# Example 3 --------------------------------
add_stat_label_ex3 <-
  trial %>%
  select(age, grade, trt) %>%
  tbl_summary(
    by = trt,
    type = all_continuous() ~ "continuous2",
    statistic = all_continuous() ~ c("{mean} ({sd})", "{min} - {max}"),
  ) %>%
  add_stat_label(label = age ~ c("Mean (SD)", "Min - Max"))
```

---

add_vif   *Add Variance Inflation Factor*

Description

[**Maturing**] Add the variance inflation factor (VIF) or generalized VIF (GVIF) to the regression table. Function uses car::vif() to calculate the VIF.

Usage

```
add_vif(x, statistic = NULL, estimate_fun = NULL)
```

Arguments

x   'tbl_regression' object

statistic   "VIF" (variance inflation factors, for models with no categorical terms) or one
                of/combination of "GVIF" (generalized variance inflation factors), "aGVIF" 'ad-
                justed GVIF, i.e. GVIF^[1/(2*df)] and/or "df" (degrees of freedom). See
                car::vif() for details.

estimate_fun   Default is [style_sigfig()](#).

Example Output

Examples

```
# Example 1 --------------------------------
add_vif_ex1 <-
  lm(age ~ grade + marker, trial) %>%
  tbl_regression() %>%
  add_vif()

# Example 2 --------------------------------
add_vif_ex2 <-
```

```
lm(age ~ grade + marker, trial) %>%
tbl_regression() %>%
add_vif(c("aGVIF", "df"))
```

assert_package   *Check a package installation*

Description

The function checks whether a package is installed and returns an error or FALSE if not available. If a package search is provided, the function will check whether a minimum version of a package is required.

Usage

```
assert_package(pkg, fn = NULL, pkg_search = "gtsummary", boolean = FALSE)
```

Arguments

pkg	Package required
fn	Calling function from the user perspective
pkg_search	the package the function will search for a minimum required version from.
boolean	logical indicating whether to return a TRUE/FALSE, rather than error when package/package version not available.

Value

Returns NULL or not at all.

Examples

```
assert_package("gt", boolean = TRUE)
```

as_flex_table   *Convert gtsummary object to a flextable object*

Description

Function converts a gtsummary object to a flextable object. A user can use this function if they wish to add customized formatting available via the flextable functions. The flextable output is particularly useful when combined with R markdown with Word output, since the gt package does not support Word.

Usage

```
as_flex_table(
  x,
  include = everything(),
  return_calls = FALSE,
  strip_md_bold = TRUE
)
```

Arguments

x	Object created by a function from the gtsummary package (e.g. tbl_summary or tbl_regression)
include	Commands to include in output. Input may be a vector of quoted or unquoted names. tidyselect and gtsummary select helper functions are also accepted. Default is everything().
return_calls	Logical. Default is FALSE. If TRUE, the calls are returned as a list of expressions.
strip_md_bold	When TRUE, all double asterisk (markdown language for bold weight) in column labels and spanning headers are removed.

Value

A flextable object

Details

The `as_flex_table()` functions converts the gtsummary object to a flextable, and prints it with the following styling functions.

1. `flextable::flextable()`
2. `flextable::set_header_labels()` to set column labels
3. `flextable::add_header_row()`, if applicable, to set spanning column header
4. `flextable::align()` to set column alignment
5. `flextable::padding()` to indent variable levels
6. `flextable::fontsize()` to set font size
7. `flextable::autofit()` to estimate the column widths
8. `flextable::footnote()` to add table footnotes and source notes
9. `flextable::bold()` to bold cells in data frame
10. `flextable::italic()` to italicize cells in data frame
11. `flextable::border()` to set all border widths to 1
12. `flextable::padding()` to set consistent header padding
13. `flextable::valign()` to ensure label column is top-left justified

Any one of these commands may be omitted using the include= argument.

Pro tip: Use the `flextable::width()` function for exacting control over column width after calling `as_flex_table()`.

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other gtsummary output types: `as_gt()`, `as_hux_table()`, `as_kable_extra()`, `as_kable()`, `as_tibble.gtsummary()`

Examples

```
as_flex_table_ex1 <-
  trial %>%
  select(trt, age, grade) %>%
  tbl_summary(by = trt) %>%
  add_p() %>%
  as_flex_table()
```

---

as_gt   *Convert gtsummary object to a gt object*

Description

Function converts a gtsummary object to a gt_tbl object. Function is used in the background when the results are printed or knit. A user can use this function if they wish to add customized formatting available via the gt package.

Review the tbl_summary vignette or tbl_regression vignette for detailed examples in the 'Advanced Customization' section.

Usage

```
as_gt(x, include = everything(), return_calls = FALSE, ..., exclude = NULL)
```

Arguments

x	Object created by a function from the gtsummary package (e.g. tbl_summary or tbl_regression)
include	Commands to include in output. Input may be a vector of quoted or unquoted names. tidyselect and gtsummary select helper functions are also accepted. Default is everything().
return_calls	Logical. Default is FALSE. If TRUE, the calls are returned as a list of expressions.
...	Arguments passed on to gt::gt
exclude	DEPRECATED.

Value

A gt_tbl object

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other gtsummary output types: as_flex_table(), as_hux_table(), as_kable_extra(), as_kable(), as_tibble.gtsummary()

Examples

```
as_gt_ex <-
  trial[c("trt", "age", "response", "grade")] %>%
  tbl_summary(by = trt) %>%
  as_gt()
```

---

as_hux_table   *Convert gtsummary object to a huxtable object*

Description

Function converts a gtsummary object to a huxtable object. A user can use this function if they wish
to add customized formatting available via the huxtable functions. The huxtable package supports
output to PDF via LaTeX, as well as HTML and Word.

Usage

```
as_hux_table(
  x,
  include = everything(),
  return_calls = FALSE,
  strip_md_bold = FALSE
)
```

Arguments

x	Object created by a function from the gtsummary package (e.g. tbl_summary or tbl_regression)
include	Commands to include in output. Input may be a vector of quoted or unquoted names. tidyselect and gtsummary select helper functions are also accepted. Default is `everything()`.
return_calls	Logical. Default is FALSE. If TRUE, the calls are returned as a list of expressions.
strip_md_bold	When TRUE, all double asterisk (markdown language for bold weight) in column labels and spanning headers are removed.

Value

A huxtable object

Details

The `as_hux_table()` takes the data frame that will be printed, converts it to a huxtable and formats
the table with the following huxtable functions:

1. `huxtable::huxtable()`

2. `huxtable::insert_row()` to insert header rows

3. `huxtable::set_left_padding()` to indent variable levels

4. `huxtable::add_footnote()` to add table footnotes and source notes

5. `huxtable::set_bold()` to bold cells

6. `huxtable::set_italic()` to italicize cells

7. `huxtable::set_top_border()` add horizontal line (when indicated)

8. `huxtable::set_na_string()` to use an em-dash for missing numbers

9. `huxtable::set_markdown()` use markdown for header rows

10. `huxtable::set_align()` to set column alignment

Any one of these commands may be omitted using the include= argument.

Author(s)

David Hugh-Jones

See Also

Other gtsummary output types: `as_flex_table()`, `as_gt()`, `as_kable_extra()`, `as_kable()`, `as_tibble.gtsummary()`

Examples

```
trial %>%
  dplyr::select(trt, age, grade) %>%
  tbl_summary(by = trt) %>%
  add_p() %>%
  as_hux_table()
```

---

as_kable   *Convert gtsummary object to a kable object*

Description

Function converts a gtsummary object to a knitr_kable object. This function is used in the background when the results are printed or knit. A user can use this function if they wish to add customized formatting available via knitr::kable.

Output from knitr::kable is less full featured compared to summary tables produced with gt. For example, kable summary tables do not include indentation, footnotes, or spanning header rows.

Usage

```
as_kable(x, include = everything(), return_calls = FALSE, exclude = NULL, ...)
```

Arguments

x	Object created by a function from the gtsummary package (e.g. tbl_summary or tbl_regression)
include	Commands to include in output. Input may be a vector of quoted or unquoted names. tidyselect and gtsummary select helper functions are also accepted. Default is `everything()`.
return_calls	Logical. Default is FALSE. If TRUE, the calls are returned as a list of expressions.
exclude	DEPRECATED
...	Additional arguments passed to knitr::kable

Details

Tip: To better distinguish variable labels and level labels when indenting is not supported, try bold_labels() or italicize_levels().

Value

A knitr_kable object

Author(s)

Daniel D. Sjoberg

See Also

Other gtsummary output types: as_flex_table(), as_gt(), as_hux_table(), as_kable_extra(), as_tibble.gtsummary()

Examples

```
trial %>%
  tbl_summary(by = trt) %>%
  bold_labels() %>%
  as_kable()
```

---

as_kable_extra   *Convert gtsummary object to a kableExtra object*

Description

Function converts a gtsummary object to a knitr_kable + kableExtra object. A user can use this function if they wish to add customized formatting available via knitr::kable and kableExtra. Bold and italic cells are not supported for kableExtra output via gtsummary.

Usage

```
as_kable_extra(
  x,
  include = everything(),
  return_calls = FALSE,
  strip_md_bold = TRUE,
  ...
)
```

Arguments

x	Object created by a function from the gtsummary package (e.g. tbl_summary or tbl_regression)
include	Commands to include in output. Input may be a vector of quoted or unquoted names. tidyselect and gtsummary select helper functions are also accepted. Default is everything().
return_calls	Logical. Default is FALSE. If TRUE, the calls are returned as a list of expressions.

| strip_md_bold | When TRUE, all double asterisk (markdown language for bold weight) in column labels and spanning headers are removed. |
| ... | Additional arguments passed to [knitr::kable](#) |

Value

A kableExtra object

Author(s)

Daniel D. Sjoberg

See Also

Other gtsummary output types: `as_flex_table()`, `as_gt()`, `as_hux_table()`, `as_kable()`, `as_tibble.gtsummary()`

Examples

```
tbl <-
  trial %>%
  tbl_summary(by = trt) %>%
  as_kable_extra()
```

---

as_tibble.gtsummary   *Convert gtsummary object to a tibble*

Description

Function converts a gtsummary object to a tibble.

Usage

```
## S3 method for class 'gtsummary'
as_tibble(
  x,
  include = everything(),
  col_labels = TRUE,
  return_calls = FALSE,
  exclude = NULL,
  ...
)
```

Arguments

x	Object created by a function from the gtsummary package (e.g. [tbl_summary](#) or [tbl_regression](#))
include	Commands to include in output. Input may be a vector of quoted or unquoted names. tidyselect and gtsummary select helper functions are also accepted. Default is `everything()`.
col_labels	Logical argument adding column labels to output tibble. Default is `TRUE`.

return_calls	Logical. Default is FALSE. If TRUE, the calls are returned as a list of expressions.
exclude	DEPRECATED
...	Not used

Value

a [tibble](#)

Author(s)

Daniel D. Sjoberg

See Also

Other gtsummary output types: `as_flex_table()`, `as_gt()`, `as_hux_table()`, `as_kable_extra()`, `as_kable()`

Examples

```
tbl <-
  trial %>%
  select(trt, age, grade, response) %>%
  tbl_summary(by = trt)

as_tibble(tbl)

# without column labels
as_tibble(tbl, col_labels = FALSE)
```

bold_italicize_labels_levels

Bold or Italicize labels or levels in gtsummary tables

Description

Bold or Italicize labels or levels in gtsummary tables

Usage

```
bold_labels(x)

bold_levels(x)

italicize_labels(x)

italicize_levels(x)
```

Arguments

| x | Object created using gtsummary functions |

Value

Functions return the same class of gtsummary object supplied

Functions

- `bold_labels`: Bold labels in gtsummary tables
- `bold_levels`: Bold levels in gtsummary tables
- `italicize_labels`: Italicize labels in gtsummary tables
- `italicize_levels`: Italicize levels in gtsummary tables

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_summary tools: `add_ci()`, `add_n.tbl_summary()`, `add_overall()`, `add_p.tbl_summary()`, `add_q()`, `add_stat_label()`, `inline_text.tbl_summary()`, `inline_text.tbl_survfit()`, `modify`, `separate_p_footnotes()`, `tbl_custom_summary()`, `tbl_merge()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`, `tbl_summary()`

Other tbl_regression tools: `add_global_p()`, `add_q()`, `combine_terms()`, `inline_text.tbl_regression()`, `modify`, `tbl_merge()`, `tbl_regression()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`

Other tbl_uvregression tools: `add_global_p()`, `add_q()`, `inline_text.tbl_uvregression()`, `modify`, `tbl_merge()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`, `tbl_uvregression()`

Examples

```
tbl_bold_ital_ex <-
  trial[c("trt", "age", "grade")] %>%
  tbl_summary() %>%
  bold_labels() %>%
  bold_levels() %>%
  italicize_labels() %>%
  italicize_levels()
```

---

bold_p   *Bold significant p-values or q-values*

Description

Bold values below a chosen threshold (e.g. <0.05) in a gtsummary tables.

Usage

```
bold_p(x, t = 0.05, q = FALSE)
```

Arguments

x	Object created using gtsummary functions
t	Threshold below which values will be bold. Default is 0.05.
q	Logical argument. When TRUE will bold the q-value column rather than the p-values. Default is FALSE.

Example Output

Author(s)

Daniel D. Sjoberg, Esther Drill

Examples

```
# Example 1 ---------------------------------
bold_p_ex1 <-
  trial[c("age", "grade", "response", "trt")] %>%
  tbl_summary(by = trt) %>%
  add_p() %>%
  bold_p(t = 0.65)

# Example 2 ---------------------------------
bold_p_ex2 <-
  glm(response ~ trt + grade, trial, family = binomial(link = "logit")) %>%
  tbl_regression(exponentiate = TRUE) %>%
  bold_p(t = 0.65)
```

---

combine_terms   *Combine terms in a regression model*

Description

The function combines terms from a regression model, and replaces the terms with a single row in the output table. The p-value is calculated using stats::anova().

Usage

```
combine_terms(x, formula_update, label = NULL, quiet = NULL, ...)
```

Arguments

x	a tbl_regression object
formula_update	formula update passed to the stats::update. This updated formula is used to construct a reduced model, and is subsequently passed to stats::anova() to calculate the p-value for the group of removed terms. See the stats::update help file for proper syntax. function's formula.= argument
label	Option string argument labeling the combined rows
quiet	Logical indicating whether to print messages in console. Default is FALSE
...	Additional arguments passed to stats::anova

Value

tbl_regression object

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_regression tools: `add_global_p()`, `add_q()`, `bold_italicize_labels_levels`, `inline_text.tbl_regress`
`modify`, `tbl_merge()`, `tbl_regression()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`

Examples

```
# Example 1 --------------------------------
# Logistic Regression Example, LRT p-value
combine_terms_ex1 <-
  glm(
    response ~ marker + I(marker^2) + grade,
    trial[c("response", "marker", "grade")] %>% na.omit(), # keep complete cases only!
    family = binomial
  ) %>%
  tbl_regression(label = grade ~ "Grade", exponentiate = TRUE) %>%
  # collapse non-linear terms to a single row in output using anova
  combine_terms(
    formula_update = . ~ . - marker - I(marker^2),
    label = "Marker (non-linear terms)",
    test = "LRT"
  )
```

---

continuous_summary   *Summarize a continuous variable*

Description

[Experimental] This helper, to be used with `tbl_custom_summary()`, creates a function summarizing a continuous variable.

Usage

```
continuous_summary(variable)
```

Arguments

variable   String indicating the name of the variable to be summarized. This variable
                  should be continuous.

Details

When using `continuous_summary`, you can specify in the statistic= argument of `tbl_custom_summary()` the same continuous statistics than in `tbl_summary()`. See the *statistic argument* section of the help file of `tbl_summary()`.

Example Output

Author(s)

Joseph Larmarange

See Also

Other tbl_custom_summary tools: `proportion_summary()`, `ratio_summary()`, `tbl_custom_summary()`

Examples

```
# Example 1 --------------------------------
continuous_summary_ex1 <-
  trial %>%
  tbl_custom_summary(
    include = c("stage", "grade"),
    by = "trt",
    stat_fns = ~ continuous_summary("age"),
    statistic = ~ "{median} [{p25}-{p75}]",
    overall_row = TRUE,
    overall_row_label = "All stages & grades"
  ) %>%
  modify_footnote(
    update = all_stat_cols() ~ "Median age (IQR)"
  )
```

---

custom_tidiers	*Collection of custom tidiers*

Description

[Maturing] Collection of tidiers that can be passed to `tbl_regression()` and `tbl_uvregression()` to obtain modified results. See examples below.

Usage

```
tidy_standardize(
  x,
  exponentiate = FALSE,
  conf.level = 0.95,
  conf.int = TRUE,
  ...,
  quiet = FALSE
)
```

```
tidy_bootstrap(
  x,
  exponentiate = FALSE,
  conf.level = 0.95,
  conf.int = TRUE,
  ...,
  quiet = FALSE
)

tidy_robust(
  x,
  exponentiate = FALSE,
  conf.level = 0.95,
  conf.int = TRUE,
  vcov_estimation = NULL,
  vcov_type = NULL,
  vcov_args = NULL,
  ...,
  quiet = FALSE
)

pool_and_tidy_mice(x, pool.args = NULL, ..., quiet = FALSE)

tidy_gam(x, conf.int = FALSE, exponentiate = FALSE, conf.level = 0.95, ...)
```

Arguments

x	a regression model object
exponentiate	Logical indicating whether or not to exponentiate the the coefficient estimates. This is typical for logistic and multinomial regressions, but a bad idea if there is no log or logit link. Defaults to `FALSE`.
conf.level	The confidence level to use for the confidence interval if `conf.int = TRUE`. Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
conf.int	Logical indicating whether or not to include a confidence interval in the tidied output. Defaults to `FALSE`.
...	arguments passed to method;

- `pool_and_tidy_mice()`: `mice::tidy(x,...)`
- `tidy_standardize()`: `effectsize::standardize_parameters(x,...)`
- `tidy_bootstrap()`: `parameters::bootstrap_parameters(x,...)`
- `tidy_robust()`: `parameters::model_parameters(x,...)`

quiet	Logical indicating whether to print messages in console. Default is `FALSE`
vcov_estimation, vcov_type, vcov_args	
	arguments passed to `parameters::model_parameters()`
pool.args	named list of arguments passed to `mice::pool()` in `pool_and_tidy_mice()`. Default is `NULL`

Details

- `tidy_standardize()` tidier to report standardized coefficients. The [effectsize](#) package includes a wonderful function to estimate standardized coefficients. The tidier uses the output from `effectsize::standardize_parameters()`, and merely takes the result and puts it in `broom::tidy()` format.

- `tidy_bootstrap()` tidier to report bootstrapped coefficients. The [parameters](#) package includes a wonderful function to estimate bootstrapped coefficients. The tidier uses the output from `parameters::bootstrap_parameters(test = "p")`, and merely takes the result and puts it in `broom::tidy()` format.

- `tidy_robust()` tidier to report robust standard errors, confidence intervals, and p-values. The [parameters](#) package includes a wonderful function to calculate robust standard errors, confidence intervals, and p-values The tidier uses the output from `parameters::model_parameters()`, and merely takes the result and puts it in `broom::tidy()` format. To use this function with `tbl_regression()`, pass a function with the arguments for `tidy_robust()` populated. This is easily done using `purrr::partial()` e.g. `tbl_regression(tidy_fun = partial(tidy_robust, vcov_estima = "CL"))`

- `pool_and_tidy_mice()` tidier to report models resulting from multiply imputed data using the mice package. Pass the mice model object *before* the model results have been pooled. See example.

Ensure your model type is compatible with the methods/functions used to estimate the model parameters before attempting to use the tidier with `tbl_regression()`

Example Output

Examples

```
# Example 1 --------------------------------
mod <- lm(age ~ marker + grade, trial)

tbl_stnd <- tbl_regression(mod, tidy_fun = tidy_standardize)
tbl <- tbl_regression(mod)

tidy_standardize_ex1 <-
  tbl_merge(
    list(tbl_stnd, tbl),
    tab_spanner = c("**Standardized Model**", "**Original Model**")
  )

# Example 2 --------------------------------
# use "posthoc" method for coef calculation
tidy_standardize_ex2 <-
  tbl_regression(mod, tidy_fun = purrr::partial(tidy_standardize, method = "posthoc"))

# Example 3 --------------------------------
# Multiple Imputation using the mice package
set.seed(1123)
pool_and_tidy_mice_ex3 <-
  suppressWarnings(mice::mice(trial, m = 2)) %>%
  with(lm(age ~ marker + grade)) %>%
```

```
tbl_regression()
```

---

inline_text *Report statistics from gtsummary tables inline*

Description

Report statistics from gtsummary tables inline

Usage

```
inline_text(x, ...)
```

Arguments

x	Object created from a gtsummary function
...	Additional arguments passed to other methods.

Value

A string reporting results from a gtsummary table

Author(s)

Daniel D. Sjoberg

See Also

inline_text.tbl_summary, inline_text.tbl_svysummary, inline_text.tbl_regression, inline_text.tbl_uvregression, inline_text.tbl_survfit, inline_text.tbl_cross, inline_text.gtsummary

---

inline_text.gtsummary *Report statistics from summary tables inline*

Description

Report statistics from summary tables inline

Usage

```
## S3 method for class 'gtsummary'
inline_text(x, variable, level = NULL, column = NULL, pattern = NULL, ...)
```

Arguments

`x`	gtsummary object
`variable`	Variable name of statistic to present
`level`	Level of the variable to display for categorical variables. Default is `NULL`
`column`	Column name to return from `x$table_body`.
`pattern`	String indicating the statistics to return. Uses [glue::glue](#) formatting. Default is `NULL`
`...`	Not used

column + pattern

Some gtsummary tables report multiple statistics in a single cell, e.g. `"{mean} ({sd})"` in `tbl_summary()` or `tbl_svysummary()`. We often need to report just the mean or the SD, and that can be accomplished by using both the column= and pattern= arguments. When both of these arguments are specified, the column argument selects the column to report statistics from, and the pattern argument specifies which statistics to report, e.g. `inline_text(x, column = "stat_1", pattern = "{mean}")` reports just the mean from a `tbl_summary()`.

---

inline_text.tbl_cross   *Report statistics from cross table inline*

Description

[Maturing] Extracts and returns statistics from a `tbl_cross` object for inline reporting in an R markdown document. Detailed examples in the [inline_text vignette](#)

Usage

```
## S3 method for class 'tbl_cross'
inline_text(x, col_level = NULL, row_level = NULL, pvalue_fun = NULL, ...)
```

Arguments

`x`	a `tbl_cross` object
`col_level`	Level of the column variable to display. Default is `NULL` Can also specify `"p.value"` for the p-value and `"stat_0"` for Total column.
`row_level`	Level of the row variable to display. Can also specify the 'Unknown' row. Default is `NULL`
`pvalue_fun`	Function to round and format p-values. Default is [style_pvalue](#). The function must have a numeric vector input (the numeric, exact p-value), and return a string that is the rounded/formatted p-value (e.g. `pvalue_fun = function(x) style_pvalue(x, digits = 2)` or equivalently, `purrr::partial(style_pvalue, digits = 2)`).
`...`	Not used

Value

A string reporting results from a gtsummary table

See Also

Other tbl_cross tools: add_p.tbl_cross(), tbl_cross()

Examples

```
tbl_cross <-
  tbl_cross(trial, row = trt, col = response) %>%
  add_p()

inline_text(tbl_cross, row_level = "Drug A", col_level = "1")
inline_text(tbl_cross, row_level = "Total", col_level = "1")
inline_text(tbl_cross, col_level = "p.value")
```

---

inline_text.tbl_regression

Report statistics from regression summary tables inline

Description

Takes an object with class tbl_regression, and the location of the statistic to report and returns statistics for reporting inline in an R markdown document. Detailed examples in the inline_text vignette

Usage

```
## S3 method for class 'tbl_regression'
inline_text(
  x,
  variable,
  level = NULL,
 pattern = "{estimate} ({conf.level*100}% CI {conf.low}, {conf.high}; {p.value})",
  estimate_fun = NULL,
  pvalue_fun = NULL,
  ...
)
```

Arguments

x	Object created from tbl_regression
variable	Variable name of statistics to present
level	Level of the variable to display for categorical variables. Default is NULL, returning the top row in the table for the variable.
pattern	String indicating the statistics to return. Uses glue::glue formatting. Default is "{estimate} ({conf.level }% CI {conf.low},{conf.high}; {p.value})". All columns from x$table_body are available to print as well as the confidence level (conf.level). See below for details.
estimate_fun	function to style model coefficient estimates. Columns 'estimate', 'conf.low', and 'conf.high' are formatted. Default is x$inputs$estimate_fun
pvalue_fun	function to style p-values and/or q-values. Default is function(x) style_pvalue(x,prepend_p = TRUE)
...	Not used

Value

A string reporting results from a gtsummary table

pattern argument

The following items (and more) are available to print. Use `print(x$table_body)` to print the table the estimates are extracted from.

- `{estimate}` coefficient estimate formatted with 'estimate_fun'
- `{conf.low}` lower limit of confidence interval formatted with 'estimate_fun'
- `{conf.high}` upper limit of confidence interval formatted with 'estimate_fun'
- `{p.value}` p-value formatted with 'pvalue_fun'
- `{N}` number of observations in model
- `{label}` variable/variable level label

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_regression tools: `add_global_p()`, `add_q()`, `bold_italicize_labels_levels`, `combine_terms()`, `modify`, `tbl_merge()`, `tbl_regression()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`

Examples

```
inline_text_ex1 <-
  glm(response ~ age + grade, trial, family = binomial(link = "logit")) %>%
  tbl_regression(exponentiate = TRUE)

inline_text(inline_text_ex1, variable = age)
inline_text(inline_text_ex1, variable = grade, level = "III")
```

---

inline_text.tbl_summary

Report statistics from summary tables inline

Description

Extracts and returns statistics from a tbl_summary object for inline reporting in an R markdown document. Detailed examples in the inline_text vignette

Usage

```
## S3 method for class 'tbl_summary'
inline_text(
  x,
  variable,
  column = NULL,
  level = NULL,
```

```
  pattern = NULL,
  pvalue_fun = NULL,
  ...
)

## S3 method for class 'tbl_svysummary'
inline_text(
  x,
  variable,
  column = NULL,
  level = NULL,
  pattern = NULL,
  pvalue_fun = NULL,
  ...
)
```

Arguments

x	Object created from [tbl_summary](#)
variable	Variable name of statistic to present
column	Column name to return from x$table_body. Can also pass the level of a by variable.
level	Level of the variable to display for categorical variables. Can also specify the 'Unknown' row. Default is NULL
pattern	String indicating the statistics to return. Uses [glue::glue](#) formatting. Default is pattern shown in tbl_summary() output
pvalue_fun	Function to round and format p-values. Default is [style_pvalue](#). The function must have a numeric vector input (the numeric, exact p-value), and return a string that is the rounded/formatted p-value (e.g. pvalue_fun = function(x) style_pvalue(x, digits = 2) or equivalently, purrr::partial(style_pvalue, digits = 2)).
...	Not used

Value

A string reporting results from a gtsummary table

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_summary tools: [add_ci()](#), [add_n.tbl_summary()](#), [add_overall()](#), [add_p.tbl_summary()](#), [add_q()](#), [add_stat_label()](#), [bold_italicize_labels_levels](#), [inline_text.tbl_survfit()](#), [modify](#), [separate_p_footnotes()](#), [tbl_custom_summary()](#), [tbl_merge()](#), [tbl_split()](#), [tbl_stack()](#), [tbl_strata()](#), [tbl_summary()](#)

Examples

```
t1 <- trial[c("trt", "grade")] %>%
  tbl_summary(by = trt) %>%
  add_p()

inline_text(t1, variable = grade, level = "I", column = "Drug A", pattern = "{n}/{N} ({p})%")
inline_text(t1, variable = grade, column = "p.value")
```

---

inline_text.tbl_survfit

Report statistics from survfit tables inline

Description

[**Maturing**] Extracts and returns statistics from a `tbl_survfit` object for inline reporting in an R markdown document. Detailed examples in the inline_text vignette

Usage

```
## S3 method for class 'tbl_survfit'
inline_text(
  x,
  variable = NULL,
  level = NULL,
  pattern = NULL,
  time = NULL,
  prob = NULL,
  column = NULL,
  estimate_fun = x$inputs$estimate_fun,
  pvalue_fun = NULL,
  ...
)
```

Arguments

x	Object created from tbl_survfit
variable	Variable name of statistic to present.
level	Level of the variable to display for categorical variables. Can also specify the 'Unknown' row. Default is `NULL`
pattern	String indicating the statistics to return.
time	time for which to return survival probabilities.
prob	probability with values in (0,1)
column	column to print from x$table_body. Columns may be selected with time= or prob= as well.
estimate_fun	Function to round and format estimate and confidence limits. Default is the same function used in `tbl_survfit()`

pvalue_fun	Function to round and format p-values. Default is style_pvalue. The function must have a numeric vector input (the numeric, exact p-value), and return a string that is the rounded/formatted p-value (e.g. `pvalue_fun = function(x) style_pvalue(x,digits = 2)` or equivalently, `purrr::partial(style_pvalue,digits = 2)`).
...	Not used

Value

A string reporting results from a gtsummary table

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_summary tools: `add_ci()`, `add_n.tbl_summary()`, `add_overall()`, `add_p.tbl_summary()`, `add_q()`, `add_stat_label()`, `bold_italicize_labels_levels`, `inline_text.tbl_summary()`, `modify`, `separate_p_footnotes()`, `tbl_custom_summary()`, `tbl_merge()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`, `tbl_summary()`

Examples

```
library(survival)
# fit survfit
fit1 <- survfit(Surv(ttdeath, death) ~ trt, trial)
fit2 <- survfit(Surv(ttdeath, death) ~ 1, trial)

# sumarize survfit objects
tbl1 <-
  tbl_survfit(
    fit1,
    times = c(12, 24),
    label = "Treatment",
    label_header = "**{time} Month**"
  ) %>%
  add_p()

tbl2 <-
  tbl_survfit(
    fit2,
    probs = 0.5,
    label_header = "**Median Survival**"
  )

# report results inline
inline_text(tbl1, time = 24, level = "Drug B")
inline_text(tbl1, column = p.value)
inline_text(tbl2, prob = 0.5)
```

---

inline_text.tbl_uvregression

Report statistics from regression summary tables inline

Description

Extracts and returns statistics from a table created by the `tbl_uvregression` function for inline reporting in an R markdown document. Detailed examples in the inline_text vignette

Usage

```
## S3 method for class 'tbl_uvregression'
inline_text(
  x,
  variable,
  level = NULL,
 pattern = "{estimate} ({conf.level*100}% CI {conf.low}, {conf.high}; {p.value})",
  estimate_fun = NULL,
  pvalue_fun = NULL,
  ...
)
```

Arguments

x	Object created from tbl_uvregression
variable	Variable name of statistics to present
level	Level of the variable to display for categorical variables. Default is NULL, returning the top row in the table for the variable.
pattern	String indicating the statistics to return. Uses glue::glue formatting. Default is "{estimate} ({conf.level }% CI {conf.low},{conf.high}; {p.value})". All columns from x$table_body are available to print as well as the confidence level (conf.level). See below for details.
estimate_fun	function to style model coefficient estimates. Columns 'estimate', 'conf.low', and 'conf.high' are formatted. Default is x$inputs$estimate_fun
pvalue_fun	function to style p-values and/or q-values. Default is function(x) style_pvalue(x,prepend_p = TRUE)
...	Not used

Value

A string reporting results from a gtsummary table

pattern argument

The following items (and more) are available to print. Use `print(x$table_body)` to print the table the estimates are extracted from.

- {estimate} coefficient estimate formatted with 'estimate_fun'
- {conf.low} lower limit of confidence interval formatted with 'estimate_fun'

- {conf.high} upper limit of confidence interval formatted with 'estimate_fun'
- {p.value} p-value formatted with 'pvalue_fun'
- {N} number of observations in model
- {label} variable/variable level label

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_uvregression tools: add_global_p(), add_q(), bold_italicize_labels_levels, modify, tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_uvregression()

Examples

```
inline_text_ex1 <-
  trial[c("response", "age", "grade")] %>%
  tbl_uvregression(
    method = glm,
    method.args = list(family = binomial),
    y = response,
    exponentiate = TRUE
  )

inline_text(inline_text_ex1, variable = age)
inline_text(inline_text_ex1, variable = grade, level = "III")
```

---

modify	*Modify column headers, footnotes, spanning headers, and table captions*

Description

These functions assist with updating or adding column headers (modify_header()), footnotes (modify_footnote()), spanning headers (modify_spanning_header()), and table captions (modify_caption()). Use show_header_names() to learn the column names.

Usage

```
modify_header(
  x,
  update = NULL,
  text_interpret = c("md", "html"),
  quiet = NULL,
  ...,
  stat_by = NULL
)

modify_footnote(
  x,
  update = NULL,
```

```
    abbreviation = FALSE,
    text_interpret = c("md", "html"),
    quiet = NULL
)

modify_spanning_header(
    x,
    update = NULL,
    text_interpret = c("md", "html"),
    quiet = NULL
)

modify_caption(x, caption, text_interpret = c("md", "html"))

show_header_names(x = NULL, quiet = NULL)
```

Arguments

x	a gtsummary object
update	list of formulas or a single formula specifying the updated column header, footnote, or spanning header. The LHS specifies the column(s) to be updated, and the RHS is the updated text. Use the show_header_names() to see the column names that can be modified.
text_interpret	String indicates whether text will be interpreted with gt::md() or gt::html(). Must be "md" (default) or "html".
quiet	Logical indicating whether to print messages in console. Default is FALSE
...	Specify a column and updated column label, e.g. modify_header(p.value = "Model P-values"). This is provided as an alternative to the update= argument. They accomplish the same goal of updating column headers.
stat_by	DEPRECATED, use update = all_stat_cols() ~ "<label>" instead.
abbreviation	Logical indicating if an abbreviation is being updated.
caption	a string of the table caption/title

Value

Updated gtsummary object

tbl_summary(), tbl_svysummary(), and tbl_cross()

When assigning column headers, footnotes, spanning headers, and captions for these gtsummary tables, you may use {N} to insert the number of observations. tbl_svysummary objects additionally have {N_unweighted} available.

When there is a stratifying by= argument present, the following fields are additionally available to stratifying columns: {level}, {n}, and {p} ({n_unweighted} and {p_unweighted} for tbl_svysummary objects)

Syntax follows glue::glue(), e.g. all_stat_cols() ~ "**{level}**, N = {n}".

tbl_regression()

When assigning column headers for tbl_regression tables, you may use {N} to insert the number of observations, and {N_event} for the number of events (when applicable).

captions

Captions are assigned based on output type.

- `gt::gt(caption=)`
- `flextable::set_caption(caption=)`
- `huxtable::set_caption(value=)`
- `knitr::kable(caption=)`

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_summary tools: add_ci(), add_n.tbl_summary(), add_overall(), add_p.tbl_summary(), add_q(), add_stat_label(), bold_italicize_labels_levels, inline_text.tbl_summary(), inline_text.tbl_survfit(), separate_p_footnotes(), tbl_custom_summary(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_summary()

Other tbl_svysummary tools: add_n.tbl_summary(), add_overall(), add_p.tbl_svysummary(), add_q(), add_stat_label(), separate_p_footnotes(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_svysummary()

Other tbl_regression tools: add_global_p(), add_q(), bold_italicize_labels_levels, combine_terms(), inline_text.tbl_regression(), tbl_merge(), tbl_regression(), tbl_split(), tbl_stack(), tbl_strata()

Other tbl_uvregression tools: add_global_p(), add_q(), bold_italicize_labels_levels, inline_text.tbl_uvreg tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_uvregression()

Other tbl_survfit tools: add_n.tbl_survfit(), add_nevent.tbl_survfit(), add_p.tbl_survfit(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_survfit()

Examples

```
# create summary table
tbl <- trial[c("age", "grade", "trt")] %>%
  tbl_summary(by = trt, missing = "no") %>%
  add_p()

# print the column names that can be modified
show_header_names(tbl)

# Example 1 --------------------------------
# updating column headers, footnote, and table caption
modify_ex1 <- tbl %>%
  modify_header(
    update = list(
      label ~ "**Variable**",
      p.value ~ "**P**"
    )
  ) %>%
```

```
  modify_footnote(
    update = all_stat_cols() ~ "median (IQR) for Age; n (%) for Grade"
  ) %>%
  modify_caption("**Patient Characteristics** (N = {N})")

# Example 2 --------------------------------
# updating headers, remove all footnotes, add spanning header
modify_ex2 <- tbl %>%
 modify_header(update = all_stat_cols() ~ "**{level}**, N = {n} ({style_percent(p)}%)") %>%
 # use `modify_footnote(everything() ~ NA, abbreviation = TRUE)` to delete abbrev. footnotes
  modify_footnote(update = everything() ~ NA) %>%
  modify_spanning_header(all_stat_cols() ~ "**Treatment Received**")

# Example 3 --------------------------------
# updating an abbreviation in table footnote
modify_ex3 <-
  glm(response ~ age + grade, trial, family = binomial) %>%
  tbl_regression(exponentiate = TRUE) %>%
  modify_footnote(ci ~ "CI = Credible Interval", abbreviation = TRUE)
```

---

modify_cols_merge   *Modify Column Merging*

Description

[Experimental] Merge two or more columns in a gtsummary table. Use show_header_names() to
print underlying column names.

Usage

```
modify_cols_merge(x, pattern, rows = NULL)
```

Arguments

x   gtsummary object

pattern   glue syntax string indicating how to merge columns in x$table_body. For ex-
            ample, to construct a confidence interval use "{conf.low},{conf.high}".

rows   predicate expression to select rows in x$table_body. Can be used to style foot-
            note, formatting functions, missing symbols, and text formatting. Default is
            NULL. See details below.

Value

gtsummary table

Details

1. Calling this function merely records the instructions to merge columns. The actual merging
   occurs when the gtsummary table is printed or converted with a function like as_gt().

2. Because the column merging is delayed, it is recommended to perform major modifications
   to the table, such as those with tbl_merge() and tbl_stack(), before assigning merging
   instructions. Otherwise, unexpected formatting may occur in the final table.

Future Updates

There are planned updates to the implementation of this function with respect to the pattern= argument. Currently, this function replaces a numeric column with a formatted character column following pattern=. Once `gt::cols_merge()` gains the rows= argument the implementation will be updated to use it, which will keep numeric columns numeric. For the *vast majority* of users, *the planned change will be go unnoticed*.

Example Output

See Also

Other Advanced modifiers: modify_column_hide(), modify_fmt_fun(), modify_table_body(), modify_table_styling()

Examples

```
# Example 1 --------------------------------
modify_cols_merge_ex1 <-
  trial %>%
  select(age, marker, trt) %>%
  tbl_summary(by = trt, missing = "no") %>%
  add_p(all_continuous() ~ "t.test",
        pvalue_fun = ~style_pvalue(., prepend_p = TRUE)) %>%
  modify_fmt_fun(statistic ~ style_sigfig) %>%
  modify_cols_merge(pattern = "t = {statistic}; {p.value}") %>%
  modify_header(statistic ~ "**t-test**")

# Example 2 --------------------------------
modify_cols_merge_ex2 <-
  lm(marker ~ age + grade, trial) %>%
  tbl_regression() %>%
  modify_cols_merge(
    pattern = "{estimate} ({ci})",
    rows = !is.na(estimate)
  )
```

---

modify_column_hide   *Modify Hidden Columns*

Description

[**Maturing**] Use these functions to hide or unhide columns in a gtsummary tables.

Usage

```
modify_column_hide(x, columns)

modify_column_unhide(x, columns)
```

Arguments

x	gtsummary object
columns	vector or selector of columns in x$table_body

Example Output

See Also

Other Advanced modifiers: modify_cols_merge(), modify_fmt_fun(), modify_table_body(), modify_table_styling()

Examples

```
# Example 1 --------------------------------
# hide 95% CI, and replace with standard error
modify_column_hide_ex1 <-
  lm(age ~ marker + grade, trial) %>%
  tbl_regression() %>%
  modify_column_hide(columns = ci) %>%
  modify_column_unhide(columns = std.error)
```

---

modify_fmt_fun	*Modify Formatting Functions*

Description

[Maturing] Use this function to update the way numeric columns and rows of .$table_body are formatted

Usage

```
modify_fmt_fun(x, update, rows = NULL)
```

Arguments

x	gtsummary object
update	list of formulas or a single formula specifying the updated formatting function. The LHS specifies the column(s) to be updated, and the RHS is the updated formatting function.
rows	predicate expression to select rows in x$table_body. Default is NULL. See details below.

Example Output

rows argument

The rows argument accepts a predicate expression that is used to specify rows to apply formatting. The expression must evaluate to a logical when evaluated in x$table_body. For example, to apply formatting to the age rows pass rows = variable == "age". A vector of row numbers is NOT acceptable.

A couple of things to note when using the rows= argument.

1. You can use saved objects to create the predicate argument, e.g. rows = variable == letters[1].

2. The saved object cannot share a name with a column in x$table_body. The reason for this is that in tbl_merge() the columns are renamed, and the renaming process cannot disambiguate the variable column from an external object named variable in the following expression rows = .data$variable = .env$variable.

See Also

Other Advanced modifiers: modify_cols_merge(), modify_column_hide(), modify_table_body(), modify_table_styling()

Examples

```
# Example 1 --------------------------------
# show 'grade' p-values to 3 decimal places
modify_fmt_fun_ex1 <-
  lm(age ~ marker + grade, trial) %>%
  tbl_regression() %>%
  modify_fmt_fun(
    update = p.value ~ function(x) style_pvalue(x, digits = 3),
    rows = variable == "grade"
  )
```

---

modify_table_body   *Modify Table Body*

Description

[Maturing] Function is for advanced manipulation of gtsummary tables. It allow users to modify the .$table_body data frame included in each gtsummary object.

If a new column is added to the table, default printing instructions will then be added to .$table_styling. By default, columns are hidden. To show a column, add a column header with modify_header().

Usage

```
modify_table_body(x, fun, ...)
```

Arguments

x	gtsummary object
fun	A function or formula. If a *function*, it is used as is. If a *formula*, e.g. fun = ~ .x %>% arrange(variable), it is converted to a function. The argument passed to fun= is x$table_body.
...	Additional arguments passed on to the mapped function

Example Output

See Also

modify_table_styling()

See gtsummary internals vignette

Other Advanced modifiers: modify_cols_merge(), modify_column_hide(), modify_fmt_fun(),
modify_table_styling()

Examples

```
# Example 1 -------------------------------
# Add number of cases and controls to regression table
modify_table_body_ex1 <-
  trial %>%
  select(response, age, marker) %>%
  tbl_uvregression(
    y = response,
    method = glm,
    method.args = list(family = binomial),
    exponentiate = TRUE,
    hide_n = TRUE
  ) %>%
  # adding number of non-events to table
  modify_table_body(
    ~ .x %>%
      dplyr::mutate(N_nonevent = N_obs - N_event) %>%
      dplyr::relocate(c(N_event, N_nonevent), .before = estimate)
  ) %>%
  # assigning header labels
  modify_header(N_nonevent = "**Control N**", N_event = "**Case N**") %>%
  modify_fmt_fun(c(N_event, N_nonevent) ~ style_number)
```

---

modify_table_styling   *Modify Table Styling*

Description

This is a function meant for advanced users to gain more control over the characteristics of the
resulting gtsummary table by directly modifying .$table_styling

Usage

```
modify_table_styling(
  x,
  columns,
  rows = NULL,
  label = NULL,
  spanning_header = NULL,
  hide = NULL,
  footnote = NULL,
```

```
    footnote_abbrev = NULL,
    align = NULL,
    missing_symbol = NULL,
    fmt_fun = NULL,
    text_format = NULL,
    undo_text_format = FALSE,
    text_interpret = c("md", "html"),
    cols_merge_pattern = NULL
)
```

Arguments

x	gtsummary object
columns	vector or selector of columns in x$table_body
rows	predicate expression to select rows in x$table_body. Can be used to style footnote, formatting functions, missing symbols, and text formatting. Default is NULL. See details below.
label	string of column label(s)
spanning_header	string with text for spanning header
hide	logical indicating whether to hide column from output
footnote	string with text for footnote
footnote_abbrev	string with abbreviation definition, e.g. "CI = Confidence Interval"
align	string indicating alignment of column, must be one of c("left","right","center")
missing_symbol	string indicating how missing values are formatted.
fmt_fun	function that formats the statistics in the columns/rows in columns= and rows=
text_format	string indicated which type of text formatting to apply to the rows and columns. Must be one of c("bold","italic","indent","indent2"). Do not assign both "indent" and "indent2" to the same cell.
undo_text_format	rarely used. Logical that undoes the indent, bold, and italic styling when TRUE
text_interpret	string, must be one of "md" or "html"
cols_merge_pattern	glue-syntax string indicating how to merge columns in x$table_body. For example, to construct a confidence interval use "{conf.low},{conf.high}". The first column listed in the pattern string must match the single column name passed in columns=.

Details

Review the gtsummary definition vignette for information on .$table_styling objects.

rows argument

The rows argument accepts a predicate expression that is used to specify rows to apply formatting. The expression must evaluate to a logical when evaluated in x$table_body. For example, to apply formatting to the age rows pass rows = variable == "age". A vector of row numbers is NOT acceptable.

A couple of things to note when using the rows= argument.

1. You can use saved objects to create the predicate argument, e.g. rows = variable == letters[1].

2. The saved object cannot share a name with a column in x$table_body. The reason for this is that in tbl_merge() the columns are renamed, and the renaming process cannot disambiguate the variable column from an external object named variable in the following expression rows = .data$variable = .env$variable.

cols_merge_pattern argument

There are planned updates to the implementation of column merging. Currently, this function replaces the numeric column with a formatted character column following cols_merge_pattern=. Once gt::cols_merge() gains the rows= argument the implementation will be updated to use it, which will keep numeric columns numeric. For the *vast majority* of users, *the planned change will be go unnoticed*.

See Also

modify_table_body()

See [gtsummary internals vignette](#)

Other Advanced modifiers: [modify_cols_merge()](#), [modify_column_hide()](#), [modify_fmt_fun()](#), [modify_table_body()](#)

---

plot   *Plot Regression Coefficients*

Description

The plot() function extracts x$table_body and passes the it to GGally::ggcoef_plot() along with a formatting options.

Usage

```
## S3 method for class 'tbl_regression'
plot(x, remove_header_rows = TRUE, remove_reference_rows = FALSE, ...)

## S3 method for class 'tbl_uvregression'
plot(x, remove_header_rows = TRUE, remove_reference_rows = FALSE, ...)
```

Arguments

x   'tbl_regression' or 'tbl_uvregression' object

remove_header_rows
                     logical indicating whether to remove header rows for categorical variables. Default is TRUE

remove_reference_rows
                     logical indicating whether to remove reference rows for categorical variables. Default is FALSE.

...   arguments passed to GGally::ggcoef_plot(...)

Details

[Experimental]

Value

a ggplot

Examples

```
glm(response ~ marker + grade, trial, family = binomial) %>%
  tbl_regression(
    add_estimate_to_reference_rows = TRUE,
    exponentiate = TRUE
  ) %>%
  plot()
```

print_gtsummary	*print and knit_print methods for gtsummary objects*

Description

print and knit_print methods for gtsummary objects

Usage

```
## S3 method for class 'gtsummary'
print(x, print_engine = NULL, ...)

## S3 method for class 'gtsummary'
knit_print(x, ...)
```

Arguments

x	An object created using gtsummary functions
print_engine	String indicating the print method. Must be one of `"gt"`, `"kable"`, `"kable_extra"`, `"flextable"`, `"tibble"`
...	Not used

Author(s)

Daniel D. Sjoberg

See Also

tbl_summary tbl_regression tbl_uvregression tbl_merge tbl_stack

proportion_summary   *Summarize a proportion*

Description

[**Experimental**] This helper, to be used with tbl_custom_summary(), creates a function computing
a proportion and its confidence interval.

Usage

```
proportion_summary(
  variable,
  value,
  weights = NULL,
  na.rm = TRUE,
  conf.level = 0.95,
  method = c("wilson", "wilson.no.correct", "exact", "asymptotic")
)
```

Arguments

variable	String indicating the name of the variable from which the proportion will be computed.
value	Value (or list of values) of variable to be taken into account in the numerator.
weights	Optional string indicating the name of a weighting variable. If NULL, all observations will be assumed to have a weight equal to 1.
na.rm	Should missing values be removed before computing the proportion? (default is TRUE)
conf.level	Confidence level for the returned confidence interval. Must be strictly greater than 0 and less than 1. Default to 0.95, which corresponds to a 95 percent confidence interval.
method	Confidence interval method. Must be one of c("wilson","wilson.no.correct","exact","asympt See details below.

Details

Computed statistics:

- {n} numerator, (weighted) number of observations equal to values
- {N} denominator, (weighted) number of observations
- {prop} proportion, i.e. n/N
- {conf.low} lower confidence interval
- {conf.high} upper confidence interval

Methods c("wilson","wilson.no.correct") are calculated with stats::prop.test() (with
correct = c(TRUE,FALSE)). The default method, "wilson", includes the Yates continuity correction. Methods c("exact","asymptotic") are calculated with Hmisc::binconf() and the corresponding method.

Example Output

Author(s)

Joseph Larmarange

See Also

Other tbl_custom_summary tools: continuous_summary(), ratio_summary(), tbl_custom_summary()

Examples

```
# Example 1 --------------------------------
proportion_summary_ex1 <-
  Titanic %>%
  as.data.frame() %>%
  tbl_custom_summary(
    include = c("Age", "Class"),
    by = "Sex",
    stat_fns = ~ proportion_summary("Survived", "Yes", weights = "Freq"),
    statistic = ~ "{prop}% ({n}/{N}) [{conf.low}-{conf.high}]",
    digits = ~ list(
      function(x) {style_percent(x, digits = 1)},
      0, 0, style_percent, style_percent
    ),
    overall_row = TRUE,
    overall_row_last = TRUE
  ) %>%
  bold_labels() %>%
  modify_footnote(
    update = all_stat_cols() ~ "Proportion (%) of survivors (n/N) [95% CI]"
  )
```

---

ratio_summary *Summarize the ratio of two variables*

Description

[Experimental] This helper, to be used with tbl_custom_summary(), creates a function computing the ratio of two continuous variables and its confidence interval.

Usage

```
ratio_summary(numerator, denominator, na.rm = TRUE, conf.level = 0.95)
```

Arguments

numerator	String indicating the name of the variable to be summed for computing the numerator.
denominator	String indicating the name of the variable to be summed for computing the denominator.

na.rm   Should missing values be removed before summing the numerator and the de-
               nominator? (default is TRUE)

conf.level   Confidence level for the returned confidence interval. Must be strictly greater
               than 0 and less than 1. Default to 0.95, which corresponds to a 95 percent
               confidence interval.

Details

Computed statistics:

- {num} sum of the variable defined by numerator
- {denom} sum of the variable defined by denominator
- {ratio} ratio of num by denom
- {conf.low} lower confidence interval
- {conf.high} upper confidence interval

Confidence interval is computed with stats::poisson.test(), if and only if num is an integer.

Example Output

Author(s)

Joseph Larmarange

See Also

Other tbl_custom_summary tools: continuous_summary(), proportion_summary(), tbl_custom_summary()

Examples

```
# Example 1 --------------------------------
ratio_summary_ex1 <-
  trial %>%
  tbl_custom_summary(
    include = c("stage", "grade"),
    by = "trt",
    stat_fns = ~ ratio_summary("response", "ttdeath"),
    statistic = ~ "{ratio} [{conf.low}; {conf.high}] ({num}/{denom})",
    digits = ~ c(3, 2, 2, 0, 0),
    overall_row = TRUE,
    overall_row_label = "All stages & grades"
  ) %>%
  bold_labels() %>%
  modify_footnote(
    update = all_stat_cols() ~ "Ratio [95% CI] (n/N)"
  )
```

---

remove_row_type *Remove rows by type*

Description

Removes either the header, reference, or missing rows from a gtsummary table.

Usage

```
remove_row_type(
  x,
  variables = everything(),
  type = c("header", "reference", "missing")
)
```

Arguments

x	gtsummary object
variables	variables to to remove rows from. Default is `everything()`
type	type of row to remove. Must be one of `c("header","reference","missing")`

Example Output

Examples

```
# Example 1 ---------------------------------
library(dplyr, warn.conflicts = FALSE, quietly = TRUE)
remove_row_type_ex1 <-
  trial %>%
  select(trt, age) %>%
  mutate(
    age60 = case_when(age < 60 ~ "<60", age >= 60 ~ "60+")
  ) %>%
  tbl_summary(by = trt, missing = "no") %>%
  remove_row_type(age60, type = "header")
```

---

select_helpers *Select helper functions*

Description

Set of functions to supplement the tidyselect set of functions for selecting columns of data frames (and other items as well).

- `all_continuous()` selects continuous variables
- `all_continuous2()` selects only type `"continuous2"`
- `all_categorical()` selects categorical (including `"dichotomous"`) variables

- all_dichotomous() selects only type "dichotomous"
- all_tests() selects variables by the name of the test performed
- all_stat_cols() selects columns from tbl_summary/tbl_svysummary object with summary statistics (i.e. "stat_0", "stat_1", "stat_2", etc.)
- all_interaction() selects interaction terms from a regression model
- all_intercepts() selects intercept terms from a regression model
- all_contrasts() selects variables in regression model based on their type of contrast

Usage

```
all_continuous(continuous2 = TRUE)

all_continuous2()

all_categorical(dichotomous = TRUE)

all_dichotomous()

all_tests(tests = NULL)

all_stat_cols(stat_0 = TRUE)

all_interaction()

all_intercepts()

all_contrasts(contrasts_type = NULL)
```

Arguments

continuous2	Logical indicating whether to include continuous2 variables. Default is TRUE
dichotomous	Logical indicating whether to include dichotomous variables. Default is TRUE
tests	string indicating the test type of the variables to select, e.g. select all variables being compared with "t.test"
stat_0	When FALSE, will not select the "stat_0" column. Default is TRUE
contrasts_type	type of contrast to select. When NULL, all variables with a contrast will be selected. Default is NULL. Select among contrast types c("treatment","sum","poly","helmert","o

Value

A character vector of column names selected

Example Output

Examples

```
select_ex1 <-
  trial %>%
  select(age, response, grade) %>%
  tbl_summary(
    statistic = all_continuous() ~ "{mean} ({sd})",
    type = all_dichotomous() ~ "categorical"
  )
```

---

separate_p_footnotes   *Create footnotes for individual p-values*

Description

[Experimental] The usual presentation of footnotes for p-values on a gtsummary table is to have a single footnote that lists all statistical tests that were used to compute p-values on a given table. The separate_p_footnotes() function separates aggregated p-value footnotes to individual footnotes that denote the specific test used for each of the p-values.

Usage

```
separate_p_footnotes(x)
```

Arguments

x   object with class "tbl_summary" or "tbl_svysummary"

Example Output

See Also

Other tbl_summary tools: add_ci(), add_n.tbl_summary(), add_overall(), add_p.tbl_summary(), add_q(), add_stat_label(), bold_italicize_labels_levels, inline_text.tbl_summary(), inline_text.tbl_survfit(), modify, tbl_custom_summary(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_summary()

Other tbl_svysummary tools: add_n.tbl_summary(), add_overall(), add_p.tbl_svysummary(), add_q(), add_stat_label(), modify, tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_svysummary()

Examples

```
separate_p_footnotes_ex1 <-
  trial %>%
  select(trt, age, grade) %>%
  tbl_summary(by = trt) %>%
  add_p() %>%
  separate_p_footnotes()
```

---

set_gtsummary_theme   *Set a gtsummary theme*

Description

[**Maturing**] Use this function to set preferences for the display of gtsummary tables. The default formatting and styling throughout the gtsummary package are taken from the published reporting guidelines of the top four urology journals: European Urology, The Journal of Urology, Urology and the British Journal of Urology International. Use this function to change the default reporting style to match another journal, or your own personal style.

Usage

```
set_gtsummary_theme(x)

reset_gtsummary_theme()
```

Arguments

x   A gtsummary theme function, e.g. `theme_gtsummary_journal()`, or a named
                       list defining a gtsummary theme. See details below.

Example Output

See Also

Themes vignette

Available gtsummary themes

Examples

```
# Setting JAMA theme for gtsummary
set_gtsummary_theme(theme_gtsummary_journal("jama"))
# Themes can be combined by including more than one
set_gtsummary_theme(theme_gtsummary_compact())

set_gtsummary_theme_ex1 <-
  trial %>%
  dplyr::select(age, grade, trt) %>%
  tbl_summary(by = trt) %>%
  add_stat_label() %>%
  as_gt()

# reset gtsummary theme
reset_gtsummary_theme()
```

---

sort_filter_p *Sort and filter variables in table by p-values*

Description

Sort and filter variables in table by p-values

Usage

```
sort_p(x, q = FALSE)

filter_p(x, q = FALSE, t = 0.05)
```

Arguments

x	An object created using gtsummary functions
q	Logical argument. When TRUE will the q-value column is used
t	p-values/q-values less than or equal to this threshold will be retained. Default is 0.05

Example Output

Author(s)

Karissa Whiting, Daniel D. Sjoberg

Examples

```
# Example 1 --------------------------------
sort_filter_p_ex1 <-
  trial %>%
  select(age, grade, response, trt) %>%
  tbl_summary(by = trt) %>%
  add_p() %>%
  filter_p(t = 0.8) %>%
  sort_p()

# Example 2 --------------------------------
sort_p_ex2 <-
  glm(response ~ trt + grade, trial, family = binomial(link = "logit")) %>%
  tbl_regression(exponentiate = TRUE) %>%
  sort_p()
```

`style_number`	*Style numbers*

Description

Style numbers

Usage

```
style_number(
  x,
  digits = 0,
  big.mark = NULL,
  decimal.mark = NULL,
  scale = 1,
  ...
)
```

Arguments

x	Numeric vector
digits	Integer or vector of integers specifying the number of digits to round x=. When vector is passed, each integer is mapped 1:1 to the numeric values in x
big.mark	Character used between every 3 digits to separate hundreds/thousands/millions/etc. Default is ",", except when `decimal.mark = ","` when the default is a space.
decimal.mark	The character to be used to indicate the numeric decimal point. Default is "." or `getOption("OutDec")`
scale	A scaling factor: x will be multiplied by scale before formatting.
...	Other arguments passed on to `base::format()`

Value

formatted character vector

See Also

Other style tools: `style_percent()`, `style_pvalue()`, `style_ratio()`, `style_sigfig()`

Examples

```
c(0.111, 12.3) %>% style_number(digits = 1)
c(0.111, 12.3) %>% style_number(digits = c(1, 0))
```

style_percent   *Style percentages*

Description

Style percentages

Usage

```
style_percent(
  x,
  symbol = FALSE,
  digits = 0,
  big.mark = NULL,
  decimal.mark = NULL,
  ...
)
```

Arguments

x	numeric vector of percentages
symbol	Logical indicator to include percent symbol in output. Default is FALSE.
digits	number of digits to round large percentages (i.e. greater than 10%). Smaller percentages are rounded to digits + 1 places. Default is 0
big.mark	Character used between every 3 digits to separate hundreds/thousands/millions/etc. Default is ",", except when decimal.mark = "," when the default is a space.
decimal.mark	The character to be used to indicate the numeric decimal point. Default is "." or getOption("OutDec")
...	Other arguments passed on to base::format()

Value

A character vector of styled percentages

Author(s)

Daniel D. Sjoberg

See Also

See Table Gallery vignette for example

Other style tools: style_number(), style_pvalue(), style_ratio(), style_sigfig()

Examples

```
percent_vals <- c(-1, 0, 0.0001, 0.005, 0.01, 0.10, 0.45356, 0.99, 1.45)
style_percent(percent_vals)
style_percent(percent_vals, symbol = TRUE, digits = 1)
```

---

style_pvalue   *Style p-values*

Description

Style p-values

Usage

```
style_pvalue(
  x,
  digits = 1,
  prepend_p = FALSE,
  big.mark = NULL,
  decimal.mark = NULL,
  ...
)
```

Arguments

x	Numeric vector of p-values.
digits	Number of digits large p-values are rounded. Must be 1, 2, or 3. Default is 1.
prepend_p	Logical. Should 'p=' be prepended to formatted p-value. Default is FALSE
big.mark	Character used between every 3 digits to separate hundreds/thousands/millions/etc. Default is ",", except when decimal.mark = "," when the default is a space.
decimal.mark	The character to be used to indicate the numeric decimal point. Default is "." or getOption("OutDec")
...	Other arguments passed on to base::format()

Value

A character vector of styled p-values

Author(s)

Daniel D. Sjoberg

See Also

See tbl_summary [vignette](#) for examples

Other style tools: [style_number()](#), [style_percent()](#), [style_ratio()](#), [style_sigfig()](#)

Examples

```
pvals <- c(
  1.5, 1, 0.999, 0.5, 0.25, 0.2, 0.197, 0.12, 0.10, 0.0999, 0.06,
  0.03, 0.002, 0.001, 0.00099, 0.0002, 0.00002, -1
)
style_pvalue(pvals)
style_pvalue(pvals, digits = 2, prepend_p = TRUE)
```

style_ratio

Style significant figure-like rounding for ratios

Description

When reporting ratios, such as relative risk or an odds ratio, we'll often want the rounding to be similar on each side of the number 1. For example, if we report an odds ratio of 0.95 with a confidence interval of 0.70 to 1.24, we would want to round to two decimal places for all values. In other words, 2 significant figures for numbers less than 1 and 3 significant figures 1 and larger. `style_ratio()` performs significant figure-like rounding in this manner.

Usage

```
style_ratio(x, digits = 2, big.mark = NULL, decimal.mark = NULL, ...)
```

Arguments

x	Numeric vector
digits	Integer specifying the number of significant digits to display for numbers below 1. Numbers larger than 1 will be be `digits + 1`. Default is `digits = 2`.
big.mark	Character used between every 3 digits to separate hundreds/thousands/millions/etc. Default is `","`, except when `decimal.mark = ","` when the default is a space.
decimal.mark	The character to be used to indicate the numeric decimal point. Default is `"."` or `getOption("OutDec")`
...	Other arguments passed on to `base::format()`

Value

A character vector of styled ratios

Author(s)

Daniel D. Sjoberg

See Also

Other style tools: [style_number](), [style_percent](), [style_pvalue](), [style_sigfig]()

Examples

```
c(
  0.123, 0.9, 1.1234, 12.345, 101.234, -0.123,
  -0.9, -1.1234, -12.345, -101.234
) %>%
  style_ratio()
```

| style_sigfig | *Style significant figure-like rounding* |

Description

Converts a numeric argument into a string that has been rounded to a significant figure-like number. Scientific notation output is avoided, however, and additional significant figures may be displayed for large numbers. For example, if the number of significant digits requested is 2, 123 will be displayed (rather than 120 or 1.2x10^2).

Usage

```
style_sigfig(
  x,
  digits = 2,
  scale = 1,
  big.mark = NULL,
  decimal.mark = NULL,
  ...
)
```

Arguments

x	Numeric vector
digits	Integer specifying the minimum number of significant digits to display
scale	A scaling factor: x will be multiplied by scale before formatting.
big.mark	Character used between every 3 digits to separate hundreds/thousands/millions/etc. Default is `","`, except when `decimal.mark = ","` when the default is a space.
decimal.mark	The character to be used to indicate the numeric decimal point. Default is `"."` or `getOption("OutDec")`
...	Other arguments passed on to `base::format()`

Details

If 2 sig figs are input, the number is rounded to 2 decimal places when `abs(x) < 1`, 1 decimal place when `abs(x) >= 1 & abs(x) < 10`, and to the nearest integer when `abs(x) >= 10`.

Value

A character vector of styled numbers

Author(s)

Daniel D. Sjoberg

See Also

Other style tools: `style_number()`, `style_percent()`, `style_pvalue()`, `style_ratio()`

Examples

```
c(0.123, 0.9, 1.1234, 12.345, -0.123, -0.9, -1.1234, -132.345, NA, -0.001) %>%
  style_sigfig()
```

---

syntax   *Syntax and Notation*

Description

The gtsummary package also utilizes selectors: selectors from the tidyselect package and custom selectors. Review their help files for details.

- **tidy selectors**

  `everything()`, `all_of()`, `any_of()`, `starts_with()`, `ends_with()`, `contains()`, `matches()`, `num_range()`, `last_col()`

- **gtsummary selectors**

  `all_continuous()`, `all_categorical()`, `all_dichotomous()`, `all_continuous2()`, `all_tests()`, `all_stat_cols()`, `all_interaction()`, `all_intercepts()`, `all_contrasts()`

Many arguments throughout the gtsummary package accept list and formula notation, e.g. `tbl_summary(statistic=)`. Below enumerates a few tips and shortcuts for using the list and formulas.

1. **List of Formulas**

   Typical usage includes a list of formulas, where the LHS is a variable name or a selector.

   ```
   tbl_summary(statistic = list(age ~ "{mean}", all_categorical() ~ "{n}"))
   ```

2. **Named List**

   You may also pass a named list; however, the tidyselect and gtsummary selectors are not supported with this syntax.

   ```
   tbl_summary(statistic = list(age = "{mean}", response = "{n}"))
   ```

3. **Hybrid Named List/List of Formulas**

   Pass a combination of formulas and named elements

   ```
   tbl_summary(statistic = list(age = "{mean}", all_categorical() ~ "{n}"))
   ```

4. **Shortcuts**

   You can pass a single formula, which is equivalent to passing the formula in a list.

   ```
   tbl_summary(statistic = all_categorical() ~ "{n}")
   ```

   As a shortcut to select all variables, you can omit the LHS of the formula. The two calls below are equivalent.

   ```
   tbl_summary(statistic = ~"{n}")
   tbl_summary(statistic = everything() ~ "{n}")
   ```

5. **Combination Selectors**

   Selectors can be combined using the `c()` function.

   ```
   tbl_summary(statistic = c(everything(), -grade) ~ "{n}")
   ```

```
tbl_butcher                Reduce size of gtsummary objects
```

Description

Some gtsummary objects can become large and the size becomes cumbersome when working with the object. The function removes all elements from a gtsummary object, except those required to print the table. This may result in gtsummary functions that add information or modify the table, such as add_global_p(), will no longer execute after the excess elements have been removed (aka butchered). Of note, the majority of inline_text() calls will continue to execute properly.

Usage

```
tbl_butcher(x)
```

Arguments

x   a gtsummary object

Value

a gtsummary object

Examples

```
tbl_large <-
 trial %>%
 tbl_uvregression(
   y = age,
   method = lm
 )

tbl_butchered <-
   tbl_large %>%
   tbl_butcher()

# size comparison
object.size(tbl_large) %>% format(units = "Mb")
object.size(tbl_butchered) %>% format(units = "Mb")
```

```
tbl_continuous              Summarize a continuous variable
```

Description

[Experimental] Summarize a continuous variable by one or more categorical variables

Usage

```
tbl_continuous(
  data,
  variable,
  include = everything(),
  digits = NULL,
  by = NULL,
  statistic = NULL,
  label = NULL
)
```

Arguments

data	A data frame
variable	Variable name of the continuous column to be summarized
include	variables to include in the summary table. Default is `everything()`
digits	List of formulas specifying the number of decimal places to round continuous summary statistics. If not specified, an appropriate number of decimals to round statistics will be guessed based on the the variable's distribution.
by	A column name (quoted or unquoted) in `data`. Summary statistics will be calculated separately for each level of the by variable (e.g. `by = trt`). If `NULL`, summary statistics are calculated using all observations. To stratify a table by two or more variables, use `tbl_strata()`
statistic	List of formulas specifying types of summary statistics to display for each variable. The default is `everything() ~ {median} ({p25},{p75})`
label	List of formulas specifying variables labels, e.g. `list(age ~ "Age", stage ~ "Path T Stage")`. If a variable's label is not specified here, the label attribute (`attr(data$age,"label")`) is used. If attribute label is `NULL`, the variable name will be used.

Value

a gtsummary table

Example Output

Examples

```
# Example 1 --------------------------------
tbl_continuous_ex1 <-
  tbl_continuous(
    data = trial,
    variable = age,
    by = trt,
    include = grade
  )

# Example 2 --------------------------------
tbl_continuous_ex2 <-
  tbl_continuous(
```

```
    data = trial,
    variable = age,
    include = c(trt, grade)
  )
```

---

tbl_cross   *Create a cross table of summary statistics*

Description

The function creates a cross table of two categorical variables.

Usage

```
tbl_cross(
  data,
  row = NULL,
  col = NULL,
  label = NULL,
  statistic = NULL,
  percent = c("none", "column", "row", "cell"),
  margin = c("column", "row"),
  missing = c("ifany", "always", "no"),
  missing_text = "Unknown",
  margin_text = "Total"
)
```

Arguments

data	A data frame
row	A column name in data= to be used for the rows of cross table.
col	A column name in data= to be used for the columns of cross table.
label	List of formulas specifying variables labels, e.g. list(age ~ "Age",stage ~ "Path T Stage"). If a variable's label is not specified here, the label attribute (attr(data$age,"label")) is used. If attribute label is NULL, the variable name will be used.
statistic	A string with the statistic name in curly brackets to be replaced with the numeric statistic (see glue::glue). The default is {n}. If percent argument is "column", "row", or "cell", default is "{n} ({p}%)".
percent	Indicates the type of percentage to return. Must be one of "none", "column", "row", or "cell". Default is "cell" when {N} or {p} is used in statistic.
margin	Indicates which margins to add to the table. Default is c("row","column"). Use margin = NULL to suppress both row and column margins.
missing	Indicates whether to include counts of NA values in the table. Allowed values are "no" (never display NA values), "ifany" (only display if any NA values), and "always" (includes NA count row for all variables). Default is "ifany".
missing_text	String to display for count of missing observations. Default is "Unknown".
margin_text	Text to display for margin totals. Default is "Total"

Value

A `tbl_cross` object

Example Output

Author(s)

Karissa Whiting, Daniel D. Sjoberg

See Also

Other tbl_cross tools: `add_p.tbl_cross()`, `inline_text.tbl_cross()`

Examples

```
# Example 1 --------------------------------
tbl_cross_ex1 <-
  trial %>%
  tbl_cross(row = trt, col = response)

# Example 2 --------------------------------
tbl_cross_ex2 <-
  trial %>%
  tbl_cross(row = stage, col = trt, percent = "cell") %>%
  add_p()
```

---

tbl_custom_summary	*Create a table of summary statistics using a custom summary function*

Description

[**Experimental**] The `tbl_custom_summary()` function calculates descriptive statistics for continuous, categorical, and dichotomous variables. This function is similar to `tbl_summary()` but allows you to provide a custom function in charge of computing the statistics (see Details).

Usage

```
tbl_custom_summary(
  data,
  by = NULL,
  label = NULL,
  stat_fns,
  statistic,
  digits = NULL,
  type = NULL,
  value = NULL,
  missing = NULL,
  missing_text = NULL,
  include = everything(),
  overall_row = FALSE,
```

```
    overall_row_last = FALSE,
    overall_row_label = NULL
)
```

Arguments

data	A data frame
by	A column name (quoted or unquoted) in data. Summary statistics will be calculated separately for each level of the by variable (e.g. by = trt). If NULL, summary statistics are calculated using all observations. To stratify a table by two or more variables, use tbl_strata()
label	List of formulas specifying variables labels, e.g. list(age ~ "Age",stage ~ "Path T Stage"). If a variable's label is not specified here, the label attribute (attr(data$age,"label")) is used. If attribute label is NULL, the variable name will be used.
stat_fns	Formula or list of formulas specifying the function to be used to compute the statistics (see below for details and examples). You can also use dedicated helpers such as continuous_summary(), ratio_summary() or proportion_summary().
statistic	List of formulas specifying the glue::glue() pattern to display the statistics for each variable. The statistics should be returned by the functions specified in stat_fns (see below for details and examples).
digits	List of formulas specifying the number of decimal places to round continuous summary statistics. If not specified, tbl_summary guesses an appropriate number of decimals to round statistics. When multiple statistics are displayed for a single variable, supply a vector rather than an integer. For example, if the statistic being calculated is "{mean} ({sd})" and you want the mean rounded to 1 decimal place, and the SD to 2 use digits = list(age ~ c(1,2)). User may also pass a styling function: digits = age ~ style_sigfig
type	List of formulas specifying variable types. Accepted values are c("continuous","continuous2","d e.g. type = list(age ~ "continuous",female ~ "dichotomous"). If type not specified for a variable, the function will default to an appropriate summary type. See below for details.
value	List of formulas specifying the value to display for dichotomous variables. See below for details.
missing	Indicates whether to include counts of NA values in the table. Allowed values are "no" (never display NA values), "ifany" (only display if any NA values), and "always" (includes NA count row for all variables). Default is "ifany".
missing_text	String to display for count of missing observations. Default is "Unknown".
include	variables to include in the summary table. Default is everything()
overall_row	Logical indicator to display an overall row. Default is FALSE. Use add_overall() to add an overall column.
overall_row_last	
	Logical indicator to display overall row last in table. Default is FALSE, which will display overall row first.
overall_row_label	
	String indicating the overall row label. Default is "Overall".

Value

A tbl_custom_summary and tbl_summary object

Similarities with `tbl_summary()`

Please refer to the help file of [`tbl_summary()`](#) regarding the use of select helpers, and arguments `include`, `by`, `type`, `value`, `digits`, `missing` and `missing_text`.

`stat_fns` **argument**

The `stat_fns` argument specify the custom function(s) to be used for computing the summary statistics. For example, `stat_fns = everything() ~ foo`.

Each function may take the following arguments: `foo(data, full_data, variable, by, type, ...)`

- data= is the input data frame passed to `tbl_custom_summary()`, subset according to the level of by or `variable` if any, excluding NA values of the current `variable`
- full_data= is the full input data frame passed to `tbl_custom_summary()`
- variable= is a string indicating the variable to perform the calculation on
- by= is a string indicating the by variable from tbl_custom_summary=, if present
- type= is a string indicating the type of variable (continuous, categorical, ...)
- stat_display= a string indicating the statistic to display (for the `statistic` argument, for that variable)

The user-defined does not need to utilize each of these inputs. It's encouraged the user-defined function accept ... as each of the arguments *will* be passed to the function, even if not all inputs are utilized by the user's function, e.g. `foo(data, ...)` (see examples).

The user-defined function should return a one row [`dplyr::tibble()`](#) with one column per summary statistics (see examples).

statistic argument

The statistic argument specifies the statistics presented in the table. The input is a list of formulas that specify the statistics to report. For example, `statistic = list(age ~ "{mean} ({sd})")`. A statistic name that appears between curly brackets will be replaced with the numeric statistic (see [`glue::glue()`](#)). All the statistics indicated in the statistic argument should be returned by the functions defined in the `stat_fns` argument.

When the summary type is `"continuous2"`, pass a vector of statistics. Each element of the vector will result in a separate row in the summary table.

For both categorical and continuous variables, statistics on the number of missing and non-missing observations and their proportions are also available to display.

- {N_obs} total number of observations
- {N_miss} number of missing observations
- {N_nonmiss} number of non-missing observations
- {p_miss} percentage of observations missing
- {p_nonmiss} percentage of observations not missing

Note that for categorical variables, {N_obs}, {N_miss} and {N_nonmiss} refer to the total number, number missing and number non missing observations in the denominator, not at each level of the categorical variable.

It is recommended to use [`modify_footnote()`](#) to properly describe the displayed statistics (see examples).

Caution

The returned table is compatible with all gtsummary features applicable to a tbl_summary object, like add_overall(), modify_footnote() or bold_labels().

However, some of them could be inappropriate in such case. In particular, add_p() do not take into account the type of displayed statistics and always return the p-value of a comparison test of the current variable according to the by groups, which may be incorrect if the displayed statistics refer to a third variable.

Example Output

Author(s)

Joseph Larmarange

See Also

Other tbl_summary tools: add_ci(), add_n.tbl_summary(), add_overall(), add_p.tbl_summary(), add_q(), add_stat_label(), bold_italicize_labels_levels, inline_text.tbl_summary(), inline_text.tbl_survfit(), modify, separate_p_footnotes(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata(), tbl_summary()

Other tbl_custom_summary tools: continuous_summary(), proportion_summary(), ratio_summary()

Examples

```
# Example 1 --------------------------------
my_stats <- function(data, ...) {
  marker_sum = sum(data$marker, na.rm = TRUE)
  mean_age = mean(data$age, na.rm = TRUE)
  dplyr::tibble(
    marker_sum = marker_sum,
    mean_age = mean_age
  )
}

my_stats(trial)

tbl_custom_summary_ex1 <-
  trial %>%
  tbl_custom_summary(
    include = c("stage", "grade"),
    by = "trt",
    stat_fns = everything() ~ my_stats,
    statistic = everything() ~ "A: {mean_age} - S: {marker_sum}",
    digits = everything() ~ c(1, 0),
    overall_row = TRUE,
    overall_row_label = "All stages & grades"
  ) %>%
  add_overall(last = TRUE) %>%
  modify_footnote(
    update = all_stat_cols() ~ "A: mean age - S: sum of marker"
  ) %>%
  bold_labels()
```

```
# Example 2 --------------------------------
# Use `data[[variable]]` to access the current variable
mean_ci <- function(data, variable, ...) {
  test <- t.test(data[[variable]])
  dplyr::tibble(
    mean = test$estimate,
    conf.low = test$conf.int[1],
    conf.high = test$conf.int[2]
  )
}

tbl_custom_summary_ex2 <-
  trial %>%
  tbl_custom_summary(
    include = c("marker", "ttdeath"),
    by = "trt",
    stat_fns = ~ mean_ci,
    statistic = ~ "{mean} [{conf.low}; {conf.high}]"
  ) %>%
  add_overall(last = TRUE) %>%
  modify_footnote(
    update = all_stat_cols() ~ "mean [95% CI]"
  )

# Example 2 --------------------------------
# Use `full_data` to access the full datasets
# Returned statistic can also be a character, but you need to
# define `digits` accordingly
diff_to_great_mean <- function(data, full_data, ...) {
  mean <- mean(data$marker, na.rm = TRUE)
  great_mean <- mean(full_data$marker, na.rm = TRUE)
  diff <- mean - great_mean
  dplyr::tibble(
    mean = mean,
    great_mean = great_mean,
    diff = diff,
    level = ifelse(diff > 0, "high", "low")
  )
}

tbl_custom_summary_ex3 <-
  trial %>%
  tbl_custom_summary(
    include = c("grade", "stage"),
    by = "trt",
    stat_fns = ~ diff_to_great_mean,
    statistic = ~ "{mean} ({level}, diff: {diff})",
    digits = ~ list(1, as.character, 1),
    overall_row = TRUE
  ) %>%
  bold_labels()
```

---

tbl_merge | *Merge two or more gtsummary objects*

Description

Merges two or more `tbl_regression`, `tbl_uvregression`, `tbl_stack`, `tbl_summary`, or `tbl_svysummary` objects and adds appropriate spanning headers.

Usage

```
tbl_merge(tbls, tab_spanner = NULL)
```

Arguments

tbls	List of gtsummary objects to merge
tab_spanner	Character vector specifying the spanning headers. Must be the same length as `tbls`. The strings are interpreted with `gt::md`. Must be same length as `tbls` argument

Value

A `tbl_merge` object

Example Output

Author(s)

Daniel D. Sjoberg

See Also

[tbl_stack](#)

Other tbl_regression tools: [add_global_p()](#), [add_q()](#), [bold_italicize_labels_levels](#), [combine_terms()](#), [inline_text.tbl_regression()](#), [modify](#), [tbl_regression()](#), [tbl_split()](#), [tbl_stack()](#), [tbl_strata()](#)

Other tbl_uvregression tools: [add_global_p()](#), [add_q()](#), [bold_italicize_labels_levels](#), [inline_text.tbl_uvreg](#) [modify](#), [tbl_split()](#), [tbl_stack()](#), [tbl_strata()](#), [tbl_uvregression()](#)

Other tbl_summary tools: [add_ci()](#), [add_n.tbl_summary()](#), [add_overall()](#), [add_p.tbl_summary()](#), [add_q()](#), [add_stat_label()](#), [bold_italicize_labels_levels](#), [inline_text.tbl_summary()](#), [inline_text.tbl_survfit()](#), [modify](#), [separate_p_footnotes()](#), [tbl_custom_summary()](#), [tbl_split()](#), [tbl_stack()](#), [tbl_strata()](#), [tbl_summary()](#)

Other tbl_survfit tools: [add_n.tbl_survfit()](#), [add_nevent.tbl_survfit()](#), [add_p.tbl_survfit()](#), [modify](#), [tbl_split()](#), [tbl_stack()](#), [tbl_strata()](#), [tbl_survfit()](#)

Other tbl_svysummary tools: [add_n.tbl_summary()](#), [add_overall()](#), [add_p.tbl_svysummary()](#), [add_q()](#), [add_stat_label()](#), [modify](#), [separate_p_footnotes()](#), [tbl_split()](#), [tbl_stack()](#), [tbl_strata()](#), [tbl_svysummary()](#)

Examples

```
# Example 1 --------------------------------
# Side-by-side Regression Models
library(survival)
t1 <-
  glm(response ~ trt + grade + age, trial, family = binomial) %>%
```

```
    tbl_regression(exponentiate = TRUE)
t2 <-
  coxph(Surv(ttdeath, death) ~ trt + grade + age, trial) %>%
  tbl_regression(exponentiate = TRUE)
tbl_merge_ex1 <-
  tbl_merge(
    tbls = list(t1, t2),
    tab_spanner = c("**Tumor Response**", "**Time to Death**")
  )

# Example 2 --------------------------------
# Descriptive statistics alongside univariate regression, with no spanning header
t3 <-
  trial[c("age", "grade", "response")] %>%
  tbl_summary(missing = "no") %>%
  add_n() %>%
  modify_header(stat_0 ~ "**Summary Statistics**")
t4 <-
  tbl_uvregression(
    trial[c("ttdeath", "death", "age", "grade", "response")],
    method = coxph,
    y = Surv(ttdeath, death),
    exponentiate = TRUE,
    hide_n = TRUE
  )

tbl_merge_ex2 <-
  tbl_merge(tbls = list(t3, t4)) %>%
  modify_spanning_header(everything() ~ NA_character_)
```

---

tbl_regression   *Display regression model results in table*

Description

This function takes a regression model object and returns a formatted table that is publication-ready. The function is highly customizable allowing the user to obtain a bespoke summary table of the regression model results. Review the tbl_regression vignette for detailed examples.

Usage

```
tbl_regression(x, ...)

## Default S3 method:
tbl_regression(
  x,
  label = NULL,
  exponentiate = FALSE,
  include = everything(),
  show_single_row = NULL,
  conf.level = NULL,
  intercept = FALSE,
```

```
    estimate_fun = NULL,
    pvalue_fun = NULL,
    tidy_fun = NULL,
    add_estimate_to_reference_rows = FALSE,
    show_yesno = NULL,
    exclude = NULL,
    ...
)
```

Arguments

x	Regression model object
...	Not used
label	List of formulas specifying variables labels, e.g. list(age ~ "Age", stage ~ "Path T Stage")
exponentiate	Logical indicating whether to exponentiate the coefficient estimates. Default is FALSE.
include	Variables to include in output. Input may be a vector of quoted variable names, unquoted variable names, or tidyselect select helper functions. Default is everything().
show_single_row	
	By default categorical variables are printed on multiple rows. If a variable is dichotomous (e.g. Yes/No) and you wish to print the regression coefficient on a single row, include the variable name(s) here–quoted and unquoted variable name accepted.
conf.level	Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corresponds to a 95 percent confidence interval.
intercept	Logical argument indicating whether to include the intercept in the output. Default is FALSE
estimate_fun	Function to round and format coefficient estimates. Default is style_sigfig when the coefficients are not transformed, and style_ratio when the coefficients have been exponentiated.
pvalue_fun	Function to round and format p-values. Default is style_pvalue. The function must have a numeric vector input (the numeric, exact p-value), and return a string that is the rounded/formatted p-value (e.g. pvalue_fun = function(x) style_pvalue(x, digits = 2) or equivalently, purrr::partial(style_pvalue, digits = 2)).
tidy_fun	Option to specify a particular tidier function for the model. Default is to use broom::tidy, but if an error occurs then tidying of the model is attempted with parameters::model_parameters(), if installed.
add_estimate_to_reference_rows	
	add a reference value. Default is FALSE
show_yesno	DEPRECATED
exclude	DEPRECATED

Value

A tbl_regression object

Methods

The default method for tbl_regression() model summary uses broom::tidy(x) to perform the initial tidying of the model object. There are, however, a few models that use modifications.

- "parsnip/workflows": If the model was prepared using parsnip/workflows, the original model fit is extracted and the original x= argument is replaced with the model fit. This will typically go unnoticed; however,if you've provided a custom tidier in tidy_fun= the tidier will be applied to the model fit object and not the parsnip/workflows object.

- "survreg": The scale parameter is removed, broom::tidy(x) %>% dplyr::filter(term != "Log(scale)")

- "multinom": This multinomial outcome is complex, with one line per covariate per outcome (less the reference group)

- "gam": Uses the internal tidier tidy_gam() to print both parametric and smooth terms.

- "lmerMod", "glmerMod", "glmmTMB", "glmmadmb", "stanreg", "brmsfit": These mixed effects models use broom.mixed::tidy(x,effects = "fixed"). Specify tidy_fun = broom.mixed::tidy to print the random components.

This list is not exhaustive, and care should be taken for each number reported.

Example Output

Author(s)

Daniel D. Sjoberg

See Also

See tbl_regression vignette for detailed examples

Other tbl_regression tools: add_global_p(), add_q(), bold_italicize_labels_levels, combine_terms(), inline_text.tbl_regression(), modify, tbl_merge(), tbl_split(), tbl_stack(), tbl_strata()

Examples

```
# Example 1 --------------------------------
library(survival)
tbl_regression_ex1 <-
  coxph(Surv(ttdeath, death) ~ age + marker, trial) %>%
  tbl_regression(exponentiate = TRUE)


# Example 2 --------------------------------
tbl_regression_ex2 <-
  glm(response ~ age + grade, trial, family = binomial(link = "logit")) %>%
  tbl_regression(exponentiate = TRUE)


# Example 3 --------------------------------
suppressMessages(library(lme4))
tbl_regression_ex3 <-
  glmer(am ~ hp + (1 | gear), mtcars, family = binomial) %>%
  tbl_regression(exponentiate = TRUE)
```

---

tbl_regression_methods

Methods for tbl_regression

Description

Most regression models are handled by `tbl_regression.default()`, which uses `broom::tidy()` to perform initial tidying of results. There are, however, some model types that have modified default printing behavior. Those methods are listed below.

Usage

```
## S3 method for class 'model_fit'
tbl_regression(x, ...)

## S3 method for class 'workflow'
tbl_regression(x, ...)

## S3 method for class 'survreg'
tbl_regression(
  x,
  tidy_fun = function(x, ...) broom::tidy(x, ...) %>% dplyr::filter(.data$term !=
    "Log(scale)"),
  ...
)

## S3 method for class 'mira'
tbl_regression(x, tidy_fun = pool_and_tidy_mice, ...)

## S3 method for class 'mipo'
tbl_regression(x, ...)

## S3 method for class 'lmerMod'
tbl_regression(
  x,
  tidy_fun = function(x, ...) broom.mixed::tidy(x, ..., effects = "fixed"),
  ...
)

## S3 method for class 'glmerMod'
tbl_regression(
  x,
  tidy_fun = function(x, ...) broom.mixed::tidy(x, ..., effects = "fixed"),
  ...
)

## S3 method for class 'glmmTMB'
tbl_regression(
  x,
  tidy_fun = function(x, ...) broom.mixed::tidy(x, ..., effects = "fixed"),
  ...
```

```
)

## S3 method for class 'glmmadmb'
tbl_regression(
  x,
  tidy_fun = function(x, ...) broom.mixed::tidy(x, ..., effects = "fixed"),
  ...
)

## S3 method for class 'stanreg'
tbl_regression(
  x,
  tidy_fun = function(x, ...) broom.mixed::tidy(x, ..., effects = "fixed"),
  ...
)

## S3 method for class 'brmsfit'
tbl_regression(
  x,
  tidy_fun = function(x, ...) broom.mixed::tidy(x, ..., effects = "fixed"),
  ...
)

## S3 method for class 'gam'
tbl_regression(x, tidy_fun = tidy_gam, ...)

## S3 method for class 'multinom'
tbl_regression(x, ...)
```

Arguments

x	Regression model object
...	arguments passed to tbl_regression.default()
tidy_fun	Option to specify a particular tidier function for the model. Default is to use broom::tidy, but if an error occurs then tidying of the model is attempted with parameters::model_parameters(), if installed.

Methods

The default method for tbl_regression() model summary uses broom::tidy(x) to perform the initial tidying of the model object. There are, however, a few models that use modifications.

- "parsnip/workflows": If the model was prepared using parsnip/workflows, the original model fit is extracted and the original x= argument is replaced with the model fit. This will typically go unnoticed; however,if you've provided a custom tidier in tidy_fun= the tidier will be applied to the model fit object and not the parsnip/workflows object.

- "survreg": The scale parameter is removed, broom::tidy(x) %>% dplyr::filter(term != "Log(scale)")

- "multinom": This multinomial outcome is complex, with one line per covariate per outcome (less the reference group)

- "gam": Uses the internal tidier tidy_gam() to print both parametric and smooth terms.

- "lmerMod", "glmerMod", "glmmTMB", "glmmadmb", "stanreg", "brmsfit": These mixed effects models use broom.mixed::tidy(x,effects = "fixed"). Specify tidy_fun = broom.mixed::tidy to print the random components.

This list is not exhaustive, and care should be taken for each number reported.

---

tbl_split   *Split gtsummary table*

Description

[Experimental] The tbl_split function splits a single gtsummary table into multiple tables

Usage

```
tbl_split(x, variables)

## S3 method for class 'tbl_split'
print(x, ...)
```

Arguments

x	gtsummary table
variables	variables at which to split the gtsummary table rows (tables will be separated after each of these variables)
...	not used

Value

tbl_split object

See Also

Other tbl_regression tools: add_global_p(), add_q(), bold_italicize_labels_levels, combine_terms(), inline_text.tbl_regression(), modify, tbl_merge(), tbl_regression(), tbl_stack(), tbl_strata()

Other tbl_uvregression tools: add_global_p(), add_q(), bold_italicize_labels_levels, inline_text.tbl_uvreg modify, tbl_merge(), tbl_stack(), tbl_strata(), tbl_uvregression()

Other tbl_summary tools: add_ci(), add_n.tbl_summary(), add_overall(), add_p.tbl_summary(), add_q(), add_stat_label(), bold_italicize_labels_levels, inline_text.tbl_summary(), inline_text.tbl_survfit(), modify, separate_p_footnotes(), tbl_custom_summary(), tbl_merge(), tbl_stack(), tbl_strata(), tbl_summary()

Other tbl_survfit tools: add_n.tbl_survfit(), add_nevent.tbl_survfit(), add_p.tbl_survfit(), modify, tbl_merge(), tbl_stack(), tbl_strata(), tbl_survfit()

Other tbl_svysummary tools: add_n.tbl_summary(), add_overall(), add_p.tbl_svysummary(), add_q(), add_stat_label(), modify, separate_p_footnotes(), tbl_merge(), tbl_stack(), tbl_strata(), tbl_svysummary()

Examples

```
tbl <-
  tbl_summary(trial) %>%
  tbl_split(variables = c(marker, grade))
```

---

tbl_stack   *Stacks two or more gtsummary objects*

Description

Assists in patching together more complex tables. `tbl_stack()` appends two or more `tbl_regression`, `tbl_summary`, `tbl_svysummary`, or `tbl_merge` objects. Column attributes, including number formatting and column footnotes, are retained from the first passed gtsummary object.

Usage

```
tbl_stack(tbls, group_header = NULL, quiet = NULL)
```

Arguments

tbls	List of gtsummary objects
group_header	Character vector with table headers where length matches the length of tbls=
quiet	Logical indicating whether to print messages in console. Default is `FALSE`

Value

A `tbl_stack` object

Example Output

Author(s)

Daniel D. Sjoberg

See Also

[tbl_merge](#)

Other tbl_summary tools: [add_ci](#)(), [add_n.tbl_summary](#)(), [add_overall](#)(), [add_p.tbl_summary](#)(),
[add_q](#)(), [add_stat_label](#)(), [bold_italicize_labels_levels](#), [inline_text.tbl_summary](#)(),
[inline_text.tbl_survfit](#)(), [modify](#), [separate_p_footnotes](#)(), [tbl_custom_summary](#)(), [tbl_merge](#)(),
[tbl_split](#)(), [tbl_strata](#)(), [tbl_summary](#)()

Other tbl_svysummary tools: [add_n.tbl_summary](#)(), [add_overall](#)(), [add_p.tbl_svysummary](#)(),
[add_q](#)(), [add_stat_label](#)(), [modify](#), [separate_p_footnotes](#)(), [tbl_merge](#)(), [tbl_split](#)(),
[tbl_strata](#)(), [tbl_svysummary](#)()

Other tbl_regression tools: [add_global_p](#)(), [add_q](#)(), [bold_italicize_labels_levels](#), [combine_terms](#)(),
[inline_text.tbl_regression](#)(), [modify](#), [tbl_merge](#)(), [tbl_regression](#)(), [tbl_split](#)(), [tbl_strata](#)()

Other tbl_uvregression tools: add_global_p(), add_q(), bold_italicize_labels_levels, inline_text.tbl_uvreg
modify, tbl_merge(), tbl_split(), tbl_strata(), tbl_uvregression()

Other tbl_survfit tools: add_n.tbl_survfit(), add_nevent.tbl_survfit(), add_p.tbl_survfit(),
modify, tbl_merge(), tbl_split(), tbl_strata(), tbl_survfit()

Examples

```
# Example 1 --------------------------------
# stacking two tbl_regression objects
t1 <-
  glm(response ~ trt, trial, family = binomial) %>%
  tbl_regression(
    exponentiate = TRUE,
    label = list(trt ~ "Treatment (unadjusted)")
  )

t2 <-
  glm(response ~ trt + grade + stage + marker, trial, family = binomial) %>%
  tbl_regression(
    include = "trt",
    exponentiate = TRUE,
    label = list(trt ~ "Treatment (adjusted)")
  )

tbl_stack_ex1 <- tbl_stack(list(t1, t2))

# Example 2 --------------------------------
# stacking two tbl_merge objects
library(survival)
t3 <-
  coxph(Surv(ttdeath, death) ~ trt, trial) %>%
  tbl_regression(
    exponentiate = TRUE,
    label = list(trt ~ "Treatment (unadjusted)")
  )

t4 <-
  coxph(Surv(ttdeath, death) ~ trt + grade + stage + marker, trial) %>%
  tbl_regression(
    include = "trt",
    exponentiate = TRUE,
    label = list(trt ~ "Treatment (adjusted)")
  )


# first merging, then stacking
row1 <- tbl_merge(list(t1, t3), tab_spanner = c("Tumor Response", "Death"))
row2 <- tbl_merge(list(t2, t4))
tbl_stack_ex2 <-
 tbl_stack(list(row1, row2), group_header = c("Unadjusted Analysis", "Adjusted Analysis"))
```

```
tbl_strata                    Stratified gtsummary tables
```

Description

[**Maturing**] Build a stratified gtsummary table. Any gtsummary table that accepts a data frame as its first argument can be stratified.

Usage

```
tbl_strata(
  data,
  strata,
  .tbl_fun,
  ...,
  .sep = ", ",
  .combine_with = c("tbl_merge", "tbl_stack"),
  .stack_group_header = TRUE,
  .quiet = NULL
)
```

Arguments

`data`	a data frame or survey object
`strata`	character vector or tidy-selector of columns in data to stratify results by
`.tbl_fun`	A function or formula. If a *function*, it is used as is. If a formula, e.g. ~ .x %>% `tbl_summary() %>% add_p()`, it is converted to a function. The stratified data frame is passed to this function.
`...`	Additional arguments passed on to the `.tbl_fun` function.
`.sep`	when more than one stratifying variable is passed, this string is used to separate the levels in the spanning header. Default is `","`
`.combine_with`	One of `c("tbl_merge","tbl_stack")`. Names the function used to combine the stratified tables.
`.stack_group_header`	
	When `TRUE` and `.combine_with = 'tbl_stack'`, the stratum are passed in `tbl_stack(group_header` Default is `TRUE`
`.quiet`	Logical indicating whether to print messages in console. Default is `FALSE`

Tips

- `tbl_summary()`
  - The number of digits continuous variables are rounded to is determined separately within each stratum of the data frame. Set the digits= argument to ensure continuous variables are rounded to the same number of decimal places.
  - If some levels of a categorical variable are unobserved within a stratum, convert the variable to a factor to ensure all levels appear in each stratum's summary table.

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_regression tools: add_global_p(), add_q(), bold_italicize_labels_levels, combine_terms(),
inline_text.tbl_regression(), modify, tbl_merge(), tbl_regression(), tbl_split(), tbl_stack()

Other tbl_uvregression tools: add_global_p(), add_q(), bold_italicize_labels_levels, inline_text.tbl_uvreg
modify, tbl_merge(), tbl_split(), tbl_stack(), tbl_uvregression()

Other tbl_summary tools: add_ci(), add_n.tbl_summary(), add_overall(), add_p.tbl_summary(),
add_q(), add_stat_label(), bold_italicize_labels_levels, inline_text.tbl_summary(),
inline_text.tbl_survfit(), modify, separate_p_footnotes(), tbl_custom_summary(), tbl_merge(),
tbl_split(), tbl_stack(), tbl_summary()

Other tbl_survfit tools: add_n.tbl_survfit(), add_nevent.tbl_survfit(), add_p.tbl_survfit(),
modify, tbl_merge(), tbl_split(), tbl_stack(), tbl_survfit()

Other tbl_svysummary tools: add_n.tbl_summary(), add_overall(), add_p.tbl_svysummary(),
add_q(), add_stat_label(), modify, separate_p_footnotes(), tbl_merge(), tbl_split(),
tbl_stack(), tbl_svysummary()

Examples

```
# Example 1 --------------------------------
tbl_strata_ex1 <-
  trial %>%
  select(age, grade, stage, trt) %>%
  mutate(grade = paste("Grade", grade)) %>%
  tbl_strata(
    strata = grade,
    .tbl_fun =
      ~ .x %>%
        tbl_summary(by = trt, missing = "no") %>%
        add_n()
  )
```

---

tbl_summary   *Create a table of summary statistics*

Description

The tbl_summary function calculates descriptive statistics for continuous, categorical, and dichoto-
mous variables. Review the tbl_summary vignette for detailed examples.

Usage

```
tbl_summary(
  data,
  by = NULL,
  label = NULL,
  statistic = NULL,
  digits = NULL,
```

```
    type = NULL,
    value = NULL,
    missing = NULL,
    missing_text = NULL,
    sort = NULL,
    percent = NULL,
    include = everything()
)
```

Arguments

data	A data frame
by	A column name (quoted or unquoted) in data. Summary statistics will be calculated separately for each level of the by variable (e.g. by = trt). If NULL, summary statistics are calculated using all observations. To stratify a table by two or more variables, use tbl_strata()
label	List of formulas specifying variables labels, e.g. list(age ~ "Age",stage ~ "Path T Stage"). If a variable's label is not specified here, the label attribute (attr(data$age,"label")) is used. If attribute label is NULL, the variable name will be used.
statistic	List of formulas specifying types of summary statistics to display for each variable. The default is list(all_continuous() ~ "{median} ({p25},{p75})",all_categorical() ~ "{n} ({p}%)"). See below for details.
digits	List of formulas specifying the number of decimal places to round continuous summary statistics. If not specified, tbl_summary guesses an appropriate number of decimals to round statistics. When multiple statistics are displayed for a single variable, supply a vector rather than an integer. For example, if the statistic being calculated is "{mean} ({sd})" and you want the mean rounded to 1 decimal place, and the SD to 2 use digits = list(age ~ c(1,2)). User may also pass a styling function: digits = age ~ style_sigfig
type	List of formulas specifying variable types. Accepted values are c("continuous","continuous2","c e.g. type = list(age ~ "continuous",female ~ "dichotomous"). If type not specified for a variable, the function will default to an appropriate summary type. See below for details.
value	List of formulas specifying the value to display for dichotomous variables. See below for details.
missing	Indicates whether to include counts of NA values in the table. Allowed values are "no" (never display NA values), "ifany" (only display if any NA values), and "always" (includes NA count row for all variables). Default is "ifany".
missing_text	String to display for count of missing observations. Default is "Unknown".
sort	List of formulas specifying the type of sorting to perform for categorical data. Options are frequency where results are sorted in descending order of frequency and alphanumeric, e.g. sort = list(everything() ~ "frequency")
percent	Indicates the type of percentage to return. Must be one of "column", "row", or "cell". Default is "column".
include	variables to include in the summary table. Default is everything()

Value

A tbl_summary object

select helpers

Select helpers from the \tidyselect\ package and \gtsummary\ package are available to modify default behavior for groups of variables. For example, by default continuous variables are reported with the median and IQR. To change all continuous variables to mean and standard deviation use `statistic = list(all_continuous() ~ "{mean} ({sd})")`.

All columns with class logical are displayed as dichotomous variables showing the proportion of events that are TRUE on a single row. To show both rows (i.e. a row for TRUE and a row for FALSE) use `type = list(where(is.logical) ~ "categorical")`.

The select helpers are available for use in any argument that accepts a list of formulas (e.g. `statistic`, `type`, `digits`, `value`, `sort`, etc.)

Read more on the syntax used through the package.

type argument

The `tbl_summary()` function has four summary types:

- `"continuous"` summaries are shown on a *single row*. Most numeric variables default to summary type continuous.
- `"continuous2"` summaries are shown on *2 or more rows*
- `"categorical"` *multi-line* summaries of nominal data. Character variables, factor variables, and numeric variables with fewer than 10 unique levels default to type categorical. To change a numeric variable to continuous that defaulted to categorical, use `type = list(varname ~ "continuous")`
- `"dichotomous"` categorical variables that are displayed on a *single row*, rather than one row per level of the variable. Variables coded as TRUE/FALSE, 0/1, or yes/no are assumed to be dichotomous, and the TRUE, 1, and yes rows are displayed. Otherwise, the value to display must be specified in the `value` argument, e.g. `value = list(varname ~ "level to show")`

statistic argument

The statistic argument specifies the statistics presented in the table. The input is a list of formulas that specify the statistics to report. For example, `statistic = list(age ~ "{mean} ({sd})")` would report the mean and standard deviation for age; `statistic = list(all_continuous() ~ "{mean} ({sd})")` would report the mean and standard deviation for all continuous variables. A statistic name that appears between curly brackets will be replaced with the numeric statistic (see glue::glue).

For categorical variables the following statistics are available to display.

- {n} frequency
- {N} denominator, or cohort size
- {p} formatted percentage

For continuous variables the following statistics are available to display.

- {median} median
- {mean} mean
- {sd} standard deviation
- {var} variance
- {min} minimum

- {max} maximum
- {p##} any integer percentile, where ## is an integer from 0 to 100
- {foo} any function of the form foo(x) is accepted where x is a numeric vector

When the summary type is "continuous2", pass a vector of statistics. Each element of the vector will result in a separate row in the summary table.

For both categorical and continuous variables, statistics on the number of missing and non-missing observations and their proportions are available to display.

- {N_obs} total number of observations
- {N_miss} number of missing observations
- {N_nonmiss} number of non-missing observations
- {p_miss} percentage of observations missing
- {p_nonmiss} percentage of observations not missing

Note that for categorical variables, {N_obs}, {N_miss} and {N_nonmiss} refer to the total number, number missing and number non missing observations in the denominator, not at each level of the categorical variable.

Example Output

Author(s)

Daniel D. Sjoberg

See Also

See tbl_summary vignette for detailed tutorial

See table gallery for additional examples

Other tbl_summary tools: add_ci(), add_n.tbl_summary(), add_overall(), add_p.tbl_summary(), add_q(), add_stat_label(), bold_italicize_labels_levels, inline_text.tbl_summary(), inline_text.tbl_survfit(), modify, separate_p_footnotes(), tbl_custom_summary(), tbl_merge(), tbl_split(), tbl_stack(), tbl_strata()

Examples

```
# Example 1 --------------------------------
tbl_summary_ex1 <-
  trial %>%
  select(age, grade, response) %>%
  tbl_summary()

# Example 2 --------------------------------
tbl_summary_ex2 <-
  trial %>%
  select(age, grade, response, trt) %>%
  tbl_summary(
    by = trt,
    label = list(age ~ "Patient Age"),
    statistic = list(all_continuous() ~ "{mean} ({sd})"),
    digits = list(age ~ c(0, 1))
```

```
  )

  # Example 3 --------------------------------
  # for convenience, you can also pass named lists to any arguments
  # that accept formulas (e.g label, digits, etc.)
  tbl_summary_ex3 <-
    trial %>%
    select(age, trt) %>%
    tbl_summary(
      by = trt,
      label = list(age = ″Patient Age″)
    )

  # Example 4 -------------------------------
  # multi-line summaries of continuous data with type 'continuous2'
  tbl_summary_ex4 <-
    trial %>%
    select(age, marker) %>%
    tbl_summary(
      type = all_continuous() ~ ″continuous2″,
      statistic = all_continuous() ~ c(″{median} ({p25}, {p75})″, ″{min}, {max}″),
      missing = ″no″
    )
```

---

tbl_survfit   *Creates table of survival probabilities*

Description

[**Maturing**] Function takes a survfit object as an argument, and provides a formatted summary table of the results

Usage

```
tbl_survfit(x, ...)

## S3 method for class 'list'
tbl_survfit(
  x,
  times = NULL,
  probs = NULL,
  statistic = NULL,
  label = NULL,
  label_header = NULL,
  estimate_fun = NULL,
  missing = NULL,
  conf.level = 0.95,
  reverse = FALSE,
  quiet = NULL,
  ...
)

## S3 method for class 'survfit'
```

```
tbl_survfit(x, ...)

## S3 method for class 'data.frame'
tbl_survfit(x, y, include = everything(), ...)
```

Arguments

x	a survfit object, list of survfit objects, or a data frame. If a data frame is passed, a list of survfit objects is constructed using each variable as a stratifying variable.
...	For `tbl_survfit.data.frame()` and `tbl_survfit.survfit()` the arguments are passed to `tbl_survfit.list()`. They are not used when `tbl_survfit.list()` is called directly.
times	numeric vector of times for which to return survival probabilities.
probs	numeric vector of probabilities with values in (0,1) specifying the survival quantiles to return
statistic	string defining the statistics to present in the table. Default is "{estimate} ({conf.low},{conf.high})"
label	List of formulas specifying variables labels, e.g. list(age ~ "Age,yrs",stage ~ "Path T Stage"), or a string for a single variable table.
label_header	string specifying column labels above statistics. Default is "{prob} Percentile" for survival percentiles, and "Time {time}" for n-year survival estimates
estimate_fun	function to format the Kaplan-Meier estimates. Default is style_percent() for survival probabilities and style_sigfig for survival times
missing	text to fill when estimate is not estimable. Default is "--"
conf.level	Confidence level for confidence intervals. Default is 0.95
reverse	Flip the probability reported, i.e. 1-estimate. Default is FALSE. Does not apply to survival quantile requests
quiet	Logical indicating whether to print messages in console. Default is FALSE
y	outcome call, e.g. y = Surv(ttdeath,death)
include	Variable to include as stratifying variables.

Example Output

Author(s)

Daniel D. Sjoberg

See Also

Other tbl_survfit tools: `add_n.tbl_survfit()`, `add_nevent.tbl_survfit()`, `add_p.tbl_survfit()`, `modify`, `tbl_merge()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`

Examples

```
library(survival)

# Example 1 --------------------------------
# Pass single survfit() object
tbl_survfit_ex1 <- tbl_survfit(
  survfit(Surv(ttdeath, death) ~ trt, trial),
  times = c(12, 24),
  label_header = "**{time} Month**"
)

# Example 2 --------------------------------
# Pass a data frame
tbl_survfit_ex2 <- tbl_survfit(
  trial,
  y = Surv(ttdeath, death),
  include = c(trt, grade),
  probs = 0.5,
  label_header = "**Median Survival**"
)

# Example 3 --------------------------------
# Pass a list of survfit() objects
tbl_survfit_ex3 <-
  list(
    survfit(Surv(ttdeath, death) ~ 1, trial),
    survfit(Surv(ttdeath, death) ~ trt, trial)
  ) %>%
  tbl_survfit(times = c(12, 24))

# Example 4 Competing Events Example ---------
# adding a competing event for death (cancer vs other causes)
set.seed(1123)
library(dplyr, warn.conflicts = FALSE, quietly = TRUE)
trial2 <- trial %>%
  mutate(
    death_cr = case_when(
      death == 0 ~ "censor",
      runif(n()) < 0.5 ~ "death from cancer",
      TRUE ~ "death other causes"
    ) %>% factor()
  )

survfit_cr_ex4 <-
  survfit(Surv(ttdeath, death_cr) ~ grade, data = trial2) %>%
  tbl_survfit(times = c(12, 24), label = "Tumor Grade")
```

---

tbl_survfit_errors   *Common Sources of Error with* tbl_survfit()

Description

When functions add_n() and add_p() are run after tbl_survfit(), the original call to survival::survfit() is extracted and the formula= and data= arguments are used to calculate the N or p-value.

When the values of the formula= and data= are unavailable, the functions cannot execute. Below are some tips to modify your code to ensure all functions run without issue.

1. Let tbl_survfit() construct the survival::survfit() for you by passing a data frame to tbl_survfit(). The survfit model will be constructed in a manner ensuring the formula and data are available. This only works if you have a stratified model.
   Instead of the following line

   ```
   survfit(Surv(ttdeath, death) ~ trt, trial) %>%
     tbl_survfit(times = c(12, 24))
   ```

   Use this code

   ```
   trial %>%
     select(ttdeath, death, trt) %>%
     tbl_survfit(y = Surv(ttdeath, death), times = c(12, 24))
   ```

2. Construct an expression of the survival::survfit() before evaluating it. Ensure the formula and data are available in the call by using the tidyverse bang-bang operator, !!.
   Use this code

   ```
   formula_arg <- Surv(ttdeath, death) ~ 1
   data_arg <- trial
   rlang::expr(survfit(!!formula_arg, !!data_arg)) %>%
     eval() %>%
     tbl_survfit(times = c(12, 24))
   ```

---

tbl_svysummary   *Create a table of summary statistics from a survey object*

Description

The tbl_svysummary function calculates descriptive statistics for continuous, categorical, and dichotomous variables taking into account survey weights and design. It is similar to tbl_summary().

Usage

```
tbl_svysummary(
  data,
  by = NULL,
  label = NULL,
  statistic = NULL,
  digits = NULL,
  type = NULL,
  value = NULL,
  missing = NULL,
  missing_text = NULL,
  sort = NULL,
  percent = NULL,
  include = everything()
)
```

Arguments

data	A survey object created with created with `survey::svydesign()`
by	A column name (quoted or unquoted) in `data`. Summary statistics will be calculated separately for each level of the by variable (e.g. `by = trt`). If `NULL`, summary statistics are calculated using all observations. To stratify a table by two or more variables, use `tbl_strata()`
label	List of formulas specifying variables labels, e.g. `list(age ~ "Age", stage ~ "Path T Stage")`. If a variable's label is not specified here, the label attribute (`attr(data$age, "label")`) is used. If attribute label is `NULL`, the variable name will be used.
statistic	List of formulas specifying types of summary statistics to display for each variable. The default is `list(all_continuous() ~ "{median} ({p25}, {p75})", all_categorical() ~ "{n} ({p}%)")`. See below for details.
digits	List of formulas specifying the number of decimal places to round continuous summary statistics. If not specified, `tbl_summary` guesses an appropriate number of decimals to round statistics. When multiple statistics are displayed for a single variable, supply a vector rather than an integer. For example, if the statistic being calculated is `"{mean} ({sd})"` and you want the mean rounded to 1 decimal place, and the SD to 2 use `digits = list(age ~ c(1, 2))`. User may also pass a styling function: `digits = age ~ style_sigfig`
type	List of formulas specifying variable types. Accepted values are `c("continuous", "continuous2", "`` e.g. `type = list(age ~ "continuous", female ~ "dichotomous")`. If type not specified for a variable, the function will default to an appropriate summary type. See below for details.
value	List of formulas specifying the value to display for dichotomous variables. See below for details.
missing	Indicates whether to include counts of NA values in the table. Allowed values are `"no"` (never display NA values), `"ifany"` (only display if any NA values), and `"always"` (includes NA count row for all variables). Default is `"ifany"`.
missing_text	String to display for count of missing observations. Default is `"Unknown"`.
sort	List of formulas specifying the type of sorting to perform for categorical data. Options are `frequency` where results are sorted in descending order of frequency and `alphanumeric`, e.g. `sort = list(everything() ~ "frequency")`
percent	Indicates the type of percentage to return. Must be one of `"column"`, `"row"`, or `"cell"`. Default is `"column"`.
include	variables to include in the summary table. Default is `everything()`

Value

A `tbl_svysummary` object

statistic argument

The statistic argument specifies the statistics presented in the table. The input is a list of formulas that specify the statistics to report. For example, `statistic = list(age ~ "{mean} ({sd})")` would report the mean and standard deviation for age; `statistic = list(all_continuous() ~ "{mean} ({sd})")` would report the mean and standard deviation for all continuous variables. A statistic name that appears between curly brackets will be replaced with the numeric statistic (see glue::glue).

For categorical variables the following statistics are available to display.

- {n} frequency

- {N} denominator, or cohort size

- {p} formatted percentage

- {n_unweighted} unweighted frequency

- {N_unweighted} unweighted denominator

- {p_unweighted} unweighted formatted percentage

For continuous variables the following statistics are available to display.

- {median} median

- {mean} mean

- {sd} standard deviation

- {var} variance

- {min} minimum

- {max} maximum

- {p##} any integer percentile, where ## is an integer from 0 to 100

- {sum} sum

Unlike [tbl_summary()](), it is not possible to pass a custom function.

For both categorical and continuous variables, statistics on the number of missing and non-missing observations and their proportions are available to display.

- {N_obs} total number of observations

- {N_miss} number of missing observations

- {N_nonmiss} number of non-missing observations

- {p_miss} percentage of observations missing

- {p_nonmiss} percentage of observations not missing

- {N_obs_unweighted} unweighted total number of observations

- {N_miss_unweighted} unweighted number of missing observations

- {N_nonmiss_unweighted} unweighted number of non-missing observations

- {p_miss_unweighted} unweighted percentage of observations missing

- {p_nonmiss_unweighted} unweighted percentage of observations not missing

Note that for categorical variables, {N_obs}, {N_miss} and {N_nonmiss} refer to the total number, number missing and number non missing observations in the denominator, not at each level of the categorical variable.

Example Output

type argument

The `tbl_summary()` function has four summary types:

- `"continuous"` summaries are shown on a *single row*. Most numeric variables default to summary type continuous.
- `"continuous2"` summaries are shown on *2 or more rows*
- `"categorical"` *multi-line* summaries of nominal data. Character variables, factor variables, and numeric variables with fewer than 10 unique levels default to type categorical. To change a numeric variable to continuous that defaulted to categorical, use `type = list(varname ~ "continuous")`
- `"dichotomous"` categorical variables that are displayed on a *single row*, rather than one row per level of the variable. Variables coded as TRUE/FALSE, 0/1, or yes/no are assumed to be dichotomous, and the TRUE, 1, and yes rows are displayed. Otherwise, the value to display must be specified in the `value` argument, e.g. `value = list(varname ~ "level to show")`

select helpers

Select helpers from the \tidyselect\ package and \gtsummary\ package are available to modify default behavior for groups of variables. For example, by default continuous variables are reported with the median and IQR. To change all continuous variables to mean and standard deviation use `statistic = list(all_continuous() ~ "{mean} ({sd})")`.

All columns with class logical are displayed as dichotomous variables showing the proportion of events that are TRUE on a single row. To show both rows (i.e. a row for TRUE and a row for FALSE) use `type = list(where(is.logical) ~ "categorical")`.

The select helpers are available for use in any argument that accepts a list of formulas (e.g. `statistic`, `type`, `digits`, `value`, `sort`, etc.)

Read more on the syntax used through the package.

Author(s)

Joseph Larmarange

See Also

Other tbl_svysummary tools: `add_n.tbl_summary()`, `add_overall()`, `add_p.tbl_svysummary()`, `add_q()`, `add_stat_label()`, `modify`, `separate_p_footnotes()`, `tbl_merge()`, `tbl_split()`, `tbl_stack()`, `tbl_strata()`

Examples

```
# A simple weighted dataset
tbl_svysummary_ex1 <-
  survey::svydesign(~1, data = as.data.frame(Titanic), weights = ~Freq) %>%
  tbl_svysummary(by = Survived, percent = "row")

# Example 2 --------------------------------
# A dataset with a complex design
data(api, package = "survey")
tbl_svysummary_ex2 <-
  survey::svydesign(id = ~dnum, weights = ~pw, data = apiclus1, fpc = ~fpc) %>%
  tbl_svysummary(by = "both", include = c(cname, api00, api99, both))
```

tbl_uvregression *Display univariate regression model results in table*

Description

This function estimates univariate regression models and returns them in a publication-ready table. It can create univariate regression models holding either a covariate or outcome constant.

For models holding outcome constant, the function takes as arguments a data frame, the type of regression model, and the outcome variable y=. Each column in the data frame is regressed on the specified outcome. The tbl_uvregression function arguments are similar to the tbl_regression arguments. Review the tbl_uvregression vignette for detailed examples.

You may alternatively hold a single covariate constant. For this, pass a data frame, the type of regression model, and a single covariate in the x= argument. Each column of the data frame will serve as the outcome in a univariate regression model. Take care using the x argument that each of the columns in the data frame are appropriate for the same type of model, e.g. they are all continuous variables appropriate for lm, or dichotomous variables appropriate for logistic regression with glm.

Usage

```
tbl_uvregression(
  data,
  method,
  y = NULL,
  x = NULL,
  method.args = NULL,
  exponentiate = FALSE,
  label = NULL,
  include = everything(),
  tidy_fun = NULL,
  hide_n = FALSE,
  show_single_row = NULL,
  conf.level = NULL,
  estimate_fun = NULL,
  pvalue_fun = NULL,
  formula = "{y} ~ {x}",
  add_estimate_to_reference_rows = NULL,
  show_yesno = NULL,
  exclude = NULL
)
```

Arguments

data	Data frame to be used in univariate regression modeling. Data frame includes the outcome variable(s) and the independent variables. Survey design objects are also accepted.
method	Regression method (e.g. lm, glm, survival::coxph, survey::svyglm, and more).
y	Model outcome (e.g. y = recurrence or y = Surv(time,recur)). All other column in data will be regressed on y. Specify one and only one of y or x

x   Model covariate (e.g. `x = trt`). All other columns in `data` will serve as the
                        outcome in a regression model with x as a covariate. Output table is best when x
                        is a continuous or dichotomous variable displayed on a single row. Specify one
                        and only one of y or x

method.args   List of additional arguments passed on to the regression function defined by
                        `method`.

exponentiate   Logical indicating whether to exponentiate the coefficient estimates. Default is
                        `FALSE`.

label   List of formulas specifying variables labels, e.g. `list(age ~ "Age",stage ~`
                        `"Path T Stage")`

include   Variables to include in output. Input may be a vector of quoted variable names,
                        unquoted variable names, or tidyselect select helper functions. Default is `everything()`.

tidy_fun   Option to specify a particular tidier function for the model. Default is to use
                        `broom::tidy`, but if an error occurs then tidying of the model is attempted with
                        `parameters::model_parameters()`, if installed.

hide_n   Hide N column. Default is `FALSE`

show_single_row

                        By default categorical variables are printed on multiple rows. If a variable is
                        dichotomous (e.g. Yes/No) and you wish to print the regression coefficient on
                        a single row, include the variable name(s) here–quoted and unquoted variable
                        name accepted.

conf.level   Must be strictly greater than 0 and less than 1. Defaults to 0.95, which corre-
                        sponds to a 95 percent confidence interval.

estimate_fun   Function to round and format coefficient estimates. Default is style_sigfig when
                        the coefficients are not transformed, and style_ratio when the coefficients have
                        been exponentiated.

pvalue_fun   Function to round and format p-values. Default is style_pvalue. The function
                        must have a numeric vector input (the numeric, exact p-value), and return a
                        string that is the rounded/formatted p-value (e.g. `pvalue_fun = function(x)`
                        `style_pvalue(x,digits = 2)` or equivalently, `purrr::partial(style_pvalue,digits`
                        `= 2)`).

formula   String of the model formula. Uses glue::glue syntax. Default is `"{y} ~ {x}"`,
                        where `{y}` is the dependent variable, and `{x}` represents a single covariate. For
                        a random intercept model, the formula may be `formula = "{y} ~ {x} + (1 |`
                        `gear)"`.

add_estimate_to_reference_rows
                        add a reference value. Default is FALSE

show_yesno   DEPRECATED

exclude   DEPRECATED

Value

A `tbl_uvregression` object

Example Output

Methods

The default method for tbl_regression() model summary uses broom::tidy(x) to perform the initial tidying of the model object. There are, however, a few models that use modifications.

- "parsnip/workflows": If the model was prepared using parsnip/workflows, the original model fit is extracted and the original x= argument is replaced with the model fit. This will typically go unnoticed; however,if you've provided a custom tidier in tidy_fun= the tidier will be applied to the model fit object and not the parsnip/workflows object.

- "survreg": The scale parameter is removed, broom::tidy(x) %>% dplyr::filter(term != "Log(scale)")

- "multinom": This multinomial outcome is complex, with one line per covariate per outcome (less the reference group)

- "gam": Uses the internal tidier tidy_gam() to print both parametric and smooth terms.

- "lmerMod", "glmerMod", "glmmTMB", "glmmadmb", "stanreg", "brmsfit": These mixed effects models use broom.mixed::tidy(x,effects = "fixed"). Specify tidy_fun = broom.mixed::tidy to print the random components.

This list is not exhaustive, and care should be taken for each number reported.

Author(s)

Daniel D. Sjoberg

See Also

See tbl_regression vignette for detailed examples

Other tbl_uvregression tools: add_global_p(), add_q(), bold_italicize_labels_levels, inline_text.tbl_uvreg modify, tbl_merge(), tbl_split(), tbl_stack(), tbl_strata()

Examples

```
# Example 1 --------------------------------
tbl_uv_ex1 <-
  tbl_uvregression(
    trial[c("response", "age", "grade")],
    method = glm,
    y = response,
    method.args = list(family = binomial),
    exponentiate = TRUE
  )

# Example 2 --------------------------------
# rounding pvalues to 2 decimal places
library(survival)
tbl_uv_ex2 <-
  tbl_uvregression(
    trial[c("ttdeath", "death", "age", "grade", "response")],
    method = coxph,
    y = Surv(ttdeath, death),
    exponentiate = TRUE,
    pvalue_fun = function(x) style_pvalue(x, digits = 2)
  )
```

tests	*Tests/methods available in* add_p() *and* add_difference()

Description

Below is a listing of tests available internally within gtsummary.

Tests listed with . . . may have additional arguments passed to them using add_p(test.args=). For example, to calculate a p-value from t.test() assuming equal variance, use tbl_summary(trial,by = trt) %>% add_p(age ~ "t.test",test.args = age ~ list(var.equal = TRUE))

tbl_summary() %>% add_p()

alias	description	pseudo-code
"t.test"	t-test	t.test(variable ~ as.factor(by), data = data
"aov"	One-way ANOVA	aov(variable ~ as.factor(by), data = data) %>
"kruskal.test"	Kruskal-Wallis test	kruskal.test(data[[variable]], as.factor(d
"wilcox.test"	Wilcoxon rank-sum test	wilcox.test(as.numeric(variable) ~ as.fact
"chisq.test"	chi-square test of independence	chisq.test(x = data[[variable]], y = as.fact
"chisq.test.no.correct"	chi-square test of independence	chisq.test(x = data[[variable]], y = as.fact
"fisher.test"	Fisher's exact test	fisher.test(data[[variable]], as.factor(da
"mcnemar.test"	McNemar's test	tidyr::pivot_wider(id_cols = group, ...); mcnemar.te
"lme4"	random intercept logistic regression	lme4::glmer(by ~ (1 \UFF5C group), data, family =
"paired.t.test"	Paired t-test	tidyr::pivot_wider(id_cols = group, ...); t.test(by_1,
"paired.wilcox.test"	Paired Wilcoxon rank-sum test	tidyr::pivot_wider(id_cols = group, ...); wilcox.test(
"prop.test"	Test for equality of proportions	prop.test(x, n, conf.level = 0.95, ...)
"ancova"	ANCOVA	lm(variable ~ by + adj.vars)

tbl_svysummary() %>% add_p()

alias	description
"svy.t.test"	t-test adapted to complex survey samples
"svy.wilcox.test"	Wilcoxon rank-sum test for complex survey samples
"svy.kruskal.test"	Kruskal-Wallis rank-sum test for complex survey samples
"svy.vanderwaerden.test"	van der Waerden's normal-scores test for complex survey samples
"svy.median.test"	Mood's test for the median for complex survey samples
"svy.chisq.test"	chi-squared test with Rao & Scott's second-order correction
"svy.adj.chisq.test"	chi-squared test adjusted by a design effect estimate
"svy.wald.test"	Wald test of independence for complex survey samples
"svy.adj.wald.test"	adjusted Wald test of independence for complex survey samples
"svy.lincom.test"	test of independence using the exact asymptotic distribution for complex survey samples
"svy.saddlepoint.test"	test of independence using a saddlepoint approximation for complex survey samples

tbl_survfit() %>% add_p()

alias	description	pseudo-code
"logrank"	Log-rank test	survival::survdiff(Surv(.) ~ v
"petopeto_gehanwilcoxon"	Peto & Peto modification of Gehan-Wilcoxon test	survival::survdiff(Surv(.) ~ v
"survdiff"	G-rho family test	survival::survdiff(Surv(.) ~ v
"coxph_lrt"	Cox regression (LRT)	survival::coxph(Surv(.) ~ vari
"coxph_wald"	Cox regression (Wald)	survival::coxph(Surv(.) ~ vari
"coxph_score"	Cox regression (Score)	survival::coxph(Surv(.) ~ vari

tbl_summary() %>% add_difference()

alias	description	difference statistic	pseudo-code
"t.test"	t-test	mean difference	t.test(variable ~ as.f
"paired.t.test"	Paired t-test	mean difference	tidyr::pivot_wider(id_cols
"paired.wilcox.test"	Paired Wilcoxon rank-sum test	rate difference	tidyr::pivot_wider(id_cols
"prop.test"	Test for equality of proportions	rate difference	prop.test(x, n, conf.l
"ancova"	ANCOVA	mean difference	lm(variable ~ by + adj.
"ancova_lme4"	ANCOVA with random intercept	mean difference	lme4::lmer(variable ~ by
"cohens_d"	Cohen's D	standardized mean difference	effectsize::cohens_d(
"smd"	Standardized Mean Difference	standardized mean difference	smd::smd(x = data[[var

tbl_svysummary() %>% add_difference()

alias	description	difference statistic	pseudo-code
"smd"	Standardized Mean Difference	standardized mean difference	smd::smd(x = data$variables[[variable]]

Custom Functions

To report a p-value (or difference) for a test not available in gtsummary, you can create a custom function. The output is a data frame that is one line long. The structure is similar to the output of broom::tidy() of a typical statistical test. The add_p() and add_comparison() functions will look for columns called "p.value", "estimate", "conf.low", "conf.high", and "method" for the p-value, difference, confidence interval, and the test name used in the footnote.

Example calculating a p-value from a t-test assuming a common variance between groups.

```
ttest_common_variance <- function(data, variable, by, ...) {
  data <- data[c(variable, by)] %>% dplyr::filter(complete.cases(.))
  t.test(data[[variable]] ~ factor(data[[by]]), var.equal = TRUE) %>%
  broom::tidy()
}
```

```
trial[c("age", "trt")] %>%
  tbl_summary(by = trt) %>%
  add_p(test = age ~ "ttest_common_variance")
```

A custom add_difference() is similar, and accepts arguments conf.level= and adj.vars= as well.

```
ttest_common_variance <- function(data, variable, by, conf.level, ...) {
 data <- data[c(variable, by)] %>% dplyr::filter(complete.cases(.))
 t.test(data[[variable]] ~ factor(data[[by]]), conf.level = conf.level, var.equal = TRUE) %>%
  broom::tidy()
}
```

Function Arguments:

For tbl_summary() objects, the custom function will be passed the following arguments: custom_pvalue_fun(data=, While your function may not utilize each of these arguments, these arguments are passed and the function must accept them. We recommend including ... to future-proof against updates where additional arguments are added.

The following table describes the argument inputs for each gtsummary table type.

argument	tbl_summary	tbl_svysummary	tbl_survfi
data=	A data frame	A survey object	A survfi
variable=	String variable name	String variable name	NA
by=	String variable name	String variable name	NA
group=	String variable name	NA	NA
type=	Summary type	Summary type	NA
conf.level=	Confidence interval level	NA	NA
adj.vars=	Character vector of adjustment variable names (e.g. used in ANCOVA)	NA	NA

---

theme_gtsummary   *Available gtsummary themes*

Description

[**Maturing**] The following themes are available to use within the gtsummary package. Print theme elements with theme_gtsummary_journal(set_theme = FALSE) %>% print(). Review the themes vignette for details.

Usage

```
theme_gtsummary_journal(
  journal = c("jama", "lancet", "nejm", "qjecon"),
  set_theme = TRUE
)

theme_gtsummary_compact(set_theme = TRUE)

theme_gtsummary_printer(
 print_engine = c("gt", "kable", "kable_extra", "flextable", "huxtable", "tibble"),
```

```
    set_theme = TRUE
)

theme_gtsummary_language(
 language = c("de", "en", "es", "fr", "gu", "hi", "is", "ja", "kr", "mr", "pt", "se",
    "zh-cn", "zh-tw"),
  decimal.mark = NULL,
  big.mark = NULL,
  iqr.sep = NULL,
  ci.sep = NULL,
  set_theme = TRUE
)

theme_gtsummary_continuous2(
  statistic = "{median} ({p25, {p75})",
  set_theme = TRUE
)

theme_gtsummary_mean_sd(set_theme = TRUE)

theme_gtsummary_eda(set_theme = TRUE)
```

Arguments

journal	String indicating the journal theme to follow. One of c("jama","lancet","nejm","qjecon"). Details below.
set_theme	Logical indicating whether to set the theme. Default is TRUE. When FALSE the named list of theme elements is returned invisibly
print_engine	String indicating the print method. Must be one of "gt", "kable", "kable_extra", "flextable", "tibble"
language	String indicating language. Must be one of "de" (German), "en" (English), "es" (Spanish), "fr" (French), "gu" (Gujarati), "hi" (Hindi), "is" (Icelandic),"ja" (Japanese), "kr" (Korean), "mr" (Marathi), "pt" (Portuguese), "se" (Swedish), "zh-c,n" (Chinese Simplified), "zh-tw" (Chinese Traditional)
	If a language is missing a translation for a word or phrase, please feel free to reach out on [GitHub](#) with the translated text!
decimal.mark	The character to be used to indicate the numeric decimal point. Default is "." or getOption("OutDec")
big.mark	Character used between every 3 digits to separate hundreds/thousands/millions/etc. Default is ",", except when decimal.mark = "," when the default is a space.
iqr.sep	string indicating separator for the default IQR in tbl_summary(). If decimal.mark= is NULL, iqr.sep= is ",". The comma separator, however, can look odd when decimal.mark = ",". In this case the argument will default to an en dash
ci.sep	string indicating separator for confidence intervals. If decimal.mark= is NULL, ci.sep= is ",". The comma separator, however, can look odd when decimal.mark = ",". In this case the argument will default to an en dash
statistic	Default statistic continuous variables

Themes

- theme_gtsummary_journal(journal=)
  - "jama" *The Journal of the American Medical Association*
    * Round large p-values to 2 decimal places; separate confidence intervals with "ll to ul".
    * tbl_summary() Doesn't show percent symbol; use em-dash to separate IQR; run add_stat_label()
    * tbl_regression()/tbl_uvregression() show coefficient and CI in same column
  - "lancet" *The Lancet*
    * Use mid-point as decimal separator; round large p-values to 2 decimal places; separate confidence intervals with "ll to ul".
    * tbl_summary() Doesn't show percent symbol; use em-dash to separate IQR
  - "nejm" *The New England Journal of Medicine*
    * Round large p-values to 2 decimal places; separate confidence intervals with "ll to ul".
    * tbl_summary() Doesn't show percent symbol; use em-dash to separate IQR
  - "qjecon" *The Quarterly Journal of Economics* **Under Development**
    * tbl_summary() all percentages rounded to one decimal place
    * tbl_regression()/tbl_uvregression() add significance stars with add_significance_stars(); hides CI and p-value from output
- theme_gtsummary_compact()
  - tables printed with gt, flextable, kableExtra, or huxtable will be compact with smaller font size and reduced cell padding
- theme_gtsummary_printer(print_engine=)
  - Use this theme to permanently change the default printer.
- theme_gtsummary_continuous2()
  - Set all continuous variables to summary type "continuous2" by default
- theme_gtsummary_mean_sd()
  - Set default summary statistics to mean and standard deviation in tbl_summary()
  - Set default continuous tests in add_p() to t-test and ANOVA
- theme_gtsummary_eda()
  - Set all continuous variables to summary type "continuous2" by default
  - In tbl_summary() show the median, mean, IQR, SD, and Range by default

Use reset_gtsummary_theme() to restore the default settings

Review the themes vignette to create your own themes.

Example Output

See Also

Themes vignette

set_gtsummary_theme(), reset_gtsummary_theme()

Examples

```
# Setting JAMA theme for gtsummary
theme_gtsummary_journal("jama")
# Themes can be combined by including more than one
theme_gtsummary_compact()

set_gtsummary_theme_ex1 <-
  trial %>%
  select(age, grade, trt) %>%
  tbl_summary(by = trt) %>%
  as_gt()

# reset gtsummary themes
reset_gtsummary_theme()
```

---

trial   *Results from a simulated study of two chemotherapy agents*

Description

A dataset containing the baseline characteristics of 200 patients who received Drug A or Drug B. Dataset also contains the outcome of tumor response to the treatment.

Usage

```
trial
```

Format

A data frame with 200 rows–one row per patient

trt Chemotherapy Treatment

age Age

marker Marker Level (ng/mL)

stage T Stage

grade Grade

response Tumor Response

death Patient Died

ttdeath Months to Death/Censor

Index