Package ‘lingtypology’

April 16, 2017

Type Package

Title Linguistic Typology and Mapping

Version 1.0.3

Date 2017-03-09

Depends R (>= 2.10)

Imports leaflet,
stats,
stringdist,
magrittr,
grDevices,
rowr

Author George Moroz

Maintainer George Moroz <agricolamz@gmail.com>

Description Provides R with the Glottolog database <http://glottolog.org> and some more abilities for purposes of linguistic mapping. The Glottolog database contains the catalogue of languages of the world. This package helps researchers to make a linguistic maps, using philosophy of the Cross-Linguistic Linked Data project <http://clld.org/>, which allows for while at the same time facilitating uniform access to the data across publications. A tutorial for this package is available on GitHub pages <https://agricolamz.github.io/lingtypology/> and package vignette. Maps created by this package can be used both for the investigation and linguistic teaching.

License GPL (>= 2)

URL https://CRAN.R-project.org/package=lingtypology, https://github.com/agricolamz/lingtypology/

BugReports https://github.com/agricolamz/lingtypology/issues

LazyData TRUE

RoxygenNote 5.0.1

Suggests knitr,
rmarkdown,
testthat,
covr

VignetteBuilder knitr

R topics documented:

`aff.lang` *Get affiliation by language*

Description

Takes any vector of languages and return affiliation.

Usage

```
aff.lang(x, glottolog.source = "modified")
```

Arguments

`x` A character vector of the languages (can be written in lower case)

`glottolog.source`
A character vector that define which glottolog database is used: 'original' or 'modified' (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

`area.lang`, `country.lang`, `iso.lang`, `lat.lang`, `long.lang`

Examples

```
aff.lang('Korean')
aff.lang(c('Korean', 'Polish'))
```

`area.lang` *Get macro area by language*

Description

Takes any vector of languages and return macro area.

Usage

```
area.lang(x, glottolog.source = "modified")
```

Arguments

`x` character vector of the languages (can be written in lower case)

`glottolog.source` A character vector that define which glottolog database is used: 'original' or 'modified' (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

`aff.lang`, `country.lang`, `iso.lang`, `lat.lang`, `long.lang`

Examples

```
area.lang('Adyghe')
area.lang(c('Adyghe', 'Aduge'))
```

`circassian` *Circassian villages in Russia*

Description

A dataset containes the list of the Circassian villages in Russia with genealogical affiliation, coordinates and district names. Most data collected during the fieldworks (2011–2016).

Usage

```
circassian
```

Format

A data frame with 157 rows and 6 variables:

longitude longitude

latitude latitude

village name of the village

district names of the subjects of the Russian Federation: kbr — Kabardino–Balkar Republic, kch — Karachay–Cherkess Republic, kk — Krasnodar Krai, ra — Republic of Adygea, stv — Stavropol Krai

dialect names of the Circassian dialects

language according standard Circassian devision there are Adyghe and Kabardian languages

`countries` *Catalogue of countries names.*

Description

Catalogue of countries names.

Usage

```
countries
```

Format

A data frame with 86 rows and 3 variables:

common common name

official official name

abbreviation abreviated name

official_languages official languages from the given country

country.lang *Get country by language*

Description

Takes any vector of languages and return affiliation.

Usage

```
country.lang(x, intersection = FALSE, glottolog.source = "modified")
```

Arguments

`x`	character vector of the languages (can be written in lower case)
`intersection`	logical. If TRUE, function reterns vector of countries, where all languages from x argument are spoken.
`glottolog.source`	A character vector that define which glottolog database is used: 'original' or 'modified' (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

`aff.lang`, `area.lang`, `iso.lang`, `lat.lang`, `long.lang`

Examples

```
country.lang('Udi')
country.lang(c('Udi', 'Laz'))
country.lang(c('Udi', 'Laz'), intersection = TRUE)
```

ejective_and_n_consonants *Number of consonants and presence of ejectives*

Description

Number of consonants and presence of ejectives

Usage

```
ejective_and_n_consonants
```

Format

A data frame with 27 rows and 3 variables:

language language name

n.cons.lapsyd number of consonants. Based on LAPSyD database.

ejectives presence of ejective sounds

`glottolog.modified` *Catalogue of languages of the world*

Description

A dataset containes the modified catalogue of languages of the world involving genealogical affiliation, macro-area, country, iso code, and coordinates.

Usage

```
glottolog.modified
```

Format

A data frame with 8566 rows and 7 variables:

iso code based on ISO 639–3 `http://www-01.sil.org/iso639-3/`

language name of the language

affiliation genealogical affiliation

area have six values Africa, Australia, Eurasia, North America, Papunesia, South America

country list of countries, where the language is spoken

latitude latitude

longitude longitude

glottocode languoid code from Glottolog 2.7

alternate_names alternative language names

affiliation-HH some additional source for affiliation

dialects dialects of language

language_development language development

language_status language status. In glottolog.modified comments are removed. In glottolog.original they are reserved. Have 14 categories: 1 (Natioanl); 2 (Provincial); 3 (Wider communication); 4 (Educational); 5 (Developing); 6a (Vigorous); 6b (Threatened); 7 (Shifting); 8a (Moribund); 8b (Nearly extinct); 8b (Reintroduced); 9 (Dormant); 9 (Second language only); 10 (Extinct)

language_use language use

location location

other_comments other_comments

population population and its source

population_numeric pure population info

timespan some historical information

typology some information form WALS

writing information about writing system

Details

Glottolog 2.7. Hammarstrom, Harald & Forkel, Robert & Haspelmath, Martin & Bank, Sebastian. 2016. Max Planck Institute for the Science of Human History. Accessed on 2016-06-15.

`glottolog.original` *Catalogue of languages of the world*

Description

A dataset containes the original catalogue of languages of the world involving genealogical affiliation, macro-area, country, iso code, and coordinates.

Usage

```
glottolog.original
```

Format

A data frame with 8566 rows and 7 variables:

iso code based on ISO 639–3 http://www-01.sil.org/iso639-3/

language name of the language

affiliation genealogical affiliation

area have six values Africa, Australia, Eurasia, North America, Papunesia, South America

country list of countries, where the language is spoken

latitude latitude

longitude longitude

glottocode languoid code from Glottolog 2.7

alternate_names alternative language names

affiliation-HH some additional source for affiliation

dialects dialects of language

language_development language development

language_status language status. In glottolog.modified comments are removed. In glottolog.original they are reserved. Have 14 categories: 1 (Natioanl); 2 (Provincial); 3 (Wider communication); 4 (Educational); 5 (Developing); 6a (Vigorous); 6b (Threatened); 7 (Shifting); 8a (Moribund); 8b (Nearly extinct); 8b (Reintroduced); 9 (Dormant); 9 (Second language only); 10 (Extinct)

language_use language use

location location

other_comments other_comments

population population and its source

population_numeric pure population info

timespan some historical information

typology some information form WALS

writing information about writing system

Details

Glottolog 2.7. Hammarstrom, Harald & Forkel, Robert & Haspelmath, Martin & Bank, Sebastian. 2016. Max Planck Institute for the Science of Human History. Accessed on 2016-06-15.

Source

http://glottolog.org/

`gltc.iso` *Get Glottocode by ISO 639–3 code*

Description

Takes any vector of ISO 639–3 codes and returns Glottocodes.

Usage

```
gltc.iso(x, glottolog.source = "modified")
```

Arguments

`x` A character vector of the Glottocodes.

`glottolog.source`
A character vector that define which glottolog database is used: ’original’ or ’modified’ (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

`aff.lang`, `area.lang`, `country.lang`, `lat.lang`, `long.lang`

Examples

```
gltc.iso('ady')
gltc.iso(c('ady', 'rus'))
```

gltc.lang *Get Glottocode by language*

Description

Takes any vector of languages and returns Glottocode.

Usage

```
gltc.lang(x, glottolog.source = "modified")
```

Arguments

`x` A character vector of the languages (can be written in lower case)

`glottolog.source`
A character vector that define which glottolog database is used: ’original’ or ’modified’ (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

`aff.lang`, `area.lang`, `country.lang`, `lat.lang`, `long.lang`

Examples

```
gltc.lang('Adyghe')
gltc.lang(c('Adyghe', 'Udi'))
```

is.glottolog *Are these languages in glottolog?*

Description

Takes any vector of languages or ISO codes and return a logical vector.

Usage

```
is.glottolog(x, response = FALSE, glottolog.source = "modified")
```

Arguments

`x` A character vector of languages (can be written in lower case)or ISO codes

`response` logical. If TRUE, when language is absent, return warnings with a possible candidates.

`glottolog.source`
A character vector that define which glottolog database is used: ’original’ or ’modified’ (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

Examples

```
is.glottolog(c('Adyghe', 'Russian'))
is.glottolog('Buyaka')

# Add warning message with sugestions
is.glottolog(c('Adygey', 'Russian'), response = TRUE)
# > FALSE TRUE
# Warning message:
# In is.glottolog(c('Adyge', 'Russian'), response = TRUE) :
# Language Adyge is absent in our version of the Glottolog database. Did you mean Aduge, Adyghe?
```

`iso.gltc` *Get ISO 639–3 code by Glottocode*

Description

Takes any vector of Glotocodes and returns ISO code.

Usage

```
iso.gltc(x, glottolog.source = "modified")
```

Arguments

`x` A character vector of Glottocodes.

`glottolog.source`
A character vector that define which glottolog database is used: ’original’ or ’modified’ (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

aff.lang, area.lang, country.lang, lat.lang, long.lang

Examples

```
iso.gltc('adyg1241')
iso.gltc(c('adyg1241', 'udii1243'))
```

iso.lang *Get ISO 639–3 code by language*

Description

Takes any vector of languages and returns ISO code.

Usage

```
iso.lang(x, glottolog.source = "modified")
```

Arguments

x A character vector of the languages (can be written in lower case)

glottolog.source A character vector that define which glottolog database is used: 'original' or 'modified' (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

aff.lang, area.lang, country.lang, lat.lang, long.lang

Examples

```
iso.lang('Adyghe')
iso.lang(c('Adyghe', 'Udi'))
```

`lang.aff` *Get languages by affiliation*

Description

Takes any vector of affiliations and return languages.

Usage

```
lang.aff(x, list = FALSE, glottolog.source = "modified")
```

Arguments

`x` A character vector of the affiliations (can be written in lower case)

`list` logical. If TRUE, returns a list of languages, if FALSE return a named vector.

`glottolog.source` A character vector that define which glottolog database is used: 'original' or 'modified' (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

`lang.country`, `lang.iso`

Examples

```
lang.aff('Slavic')
lang.aff(c('Slavic', 'Celtic'))
lang.aff(c('Slavic', 'Celtic'), list = TRUE)
```

`lang.country` *Get languages by country*

Description

Takes any vector of countries and return languages.

Usage

```
lang.country(x, list = FALSE, glottolog.source = "modified")
```

Arguments

`x`	character vector of the countries (can be written in lower case)
`list`	logical. If TRUE, returns a list of languages, if FALSE return a vector.
`glottolog.source`	A character vector that define which glottolog database is used: 'original' or 'modified' (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

`lang.aff`, `lang.iso`

Examples

```
lang.country('North Korea')
lang.country(c('North Korea', 'Luxembourg'))
lang.country(c('North Korea', 'Luxembourg'), list = TRUE)
```

`lang.gltc` *Get language by Glottocode*

Description

Takes any vector of Glottocodes and return languages.

Usage

```
lang.gltc(x, glottolog.source = "modified")
```

Arguments

`x`	A character vector of the Glottocodes.
`glottolog.source`	A character vector that define which glottolog database is used: 'original' or 'modified' (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

`lang.aff`, `lang.country`

Examples

```
lang.gltc('adyg1241')
lang.gltc(c('adyg1241', 'udii1243'))
```

lang.iso *Get language by ISO 639–3 code*

Description

Takes any vector of ISO codes and return languages.

Usage

```
lang.iso(x, glottolog.source = "modified")
```

Arguments

x	A character vector of the ISO codes.
glottolog.source	A character vector that define which glottolog database is used: ’original’ or ’modified’ (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

lang.aff, lang.country

Examples

```
lang.iso('ady')
lang.iso(c('ady', 'rus'))
```

`lat.lang` *Get latitude by language*

Description

Takes any vector of languages and return latitude.

Usage

```
lat.lang(x, glottolog.source = "modified")
```

Arguments

`x` A character vector of the languages (can be written in lower case)

`glottolog.source`
A character vector that define which glottolog database is used: ’original’ or ’modified’ (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

`aff.lang`, `area.lang`, `country.lang`, `iso.lang`, `long.lang`

Examples

```
lat.lang('Adyghe')
long.lang('Adyghe')
lat.lang(c('Adyghe', 'Russian'))
long.lang(c('Adyghe', 'Russian'))
```

`long.lang` *Get longitude by language*

Description

Takes any vector of languages and return longitude.

Usage

```
long.lang(x, map.orientation = "Pacific", glottolog.source = "modified")
```

Arguments

`x` A character vector of the languages (can be written in lower case)

`map.orientation`
A character verctor with values "Pacific" and "Atlantic". It distinguishes Pacific-centered and Atlantic-centered maps. By default is "Pacific".

`glottolog.source`
A character vector that define which glottolog database is used: 'original' or 'modified' (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

See Also

`aff.lang`, `area.lang`, `country.lang`, `iso.lang`, `lat.lang`

Examples

```
lat.lang('Adyghe')
long.lang('Adyghe')
lat.lang(c('Adyghe', 'Russian'))
long.lang(c('Adyghe', 'Russian'))
long.lang(c('Adyghe', 'Aleut'), map.orientation = "Pacific")
```

`map.feature` *Create a map*

Description

Map a set of languages and color them by feature or two sets of features.

Usage

```
map.feature(languages, features = "none", popup = "", label = "",
  label.hide = FALSE, label.fsize = 14, label.position = "right",
  stroke.features = NULL, latitude = NULL, longitude = NULL,
  color = NULL, stroke.color = NULL, image.url = NULL,
  image.width = 100, image.height = 100, image.X.shift = 0,
  image.Y.shift = 0, title = NULL, stroke.title = NULL, control = FALSE,
  legend = TRUE, legend.opacity = 1, legend.position = "topright",
  stroke.legend = TRUE, stroke.legend.opacity = 1,
  stroke.legend.position = "bottomleft", radius = 5, stroke.radius = 9.5,
  opacity = 1, stroke.opacity = 1, scale.bar = TRUE,
  scale.bar.position = "bottomleft", minimap = FALSE,
  minimap.position = "bottomright", minimap.width = 150,
  minimap.height = 150, tile = "OpenStreetMap.Mapnik", tile.name = NULL,
  zoom.control = FALSE, map.orientation = "Pacific",
  glottolog.source = "modified")
```

Arguments

`languages` character vector of languages (can be written in lower case)

`features` character vector of features

`popup` character vector of strings that will appear in pop-up window

`label` character vector of strings that will appear near points

`label.hide` logical. If FALSE, labels are displayed allways. If TRUE, labels are displayed on mouse over. By default is TRUE.

`label.fsize` numeric value of the label font size. By default is 14.

`label.position` the position of labels: "left", "right", "top", "bottom"

`stroke.features`
additional independent stroke features

`latitude` numeric vector of latitudes

`longitude` numeric vector of longitudes

`color` vector of colors or palette. The color argument can be (1) a character vector of RGM or named colors; (2) the name of an RColorBrewer palette; (3) the full name of a viridis palette; (4) a function that receives a single value between 0 and 1 and returns a color. For more examples see `colorNumeric`

`stroke.color` vector of stroke colors

`image.url` character vector of URLs with an images

`image.width` numeric vector of image widths

`image.height` numeric vector of image heights

`image.X.shift` numeric vector of image's X axis shift relative to the latitude-longitude point

`image.Y.shift` numeric vector of image's Y axis shift relative to the latitude-longitude point

`title` title of a legend

`stroke.title` title of a stroke-feature legend

`control` logical. If TRUE, function show layer control buttons. By default is TRUE.

`legend` logical. If TRUE, function show legend. By default is FALSE.

`legend.opacity` a numeric vector of legend opacity.

`legend.position`
the position of the legend: "topright", "bottomright", "bottomleft","topleft"

`stroke.legend` logical. If TRUE, function show stroke.legend. By default is FALSE.

`stroke.legend.opacity`
a numeric vector of stroke.legend opacity.

`stroke.legend.position`
the position of the stroke.legend: "topright", "bottomright", "bottomleft","topleft"

`radius` a numeric vector of radii for the circles.

`stroke.radius` a numeric vector of stroke radii for the circles.

`opacity` a numeric vector of marker opacity.

`stroke.opacity` a numeric vector of stroke opacity.

`scale.bar` logical. If TRUE, function shows scale-bar. By default is TRUE.

`scale.bar.position` the position of the scale-bar: "topright", "bottomright", "bottomleft","topleft"

`minimap` logical. If TRUE, function shows mini map. By default is FALSE.

`minimap.position` the position of the minimap: "topright", "bottomright", "bottomleft","topleft"

`minimap.width` The width of the minimap in pixels.

`minimap.height` The height of the minimap in pixels.

`tile` a character verctor with a map tiles, popularized by Google Maps. See here for the complete set.

`tile.name` a character verctor with a user's map tiles' names

`zoom.control` logical. If TRUE, function shows zoom controls. By default is FALSE.

`map.orientation` a character verctor with values "Pacific" and "Atlantic". It distinguishes Pacific-centered and Atlantic-centered maps. By default is "Pacific".

`glottolog.source` A character vector that define which glottolog database is used: "original" or "modified" (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

Examples

```
map.feature(c("Adyghe", "Russian"))

## All Sign languages
map.feature(lang.aff("Sign"))

## Map all Slavic languages
map.feature(lang.aff(c("Slavic")))

## Color languages by feature
df <- data.frame(lang = c("Adyghe", "Kabardian", "Polish", "Russian", "Bulgarian"),
feature = c("polysynthetic", "polysynthetic", "fusion", "fusion", "fusion"))
map.feature(df$lang, df$feature)
## ... or add a control buttons for features
map.feature(df$lang, df$feature, control = TRUE)

## Adding pop-up
df <- data.frame(lang = c("Adyghe", "Kabardian", "Polish", "Russian", "Bulgarian"),
feature = c("polysynthetic", "polysynthetic", "fusion", "fusion", "fusion"),
popup = c("Circassian", "Circassian", "Slavic", "Slavic", "Slavic"))
map.feature(df$lang, df$feature, df$popup)

## Adding labels
df <- data.frame(lang = c("Adyghe", "Kabardian", "Polish", "Russian", "Bulgarian"),
feature = c("polysynthetic", "polysynthetic", "fusion", "fusion", "fusion"),
popup = c("Circassian", "Circassian", "Slavic", "Slavic", "Slavic"))
map.feature(df$lang, df$feature, label = df$lang)

## Adding title
df <- data.frame(lang = c("Adyghe", "Kabardian", "Polish", "Russian", "Bulgarian"),
feature = c("polysynthetic", "polysynthetic", "fusion", "fusion", "fusion"),
popup = c("Circassian", "Circassian", "Slavic", "Slavic", "Slavic"))
map.feature(df$lang, df$feature, df$popup, title = "type of a language")

## Add your own coordinates
map.feature("Adyghe", latitude = 43, longitude = 57)

## Change map tile
map.feature("Adyghe", tile = "Thunderforest.OpenCycleMap")
map.feature("Adyghe", tile = c("OpenStreetMap.BlackAndWhite", "Thunderforest.OpenCycleMap"))
map.feature("Adyghe", tile = "Thunderforest.OpenCycleMap", tile.name = "colored")

## Add you own colors
df <- data.frame(lang = c("Adyghe", "Kabardian", "Polish", "Russian", "Bulgarian"),
feature = c("polysynthetic", "polysynthetic", "fusion", "fusion", "fusion"),
popup = c("Circassian", "Circassian", "Slavic", "Slavic", "Slavic"))
map.feature(df$lang, df$feature, df$popup, color = c("green", "navy"))

## Map two sets of features
df <- data.frame(lang = c("Adyghe", "Kabardian", "Polish", "Russian", "Bulgarian"),
feature = c("polysynthetic", "polysynthetic", "fusion", "fusion", "fusion"),
popup = c("Circassian", "Circassian", "Slavic", "Slavic", "Slavic"))
map.feature(df$lang, df$feature, df$popup,
stroke.features = df$popup)

## Add a pictures to plot
df <- data.frame(lang = c("Russian", "Russian"),
lat  = c(55.75, 59.95),
long = c(37.616667, 30.3),
urls = c("https://goo.gl/5OUv1E", "https://goo.gl/UWmvDw"))
map.feature(languages = df$lang,
latitude = df$lat,
longitude = df$long,
image.url = df$urls)

## Add a minimap to plot
map.feature(c("Adyghe", "Russian"), minimap = TRUE)

## Remove scale bar
map.feature(c("Adyghe", "Russian"), scale.bar = FALSE)

## Change map to Atlantic-centric
map.feature(languages = lang.aff(c('Celtic', "Panoan", "Celebic")),
map.orientation = "Atlantic")
```

url.lang — *Make a url-link to glottolog page for a language*

Description

Takes any vector of languages and return links to glottolog pages.

Usage

```
url.lang(x, popup = "", glottolog.source = "modified")
```

Arguments

`x`	A character vector of languages (can be written in lower case)
`popup`	character vector of strings that will appear in pop-up window of the function map.feature
`glottolog.source`	A character vector that define which glottolog database is used: 'original' or 'modified' (by default)

Author(s)

George Moroz <agricolamz@gmail.com>

Examples

```
url.lang('Korean')
url.lang(c('Gangou', 'Hachijo', 'Adyghe', 'Ganai'))
```

Index