Package 'shinydashboardPlus'

April 26, 2021

Type Package

Title Add More 'AdminLTE2' Components to 'shinydashboard'

Version 2.0.1

Maintainer David Granjon <dgranjon@ymail.com>

Description Extend 'shinydashboard' with 'AdminLTE2' components.
'AdminLTE2' is a free 'Bootstrap 3' dashboard template available
at ¡https://adminlte.io¿. Customize boxes, add timelines and a lot more.

License GPL (¿= 2) — file LICENSE

Imports shiny,
htmltools,
shinydashboard,
fresh,
waiter,
lifecycle

Suggests styler (¿= 1.2.0),
shinyAce,
shinyWidgets,
shinyEffects,
shinyjqui,
knitr,
rmarkdown,
jsonlite

URL https://github.com/RinteRface/shinydashboardPlus, https://rinterface.com/shiny/shinydashboardPlus/

BugReports https://github.com/RinteRface/shinydashboardPlus/issues

Encoding UTF-8

RoxygenNote 7.1.1.9000

VignetteBuilder knitr

RdMacros lifecycle

R topics documented:

| accordion | *AdminLTE2 accordion container* |

Description

Create an accordion container. Accordions are part of collapsible elements.

accordionItem creates an accordion item to put inside an accordion container.

updateAccordion toggles an accordion on the client.

Usage

```
accordion(..., id = NULL, width = 12)

accordionItem(..., title, status = NULL, collapsed = TRUE, solidHeader = TRUE)

updateAccordion(id, selected, session = shiny::getDefaultReactiveDomain())
```

Arguments

`...`	slot for accordionItem.
`id`	Accordion to target.
`width`	The width of the accordion.
`title`	Optional title.
`status`	The status of the item This determines the item's background color. Valid statuses are defined as follows:

- `primary`: #3c8dbc
- `success`: #00a65a
- `info`: #00c0ef
- `warning`: #f39c12
- `danger`: #f56954
- `navy`: #001F3F
- `teal`: #39CCCC
- `purple`: #605ca8
- `orange`: #ff851b
- `maroon`: #D81B60
- `black`: #111111

Only primary, success, info, warning and danger are compatible with solidHeader!

`collapsed`	If TRUE, start collapsed. This must be used with `collapsible=TRUE`.
`solidHeader`	Should the header be shown with a solid color background?
`selected`	Index of the newly selected accordionItem.
`session`	Shiny session object.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
```

```
        accordion(
         id = "accordion1",
          accordionItem(
            title = "Accordion 1 Item 1",
            status = "danger",
            collapsed = TRUE,
            "This is some text!"
          ),
          accordionItem(
            title = "Accordion 1 Item 2",
            status = "warning",
            collapsed = FALSE,
            "This is some text!"
          )
        ),
        accordion(
         id = "accordion2",
          accordionItem(
            title = "Accordion 2 Item 1",
            status = "info",
            collapsed = TRUE,
            "This is some text!"
          ),
          accordionItem(
            title = "Accordion 2 Item 2",
            status = "success",
            collapsed = FALSE,
            "This is some text!"
          )
        )
      ),
      title = "Accordion"
  ),
  server = function(input, output) { }
 )
}


# Update accordion
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
      radioButtons("controller", "Controller", choices = c(1, 2)),
      br(),
      accordion(
        id = "accordion1",
        accordionItem(
          title = "Accordion 1 Item 1",
          status = "danger",
          collapsed = TRUE,
```

```
          "This is some text!"
        ),
        accordionItem(
          title = "Accordion 1 Item 2",
          status = "warning",
          collapsed = TRUE,
          "This is some text!"
        )
      )
    ),
    title = "Update Accordion"
  ),
  server = function(input, output, session) {
    observeEvent(input$controller, {
      updateAccordion(id = "accordion1", selected = input$controller)
    })
    observe(print(input$accordion1))
    observeEvent(input$accordion1, {
    showNotification(sprintf("You selected accordion N° %s", input$accordion1), type = "message")
    })
  }
 )
}
```

---

appButton	*AdminLTE2 special large button*

Description

Create a large button ideal for web applications but identical to the classic Shiny action button.

Usage

```
appButton(..., inputId, label, icon = NULL, width = NULL)
```

Arguments

`...`	Named attributes to be applied to the button or link.
`inputId`	The `input` slot that will be used to access the value.
`label`	The contents of the button or link–usually a text label, but you could also use any other HTML, like an image.
`icon`	An optional [icon()](#) to appear on the button.
`width`	The width of the input, e.g. `'400px'`, or `'100%'`; see [validateCssUnit()](#).

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       title = "App Buttons",
       status = NULL,
       appButton(
         inputId = "myAppButton",
         label = "Users",
         icon = icon("users"),
         dashboardBadge(textOutput("btnVal"), color = "blue")
       )
      )
     ),
     title = "App buttons"
  ),
  server = function(input, output) {
   output$btnVal <- renderText(input$myAppButton)
  }
 )
}
```

---

attachmentBlock   *AdminLTE2 attachment container*

Description

attachmentBlock create an attachment container, nice to wrap articles... and insert in a box.

Usage

```
attachmentBlock(..., image, title = NULL, href = NULL)
```

Arguments

...	any element.
image	url or path to the image.
title	attachment title.
href	external link.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
# Box with attachmentBlock
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       title = "Attachment example",
       attachmentBlock(
        image = "https://adminlte.io/themes/AdminLTE/dist/img/photo1.png",
        title = "Test",
        href = "https://google.com",
        "This is the content"
       )
      )
     ),
     title = "AttachmentBlock"
   ),
  server = function(input, output) { }
 )
}
```

---

blockQuote	*AdminLTE2 block quote*

Description

If you want to quote text

Usage

```
blockQuote(..., side = "left")
```

Arguments

...	any element.
side	blockquote orientation. "left" by default, can be set to "right".

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       title = "BlockQuote example",
       blockQuote("I quote some text here!"),
       blockQuote("I quote some text here!", side = "right")
      )
     ),
     title = "blockQuote"
  ),
  server = function(input, output) { }
 )
}
```

---

box   *Create a box for the main body of a dashboard*

Description

box can be used to hold content in the main body of a dashboard.

updateBox is used to toggle, close or restore a box on the client.

boxDropdown is used in the dropdown parameter of box.

boxDropdownItem goes in boxDropdown.

dropdownDivider goes in boxDropdown but also in any dropdown menu container.

boxPad creates a vertical container for descriptionBlock. It has to be included in a box.

descriptionBlock creates a description block, perfect for writing statistics to insert in a box

Usage

```
box(
  ...,
  title = NULL,
  footer = NULL,
  status = NULL,
  solidHeader = FALSE,
  background = NULL,
  width = 6,
  height = NULL,
  collapsible = FALSE,
  collapsed = FALSE,
```

box 9

```
  closable = FALSE,
  icon = NULL,
  gradient = FALSE,
  boxToolSize = "sm",
  headerBorder = TRUE,
  label = NULL,
  dropdownMenu = NULL,
  sidebar = NULL,
  id = NULL
)

updateBox(
  id,
  action = c("remove", "toggle", "restore", "update"),
  options = NULL,
  session = shiny::getDefaultReactiveDomain()
)

boxDropdown(..., icon = shiny::icon("wrench"))

boxDropdownItem(..., id = NULL, href = NULL, icon = NULL)

dropdownDivider()

boxPad(..., color = NULL, style = NULL)

descriptionBlock(
  number = NULL,
  numberColor = NULL,
  numberIcon = NULL,
  header = NULL,
  text = NULL,
  rightBorder = TRUE,
  marginBottom = FALSE
)
```

Arguments

`...`	any element such as descriptionBlock.
`title`	Optional title.
`footer`	Optional footer text.
`status`	The status of the item This determines the item's background color. Valid statuses are defined as follows:

- `primary`: #3c8dbc
- `success`: #00a65a
- `info`: #00c0ef
- `warning`: #f39c12
- `danger`: #f56954
- `navy`: #001F3F
- `teal`: #39CCCC
- `purple`: #605ca8

- orange: #ff851b
- maroon: #D81B60
- black: #111111

Only primary, success, info, warning and danger are compatible with solidHeader!

solidHeader	Should the header be shown with a solid color background?
background	If NULL (the default), the background of the box will be white. Otherwise, a color string. Valid colors are listed in validColors. See below:

- light-blue (primary status): #3c8dbc.
- red (danger status): #dd4b39.
- green (success status): #00a65a.
- aqua (info status): #00c0ef.
- yellow (warning status): #f39c12.
- blue: #0073b7.
- navy: #001F3F.
- teal: #39CCCC.
- olive: #3D9970.
- lime: #01FF70.
- orange: #FF851B.
- fuchsia: #F012BE.
- purple: #605ca8.
- maroon: #D81B60.
- black: #111.
- gray: #d2d6de.

width	The width of the box, using the Bootstrap grid system. This is used for row-based layouts. The overall width of a region is 12, so the default valueBox width of 4 occupies 1/3 of that width. For column-based layouts, use NULL for the width; the width is set by the column that contains the box.
height	The height of a box, in pixels or other CSS unit. By default the height scales automatically with the content.
collapsible	If TRUE, display a button in the upper right that allows the user to collapse the box.
collapsed	If TRUE, start collapsed. This must be used with collapsible=TRUE.
closable	If TRUE, display a button in the upper right that allows the user to close the box.
icon	Optional icon. Expect icon.
gradient	Whether to allow gradient effect for the background color. Default to FALSE.
boxToolSize	Size of the toolbox: choose among "xs", "sm", "md", "lg".
headerBorder	Whether to display a border between the header and body. TRUE by default.
label	Slot for boxLabel.
dropdownMenu	List of items in the boxtool dropdown menu. Use boxDropdown.
sidebar	Slot for boxSidebar.

box 11

`id`	If passed, the item will behave like an action button.
`action`	Action to trigger: either collapse, remove, restore or update.
`options`	If action is update, a list of new options to configure the box, such as `list(title = "new title",status = NULL,solidHeader = FALSE,background = "red",width = 6,height = "200px",collapsible = FALSE,closable = FALSE)`. If the box had a background/status (any item that may be NULL), you must explicitly pass background = NULL, if you want to remove the background value.
`session`	Shiny session object.
`href`	Target url or page.
`color`	background color: see here for a list of valid colors https://adminlte.io/themes/AdminLTE/pages/UI/general.html. See below:

- `light-blue` (primary status): #3c8dbc.
- `red` (danger status): #dd4b39.
- `green` (success status): #00a65a.
- `aqua` (info status): #00c0ef.
- `yellow` (warning status): #f39c12.
- `blue`: #0073b7.
- `navy`: #001F3F.
- `teal`: #39CCCC.
- `olive`: #3D9970.
- `lime`: #01FF70.
- `orange`: #FF851B.
- `fuchsia`: #F012BE.
- `purple`: #605ca8.
- `maroon`: #D81B60.
- `black`: #111.
- `gray`: #d2d6de.

`style`	custom CSS, if any.
`number`	any number.
`numberColor`	number color: see here for a list of valid colors https://adminlte.io/themes/AdminLTE/pages/UI/general.html. See below:

- `light-blue` (primary status): #3c8dbc.
- `red` (danger status): #dd4b39.
- `green` (success status): #00a65a.
- `aqua` (info status): #00c0ef.
- `yellow` (warning status): #f39c12.
- `blue`: #0073b7.
- `navy`: #001F3F.
- `teal`: #39CCCC.
- `olive`: #3D9970.
- `lime`: #01FF70.
- `orange`: #FF851B.
- `fuchsia`: #F012BE.
- `purple`: #605ca8.

- maroon: #D81B60.
- black: #111.
- gray: #d2d6de.

`numberIcon`	number icon, if any. Expect icon.
`header`	bold text.
`text`	additional text.
`rightBorder`	TRUE by default. Whether to display a right border to separate two blocks. The last block on the right should not have a right border.
`marginBottom`	FALSE by default. Set it to TRUE when the descriptionBlock is used in a boxPad context.

Examples

```
# A box with label, sidebar, dropdown menu
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
   ui = dashboardPage(
     dashboardHeader(),
     dashboardSidebar(),
     dashboardBody(
      box(
        title = "Closable Box with dropdown",
        closable = TRUE,
        width = 12,
        status = "warning",
        solidHeader = FALSE,
        collapsible = TRUE,
        label = boxLabel(
         text = 1,
         status = "danger",
         style = "circle"
        ),
        dropdownMenu = boxDropdown(
         boxDropdownItem("Link to google", href = "http://www.google.com"),
         boxDropdownItem("item 2", href = "#"),
         dropdownDivider(),
         boxDropdownItem("item 3", href = "#", icon = icon("th"))
        ),
        sidebar = boxSidebar(
         startOpen = TRUE,
         id = "mycardsidebar",
         sliderInput(
          "obs",
          "Number of observations:",
          min = 0,
          max = 1000,
          value = 500
         )
        ),
        plotOutput("distPlot")
```

box   13

```
      )
     )
    ),
    server = function(input, output) {
     output$distPlot <- renderPlot({
      hist(rnorm(input$obs))
     })
    }
 )
}

# Toggle a box on the client
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 ui <- dashboardPage(
   dashboardHeader(),
   dashboardSidebar(),
   dashboardBody(
     tags$style("body { background-color: ghostwhite}"),
     fluidRow(
       actionButton("toggle_box", "Toggle Box"),
       actionButton("remove_box", "Remove Box", class = "bg-danger"),
       actionButton("restore_box", "Restore Box", class = "bg-success")
     ),
     actionButton("update_box", "Update Box", class = "bg-info"),
     actionButton("update_box2", "Update Box 2", class = "bg-info"),
     br(),
     br(),
     box(
       title = textOutput("box_state"),
       id = "mybox",
       status = "danger",
       background = "maroon",
       gradient = TRUE,
       collapsible = TRUE,
       closable = TRUE,
       plotOutput("plot")
     )
   )
 )

 server <- function(input, output, session) {
   output$plot <- renderPlot({
     req(!input$mybox$collapsed)
     plot(rnorm(200))
   })

   output$box_state <- renderText({
     state <- if (input$mybox$collapsed) "collapsed" else "uncollapsed"
     paste("My box is", state)
   })

   observeEvent(input$toggle_box, {
     updateBox("mybox", action = "toggle")
```

```
  })

  observeEvent(input$remove_box, {
    updateBox("mybox", action = "remove")
  })

  observeEvent(input$restore_box, {
    updateBox("mybox", action = "restore")
  })

  observeEvent(input$mybox$visible, {
    collapsed <- if (input$mybox$collapsed) "collapsed" else "uncollapsed"
    visible <- if (input$mybox$visible) "visible" else "hidden"
    message <- paste("My box is", collapsed, "and", visible)
    showNotification(message, type = "warning", duration = 1)
  })

  observeEvent(input$update_box, {
    updateBox(
      "mybox",
      action = "update",
      options = list(
        title = h2("hello", dashboardLabel(1, status = "primary")),
        status = "warning",
        solidHeader = TRUE,
        width = 12,
        background = NULL,
        height = "900px",
        closable = FALSE
      )
    )
  })

   observeEvent(input$update_box2, {
     updateBox(
       "mybox",
       action = "update",
       options = list(
         status = NULL,
         solidHeader = FALSE,
         width = 4,
         background = "green",
         height = "500px",
         closable = TRUE
       )
     )
   })

 }

 shinyApp(ui, server)
}

# Box with dropdown items and input
if (interactive()) {
 library(shiny)
 library(shinydashboard)
```

box   15

```
library(shinydashboardPlus)

shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
      box(
        title = "Closable Box with dropdown",
        closable = TRUE,
        width = 12,
        status = "warning",
        solidHeader = FALSE,
        collapsible = TRUE,
        dropdownMenu = boxDropdown(
          boxDropdownItem("Click me", id = "dropdownItem", icon = icon("heart")),
          boxDropdownItem("item 2", href = "https://www.google.com/"),
          dropdownDivider(),
          boxDropdownItem("item 3", icon = icon("th"))
        ),
        "My box"
      )
    )
  ),
  server = function(input, output) {
    observeEvent(input$dropdownItem, {
      showNotification("Hello", duration = 1, type = "message")
    })
  }
)
}

# Box with boxPad container + descriptionBlock
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(title = "Box with right pad",
       status = "warning",
      fluidRow(
        column(width = 6),
        column(
          width = 6,
          boxPad(
            color = "green",
            descriptionBlock(
              header = "8390",
              text = "VISITS",
              rightBorder = FALSE,
              marginBottom = TRUE
            ),
```

```
              descriptionBlock(
                header = "30%",
                text = "REFERRALS",
                rightBorder = FALSE,
                marginBottom = TRUE
              ),
              descriptionBlock(
                header = "70%",
                text = "ORGANIC",
                rightBorder = FALSE,
                marginBottom = FALSE
              )
            )
          )
        )
      )
    ),
    title = "boxPad"
  ),
  server = function(input, output) { }
 )
}


# Box with descriptionBlock
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       solidHeader = FALSE,
       title = "Status summary",
       background = NULL,
       width = 4,
       status = "danger",
       footer = fluidRow(
         column(
           width = 6,
           descriptionBlock(
             number = "17%",
             numberColor = "green",
             numberIcon = icon("caret-up"),
             header = "$35,210.43",
             text = "TOTAL REVENUE",
             rightBorder = TRUE,
             marginBottom = FALSE
           )
         ),
         column(
           width = 6,
           descriptionBlock(
```

```
            number = "18%",
            numberColor = "red",
            numberIcon = icon("caret-down"),
            header = "1200",
            text = "GOAL COMPLETION",
            rightBorder = FALSE,
            marginBottom = FALSE
          )
        )
      )
     )
    ),
    title = "Description Blocks"
  ),
  server = function(input, output) { }
 )
}
```

---

boxLabel   *Create a label for box*

Description

boxLabel is inserted in the label slot of box.

Usage

```
boxLabel(text, status, style = "default")
```

Arguments

text   Label text. In practice only few letters or a number.

status   label color status. See `https://adminlte.io/themes/AdminLTE/pages/`
            `UI/general.html`. Valid statuses are defined as follows:

            - primary: #3c8dbc
            - success: #00a65a
            - info: #00c0ef
            - warning: #f39c12
            - danger: #f56954

style   label border style: "default" (rounded angles), "circle" or "square".

---

boxProfile   *AdminLTE2 box profile*

Description

boxProfile goes inside a box. Displays user information in an elegant container.

boxProfileItem is an sub-element of a boxProfile.

Usage

```
boxProfile(..., image = NULL, title, subtitle = NULL, bordered = FALSE)

boxProfileItem(title, description)
```

Arguments

...	any element such as boxProfileItem.
image	profile image, if any.
title	item title.
subtitle	subtitle.
bordered	Whether the container should have a border or not. FALSE by default.
description	item info.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
# Box with boxProfile
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       title = "Box with profile",
       status = "primary",
       boxProfile(
        image = "https://adminlte.io/themes/AdminLTE/dist/img/user4-128x128.jpg",
        title = "Nina Mcintire",
        subtitle = "Software Engineer",
        bordered = TRUE,
        boxProfileItem(
         title = "Followers",
         description = 1322
```

```
      ),
      boxProfileItem(
       title = "Following",
       description = 543
      ),
      boxProfileItem(
       title = "Friends",
       description = 13287
      )
     )
    )
   ),
   title = "boxProfile"
  ),
  server = function(input, output) { }
 )
}
```

---

boxSidebar *Create a sidebar for a box*

Description

boxSidebar is inserted in the sidebar slot of box.

updateBoxSidebar toggle a boxSidebar on the client.

Usage

```
boxSidebar(
  ...,
  id = NULL,
  width = 50,
  background = "#333a40",
  startOpen = FALSE,
  icon = shiny::icon("cogs")
)

updateBoxSidebar(id, session = shiny::getDefaultReactiveDomain())
```

Arguments

...	Sidebar content.
id	Sidebar id.
width	Sidebar opening width in percentage. 50% by default, means the card sidebar will take 50 A numeric value between 25 and 100.
background	Sidebar background color. Dark by default. Expect a HEX code.
startOpen	Whether the sidebar is open at start. FALSE by default.
icon	Sidebar icon. Expect icon.
session	Shiny session object.

Examples

```
# Toggle a box sidebar
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    header = dashboardHeader(),
    body = dashboardBody(
      box(
        title = "Update box sidebar",
        closable = TRUE,
        width = 12,
        height = "500px",
        solidHeader = FALSE,
        collapsible = TRUE,
        actionButton("update", "Toggle card sidebar"),
        sidebar = boxSidebar(
          id = "mycardsidebar",
          p("Sidebar Content")
        )
      )
    ),
    sidebar = dashboardSidebar()
  ),
  server = function(input, output, session) {
    observe(print(input$mycardsidebar))

    observeEvent(input$update, {
      updateBoxSidebar("mycardsidebar")
    })

  }
 )
}
```

---

carousel   *AdminLTE2 carousel container*

Description

carousel creates a carousel container to display media content.

carouselItem creates a carousel item to insert in a carousel.

Usage

```
carousel(..., id, indicators = TRUE, width = 6, .list = NULL)

carouselItem(..., caption = NULL, active = FALSE)
```

Arguments

`...`	Element such as images, iframe, ...
`id`	Carousel id. Must be unique.
`indicators`	Whether to display left and right indicators.
`width`	Carousel width. 6 by default.
`.list`	Should you need to pass carouselItem via lapply or similar, put these item here instead of passing them in ...
`caption`	Item caption.
`active`	Whether the item is active or not at start.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
   ui = dashboardPage(
     header = dashboardHeader(),
     sidebar = dashboardSidebar(),
     body = dashboardBody(
      carousel(
       id = "mycarousel",
       carouselItem(
        caption = "Item 1",
      tags$img(src = "https://placehold.it/900x500/3c8dbc/ffffff&text=I+Love+Bootstrap")
       ),
       carouselItem(
        caption = "Item 2",
      tags$img(src = "https://placehold.it/900x500/39CCCC/ffffff&text=I+Love+Bootstrap")
       )
      )
     ),
     title = "Carousel"
   ),
   server = function(input, output) { }
 )
}
```

---

dashboardBadge	*AdminLTE2 badge*

Description

Create a badge. It may be inserted in any element like inside a actionButton or a dashboardSidebar.

Usage

```
dashboardBadge(..., color)
```

Arguments

`...`	Any html text element.
`color`	label color. See below:

- `light-blue` (primary status): #3c8dbc.
- `red` (danger status): #dd4b39.
- `green` (success status): #00a65a.
- `aqua` (info status): #00c0ef.
- `yellow` (warning status): #f39c12.
- `blue`: #0073b7.
- `navy`: #001F3F.
- `teal`: #39CCCC.
- `olive`: #3D9970.
- `lime`: #01FF70.
- `orange`: #FF851B.
- `fuchsia`: #F012BE.
- `purple`: #605ca8.
- `maroon`: #D81B60.
- `black`: #111.
- `gray`: #d2d6de.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     dashboardBadge("Badge 1", color = "blue"),
     actionButton(
      inputId = "badge",
      label = "Hello",
      icon = NULL,
      width = NULL,
      dashboardBadge(1, color = "orange")
     )
    )
  ),
  server = function(input, output) { }
 )
```

```
    }
```

---

dashboardControlbar *AdminLTE2 dashboard right sidebar*

Description

dashboardControlbar create a right sidebar container.

updateControlbar allows to toggle a dashboardControlbar.

controlbarMenu is a tabset panel for the dashboardControlbar.

controlbarItem is a tabPanel for the controlbarMenu.

updateControlbarMenu allows to programmatically change the currently selected controlbarItem on the client.

Usage

```
dashboardControlbar(
  ...,
  id = NULL,
  disable = FALSE,
  width = 230,
  collapsed = TRUE,
  overlay = TRUE,
  skin = "dark",
  .list = NULL
)

updateControlbar(id, session = shiny::getDefaultReactiveDomain())

controlbarMenu(..., id = NULL, selected = NULL)

controlbarItem(title, ..., value = title, icon = NULL)

updateControlbarMenu(
  id,
  selected = NULL,
  session = shiny::getDefaultReactiveDomain()
)
```

Arguments

...	slot for controlbarMenu. Not compatible with .items.
id	Controlbar id.
disable	If TRUE, the sidebar will be disabled.
width	Sidebar width in pixels. Numeric value expected. 230 by default.
collapsed	Whether the control bar on the right side is collapsed or not at start. TRUE by default.

overlay	Whether the sidebar covers the content when expanded. Default to TRUE.
skin	background color: "dark" or "light".
.list	Pass element here if you do not want to embed them in panels. Not compatible with ...
session	Shiny session object.
selected	Item to select.
title	Display title for tab
value	The value that should be sent when `tabsetPanel` reports that this tab is selected. If omitted and `tabsetPanel` has an `id`, then the title will be used.
icon	Optional icon to appear on the tab. This attribute is only valid when using a `tabPanel` within a navbarPage().

Note

Until a maximum of 5 controlbarItem! AdminLTE 2 does not support more panels.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
# Controlbar example
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)
 shinyApp(
   ui = dashboardPage(
     header = dashboardHeader(),
     sidebar = dashboardSidebar(),
     body = dashboardBody(),
     controlbar = dashboardControlbar(
      skin = "dark",
      controlbarMenu(
       id = "menu",
       controlbarItem(
        "Tab 1",
        "Welcome to tab 1"
       ),
       controlbarItem(
        "Tab 2",
        "Welcome to tab 2"
       )
      )
     ),
     title = "Right Sidebar"
   ),
   server = function(input, output) { }
 )
}
```

```
# Toggle the dashboard controlbar
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
   ui = dashboardPage(
     header = dashboardHeader(),
     sidebar = dashboardSidebar(),
     body = dashboardBody(
       actionButton(inputId = "controlbarToggle", label = "Toggle Controlbar")
     ),
     controlbar = dashboardControlbar(id = "controlbar")
   ),
   server = function(input, output, session) {

     observeEvent(input$controlbar, {
       if (input$controlbar) {
         showModal(modalDialog(
           title = "Alert",
           "The controlbar is opened.",
           easyClose = TRUE,
           footer = NULL
         ))
       }
     })

     observeEvent(input$controlbarToggle, {
       updateControlbar("controlbar")
     })

     observe({
       print(input$controlbar)
     })
   }
 )
}

# controlbar with controlbarMenu
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
   ui = dashboardPage(
     header = dashboardHeader(),
     sidebar = dashboardSidebar(),
     body = dashboardBody(),
     controlbar = dashboardControlbar(
      id = "controlbar",
      controlbarMenu(
       id = "menu",
       controlbarItem(
         "Tab 1",
```

```
        "Welcome to tab 1"
       ),
       controlbarItem(
        "Tab 2",
        "Welcome to tab 2"
       )
      )
     )
   ),
   server = function(input, output, session) {

     observeEvent(input$menu, {
       showModal(modalDialog(
         title = "Alert",
         sprintf(" %s is active", input$menu),
         easyClose = TRUE,
         footer = NULL
       ))
     })
   }
 )
}

# Update a controlbar menu
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
   ui = dashboardPage(
     header = dashboardHeader(),
     sidebar = dashboardSidebar(),
     body = dashboardBody(
      radioButtons("controller", "Controller", choices = c(1, 2, 3))
     ),
     controlbar = dashboardControlbar(
      id = "controlbar",
      controlbarMenu(
       id = "menu",
       controlbarItem(
         paste0("Tab", 1),
         paste("Welcome to tab", 1)
       ),
       controlbarItem(
         paste0("Tab", 2),
         paste("Welcome to tab", 2)
       ),
       controlbarItem(
         paste0("Tab", 3),
         paste("Welcome to tab", 3)
       )
      )
     )
   ),
   server = function(input, output, session) {
    observeEvent(input$controller, {
```

```
     updateControlbarMenu(
       "menu",
       selected = paste0("Tab", input$controller)
     )
   })
  }
 )
}
```

---

dashboardFooter *Dashboard Footer*

Description

This creates a dashboard footer

Usage

```
dashboardFooter(left = NULL, right = NULL)
```

Arguments

left   Left text.

right   Right text.

Examples

```
if (interactive()) {
library(shiny)
library(shinydashboard)
library(shinydashboardPlus)

shinyApp(
  ui = dashboardPage(
    header = dashboardHeader(),
    sidebar = dashboardSidebar(),
    body = dashboardBody(),
    footer = dashboardFooter(
     left = "By Divad Nojnarg",
     right = "Zurich, 2019"
    ),
    title = "DashboardPage"
  ),
  server = function(input, output) { }
)
}
```

---

dashboardHeader   *Create a header for a dashboard page*

Description

A dashboard header can be left blank, or it can include dropdown menu items on the right side.

Usage

```
dashboardHeader(
  ...,
  title = NULL,
  titleWidth = NULL,
  disable = FALSE,
  .list = NULL,
  leftUi = NULL,
  controlbarIcon = shiny::icon("gears"),
  fixed = FALSE
)
```

Arguments

...	Items to put in the header. Should be dropdownMenus.
title	An optional title to show in the header bar.. By default, this will also be used as the title shown in the browser's title bar. If you want that to be different from the text in the dashboard header bar, set the title in dashboardPage.
titleWidth	The width of the title area. This must either be a number which specifies the width in pixels, or a string that specifies the width in CSS units.
disable	If TRUE, don't display the header bar.
.list	An optional list containing items to put in the header. Same as the ... arguments, but in list format. This can be useful when working with programmatically generated items.
leftUi	Items that will appear on the left part of the navbar. Should be wrapped in a tagList.
controlbarIcon	Customize the trigger icon of the right sidebar.
fixed	Whether the navbar is fixed-top or not. FALSE by default.

Note

We do not recommend to insert shiny input elements (such as sliderInput) in the left menu, since they will not be well displayed. Instead, wrap them in a dropdownBlock

See Also

dropdownMenu

Examples

```
if (interactive()) {
 library(shiny)
 library(shinyWidgets)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    header = dashboardHeader(
      leftUi = tagList(
        dropdownBlock(
          id = "mydropdown",
          title = "Dropdown 1",
          icon = icon("sliders"),
          sliderInput(
            inputId = "n",
            label = "Number of observations",
            min = 10, max = 100, value = 30
          ),
          prettyToggle(
            inputId = "na",
            label_on = "NAs kept",
            label_off = "NAs removed",
            icon_on = icon("check"),
            icon_off = icon("remove")
          )
        ),
        dropdownBlock(
          id = "mydropdown2",
          title = "Dropdown 2",
          icon = icon("sliders"),
          prettySwitch(
            inputId = "switch4",
            label = "Fill switch with status:",
            fill = TRUE,
            status = "primary"
          ),
          prettyCheckboxGroup(
            inputId = "checkgroup2",
            label = "Click me!",
            thick = TRUE,
            choices = c("Click me !", "Me !", "Or me !"),
            animation = "pulse",
            status = "info"
          )
        )
      ),
      dropdownMenu(
        type = "tasks",
        badgeStatus = "danger",
        taskItem(value = 20, color = "aqua", "Refactor code"),
        taskItem(value = 40, color = "green", "Design new layout"),
        taskItem(value = 60, color = "yellow", "Another task"),
        taskItem(value = 80, color = "red", "Write documentation")
      )
```

```
    ),
    sidebar = dashboardSidebar(),
    body = dashboardBody(
      setShadow(class = "dropdown-menu")
    ),
    title = "DashboardPage"
  ),
  server = function(input, output) { }
 )
}
```

---

dashboardLabel   *AdminLTE2 label*

Description

Create a label

Usage

```
dashboardLabel(..., status, style = "default")
```

Arguments

`...`	any text.
`status`	label status. Valid statuses are defined as follows:

- `primary`: #3c8dbc
- `success`: #00a65a
- `info`: #00c0ef
- `warning`: #f39c12
- `danger`: #f56954

`style`	label border style: "default" (rounded angles), "circle" or "square".

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     dashboardLabel("Label 1", status = "info"),
     dashboardLabel("Label 2", status = "danger", style = "circle"),
     dashboardLabel("Label 3", status = "success", style = "square")
```

```
    )
  ),
  server = function(input, output) { }
 )
}
```

---

dashboardPage   *Dashboard Page with a right sidebar*

Description

This creates a dashboard page for use in a Shiny app.

Usage

```
dashboardPage(
  header,
  sidebar,
  body,
  controlbar = NULL,
  footer = NULL,
  title = NULL,
 skin = c("blue", "blue-light", "black", "black-light", "purple", "purple-light",
   "green", "green-light", "red", "red-light", "yellow", "yellow-light", "midnight"),
  freshTheme = NULL,
  preloader = NULL,
  md = FALSE,
  options = NULL,
  scrollToTop = FALSE
)
```

Arguments

header	A header created by dashboardHeader.
sidebar	A sidebar created by dashboardSidebar.
body	A body created by dashboardBody.
controlbar	A right sidebar created by dashboardControlbar. NULL by default.
footer	A footer created by dashboardFooter.
title	A title to display in the browser's title bar. If no value is provided, it will try to extract the title from the dashboardHeaderPlus.
skin	A color theme. See https://adminlte.io/themes/AdminLTE/pages/UI/general.html. If the skin is light, the sidebar will have a light background. Not compatible with freshTheme.
freshTheme	A skin powered by the fresh package. Not compatible with skin. See https://dreamrs.github.io/fresh/articles/vars-shinydashboard.html.
preloader	shinydashboardPlus uses waiter (see https://waiter.john-coene.com/#/). Pass a list like list(html = spin_1(),color = "#333e48"). waiter expects to provide a sub-list to configure waiter_show_on_load (refer to the package help for all styles). duration defines the loader timeout.

md	Whether to enable material design. Experimental...
options	Extra option to overwrite the vanilla AdminLTE configuration. See https://adminlte.io/themes/AdminLTE/documentation/index.html#adminlte-options. Expect a list.
scrollToTop	Whether to display a scroll to top button whenever the page height is too large. Default to FALSE.

See Also

dashboardHeader, dashboardSidebar, dashboardBody.

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)
 library(fresh)

 shinyApp(
   ui = dashboardPage(
     freshTheme = create_theme(
      adminlte_color(
        light_blue = "#55e7ff",
        blue = "#2011a2",
        navy = "#201148",
        red = "#ff34b3"
      ),
      adminlte_sidebar(
        dark_bg = "#D8DEE9",
        dark_hover_bg = "#81A1C1",
        dark_color = "#2E3440"
      ),
      adminlte_global(
        content_bg = "#FFF",
        box_bg = "#D8DEE9",
        info_box_bg = "#D8DEE9"
      )
     ),
     options = list(sidebarExpandOnHover = TRUE),
     header = dashboardHeader(),
     sidebar = dashboardSidebar(),
     body = dashboardBody(
      box(background = "red"),
      box(background = "blue"),
      box(background = "navy")
     ),
     controlbar = dashboardControlbar(),
     title = "DashboardPage"
   ),
   server = function(input, output) { }
 )
}
```

---

dashboardSidebar   *Create a dashboard sidebar.*

Description

A dashboard sidebar typically contains a sidebarMenu, although it may also contain a sidebarSearchForm, or other Shiny inputs.

updateSidebar allows to toggle a dashboardSidebar on the client.

Usage

```
dashboardSidebar(
  ...,
  disable = FALSE,
  width = NULL,
  collapsed = FALSE,
  minified = TRUE,
  id = NULL
)

updateSidebar(id, session = shiny::getDefaultReactiveDomain())
```

Arguments

`...`	Items to put in the sidebar.
`disable`	If `TRUE`, the sidebar will be disabled.
`width`	The width of the sidebar. This must either be a number which specifies the width in pixels, or a string that specifies the width in CSS units.
`collapsed`	If `TRUE`, the sidebar will be collapsed on app startup.
`minified`	Whether to slightly close the sidebar but still show item icons. Default to TRUE.
`id`	Sidebar id.
`session`	Shiny session object.

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
   ui = dashboardPage(
     header = dashboardHeader(),
     sidebar = dashboardSidebar(id = "sidebar"),
     body = dashboardBody(
       actionButton(inputId = "sidebarToggle", label = "Toggle Sidebar")
     )
   ),
   server = function(input, output, session) {
```

```
    observeEvent(input$sidebar, {
      if (input$sidebar) {
        showModal(modalDialog(
          title = "Alert",
          "The sidebar is opened.",
          easyClose = TRUE,
          footer = NULL
        ))
      }
    })

    observeEvent(input$sidebarToggle, {
      updateSidebar("sidebar")
    })

    observe({
      print(input$sidebar)
    })
  }
 )
}
```

---

dashboardUser   *Create a dashboard user profile.*

Description

Create a dashboard user profile.

Usage

```
dashboardUser(
  ...,
  name = NULL,
  image = NULL,
  title = NULL,
  subtitle = NULL,
  footer = NULL
)
```

Arguments

...	Body content. Slot for dashboardUserItem.
name	User name.
image	User profile picture.
title	A title.
subtitle	A subtitle.
footer	Footer is any.

See Also

userOutput and renderUser for dynamically-generating dashboardUser.

Examples

```
if (interactive()) {
 library(shiny)
 library(shinyWidgets)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    header = dashboardHeader(userOutput("user")),
    sidebar = dashboardSidebar(),
    body = dashboardBody(),
    title = "DashboardPage"
  ),
  server = function(input, output) {
   output$user <- renderUser({
    dashboardUser(
       name = "Divad Nojnarg",
       image = "https://adminlte.io/themes/AdminLTE/dist/img/user2-160x160.jpg",
       title = "shinydashboardPlus",
       subtitle = "Author",
       footer = p("The footer", class = "text-center"),
       fluidRow(
        dashboardUserItem(
         width = 6,
         socialButton(
          href = "https://dropbox.com",
          icon = icon("dropbox")
         )
        ),
        dashboardUserItem(
         width = 6,
         socialButton(
          href = "https://github.com",
          icon = icon("github")
         )
        )
       )
     )
   })
  }
 )
}
```

---

dashboardUserItem   *Create a dashboard user profile item*

Description

This can be inserted in a [dashboardUser](#).

Usage

```
dashboardUserItem(item, width)
```

Arguments

item	HTML Tag.
width	Item width between 1 and 12.

---

dropdownBlock   *Create a dropdown block to place in a dashboard header*

Description

Create a dropdown block to place in a dashboard header

Usage

```
dropdownBlock(..., id, icon = NULL, title = NULL, badgeStatus = "danger")
```

Arguments

...	Items to put in the menu.
id	Dropdown block id.
icon	An icon to display in the header. Expect icon.
title	Dropdown block title.
badgeStatus	Dropdown badge status.

See Also

dashboardHeader for example usage.

---

flipBox   *A flipBox based on the W3C example*

Description

flipBox creates a box that flips from back to front and inversely
updateFlipBox programmatically toggles a flipBox from the server.

Usage

```
flipBox(id, front, back, trigger = c("click", "hover"), width = 6)

updateFlipBox(id, session = shiny::getDefaultReactiveDomain())
```

Arguments

id	flipBox id.
front	ui for the front of the flip box
back	ui for the back of the flip box
trigger	How to trigger rotate effect. Either click or hover. Default to click.
width	flipbox width. Between 1 and 12.
session	Shiny session object.

Details

To access the state of the flipbox use the input alias `input$<id>`. For example, if your flipBox's id is myawesomeflipbox, you can access its state via `input$myawesomeflipbox` where TRUE corresponds to the front, FALSE to the back.

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)
 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
      fluidRow(
        column(
          width = 6,
          uiOutput("active_side"),
          flipBox(
            id = "myflipbox",
            trigger = "hover",
            width = 12,
            front = div(
              class = "text-center",
              h1("Flip on hover"),
              img(
                src = "https://image.flaticon.com/icons/svg/149/149076.svg",
                height = "300px",
                width = "100%"
              )
            ),
            back = div(
              class = "text-center",
              height = "300px",
              width = "100%",
              h1("Flip on hover"),
              p("More information....")
            )
          )
        ),
        column(
          width = 6,
          uiOutput("active_side_2"),
          flipBox(
            id = "myflipbox2",
            width = 12,
            front = div(
              class = "text-center",
              h1("Flip on click"),
              img(
                src = "https://image.flaticon.com/icons/svg/149/149076.svg",
                height = "300px",
                width = "100%"
              )
```

```
            ),
             back = div(
               class = "text-center",
               height = "300px",
               width = "100%",
               h1("Flip on click"),
               p("More information....")
             )
           )
         )
       )
     )
   ),

   server = function(input, output, session) {
     output$active_side <- renderUI({
       side <- if (input$myflipbox) "front" else "back"
       dashboardBadge(side, color = "blue")
     })

     output$active_side_2<- renderUI({
       side <- if (input$myflipbox2) "front" else "back"
       dashboardBadge(side, color = "blue")
     })
   }
 )
}
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)
 shinyApp(
   ui = dashboardPage(
     dashboardHeader(),
     dashboardSidebar(),
     dashboardBody(
       actionButton("toggle", "Toggle flip box"),
       uiOutput("active_side"),
       flipBox(
         id = "myflipbox",
         front = div(
           class = "text-center",
           img(
             src = "https://image.flaticon.com/icons/svg/149/149076.svg",
             height = "300px",
             width = "100%"
           )
         ),
         back = div(
           class = "text-center",
           height = "300px",
           width = "100%",
           h1("Details...."),
           p("More information....")
         )
       )
     )
```

```
    ),

    server = function(input, output, session) {
     output$active_side <- renderUI({
       side <- if (input$myflipbox) "front" else "back"
       dashboardBadge(side, color = "blue")
      })

     observeEvent(input$toggle, {
       updateFlipBox("myflipbox")
      })
    }
   )
  }
```

---

loadingState	*AdminLTE2 loading state element*

Description

When a section is still work in progress or a computation is running

Usage

```
loadingState()
```

Note

Loading state can be programmatically used when a conputation is running for instance.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       title = "loading spinner",
       loadingState()
       )
    ),
    title = "Loading State"
  ),
  server = function(input, output) { }
 )
```

```
}
```

---

messageItem	*Custom messageItem*

Description

Custom messageItem

Usage

```
messageItem(
  from,
  message,
  icon = shiny::icon("user"),
  time = NULL,
  href = NULL,
  inputId = NULL
)
```

Arguments

from	Who the message is from.
message	Text of the message.
icon	An icon tag, created by icon.
time	String representing the time the message was sent. Any string may be used. For example, it could be a relative date/time like "5 minutes", "today", or "12:30pm yesterday", or an absolute time, like "2014-12-01 13:45". If NULL, no time will be displayed.
href	An optional URL to link to.
inputId	If not NULL, this item behaves like an action button.

---

navPills	*AdminLTE2 nav pill container*

Description

navPills creates a container for nav elements. They are vertically stacked. To insert in box.

updateNavPills allows to programmatically change the currently selected navPillsItem on the client.

navPillsItem creates a nav pill item.

Usage

```
navPills(..., id = NULL)

updateNavPills(id, selected, session = shiny::getDefaultReactiveDomain())

navPillsItem(
  left = NULL,
  right = NULL,
  color = NULL,
  icon = NULL,
  selected = FALSE
)
```

Arguments

`...`	slot for navPillsItem.
`id`	navPills unique id to target.
`selected`	Whether the item is active or not. FALSE by default.
`session`	Shiny session object.
`left`	pill left text.
`right`	pill right text.
`color`	pill color: see here for a list of valid colors https://adminlte.io/themes/AdminLTE/pages/UI/general.html. See below:

- `light-blue` (primary status): #3c8dbc.
- `red` (danger status): #dd4b39.
- `green` (success status): #00a65a.
- `aqua` (info status): #00c0ef.
- `yellow` (warning status): #f39c12.
- `blue`: #0073b7.
- `navy`: #001F3F.
- `teal`: #39CCCC.
- `olive`: #3D9970.
- `lime`: #01FF70.
- `orange`: #FF851B.
- `fuchsia`: #F012BE.
- `purple`: #605ca8.
- `maroon`: #D81B60.
- `black`: #111.
- `gray`: #d2d6de.

`icon`	pill icon, if any.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
# navPills
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       title = "Nav Pills",
       status = "info",
       "Box Body",
       footer = navPills(
         id = "pillItem",
         navPillsItem(
           left = "Item 1",
           color = "green",
           right = 10
         ),
         navPillsItem(
           left = "Item 2",
           color = "red",
           icon = icon("angle-down"),
           right = "10%",
           active = TRUE
         )
       )
     )
    ),
    title = "Nav Pills"
  ),
  server = function(input, output) {
   observeEvent(input$pillItem, {
    showNotification(sprintf("You clicked on pill N° %s", input$pillItem), type = "message")
   })
  }
 )
}


# update navPills
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
```

```
      radioButtons("controller", "Controller", choices = c(1, 2, 3)),
      br(),
      box(
       title = "Nav Pills",
       status = "info",
       "Box Body",
       footer = navPills(
         inputId = "pills",
         navPillsItem(
           left = "Item 1",
           color = "green",
           right = 10
         ),
         navPillsItem(
           left = "Item 2",
           color = "red",
           icon = icon("angle-down"),
           right = "10%"
         ),
         navPillsItem(
           left = "Item 3",
           color = "blue",
           icon = icon("angle-up"),
           right = "30%"
         )
       )
      )
     ),
     title = "Nav Pills"
   ),
   server = function(input, output, session) {
    observeEvent(input$controller, {
     updateNavPills(id = "pills", selected = input$controller)
    })
    observeEvent(input$pills, {
     showNotification(sprintf("You selected pill N° %s", input$pills), type = "message")
    })
   }
  )
 }
```

---

notificationItem   *Custom notificationItem*

Description

Custom notificationItem

Usage

```
notificationItem(
  text,
  icon = shiny::icon("warning"),
  status = "success",
```

```
  href = NULL,
  inputId = NULL
)
```

Arguments

text	The notification text.
icon	An icon tag, created by icon.
status	The status of the item This determines the item's background color. Valid statuses are listed in validStatuses.
href	An optional URL to link to.
inputId	If not NULL, this item behaves like an action button.

---

productList	*AdminLTE2 product list container productList creates a container to display commercial items in an elegant container. Insert in a box.*

Description

productListItem creates a product item to insert in productList.

Usage

```
productList(...)

productListItem(..., image = NULL, title = NULL, subtitle = NULL, color = NULL)
```

Arguments

...	product description.
image	image url, if any.
title	product name.
subtitle	product price.
color	price color: see here for a list of valid colors https://adminlte.io/themes/AdminLTE/pages/UI/general.html. See below:

- light-blue (primary status): #3c8dbc.
- red (danger status): #dd4b39.
- green (success status): #00a65a.
- aqua (info status): #00c0ef.
- yellow (warning status): #f39c12.
- blue: #0073b7.
- navy: #001F3F.
- teal: #39CCCC.
- olive: #3D9970.
- lime: #01FF70.
- orange: #FF851B.

- fuchsia: #F012BE.
- purple: #605ca8.
- maroon: #D81B60.
- black: #111.
- gray: #d2d6de.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
# Box with productList
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       title = "Product List",
       status = "primary",
       productList(
         productListItem(
           image = "https://www.pngmart.com/files/1/Haier-TV-PNG.png",
           title = "Samsung TV",
           subtitle = "$1800",
           color = "yellow",
           "This is an amazing TV, but I don't like TV!"
         ),
         productListItem(
           image = "https://upload.wikimedia.org/wikipedia/commons/7/77/IMac_Pro.svg",
           title = "Imac 27",
           subtitle = "$4999",
           color = "red",
           "This is were I spend most of my time!"
         )
       )
     )
    ),
    title = "Product List"
  ),
  server = function(input, output) { }
 )
}
```

---

progressBar   *AdminLTE2 vertical progress bar*

Description

This creates a vertical progress bar.

Usage

```
progressBar(
  value,
  min = 0,
  max = 100,
  vertical = FALSE,
  striped = FALSE,
  animated = FALSE,
  status = "primary",
  size = NULL,
  label = NULL
)
```

Arguments

value	Progress bar value. Must be between min and max.
min	Progress bar minimum value (0 by default).
max	Progress bar maximum value (100 by default).
vertical	Progress vertical layout. Default to FALSE
striped	Whether the progress is striped or not. FALSE by default.
animated	Whether the progress is active or not. FALSE by default. Works only if striped is TRUE.
status	Progress bar status. "primary" by default or "warning", "info", "danger" or "success". Valid statuses are defined as follows:

- primary: #3c8dbc
- success: #00a65a
- info: #00c0ef
- warning: #f39c12
- danger: #f56954

size	Progress bar size. NULL by default: "sm", "xs" or "xxs" also available.
label	Progress label. NULL by default.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
   ui = dashboardPage(
     header = dashboardHeader(),
     sidebar = dashboardSidebar(),
     body = dashboardBody(
      box(
       title = "Horizontal",
       progressBar(
        value = 10,
        striped = TRUE,
        animated = TRUE,
        label = "10%"
       ),
       progressBar(
        value = 50,
        status = "warning",
        size = "xs"
       ),
       progressBar(
        value = 20,
        status = "danger",
        size = "sm"
       )
      ),
      box(
       title = "Vertical",
       progressBar(
        value = 10,
        striped = TRUE,
        animated = TRUE,
        vertical = TRUE
       ),
       progressBar(
        value = 50,
        status = "warning",
        size = "xs",
        vertical = TRUE
       ),
       progressBar(
        value = 20,
        status = "danger",
        size = "sm",
        vertical = TRUE
       )
      )
     ),
     title = "Progress bars"
   ),
   server = function(input, output) { }
 )
```

```
    }
```

---

renderUser   *Create dynamic user output (server side)*

Description

Create dynamic user output (server side)

Usage

```
renderUser(expr, env = parent.frame(), quoted = FALSE, outputArgs = list())
```

Arguments

expr	An expression that returns a Shiny tag object, HTML(), or a list of such objects.
env	The environment in which to evaluate expr.
quoted	Is expr a quoted expression (with quote())? This is useful if you want to save an expression in a variable.
outputArgs	A list of arguments to be passed through to the implicit call to uiOutput() when renderUI is used in an interactive R Markdown document.

See Also

userOutput for the corresponding client side function and examples.

Other user outputs: userOutput()

---

shinydashboardPlusGallery
                          Launch the shinydashboardPlus Gallery

---

Description

A gallery of all components available in shinydashboardPlus.

Usage

```
shinydashboardPlusGallery()
```

Examples

```
if (interactive()) {

 shinydashboardPlusGallery()

}
```

---

skinSelector *AdminLTE2 skin selector*

Description

This creates a skin selector element.

Usage

```
skinSelector()
```

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
   ui = dashboardPage(
     header = dashboardHeader(),
     sidebar = dashboardSidebar(),
     body = dashboardBody(),
     controlbar = dashboardControlbar(skinSelector()),
     title = "Skin Selector"
   ),
   server = function(input, output) { }
 )
}
```

---

skinSelectorItem *AdminLTE2 skin selector item*

Description

This creates an item to insert in a skin selector object.

Usage

```
skinSelectorItem(color)
```

Arguments

color   Skin color: "blue", "black", "purple", "red", "green", "yellow" as well as
             "blue-light", "black-light", "purple-light", "red-light", "green-light" and
             "yellow-light".

Author(s)

David Granjon, <dgranjon@ymail.com>

---

socialBox   *AdminLTE2 social box*

Description

socialBox creates a special box dedicated for social content.

userBlock goes in the title of socialBox.

boxComment has to be inserted in the comment slot of socialBox.

Usage

```
socialBox(
  ...,
  title = NULL,
  footer = NULL,
  width = 6,
  height = NULL,
  collapsible = TRUE,
  collapsed = FALSE,
  closable = FALSE,
  boxToolSize = "sm",
  headerBorder = TRUE,
  label = NULL,
  dropdownMenu = NULL,
  sidebar = NULL,
  id = NULL
)

userBlock(image, title, subtitle = NULL)

boxComment(..., image, title = NULL, date = NULL)
```

Arguments

...	comment content.
title	comment title.
footer	Optional footer text.
width	The width of the box, using the Bootstrap grid system. This is used for row-based layouts. The overall width of a region is 12, so the default valueBox width of 4 occupies 1/3 of that width. For column-based layouts, use NULL for the width; the width is set by the column that contains the box.
height	The height of a box, in pixels or other CSS unit. By default the height scales automatically with the content.
collapsible	If TRUE, display a button in the upper right that allows the user to collapse the box.
collapsed	If TRUE, start collapsed. This must be used with collapsible=TRUE.
closable	If TRUE, display a button in the upper right that allows the user to close the box.

boxToolSize	Size of the toolbox: choose among "xs", "sm", "md", "lg".
headerBorder	Whether to display a border between the header and body. TRUE by default.
label	Slot for boxLabel.
dropdownMenu	List of items in the boxtool dropdown menu. Use boxDropdown.
sidebar	Slot for boxSidebar.
id	If passed, the item will behave like an action button.
image	author image, if any.
subtitle	Any subtitle.
date	date of publication.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
    ui = dashboardPage(
      dashboardHeader(),
      dashboardSidebar(),
      dashboardBody(
        socialBox(
          title = userBlock(
            image = "https://adminlte.io/themes/AdminLTE/dist/img/user4-128x128.jpg",
            title = "Social Box",
            subtitle = "example-01.05.2018"
          ),
          "Some text here!",
          attachmentBlock(
            image = "https://adminlte.io/themes/AdminLTE/dist/img/photo1.png",
            title = "Test",
            href = "https://google.com",
            "This is the content"
          ),
          lapply(X = 1:10, FUN = function(i) {
            boxComment(
              image = "https://adminlte.io/themes/AdminLTE/dist/img/user3-128x128.jpg",
              title = paste("Comment", i),
              date = "01.05.2018",
              paste0("The ", i, "-th comment")
            )
          }),
          footer = "The footer here!"
        )
      ),
      controlbar = dashboardControlbar(),
      title = "socialBox"
    ),
```

```
    server = function(input, output) { }
  )
}
```

---

socialButton   *AdminLTE2 social button*

Description

Create a social button

Usage

```
socialButton(href, icon)
```

Arguments

href	External link.
icon	social network icon: see here for valid names https://adminlte.io/themes/AdminLTE/pages/UI/buttons.html.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       title = "Social Buttons",
       status = NULL,
       socialButton(
         href = "https://dropbox.com",
         icon = icon("dropbox")
       ),
       socialButton(
         href = "https://github.com",
         icon = icon("github")
       )
     )
    ),
    title = "Social Buttons"
  ),
  server = function(input, output) { }
```

```
  )
}
```

---

starBlock	*AdminLTE2 starBlock*

Description

Create a starBlock item (ideal for rating)

Usage

```
starBlock(value, max = 5, color = "yellow")
```

Arguments

value
: Current score. Should be positive and lower or equal to max.

max
: Maximum number of stars by block.

color
: Star color: see `validColors()` in the documentation. See below:

- `light-blue` (primary status): #3c8dbc.
- `red` (danger status): #dd4b39.
- `green` (success status): #00a65a.
- `aqua` (info status): #00c0ef.
- `yellow` (warning status): #f39c12.
- `blue`: #0073b7.
- `navy`: #001F3F.
- `teal`: #39CCCC.
- `olive`: #3D9970.
- `lime`: #01FF70.
- `orange`: #FF851B.
- `fuchsia`: #F012BE.
- `purple`: #605ca8.
- `maroon`: #D81B60.
- `black`: #111.
- `gray`: #d2d6de.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
```

```
      dashboardHeader(),
      dashboardSidebar(),
      dashboardBody(
       box(
         title = "Star example",
         starBlock(5),
         starBlock(5, color = "olive"),
         starBlock(1, color = "maroon"),
         starBlock(3, color = "teal")
        )
       ),
       title = "starBlock"
   ),
   server = function(input, output) { }
  )
 }
```

---

taskItem   *Custom taskItem*

Description

Custom taskItem

Usage

```
taskItem(text, value = 0, color = "aqua", href = NULL, inputId = NULL)
```

Arguments

text	The task text.
value	A percent value to use for the bar.
color	A color for the bar. Valid colors are listed in validColors.
href	An optional URL to link to.
inputId	If not NULL, this item behaves like an action button.

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
   ui = dashboardPage(
     dashboardHeader(
       dropdownMenu(
         type = "tasks",
         badgeStatus = "danger",
         taskItem(
           inputId = "mytask",
           value = 20,
```

```
          color = "aqua",
          text = "Click me!"
        ),
        taskItem(
          value = 40,
          color = "green",
          text = "Basic item"
        )
      )
    ),
    dashboardSidebar(),
    dashboardBody(),
    title = "Dashboard example"
  ),
  server = function(input, output) {
    observeEvent(input$mytask, {
      showModal(modalDialog(
        title = "Important message",
        "This is an important message!"
      ))
    })
  }
 )
}
```

---

timelineBlock   *AdminLTE2 timeline block*

Description

timelineBlock creates a timeline block that may be inserted in a box or outside.

timelineLabel creates a timeline label element to highlight an event.

timelineItem creates a timeline item that contains information for a given event like the title, description, date, ...

timelineItemMedia create a specific container for images.

timelineStart indicates a starting point.

timelineEnd indicates an end point.

Usage

```
timelineBlock(..., reversed = TRUE, width = 6)

timelineLabel(..., color = NULL)

timelineItem(
  ...,
  icon = NULL,
  color = NULL,
  time = NULL,
  title = NULL,
  border = TRUE,
```

```
  footer = NULL
)

timelineItemMedia(image = NULL, height = NULL, width = NULL)

timelineStart(icon = shiny::icon("clock-o"), color = NULL)

timelineEnd(icon = shiny::icon("hourglass-end"), color = NULL)
```

Arguments

`...`	any element.
`reversed`	Whether the timeline is reversed or not.
`width`	media width in pixels.
`color`	item color: see here for a list of valid colors https://adminlte.io/themes/AdminLTE/pages/UI/general.html. See below:

- `light-blue` (primary status): #3c8dbc.
- `red` (danger status): #dd4b39.
- `green` (success status): #00a65a.
- `aqua` (info status): #00c0ef.
- `yellow` (warning status): #f39c12.
- `blue`: #0073b7.
- `navy`: #001F3F.
- `teal`: #39CCCC.
- `olive`: #3D9970.
- `lime`: #01FF70.
- `orange`: #FF851B.
- `fuchsia`: #F012BE.
- `purple`: #605ca8.
- `maroon`: #D81B60.
- `black`: #111.
- `gray`: #d2d6de.

`icon`	item icon. Expect icon.
`time`	item date or time.
`title`	item title.
`border`	Whether to display a border between the header and the body. TRUE by default.
`footer`	item footer if any.
`image`	media url or path.
`height`	media height in pixels.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     h3("When Reversed = TRUE, can be displayed inside a box"),
     box(
      title = "Timeline",
      status = "info",
      timelineBlock(
       width = 12,
       timelineEnd(color = "red"),
       timelineLabel(2018, color = "teal"),
       timelineItem(
        title = "Item 1",
        icon = icon("gears"),
        color = "olive",
        time = "now",
        footer = "Here is the footer",
        "This is the body"
       ),
       timelineItem(
        title = "Item 2",
        border = FALSE
       ),
       timelineLabel(2015, color = "orange"),
       timelineItem(
        title = "Item 3",
        icon = icon("paint-brush"),
        color = "maroon",
        timelineItemMedia(image = "https://placehold.it/150x100"),
        timelineItemMedia(image = "https://placehold.it/150x100")
       ),
       timelineStart(color = "purple")
      )
     ),
     h3("When Reversed = FALSE, can be displayed out of a box"),
     timelineBlock(
       reversed = FALSE,
       timelineEnd(color = "red"),
       timelineLabel(2018, color = "teal"),
       timelineItem(
        title = "Item 1",
        icon = icon("gears"),
        color = "olive",
        time = "now",
        footer = "Here is the footer",
        "This is the body"
       ),
       timelineItem(
```

```
       title = "Item 2",
       border = FALSE
      ),
      timelineLabel(2015, color = "orange"),
      timelineItem(
       title = "Item 3",
       icon = icon("paint-brush"),
       color = "maroon",
       timelineItemMedia(image = "https://placehold.it/150x100"),
       timelineItemMedia(image = "https://placehold.it/150x100")
      ),
      timelineStart(color = "purple")
     )
    ),
    title = "timelineBlock"
  ),
  server = function(input, output) { }
 )
}
```

todoList   _AdminLTE2 todo list container_

Description

Create a todo list container. May be included in box.

todoListItem creates a todo list item.

Usage

```
todoList(..., sortable = TRUE)

todoListItem(..., checked = FALSE, label = NULL)
```

Arguments

...	any element such as labels, ...
sortable	Whether the list elements are sortable or not.
checked	Whether the list item is checked or not.
label	item label.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinyjqui)
 library(shinydashboardPlus)
```

```
shinyApp(
 ui = dashboardPage(
   dashboardHeader(),
   dashboardSidebar(),
   dashboardBody(
    box(
      "Sortable todo list demo",
      status = "warning",
      todoList(
        todoListItem(
          label = "Design a nice theme",
          "Some text here"
        ),
        todoListItem(
          label = "Make the theme responsive",
          "Some text here"
        ),
        todoListItem(
          checked = TRUE,
          label = "Let theme shine like a star"
        )
      )
    ),
      box(
      "Simple todo list demo",
      status = "warning",
      todoList(
      sortable = FALSE,
        todoListItem(
          label = "Design a nice theme",
          "Some text here"
        ),
        todoListItem(
          label = "Make the theme responsive",
          "Some text here"
        ),
        todoListItem(
          checked = TRUE,
          label = "Let theme shine like a star"
        )
      )
    )
   ),
   title = "Todo Lists"
 ),
 server = function(input, output) { }
 )
}
```

userBox	*AdminLTE2 user box*

Description

userBox creates a user card.

userDescription creates a customized title tag for userBox.

Usage

```
userBox(
  ...,
  title = NULL,
  footer = NULL,
  status = NULL,
  background = NULL,
  width = 6,
  height = NULL,
  collapsible = TRUE,
  collapsed = FALSE,
  closable = FALSE,
  gradient = FALSE,
  boxToolSize = "sm",
  headerBorder = TRUE,
  label = NULL,
  dropdownMenu = NULL,
  sidebar = NULL,
  id = NULL
)

userDescription(
  title,
  subtitle = NULL,
  image,
  backgroundImage = NULL,
  type = c(1, 2),
  imageElevation = NULL
)
```

Arguments

...	any element such as descriptionBlock.
title	User card title.
footer	Optional footer text.
status	The status of the item This determines the item's background color. Valid statuses are defined as follows:

- primary: #3c8dbc
- success: #00a65a
- info: #00c0ef
- warning: #f39c12
- danger: #f56954
- navy: #001F3F
- teal: #39CCCC
- purple: #605ca8

- orange: #ff851b
- maroon: #D81B60
- black: #111111

Only primary, success, info, warning and danger are compatible with solidHeader!

background   If NULL (the default), the background of the box will be white. Otherwise, a color string. Valid colors are listed in validColors. See below:

- light-blue (primary status): #3c8dbc.
- red (danger status): #dd4b39.
- green (success status): #00a65a.
- aqua (info status): #00c0ef.
- yellow (warning status): #f39c12.
- blue: #0073b7.
- navy: #001F3F.
- teal: #39CCCC.
- olive: #3D9970.
- lime: #01FF70.
- orange: #FF851B.
- fuchsia: #F012BE.
- purple: #605ca8.
- maroon: #D81B60.
- black: #111.
- gray: #d2d6de.

width   The width of the box, using the Bootstrap grid system. This is used for row-based layouts. The overall width of a region is 12, so the default valueBox width of 4 occupies 1/3 of that width. For column-based layouts, use NULL for the width; the width is set by the column that contains the box.

height   The height of a box, in pixels or other CSS unit. By default the height scales automatically with the content.

collapsible   If TRUE, display a button in the upper right that allows the user to collapse the box.

collapsed   If TRUE, start collapsed. This must be used with collapsible=TRUE.

closable   If TRUE, display a button in the upper right that allows the user to close the box.

gradient   Whether to allow gradient effect for the background color. Default to FALSE.

boxToolSize   Size of the toolbox: choose among "xs", "sm", "md", "lg".

headerBorder   Whether to display a border between the header and body. TRUE by default.

label   Slot for boxLabel.

dropdownMenu   List of items in the boxtool dropdown menu. Use boxDropdown.

sidebar   Slot for boxSidebar.

id   If passed, the item will behave like an action button.

subtitle   User card subtitle.

image   User image url or path.

backgroundImage

                 image url, if any. Background needs to be TRUE.

type   User card type. Either 1 or 2. 1 corresponds to a centered user image, while 2 is a left aligned user image.

imageElevation   User card image elevation (numeric). NULL by default.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
    ui = dashboardPage(
      header = dashboardHeader(),
      sidebar = dashboardSidebar(),
      controlbar = dashboardControlbar(),
      footer = dashboardFooter(),
      title = "test",
      body = dashboardBody(
        userBox(
          title = userDescription(
            title = "Nadia Carmichael",
            subtitle = "lead Developer",
            type = 2,
            image = "https://adminlte.io/themes/AdminLTE/dist/img/user7-128x128.jpg",
          ),
          status = "primary",
          gradient = TRUE,
          background = "light-blue",
          boxToolSize = "xl",
          "Some text here!",
          footer = "The footer here!"
        ),
        userBox(
          title = userDescription(
            title = "Alexander Pierce",
            subtitle = "Founder & CEO",
            type = 1,
            image = "https://adminlte.io/themes/AdminLTE/dist/img/user1-128x128.jpg",
          ),
          status = "purple",
          closable = TRUE,
          "Some text here!",
          footer = "The footer here!"
        ),
        userBox(
          title = userDescription(
            title = "Elizabeth Pierce",
            subtitle = "Web Designer",
```

```
            image = "https://adminlte.io/themes/AdminLTE/dist/img/user3-128x128.jpg",
        backgroundImage = "https://cdn.statically.io/img/wallpaperaccess.com/full/1119564.jpg",
          ),
          status = "teal",
          closable = TRUE,
          maximizable = TRUE,
          "Some text here!",
          footer = "The footer here!"
        )
      )
    ),
    server = function(input, output) {}
  )
}
```

---

userList   *AdminLTE2 user list container*

Description

userList creates a user list container to be inserted in a box.

userListItem creates a user list item.

Usage

```
userList(...)

userListItem(image, title, subtitle = NULL)
```

Arguments

...	slot for userListItem.
image	image url or path.
title	Item title.
subtitle	Item subtitle.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
```

```
    box(
     title = "User List example",
     status = "success",
     userList(
       userListItem(
         image = "https://adminlte.io/themes/AdminLTE/dist/img/user1-128x128.jpg",
         title = "Shiny",
         subtitle = "Package 1"
       ),
       userListItem(
         image = "https://adminlte.io/themes/AdminLTE/dist/img/user7-128x128.jpg",
         title = "Tidyverse",
         subtitle = "Package 2"
       ),
       userListItem(
         image = "https://adminlte.io/themes/AdminLTE/dist/img/user5-128x128.jpg",
         title = "tidyr",
         subtitle = "Package 3"
       )
     )
     )
    ),
    title = "User List"
  ),
  server = function(input, output) { }
 )
}
```

Description

userMessages creates a user message container. Maybe inserted in a box.

userMessage creates a user message html element.

updateUserMessages allows to interact with a userMessages container, such as sending, removing or editing messages.

Usage

```
userMessages(..., id = NULL, status, width = 4, height = NULL)

userMessage(
  ...,
  author,
  date = NULL,
  image = NULL,
  type = c("sent", "received")
)

updateUserMessages(
  id,
```

```
    action = c("add", "remove", "update"),
    index = NULL,
    content = NULL,
    session = shiny::getDefaultReactiveDomain()
  )
```

Arguments

`...`	Message text.
`id`	userMessages to target.
`status`	Messages status. See here for a list of valid colors `https://adminlte.io/themes/AdminLTE/pages/UI/general.html`. Valid statuses are defined as follows:
	• `primary`: #3c8dbc
	• `success`: #00a65a
	• `info`: #00c0ef
	• `warning`: #f39c12
	• `danger`: #f56954
`width`	Container width: between 1 and 12.
`height`	Container height.
`author`	Message author.
`date`	Message date.
`image`	Message author image path or url.
`type`	Message type: `c("sent","received")`.
`action`	Action to perform: add, remove or update.
`index`	Index of item to update or remove.
`content`	New message content in a list. For actions like add and update only! See example.
`session`	Shiny session object.

Author(s)

David Granjon, <`dgranjon@ymail.com`>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       title = "Box with messages",
       solidHeader = TRUE,
       status = "warning",
```

```
          userMessages(
           width = 12,
           status = "success",
           userMessage(
             author = "Alexander Pierce",
             date = "20 Jan 2:00 pm",
             image = "https://adminlte.io/themes/AdminLTE/dist/img/user1-128x128.jpg",
             type = "sent",
             "Is this template really for free? That's unbelievable!"
           ),
           userMessage(
             author = "Sarah Bullock",
             date = "23 Jan 2:05 pm",
             image = "https://adminlte.io/themes/AdminLTE/dist/img/user3-128x128.jpg",
             type = "received",
             "You better believe it!"
           )
          )
        ),
       userMessages(
         width = 6,
         status = "danger",
          userMessage(
           author = "Alexander Pierce",
           date = "20 Jan 2:00 pm",
           image = "https://adminlte.io/themes/AdminLTE/dist/img/user1-128x128.jpg",
           type = "received",
           "Is this template really for free? That's unbelievable!"
          ),
          userMessage(
           author = "Sarah Bullock",
           date = "23 Jan 2:05 pm",
           image = "https://adminlte.io/themes/AdminLTE/dist/img/user3-128x128.jpg",
           type = "sent",
           "You better believe it!"
          )
         )
       ),
      title = "user Message"
   ),
   server = function(input, output) { }
 )
}

if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
     dashboardHeader(),
     dashboardSidebar(),
     dashboardBody(
       fluidRow(
         actionButton("remove", "Remove message"),
         actionButton("add", "Add message"),
```

```
      actionButton("update", "Update message")
    ),
    numericInput("index", "Message index:", 1, min = 1, max = 3),
    br(),
    br(),
    userMessages(
      width = 6,
      status = "danger",
      id = "message",
      userMessage(
        author = "Alexander Pierce",
        date = "20 Jan 2:00 pm",
        image = "https://adminlte.io/themes/AdminLTE/dist/img/user1-128x128.jpg",
        type = "received",
        "Is this template really for free? That's unbelievable!"
      ),
      userMessage(
        author = "Sarah Bullock",
        date = "23 Jan 2:05 pm",
        image = "https://adminlte.io/themes/AdminLTE/dist/img/user3-128x128.jpg",
        type = "sent",
        "You better believe it!"
      )
    )
  ),
  title = "user Message"
),
server = function(input, output, session) {
  observeEvent(input$remove, {
    updateUserMessages("message", action = "remove", index = input$index)
  })
  observeEvent(input$add, {
    updateUserMessages(
      "message",
      action = "add",
      content = list(
        author = "David",
        date = "Now",
     image = "https://i.pinimg.com/originals/f1/15/df/f115dfc9cab063597b1221d015996b39.jpg",
        type = "received",
        text = tagList(
         sliderInput(
          "obs",
          "Number of observations:",
          min = 0,
          max = 1000,
          value = 500
         ),
         plotOutput("distPlot")
        )
      )
    )
  })

  output$distPlot <- renderPlot({
   hist(rnorm(input$obs))
  })
```

```
      observeEvent(input$update, {
        updateUserMessages(
          "message",
          action = "update",
          index = input$index,
          content = list(
           text = tagList(
            appButton(
             inputId = "reload",
             label = "Click me!",
             icon = icon("sync"),
             dashboardBadge(1, color = "orange")
            )
           )
          )
        )
      })

      observeEvent(input$reload, {
       showNotification("Yeah!", duration = 1, type = "default")
      })
    }
  )
}
```

---

userOutput   *Create a dynamic user output (client side)*

Description

This can be used as a placeholder for dynamically-generated dashboardUser.

Usage

```
userOutput(id, tag = shiny::tags$li)
```

Arguments

id   Output variable name.

tag   A tag function, like tags$li or tags$ul.

See Also

renderUser for the corresponding server side function and examples.

Other user outputs: renderUser()

userPost	*AdminLTE2 user post*

Description

userPost creates a user post. This content may be inserted in a box.

userPostTagItems creates a container to host userPostTagItem.

userPostTagItem creates a user post tool item

userPostMedia creates a container to include an image in userPost.

Usage

```
userPost(
  ...,
  id = NULL,
  image,
  author,
  description = NULL,
  collapsible = TRUE,
  collapsed = FALSE
)

userPostTagItems(...)

userPostTagItem(..., side = "left")

userPostMedia(image, height = NULL, width = NULL)
```

Arguments

`...`	tool content such as label, button, ...
`id`	unique id of the post.
`image`	image path or url ...
`author`	post author.
`description`	post description.
`collapsible`	If TRUE, display a button in the upper right that allows the user to collapse the comment.
`collapsed`	Whether the comment is collapsed when the application starts, FALSE by default.
`side`	tool item orientation: "left" of "right", "left" by default.
`height`	media height in pixels.
`width`	media width in pixels.

Author(s)

David Granjon, <dgranjon@ymail.com>

Examples

```
if (interactive()) {
 library(shiny)
 library(shinydashboard)
 library(shinydashboardPlus)

 shinyApp(
  ui = dashboardPage(
    dashboardHeader(),
    dashboardSidebar(),
    dashboardBody(
     box(
       title = "Box with user comment",
       status = "primary",
       userPost(
        id = 1,
        image = "https://adminlte.io/themes/AdminLTE/dist/img/user1-128x128.jpg",
        author = "Jonathan Burke Jr.",
        description = "Shared publicly - 7:30 PM today",
        "Lorem ipsum represents a long-held tradition for designers,
        typographers and the like. Some people hate it and argue for
        its demise, but others ignore the hate as they create awesome
        tools to help create filler text for everyone from bacon
        lovers to Charlie Sheen fans.",
        collapsible = FALSE,
        userPostTagItems(
         userPostTagItem(dashboardLabel("item 1", status = "info")),
         userPostTagItem(dashboardLabel("item 2", status = "danger"), side = "right")
        )
       ),
       userPost(
        id = 2,
        image = "https://adminlte.io/themes/AdminLTE/dist/img/user6-128x128.jpg",
        author = "Adam Jones",
        userPostMedia(image = "https://adminlte.io/themes/AdminLTE/dist/img/photo2.png"),
        userPostTagItems(
         userPostTagItem(dashboardLabel("item 1", status = "success")),
         userPostTagItem(dashboardLabel("item 2", status = "danger"), side = "right")
        )
       )
      )
     ),
     title = "userPost"
   ),
  server = function(input, output) { }
 )
}
```

Index