



LeCoach

Practice alone. Feel an audience.

Your Private AI Audience.

A local rehearsal experience for workplace presenters.



ATTENTION



REACTION



NEXT ACTION

The problem: practicing alone offers no responsive audience.

Proposal draft • 8 October 2026 • Current prototype uses authored synthetic replay



Before the meeting, rehearse in private.

Initial user hypothesis: workplace speakers who need a repeatable way to practice delivery.

01 / TEAM UPDATE

**Make the message
easy to follow.**

Team leads rehearsing an update before colleagues hear it.

02 / PROPOSAL

**Explain a complex
idea clearly.**

People presenting a plan, product decision or project result.

03 / IMPORTANT MOMENT

**Practice without
scheduling a crowd.**

Speakers preparing for a pitch, interview or internal review.

User needs and value are hypotheses; no user study or measured benefit is claimed.



One session. A useful next rehearsal.

Speak, notice the audience response, then revisit a few moments with evidence.

1

Prepare

Choose rehearsal.
Check input status.

2

Deliver

Speech + head/body
facing signals.

3

Feel

One rule engine.
Gradual reactions.

4

Review

A few moments.
Concrete next steps.

Planned live experience. The current shell demonstrates authored synthetic playback only.



Live audience response.

Turn delivery signals into an intuitive reaction the speaker can notice.

OBSERVE

Delivery signals

Pace, fillers and pauses.
Approximate facing and
movement observations.

COMBINE

One engagement engine

Rules with smoothing.
Stale and missing signals
remain explicit.

RESPOND

A reactive audience

Gradual loss of attention
and recovery as delivery
changes.

Deterministic engagement and smoothing are planned owner implementations; no emotion or eye tracking.



Weak delivery → recovery

The 50-second weak_to_improved fixture illustrates the intended product loop.

00:00

NEUTRAL

00:20.5

CONFUSED

00:30.5

BORED

00:36

INTERESTED

00:42

ENGAGED

00:10 / EXAMPLE IMPROVEMENT

Pause after a key point.
Rehearse the passage at a slower pace.


00:40 / EXAMPLE STRENGTH

Keep a steady pace while
facing toward the audience.

Synthetic inputs • authored audience/feedback • microphone and camera off • not computed engagement

One shared clock. One audience engine.

Normalized events connect independent adapters to audience reactions and session feedback.



Python + FastAPI / React + TypeScript / loopback transport / injected subsystem seams

Validated: contracts, lifecycle, replay and loopback shell. Live blocks await owner handoffs / INT-02.



Handle missing signals honestly.

A shared capture-time timeline makes audience changes and later feedback explainable.

TIMELINE

Capture time is preserved.

Late observations retain their original timestamps.
Sessions keep separate IDs.

FAILURES

Unknown stays unknown.

Unavailable inputs carry explicit status and nulls.
Startup and drain are bounded.

LOCAL-DATA DESIGN

Keep rehearsal processing local.

No cloud inference planned.
Raw recording off by default.
Live privacy checks still pending.

Contracts/fake-adapter lifecycle tested. Actual capture cleanup, live privacy and inference delay remain unmeasured.



ASUS UGen300 USB-8G

Intended Hailo-10H acceleration behind the same speech and vision adapter seams.

Hailo-10H

Chipset

8 GB

LPDDR4

USB 3.1 Gen2

Type-C interface

SPEECH / CANDIDATE

Whisper Tiny / Base / Small

Windowing and delivery delay need testing.

VISION / CANDIDATE

Hailo-10H pose HEFs

USB + concurrent compatibility unverified.

Vendor specifications and model candidates only. No UGen300 detected or measured on this development host.



A reproducible synthetic baseline.

Local checks validate contracts and lifecycle; they do not establish live inference performance.

97

tests passed

37

subtests passed

9 / 10

fixture cases / sessions

Checked: lifecycle and strict contracts,
late/revised events, failure handling,
repeated synthetic sessions.

Pending: real input accuracy, live
audience rules, generated coaching,
UGen300 performance.



Make rehearsal a repeatable loop.

Audience response is intended to make delivery changes easier to notice and practice.

FEEL THE CHANGE

Intuitive reactions

Use audience behavior to make delivery changes noticeable during practice.

REVISIT A MOMENT

Concrete next actions

Return to a timestamp and practice a specific delivery adjustment.

EVALUATE THE VALUE

A workplace pilot

Compare practice approaches; review clarity of feedback and willingness to rehearse again.

Expected value and evaluation plan. No measured user outcomes, ROI or accuracy claim.



Prove the live loop. Then measure the target.

Each milestone needs its own evidence; preparation merges do not complete live P0.

NOW / VERIFIED BASELINE

Synthetic scaffold

Contracts, lifecycle and repeatable examples.
English proposal preparation.

NEXT / INT-02

Live rehearsal

Owner speech/vision adapters, sole engine and coaching.
Record accepted real-input demo.

TARGET / INT-03

Measured UGen300

Resolve USB/runtime setup.
Measure concurrent operation.
Publish scoped, honest evidence.

Stage I can use host-based validation. Target-platform validation is required in Stage II; final submission gates remain pending.

Review the evidence. Run the prototype.

Source links and limitations accompany the proposal, with reproducible setup in the repository.

<https://github.com/crasni/LeCoach>

- Official competition rules
- ASUS UGen300 USB-8G technical specifications
- Pinned Hailo GenAI models / Whisper candidates
- Pinned Hailo-10H pose model table
- LeCoach setup, architecture and implementation evidence

Detailed provenance: docs/SOURCES.md / Tested behavior and limits: docs/STATUS.md

Draft for team review • final recording, registration confirmation, publication and receipt pending