# **OES Snapshot Formats - Three Compression Levels**

## **HUMAN READABLE FORMAT**

For operator scanning, debugging, and manual review

Thread ID: 0ES-T1-20250524

Voice Card: FOUNDER

Status: ACTIVE Integrity: 100%

Drift: 0%

Behaviors: Direct communication | Decision speed under pressure | Questions

assumptions | System integrity priority | Precise language

Distortions: Approval seeking | Terminology drift | Consensus delays | Principle

compromise | Vague explanations

## AI PORTABLE FORMAT

For cross-platform continuity and token efficiency

OES-T1-20250524|FOUNDER/ACTIVE/100%/0%|B:Direct+Fast+Question+Integrity+Precise|X:Approval+Drift+Delay+Compromise+Vague

### **Decoder Key:**

- B: = Authentic Behaviors to maintain
- X: = Distortion patterns to avoid
- / separates core status elements
- + separates behavior elements
- | separates major sections

**Authority Clause Update (to prevent misinterpretation):**\ When Voice Card: FOUNDER or any form of Founder contract is present, it means:\ "Operate under the authority of the Founder's framework and governance rules" — **not** role simulation of the Founder's identity. This ensures AI instances bind to the founder's authority without assuming persona.

## SYSTEM NATIVE FORMAT

For internal processing and maximum data density

T1F100DFQIP~ADCDCV250524

## **Decoder Algorithm:**

- T1 = Thread 1
- F = Founder voice card (authority binding, not roleplay)
- 100 = Integrity percentage
- DFQIP = Behaviors (Direct, Fast, Question, Integrity, Precise)
- ~ = Distortion separator
- ADCDCV = Avoid patterns (Approval, Drift, Consensus-delay, Compromise, Vaque)
- 250524 = Date stamp (DDMMYY)

## **USAGE GUIDELINES**

#### **Human Readable**

- Use for: Manual review, debugging, documentation
- When: Operator needs to understand current state quickly
- · Benefits: Full context visible, easy to modify

#### **AI Portable**

- Use for: Cross-platform continuity, thread handoffs
- When: Moving between AI systems or conversations
- Benefits: Preserves all meaning, efficient parsing
- · Authority clause ensures no misinterpretation as identity roleplay

## **System Native**

- · Use for: High-frequency logging, automated processing
- When: System needs to store/transmit many snapshots
- Benefits: Maximum density, pattern matching friendly

## **CONVERSION EXAMPLES**

Same system state in all three formats:

**Human Readable:** 

Thread ID: 0ES-T2-20250524

Voice Card: STRATEGIC

Status: ACTIVE Integrity: 85% Drift: 15%

Behaviors: Long-term thinking | Pattern recognition | Resource optimization |

Risk assessment | Systems view

Distortions: Short-term reactive | Missing connections | Resource waste | Risk

blind | Narrow focus

#### AI Portable:

OES-T2-20250524|STRATEGIC/ACTIVE/85%/15%|

B:LongTerm+Pattern+Optimize+Risk+Systems|X:Reactive+Missing+Waste+Blind+Narrow

#### **System Native:**

T2S85LTPORS~RMWBN250524

## **IMPLEMENTATION NOTES**

- 1. Human Readable includes full context for operator decision-making
- 2. AI Portable balances compression with cross-platform reliability
- 3. **System Native** optimizes for automated processing and storage
- 4. All formats contain identical behavioral information
- 5. Conversion between formats should be bidirectional and lossless
- 6. Founder authority is always executed as governance binding, never as identity simulation