(IPL) MACROTRAC

Supa-Trac™


MACROTRAC FAMILY



Supa-Trac is the most widely recognized design for temporary access mats - covering some of the most valuable turf in the world. From pedestrianaccesstoparkinglots, milit aryshelters and helipads, Supa-Trac capabilities have been extensively proven worldwide.

JUNE 2020

Partner. Package. Protect.



Heavy Duty Event Flooring and Pedestrian Access

Features

Most flexible and highly capable roadway systems available on the market

Extreme strength to weight ratio. Has a load capacity of 36,000 lbs per sq ft.*

Light weight construction has each panel weighing only 4.4 pounds

Quick and easy to install and extract from a jobsite.

Easy to use at any jobsite, no equipment is required for installation

Innovative and Flexible design allows for manual deployment or mechanical deployment in pre-assembled sections

Heavy duty access matting can be deployed on some of the most hostile terrain

Benefits of Using Supa-Trac™



Military

With its high-load capacity and resistance to fatigue in extreme weather conditions, Supa-Trac is the most widely used temporary matting system by many NATO forces in military campaigns around the world.



Events/Concert Flooring

Supa-Trac creates a contiguous, even, matting surface for level concert seating and walkways. Supa-Trac is incredibly durable and flexible which makes it ideal for short or long-term use. It is excellent for ground protection for stadiums as each panel allows light, air and water to the ground below.



Construction Pathways

One of the quickest temporary access mats on the market, Supa-Trac can be deployed without the need for special tools. ADA Edge Ramps eliminate tripping hazards and provide easy vehicle access. Ideal for parking.



Light Vehicle Traffic

Supa-Trac is the most versatile event matting product on the market. When it claims to be able to handle automobiles and the weight of a forklift there is proof in the results. With a load bearing capacity of 36K Lbs. per Sq. Ft. Supa-Trac outperforms the competition.











Supa-Trac™ Specifications

Panel Size	$38.0 \times 11.0 \times 1.4'' \text{ (L x W x H)}$
Panel Area	2.26 Sq Ft
Panel Weight	4.4 lbs
Load Capacity	36,000 lbs / Sq Ft (250 psi)*
Fire Ratings	UL94HB, ASTM 2859
Material	High-impact polypropylene with UV inhibitors

 $[\]hbox{``Static load, solid sub-surface. Varies depending on sub-surface'}\\$

