

API PLANNING DOCUMENT

Race_System API Endpoint Plan

A clean, role-based REST API for the South African road running, walking, and cycling community.

Role Overview

Every route below is guarded by one of these two roles, plus a public tier for anyone.

Organiser

Manages events

Clubs, running committees, and event owners who create and run races.

- Creates, edits, and cancels events
- Defines race categories and entry fees
- Views and manages the full entry list
- Checks participants in and captures results

Participant

Joins events

Runners, walkers, and cyclists who browse and enter events.

- Browses public events and categories
- Enrols in a category and manages their entry
- Views their own upcoming entries
- Checks their personal results and race history

Auth & Users

Account creation, login, and self-service profile management.

Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/auth/register	Creates a new user account for either an Organiser or a Participant. The server hashes the submitted password before storing it and returns the created profile so the client can proceed straight to login.	Public	{ name, email, password, role }	201 Created – new user object
POST	/api/auth/login	Validates an email and password combination against stored credentials and, if correct, issues a signed authentication token that the client attaches to all subsequent protected requests.	Public	{ email, password }	200 OK – JWT token + user summary
GET	/api/users/me	Returns the full profile of whichever user is currently authenticated, identified from the token in the request header rather than an ID in the URL, so no user can query another's profile this way.	Authenticated	–	200 OK – user profile object
PUT	/api/users/me	Lets an authenticated user update their own contact details and emergency contact information. It only ever modifies the caller's own record and cannot be used to edit another user's profile.	Authenticated	{ name, phone, emergencyContact }	200 OK – updated user object
DELETE	/api/users/me	Deactivates the authenticated user's own account rather than permanently erasing it, preserving their historical event entries and results for reporting and audit purposes.	Authenticated	–	204 No Content

Events

Creating and browsing race events, such as timed runs, cycling tours, and organised walks.

Method	Route	Description	Role Required	Request Body	Expected Response
GET	/api/events	Returns a list of upcoming events visible to anyone, typically used to populate a public events calendar and to support filtering by date, location, or discipline.	Public	–	200 OK – array of event summaries
GET	/api/events/:id	Retrieves the complete details of a single event, including its description, venue, and associated categories, for display on that event's dedicated page.	Public	–	200 OK – event object
POST	/api/events	Creates a new event record under the authenticated Organiser's account. The event exists in the system immediately but should only be surfaced publicly once the Organiser is ready.	Organiser	{ name, date, location, description }	201 Created – event object
PUT	/api/events/:id	Updates the core details of an event the Organiser already owns, such as its date, venue, or description, without affecting any categories or enrolments already attached to it.	Organiser	{ name, date, location, description }	200 OK – updated event object
DELETE	/api/events/:id	Cancels an event and removes it from public listings. Because participants may already be enrolled, the Organiser is expected to notify them separately once this action is taken.	Organiser	–	204 No Content

Categories

The distance or discipline options within an event, such as separate 5km, 10km, and 21km entries.

Method	Route	Description	Role Required	Request Body	Expected Response
GET	/api/events/:id/categories	Lists every distance or discipline option available within a specific event so a participant can compare them and choose the right one before enrolling.	Public	–	200 OK – array of categories
POST	/api/events/:id/categories	Adds a new category to an existing event, defining its distance, scheduled start time, and entry fee so it becomes available for participants to select when enrolling.	Organiser	{ name, distanceKm, startTime, entryFee }	201 Created – category object
PUT	/api/categories/:id	Updates the details of a single category, for example adjusting its entry fee or start time ahead of race day, without affecting the parent event or its other categories.	Organiser	{ name, distanceKm, startTime, entryFee }	200 OK – updated category object
DELETE	/api/categories/:id	Removes a category from an event entirely. This should be handled carefully, or blocked outright, if participants are already enrolled in it.	Organiser	–	204 No Content

Event Enrolments

How participants sign up for a category, and how organisers see who has entered.

Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/events/:id/enrol	Registers the currently authenticated participant into a specific category of an event, capturing the emergency contact details required for race-day safety at the same time.	Participant	{ categoryId, emergencyContact }	201 Created – enrolment object
GET	/api/events/:id/enrolments	Returns the full list of participants enrolled in an event, intended for the Organiser to confirm numbers and prepare logistics such as race packs and start batches.	Organiser	–	200 OK – array of enrolments
GET	/api/users/me/enrolments	Returns every event the currently authenticated participant has entered, so they can review all of their upcoming commitments from a single screen.	Participant	–	200 OK – array of enrolments
DELETE	/api/enrolments/:id	Withdraws the authenticated participant from an event they previously entered, freeing their place in that category and removing it from their upcoming entries.	Participant	–	204 No Content

Attendance & Performance

Race-day check-in, capturing results, and letting participants review their personal history.

Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/enrolments/:id/checkin	Records that a participant has physically arrived and checked in at the venue on race day, typically confirmed at a registration desk shortly before their category starts.	Organiser	{ checkpointTime }	200 OK – updated enrolment object
PUT	/api/enrolments/:id/result	Captures a participant's official finish time and overall placing once they have completed the race, updating their enrolment record so it can feed into the published results list.	Organiser	{ finishTime, placing }	200 OK – result object
GET	/api/events/:id/results	Returns the finalised results for an entire event, ordered by category and finishing position, viewable by anyone once the Organiser has published them.	Public	–	200 OK – array of results
GET	/api/users/me/results	Returns the authenticated participant's personal history of past results across every event they have completed, useful for tracking performance and progress over time.	Participant	–	200 OK – array of personal results