



Single and Multi-Zone Systems V23.8



Warranty Claim:
Warranty@DaikinComfort.com



Technical Support:
Phone: (855) 324-5461
Techsupport@DaikinComfort.com



Website:
www.daikinac.com

Updated Jun-2023

	Standard No Registration Required	Commercial No Registration Required	Residential Without Registration	Residential With Registration
17 Series, CIRRA				
SKYAIR, NV-30/36, LV-30/36				
19 Series, AURORA, EMURA, LV, FDMQ, VISTA, Quaternity, MXS, RMXS, MXL				

*Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 10-Year or 12-Year Parts Limited Warranties, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec.

AsureSM

EXTENDED SERVICE PLAN

17 Series, CIRRA, SKYAIR, NV-30/36, LV-30/36, ENTRA, POLARA	Transferable?	Indoor		Outdoor	
		Plan Number	Price	Plan Number	Price
10 Year Labor	No	DDI10L-NT	\$	DDO10L-NT	\$
6-10 Year Parts and 10 Year Labor	Yes	DDI10PL-T	\$	DDO10PL-T	\$

19 Series, AURORA, EMURA, LV, FDMQ, VISTA, Quaternity, MXS, RMXS, MXL, MXLH, OTERRA	Transferable?	Indoor		Outdoor	
		Plan Number	Price	Plan Number	Price
12 Year Labor	No	DDI12L-NT	\$	DDO12L-NT	\$
6-12 Year Parts and 12 Year Labor	Yes	DDI12PL-T	\$	DDO12PL-T	\$
5 Year Unit Replacment	No	N/A	N/A	DDUE5-NT	\$
12 Year Unit Replacment	No	N/A	N/A	DDUE12-NT	\$

ASURESM PROVIDES YEARS OF WORRY-FREE COMFORT

With an Asure Extended Service Plan**, you'll have your choice of up to 12-years of worry-free comfort without the unexpected cost of replacement parts or labor expenses should your Daikin brand equipment require covered service. If a covered repair is needed, an Authorized Asure Dealer will respond promptly and make repairs with quality Daikin brand parts.

Asure coverage is affordable, on average costing only pennies a day. It's valuable coverage that protects you today and in the future, no matter how much the cost of service may increase over the life of your Daikin brand equipment.

**An Asure Service Agreement is only available through an Authorized Asure Dealer. Visit the Dealer Locator to find an Asure Dealer near you

Daikin ENTRA 18 seer2

0.75 Ton to 2.0 Ton Heat Pump

Up to 18 SEER2 & 9 HSPF2

Single Zone Wall-Mount Systems


Standard Operating Range:

Heating: 5°F/-15°C - 64.4°F/18°C

Cooling: 50°F/10°C - 114.8°F/60°C

Standard Features

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Self Diagnostics with Digital Display
- Eco+ Mode / Dry Function / Powerful Mode
- Auto Fan Speed Control
- Anti-Corrosion Treatment on Heat Exchanger
- Wireless IR Remote Controller Included
- Indoor/Outdoor Unit Quiet Operation
- Auto Restart after Power Failure
- **Max Piping (09/12 MBH): 66' Length, 33' Height**
- **Max Piping (18/24 MBH): 98' Length, 33' Height**



Daikin ENTRA Wall-Mount Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RXB09BXVJU	\$ 530.92	FTXB09BXVJU	\$ 283.40	9,000	18	11.0	9	11 $\frac{3}{8}$ x 35 x 8 $\frac{1}{4}$	55/20	$\frac{1}{4}$ x $\frac{3}{8}$	15	\$814.32
RXB12BXVJU	\$ 583.96	FTXB12BXVJU	\$ 321.88	12,000	18	8.5	9	11 $\frac{3}{8}$ x 35 x 8 $\frac{1}{4}$	62/21	$\frac{1}{4}$ x $\frac{3}{8}$	15	\$905.84
RXB18BXVJU	\$ 841.88	FTXB18BXVJU	\$ 343.72	18,000	18	10.5	8.5	12 $\frac{1}{2}$ x 46 $\frac{5}{8}$ x 9 $\frac{1}{2}$	97/31	$\frac{1}{4}$ x $\frac{1}{2}$	20	\$1,185.60
RXB24BXVJU	\$ 1,006.20	FTXB24BXVJU	\$ 410.80	24,000	18	10.5	8.5	12 $\frac{1}{2}$ x 46 $\frac{5}{8}$ x 9 $\frac{1}{2}$	97/31	$\frac{1}{4}$ x $\frac{5}{8}$	20	\$1,417.00

Optional Accessories		
Indoor Unit		Price
DACA-CP4-1	External Condensate Pump	\$265.72
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat	\$552.50
DTST-LTE-LA-A	Daikin One Lite Smart Thermostat	\$249.60
AZAI6WSCDKB	DKN Residential Cloud Wi-Fi Adaptor	\$182.00
AZAI6WSPDKC	DKN+ Interface	\$182.00
BRC51D61	Wired Controller	\$179.40
DACA-CP1-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$247.52

Outdoor Unit		Price
DACA-WB-1	Powder-Coated Wall-Mounted Bracket	\$36.40

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

Daikin OTERRA 20 seer2

0.75 Ton to 2.0 Ton Cooling Only or Heat Pump

Up to 20 SEER2 & 10.0 HSPF2

Single-Zone Wall-Mount System

Standard Operating Range:

Heating: 5°F/-15°C - 64.4°F/18°C

Cooling: 50°F/10°C - 114.8°F/60°C



Standard Features

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Self Diagnostics with Digital Display
- Eco+ Mode / Dry Function / Powerful Mode
- Auto Fan Speed Control
- Anti-Corrosion Treatment on Heat Exchanger
- Wireless Backlit, IR Remote Controller
- Indoor Unit Quiet Operation
- Auto Restart after Power Failure
- Max Piping (09/12 MBH): 66' Length, 49' Height
- Max Piping (18/24 MBH): 98' Length, 66' Height

Daikin OTERRA Wall-Mount Systems - Heat Pump

Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RX09BXVJU	\$ 681.20	FTX09BXVJU	\$ 375.44	9,000	20	12.5	10	11½ x 30 ²⁹ / ₃₂ x 9 ²⁷ / ₃₂	55/20	¼ x ⅜	15	\$ 1,056.64
RX12BXVJU	\$ 775.32	FTX12BXVJU	\$ 410.28	12,000	20	12.5	10	11½ x 30 ²⁹ / ₃₂ x 9 ²⁷ / ₃₂	62/21	¼ x ⅜	15	\$ 1,185.60
RX18BXVJU	\$ 1,277.64	FTX18BXVJU	\$ 497.12	18,000	20	12.5	9	11 ¹¹ / ₁₆ x 39½ x 11½	97/31	¼ x ½	20	\$ 1,774.76
RX24BXVJU	\$ 1,355.12	FTX24BXVJU	\$ 544.96	24,000	20	12.2	9	11 ¹¹ / ₁₆ x 39½ x 11½	104/31	¼ x ⅝	20	\$ 1,900.08

Daikin OTERRA Wall-Mount Systems - Cooling Only

Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RK09BXVJU	\$ 603.20	FTK09BXVJU	\$ 340.60	9,000	20	12.5	-	11½ x 30 ²⁹ / ₃₂ x 9 ²⁷ / ₃₂	53/20	¼ x ⅜	15	\$943.80
RK12BXVJU	\$ 663.00	FTK12BXVJU	\$ 403.00	12,000	20	12.5	-	11½ x 30 ²⁹ / ₃₂ x 9 ²⁷ / ₃₂	60/21	¼ x ⅜	15	\$1,066.00
RK18BXVJU	\$ 1,123.20	FTK18BXVJU	\$ 491.40	18,000	20	12.5	-	11 ¹¹ / ₁₆ x 39½ x 11½	95/31	¼ x ½	20	\$1,614.60
RK24BXVJU	\$ 1,216.80	FTK24BXVJU	\$ 535.08	24,000	20	12.2	-	11 ¹¹ / ₁₆ x 39½ x 11½	101/31	¼ x ⅝	20	\$1,751.88

Optional Accessories

Indoor Unit		Price
AZA16WSCDKB	DKN Residential Cloud Wi-Fi Adaptor (For use with DKN Cloud NA App)	\$182.00
BRC944B2-A08	Wired Remote Controller Kit	\$179.09
BRCW901A08	Wired Remote Controller Cord - 8m (Included in above kit)	\$0.65
BRC51D61	Wired Remote Controller Kit	\$179.40
DTST-ONE-ADA-A	Daikin One+ Smart Thermostat	\$552.50
DTST-LTE-LA-A	Daikin One Lite Smart Thermostat	\$249.60
AZA16WSPDKC	DKN+ Interface	\$182.00
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft	\$67.70
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft	\$121.58
BRCW901A03	Wired Remote Controller Cord - 3m	\$22.57
DACA-CP-1	External Condensate Pump	\$265.72
DACA-CP1-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$247.52

Outdoor Unit

DACA-WB-1	Powder-Coated Wall-Mounted Bracket	\$36.40
KPW937F4	Air direction adjustment grille (09 & 12)	\$177.63
KPW063B4E	Air direction adjustment grille (18 & 24)	\$187.10
KEH067A41E	Daikin BMS DrainPan Heater Small RX09,12	\$163.80
KEH063A4EA	Daikin BML DrainPan Heater Large RX18,24	\$161.62
KKG067A41	Back protection wire net (09 & 12)	\$124.49

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

Daikin POLARA & LV Series 30/36

2.5 Ton and 3.0 Ton Cooling Only or Heat Pump

Up to 19.3 SEER & 9.3 HSPF

Single Zone Wall-Mount Systems

Standard Operating Range:

Heating: 5°F/-15°C - 64.4°F/18°C

Cooling: 14°F/-10°C - 114.8°F/60°C



Standard Features

- **POLARA - Low Ambient Cooling Down To -22°F ****
- **LV - Low Ambient Cooling Down To -40°F ***
- Inverter Compressor
- 208/230/1 Power Supply
- Auto Changeover (Heat Pump Only)
- Auto Fan Speed Control
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger

- Intelligent Eye
- 3-D Airflow
- Comfort Mode
- Weekly Timer
- Ultra Low Ambient Option
- Outdoor Unit Quiet Operation
- Vertical Auto Swing
- **Max Piping (18/24 MBH): 164' Length, 98' Height**
- **Max Piping (30/36 MBH): 98' Length, 66' Height**

** With Air Adjustment Grille & Field Settings, Cooling Only systems

* Ultra Low Ambient Kit

Daikin POLARA Series 30/36

Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
Cooling Only												
RK30WMVJU9	\$ 1,770.60	FTX30WVJU9	\$ 764.40	30,000	17.5	9.85	N/A	13 ³ / ₈ x 47 ¹ / ₄ x 10 ³ / ₁₆	132 / 38	1/4 X 5/8	20	\$2,535.00
RK36WMVJU9	\$ 2,145.00	FTX36WVJU9	\$ 923.00	36,000	15.9	9.10	N/A	13 ³ / ₈ x 47 ¹ / ₄ x 10 ³ / ₁₆	132 / 38	1/4 X 5/8	20	\$3,068.00
Heat Pump												
RX30WMVJU9	\$ 2,054.00	FTX30WVJU9	\$ 764.40	30,000	17.5	9.85	7.5	13 ³ / ₈ x 47 ¹ / ₄ x 10 ³ / ₁₆	133 / 38	1/4 X 5/8	20	\$2,818.40
RX36WMVJU9	\$ 2,704.00	FTX36WVJU9	\$ 923.00	36,000	15.9	9.10	7.5	13 ³ / ₈ x 47 ¹ / ₄ x 10 ³ / ₁₆	133 / 38	1/4 X 5/8	20	\$3,627.00

LV Series 30/36

Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
Cooling Only												
RKS30LVJU	\$ 2,247.44	FTXS30LVJU	\$ 916.76	30,000	19.3	10.7	N/A	13 ³ / ₈ x 47 ¹ / ₄ x 9 ⁷ / ₁₆	179 / 38	3/8 X 5/8	20	\$3,164.20
RKS36LVJU	\$ 2,369.64	FTXS36LVJU	\$ 993.20	36,000	17.9	8.4	N/A	13 ³ / ₈ x 47 ¹ / ₄ x 9 ⁷ / ₁₆	179 / 38	3/8 X 5/8	20	\$3,362.84

Optional Accessories

Indoor Unit		Price
AZAI6WSCDKB	DKN Residential Cloud Wi-Fi Adaptor (For use with DKN Cloud NA App)	\$182.00
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
DTST-LTE-LA-A	Daikin One Lite Smart Thermostat	\$249.60
AZAI6WSPDKC	DKN Plus Interface	\$182.00
BRC944B2-A08	Wired Remote Controller	\$179.09
BRCW901A08	Wired Remote Controller Cord - 8m (included in above kit)	\$0.65
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft	\$67.70
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft	\$121.58
BRCW901A03	Wired Remote Controller Cord - 3m	\$30.00
DACA-CP4-1	External Condensate Pump	\$265.72
DACA-CP1-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$247.52

Outdoor Unit

KEHC082A41	Ultra Low Ambient Kit (RKS30LVJU & FTXS30LVJU)	\$1,421.06
KEHC082A42	Ultra Low Ambient Kit (RKS36LVJU & FTXS36LVJU)	\$1,421.06
KPW5G112	Air Adjustment Grille (LV Series)	\$270.09
RAQAHLGD1	Rear Coil Guard (NV Series)	\$101.19
KEH063A4E	Drain Pan Heater (NV Series)	\$161.62
KPW063B4	Air Adjustment Grille (NV Series)	\$192.92
KKG063A42	Back protection wire net	\$149.97

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

Daikin *EMURA*

0.75 Ton to 1.5 Ton Heat Pump
Up to 18 SEER2 & 8 HSPF2
Single Zone Wall-Mount System
Standard Operating Range:

Heating: 5°F/-15°C - 64.4°F/18°C
 Cooling: 50°F/10°C - 114.8°F/60°C

Standard Features

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Self Diagnostics
- Hot-start function
- 2-Area Intelligent Eye
- Anti-Corrosion Treatment on ODU Heat Exchanger
- Indoor Unit Quiet Operation
- Auto Restart after Power Failure
- **Max Piping (09/12 MBH): 66' Length, 49' Height**
- **Max Piping (18 MBH): 98' Length, 66' Height**



EMURA Single Zone Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RX09WMVJU9	\$ 855.92	FTXR09WVJUW9	\$ 577.20	9,000	18	11.0	7.5	11- ¹ / ₁₆ × 39- ³ / ₁₆ × 8- ³ / ₈	63/27	¼ x ¾	15	\$1,433.12
RX12WMVJU9	\$ 1,130.48	FTXR12WVJUW9	\$ 666.12	12,000	17	11.0	8	11- ¹ / ₁₆ × 39- ³ / ₁₆ × 8- ³ / ₈	63/27	¼ x ¾	15	\$1,796.60
RX18WMVJU9	\$ 1,492.40	FTXR18WVJUW9	\$ 843.96	18,000	14.5	9.6	7.8	11- ¹ / ₁₆ × 39- ³ / ₁₆ × 8- ³ / ₈	100/27	¼ x ½	15	\$2,336.36
RX09WMVJU9	\$ 855.92	FTXR09WVJUS9	\$ 603.20	9,000	18	11	7.5	11- ¹ / ₁₆ × 39- ³ / ₁₆ × 8- ³ / ₈	63/27	¼ x ¾	15	\$1,459.12
RX12WMVJU9	\$ 1,130.48	FTXR12WVJUS9	\$ 693.16	12,000	17	11	8	11- ¹ / ₁₆ × 39- ³ / ₁₆ × 8- ³ / ₈	63/27	¼ x ¾	15	\$1,823.64
RX18WMVJU9	\$ 1,492.40	FTXR18WVJUS9	\$ 869.96	18,000	14.5	9.6	7.8	11- ¹ / ₁₆ × 39- ³ / ₁₆ × 8- ³ / ₈	100/27	¼ x ½	15	\$2,362.36

Optional Accessories		
Indoor Unit		Price
AZAI6WSCDKB	DKN Residential Cloud Wi-Fi Adaptor (For use with DKN Cloud NA App)	\$182.00
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
BRC944B2-A08	Wired Remote Controller	\$179.09
BRCW901A08	Wired Remote Controller Cord - 8m (Included in above kit)	\$0.65
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft	\$67.70
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft	\$121.58
BRCW901A03	Wired Remote Controller Cord - 3m	\$22.57
DTST-LTE-LA-A	Daikin One Lite Smart Thermostat	\$249.60
AZAI6WSPDKC	DKN Plus Interface	\$182.00
DACA-CP4-1	External Condensate Pump	\$265.72
DACA-CP1-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$247.52
KAF970A45	Titanium apatite photocatalytic air-purifying filter WITH frame	\$81.54
KAF970A46	Titanium apatite photocatalytic air-purifying filter WITHOUT frame	\$66.25

Outdoor Unit		Price
DACA-WB-1	Powder-Coated Wall-Mounted Bracket	\$36.40
KPW063B4	Air direction adjustment grille (15, 18 & 24)	\$192.92
KPW937F4	Air direction adjustment grille (09 & 12)	\$177.63
KEH067A41E	Daikin BMS Drain Pan Heater Small (09 & 12)	\$163.80
KEH063A4E	Daikin BML Drain Pan Heater Large (15, 18 & 24)	\$161.62
KKG067A41	Back protection wire net (09 & 12)	\$124.49
KKG063A42	Back protection wire net (15, 18 & 24)	\$149.97
RAQAHLGD2	Rear Coil Guard (09 & 12)	\$94.64
RAQAHLGD1	Rear Coil Guard (18)	\$101.19
KPS067A41	Snow hood (intake side plate) (09 & 12)	\$232.96
KPS067A42	Snow hood (intake rear plate) (09 & 12)	\$246.06
KPS067A44	Snow hood (outlet) (09 & 12)	\$273.00
KPS063A41	Snow hood (intake side plate) (15, 18 & 24)	\$232.96
KPS063A44	Snow hood (intake rear plate) (15, 18 & 24)	\$262.81
KKP937A4	Drain Plug for OD Unit	\$24.02

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

Daikin Aurora Single Zone Systems

0.75 Ton to 2 Ton Heat Pump

UP to 19.8 SEER2 & Up To 10 HSPF2

Single Zone Wall-Mount, Low-Wall/Floor-Mount & Ducted Concealed System

Up to 100% Heating capacity at 5°F / -15°C

Up to 100% Cooling capacity at 104°F / 40°C

Standard Operating Range:

Heating: -13°F/-25°C - 60°F/15.5°C

Cooling: 50°F/10°C - 114.8°F/60°C

Standard Features

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Self Diagnostics with Digital Display
- Econo Mode / Dry Function / Powerful Mode
- Auto Fan Speed Control
- Anti-Corrosion Treatment on Heat Exchanger
- Wireless Backlit, IR Remote Controller
- Indoor/Outdoor Unit Quiet Operation
- Auto Restart after Power Failure
- **Max Piping (09/12 MBH): 65' Length, 49' Height**
- **Max Piping (15 MBH): 98' Length, 66' Height**



Daikin AURORA Wall-Mount Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RXL09WMVJU9	\$ 935.48	FTX09WMVJU9	\$ 427.44	9,000	19.5	11.5	10	11¼ x 30½ ₁₆ x 8¼	63/18	¼ x ¾	15	\$1,362.92
RXL12WMVJU9	\$ 1,133.60	FTX12WMVJU9	\$ 468.00	12,000	19.5	11.5	10	11¼ x 30½ ₁₆ x 8¼	73/18	¼ x ¾	15	\$1,601.60
RXL15WMVJU9	\$ 1,651.00	FTX15WMVJU9	\$ 509.60	15,000	19.5	12.0	10	11¼ x 39 x 10½	109/27	¼ x ½	15	\$2,160.60
RXL18WMVJU9	\$ 1,755.00	FTX18WMVJU9	\$ 561.60	18,000	19.8	11.5	8.5	13¼ x 41½ ₁₆ x 10¼	132/33	¼ x ½	20	\$2,316.60
RXL24WMVJU9	\$ 2,015.00	FTX24WMVJU9	\$ 611.00	24,000	19.5	11.5	8.5	13¼ x 41½ ₁₆ x 10¼	132/33	¼ x ¾	20	\$2,626.00

Daikin AURORA Low-Wall/Floor-Mount Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RXL09WMVJU9	\$ 935.48	FVXS09WMVJU9	\$ 698.36	9,000	19.5	11.5	9.7	23¾ x 27½ ₁₆ x 8¼	63/31	¼ x ¾	15	\$1,633.84
RXL12WMVJU9	\$ 1,133.60	FVXS12WMVJU9	\$ 770.64	12,000	19.5	11	9.4	23¾ x 27½ ₁₆ x 8¼	73/31	¼ x ¾	15	\$1,904.24
RXL15WMVJU9	\$ 1,651.00	FVXS15WMVJU9	\$ 780.00	15,000	19.5	11.5	9.3	23¾ x 27½ ₁₆ x 8¼	109/31	¼ x ½	15	\$2,431.00

Daikin AURORA FDMQ Ducted Concealed Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RXL12WMVJU9	\$ 1,133.60	FDMQ12WMVJU9	\$ 914.68	12,000	14.6	8.9	8.90	9¾ x 27½ ₁₆ x 31½	73/64	¼ x ¾	15	\$2,048.28
RXL18WMVJU9	\$ 1,755.00	FDMQ18WMVJU9	\$ 1,236.04	18,000	15.2	10	8.5	9¾ x 39¾ x 31½	132/82	¼ x ½	20	\$2,991.04
RXL24WMVJU9	\$ 2,015.00	FDMQ24WMVJU9	\$ 1,342.12	24,000	15.2	9.6	8.4	9¾ x 39¾ x 31½	132/82	¼ x ¾	20	\$3,357.12

FDMQ Required Accessories (1 controller per IDU)		
Indoor Unit		Price
BRC1H71W	Madoka Remote Controller	\$189.28
BRC1E73	Wired Navigation Remote Controller	\$294.11
BRC082A43	Wireless Remote Controller	\$310.13

Optional Accessories		
Indoor Unit		Price
AZA16WSCDKB	(FTX and FVXS Only) DKN Residential Cloud Wi-Fi Adaptor (For use with DKN Cloud NA App)	\$182.00
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
DTST-LTE-LA-A	Daikin One Lite Smart Thermostat	\$249.60
BRC944B2-A08	(FTX and FVXS Only) Wired Remote Controller kit (Adaptor Required)	\$179.09
BRCW901A08	Wired Remote Controller Cord - 8m (Included in above kit)	\$0.65
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft	\$67.70
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft	\$121.58
BRCW901A03	Wired Remote Controller Cord - 3m	\$22.57
AZA16WSPDKC	DKN Plus Interface	\$182.00
KRP980B2E	(FTX Only) Adaptor for wired remote controller (15)	\$190.74
KRP067A41E	(FTX Only) Adaptor for wired remote controller (09 & 12)	\$161.62
KAF970A45	(FTX Only) Titanium apatite photocatalytic air-purifying filter WITH frame	\$81.54
KAF970A46	(FTX Only) Titanium apatite photocatalytic air-purifying filter WITHOUT frame	\$66.25
KAF968B42	(FVXS Only) Titanium apatite photocatalytic air-purifying filter WITH frame	\$66.25
DACA-CP4-1	External Condensate Pump	\$265.72
DACA-CP1-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$247.52
AZA16WSCDKA	(FDMQ Only) DKN Cloud WiFi Adaptor	\$182.00
KRCSH2018-01	(FDMQ Only) Button Sensor Kit	\$84.45
DFBS27A13	(FDMQ Only) MERV 13 Filter Kit for FDMQ (12)	\$291.20
DFBS39A13	(FDMQ Only) MERV 13 Filter Kit for FDMQ (18,24)	\$345.80
SQM13A20	(FDMQ Only) Repl 20" MERV13 Filter SQ 6/BX	\$284.65
SQM13A25	(FDMQ Only) Repl 25" MERV13 Filter SQ 6/BX	\$316.68
KRP1C74	(FDMQ Only) Wiring Adaptor PCB (Mounting plate required)	\$172.54
KRP4A98	(FDMQ Only) Mounting plate for Wiring Adaptor PCB	\$149.97

Outdoor Unit		Price
DACA-WB-1	Powder-Coated Wall-Mounted Bracket	\$36.40
KPW063B4	Air direction adjustment grille (15, 18 & 24)	\$192.92
KPW937F4	Air direction adjustment grille (09 & 12)	\$177.63
KEH067A41E	Daikin BMS DrainPan Heater Small RX09,12 & RXN09,12	\$163.80
KEH063A4E	Daikin BML DrainPan Heater Large (15, 18 & 24)	\$161.62
KKG067A41	Back protection wire net (09 & 12)	\$124.49
KKG063A42	Back protection wire net (15, 18 & 24)	\$149.97
RAQAHLDG1	Rear Coil Guard (15, 18 & 24)	\$101.19
RAQAHLDG2	Rear Coil Guard (09 & 12)	\$94.64
KPS067A41	Snow hood (intake side plate) (09 & 12)	\$232.96
KPS067A42	Snow hood (intake rear plate) (09 & 12)	\$246.06
KPS067A44	Snow hood (outlet) (09 & 12)	\$273.00
KPS063A41	Snow hood (intake side plate) (15, 18 & 24)	\$232.96
KPS063A44	Snow hood (intake rear plate) (15, 18 & 24)	\$262.81
KPS063A47	Snow hood (outlet) (15, 18 & 24)	\$422.97
KKP937A4	Drain Plug for OD Unit	\$24.02

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

Daikin *ATMOSPHERA*

0.75 Ton to 2.0 Ton Heat Pump

Up to 27.4 SEER2 & 11.2 HSPF2

Single Zone Wall-Mount

Standard Operating Range:

Heating: -13°F/-25°C - 64.4°F/18°C

Cooling: 50°F/-10°C - 114.8°F/60°C



Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Wireless Backlit, IR Remote Controller
- Precharged for up to 49 ft of Liquid Line
- Indoor Sound Pressure as Low as 22 dB(A)
- Outdoor Sound Pressures as Low as 47 dB(A)
- Built-In Wi-Fi for use with Daikin Comfort Control App
- **Max Piping (09/12 MBH): 82' Length, 65' Height**
- **Max Piping (15/18/24 MBH): 98' Length, 82' Height**

- Hybrid Cooling
- CLEAN Function
- 3-D Airflow
- Weekly Timer
- Intelligent Eye
- Powerful Operation
- Auto Fan Speed Control
- Outdoor Unit Quiet Operation
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display
- Anti-Corrosion Treatment on Outdoor Heat Exchanger

Daikin ATMOSPHERA Wall-Mount Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RXM09WVJU9	\$ 1,027.52	FTXM09WVJU9	\$ 444.60	9,000	27.4	16.3	11.2	11¾ x 36¼ x 10 ¹³ / ₁₆	96 / 29	¼ x ¾	15	\$1,472.12
RXM12WVJU9	\$ 1,240.20	FTXM12WVJU9	\$ 485.68	12,000	25.2	13.2	10.7	11¾ x 36¼ x 10 ¹³ / ₁₆	96 / 29	¼ x ¾	15	\$ 1,725.88
RXM18WVJU9	\$ 1,993.16	FTXM18WVJU9	\$ 634.92	18,000	22.7	12.5	10.0	11¾ x 43 ⁵ / ₁₆ x 10 ¹³ / ₁₆	132 / 33	¼ x ½	20	\$2,628.08
RXM24WVJU9	\$ 2,283.32	FTXM24WVJU9	\$ 689.52	24,000	22.0	12.5	10.0	11¾ x 43 ⁵ / ₁₆ x 10 ¹³ / ₁₆	132 / 33	¼ x 5/8	20	\$ 2,972.84

Optional Accessories		
Indoor Unit		Price
AZAI6WSCDKB	DKN Residential Cloud Wi-Fi Adaptor (For use with DKN Cloud NA App)	\$182.00
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
DTST-LTE-LA-A	Daikin One Lite Smart Thermostat	\$249.60
AZAI6WSPDKC	DKN Plus Interface	\$182.00
BRC944B2-A08	Wired Remote Controller	\$179.09
BRCW901A08	Wired Remote Controller Cord - 8m (included in above kit)	\$0.65
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft	\$67.70
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft	\$121.58
BRCW901A03	Wired Remote Controller Cord - 3m	\$22.57
KER087A41	s21 conversion connector (required for any controller)	\$32.50
DACA-CP1-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$247.52
DACA-CP4-1	External Condensate Pump	\$265.72

Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$115.75
KEH094A41E	Drain Pan Heater (09/12)	\$227.50
KEH063A4EA	Drain Pan Heater (18/24)	\$161.62
KKP937A4	Drain Plug for OD Unit	\$24.02
KKG020A41	Back protection Wire Net (09/12)	\$111.15
KKG063A42	Back protection Wire Net (18/24)	\$149.97
KPS034A41	Snow hood (intake side plate) (09/12)	\$214.50
KPS063A41	Snow hood (intake side plate) (18/24)	\$232.96
KPS034D42	Snow hood (intake rear plate) (09/12)	\$228.80
KPS063A44	Snow hood (intake rear plate) (18/24)	\$262.81
KPS034A43	Snow hood (outlet) (09/12)	\$253.50
KPS063A47	Snow hood (outlet) (18/24)	\$422.97
KPW937F4E	Low Ambient Wind Baffle / Air Adjustment Grille (09/12 MBH)	\$197.60
KPW063B4	Low Ambient Wind Baffle / Air Adjustment Grille (18/24)	\$192.92

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

Daikin VISTA

0.75 Ton to 1.5 Ton Heat Pump

19.8 SEER2 & Up To 9.4 HSPF2

Single Zone Ceiling Cassette

Standard Operating Range:

Heating: 5°F/-15°C - 64.4°F/18°C

Cooling: 50°F/10°C - 114.8°F/60°C

Standard Features

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Self Diagnostics
- Hot-start function
- Auto-swing (up and down)
- Anti-Corrosion Treatment on Heat Exchanger
- Indoor Unit Quiet Operation
- Auto Restart after Power Failure
- **Max Piping (09/12 MBH): 66' Length, 49' Height**
- **Max Piping (15/18 MBH): 98' Length, 66' Height**



Note: Décor panel and controller sold separately



VISTA Ceiling Cassette Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RX09WMVJU9	\$ 855.92	FFQ09W2VJU9	\$ 750.88	9,000	19.8	12.0	9.4	10-1/4" x 22-5/8" x 22-5/8"	63/36	1/4" x 3/8"	15	\$1,606.80
RX12WMVJU9	\$ 1,130.48	FFQ12W2VJU9	\$ 806.00	12,000	19.5	11.5	9	10-1/4" x 22-5/8" x 22-5/8"	63/36	1/4" x 3/8"	15	\$1,936.48
RX15WMVJU9	\$ 1,305.20	FFQ15W2VJU9	\$ 989.04	15,000	19.6	11.5	8.8	10-1/4" x 22-5/8" x 22-5/8"	100/36	1/4" x 1/2"	15	\$2,294.24
RX18WMVJU9	\$ 1,492.40	FFQ18W2VJU9	\$ 1,098.76	18,000	18.2	11.5	8.4	10-1/4" x 22-5/8" x 22-5/8"	100/39	1/4" x 1/2"	15	\$2,591.16

Required Accessories (1 controller and 1 Panel)		
Indoor Unit		Price
BRC1E73	Wired Navigation Remote Controller	\$294.11
BRC1H71W	Madoka Wired Controller	\$189.28
BRC082A42W	Wireless Remote Controller (White)	\$235.87
BRC082A42S	Wireless Remote Controller (Silver)	\$235.87
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
BYFQ60C2W1S	Low Profile Decoration Panel (Silver) - 1-13/16" x 24-7/16" x 24-7/16"	\$205.30
BYFQ60C2W1W	Low Profile Decoration Panel (White) - 1-13/16" x 24-7/16" x 24-7/16"	\$174.72

Optional Accessories		
Indoor Unit		Price
BRYQ60A2S	Sensor kit (Silver) Intelligent Eye, Comfort Airflow, and Floor Sensor	\$185.64
BRYQ60A2W	Sensor kit (White) Intelligent Eye, Comfort Airflow, and Floor Sensor	\$156.52
BDBHQ44C60	Sealing member of air discharge outlet	\$204.57
KAF441C60	Longlife filter	\$101.19
KRCSH2018-01	Button Sensor Kit	\$84.45
AZAI6WSCDKA	DKN Cloud WiFi Adapter	\$182.00
AZAI6WSPDKC	DKN Plus Interface	\$182.00
KRP1C75	Wiring Adaptor PCB (installation box required)	\$172.54
KRP1BB101	Wiring Adaptor PCB installation box	\$160.16

Outdoor Unit		Price
DACA-WB-1	Powder-Coated Wall-Mounted Bracket	\$36.40
KPW063B4	Air direction adjustment grille (15 & 18)	\$192.92
KPW937F4	Air direction adjustment grille (09 & 12)	\$177.63
KEH067A41E	Daikin BMS DrainPan Heater Small (09 & 12)	\$163.80
KEH063A4E	Daikin BML DrainPan Heater Large (15 & 18)	\$161.62
KKG067A41	Back protection wire net (09 & 12)	\$124.49
KKG063A42	Back protection wire net (15 & 18)	\$149.97
RAQAHLGD1	Rear Coil Guard (15 & 18)	\$101.19
RAQAHLGD2	Rear Coil Guard (09 & 12)	\$94.64
KPS067A41	Snow hood (intake side plate) (09 & 12)	\$232.96
KPS067A42	Snow hood (intake rear plate) (09 & 12)	\$246.06
KPS067A44	Snow hood (outlet) (09 & 12)	\$273.00
KPS063A44	Snow hood (intake rear plate) (15 & 18)	\$262.81
KPS063A47	Snow hood (outlet) (15 & 18)	\$422.97
KKP937A4	Drain Plug for OD Unit	\$24.02

Refer to Accessories Page for Line Set Options

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

FDMQ Ducted Concealed

0.75 Ton to 2 Ton Heat Pump

Up to 15.3 SEER2 & 8.2 HSPF2

Single Zone Ducted Concealed System

Standard Operating Range:

Heating: 5°F/-15°C - 64.4°F/18°C

Cooling: 50°F/10°C - 114.8°F/60°C



Standard Features

- Inverter Compressor
- Precharged for up to 33 ft of Liquid Line
- Self Diagnostics
- Hot-start function
- 0.6" of external static pressure
- Anti-Corrosion Treatment on ODU Heat Exchanger
- Indoor Unit Quiet Operation
- Auto Restart after Power Failure
- **Max Piping (09/12 MBH): 66' Length, 49' Height**
- **Max Piping (15/18/24 MBH): 98' Length, 66' Height**

FDMQ Ducted Concealed Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RX09WMVJU9	\$ 855.92	FDMQ09WVJU9	\$ 889.20	9,000	14.3	8.5	8.2	9 5/8" x 27 1/16" x 31 1/2"	63/64	1/4 x 3/8	15	\$1,745.12
RX12WMVJU9	\$ 1,130.48	FDMQ12WVJU9	\$ 914.68	12,000	14.6	8.8	8.1	9 5/8" x 27 1/16" x 31 1/2"	63/64	1/4 x 3/8	15	\$2,045.16
RX15WMVJU9	\$ 1,305.20	FDMQ15WVJU9	\$ 1,034.80	15,000	15.3	10.0	8.2	9 5/8" x 39 5/8" x 31 1/2"	100/77	1/4 x 1/2	15	\$2,340.00
RX18WMVJU9	\$ 1,492.40	FDMQ18WVJU9	\$ 1,236.04	18,000	15.3	9.4	8.2	9 5/8" x 39 5/8" x 31 1/2"	100/82	1/4 x 1/2	15	\$2,728.44
RX24WMVJU9	\$ 1,736.80	FDMQ24WVJU9	\$ 1,342.12	24,000	15.2	10.0	8.1	9 5/8" x 39 5/8" x 31 1/2"	109/82	1/4 x 5/8	20	\$3,078.92

Required Accessories (1 controller per IDU)		
Indoor Unit		Price
BRC1E73	Wired Navigation Remote Controller	\$294.11
BRC1H71W	Madoka Wired Controller	\$189.28
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
BRC082A43	Wireless Remote Controller	\$310.13

Optional Accessories		
Indoor Unit		Price
AZAI6WSCDKA	DKN Cloud WiFi Adapter	\$182.00
AZAI6WSPDKC	DKN Plus Interface	\$182.00
KRCSH2018-01	Button Sensor Kit	\$84.45
DFBS27A13	MERV 13 Filter Kit (09,12)	\$291.20
DFBS39A13	MERV 13 Filter Kit (15,18,24)	\$345.80
SQM13A20	Repl 20" MERV13 Filter SQ 6/BX	\$284.65
SQM13A25	Repl 25" MERV13 Filter SQ 6/BX	\$316.68
KRP1C74	Wiring Adaptor PCB (Mounting plate required)	\$172.54
KRP4A98	Mounting plate for Wiring Adaptor PCB	\$149.97

Outdoor Unit		Price
DACA-WB-1	Powder-Coated Wall-Mounted Bracket	\$36.40
KPW063B4	Air direction adjustment grille (15, 18 & 24)	\$192.92
KPW937F4	Air direction adjustment grille (09 & 12)	\$177.63
KEH067A41E	Daikin BMS Drain Pan Heater Small (09 & 12)	\$163.80
KEH063A4E	Daikin BML Drain Pan Heater Large (15, 18 & 24)	\$161.62
KKG067A41	Back protection wire net (09 & 12)	\$124.49
KKG063A42	Back protection wire net (15, 18 & 24)	\$149.97
RAQAHLGD1	Rear Coil Guard (15, 18 & 24)	\$101.19
RAQAHLGD2	Rear Coil Guard (09 & 12)	\$94.64
KPS067A41	Snow hood (intake side plate) (09 & 12)	\$232.96
KPS067A42	Snow hood (intake rear plate) (09 & 12)	\$246.06
KPS067A44	Snow hood (outlet) (09 & 12)	\$273.00
KPS063A41	Snow hood (intake side plate) (15, 18 & 24)	\$232.96
KPS063A44	Snow hood (intake rear plate) (15, 18 & 24)	\$262.81
KPS063A47	Snow hood (outlet) (15, 18 & 24)	\$422.97
KKP937A4	Drain Plug for OD Unit	\$24.02

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

LV-Series

0.75 Ton to 2.0 Ton Cooling Only or Heat Pump


Up to 24.5 SEER & 12.5 HSPF

Single Zone Wall-Mount and Slim-Duct System

Standard Operating Range:

Heating: 5°F/-15°C - 64.4°F/18°C

Cooling: 14°F/10°C - 114.8°F/60°C



Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Wireless Backlit, IR Remote Controller
- Precharged for up to 33 ft of Liquid Line
- Indoor Sound Pressure as Low as 22 dB(A)
- Outdoor Sound Pressures as Low as 48 dB(A)
- Program Dry Function

- **Max Piping (09/12 MBH): 66' Length, 49' Height**
- **Max Piping (15/18/24 MBH): 98' Length, 66' Height**



WHILE SUPPLIES LAST !!

- 3-D Airflow (FTXS Only)
- Weekly Timer (FTXS Only)
- Intelligent Eye (FTXS Only)
- Powerful Operation
- Auto Fan Speed Control
- Outdoor Unit Quiet Operation
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display
- Anti-Corrosion Treatment on Outdoor Heat Exchanger

LV Series Wall-Mount Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RXS09LVJU	\$ 948.48	FTXS09LVJU	\$ 450.32	9,000	24.5	15.3	12.5	11 ⁵ / ₈ x 31 ¹ / ₂ x 8 ⁷ / ₁₆	75 / 20	1/4 x 3/8	15	\$1,398.80
RXS12LVJU	\$ 1,135.68	FTXS12LVJU	\$ 460.72	12,000	23.0	12.8	12.5	11 ⁵ / ₈ x 31 ¹ / ₂ x 8 ⁷ / ₁₆	75 / 22	1/4 x 3/8	15	\$1,596.40
RXS15LVJU	\$ 1,492.92	FTXS15LVJU	\$ 515.84	15,000	20.6	14.4	11.6	13 ³ / ₈ x 41 ⁵ / ₁₆ x 9 ³ / ₄	104 / 31	1/4 x 1/2	20	\$2,008.76
RXS18LVJU	\$ 1,683.24	FTXS18LVJU	\$ 542.88	18,000	20.3	12.7	11.0	13 ³ / ₈ x 41 ⁵ / ₁₆ x 9 ³ / ₄	104 / 31	1/4 x 1/2	20	\$2,226.12
RXS24LVJU	\$ 1,831.96	FTXS24LVJU	\$ 667.16	24,000	20.0	12.5	10.6	13 ³ / ₈ x 41 ⁵ / ₁₆ x 9 ³ / ₄	159 / 31	1/4 x 5/8	20	\$2,499.12

LV Series Concealed Slim Duct Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions (H x W x D)	Weight(lbs) ODU/IDU	Line Size	MOCP	System Price
RXS09LVJU	\$ 948.48	FDXS09LVJU	\$ 762.32	9,000	15.1	11.2	10.3	7 ⁷ / ₈ x 27 ⁹ / ₁₆ x 24 ⁷ / ₁₆	75 / 47	1/4 x 3/8	15	\$1,710.80
RXS12LVJU	\$ 1,135.68	FDXS12LVJU	\$ 787.28	12,000	15.5	9.1	10.4	7 ⁷ / ₈ x 27 ⁹ / ₁₆ x 24 ⁷ / ₁₆	75 / 47	1/4 x 3/8	15	\$1,922.96

Optional Accessories		
Indoor Unit		Price
AZAI6WSCDKB	DKN Residential Cloud Wi-Fi Adaptor (For use with DKN Cloud NA App)	\$182.00
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
DTST-LTE-LA-A	Daikin One Lite Smart Thermostat	\$249.60
AZAI6WSPDKC	DKN Plus Interface	\$182.00
BRC944B2-A08	Wired Remote Controller	\$179.09
BRCW901A08	Wired Remote Controller Cord - 8m (included in above kit)	\$0.65
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft	\$67.70
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft	\$121.58
BRCW901A03	Wired Remote Controller Cord - 3m	\$22.57
DACA-ARCW901P10	IR Receiver Cable, Plenum Rated, 10ft (FDXS Only)	\$72.07
DACA-ARCW901P25	IR Receiver Cable, Plenum Rated, 25ft (FDXS Only)	\$147.06
BRCW901A03	Wired Remote Controller Cord - 3m	\$30.00
DACA-CP4-1	External Condensate Pump	\$265.72
DACA-CP1-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$247.52

Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$115.75
KEH041A41	Drain Pan Heater RXS09_12LV	\$155.79
KEH041A42	Drain Pan Heater RXS15_18LV	\$172.54
KEH041A43	Drain Pan Heater RXS24LV	\$172.54
KKP937A4	Drain Plug for OD Unit	\$24.02
RAQAHLGD3	Rear Coil Guard (09 & 12)	\$98.28
RAQAHLGD4	Rear Coil Guard (15 & 18)	\$56.78
RAQAHLGD5	Rear Coil Guard (24)	\$85.90
KPW937C4	Low Ambient Wind Baffle / Air Adjustment Grille (09/12 MBH)	\$177.63
KPW945B4	Low Ambient Wind Baffle / Air Adjustment Grille (15/18/24 MBH)	\$194.38

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

Daikin *CIRRA* Multi-Zone

1.5 Ton Heat Pump
17 SEER2 & 10 EER2 & 9 HSPF2
2-Zone Multi-Zone

Standard Operating Range:
Heating: 5°F/-15°C - 65°F/18.3°C
Cooling: 50°F/10°C - 114.8°F/60°C

- Standard Features
- 208/230/1 Power Supply
 - Small outdoor unit footprint
 - Auto Restart after Power Failure
 - Anti-Corrosion Treatment on Heat Exchanger, indoor and outdoor units



- Wall-mounted indoor units
- Eco+ Mode / Dry Function / Powerful Mode
- 98 ft. factory charge
- Self Diagnostics with Digital Display

Daikin <i>CIRRA</i> Outdoor Unit - Heat Pump									
Outdoor Unit	Nominal Capacity	Ports	Sound Cooling	Sound Heating	Dimensions H/W/D	Line Size & Qty	Weight	MOCP	Price
2MX18AXVJU	18,000	2	50 dB(A)	51 dB(A)	21 ¹¹ / ₁₆ x 26 ¹ / ₂ x 11 ³ / ₁₆	¹ / ₄ (2) x ³ / ₈ (2)	77	15	\$1,292.72

Daikin <i>CIRRA</i> Wall-Mounted Indoor Units							
Outdoor Unit	Nominal Capacity	Sound Cooling (H)	Sound Heating (H)	Dimensions H/W/D	Line Size & Qty	Weight	Price
CTX07AXVJU	7,000	37dB(A)	36 dB(A)	11 ¹ / ₂ x 30 ²⁹ / ₃₂ x 9 ²⁷ / ₃₂	¹ / ₄ x ³ / ₈	20	\$302.12
CTX09AXVJU	9,000	42 dB(A)	41 dB(A)	11 ¹ / ₂ x 30 ²⁹ / ₃₂ x 9 ²⁷ / ₃₂	¹ / ₄ x ³ / ₈	20	\$309.92
CTX12AXVJU	12,000	46 dB(A)	45 dB(A)	11 ¹ / ₂ x 30 ²⁹ / ₃₂ x 9 ²⁷ / ₃₂	¹ / ₄ x ³ / ₈	20	\$316.68

Piping & Connectivity		Indoor Unit Optional Accessories		
	2MX18AXVJU			
Precharged for up to (ft)	98.5	AZAI6WSCDKB	DKN Residential Cloud Wi-Fi Adaptor (For use with DKN Cloud NA App)	\$182.00
Max Pipe Length to Each Indoor Unit	82	BRC944B2-A08	Wired Remote Controller	\$179.09
Max Total Pipe Length (ft)	98.5	BRCW901A08	Wired Remote Controller Cord - 8m (included in above kit)	\$0.65
Max Pipe Height From ODU to IDU	49.25	BRCW901A03	Wired Remote Controller Cord - 3m	\$22.57
Min - Max No. of Indoor Units	2	DACA-CP1-1	Condensate Pump (Fits inside all Daikin indoor unit heads)	\$247.52
Max Total Evap Capacity	24000	DACA-CP4-1	External Condensate Pump	\$265.72
7,000 BTU Indoor Unit	X	BRC51D61	Wired Controller	\$179.40
9,000 BTU Indoor Unit	X			
12,000 BTU Indoor Unit	X			
Non-Ducted (SEER2/EER2/HSPF2)	17 / 10 / 9			

Outdoor Unit Optional Accessories			List Price
DACA-WB-1	Mounting Bracket		\$36.40
KPW937F4	Air Adjustment Grille		\$177.63
KEH067A41E	Drain Pan Heater		\$163.80
KKG067A41	Back protection wire net		\$124.49

Refer to Accessories Page for Line Set Options
*Contact your local distributor for availability and pricing.
Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

MXS/MXL Series Outdoor Units and Accessories

Up to 4.0 Ton Heat Pump
Up to 20.6 SEER2 & 12.0 EER2 & 9.7 HSPF2
2, 3, 4, 5 and 8-Zone Multi-Zone
Standard Operating Range:

MXS Heating: 5°F/-15°C - 59.9°F/15.5°C
MXL Heating: -13°F/-25°C - 59.9°F/15.5°C
Cooling: 14°F/-10°C - 114.8°F/60°C

Energy Star rating for 2MXS/2MXL, 4MXL Non-ducted configuration Only

Standard Features

- 208/230/1 Power Supply
- Up to 100% Heating capacity at 5°F / -15°C (MXL AURORA Only)
- Up to 100% Cooling capacity at 104°F / 40°C (MXL AURORA Only)
- Anti-Corrosion Treatment on Heat Exchanger
- Outdoor Unit Quiet Operation
- Auto Changeover
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display



MXS Outdoor Unit - Heat Pump									
Outdoor Unit	Nominal Capacity	Ports	Sound Cooling	Sound Heating	Dimensions H/W/D	Line Size & Qty	Weight	MOCP	Price
2MXS18WMVJU9	18,000	2	50 dB(A)	51 dB(A)	28 ¹⁵ / ₁₆ x 34 ¹ / ₄ x 12 ⁵ / ₈	¼ (2) x ¾ (1), ½ (1)	126	20	\$1,984.32
3MXS24WMVJU9	24,000	3	52 dB(A)	54 dB(A)	28 ¹⁵ / ₁₆ x 34 ¹ / ₄ x 12 ⁵ / ₈	¼ (3) x ¾ (1), ½ (2)	140	25	\$2,559.44
4MXS36WMVJU9	36,000	4	54 dB(A)	56 dB(A)	28 ¹⁵ / ₁₆ x 34 ¹ / ₄ x 12 ⁵ / ₈	¼ (4) x ¾ (1), ½ (2), ¾ (1)	144	25	\$2,905.24
5MXS48WMVJU9	48,000	5	53 dB(A)	55 dB(A)	34 ¹ / ₄ x 45 ⁵ / ₁₆ x 18 ⁵ / ₈	¼ (5) x ¾ (1), ½ (2), ¾ (2)	216	35	\$3,905.72
RMXS48LVJU*	48,000	8	56 dB(A)	58 dB(A)	52 ¹⁵ / ₁₆ x 35 ⁵ / ₁₆ x 12 ⁵ / ₈	¾ x ¾ (Refer to sizing tool)	283	30	\$3,738.28

Daikin AURORA Outdoor Unit - Heat Pump									
Outdoor Unit	Nominal Capacity	Ports	Sound Cooling	Sound Heating	Dimensions H/W/D	Line Size & Qty	Weight	MOCP	Price
2MXL18WMVJU9	18,000	2	50 dB(A)	51 dB(A)	28 ¹⁵ / ₁₆ x 34 ¹ / ₄ x 12 ⁵ / ₈	¼ (2) x ¾ (1), ½ (1)	142	20	\$2,232.36
3MXL24WMVJU9	24,000	3	52 dB(A)	54 dB(A)	28 ¹⁵ / ₁₆ x 34 ¹ / ₄ x 12 ⁵ / ₈	¼ (3) x ¾ (1), ½ (2)	143	25	\$2,777.84
4MXL36WMVJU9	36,000	4	53 dB(A)	55 dB(A)	34 ¹ / ₄ x 45 ⁵ / ₁₆ x 18 ⁵ / ₈	¼ (4) x ¾ (1), ½ (2), ¾ (1)	214	35	\$3,746.08

Piping & Connectivity								
	2MXL18WMVJU9	3MXL24WMVJU9	4MXL36WMVJU9	2MXS18WMVJU9	3MXS24WMVJU9	4MXS36WMVJU9	5MXL48WMVJU9	RMXS48LVJU
Precharged for up to (ft)	98	131	131	98	131	131	131	
Max Pipe Length to Each Indoor Unit	82	82	98	82	82	82	98	230
Max Total Pipe Length (ft)	164	230	230	164	230	230	262	442
Max Pipe Height From ODU to IDU	49	49	49	49	49	49	49	98
Min - Max No. of Indoor Units	2	2-3	2-4	2	2-3	2-4	2-5	2 - 8
Max Total Evap Capacity	24000	39000	48000	24000	39000	48000	57000	62400
7,000 BTU Indoor Unit	X	X	X	X	X	X	X	X
9,000 BTU Indoor Unit	X	X	X	X	X	X	X	X
12,000 BTU Indoor Unit	X	X	X	X	X	X	X	X
15,000 BTU Indoor Unit	X	X	X	X	X	X	X	X
18,000 BTU Indoor Unit		X	X		X	X	X	X
24,000 BTU Indoor Unit			X			X	X	X
Non-Ducted (SEER2/EER2/HSPF2)	16 / 12 / 8.7	18 / 11.7 / 9.7	20 / 11.7 / 9	16 / 11.8 / 8.7	18 / 11.7 / 9.7	18.1 / 9.2 / 9.4	20.6 / 10.5 / 9.3	Coming Soon
Ducted (SEER2/EER2/HSPF2)	14.3 / 9 / 7.7	14.9 / 8.5 / 7.8	15.9 / 9.3 / 8.1	14.3 / 8.8 / 7.7	14.9 / 8.5 / 7.8	14.9 / 8 / 7.8	14.5 / 8.2 / 7.8	Coming Soon
Mixed (SEER2/EER2/HSPF2)	15.15 / 10.5 / 8.2	16.45 / 10.1 / 8.75	17.95 / 10.5 / 8.55	15.15 / 10.3 / 8.2	16.45 / 10.1 / 8.75	16.5 / 8.6 / 8.6	17.55 / 9.35 / 8.55	Coming Soon

RMXS48 System Components						
Maximum Capacity	Dimensions (H x W x D)	Line Sizes & Quantity Outdoor	Line Sizes & Quantity Indoor	Weight	Price	
BPMKS048A2U*	48000	7 ¹ / ₁₆ x 11 ¹ / ₁₆ x 13 ¹ / ₈	¾ (1) x ¾ (1)	¼ (2) x ¾ (2)	18	\$669.76
BPMKS049A3U*	62000	7 ¹ / ₁₆ x 11 ¹ / ₁₆ x 13 ¹ / ₈	¾ (1) x ¾ (1)	¼ (3) x ¾ (3)	20	\$837.93
KHRP26A22T*	REFNET Joint					\$135.41

Outdoor Unit Optional Accessories		List Price
DACA-WB-3	Mounting Bracket	\$115.75
KEH063A4E	Drain Pan Heater (2/3/4MXS & 2/3MXL)	\$161.62
KPW063A4	Air Adjustment Grille (2/3/4MXS & 2/3MXL)	\$192.92
KKG063A42	Back protection wire net (2/3/4MXS & 2/3MXL)	\$149.97
KKG063A43	Side protection wire net (2/3/4MXS & 2/3MXL)	\$76.44
RAQAHLGD1	Rear Coil Guard (2/3/4MXS & 2/3MXL)	\$101.19
KPS063A41	Snow hood (intake side plate) (2/3/4 MXS, 2/3MXL)	\$232.96
KPS063A44	Snow hood (intake rear plate)(2/3/4 MXS, 2/3MXL)	\$262.81
KPS063A47	Snow hood (outlet)(2/3/4 MXS, 2/3MXL)	\$422.97
KPW082A41	Air Adjustment Grille (4MXL / 5MXS)	\$527.07
KEH082A41	Drain Pan Heater (4MXL / 5MXS)	\$351.62
KKG082A41	Back protection wire net (4MXL / 5MXS)	\$272.27

Refer to Accessories Page for Line Set Options

*Contact your local distributor for availability and pricing.

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

MXS/MXL Series Indoor Units

Up to 4.0 Ton Heat Pump

Up to 21.7 SEER & 12.7 EER & 12.5 HSPF

2, 3, 4, 5 and 8-Zone Multi-Zone

Standard Operating Range:

MXS Heating: 5°F/-15°C - 59.9°F/15.5°C

MXL Heating: -13°F/-25°C - 59.9°F/15.5°C

Cooling: 14°F/-10°C - 114.8°F/60°C

Standard Features

- 208/230/1 Power Supply
- Up to 100% Heating capacity at 5°F / -15°C (MXL AURORA Only)
- Up to 100% Cooling capacity at 104°F / 40°C (MXL AURORA Only)
- Anti-Corrosion Treatment on Heat Exchanger
- Outdoor Unit Quiet Operation
- Auto Changeover
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display



Daikin EMURA Wall-Mount Indoor Units

Indoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D	Line Size & Qty	Weight	Price
FTXR09WVJUW9	9,000	38/32/25/19	41/34/28/19	11- ¹⁵ / ₁₆ × 39- ⁵ / ₁₆ × 8- ³ / ₈	¼ × ¾	27	\$577.20
FTXR12WVJUW9	12,000	45/34/26/20	45/37/29/20	11- ¹⁵ / ₁₆ × 39- ⁵ / ₁₆ × 8- ³ / ₈	¼ × ¾	27	\$666.12
FTXR18WVJUW9	18,000	46/40/35/30	47/41/35/30	11- ¹⁵ / ₁₆ × 39- ⁵ / ₁₆ × 8- ³ / ₈	¼ × ½	27	\$843.96
FTXR09WVJUS9	9,000	38/32/25/19	41/34/28/19	11- ¹⁵ / ₁₆ × 39- ⁵ / ₁₆ × 8- ³ / ₈	¼ × ¾	27	\$603.20
FTXR12WVJUS9	12,000	45/34/26/20	45/37/29/20	11- ¹⁵ / ₁₆ × 39- ⁵ / ₁₆ × 8- ³ / ₈	¼ × ¾	27	\$693.16
FTXR18WVJUS9	18,000	46/40/35/30	47/41/35/30	11- ¹⁵ / ₁₆ × 39- ⁵ / ₁₆ × 8- ³ / ₈	¼ × ½	27	\$869.96

Floor-Standing Indoor Units

Indoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D	Line Size & Qty	Weight	Price
FVXS09WVJU9	9,000	38/32/26/23	38/32/26/23	23 ⁵ / ₈ × 27 ⁹ / ₁₆ × 8 ¹ / ₄	¼ × ¾	31	\$698.36
FVXS12WVJU9	12,000	39/33/27/24	39/33/27/24	23 ⁵ / ₈ × 27 ⁹ / ₁₆ × 8 ¹ / ₄	¼ × ¾	31	\$770.64
FVXS15WVJU9	15,000	44/40/36/32	44/40/36/32	23 ⁵ / ₈ × 27 ⁹ / ₁₆ × 8 ¹ / ₄	¼ × ½	31	\$780.00
FVXS18WVJU9	18,000	44/40/36/32	44/40/36/32	23 ⁵ / ₈ × 27 ⁹ / ₁₆ × 8 ¹ / ₄	¼ × ½	31	\$846.04

Wall-Mount Indoor Units

Indoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D	Line Size & Qty	Weight	Price
CTXS07WVJU9	7,000	38/32/25/22	38/33/28/25	11 ⁵ / ₈ × 31 ¹ / ₂ × 8 ⁷ / ₁₆	¼ × ¾	20	\$406.64
FTXS09WVJU9	9,000	41/33/25/22	42/35/28/25	11 ⁵ / ₈ × 31 ¹ / ₂ × 8 ⁷ / ₁₆	¼ × ¾	20	\$459.68
FTXS12WVJU9	12,000	45/37/29/23	45/39/29/26	11 ⁵ / ₈ × 31 ¹ / ₂ × 8 ⁷ / ₁₆	¼ × ¾	21	\$470.08
FTXS15WVJU9	15,000	45/40/35/32	43/38/33/30	13 ³ / ₈ × 41 ⁵ / ₁₆ × 9 ³ / ₄	¼ × ½	31	\$526.24
FTXS18WVJU9	18,000	46/41/36/33	45/40/35/32	13 ³ / ₈ × 41 ⁵ / ₁₆ × 9 ³ / ₄	¼ × ½	31	\$553.80
FTXS24WVJU9	24,000	51/44/37/34	48/42/37/34	13 ³ / ₈ × 41 ⁵ / ₁₆ × 9 ³ / ₄	¼ × ½	31	\$681.20

Daikin VISTA 2' X 2' Ceiling Cassette Indoor Units

(Must Include Decoration Panel and controller)

Indoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D (Cabinet Only)	Line Size & Qty	Weight	Price
FFQ09W2VJU9	9,000	38 / 35 / 29	38 / 35 / 29	10 ¹ / ₄ × 22- ⁵ / ₈ × 22- ⁵ / ₈	¼ × ¾	36	\$750.88
FFQ12W2VJU9	12,000	39 / 36 / 30	39 / 36 / 30	10 ¹ / ₄ × 22- ⁵ / ₈ × 22- ⁵ / ₈	¼ × ¾	36	\$806.00
FFQ15W2VJU9	15,000	40 / 37 / 31	40 / 37 / 31	10 ¹ / ₄ × 22- ⁵ / ₈ × 22- ⁵ / ₈	¼ × ½	36	\$989.04
FFQ18W2VJU9	18,000	44 / 40 / 32	44 / 40 / 32	10 ¹ / ₄ × 22- ⁵ / ₈ × 22- ⁵ / ₈	¼ × ½	39	\$1,098.76

FDMQ Ducted Indoor Units

(Must Include controller)

Indoor Unit	Nominal Capacity	Sound Cooling dB(A)	Sound Heating dB(A)	Dimensions H/W/D (Cabinet Only)	Line Size & Qty	Weight	Price
CDMQ07WVJU9	7,000	30	30	9 ⁵ / ₈ × 27 ⁹ / ₁₆ × 31 ¹ / ₂	¼ × ¾	64	\$732.68
FDMQ09WVJU9	9,000	32	32	9 ⁵ / ₈ × 27 ⁹ / ₁₆ × 31 ¹ / ₂	¼ × ¾	64	\$889.20
FDMQ12WVJU9	12,000	33	33	9 ⁵ / ₈ × 39 ³ / ₈ × 31 ¹ / ₂	¼ × ½	64	\$914.68
FDMQ15WVJU9	15,000	34	34	9 ⁵ / ₈ × 39 ³ / ₈ × 31 ¹ / ₂	¼ × ½	77	\$1,034.80
FDMQ18WVJU9	18,000	35	35	9 ⁵ / ₈ × 39 ³ / ₈ × 31 ¹ / ₂	¼ × ½	82	\$1,236.04
FDMQ24WVJU9	24,000	40	40	9 ⁵ / ₈ × 39 ³ / ₈ × 31 ¹ / ₂	¼ × ¾	82	\$1,342.12

Updated Jun-2023

MXS/MXL Series Indoor Units

Up to 4.0 Ton Heat Pump

Up to 21.7 SEER & 12.7 EER & 12.5 HSPF

2, 3, 4, 5 and 8-Zone Multi-Zone

Standard Operating Range:

MXS Heating: 5°F/-15°C - 59.9°F/15.5°C

MXL Heating: -13°F/-25°C - 59.9°F/15.5°C

Cooling: 14°F/-10°C - 114.8°F/60°C



Standard Features

- 208/230/1 Power Supply
- Up to 100% Heating capacity at 5°F / -15°C (MXL AURORA Only)
- Up to 100% Cooling capacity at 104°F /40°C (MXL AURORA Only)
- Anti-Corrosion Treatment on Heat Exchanger
- Outdoor Unit Quiet Operation
- Auto Changeover
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display

Indoor Units Optional Accessories								
	Indoor Unit	FTXR	CTXS/ FTXS	FVXS	FDXS/ CDXS	FFQ*	FDMQ**	Price
KAF970A46	Titanium apatite photocatalytic air-purifying filter (without frame)	X						\$66.25
KAF968B42	Titanium apatite photocatalytic air-purifying filter (without frame)			X				\$66.25
KAF952B42	Titanium apatite photocatalytic air-purifying filter (without frame) - 09, 12		X					\$72.07
KAF970A46	Titanium apatite photocatalytic air-purifying filter (without frame) - 07, 15, 18		X					\$66.25
DACA-ARCW901P10	IR Receiver Box Cable, Plenum Rated, 10ft				X			\$72.07
DACA-ARCW901P25	IR Receiver Box Cable, Plenum Rated, 25ft				X			\$147.06
KDT25N32	09, 12 Class Insulation kit for high humidity				X			\$85.18
KDT25N50	15, 18 Class Insulation kit for high humidity				X			\$88.82
BRC944B2-A08	Wired Remote Controller kit (Includes BRC944B2 & BRCW901A08)	X	X	X	X			\$179.09
DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)							\$67.70
DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)							\$121.58
KRP928BB2S	Interface adaptor for DIII-NET	X	X	X	X			\$431.70
BRC1E73	Wired Navigation Remote Controller					X	X	\$294.11
BRC1H71W	Madoka Wired Controller					X	X	\$189.28
DACA-CP1-1	Condensate Pump (Fits inside all Daikin indoor unit heads - 33 ft head - 22dB)	X	X					\$247.52
DACA-CP2-1	Condensate Pump (Higher ft head needs - 50 ft head - 38db)			X	X	X	X	\$264.26
DACA-CP3-1	Condensate Pump (Will not fit in certain unit size heads - 33 ft head - 22dB)				X	X	X	\$202.38
BRC082A42W	Wireless Remote Controller (White)					X		\$235.87
BRYQ60A2S	Sensor kit (Silver) Intelligent Eye, Comfort Airflow, and Floor Sensor					X		\$185.64
BRYQ60A2W	Sensor kit (White) Intelligent Eye, Comfort Airflow, and Floor Sensor					X		\$156.52
BYFQ60C2W1S	Low Profile Decoration Panel (Silver) - 1- ¹³ / ₁₆ × 24- ⁷ / ₁₆ × 24- ⁷ / ₁₆					X		\$205.30
BYFQ60C2W1W	Low Profile Decoration Panel (White) - 1- ¹³ / ₁₆ × 24- ⁷ / ₁₆ × 24- ⁷ / ₁₆					X		\$174.72
BDBHQ44C60	Sealing member of air discharge outlet					X		\$204.57
KAF441C60	Long-life filter					X		\$101.19
AZAI6WSCDKB	DKN Residential Cloud Wi-Fi Adaptor (For use with DKN Cloud NA App)	X	X	X	X			\$182.00
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	X	X	X	X	X	X	\$552.50
DTST-LTE-LA-A	Daikin One lite Smart Thermostat	X	X	X				\$249.60
AZAI6WSCDKA	DKN Cloud WiFi Adapter					X	X	\$182.00
AZAI6WSPDKC	DKN Plus Interface	X	X	X	X	X	X	\$182.00
KRCSH2018-01	Button Sensor Kit					X	X	\$84.45
DFBS27A13	MERV 13 Filter Kit (09,12)						X	\$291.20
DFBS39A13	MERV 13 Filter Kit (15,18,24)						X	\$345.80
SQM13A20	Repl 20" MERV13 Filter SQ 6/BX						X	\$284.65
SQM13A25	Repl 25" MERV13 Filter SQ 6/BX						X	\$316.68
BRC082A43	Wireless Remote Controller						X	\$310.13
BRCW901A03	Wired Remote Controller Cord - 3m (For BRC944B2)							\$22.57

* Must include one controller and one decoration panel for each FFQ

** Must include one controller for each FDMQ

Updated Jun-2023

1.5 Ton to 2.0 Ton Cooling Only or Heat Pump
Up to 17.3 SEER2 & 7.8 HSPF
Single Zone Wall-Mount Systems



Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Cooling Operating Range 23° - 122° F / -5° - 50° C
- Heating Operating Range -4° - 60° F / -20° - 15.5° C
- Auto Fan Speed Control
- Low Ambient cooling to 0°F with optional air adjustment grill
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- Outdoor Unit Quiet Operation
- Vertical Auto Swing
- **Max Piping (18/24 MBH): 164' Length, 98' Height**



2-Wire Wall-Mount Systems												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCP IDU/ODU	System Price
Heat Pump												
RZQ18TBVJUA	\$ 2,609.88	FAQ18TAVJU	\$ 605.80	18,000	16.9	11.9	7.6	11 $\frac{3}{8}$ x 41 $\frac{3}{8}$ x 9 $\frac{1}{4}$	172 / 31	$\frac{3}{8}$ X $\frac{5}{8}$	15 / 20	\$3,215.68
RZQ24TBVJUA	\$ 2,874.04	FAQ24TAVJU	\$ 624.52	24,000	17.3	10.2	7.8	11 $\frac{3}{8}$ x 41 $\frac{3}{8}$ x 9 $\frac{1}{4}$	172 / 31	$\frac{3}{8}$ X $\frac{5}{8}$	15 / 20	\$3,498.56
Cooling Only												
RZR18TBVJUA	\$ 2,204.80	FAQ18TAVJU	\$ 605.80	18,000	16.9	11.9	N/A	11 $\frac{3}{8}$ x 41 $\frac{3}{8}$ x 9 $\frac{1}{4}$	172 / 31	$\frac{3}{8}$ X $\frac{5}{8}$	15 / 20	\$2,810.60
RZR24TBVJUA	\$ 2,357.68	FAQ24TAVJU	\$ 624.52	24,000	17.3	10.2	N/A	11 $\frac{3}{8}$ x 41 $\frac{3}{8}$ x 9 $\frac{1}{4}$	172 / 31	$\frac{3}{8}$ X $\frac{5}{8}$	15 / 20	\$2,982.20

Optional Accessories		
Indoor Unit - Must include a controller for 2-wire systems		Price
BRC1E73	Wired Navigation Remote Controller (FAQ)	\$294.11
BRC1H71W	Madoka Wired Controller	\$189.28
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
BRC2A71	Simplified Wired Controller (FAQ)	\$176.18
BRC7E818	Wireless Remote Controller (FAQ)	\$232.23
DACA-CP4-1	External Condensate Pump	\$265.72
DACA-CP1-1	Condensate Pump (fits inside all Daikin indoor unit heads)	\$247.52
KRCSH2018-01	Button Sensor Kit	\$84.45
AZAI6WSPDKC	DKN Plus Interface	\$182.00
AZAI6WSCDKA	DKN Cloud WiFi Adapter	\$182.00

Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$115.75
KEHJ5A160E	Base Pan Heater	\$264.99
VRVQA-SH-SF	SkyAir Single fan snow hood kit	\$476.11
KPW5G112	Air Adjustment Grille (RZQ & RZR 18/24 MBH)	\$270.09

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

1.5 Ton to 4 Ton Cooling Only or Heat Pump
Up to 16.9 SEER2 & 9.5 HSPF2
Single Zone DC Duct Systems



Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Cooling Operating Range 23° - 122° F / -5° - 50° C
- Heating Operating Range -4° - 60° F / -20° - 15.5° C
- Low Ambient cooling to 0°F with optional air adjustment grill
- Up to 230 ft. of Maximum Piping Length
- **Max Piping (18/24 MBH): 164' Length, 98' Height**
- **Max Piping (30/36/42/48 MBH): 230' Length, 98' Height**
- Auto Changeover (Heat Pump Only)
- Auto Fan Speed Control
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- Outdoor Quiet Operation

Ducted Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCP IDU/ODU	System Price
RZR18TBVJUA	\$ 2,204.80	FBQ18TBVJU	\$ 1,156.48	18,000	15.5	12.5	8.5	9 ¹¹ / ₁₆ x 39 ³ / ₈ x 31 ¹ / ₂	172 / 77	3/8 x 5/8	15 / 20	\$3,361.28
RZR24TBVJUA	\$ 2,357.68	FBQ24TBVJU	\$ 1,539.72	24,000	15.4	10.5	9.3	9 ¹¹ / ₁₆ x 39 ³ / ₈ x 31 ¹ / ₂	172 / 82	3/8 x 5/8	15 / 20	\$3,897.40
RZR30TBVJUA	\$ 3,118.44	FBQ30TBVJU	\$ 1,616.16	30,000	16.5	12.2	8.9	9 ¹¹ / ₁₆ x 55 ⁵ / ₈ x 31 ¹ / ₂	225 / 101	3/8 x 5/8	15 / 35	\$4,734.60
RZR36TBVJUA	\$ 3,550.04	FBQ36TBVJU	\$ 1,675.96	36,000	16.9	11.7	8.8	9 ¹¹ / ₁₆ x 55 ⁵ / ₈ x 31 ¹ / ₂	225 / 101	3/8 x 5/8	15 / 35	\$5,226.00
RZR42TBVJUA	\$ 4,151.16	FBQ42TBVJU	\$ 1,810.12	42,000	15.6	10.3	9.5	9 ¹¹ / ₁₆ x 55 ⁵ / ₈ x 31 ¹ / ₂	225 / 104	3/8 x 5/8	15 / 35	\$5,961.28
RZR48TBVJUA	\$ 4,482.40	FBQ48TBVJU	\$ 1,955.20	48,000	15.3	8.3	9.3	9 ¹¹ / ₁₆ x 55 ⁵ / ₈ x 31 ¹ / ₂	225 / 104	3/8 x 5/8	15 / 35	\$6,437.60

Ducted Systems - Cooling Only												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCP IDU/ODU	System Price
RZR18TBVJUA	\$ 2,204.80	FBQ18TBVJU	\$ 1,156.48	18,000	15.5	12.5	N/A	9 ¹¹ / ₁₆ x 39 ³ / ₈ x 31 ¹ / ₂	172 / 77	3/8 x 5/8	15 / 20	\$3,361.28
RZR24TBVJUA	\$ 2,357.68	FBQ24TBVJU	\$ 1,539.72	24,000	15.4	10.5	N/A	9 ¹¹ / ₁₆ x 39 ³ / ₈ x 31 ¹ / ₂	172 / 82	3/8 x 5/8	15 / 20	\$3,897.40
RZR30TBVJUA	\$ 3,118.44	FBQ30TBVJU	\$ 1,616.16	30,000	16.5	12.2	N/A	9 ¹¹ / ₁₆ x 55 ⁵ / ₈ x 31 ¹ / ₂	225 / 101	3/8 x 5/8	15 / 35	\$4,734.60
RZR36TBVJUA	\$ 3,550.04	FBQ36TBVJU	\$ 1,675.96	36,000	16.9	11.7	N/A	9 ¹¹ / ₁₆ x 55 ⁵ / ₈ x 31 ¹ / ₂	225 / 101	3/8 x 5/8	15 / 35	\$5,226.00
RZR42TBVJUA	\$ 4,151.16	FBQ42TBVJU	\$ 1,810.12	42,000	15.6	10.3	N/A	9 ¹¹ / ₁₆ x 55 ⁵ / ₈ x 31 ¹ / ₂	225 / 104	3/8 x 5/8	15 / 35	\$5,961.28
RZR48TBVJUA	\$ 4,482.40	FBQ48TBVJU	\$ 1,955.20	48,000	15.3	8.3	N/A	9 ¹¹ / ₁₆ x 55 ⁵ / ₈ x 31 ¹ / ₂	225 / 104	3/8 x 5/8	15 / 35	\$6,437.60

Optional Accessories		
Indoor Unit - Must include a controller		Price
BRC1E73	Wired Navigation Remote Controller	\$294.11
BRC1H71W	Madoka Wired Controller	\$189.28
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
BRC2A71	Simplified Wired Controller	\$176.18
BRC082A43	Wireless Remote Controller	\$310.13
KRCS01-4B	Remote Sensor (for wireless controller)	\$78.62
AZAI6WSCDKA	DKN Cloud WiFi Adapter	\$182.00
AZAI6WSPDKC	DKN Plus Interface	\$182.00
KRCSH2018-01	Button Sensor Kit	\$84.45
DACA-FXMQ30131K	MERV 13 Filter Kit (for 18, 24,30)	\$485.58
DACA-FXMQ48131K	MERV 13 Filter Kit (for 36,42,48)	\$578.03
KRP1C74	Wiring Adaptor PCB (Mounting Plate Required)	\$172.54
KRP4A96	Mounting Plate for Accessory PCB	\$74.98
Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$115.75
KPW5G112	Air Adjustment Grille (RZQ & RZR 18/24 MBH)	\$270.09
KEHJ5A160E	Base Pan Heater	\$264.99
VRVQA-SH-SF	SkyAir Single fan snow hood kit	\$476.11
VRVQA-SH-DF	SkyAir Double fan snow hood kit	\$1,263.66
KPW5F80	Air Adjustment Grille x 2 (RZQ & RZR 30/36/42/48)	\$216.94

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

1.50 Ton to 4 Ton Cooling Only or Heat Pump
Up to SEER2 21 / Up to HSPF2 10.3
Single Zone Roundflow Sensing Ceiling Cassette Systems



Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Cooling Operating Range 23° - 122° F / -5° - 50° C
- Heating Operating Range -4° - 60° F / -20° - 15.5° C
- Low Ambient cooling to 0°F with optional air adjustment grill
- Up to 230 ft. of Maximum Piping Length
- **Max Piping (18/24 MBH): 164' Length, 98' Height**
- **Max Piping (30/36/42/48 MBH): 230' Length, 98' Height**
- Auto Changeover (Heat Pump Only)
- Presence and Floor Sensor
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- 23 Configurable Airflow Patterns

Roundflow Sensing Ceiling Cassette Systems - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCF IDU/ODU	System Price
RZQ18TBVJUA	\$ 2,609.88	FCQ18AAVJU	\$ 1,344.72	18,000	18.5	13.0	9.2	9 ¹¹ / ₁₆ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	172 / 51	3/8 x 3/8	15 / 20	\$3,954.60
RZQ24TBVJUA	\$ 2,874.04	FCQ24AAVJU	\$ 1,963.52	24,000	18.6	12.0	9.1	9 ¹¹ / ₁₆ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	172 / 51	3/8 x 3/8	15 / 20	\$4,837.56
RZQ30TBVJUA	\$ 3,769.48	FCQ30AAVJU	\$ 1,984.32	30,000	21.0	13.0	10.1	11 ¹¹ / ₃₂ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	225 / 58	3/8 x 3/8	15 / 35	\$5,753.80
RZQ36TBVJUA	\$ 4,316.00	FCQ36AAVJU	\$ 2,241.20	36,000	20.0	12.1	10.0	11 ¹¹ / ₃₂ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	225 / 58	3/8 x 3/8	15 / 35	\$6,557.20
RZQ42TBVJUA	\$ 5,054.92	FCQ42AAVJU	\$ 2,419.56	42,000	18.9	10.3	10.2	11 ¹¹ / ₃₂ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	225 / 58	3/8 x 3/8	15 / 35	\$7,474.48
RZQ48TBVJUA	\$ 5,459.48	FCQ48AAVJU	\$ 2,615.08	48,000	18.0	8.2	10.3	11 ¹¹ / ₃₂ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	225 / 58	3/8 x 3/8	15 / 35	\$8,074.56


Roundflow Sensing Ceiling Cassette Systems - Cooling Only												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCF IDU/ODU	System Price
RZR18TBVJUA	\$ 2,204.80	FCQ18AAVJU	\$ 1,344.72	18,000	18.5	13.0	N/A	9 ¹¹ / ₁₆ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	172 / 51	3/8 x 3/8	15 / 20	\$3,549.52
RZR24TBVJUA	\$ 2,357.68	FCQ24AAVJU	\$ 1,963.52	24,000	18.6	12.0	N/A	9 ¹¹ / ₁₆ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	172 / 51	3/8 x 3/8	15 / 20	\$4,321.20
RZR30TBVJUA	\$ 3,118.44	FCQ30AAVJU	\$ 1,984.32	30,000	21.0	13.0	N/A	11 ¹¹ / ₃₂ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	225 / 58	3/8 x 3/8	15 / 35	\$5,102.76
RZR36TBVJUA	\$ 3,550.04	FCQ36AAVJU	\$ 2,241.20	36,000	20.0	12.1	N/A	11 ¹¹ / ₃₂ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	225 / 58	3/8 x 3/8	15 / 35	\$5,791.24
RZR42TBVJUA	\$ 4,151.16	FCQ42AAVJU	\$ 2,419.56	42,000	18.9	10.3	N/A	11 ¹¹ / ₃₂ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	225 / 58	3/8 x 3/8	15 / 35	\$6,570.72
RZR48TBVJUA	\$ 4,482.40	FCQ48AAVJU	\$ 2,615.08	48,000	18.0	8.2	N/A	11 ¹¹ / ₃₂ x 33 ¹ / ₁₆ x 33 ¹ / ₁₆	225 / 58	3/8 x 3/8	15 / 35	\$7,097.48

Optional Accessories		
Indoor Unit - Must include decoration panel and a controller		Price
BRC1E73	Wired Navigation Remote Controller	\$294.11
BRC1H71W	Madoka Wired Controller	\$189.28
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
BRC2A71	Simplified Wired Controller	\$176.18
BYCQ54EEFU	Standard Decoration Panel	\$425.75
BYCQ54EEGFU	Self-Celaning Decoration Panel	\$936.00
KRCSH2018-01	Button Sensor Kit	\$84.45
AZAI6WSCDKA	DKN Cloud WiFi Adapter	\$182.00
AZAI6WSPDKC	DKN Plus Interface	\$182.00
KRP1C75	Wiring Adaptor PCB (installation box required)	\$172.54
KRP1H98	Wiring Adaptor PCB installation box	\$37.86
Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$115.75
KPW5G112	Air Adjustment Grille (RZQ & RZR 18/24 MBH)	\$270.09
KEHJ5A160E	Base Pan Heater	\$264.99
VRVQA-SH-SF	SkyAir Single fan snow hood kit	\$476.11
VRVQA-SH-DF	SkyAir Double fan snow hood kit	\$1,263.66
KPW5F80	Air Adjustment Grille x 2 (RZQ & RZR 30/36/42/48)	\$216.94

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

1.5 Ton to 3.5 Ton Cooling Only or Heat Pump
Up to 16.6 SEER & 9.3 HSPF
Single Zone Ceiling-Suspended Systems



WHILE SUPPLIES LAST !!

Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Cooling Operating Range 23° - 122° F / -5° - 50° C
- Heating Operating Range -4° - 60° F / -20° - 15.5° C
- Low Ambient cooling to 0°F with optional air adjustment grill
- Up to 230 ft. of Maximum Piping Length
- **Max Piping (18/24 MBH): 164' Length, 98' Height**
- **Max Piping (30/36/42 MBH): 230' Length, 98' Height**

- Auto Fan Speed Control
- Auto Changeover (Heat Pump Only)
- Self Diagnostics with Digital Display
- Auto Restart after Power Failure
- Anti-Corrosion Treatment on Heat Exchanger
- Full Capacity at Ceiling Heights up to 12.5 ft.



Ceiling-Suspended Units - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCF IDU/ODU	System Price
RZQ18TAVJUA	\$ 2,467.40	FHQ18PVJU	\$ 1,040.00	18,000	16.3	12.9	9.1	7 ¹ / ₁₆ x 62 ⁵ / ₈ x 26 ³ / ₄	172 / 90.0	3/8 x 5/8	15 / 25	\$3,507.40
RZQ24TAVJUA	\$ 2,717.00	FHQ24PVJU	\$ 1,133.08	24,000	16.6	11.3	9.3	7 ¹ / ₁₆ x 62 ⁵ / ₈ x 26 ³ / ₄	172 / 90.0	3/8 x 5/8	15 / 25	\$3,850.08
RZQ30TAVJUA	\$ 3,564.08	FHQ30PVJU	\$ 1,116.44	30,000	16.0	10.5	8.4	7 ¹ / ₁₆ x 62 ⁵ / ₈ x 26 ³ / ₄	225 / 90.0	3/8 x 5/8	15 / 35	\$4,680.52
RZQ36TAVJUA	\$ 4,080.44	FHQ36MVJU	\$ 1,242.28	36,000	14.0	9.5	8.2	7 ¹ / ₁₆ x 62 ⁵ / ₈ x 26 ³ / ₄	225 / 90.0	3/8 x 5/8	15 / 35	\$5,322.72
RZQ42TAVJUA	\$ 4,779.32	FHQ42MVJU	\$ 1,332.76	42,000	14.0	8.8	8.2	7 ¹ / ₁₆ x 62 ⁵ / ₈ x 26 ³ / ₄	225 / 90.0	3/8 x 5/8	15 / 35	\$6,112.08

Ceiling-Suspended Units - Cooling Only												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER	EER	HSPF	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCF IDU/ODU	System Price
RZR18TAVJUA	\$ 2,084.68	FHQ18PVJU	\$ 1,040.00	18,000	16.3	12.9	N/A	7 ¹ / ₁₆ x 62 ⁵ / ₈ x 26 ³ / ₄	172 / 90.0	3/8 x 5/8	15 / 25	\$3,124.68
RZR24TAVJUA	\$ 2,228.72	FHQ24PVJU	\$ 1,133.08	24,000	16.6	11.3	N/A	7 ¹ / ₁₆ x 62 ⁵ / ₈ x 26 ³ / ₄	172 / 90.0	3/8 x 5/8	15 / 25	\$3,361.80
RZR30TAVJUA	\$ 2,948.40	FHQ30PVJU	\$ 1,116.44	30,000	16.0	10.5	N/A	7 ¹ / ₁₆ x 62 ⁵ / ₈ x 26 ³ / ₄	225 / 90.0	3/8 x 5/8	15 / 35	\$4,064.84
RZR36TAVJUA	\$ 3,356.60	FHQ36MVJU	\$ 1,242.28	36,000	14.0	9.5	N/A	7 ¹ / ₁₆ x 62 ⁵ / ₈ x 26 ³ / ₄	225 / 90.0	3/8 x 5/8	15 / 35	\$4,598.88
RZR42TAVJUA	\$ 3,924.96	FHQ42MVJU	\$ 1,332.76	42,000	14.0	8.8	N/A	7 ¹ / ₁₆ x 62 ⁵ / ₈ x 26 ³ / ₄	225 / 90.0	3/8 x 5/8	15 / 35	\$5,257.72

Optional Accessories		
Indoor Unit - Must include a controller		Price
BRC1E73	Wired Navigation Remote Controller	\$294.11
BRC1H71W	Madoka Wired Controller	\$189.28
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
BRC2A71	Simplified Wired Controller	\$176.18
BRC7E83	Wireless Remote Controller	\$246.06
KRCSH2018-01	Button Sensor Kit	\$84.45
AZA16WSCDKA	DKN Cloud WiFi Adapter	\$182.00
AZA16WSPDKC	DKN Plus Interface	\$182.00
KRP1C74	Wiring Adaptor PCB (Installation Plate required)	\$172.54
KRP1C93	Wiring Adaptor PCB Installation Plate	\$160.16
Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$115.75
KPW5G112	Air Adjustment Grille (RZQ & RZR 18/24 MBH)	\$270.09
KEHJ5A160E	Base Pan Heater	\$264.99
VRVQA-SH-SF	SkyAir Single fan snow hood kit	\$476.11
VRVQA-SH-DF	SkyAir Double fan snow hood kit	\$1,263.66
KPW5F80	Air Adjustment Grille x 2 (RZQ & RZR 30/36/42/48)	\$216.94

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

1.5 Ton to 4 Ton Cooling Only or Heat Pump
Up to 16.4 SEER2 & 9.2 HSPF2
Single Zone Air Handling Unit



Standard Features

- Inverter Compressor
- 208/230/1 Power Supply
- Cooling Operating Range 23° - 122° F / -5° - 50° C
- Heating Operating Range -4° - 60° F / -20° - 15.5° C
- Low Ambient cooling to 0°F with optional air adjustment grill
- Up to 230 ft. of Maximum Piping Length
- **Max Piping (18/24 MBH): 164' Length, 98' Height**
- **Max Piping (30/36/42/48 MBH): 230' Length, 98' Height**
- Auto Restart after Power Failure
- Self Diagnostics with Digital Display
- Upflow, Downflow, Horizontal Left or Horizontal Right Configurations
- Anti-Corrosion Treatment on Heat Exchanger
- Optional Electrical Resistance Heat
- Factory installed disconnect switch

Air Handling Units - Heat Pump												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCF IDU/ODU	System Price
RZQ18TBVJUA	\$ 2,609.88	FTQ18TAVJUD	\$ 1,788.28	18,000	15.6	11.7	8.1	45 x 17½ x 21	172 / 115	¾ x 5/8	15 / 20	\$4,398.16
RZQ24TBVJUA	\$ 2,874.04	FTQ24TAVJUD	\$ 1,878.24	24,000	16.2	9.9	8.7	45 x 17½ x 21	172 / 115	¾ x 5/8	15 / 20	\$4,752.28
RZQ30TBVJUA	\$ 3,769.48	FTQ30TAVJUD	\$ 1,971.32	30,000	15.6	11.9	9.1	45 x 17½ x 21	225 / 115	¾ x 5/8	15 / 35	\$5,740.80
RZQ36TBVJUA	\$ 4,316.00	FTQ36TAVJUD	\$ 2,070.64	36,000	16.4	11.2	8.8	45 x 17½ x 21	225 / 140	¾ x 5/8	15 / 35	\$6,386.64
RZQ42TBVJUA	\$ 5,054.92	FTQ42TAVJUD	\$ 2,174.12	42,000	16.0	10.6	9.2	53.4 x 21 x 21	225 / 150	¾ x 5/8	15 / 35	\$7,229.04
RZQ48TBVJUA	\$ 5,459.48	FTQ48TAVJUD	\$ 2,346.76	48,000	15.3	9.1	8.8	53.4 x 21 x 21	225 / 150	¾ x 5/8	15 / 35	\$7,806.24

Air Handling Units - Cooling Only												
Outdoor Unit	Price	Indoor Unit	Price	Nominal Capacity	SEER2	EER2	HSPF2	Indoor Dimensions	Weight(lbs) ODU/IDU	Line Size	MOCF IDU/ODU	System Price
RZR18TBVJUA	\$ 2,204.80	FTQ18TAVJUD	\$ 1,788.28	18,000	15.6	11.7	N/A	45 x 17½ x 21	172 / 115	¾ x 5/8	15 / 20	\$3,993.08
RZR24TBVJUA	\$ 2,357.68	FTQ24TAVJUD	\$ 1,878.24	24,000	16.2	9.9	N/A	45 x 17½ x 21	172 / 115	¾ x 5/8	15 / 20	\$4,235.92
RZR30TBVJUA	\$ 3,118.44	FTQ30TAVJUD	\$ 1,971.32	30,000	15.6	11.9	N/A	45 x 17½ x 21	225 / 115	¾ x 5/8	15 / 35	\$5,089.76
RZR36TBVJUA	\$ 3,550.04	FTQ36TAVJUD	\$ 2,070.64	36,000	16.4	11.2	N/A	45 x 17½ x 21	225 / 140	¾ x 5/8	15 / 35	\$5,620.68
RZR42TBVJUA	\$ 4,151.16	FTQ42TAVJUD	\$ 2,174.12	42,000	16.0	10.6	N/A	53.4 x 21 x 21	225 / 150	¾ x 5/8	15 / 35	\$6,325.28
RZR48TBVJUA	\$ 4,482.40	FTQ48TAVJUD	\$ 2,346.76	48,000	15.3	9.1	N/A	53.4 x 21 x 21	225 / 150	¾ x 5/8	15 / 35	\$6,829.16

Optional Accessories		
Indoor Unit - Must include a controller		Price
BRC1E73	Wired Navigation Remote Controller	\$294.11
BRC1H71W	Madoka Wired Controller	\$189.28
DTST-ONE-ADA-A	Daikin ONE+ Smart Thermostat	\$552.50
BRC4C82	Wireless Remote Controller	\$309.40
KRCS01-2UA	Remote Sensor for Wireless Remote Controller	\$82.99
DFK-B	Downflow Kit (18/24/30/36)	\$58.24
DFK-C	Downflow Kit (42/48)	\$53.94
KRCSH2018-01	Button Sensor Kit	\$84.45
AZA16WSCDKA	DKN Cloud WiFi Adapter	\$182.00
AZA16WSPDKC	DKN Plus Interface	\$182.00
KRP1C75	Wiring Adapter PCB (installation box required)	\$172.54
KRP1BB101	Wiring Adapter PCB installation box	\$160.16
Outdoor Unit		Price
DACA-WB-3	Powder-Coated Wall-Mounted Bracket	\$115.75
KPW5G112	Air Adjustment Grille (RZQ & RZR 18/24 MBH)	\$270.09
KEHJ5A160E	Base Pan Heater	\$264.99
VRVQA-SH-SF	SkyAir Single fan snow hood kit	\$476.11
VRVQA-SH-DF	SkyAir Double fan snow hood kit	\$1,263.66
KPW5F80	Air Adjustment Grille x 2 (RZQ & RZR 30/36/42/48)	\$216.94

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

Single & Multi-Zone System Essentials


	D-Checker (999482P3) Price: D-checker is a software application used to record and monitor operation data from an AC or HP system to which it has been connected to a device with a USB port by a cable. The software can then monitor the status of sensors (temperature and pressure) and actuators (compressors, solenoid valves, etc.). The data can then be used to validate proper installation our help diagnose the system in the event of an issue.
	Bluetooth D-Checker (999187T) Price: D-checker is a software application used to record and monitor operation data from an AC or HP system to which it has been connected to a device with a Bluetooth connection. The software can then monitor the status of sensors (temperature and pressure) and actuators (compressors, solenoid valves, etc.). The data can then be used to validate proper installation our help diagnose the system in the event of an issue. Requires a supported device with a current version of "Daikin AC Monitoring Tool App"
	EEV Manual Coil (99S0038) Price: The manual EEV coil tool is used to maualy open and close the EEV for varification of proper operation.
	DC Fan Motor Checker (999154T) Price: Used to determine if motor has failed or not. Works on all DC motor products except 460V.
	DAIKIN OEM Kit: (DACA-99STK-2) Price: 1 - ET0110 Torque Wrench set 1 - ET0050 Concentric Flaring Tool w/case 1 - ET0090 Heat Pump Manifold w/BV Hose Ends 1 - ET0060 Tube Cutter 1/8 - 1-1/4 2 - ET0020 Straight Adapters - Adapt from 5/16 flare to 1/4 flare 2 - ET0030 Angled Adapters 55deg - 5/16 flare to 1/4 flare 1 - ET0071 Deburring Tool w/extra Blade 1 - ET0120 SAE Hex Wrench Set - 5/64 - 1/4 1 - ET0120 Metric Hex Wrench Set - 1.5mm - 8mm 1 - ET0040 5/16 Charge Port Caps (8) 1 - ET0130 5/16" Valve Core Removal Tool 1 - ET0080 Flare Size Gauge
	All-In-One Checker: (999174T) Price: The All-In-One tool requires the use/purchase of the Bluetooth D-checker (999187T). It is an advaced troubleshooting tool for use with mini/multi-splits, SkyAir and VRV products. Capabilities include: (1) RAM Monitor (Operation data check, Extract error history**) (2) Actuator Checker (3) Inverter Analyzer (4) Transmission Motor (5)TYPE3 Checker

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023




Zoning Accessory for FDMQ & FBQ



Standard Features

- 3-6 Zones
 - 6" or 8" Round Take-Offs
 - Wireless Thermostat Options for Individual Rooms
- (Requires a BRC1E73 Controller and at least one DZK-MTS-4-W Hardwired Controller)

*Contact your local distributor for availability and pricing.

DZK KIT STRUCTURE AND GENERAL TECHNICAL DATA								
ZONING BOX WITH CONTROL BOARD					DZK Wired Thermostat DZK-MTS-4-W 	DZK Wireless Thermostat DZK-ZTS-4-W 	DZK Wireless Lite Thermostat DZK-LTS-4-W 	DZK BACnet Interface DZK-BACNET-HUB4 
DZK Product Number	DZKS030E4-4	DZKS030E5-4	DZKS048E4-4	DZKS048E6-4				
Max Zones	4	5	4	6				
Zone Take Off Size	4 @ 8"	5 @ 6"	4 @ 8"	6 @ 6"				
FBQ18TBVJU	YES		NO		YES			
FBQ24TBVJU								
FBQ30TBVJU	NO		YES		YES			
FBQ36TBVJU								
FBQ42TBVJU								
DZK Product Number	DZKS015E3-4	DZKS015E4-4	DZKS030E4-4	DZKS030E5-4	DZK Wired Thermostat DZK-MTS-4-W 	DZK Wireless Thermostat DZK-ZTS-4-W 	DZK Wireless Lite Thermostat DZK-LTS-4-W 	DZK BACnet Interface DZK-BACNET-HUB4 
Max Zones	3	4	4	5				
Zone Take Off Size	3 @ 8"	4 @ 6"	4 @ 8"	5 @ 6"				
FDMQ09RVJU	YES		NO		YES			
FDMQ12RVJU								
FDMQ15RVJU	NO		YES		YES			
FDMQ18RVJU								
FDMQ24RVJU								
Required Number of Controllers Per DZK Kit					1 Per Kit	Optional For Each Remaining Open Zones		1 Per Kit (Only for BACnet)
TECHNICAL DATA								
DZK Product Number	DZK030E4-4	DZK030E5-4	DZK048E4-4	DZK048E6-4	DZKS015E3-4	DZKS015E4-4	DZKS030E4-4	DZKS030E5-4
Height	10.43"				9.63"	9.31	9.63"	9.31
Width	43.58"		53.46"		34.19		43.63	
Depth	10.43"				10.44			
Weight (lbs.)	18.04	20.24		23.3	16	18		20
Voltage	110/230 VAC				110/230 VAC			
Full Load Amps (A)	0.25				0.25			

Specifications and pricing subject to change without notice. All taxes and freight are extra.

Updated Jun-2023

Daikin Accessories Price List

[illegible]