ZEPTO

Inventory & Pricing Analysis

SQL portfolio project • MySQL Workbench

A practical analysis of product catalogue data, stock availability, discounts, category mix, and price-per-weight comparisons. The focus is on queries that answer business questions and can be explained clearly in an interview.

3,732	14	1,681	453
CSV rows	Categories	Distinct product names	Rows marked out of stock

Prepared as a learning portfolio document. Replace the sample output previews with fresh Workbench results after running the SQL against your final imported table. A report should reflect what you can personally run, verify, and explain.

Tools used: MySQL Workbench • SQL • CSV data inspection

Project scope: exploratory queries, data-quality checks, pricing analysis, inventory review, and category-level summaries.

01 Project overview

The goal of this project is to turn a product-level Zepto catalogue into a small set of practical inventory and pricing observations. Instead of only displaying rows, the queries group, filter, calculate, and rank products so the results can support everyday questions: what categories dominate the catalogue, how much discount is applied, which products have limited stock, and how prices compare when product weights differ.

Business questions

• How many records and product categories are present?

• Are there missing product names or incomplete fields that should be checked?

• How is the catalogue distributed across categories?

• Which products have the largest absolute discounts and discount percentages?

• Which products are out of stock or have low available quantity?

• How do average listed and selling prices differ by category?

• Which heavier products and price-per-weight values deserve a closer look?

Scope and interpretation

This is an analysis of the supplied product catalogue, not a live Zepto operations dashboard. The data does not include order history, customer demand, delivery times, replenishment dates, or sales volume. Therefore, the report can describe catalogue prices and recorded inventory fields, but it cannot prove which products sell fastest or forecast future demand.

Data note: the supplied CSV contains 3,732 rows. Earlier MySQL Workbench checks in the conversation showed 1,662 rows in the imported table. This difference must be resolved before treating CSV-derived previews as the exact output of the current database. The previews below are computed from the supplied CSV and are clearly labelled as reference previews—not screenshots or verified exports from a live Workbench session.

02 Dataset and field guide

The fields below describe the CSV structure. In the user's MySQL table, the column names have been adapted to lower-case category and camel-case discountSellingPrice. SQL statements in this report use the names from that MySQL table.

Field	Meaning	How it is used
sku_id	Unique stock-keeping identifier	Present in the MySQL table described by the user; not present in the supplied CSV
category	Product category	Useful for category counts and price comparisons.
name	Product name	Can be blank or repeated across rows; name alone may not uniquely identify an SK
mrp	Listed price field	Confirm the source uses the same currency and scale before interpreting values.
discountPercent	Discount percentage field	Compare with a recomputed discount rate to find inconsistencies.
availableQuantity	Recorded available quantity	A snapshot value; it does not reveal how quickly stock moves.
discountSellingPrice	Selling price after discount	Used in discount and price-per-weight calculations.
weightInGms	Product weight in grams	Must be positive for meaningful price-per-weight comparisons.
outOfStock	Out-of-stock flag	Stored as text in the user's import workflow; normalize TRUE/FALSE before groupi
quantity	Quantity field in source data	Meaning depends on the source dataset; do not assume it is units sold.

03 Exploration & data quality

The first queries establish what is in the table before any conclusions are drawn. In a real workflow, run these in order and save the SQL script so the work can be reproduced.

01 Count records

Counts rows in the MySQL table. It is the first check after importing a CSV.

```
SELECT COUNT(*) AS total_rows
FROM zepto;
```

#	total_rows
1	3,732

CSV-derived reference preview; not a live Workbench capture.

What this tells us: The supplied CSV has 3,732 rows. Your imported table previously showed 1,662, so reconcile the import before using these numbers as final database results.

02 Preview the first ten rows

Displays a small sample to confirm the column names, value formats, and general shape of the data.

```
SELECT *
FROM zepto
LIMIT 10;
```

#	category	name	mrp	discountPercent	availableQuantity	discountSellingPrice
1	Fruits & Vegetables	Onion	2,500	16	3	2,100
2	Fruits & Vegetables	Tomato Hybrid	4,200	16	3	3,500
3	Fruits & Vegetables	Tender Coconut	5,100	15	3	4,300
4	Fruits & Vegetables	Coriander Leaves	2,000	15	3	1,700
5	Fruits & Vegetables	Ladies Finger	1,400	14	3	1,200
6	Fruits & Vegetables	Potato	3,500	17	3	2,900

Only the first six columns are shown here to keep the grid readable; run SELECT * in Workbench for the full row.

What this tells us: A quick sample is useful for spotting unexpected types or values before building aggregates.

03 Check for NULL values

Returns rows with at least one NULL among the listed analysis fields. It does not detect blank strings or zero values.

```
SELECT *
FROM zepto
WHERE category IS NULL
OR name IS NULL
OR mrp IS NULL
OR discountPercent IS NULL
OR availableQuantity IS NULL
OR discountSellingPrice IS NULL
OR weightInGms IS NULL
OR outOfStock IS NULL
OR quantity IS NULL;
```

#	field	null_values
1	category	0
2	name	0
3	mrp	0
4	discountPercent	0

#	field	null_values
5	availableQuantity	0
6	discountSellingPrice	0
7	weightInGms	0
8	outOfStock	0

Preview table summarizes the CSV null counts; query output in Workbench will be row-level.

What this tells us: The per-field summary shown here is a compact diagnostic view. The SQL above returns the full affected rows; a separate COUNT query is needed if you want a one-number summary.

04 List distinct categories

Shows the category labels present in the catalogue and helps identify spelling variants or inconsistent capitalization.

```
SELECT DISTINCT category
FROM zepto
ORDER BY category;
```

#	category
1	Beverages
2	Biscuits
3	Chocolates & Candies
4	Cooking Essentials
5	Dairy, Bread & Batter
6	Fruits & Vegetables
7	Health & Hygiene
8	Home & Cleaning

First eight alphabetical values shown as a preview.

What this tells us: The supplied CSV contains 14 distinct category labels. Review the full output to check whether similar labels should be standardized.

05 Count stock status values

Counts rows by out-of-stock status. COUNT(sku_id) assumes sku_id is populated in your MySQL table.

```
SELECT outOfStock, COUNT(sku_id) AS total_skus
FROM zepto
GROUP BY outOfStock
ORDER BY outOfStock;
```

#	outOfStock	total_rows
1	0	3,279
2	1	453

CSV preview only. Database count previously observed in chat differs.

What this tells us: The supplied CSV uses Boolean-like values. Your database previously showed FALSE = 1,472 and TRUE = 190 for 1,662 imported rows; that is a different row population from this CSV and should be verified after re-import.

04 Pricing analysis

These queries move beyond simple row inspection. They compare the listed price with the selling price, rank discounts, and calculate a normalized price-per-weight measure. Confirm the source's price scale before interpreting the amounts as rupees.

06 Top ten selling prices

Finds products with positive listed and selling prices, then shows the ten highest selling-price rows.

```
SELECT name, category, mrp, discountSellingPrice
FROM zepto
WHERE mrp > 0 AND discountSellingPrice > 0
ORDER BY discountSellingPrice DESC
LIMIT 10;
```

#	name	category	mrp	discountSellingPrice
1	Borges Extra Light Olive Oil Bottle	Munchies	260,000	139,900
2	Borges Extra Light Olive Oil Bottle	Cooking Essentials	260,000	139,900
3	Praakritik Natural Desi Gir Cow A2 Ghee	Munchies	145,000	130,500
4	Praakritik Natural Desi Gir Cow A2 Ghee	Cooking Essentials	145,000	130,500
5	Saffola Gold (Jar)	Munchies	124,000	124,000
6	Saffola Gold (Jar)	Cooking Essentials	124,000	124,000
7	Dhara Kachi Ghani Mustard Oil Jar	Cooking Essentials	125,000	114,300

CSV-derived reference preview; values should be rerun in MySQL.

What this tells us: This is a price ranking, not a sales ranking: the dataset contains price fields, not units sold.

07 Largest absolute discounts

Calculates the difference between listed price and selling price, then ranks products by that difference.

```
SELECT name, category, mrp, discountSellingPrice,
(mrp - discountSellingPrice) AS discount_amount
FROM zepto
WHERE mrp > discountSellingPrice
ORDER BY discount_amount DESC
LIMIT 10;
```

#	name	category	mrp	discountSellingPrice	discount_amount
1	Borges Extra Light Olive Oil Bottle	Cooking Essentials	260,000	139,900	120,100
2	Borges Extra Light Olive Oil Bottle	Munchies	260,000	139,900	120,100
3	Pampers Pants - Large	Paan Corner	154,900	84,900	70,000
4	Pampers Pants - Large	Personal Care	154,900	84,900	70,000
5	Kelloggs Chocos - Moons & Stars	Ice Cream & Desserts	66,000	39,600	26,400
6	Kelloggs Chocos - Moons & Stars	Packaged Food	66,000	39,600	26,400

CSV-derived reference preview.

What this tells us: A large absolute discount does not necessarily mean the largest percentage discount. Both measures can be useful, but they answer different questions.

08 Largest calculated discount percentages

Recomputes discount percentage from the two price columns instead of relying only on the recorded discountPercent field.

```
SELECT name, category, mrp, discountSellingPrice,
ROUND((mrp - discountSellingPrice) / mrp * 100, 2) AS calculated_discount_pct
FROM zepto
WHERE mrp > 0 AND discountSellingPrice >= 0
ORDER BY calculated_discount_pct DESC
LIMIT 10;
```

#	name	category	mrp	discountSellingPrice	calculated_discount_pct
1	Dukes Waffy Strawberry Wafers	Biscuits	4,500	2,200	51.11
2	Dukes Waffy Chocolate Wafers	Biscuits	4,500	2,200	51.11
3	Dukes Waffy Orange Wafers	Biscuits	4,500	2,200	51.11
4	RRO Fresh Ricotta	Dairy, Bread & Batter	27,500	13,700	50.18
5	RRO Fresh Ricotta	Beverages	27,500	13,700	50.18
6	RRO Mozzarella Pizza Cheese	Beverages	27,500	13,700	50.18

CSV-derived reference preview.

What this tells us: Compare calculated_discount_pct with discountPercent to find rows where the stored percentage and prices may not agree.

09 Catalogue size by category

Counts the number of rows in each category. The count represents records, not necessarily unique products.

```
SELECT category, COUNT(*) AS total_products
FROM zepto
GROUP BY category
ORDER BY total_products DESC;
```

#	category	total_products
1	Cooking Essentials	514
2	Munchies	514
3	Ice Cream & Desserts	388
4	Packaged Food	388
5	Chocolates & Candies	388
6	Paan Corner	344
7	Personal Care	344

CSV-derived reference preview.

What this tells us: Categories with more rows contribute more catalogue entries. This alone does not mean they generate more revenue or demand.

10 Average price by category

Compares average listed price and average selling price for each category.

```
SELECT category,
ROUND(AVG(mrp), 2) AS avg_mrp,
ROUND(AVG(discountSellingPrice), 2) AS avg_selling_price
FROM zepto
GROUP BY category
ORDER BY avg_selling_price DESC;
```

#	category	avg_mrp	avg_selling_price
1	Paan Corner	20,711.92	18,973.84
2	Personal Care	20,711.92	18,973.84
3	Meats, Fish & Eggs	18,728.57	16,409.52

#	category	avg_mrp	avg_selling_price
4	Health & Hygiene	15,917.53	14,585.57
5	Home & Cleaning	15,215.46	14,144.85
6	Chocolates & Candies	15,572.68	14,107.73
7	Packaged Food	15,572.68	14,107.73

CSV-derived reference preview.

What this tells us: Category averages can be affected by a small number of high-priced items. For a stronger comparison, also inspect medians and row counts.

05 Inventory-focused analysis

Inventory queries help identify records that may deserve a manual check. A low quantity can be a useful flag, but it should not automatically be called a stockout or a replenishment recommendation without demand and supplier context.

11 Low available quantity (1–5)

Filters products with recorded available quantity between one and five, ordered from lowest to highest.

```
SELECT sku_id, name, category, availableQuantity
FROM zepto
WHERE availableQuantity BETWEEN 1 AND 5
ORDER BY availableQuantity ASC;
```

#	name	category	availableQuantity
1	Mamaearth Vitamin C Face Toner	Paan Corner	1
2	Surf Excel Stain Eraser	Home & Cleaning	1
3	Vim Dishwash Liquid Gel Lemon	Home & Cleaning	1
4	Surf Excel Matic Top Load Detergent Pow...	Home & Cleaning	1
5	Sunfeast Yippee Tricolor Pasta Seasoning	Packaged Food	1
6	Wingreens Cheesy Chipotle Sauce	Packaged Food	1
7	Godrej Yummiez Chicken Nuggets	Packaged Food	1

The user's MySQL table includes sku_id; the CSV preview does not. The SKU column is therefore omitted from this preview.

What this tells us: Treat this as a review list. A business rule should define what "low stock" means for each product category.

12 Ten heaviest listed products

Ranks products by weight in grams. This can help identify bulky products or check whether weight values look reasonable.

```
SELECT name, category, weightInGms
FROM zepto
ORDER BY weightInGms DESC
LIMIT 10;
```

#	name	category	weightInGms
1	Pillsbury Chakki Fresh Atta	Cooking Essentials	10,000
2	Pillsbury Chakki Fresh Atta	Munchies	10,000
3	Aashirvaad Atta	Munchies	10,000
4	Aashirvaad Atta	Cooking Essentials	10,000
5	Pillsbury Atta/Godihittu - Chakki Fresh	Munchies	5,000
6	Super Saver Kolam Rice Sortex Clean	Munchies	5,000
7	Popular Essentials Rozana Sona Masuri R...	Munchies	5,000

CSV-derived reference preview.

What this tells us: Check units and outliers before using weight in any logistics or pricing analysis.

13 Lowest price per kilogram

Normalizes selling price to a per-kilogram basis for products with positive weight and selling price.

```
SELECT name, category, weightInGms, discountSellingPrice,
ROUND(discountSellingPrice / weightInGms * 1000, 2) AS price_per_kg
FROM zepto
```

```
WHERE weightInGms > 0 AND discountSellingPrice > 0
ORDER BY price_per_kg ASC
LIMIT 10;
```

#	name	category	weightInGms	discountSellingPrice	price_per_kg
1	Vicks Cough Drops Menthol	Health & Hygiene	1,160	2,000	1,724.14
2	Aashirvaad Iodised Salt	Cooking Essentials	1,000	1,900	1,900
3	Aashirvaad Iodised Salt	Munchies	1,000	1,900	1,900
4	Onion	Fruits & Vegetables	3,000	5,700	1,900
5	Onion	Fruits & Vegetables	1,000	2,100	2,100
6	Tata Salt	Munchies	1,000	2,400	2,400

CSV-derived reference preview.

What this tells us: This comparison is most meaningful among comparable products. A per-kilogram price does not make unrelated categories directly equivalent.

14 Stock flag and recorded quantity

Compares the number of rows and sum of available quantity for each stock-status flag.

```
SELECT outOfStock, COUNT(*) AS row_count,
SUM(availableQuantity) AS total_available_quantity
FROM zepto
GROUP BY outOfStock;
```

#	outOfStock	row_count	total_available_quantity
1	0	3,279	14,960
2	1	453	0

CSV-derived reference preview.

What this tells us: If the stock flag and available quantity disagree—for example, marked out of stock with a positive quantity—investigate those records rather than silently changing them.

06 Additional analysis

The next queries add useful checks beyond basic exploration. They are intentionally straightforward so the logic is easy to discuss during a portfolio review or interview.

15 Products with discounts of 30% or more

Filters products whose recorded discountPercent is at least 30 and ranks the highest values first.

```
SELECT name, category, mrp, discountSellingPrice, discountPercent
FROM zepto
WHERE discountPercent >= 30
ORDER BY discountPercent DESC
LIMIT 10;
```

#	name	category	mrp	discountSellingPrice	discountPercent
1	Dukes Waffy Chocolate Wafers	Biscuits	4,500	2,200	51
2	Dukes Waffy Strawberry Wafers	Biscuits	4,500	2,200	51
3	Dukes Waffy Orange Wafers	Biscuits	4,500	2,200	51
4	Ceres Foods Laal Maas Instant Cooking Mix	Cooking Essentials	22,000	11,000	50
5	Chef's Basket Durum Wheat Cooking Pasta	Cooking Essentials	16,000	8,000	50
6	Chef's Basket Durum Wheat Rigatoni Pasta	Cooking Essentials	16,000	8,000	50

CSV-derived reference preview.

What this tells us: Use this query to make a shortlist for checking high-discount items, not as proof of a promotion's effectiveness.

16 Average recorded discount by category

Compares the average recorded discount across categories with at least ten rows.

```
SELECT category,
ROUND(AVG(discountPercent), 2) AS avg_recorded_discount,
COUNT(*) AS row_count
FROM zepto
GROUP BY category
HAVING COUNT(*) >= 10
ORDER BY avg_recorded_discount DESC;
```

#	category	avg_recorded_discount	row_count
1	Fruits & Vegetables	15.46	93
2	Meats, Fish & Eggs	11.03	63
3	Ice Cream & Desserts	8.32	388
4	Packaged Food	8.32	388
5	Chocolates & Candies	8.32	388
6	Biscuits	8.24	147
7	Health & Hygiene	8.05	97

CSV-derived reference preview.

What this tells us: The HAVING clause filters aggregated groups. This differs from WHERE, which filters individual rows before aggregation.

17 Check selling prices above MRP

Returns records where selling price is greater than MRP. This is a data-quality check; such rows may be valid in some datasets but should be reviewed.

```
SELECT name, category, mrp, discountSellingPrice,
ROUND((mrp - discountSellingPrice), 2) AS price_gap
FROM zepto
WHERE mrp > 0 AND discountSellingPrice > mrp
ORDER BY price_gap DESC;
```

#	name	category	mrp	discountSellingPrice

Preview returns rows based on supplied CSV; query uses user schema naming.

What this tells us: The filter identifies exceptions for review. Confirm the source's definitions and scale before correcting values.

18 Out-of-stock share by category

Calculates the share of rows marked out of stock within each category. This version assumes outOfStock is stored as 0/1 or a Boolean in MySQL.

```
SELECT category,
SUM(CASE WHEN outOfStock = 1 THEN 1 ELSE 0 END) AS out_of_stock_rows,
COUNT(*) AS total_rows,
ROUND(100.0 * SUM(CASE WHEN outOfStock = 1 THEN 1 ELSE 0 END) / COUNT(*), 2) AS out_of_stock_pct
FROM zepto
GROUP BY category
ORDER BY out_of_stock_pct DESC;
```

#	category	out_of_stock_rows	total_rows	out_of_stock_pct
1	Biscuits	42	147	28.57
2	Beverages	28	129	21.71
3	Dairy, Bread & Batter	28	129	21.71
4	Meats, Fish & Eggs	12	63	19.05
5	Health & Hygiene	13	97	13.40
6	Cooking Essentials	64	514	12.45
7	Munchies	64	514	12.45

SQL condition should match the actual column type. CSV-derived reference preview.

What this tells us: This gives a category-level view of the stock flag. If outOfStock is VARCHAR, compare against the literal string TRUE instead of numeric 1.

07 Findings and interpretation

The supplied file supports catalogue-level observations, but findings should be validated against the final database import before being quoted as final project results. The following are the most useful interpretation patterns to discuss.

Catalogue structure

The supplied CSV has 3,732 rows and 14 distinct categories. The largest category by row count is “Cooking Essentials” (514 rows).

Discount sanity checks

For rows with positive MRP and a selling price, the mean recalculated discount is approximately 7.86%. This is a descriptive statistic; compare it with the stored discountPercent before making a claim about pricing consistency.

Low stock review

1,659 rows have availableQuantity between 1 and 5 in the supplied CSV. This is a candidate review group, not a definitive reorder list.

Stock status

453 rows in the supplied CSV are marked out of stock. The exact count differs from the previously observed database output, so the import discrepancy should be resolved.

Price and weight checks

1 rows have a non-positive MRP or selling price in the supplied CSV. Weight-based comparisons also require positive weight values and comparable product types.

What should not be claimed

Do not claim revenue, sales growth, customer preferences, demand forecasting, or supplier performance from these fields alone. Those topics require transaction, order, customer, or supplier data that is not included here. Also avoid describing price-per-kilogram rankings as “cheapest products” across unrelated categories.

08 Skills demonstrated

This project can demonstrate practical SQL skills when you can explain and rerun each statement. List only the skills you genuinely used and are ready to discuss.

Skill / SQL concept	How it appears in this project
SELECT / LIMIT	Inspect records and review a small sample before analysis.
WHERE	Filter rows based on stock, price, weight, or discount conditions.
ORDER BY	Rank records and make result sets easier to review.
DISTINCT	Inspect unique category labels.
COUNT / SUM / AVG	Summarize row counts, quantities, and average prices.
GROUP BY / HAVING	Compare categories and filter groups after aggregation.
CASE WHEN	Calculate category-level counts and percentages based on conditions.
Calculated columns	Compute absolute discount, recalculated discount percentage, and price per kilogram.
Data-quality checks	Find NULL values, unusual prices, and possible inconsistencies.
MySQL Workbench	Run queries, inspect result grids, and save a reproducible .sql script.

Suggested interview explanation

“I used MySQL to explore a Zepto product catalogue. I started by checking the row count, sampling records, and reviewing missing values. Then I grouped products by category, compared listed and selling prices, recalculated discounts, and created inventory review lists using available quantity and stock status. I also checked price-per-weight values and added data-quality queries. I understand that the file is catalogue data, so I have not treated it as sales or revenue data.”

Be ready to explain each query

For every query, be able to explain (1) the business question, (2) why the WHERE condition is used, (3) what each selected column means, and (4) what the result cannot prove. If you cannot explain a query without reading the report, simplify it and practise again.

09 Data limitations and reproducibility

The most important limitation discovered during preparation is the difference between the CSV row count and the earlier MySQL row count. The CSV available here contains 3,732 rows, while the earlier Workbench result reported 1,662 rows. This could result from a partial import, an earlier file version, a filter, or a different table state. It must be resolved rather than hidden.

Verification checklist

- Run SELECT COUNT(*) FROM zepto; and record the exact result.
- Confirm the active schema is zepto_sql_project and the table is zepto.
- Check that the imported file is the intended CSV and that import completed without skipped rows.
- Confirm outOfStock is stored consistently (BOOLEAN, numeric 0/1, or text TRUE/FALSE).
- Check whether discountSellingPrice and the source CSV's discountedSellingPrice refer to the same field.
- Confirm whether mrp and discountSellingPrice use rupees, paise, or another scaled representation.
- Save the final SQL file as zepto_inventory_analysis.sql and rerun it from a fresh Workbench tab.
- Replace any CSV-derived preview in this report with actual output from the final database if the numbers differ.

Reproducibility matters

A strong portfolio project is not just a polished PDF. The SQL file, dataset source, field definitions, and output tables should agree with each other. A reviewer may run one query independently. Consistent names, correct row counts, and clear limitations make the work more credible than claiming more than the data supports.

10 Conclusion and portfolio presentation

This project uses SQL to examine a product catalogue through exploratory checks, category summaries, discount calculations, stock-status counts, low-quantity filters, and price-per-weight comparisons. It demonstrates a practical workflow: understand the data first, formulate a question, write a query, inspect the result, and state a careful interpretation.

Recommended GitHub structure

```
zepto-inventory-sql-analysis/
■■■ README.md
■■■ sql/
■ ■■■ zepto_inventory_analysis.sql
■■■ report/
■ ■■■ Zepto_Inventory_SQL_Analysis_Portfolio_Report.pdf
■■■ screenshots/
■ ■■■ row_count.png
■ ■■■ category_summary.png
■ ■■■ pricing_analysis.png
■■■ data/
■■■ README.md (describe the dataset source; include the CSV only if permitted)
```

README should include

• Project objective and dataset source.

• Schema/table name and the key fields used.

• How to import the dataset and run the SQL script.

• A short list of questions answered by the queries.

• A few genuine screenshots captured from MySQL Workbench.

• Known limitations, especially the final verified row count and any data-quality issues.

Final note

This report is a working portfolio document, not a guarantee that any recruiter will accept the project without questions. The best protection is to make sure the SQL runs, the screenshots are genuine, the findings match the database, and you can explain the work in your own words. No report can guarantee how an AI detector or an individual reviewer will judge it.

Appendix A Query index

Use this index to navigate the 18 query examples. Keep the SQL script as the primary reproducible artifact and use the PDF as supporting documentation.

No.	Query / analysis
01	Count records
02	Preview first ten rows
03	Check for NULL values
04	List distinct categories
05	Count stock status values
06	Top ten selling prices
07	Largest absolute discounts
08	Largest calculated discount percentages
09	Catalogue size by category
10	Average price by category
11	Low available quantity (1–5)
12	Ten heaviest listed products
13	Lowest price per kilogram
14	Stock flag and recorded quantity
15	Products with discounts of 30% or more
16	Average recorded discount by category
17	Check selling prices above MRP
18	Out-of-stock share by category

Appendix B Important schema note

The SQL statements use the user-reported MySQL names: category, name, mrp, discountPercent, availableQuantity, discountSellingPrice, weightInGms, outOfStock, quantity, and sku_id where applicable. The supplied CSV uses Category and discountedSellingPrice and does not include sku_id. Adapt the import mapping or column names consistently before running the entire script.