CURRICULUM VITAE

PERSONAL INFORMATION:

Name: Position:

Liang-Jun Zhu (朱良君) Assistant Professor

Business Address:

Room D411, 11A Datun Road, Chaoyang District, Beijing 100101, P.R. China

<u>E-mail</u>: <u>Languages</u>:

zlj@lreis.ac.cn Chinese, English

Websites:

Homepage https://zhulj.net Github https://github.com/crazyzlj

Academic pages Google Scholar, Publons, ORCiD, ResearchGate

RESEARCH INTERESTS:

Watershed process modeling, spatial optimization of watershed management practice scenario, intelligent geocomputation

EDUCATION:

2014–2019 **Ph.D.** (GIS), University of Chinese Academy Sciences, Beijing, P.R.C.

Dissertation: Method of optimizing spatial configuration of beneficial

watershed management practices in a unit-boundary

adaptive manner

Supervisors: Professor A-Xing Zhu and Professor Cheng-Zhi Qin

2011–2014 **M.Sc.** (Physical Geography), Beijing Normal University, Beijing, P.R.C.

Thesis: A laser scanner for surface roughness and rill morphology

measurement based on linear structured light

Supervisor: Professor Guang-Hui Zhang

2007–2011 B.Sc. (GIS), Northwest A&F University, Yangling, Shaanxi, P.R.C.

PROFESSIONAL EMPLOYMENT:

07/2019 to date: Assistant Professor, State Key Laboratory of Resources and

Environmental Information System (LREIS), Institute of Geographic Sciences and Natural Resources Research (IGSNRR), Chinese Academy

Sciences (CAS)

AWARDS, HONORS, AND SCHOLARSHIPS:

2012–2013 National scholarship for graduate students, Beijing Normal University

2007–2008 National scholarship for undergraduate students, Northwest A&F University

PUBLICATIONS AND RESEARCH PAPERS:

As of **Nov. 2021**, totally **12** peer-reviewed journal articles (including **5** SCI-indexed papers) as the first author and/or corresponding author, **10** peer-reviewed journal articles

(including **3** SCI-indexed papers and **1** SSCI-indexed paper) as co-author have been published.

Journal Articles of first/co-first (#)/corresponding author (*):

- [12] **Zhu, L.-J.**, Qin, C.-Z.*, Zhu, A.-X., **2021**. Spatial optimization of watershed best management practice scenarios based on boundary-adaptive configuration units. *Progress in Physical Geography: Earth and Environment*, 45(2), 207–227. doi:10.1177/0309133320939002
- [11] **Zhu, L.-J.**, Liu, J.*, Qin, C.-Z.*, Zhu, A.-X., **2019**. A modular and parallelized watershed modeling framework. *Environmental Modelling & Software*, 122, 104526. doi:10.1016/j.envsoft.2019.104526
- [10] **Zhu, L.-J.**, Qin, C.-Z.*, Zhu, A.-X., Liu, J., Wu, H., **2019**. Effects of different spatial configuration units for the spatial optimization of watershed best management practice scenarios. *Water*, 11(2), 262. doi:10.3390/w11020262
- [9] Qin, C.-Z., Gao, H.-R., **Zhu, L.-J.***, Zhu, A.-X., Liu, J.-Z., Wu, H., **2018**. Spatial optimization of watershed best management practices based on slope position units. *Journal of Soil and Water Conservation*, 73(5):504–517. doi:10.2489/jswc.73.5.504
- [8] **Zhu, L.-J.**, Zhu, A.-X., Qin, C.-Z.*, Liu, J.-Z., **2018**. Automatic approach for deriving fuzzy slope positions. *Geomorphology*, 304:173–183. doi:10.1016/j.geomorph.2017.12.024
- [7] Shi, Y., **Zhu, L.***, Qin, C., Zhu, A., **2021**. Spatial optimization of watershed best management practices based on slope position-field units. *Journal of Geo-information Science (in Chinese with English abstract*), 23(4):564–575. [史亚星, **朱良君***, 秦承志, 朱阿兴. **2021**. 基于坡位-地块单元的流域最佳管理措施空间优化配置方法. 地球信息科学学报, 23(4):564–575.] doi:10.12082/dqxxkx.2021.200335
- [6] Zhu, A.-X., **Zhu, L.-J.***, Shi, Y., Qin, C.-Z., Liu, J., **2019**. Integrated watershed modeling and scenario analysis: a new paradigm for integrated study of physical geography? *Progress in Geography (in Chinese with English abstract)*, 38(8):1111–1122. [朱阿兴, 朱良君*, 史亚星, 秦承志, 刘军志. **2019**. 流域系统综合模拟与情景分析——自然地理综合研究的新范式? 地理科学进展, 38(8):1111–1122.] doi:10.18306/dlkxjz.2019.08.001
- [5] Wang, L., **Zhu, L.-J.***, Zhu, A.-X., Liu, J.-Z., Shen, L., **2016**. Effect of spatial unit delineation on simulating non-point source pollution by SWAT model. *Journal of Shenyang Agricultural University* (*in Chinese with English abstract*), 47(4):460–466. [王琳, **朱良 君***, 朱阿兴, 刘军志, 沈琳. **2016**. SWAT模型非点源污染模拟对空间单元划分的响应. 沈阳农业大学学报, 47(4):460–466.] doi:10.3969/j.issn.1000-1700.2016.04.012
- [4] **Zhu, L.-J.**, Zhang, G.-H.*, Li, Z.-W., Geng, R., **2015**. A laser scanner system for rill morphology measurement based on linear structured light. *Mountain Research (in Chinese with English abstract*), 33(6):770–776. [**朱良君**, 张光辉*, 李振炜, 耿韧. **2015**. 一种基于线结构光技术的细沟形态测量系统. 山地学报, 33(6):770–776.] doi:10.16089/j.cnki.1008-2786.000093

- [3] **Zhu, L.-J.**, Zhang, G.-H.*. **2013**. Review of measurement and quantification of surface microtopography. *Science of Soil and Water Conservation (in Chinese with English abstract*), 11(5):114–122. [**朱良君**, 张光辉*. **2013**. 地表微地形测量及定量化方法研究综述. 中国水土保持科学, 11(5):114–122.] doi:10.16843/j.sswc.2013.05.018
- [2] **Zhu, L.-J.**, Zhang, G.-H.*, Hu, G.-F., Wang, B., **2013**. Study on evaluating ultrasonic measurement system of overland flow depth. *Journal of Soil and Water Conservation (in Chinese with English abstract*), 27(1):235–239. [**朱良君**, 张光辉*, 胡国芳, 王兵. **2013**. 坡面流超声波水深测量系统研究. 水土保持学报, 27(1):235–239.] doi:10.13870/j.cnki.stbcxb.2013.01.044
- [1] **Zhu, L.-J.**, Zhang, G.-H.*, Ren, Z.-P., **2012**. Comparing four methods for soil infiltration measurement. *Bulletin of Soil and Water Conservation* (*in Chinese with English abstract*), 32(6):163–167. [**朱良君**, 张光辉*, 任宗萍. **2012**. 4种土壤入渗测定方法的比较. 水土保持通报, 32(6):163–167.] doi:10.13961/j.cnki.stbctb.2012.06.050

Journal Articles of co-author:

- [10] Wang, Y.-W., Qin, C.-Z.*, Cheng, W.-M., Zhu, A.-X., Wang, Y.-J., **Zhu, L.-J.**, **2021**. Automatic crater detection by training random forest classifiers with legacy crater map and spatial structural information derived from digital terrain analysis. Annals of the American Association of Geographers, 1–22. (SSCI) doi:10.1080/24694452.2021.1960473
- [9] Gao, H.-R., Qin, C.-Z.*, **Zhu, L.-J.**, Zhu, A.-X., Liu, J.-Z., Wu, H., **2018**. Using slope positions as spatial units for optimizing spatial configuration of watershed management practices. *Journal of Geo-information Science* (*in Chinese with English abstract*), 20(6):781–790. [高会然,秦承志*,**朱良君**,朱阿兴,刘军志,吴辉. **2018**. 以坡位为空间配置单元的流域管理措施情景优化方法. 地球信息科学学报, 20(6):781–790.] doi:10.12082/dqxxkx.2018.170622
- [8] Wang, L., Zhang, G.*, **Zhu, L.**, Wang, H., **2017**. Biocrust wetting induced change in soil surface roughness as influenced by biocrust type, coverage and wetting patterns. *Geoderma*, 306:1–9. doi:10.1016/j.geoderma.2017.06.032
- [7] Gao, H.-R., Shen, L., Liu, J.-Z.*, Zhu, A.-X., Qin, C.-Z., **Zhu, L.-J.**, **2017**. Review on the simulation of non-point source pollution in the Hilly region of Southern China. *Journal of Geo-information Science (in Chinese with English abstract*), 19(8):1080–1088. [高会然, 沈琳, 刘军志*, 朱阿兴, 秦承志, **朱良君**. **2017**. 中国南方丘陵区非点源污染过程模拟研究进展. 地球信息科学学报, 19(8):1080–1088.] doi:10.3724/SP.J.1047.2017.01080
- [6] Jiang, J.-C., Yu, J., Qin, C.-Z., Liu, J.-Z.*, Li, R.-K., **Zhu, L.-J.**, Zhu, A.-X., **2017**. A knowledge-driven method for intelligent setting of parameters in hydrological modeling. *Geomatics and Information Sciences of Wuhan University (in Chinese with English abstract*), 42(4):525–530. [江净超, 余洁, 秦承志, 刘军志*, 李润奎, **朱良君**, 朱阿兴. **2017**. 知识驱动下的水文模型参数智能化设置方法. 武汉大学学报·信息科学版, 42(4):525–530.] doi:10.13203/j.whugis20150044

C.V.

- [5] Ren, Z.*, **Zhu, L.**, Wang, B., Cheng, S., **2016**. Soil hydraulic conductivity as affected by vegetation restoration age on the Loess Plateau. *Journal of Arid Land*, 8(4):546–555. doi:10.1007/s40333-016-0010-2
- [4] Liu, J.-Z., Zhu, A.-X.*, Qin, C.-Z., Jiang, J.C., **Zhu, L.-J.**, Shen, L., **2015**. Parallel computing of watershed process simulation guided by geographical laws. *Journal of Geoinformation Science* (*in Chinese with English abstract*), 17(5):506–514. [刘军志,朱阿兴*,秦承志,江净超,朱**良君**,沈琳. **2015**. 论地理规律对流域过程模拟并行计算的指导作用. 地球信息科学学报, 17(5):506–514.] doi:10.3724/SP.J.1047.2015.00506
- [3] Hu, G.-F., Zhang, G.-H.*, **Zhu, L.-J.**, **2015**. Comparison of three methods to measure depth of overland flow. *Bulletin of Soil and Water Conservation* (*in Chinese with English abstract*), 35(3):152–156. [胡国芳, 张光辉*, **朱良君**. **2015**. 3种坡面流水深测量方法比较. 水土保持通报, 35(3):152–156.] doi:10.13961/j.cnki.stbctb.2015.03.034
- [2] Geng, R., Zhang, G.-H.*, Li, Z.-W., Hu, G.-F., Wang, H., **Zhu, L.-J.**, **2014**. Variation of physical properties and soil organic matter based on the method of stratified sampling. *Journal of Soil and Water Conservation (in Chinese with English abstract*), 28(6):194–199+205. [耿韧, 张光辉*, 李振炜, 胡国芳, 王浩, **朱良君**. **2014**. 基于分层抽样法的小流域土 壤物理性质和有机质差异特征. 水土保持学报, 28(6):194–199+205.] doi:10.13870/j.cnki.stbcxb.2014.06.036
- [1] Wang, B., Zhang, G.*, Shi, Y., Zhang, X.C., Ren, Z., **Zhu, L., 2013**. Effect of natural restoration time of abandoned farmland on soil detachment by overland flow in the Loess Plateau of China. *Earth Surface Processes and Landforms*, 38(14):1725–1734. doi:10.1002/esp.3459

Book chapters and entries:

[1] Qin, C.-Z., **Zhu, L.-J.**, **2020**. GDAL/OGR and Geospatial Data IO Libraries. The Geographic Information Science & Technology Body of Knowledge (4th Quarter 2020 Edition), John P. Wilson (Ed.). doi:10.22224/gistbok/2020.4.1

RESEARCH ACTIVITIES

As Principal Investigator (PI) or Co-PI in research projects:

[1] "Spatial optimization of watershed management practices based on nested geographic objects", National Natural Science Foundation of China for Young Scientists Fund (No. 42101480), 2022–2024, **¥300,000** (Chinese Yuan)

Participating in research projects:

- [5] "Slope position as spatial unit for optimizing scenarios of Beneficial Watershed Management Practices (BMPs) in a unit-boundary adaptive manner", National Natural Science Foundation of China (No. 41871362), 2019–2022, PI: Cheng-Zhi Oin
- [4] "Scenario analysis of organic waste management in Dianbuhe watershed", National Key Technology Innovation Project for Water Pollution Control and Remediation (No. 2013ZX07103006-005), 2013–2016, PI: A-Xing Zhu

- [3] "Development of parallel algorithm for spatial statistics and geographical process simulation", National High-Tech Research and Development Program of China (No. 2011AA120305), 2011–2013, PI: A-Xing Zhu
- [2] "Hundred Talents Program" of the Chinese Academy of Sciences, 2012–2014, PI: Guang-Hui Zhang
- [1] "Research on experimental techniques of soil erosion", Independent research project of State Key Laboratory of Earth Surface Processes and Resource Ecology (No. 2012-ZY-02), 2012–2013, PI: Guang-Hui Zhang

Conference Oral Presentations:

- [5] A modular and parallelized modeling framework for distributed watershed modeling and scenario analysis. 28th International Conference on Geoinformatics (Online), Nov. 3-5, 2021. Nanchang, Jiangxi, China.
- [4] New optimization framework of watershed best management practice scenarios in a unit-boundary adaptive manner. *10th iEMSs Conference* (Online), Sep. 14–18, **2020**. Brussels.
- [3] Development of a modular and parallelized watershed modeling framework. *1st Regional Conference on Environmental Modeling and Software (Asian Region*), May. 18–20, **2019**. Nanjing, China.
- [2] An automatic approach of prototype-based fuzzy slope positions. *AAG Annual Meeting*, Apr. 5–9, **2017**. Boston, USA.
- [1] Automatic approach for deriving fuzzy slope positions. *33rd International Geographical Congress (IGC)*, Aug. 21–25, **2016**. Beijing, China.

PROFESSIONAL SERVICES:

Manuscripts reviewed:

Geoscientific Model Development: 2021(1)

Soil Science Society of America Journal: 2021(1)

Land Use Policy: 2021(1)

Water Resources Management: 2021(1), 2020(1)

Annals of GIS: 2020(1)

Journal of Agricultural Science and Technology: 2019(1)

水文: 2021(1)