

# ICBA SH 220-240V

Height: 32.8" Width: 11.8" Depth: 23.4"  
(83.3cm) (30.0cm) (59.4cm)



- Digital readout displays in English, Spanish, or French ---for easier programming and control--- and can show either 'Standard' or Metric measurements. Digital readout also shows machine status, and targeted advertising messages can be programmed for display.
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and three batch sizes
- Energy-saver mode reduces tank temperature during idle periods
- The exclusive Peak Extraction® Sprayhead provides improved uniformity of extraction and greater resistance to limescale buildup.
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- New Soft Heat® servers [sold separately] are ergonomic, lighter weight, energy efficient and now offer programmable recipe/batch based holding times and temperatures, alerting staff when freshness has expired or server is empty

 Server(s) sold separately

Agency:

KUCAS

## Specifications

**Product #:** 51100.0501

**Finish:** Stainless

**Funnel:** Smart Funnel

**Water Access:** Plumbed

## Additional Features

## Electrical & Capacity

| Volts*  | Amps      | Watts     | Cord Attached | Plug Type | 8oz cups/hr<br>236ml cups/hr | Input H <sub>2</sub> O Temp. | Phase | # Wires plus Ground | Hertz |
|---------|-----------|-----------|---------------|-----------|------------------------------|------------------------------|-------|---------------------|-------|
| 220-240 | 13.2-14.1 | 2900-3400 | No            | -         | 163                          | 60°F (15.5°C)                | 1     | 2                   | 50-60 |

\*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

## Plumbing Requirements

| PSI   | kPa     | Fitting Supplied        | Water Flow Required (GPM) |
|-------|---------|-------------------------|---------------------------|
| 20-90 | 138-621 | 3/8" Male Flare Fitting | 1.00                      |

 **WARNING:**





## CAD Drawings

| 2D | Revit | KLC |
|----|-------|-----|
|    |       |     |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
06/19/2024



| Unit    |          |          |          | Shipping |          |          |            |                       |
|---------|----------|----------|----------|----------|----------|----------|------------|-----------------------|
|         | Height   | Width    | Depth    | Height   | Width    | Depth    | Weight     | Volume                |
| English | 32.8 in. | 11.8 in. | 23.4 in. | 34.1 in. | 12.4 in. | 23.8 in. | 64.860 lbs | 8.540 ft <sup>3</sup> |
| Metric  | 83.3 cm  | 30.0 cm  | 59.4 cm  | 86.5 cm  | 31.6 cm  | 60.5 cm  | 29.420 kgs | 0.242 m <sup>3</sup>  |



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
06/19/2024

Related Products & Accessories:ICBA SH 220-240V(51100.0501)



1SH STAND, CE  
220-240V INF SERIES

Product #: 27825.0300



2SH STAND, CE  
220-240V INF SERIES

Product #: 27875.0300



KIT, DRIP TRAY INF  
TWIN SH

Product #: 53452.0000



KIT, DRIP TRAY SINGLE  
SH

Product #: 53452.0001

## Serving & Holding Options: ICBA SH 220-240V(51100.0501)



SH SERVER, 1.5G/5.7L  
INF SERIES

Product #:27850.0200



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit [bunn.com](http://bunn.com).

Last Updated:  
06/19/2024