




REST-API DOCUMENTATION PROVIDER – POS

VERSION 2.3

Contents

1. Integration overview	2
2. Api User Registration	3
3. Provider Api Calls	4
3.1. Send Invoices	4
3.1.1 Request	5
3.1.2 Response	12
3.1.3 Response Status	12
3.2. Request Transmitted Docs	14
3.3. CancelDeliveryNote	15
4. Delayed Transmission of invoices	16
Scenario 1 (Connection Loss of Entity - Provider)	17
Scenario 2 (Connection Loss of Provider - AADE)	17
5. General Provider Rules	18
6. New Client Registration Process	18
Provider Contract management system (Live Environment only)	19
7. Revision History	21

1. Integration overview



Certification Process


1. Register and get a developer account.
2. Develop and test the Provider API Calls. Check and make sure you do not receive any errors. Testing for this API consists of self-tests conducted using your test account in a sandbox environment.
3. When you are ready with testing, contact us to book an appointment to get certified
4. When everything goes right then your setup is ready, and we will send you instructions to Register for the Live environment. After that you must follow the [connection Flow](#) to get allowed sending invoices via our API.

After launch

- You must continue to adhere to our Terms and Conditions.
- You should monitor your API connection for any warning or errors.
- Report any warning or errors received in any response and how they have been resolved.

2. Api User Registration

To start using our services you must have a registered developer account.



The image shows a web form for registering as a developer. At the top is the 'NOVUS CONCEPTUS Developer' logo with flags for the UK and Ireland. The form title is 'Register' with the subtitle 'to start using our Provider Services'. It contains two input fields: 'Email' and 'Enter your Vat number'. Below these fields is a note: 'In order to register you must validate your email and enter your Company's vat number'. At the bottom is a 'Submit' button.

To Register you must:

1. Follow this [link](#).
2. Enter your email.
3. Confirm your account following the mail sent to you.
4. Set up your password.
5. Sign in to obtain your API-KEY used for the Api Calls

Each Environment has its own portal. After a successfully registration you can login into Portal using the following links:

For development Portal: <https://developer.portal.timologisi.online>

For Live (Production) Portal: <https://portal.timologisi.online>

The live account is available after your developer account gets certified by Novus Conceptus.

A certified account means you had a smooth integration process via the developer account and that you are ready to use our Provider Service API. To do so, book an appointment.

The Portal overall allows you to do the following:

- View/Find your issued invoices.
- Buy Credits *(In Live environment)*
- See your Authorized Vat numbers. *(In the Developer environment the vat number entered during the registration process is automatically added. In the Live environment you must Request each New Vat number via Portal. See more here [New Client Registration Process](#))*
- Manage your customers Logos.
- Request New Issuer Vat Number. *(In Live environment)*
- View your API Key

3. Provider Api Calls

Provider API calls can be tested also in swagger found on <https://provider-dev.timologisi.online/index.html>

3.1. Send Invoices

Body in Json format which contains one or more invoices. The structure of the element is described below.


Endpoints

Base URL Production environment

<https://provider.timologisi.online>

Base URL Sandbox environment

<https://provider-dev.timologisi.online>



3.1.1 Request

Method	URL
POST	{baseUrl}/api/v1/Provider/SendInvoices

Parameters

Type	Name	Value	Description
header	API-KEY	{YourApiKey}	The subscription key for the request. Different for dev / Live environment
header	content-type	application/json	

Body

Group	Field Name	Level	Required	Type	Description
invoice		root		object	
issuer		1	YES	object	
	vatNumber	2	YES	string	Issuer's Vat Number
	country	2	YES	string	Issuer's country ISO 3166-1 alpha-2
	branch	2	YES	integer	Issuer's Company Branch N/A as registered in Taxis Net. Headquarters= 0
	address	2	NO	object	
	street	3	NO	string	Issuer's address street
	number	3	NO	string	Issuer's address street number
	postalCode	3	YES	string	Issuer's address postal code
	city	3	YES	string	Issuer's address city
	documentIdNo	2	NO	string	Official document number
	supplyAccountNo	2	NO	string	Electricity Supply Number
	countryDocumentId	2	NO	string	Code Country of Issuance of Official Document
counterpart		1	NO	object	
	vatNumber	2	YES	string	Counterpart's Vat Number
	country	2	YES	string	Counterpart's country ISO 3166-1 alpha-2
	branch	2	YES	integer	Counterpart's Company Branch N/A as registered in Taxis Net. If Headquarter = 0
	name	2	NO	string	Counterpart's Official Company Name
	address	2	NO	object	
	street	3	NO	string	Counterpart's address street
	number	3	NO	string	Counterpart's address street number
	postalCode	3	YES	string	Counterpart's address postal code

	city	3	YES	string	Counterpart's address city
	documentIdNo	2	NO	string	Max.100 chars Valid only in the case of a tax free document (specialInvoiceCategory = 4)
	supplyAccountNo	2	NO	string	Max.100 chars Valid only in the case of a fuel documents
	countryDocumentId	2	NO	string	Code Country of Issuance of Official Document
invoiceHeader		1	YES	object	
	series	2	YES	string	Series Code of Invoice issued, use to resolve invoice type
	aa	2	YES	string	Invoice number
	issueDate	2	YES	date	Invoice's issue date
	invoiceType	2	YES	string	Invoice type (see Appendix Par.1)
	vatPaymentSuspension	2	NO	boolean	VAT payment suspension
	currency	2	NO	string	Currency code (ISO4217)
	exchangeRate	2	NO	decimal	Min value = 0 Decimal digits = 5. It should be completed only when the currency is not EUR
	correlatedInvoices	2	NO	list	The element is a list of strings containing the MARK of the associated invoices identifiers
	correlatedInvoicesLabel	2	NO	string	Required only when using correlated Invoices. The element is a text field containing the Friendly Name of the associated invoices
	selfPricing	2	NO	boolean	Specifies if it is self-billing invoice
	dispatchDate	2	NO	date	Dispatch Date ISO 8601
	dispatchTime	2	NO	time	Dispatch time
	vehicleNumber	2	NO	string	Vehicle number
	movePurpose	2	NO	integer	Purpose of movement (see Appendix Par. 10)
	movePurposeLabel	2	NO	string	Purpose of Movement Description
	fuelInvoice	2	NO	boolean	Fuel document (indication)
	specialInvoiceCategory	2	NO	integer	Special Category of Document (see Appendix Par.14)
	invoiceVariationType	2	NO	integer	Type of Document Deviation (Differentiation) (see Appendix Par. 17)
	otherCorrelatedEntities	2	NO	list	Correlated Entities Details

	type	3	YES	integer	(see Appendix Par. 16)
	entityData	3	YES	object	
	vatNumber	4	YES	string	
	country	4	YES	string	
	branch	4	YES	string	
	name	4	NO	string	
	address	4	NO	object	
	street	5	NO	string	
	number	5	NO	string	
	postalCode	5	YES	string	
	city	5	YES	string	
	documentIdNo	3	NO	string	
	supplyAccountNo	3	NO	string	
	countryDocumentId	3	NO	string	
	otherDeliveryNoteHeader	2	NO	object	Delivery Note Details
	loadingAddress	3	YES	object	
	street	4	NO	string	
	number	4	NO	string	
	postalCode	4	YES	string	
	city	4	YES	string	
	deliveryAddress	3	YES	object	
	street	4	NO	string	
	number	4	NO	string	
	postalCode	4	YES	string	
	city	4	YES	string	
	startShippingBranch	3	NO	integer	
	completeShippingBranch	3	NO	integer	
	isDeliveryNote	2	NO	boolean	Delivery note (indication)
	otherMovePurposeTitle	2	NO	string	Title of Other Cause of Traffic
	thirdPartyCollection	2	NO	boolean	Third Party Collection (Indicator)
	multipleConnectedMarks	2	NO	list	The element is a list of strings containing the MARK of the connected invoices
	reverseDeliveryNote	2	NO	boolean	Reverse Delivery
	reverseDeliveryNotePurpose	2	NO	integer	Reason for Issuing a Reverse Delivery. ENUM from AADE reasons table
	paymentMethods	1	NO	list	
	type	2	YES	integer	Payment Type (see Appendix Par. 8)
	amount	2	YES	decimal	Payment amount
	paymentMethodInfo	2	NO	string	information for AADE
	terminalId	2	NO	string	(only if payment type = 7)
	posNspld	2	NO	integer	(only if payment type = 7) (see Appendix Par. 23)
	invoiceDetails	1	YES	list	
	lineNumber	2	YES	integer	Line number Min value = 1
	lineCode	2	NO	string	Code of product (printed on invoice)
	lineDescription	2	NO	string	Description of line (printed on invoice)

recType	2	NO	integer	Line Type Min = 1 Max = 6 (see Appendix Par. 12)
taricNo	2	NO	string	Taric code
itemCode	2	NO	string	Acceptable only in the case of documents that are invoices and consignment notes or simple handling notes (e.g. 9.3)
itemDescr	2	NO	string	Item description for AADE
fuelCode	2	NO	string	Fuel Codes list (see Appendix Par. 13)
quantity	2	NO	decimal	Quantity Min value = 0 Default = 1
measurementUnit	2	NO	integer	Unit of quantity (see Appendix Par. 9)
measurementUnitLabel	2	NO	string	Required only when measurement Unit exists
invoiceDetailType	2	NO	integer	Self-billing remark
lineUnitPrice	2	NO	decimal	The unit price
totalNetPriceBeforeDiscount	2	NO	decimal	Total price of all (units x quantity)
totalDiscountValue	2	NO	decimal	Total Discount Value
netValue	2	YES	decimal	Net value
vatCategory	2	YES	integer	VAT category (see Appendix Par. 2)
vatCategoryPercent	2	NO	decimal	VAT category Printer friendly Description (ex. 24.00)
vatAmount	2	YES	decimal	VAT amount
vatExemptionCategory	2	NO	integer	VAT exemption category (see Appendix Par. 3)
vatExemptionCategoryLabel	2	NO	string	VAT exemption Printer friendly Description
dienergia	2	NO	object	Article 27 of POL 1177/2018
applicationId	3	YES	string	Activity Undertaking Declaration Number
applicationDate	3	YES	date	Application date
doy	3	NO	string	Tax Return Filing DOY
shipId	3	YES	string	Ship details
discountOption	2	NO	boolean	Discount Option
withheldAmount	2	NO	decimal	Withholding tax amount
withheldPercentCategory	2	NO	integer	Withholding tax rate category (see Appendix Par. 4)
stampDutyAmount	2	NO	decimal	Stamp duty amount
stampDutyPercentCategory	2	NO	integer	Stamp duty rate category (see Appendix Par. 5)
feesAmount	2	NO	decimal	Fees amount
feesPercentCategory	2	NO	integer	Fees rate category (see Appendix Par. 6)
otherTaxesPercentCategory	2	NO	integer	Other taxes rate category (see Appendix Par. 7)

	otherTaxesAmount	2	NO	decimal	Other taxes amount
	deductionsAmount	2	NO	decimal	Deductions amount
	lineComments	2	NO	string	Line comments AADE
	incomeClassification	2	NO	list	<i>Possible values described in Appendix par. 18 and 19</i>
	classificationType	3	NO	string	
	classificationCategory	3	YES	string	
	amount	3	YES	decimal	
	id	3	NO	integer	
	expensesClassification	2	NO	list	<i>Possible values described in Appendix par. 20 and 21</i>
	classificationType	3	NO	string	
	classificationCategory	3	NO	string	
	amount	3	YES	decimal	
	vatAmount	3	NO	decimal	
	vatCategory	3	NO	integer	
	vatExemptionCategory	3	NO	integer	
	id	3	NO	decimal	
	quantity15	2	NO	decimal	Amount of Temperature 15 degrees
	otherMeasurementUnitQuantity	2	NO	integer	Quantity Unit of Measurement Pieces Other
	otherMeasurementUnitTitle	2	NO	string	Unit Title Pieces Other
taxesTotals		1	NO	list	see more in Appendix Par. 22
	taxType	2	YES	integer	Type of tax (1 = Withheld taxes, 2 = Fees, 3 = Other taxes, 4 = Stamp duty, 5 = Deductions)
	taxCategory	2	NO	integer	Tax category
	underlyingValue	2	NO	decimal	Underlying value to which the tax refers
	taxAmount	2	YES	decimal	Tax amount
	id	2	NO	integer	Line number
	reducesPayable	2	NO	boolean	Reduces the Payable amount
	taxTypeLabel	2	YES	string	Description of the service
invoiceSummary		1	YES	object	
	totalNetValue	2	YES	decimal	Total net amount of the invoice
	totalVatAmount	2	YES	decimal	Total VAT amount of the invoice
	totalWithheldAmount	2	YES	decimal	Total withheld amount of the invoice (<i>see Appendix Par. 4</i>)
	totalFeesAmount	2	YES	decimal	Total fees amount of the invoice (<i>see Appendix Par. 6</i>)
	totalStampDutyAmount	2	YES	decimal	Total stamp duty amount of invoice (<i>see Appendix Par. 5</i>)
	totalOtherTaxesAmount	2	YES	decimal	Total other taxes amount of invoice (<i>see Appendix Par. 7</i>)

	totalDeductionsAmount	2	YES	decimal	Total deductions amount of the invoice
	totalGrossValue	2	YES	decimal	Total Gross amount of the invoice
	incomeClassification	2	NO	list	<i>Possible values described in Appendix par. 18 and 19</i>
	classificationType	3	NO	string	
	classificationCategory	3	NO	string	
	amount	3	NO	decimal	
	id	3	NO	integer	
	expensesClassification	2	NO	list	<i>Possible values described in Appendix par. 20 and 21</i>
	classificationType	3	NO	string	
	classificationCategory	3	NO	string	
	amount	3	NO	decimal	
	vatAmount	3	NO	decimal	
	vatCategory	3	NO	integer	
	vatExemptionCategory	3	NO	integer	
	id	3	NO	decimal	
providerAdditionalInvoiceDetails		1	YES	object	
	issuer	2	YES	object	
	name	3	YES	string	Company's name (printed on invoice)
	profession	3	YES	string	Company's profession (printed on invoice)
	taxoffice	3	YES	string	Company's tax office (printed on invoice)
	addressStreet	3	YES	string	Company's address street (printed on invoice)
	addressNumber	3	YES	string	Company's address street number (printed on invoice)
	addressPostalCode	3	YES	string	Company's postal code (printed on invoice)
	addressCity	3	YES	string	Company's city (printed on invoice)
	addressCountry	3	YES	string	Company's country (printed on invoice)
	phone	3	NO	string	Company's phone (printed on invoice)
	fax	3	NO	string	Company's fax (printed on invoice)
	email	3	NO	string	Company's email (printed on invoice)
	webSite	3	NO	string	Company's Website (printed on invoice)
	registryNumber	3	NO	string	Company's registry number (printed on invoice)
	emptyLine	3	NO	string	empty line for general purpose (printed on invoice)
	emptyLine2	3	NO	string	empty line 2 for general purpose (printed on invoice)
	counterpart	2	YES	object	

code	3	NO	string	Counterpart's name (printed on invoice)
vat	3	NO	string	Counterpart's vat (printed on invoice). Used on demand only valid if invoiceType is 11.1 or 11.2
name	3	YES	string	Counterpart's name (printed on invoice)
profession	3	YES	string	Counterpart's profession (printed on invoice)
taxoffice	3	YES	string	Counterpart's tax office (printed on invoice)
addressStreet	3	YES	string	Counterpart's address street (printed on invoice)
addressNumber	3	YES	string	Counterpart's address street number (printed on invoice)
addressPostalCode	3	YES	string	Counterpart's postal code (printed on invoice)
addressCity	3	YES	string	Counterpart's city (printed on invoice)
addressCountry	3	NO	string	Counterpart's country (printed on invoice)
phone	3	NO	string	Counterpart's phone (printed on invoice)
email	3	NO	string	Counterpart's email (printed on invoice)
additionalDetails	2	YES	object	
documentLabel	3	YES	string	Invoice Name (printed on invoice)
documentSizeCode	3	NO	integer	Document Size codes (see Appendix Par. 15)
documentComments	3	NO	string	Comments on invoice (printed on invoice) For Special Characters, line breaks etc. please check this session
documentLanguageCode	3	NO	string	Possible values (EN, EL). Default = EL
paymentMethodInvoiceLabel	3	YES	string	The description of the payment type (printed on invoice)
recipients	3	NO	object	
email	4	NO	string	The emails that will receive the invoice when a new invoice is issued
smsPhone	4	NO	string	<i>coming soon</i>
viberPhone	4	NO	string	<i>coming soon</i>
digitsQty	3	NO	integer	Describes how many digits will the quantity shown in the invoice. Min. 2 - Max. 5 - Default Value 3
digitsItemPrice	3	NO	integer	Describes how many digits will the prices shown in the invoice.

					Min. 2 - Max. 5 - Default Value 3
	dispatchPlaceFrom	3	NO	string	The dispatch origin place (printed on invoice)
	dispatchPlaceTo	3	NO	string	The dispatch destination place (printed on invoice)
	logold	3	NO	string	The logo id, after successful upload of logo in portal you will get this id
	oldLogold	3	NO	integer	deprecated. Only for old users
transmissionFailure		1	NO	integer	Failure to Communicate Data Transmission from ERP. Allowed only value 1

3.1.2 Response

Group	Field	Level	Type	Description
response		root	list	
	index	1	integer	Entity's invoice number inside the submitted Json
	errors	1	list	Errors list
	error	2	list	
	message	3	string	Error message
	code	3	string	Error Code
	authenticationCode	1	string	Invoice's Authentication Code
	invoiceMark	1	integer64	Unique Invoice Registration Number
	invoiceUid	1	object	Invoice identifier
	qrUrl	1	string	the text of the QrCode
	statusCode	1	string	Status code (Please check table below)
	invoiceUrl	1	string	invoice URL
	credits	1	string	invoice cost in credits
	aadeQrUrl	1	string	The field contains the official AADE URL for viewing/validating the invoice. No action is required on your side — it is provided solely for informational purposes.

3.1.3 Response Status

HTTP Response Status	JSON Response.StatusCode	Description (Content: application/json)
200	Success	The request was successful.

200	Offline	The request was successful, AADE was offline, and we will transmit the invoice automatically later. No action is required. (Check section Delayed Transmission of Invoices)
200	XMLSyntaxError	The request object is invalid. See the Errors of request
200	ValidationError	The request object is invalid. See the Errors of request
200	TechnicalError	The request object is invalid. See the Errors of request
4XX		The request object is invalid. See the Errors of request
5XX		An error occurred while processing the request

Data validation and connectivity issues could cause an operation to fail. In these cases, the call is considered technically successful, and the HTTP response status is 200 (OK). An invoice is transmitted when the Response.statusCode is Success or Offline.

EXAMPLE RESPONSE – HTTP200 Success	EXAMPLE RESPONSE - HTTP200 - Offline
<pre>{ "response": [{ "invoiceUrl":"https://provider-dev.timologisi.online/api/v1/Provider/GetInvoicePdf/671899191d6d0b3d947bc4bb.pdf", "credits":"1,00", "providerSignature":null, "index":1, "errors":null, "authenticationCode":"1D0F38488D532D3BB715408E01283D39E8D56A3A", "invoiceMark":400001939576037, "invoiceUid":"C10262E0AE13C6AFD7DD2C980900BB0DF266D9C5", "paymentMethodMark":0, "qrUrl":"https://account.timologisi.online/?type=InvoiceChecker&invoice=671899191d6d0b3d947bc4bb", "receptionEmails":null, "receptionProviders":null, "statusCode":"Success" }] }</pre>	<pre>"response": [{ "invoiceUrl":"https://provider.timologisi.online/api/v1/Provider/GetInvoicePdf/671608e1e72762c10fd1203d.pdf", "credits":"0,50", "providerSignature":null, "index":1, "errors":null, "authenticationCode":"", "invoiceMark":0, "invoiceUid":"3A66C596D41743FAA37EDD5F01589B7D88C44115", "paymentMethodMark":0, "qrUrl":"https://account.timologisi.online/?type=InvoiceChecker&invoice=671608e1e72762c10fd1203d", "receptionEmails":null, "receptionProviders":null, "statusCode":"Offline" }]</pre>

EXAMPLE RESPONSE – HTTP200 XMLSyntaxError	EXAMPLE RESPONSE - HTTP200 - ValidationError
<pre>{ "response": [{ "invoiceUrl":null, "credits":null, "providerSignature":null, "index":1, "errors": [{ "error": [{ "message":"Line:21.Position:26.The 'http://www.aade.gr/myDATA/invoice/v1.0:invoiceType' element is invalid - The value '1a.1' is invalid according to its datatype</pre>	<pre>200 OK { "response": [{ "invoiceUrl":null, "credits":null, "providerSignature":null, "index":1, "errors": [{ "error": [{</pre>

<pre>'http://www.aade.gr/myDATA/invoice/v1.0:InvoiceType' - The Enumeration constraint failed.", "code":"101" }] }] ', "authenticationCode":null, "invoiceMark":0, "invoiceUid":null, "paymentMethodMark":0, "qrUrl":null, "receptionEmails":null, "receptionProviders":null, "statusCode":"XMLSyntaxError" }] } } }}</pre>	<pre>"message":"The UID: C10262E0AE13C6AFD7DD2C980900BB0DF266D9C5 is invalid . It has already been sent for another invoice (MARK:400001939576037 , AUTHENTICATION_CODE:1D0F38488D532D3BB715408E01283D39E8D56A3A)", "code":"228" }] }] ', "authenticationCode":null, "invoiceMark":0, "invoiceUid":null, "paymentMethodMark":0, "qrUrl":null, "receptionEmails":null, "receptionProviders":null, "statusCode":"ValidationError" }] }</pre>
--	---

3.2. Request Transmitted Docs

Body in Json format which contains one or more invoices. The structure of the element is described below. With this method you can retrieve invoices that have been submitted to my Data via provider.

Endpoints

Base URL ins Production environment

<https://provider.timologisi.online>

Base URL in Sandbox environment

<https://provider-dev.timologisi.online>

Request

Method	URL
GET	{baseUrl}/api/v1/Provider/RequestTransmittedDocs

Parameters

Type	Name	Value	shema	Description
header	API-KEY	{YourApiKey}	string	The subscription key for the request. Different for dev / Live environment
header	content-type	application/json	string	The subscription key for the request. Differs for dev / Live environment
query	aa		string	The Aa number.
query	invoiceMark		string	The mark of the invoice.
query*	issuerVatNumber		string	The VAT number of the issuer (Unique Invoice Registration Number).
query*	issuedTo		string (date)	The date the invoice was issued range to. Date Format: yyyy-mm-dd
query*	issuedFrom		string (date)	The date the invoice was issued range from. Date Format: yyyy-mm-dd

query	resultNumber		integer	Number of elements results in retrieval.
query	branch		string	The branch of the issuer
query	counterpart VatNumber		string	The VAT number of the counterpart
query	nextPageKey		integer	Element for partial results retrieval. If a nextPageKey is returned, then execute this URL by the service to receive the next 100 results if exists
query	uid		string	The uid number
query	authenticationcode		string	The authentication code.
query	series		string	The series number of invoice.
query	invoiceType		string	The invoice type.

**Please note that in the Sandbox environment the invoices are automatically deleted after 30 days.*

EXAMPLE RESPONSE
<pre>{ "providerTransmittedDocs": [{ "uid": "15B0B6AEB08979B44EE68110CD734458F22ED6DE", "mark": 400001939575310, "authenticationCode": "904E2E03B5C4B0B0826BB2B8375F61E5F73118AD", "issuer": { "vatNumber": "302278212", "branch": 0 }, "counterpart": { "vatNumber": "026883248" }, "invoiceHeader": { "series": "NOV", "aa": "35973732", "issueDate": "2024-10-23T03:00:00Z", "invoiceType": "1.1" }, "invoiceSummary": { "totalNetValue": 100, "totalVatAmount": 24, "totalGrossValue": 124 }, "cost": 1, "pdfUrl": "https://provider-dev.timologisi.online/api/v1/Provider/GetInvoicePdf/671893b51d6d0b3d947bc4b9.pdf", "insertedDateTime": "2024-10-23T06:12:05.55Z", "insertedYear": 2024, "insertedMonth": 10, "partitionKey": "2024_10_302278212" }] }</pre>

3.3. CancelDeliveryNote

A new method has been added for cancelling a Delivery Note

Request

Method	URL
POST	{baseUrl}/api/v1/Provider/CancelDeliveryNote


Parameters

Type	Name	Value	schema	Description
header	API-KEY	{YourApiKey}	string	The subscription key for the request. Different for dev / Live environment
header	content-type	application/json	string	The subscription key for the request. Differs for dev / Live environment

EXAMPLE REQUEST	EXAMPLE RESPONSE
<pre>{ "mark": "4000000000000000", "entityVatNumber": "123456789" }</pre>	<pre>{ "response": [{ "invoiceUrl":null, "aadeQrUrl":null, "credits":"0,25", "providerSignature":null, "index":0, "errors":null, "authenticationCode":null, "cancellationMark":400001958007162, "classificationMark":0, "invoiceMark":0, "invoiceUid":null, "paymentMethodMark":0, "qrUrl":null, "receptionEmails":null, "receptionProviders":null, "statusCode":"Success" }] }</pre>

4. Delayed Transmission of invoices

Each invoice generated must be promptly relayed to the Tax Authorities in real time. Should there be a disruption in connectivity, appropriate procedures must be undertaken, tailored to the specific cause of the issue and the chosen implementation strategy.



Scenario 1 (Connection Loss of Entity - Provider)

- Novus Provider API is offline **HTTP/5XX**
- In this scenario **you must Re-Send the invoice**.

In the case of loss of connection between the obliged entity and the Provider (field `invoice.transmissionFailure=1` must be used on the invoice Json), the obliged entity must transmit the relevant documents to the Provider again **within one (1) day** from the date of issue of each document, for their subsequent transmission through the Provider, on the myDATA digital platform and to their recipients.

The indication “**Απώλεια Διασύνδεσης Οντότητας - Παρόχου - Transmission Failure_1**”, is included in the overview content of the document automatically by provider.

Scenario 2 (Connection Loss of Provider - AADE)

- You receive after POST to `/SendInvoices` **HTTP/200OK** and **response.statusCode="Offline"**
- In this scenario you **don't need to Re-Send** the invoice.

In the case of loss of connection between the Provider and A.A.D.E., the company transmits the documents in question to the Provider, in real time, and the Provider transmits them respectively, with the restoration of the interface, with the aim of subsequently transmitting the documents to the myDATA digital platform and to their Recipients, within one (1) day from the date of issue of each document.

In this case, you will receive HTTP 200 OK with Json **response.statusCode="Offline"** (see response example below). Also, the PDF will be issued as normal by Provider but without the fields MARK and AuthenticationCode. The indication "**Απώλεια Διασύνδεσης Παρόχου - AADE - Transmission Failure_2**", is included in the overview content of the document automatically by provider. When the connection of AADE is established, the invoice will be transmitted automatically by the provider. A second PDF invoice will be created with the corresponding MARK, UID and AuthenticationCode. To get the second invoice you can use the method `RequestTransmittedDocs` with query “uid”.

EXAMPLE RESPONSE - Scenario 2 - OFFLINE

```
{
  "response":
  [
    {
      "invoiceUrl": "https://provider.timologisi.online/api/v1/Provider/GetInvoicePdf/671608e1e72762c10fd1203d.pdf",
      "credits": "0,50",
      "providerSignature": null,
      "index": 1,
      "errors": null,
      "authenticationCode": "",
      "invoiceMark": 0,
      "invoiceUid": "3A66C596D41743FAA37EDD5F01589B7D88C44115",
      "paymentMethodMark": 0,
      "qrUrl": "https://account.timologisi.online/?type=InvoiceChecker&invoice=671608e1e72762c10fd1203d",
      "receptionEmails": null,
      "receptionProviders": null,
      "statusCode": "Offline"
    }
  ]
}
```

The PDF invoice footer in case AADE is offline - Scenario 2

Απώλεια Διασύνδεσης Παρόχου - ΑΑΔΕ - Transmission Failure_2 UID:3A66C596D41743FAA37EDD5F01589B7D88C44115 M.A.R.K.:0 Authentication:


5. General Provider Rules

- ✓ Each document issued through the Provider's services must display the Provider's name and website: "Novus Conceptus | <https://timologisi.online>". Additionally, it should include the QR Code, authentication code, Uid, and document MARK. The date and time of issuance should be clearly and legibly indicated.
- ✓ Additionally, in the case of a positive response regarding the possibility of payment completion, the payment information, the Unique Payment Identity - transaction id combined with the Payment Signature provided by the Electronic Document Issuance Service Provider (EIDSP) and successfully used to complete the transaction, must be included, for each amount payable separately.
- ✓ The following characters are reserved characters and cannot be used in JSON and must be properly escaped to be used in strings.
 - Backspace to be replaced with \b
 - Form feed to be replaced with \f
 - Newline to be replaced with \n
 - Carriage return to be replaced with \r
 - Tab to be replaced with \t
 - Double quote to be replaced with \"
 - Backslash to be replaced with \\

6. New Client Registration Process

For each new Client/Vat Number you should strictly follow the procedure below. This process is needed for the Live Environment only.


New Client Registration Process:



This process ensures smooth onboarding of new clients onto our electronic invoicing platform.

Provider Contract management system (Live Environment only)

After a New Vat Number Request an email is sent to your client with a link that points to the following application. The client must insert the last 4 digits of his requested vat number to continue.




Provider Contract management system

Confirmation of Vat Number

Please enter the last 4 digits of the contract recipient's tax identification number

• • • • •

After that there are 3 Steps that must be completed before hitting the Submit button.



Provider Contract Management System

01

TaxisNet Authorization
 In order to be able to issue your documents through a provider, you must authorize us at AADE with the taxisnet codes of the VAT number you are requesting the connection to. [Click here](#) to log in to AADE authorizations

Detailed instructions

02

Contract with Novus Conceptus
 Please download the contract using the Download Contract button, make sure to enter the correct Contract Number in the designated field, sign it and save it as a PDF.

 Then upload the signed file using the Contract Upload button.

Contract No: 100002

Download Contract

Contract Upload

PDF file, maximum 5MB

☐ I confirm that I have completed all the above steps.

Submit

Step 1: The client must follow the instructions to Authorize Novus Conceptus via Taxis Net.

Step 2: The client must download the Provider Contract, fill it out, sign it and then upload it again via the upload button. **(The Uploaded contract must be clean readable and signed else it will be rejected)**

Finalize: Check the check box and hit SUBMIT

✓ **Awaiting Approval from Novus Conceptus (Estimate 1 day)**

7. Revision History

Version	Date	Changes
1.1	10/01/2021	Official Release
1.2	15/04/2021	- Added new Property "credits" in section 6.1 Data submission. - Added new Property "remaining_credits" in section 6.2 Data retrieval. - Added new Property "credits" in section 6.2 Data retrieval. - Added new error code "7001" in section 7 Errors.
1.3	14/06/2021	- Par. 5.3: Add new field (fuelInvoice - document display fuel). - Par. 5.4: Add new field (fuelCode - Fuel Code) (valid only for fuel documents, fuelInvoice = true) - Par. 7.2: Adding business error codes. - Par. 8.3: Addition of categories of reasons for VAT exemption. - Par. 8.4: Addition of withholding tax categories - Par. 8.5: Addition of other tax categories - Par. 8.6: Adding a stamp category. - Par. 8.7: Adding fee categories. - Addition of a new table 8.17 - Fuel Codes
1.4	07/07/2021	- Par. 5.3: Add new field (Digits_Qty - document display digits for field Quantity). - Par. 5.4: Add new field (Digits_ItemPrice) (document display digits for field Item Price). - Par. 5.9.3: Add new field (Logo_ID).
1.5	06/09/2021	- Par. 7.1: Added new Error Codes - Par. 5.9.3: Add new field (DispatchPlaceFrom – The dispatch origin place). - Par. 5.9.3: Add new field (DispatchPlaceTo- The dispatch destination place).
1.6	10/10/2021	- Added Chapter 11 - Special characters - Added Chapter 12 – API Portal - Par. 5.9.3: Add new field (DocumentSizeCode). - Par. 8.18: Adding document size table.
1.7	06/02/2022	- Par. 5.9.1 Add new field (IssuerEmtyLine2) - Par. 5.5: Add new field (ReducesPayable) - Par. 5.5: Add new field (taxTypeLabel)
1.8	25/07/2022	- Par. 5.1 Added new field (documentIdNo) - Par. 5.1 Added new field (supplyAccountNo) - Par. 5.3 Added specialInvoiceCategory - Par. 5.4 Added itemDescr - Par. 8.3: Addition of categories of reasons for VAT exemption. - Par. 8.4: Addition of withholding tax categories - Par. 8.5: Addition of other tax categories - Par. 8.7: Adding fee categories. - Par. 8.18 Added Document Sizes - Par. 8.19 Added New Table "Special Category of Document"
1.9	23/05/2023	- Par. 8.17 Add new Fuel Codes - Par. 8.18 Added new Document Sizes
2.0	26/03/2024	New Version Release
2.1	07/05/2024	Added instructions for Developer Account Registration Updated section 5 (New Client Registration Process)
2.2	04/07/2024	Updated to AADE 1.09 version Updated General Provider Rules
2.3	04/12/2024	- Updated to AADE 1.12 version - New Client Registration Process Updated - From this version, the Response fields invoiceUrl and qrUrl are now identical. - Addition of new field aadeQrUrl in Response JSON

		• The field otherTransportDetails is now deprecated and MyDATA returns an error if it is included. Please • remove it immediately from all your submissions. • Added new method CancelDeliveryNote • Added New fields reverseDeliveryNote and reverseDeliveryNotePurpose
--	--	--

Stay Updated and get the latest documentation version here

- [Last version of the current Document](#)