Write the coefficient matrix of the system $2x + y = 7$ and $x - 3y = 0$. Give its rows.

Rows: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q1

High School — Precalculus (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.8 • Set 26 • FORWARD 1 • Q1/5

An augmented matrix has rows [1 2 | 5] and [3 −1 | 1].

Write the system it represents.

System: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q2

High School — Precalculus (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.8 • Set 26 • FORWARD 1 • Q2/5

On the rows $[1\ 2 \mid 5]$ and $[3\ -1 \mid 1]$, replace row 2 by (row 2) $-\ 3 \times$ (row 1).

What is the new row 2?

A. $[0\ -7 \mid 14]$

B. $[2\ -3 \mid -4]$

C. $[0\ -7 \mid -14]$

D. $[0\ 5 \mid 16]$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S26-F1-Q3**

High School — Precalculus (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.8 • Set 26 • FORWARD 1 • Q3/5

True or false?

A row operation on an augmented matrix does the same thing as replacing an equation by its sum with a multiple of another equation.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S26-F1-Q4**

High School — Precalculus (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.8 • Set 26 • FORWARD 1 • Q4/5

True or false?

The coefficient matrix of $x + y = 3$ and $2x - y = 0$ has the rows [1 1] and [2 1].

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q5

High School — Precalculus (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.8 • Set 26 • FORWARD 1 • Q5/5

SET 26 • HSA-REI.C.5

FORWARD 2

Use determinants and inverse matrices • High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.10

Find the determinant of the matrix with rows [3 1] and [5 2].

Determinant: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q1

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.10 • Set 26 • FORWARD 2 • Q1/5

Show that the matrix with rows [2 −1] and [−5 3] is the inverse of the matrix with rows [3 1] and [5 2].

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q2

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.10 • Set 26 • FORWARD 2 • Q2/5

Which matrix has no inverse?

A. Rows [2 4] and [1 2]

B. Rows [1 0] and [0 1]

C. Rows [2 1] and [1 1]

D. Rows [3 1] and [5 2]

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S26-F2-Q3**

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.10 • Set 26 • FORWARD 2 • Q3/5

True or false?

If the coefficient matrix of a system of two linear equations has an inverse, the system has exactly one solution.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q4

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.10 • Set 26 • FORWARD 2 • Q4/5

True or false?

The inverse of the matrix with rows [2 0] and [0 4] has rows [−2 0] and [0 −4].

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q5

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.10 • Set 26 • FORWARD 2 • Q5/5

Solve systems of linear equations exactly by substitution and elimination

MAIN	Algebra I main question	**HSA-REI.C.6**
BACKWARD 1	Eliminate a variable by adding a multiple of an equation	**HSA-REI.C.5**
BACKWARD 2	Solve simple systems of linear equations algebraically	**8.EE.C.8.b**
FORWARD 1	Use slopes and systems to find where parallel or perpendicular li..	**HSG-GPE.B.5**
FORWARD 2	Multiply a matrix by a column to check a solution	**HSN-VM.C.8**

SET 27 • HSA-REI.C.6

MAIN

Algebra I main question • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6

Solve by substitution.

$y = 3x - 5$

$2x + y = 15$

Solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 27 • MAIN • Q1/5

Solve by elimination.

$3x + 4y = 10$

$5x - 2y = 34$

Solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 27 • MAIN • Q2/5

Solve.

$\frac{1}{2}x + \frac{1}{3}y = 4$

$x - y = 3$

Solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 27 • MAIN • Q3/5

Solve.

$2x - 3y = -1$

$4x + y = 19$

A. $(-4, -3)$

B. $(4, 3)$

C. $(3, 4)$

D. $(5, -1)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 27 • MAIN • Q4/5

True or false?

The system $2x + y = 5$ and $4x + 2y = 9$ has no solution.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 27 • MAIN • Q5/5

SET 27 • HSA-REI.C.6

BACKWARD 1

Eliminate a variable by adding a multiple of an equation • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.5

Add the equations $x + 2y = 9$ and $3x - 2y = 3$.

What equation results, and what is x?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.5 • Set 27 • BACKWARD 1 • Q1/5

System: $2x + y = 8$ and $6x - 5y = 8$.

What multiple of the first equation should you subtract from the second to eliminate x?

Multiple: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.5 • Set 27 • BACKWARD 1 • Q2/5

System: $x + y = 5$ and $2x + 3y = 12$.

Which equation can replace the second equation without changing the solution?

A. $x = 2$

B. $y = 7$

C. $y = 2$

D. $3x + 4y = 12$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.5 • Set 27 • BACKWARD 1 • Q3/5

True or false?

Multiplying one equation of a system by a nonzero number does not change the solutions of the system.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.5 • Set 27 • BACKWARD 1 • Q4/5

True or false?

Adding the equations $x + y = 4$ and $x - y = 2$ gives $2x = 2$.

A. True

B. False

SET 27 • HSA-REI.C.6

BACKWARD 2

Solve simple systems of linear equations algebraically • Grade 8 • Expressions & Equations • 8.EE.C.8.b

Solve.

$y = x + 2$

$y = 3x$

Solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q1

Grade 8 • Expressions & Equations • 8.EE.C.8.b • Set 27 • BACKWARD 2 • Q1/5

Solve.

$x + y = 10$

$y = 4$

Solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q2

Grade 8 • Expressions & Equations • 8.EE.C.8.b • Set 27 • BACKWARD 2 • Q2/5

Solve.

$y = 2x$

$x + y = 12$

A. (4, 8)

B. (6, 6)

C. (8, 4)

D. (3, 6)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q3

Grade 8 • Expressions & Equations • 8.EE.C.8.b • Set 27 • BACKWARD 2 • Q3/5

True or false?

The system $y = 2x + 3$ and $y = 2x - 1$ has no solution.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q4

Grade 8 • Expressions & Equations • 8.EE.C.8.b • Set 27 • BACKWARD 2 • Q4/5

True or false?

The solution of $y = x$ and $y = -x + 6$ is $(2, 4)$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q5

Grade 8 • Expressions & Equations • 8.EE.C.8.b • Set 27 • BACKWARD 2 • Q5/5

SET 27 • HSA-REI.C.6

FORWARD 1

Use slopes and systems to find where parallel or perpendicular lines meet • High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations • HSG-GPE.B.5

Line ℓ is $y = 2x + 1$. Write an equation of the line through $(5, 1)$ that is perpendicular to ℓ, and find where the two lines meet.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.5 • Set 27 • FORWARD 1 • Q1/5

Are the lines $2x + 3y = 6$ and $3x - 2y = 4$ perpendicular? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.5 • Set 27 • FORWARD 1 • Q2/5

Which line is parallel to $y = 3x - 2$ and passes through $(0, 5)$?

A. $y = 5x + 3$

B. $y = -3x + 5$

C. $y = 3x + 5$

D. $y = -\frac{1}{3}x + 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S27-F1-Q3**

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.5 • Set 27 • FORWARD 1 • Q3/5

True or false?

The lines $y = 4x + 1$ and $y = 4x - 7$ have no point in common.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.5 • Set 27 • FORWARD 1 • Q4/5

True or false?

The lines $y = 2x$ and $y = -2x$ are perpendicular.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.5 • Set 27 • FORWARD 1 • Q5/5

SET 27 • HSA-REI.C.6

FORWARD 2

Multiply a matrix by a column to check a solution • High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.8

Multiply the matrix with rows [2 1] and [1 −3] by the column [4, 1].

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q1

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.8 • Set 27 • FORWARD 2 • Q1/5

The matrix A has rows [2 1] and [1 −3].

Use multiplication by A to decide whether x = 4, y = 1 solves 2x + y = 9 and x − 3y = 1.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q2

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.8 • Set 27 • FORWARD 2 • Q2/5

What is the product of the matrix with rows [1 2] and [3 4] and the column [1, 1]?

A. The column [3, 7]

B. The column [2, 6]

C. The column [10]

D. The column [4, 6]

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S27-F2-Q3**

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.8 • Set 27 • FORWARD 2 • Q3/5

True or false?

Multiplying a 2-by-2 matrix by a 2-by-1 column gives a 2-by-1 column.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q4

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.8 • Set 27 • FORWARD 2 • Q4/5

True or false?

For all 2-by-2 matrices A and B, AB = BA.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q5

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.8 • Set 27 • FORWARD 2 • Q5/5

Solve systems of linear equations in context, including systems with no solution or infinitely many solutions

MAIN	Algebra I main question	**HSA-REI.C.6**
BACKWARD 1	Write and solve an equation for one quantity in context	**HSA-CED.A.1**
BACKWARD 2	Solve real-world problems with two linear equations	**8.EE.C.8.c**
FORWARD 1	Use matrices to organize data in context	**HSN-VM.C.6**
FORWARD 2	Solve a system in context with an inverse matrix	**HSA-REI.C.9**

SET 28 • HSA-REI.C.6

MAIN

Algebra I main question • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6

A theater sold 340 tickets. Adult tickets cost $12 and student tickets cost $7. Sales totaled $3,255.

Write a system and find how many of each kind were sold.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 28 • MAIN • Q1/5

How many solutions does the system $6x - 4y = 10$ and $3x - 2y = 5$ have? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 28 • MAIN • Q2/5

A chemist mixes a 10% acid solution with a 30% acid solution to make 20 liters of a 25% acid solution.

How many liters of each are needed?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 28 • MAIN • Q3/5

For which value of k does the system $y = 3x + 2$ and $6x - 2y = k$ have infinitely many solutions?

A. $k = 2$

B. $k = -2$

C. $k = 4$

D. $k = -4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 28 • MAIN • Q4/5

True or false?

A system of two linear equations in two variables can have exactly two solutions.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 28 • MAIN • Q5/5

SET 28 • HSA-REI.C.6

BACKWARD 1

Write and solve an equation for one quantity in context • High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1

A gym has 340 members. There are 40 more adults than teens.

Write and solve an equation for the number of teens t.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION ID S28-B1-Q1

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1 • Set 28 • BACKWARD 1 • Q1/5

Pens cost $2 and notebooks cost $5. Ana buys 3 notebooks and some pens and spends $27.

Write and solve an equation for the number of pens p.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q2

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1 • Set 28 • BACKWARD 1 • Q2/5

A 20-liter mix has x liters of a 10% acid solution and the rest a 30% acid solution.

Which expression gives the liters of acid?

A. 0.40(20)

B. 0.10x + 0.30x

C. 0.10x + 0.30(20 − x)

D. 10x + 30(20 − x)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q3

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1 • Set 28 • BACKWARD 1 • Q3/5

True or false?

25 coins are all dimes and quarters. If d coins are dimes, then 25 − d coins are quarters.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q4

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1 • Set 28 • BACKWARD 1 • Q4/5

True or false?

"3 more than 5 times a number is 48" gives $5n + 3 = 48$, and its solution is $n = 10$.

A. True

B. False

SET 28 • HSA-REI.C.6

BACKWARD 2

Solve real-world problems with two linear equations • Grade 8 • Expressions & Equations • 8.EE.C.8.c

Two numbers have a sum of 30 and a difference of 8.

Find the numbers.

Numbers: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q1

Grade 8 • Expressions & Equations • 8.EE.C.8.c • Set 28 • BACKWARD 2 • Q1/5

Plan A costs $10 plus $2 per hour. Plan B costs $4 per hour.

After how many hours do they cost the same?

Hours: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q2

Grade 8 • Expressions & Equations • 8.EE.C.8.c • Set 28 • BACKWARD 2 • Q2/5

3 pencils and 2 erasers cost $1.30. 1 pencil and 2 erasers cost $0.70.

What does one pencil cost?

A. $0.60

B. $0.20

C. $0.35

D. $0.30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q3

Grade 8 • Expressions & Equations • 8.EE.C.8.c • Set 28 • BACKWARD 2 • Q3/5

True or false?

Two cars leave the same place at the same time in the same direction, at 50 mi/h and 60 mi/h. After 2 hours the faster car is 20 miles ahead.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q4

Grade 8 • Expressions & Equations • 8.EE.C.8.c • Set 28 • BACKWARD 2 • Q4/5

True or false?

One company charges $y = 2x + 5$ dollars and another charges $y = 2x + 8$ dollars for x units. They charge the same for 3 units.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q5

Grade 8 • Expressions & Equations • 8.EE.C.8.c • Set 28 • BACKWARD 2 • Q5/5

SET 28 • HSA-REI.C.6

FORWARD 1

Use matrices to organize data in context • High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.6

Friday: 120 adult and 90 student tickets. Saturday: 150 adult and 60 student tickets.

Write a 2-by-2 matrix with one row per day (adult first).

Rows: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q1

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.6 • Set 28 • FORWARD 1 • Q1/5

Adult tickets cost $12 and student tickets $7.

Multiply the matrix with rows [120 90] and [150 60] by the column [12, 7]. What do the entries mean?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q2

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.6 • Set 28 • FORWARD 1 • Q2/5

A matrix has rows [5 2] and [3 4]. Each row is a store and each column is a product.

What does the entry in row 2, column 1 represent?

A. Store 2's amount of product 1

B. Store 1's amount of product 2

C. Store 2's amount of product 2

D. The total of product 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S28-F1-Q3**

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.6 • Set 28 • FORWARD 1 • Q3/5

True or false?

A matrix with 3 rows and 2 columns is a 3-by-2 matrix.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q4

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.6 • Set 28 • FORWARD 1 • Q4/5

True or false?

Any two matrices can be added, whatever their dimensions.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q5

High School — Precalculus (course placement in this bank) • Number & Quantity: Vector & Matrix Quantities • HSN-VM.C.6 • Set 28 • FORWARD 1 • Q5/5

SET 28 • HSA-REI.C.6

FORWARD 2

Solve a system in context with an inverse matrix • High School — Precalculus (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.9

Write the system $a + s = 340$ and $12a + 7s = 3{,}255$ as a matrix equation $AX = B$.

Give the rows of A.

Rows of A: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q1

High School — Precalculus (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.9 • Set 28 • FORWARD 2 • Q1/5

The matrix with rows [1 1] and [12 7] has determinant −5.

Does the ticket system have exactly one solution? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q2

High School — Precalculus (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.9 • Set 28 • FORWARD 2 • Q2/5

The inverse of the matrix with rows [1 1] and [12 7] is $(1 \div (-5))$ times which matrix?

A. Rows [7 −1] and [−12 1]

B. Rows [7 1] and [12 1]

C. Rows [−7 1] and [12 −1]

D. Rows [1 −1] and [−12 7]

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q3

High School — Precalculus (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.9 • Set 28 • FORWARD 2 • Q3/5

True or false?

If the coefficient matrix of a system has determinant 0, the system does not have exactly one solution.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q4

High School — Precalculus (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.9 • Set 28 • FORWARD 2 • Q4/5

True or false?

The determinant of the matrix with rows [2 3] and [4 6] is 24.

A. True

B. False

Solve a system of a linear equation and a quadratic equation algebraically

MAIN	Algebra I main question	**HSA-REI.C.7**
BACKWARD 1	Solve quadratic equations by factoring	**HSA-REI.B.4.b**
BACKWARD 2	Solve systems of linear equations	**HSA-REI.C.6**
FORWARD 1	Decide whether points lie on a circle	**HSG-GPE.B.4**
FORWARD 2	Find complex solutions when a line and a parabola do not meet	**HSN-CN.C.7**

SET 29 • HSA-REI.C.7

MAIN

Algebra I main question • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.7

Solve the system.

$y = x^2 - 3$

$y = 2x$

Solutions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.7 • Set 29 • MAIN • Q1/5

Solve the system.

$y = x^2 + 4x + 1$

$y = x - 1$

Solutions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.7 • Set 29 • MAIN • Q2/5

How many real solutions does the system $y = x^2 + 2$ and $y = x$ have?

A. Infinitely many

B. One

C. Two

D. None

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.7 • Set 29 • MAIN • Q3/5

Solve the system.

$x^2 + y^2 = 25$

$y = x + 1$

Solutions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.7 • Set 29 • MAIN • Q4/5

True or false?

The line $y = 2x - 1$ meets the parabola $y = x^2$ at exactly one point.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.7 • Set 29 • MAIN • Q5/5

SET 29 • HSA-REI.C.7

BACKWARD 1

Solve quadratic equations by factoring • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b

Solve $x^2 - 2x - 3 = 0$.

Solutions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b • Set 29 • BACKWARD 1 • Q1/5

Solve $x^2 + x - 12 = 0$.

Solutions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b • Set 29 • BACKWARD 1 • Q2/5

Solve $x^2 + 3x + 2 = 0$.

A. $x = -1$ or $x = 2$

B. $x = 1$ or $x = 2$

C. $x = 1$ or $x = -2$

D. $x = -1$ or $x = -2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b • Set 29 • BACKWARD 1 • Q3/5

True or false?

$x^2 - x + 2 = 0$ has no real solutions.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b • Set 29 • BACKWARD 1 • Q4/5

True or false?

The solutions of $x^2 = 2x$ are $x = 2$ and $x = -2$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b • Set 29 • BACKWARD 1 • Q5/5

SET 29 • HSA-REI.C.7

BACKWARD 2

Solve systems of linear equations • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6

Solve.

$y = 2x$

$y = -x + 9$

Solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 29 • BACKWARD 2 • Q1/5

Solve.

$x + y = 1$

$y = x + 1$

Solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 29 • BACKWARD 2 • Q2/5

Solve.

$2x + y = 7$

$x - y = 2$

A. $(4, -1)$

B. $(3, 1)$

C. $(1, 3)$

D. $(2, 3)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 29 • BACKWARD 2 • Q3/5

True or false?

Substitution and elimination give the same solution of a system.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 29 • BACKWARD 2 • Q4/5

True or false?

(2, 1) is a solution of the system $x + y = 3$ and $x - y = 3$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 29 • BACKWARD 2 • Q5/5

SET 29 • HSA-REI.C.7

FORWARD 1

Decide whether points lie on a circle • High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations • HSG-GPE.B.4

A circle is centered at the origin and passes through (0, 5).

Does the point (3, −4) lie on the circle? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations HSG-GPE.B.4 • Set 29 • FORWARD 1 • Q1/5

Find the points where the line $y = 3$ meets the circle $x^2 + y^2 = 25$.

Points: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.4 • Set 29 • FORWARD 1 • Q2/5

A circle has center (1, 2) and radius 5.

Which point is on the circle?

A. (1, 6)

B. (4, 6)

C. (3, 3)

D. (6, 3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q3

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.4 • Set 29 • FORWARD 1 • Q3/5

True or false?

The line $y = 6$ does not meet the circle $x^2 + y^2 = 25$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.4 • Set 29 • FORWARD 1 • Q4/5

True or false?

The point (2, 2) lies on the circle $x^2 + y^2 = 4$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.4 • Set 29 • FORWARD 1 • Q5/5

SET 29 • HSA-REI.C.7

FORWARD 2

Find complex solutions when a line and a parabola do not meet • High School — Algebra II (course placement in this bank) • Number & Quantity: The Complex Number System • HSN-CN.C.7

Substituting $y = 2x$ into $y = x^2 + 2$ gives $x^2 - 2x + 2 = 0$.

Solve it over the complex numbers.

Solutions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q1

High School — Algebra II (course placement in this bank) • Number & Quantity: The Complex Number System • HSN-CN.C.7 • Set 29 • FORWARD 2 • Q1/5

Solve $x^2 + 4 = 0$.

Solutions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q2

High School — Algebra II (course placement in this bank) • Number & Quantity: The Complex Number System • HSN-CN.C.7 • Set 29 • FORWARD 2 • Q2/5

Solve $x^2 - 6x + 10 = 0$.

A. $3 + i$ and $3 - i$

B. $6 + i$ and $6 - i$

C. $3 + 2i$ and $3 - 2i$

D. $-3 + i$ and $-3 - i$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q3

High School — Algebra II (course placement in this bank) • Number & Quantity: The Complex Number System • HSN-CN.C.7 • Set 29 • FORWARD 2 • Q3/5

True or false?

When a line and a parabola do not intersect, the equation from substitution has no real solutions.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q4

High School — Algebra II (course placement in this bank) • Number & Quantity: The Complex Number System • HSN-CN.C.7 • Set 29 • FORWARD 2 • Q4/5

True or false?

$i^3 = i$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q5

High School — Algebra II (course placement in this bank) • Number & Quantity: The Complex Number System • HSN-CN.C.7 • Set 29 • FORWARD 2 • Q5/5

Understand the graph of an equation as the set of all its solutions

MAIN	Algebra I main question	**HSA-REI.D.10**
BACKWARD 1	Use tables and graphs to relate two variables	**6.EE.C.9**
BACKWARD 2	Understand a function's graph as its input-output pairs	**8.F.A.1**
FORWARD 1	Derive a parabola from its focus and directrix	**HSG-GPE.A.2**
FORWARD 2	Use the unit circle as the set of points (cos θ, sin θ)	**HSF-TF.A.2**

SET 30 • HSA-REI.D.10

MAIN

Algebra I main question • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10

Is (3, −2) on the graph of 2x + 5y = −4? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 30 • MAIN • Q1/5

The graph of $y = x^2 - 2x - 3$ is shown.


Which point is NOT a solution of the equation?

A. (2, 3)

B. (3, 0)

C. (0, −3)

D. (1, −4)



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 30 • MAIN • Q2/5

The point (k, 7) is on the graph of $y = 3x - 2$.

Find k.

k = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 30 • MAIN • Q3/5

The graph of an equation in x and y passes through (4, 1) and (−2, 5).

What does that tell you about the equation?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 30 • MAIN • Q4/5

True or false?

A point that is not on the graph of $y = x^2$ can still be a solution of $y = x^2$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 30 • MAIN • Q5/5

SET 30 • HSA-REI.D.10

BACKWARD 1

Use tables and graphs to relate two variables • Grade 6 • Expressions & Equations • 6.EE.C.9

y = 3x. Find y for x = 0, 1, 2, and 3.

Values: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 30 • BACKWARD 1 • Q1/5

A car travels at 40 miles per hour.

Write an equation for the distance d after t hours.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 30 • BACKWARD 1 • Q2/5

Which point is on the graph of y = x + 4?

A. (2, 6)

B. (1, 3)

C. (4, 0)

D. (6, 2)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 30 • BACKWARD 1 • Q3/5

True or false?

In y = 5x, y is the dependent variable.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 30 • BACKWARD 1 • Q4/5

True or false?

The point (2, 8) is on the graph of y = 3x.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 30 • BACKWARD 1 • Q5/5

SET 30 • HSA-REI.D.10

BACKWARD 2

Understand a function's graph as its input-output pairs • Grade 8 • Functions • 8.F.A.1

The function f pairs each x with $2x - 1$.

What output does it pair with $x = 4$?

Output: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q1

Grade 8 • Functions • 8.F.A.1 • Set 30 • BACKWARD 2 • Q1/5

Is {(1, 2), (2, 3), (1, 5)} a function? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q2

Grade 8 • Functions • 8.F.A.1 • Set 30 • BACKWARD 2 • Q2/5

Which point is on the graph of $y = x^2$?

A. $(9, -3)$

B. $(-3, -9)$

C. $(-3, 9)$

D. $(3, 6)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q3

Grade 8 • Functions • 8.F.A.1 • Set 30 • BACKWARD 2 • Q3/5

True or false?

A function assigns exactly one output to each input.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q4

Grade 8 • Functions • 8.F.A.1 • Set 30 • BACKWARD 2 • Q4/5

True or false?

The vertical line $x = 2$ is the graph of a function.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q5

Grade 8 • Functions • 8.F.A.1 • Set 30 • BACKWARD 2 • Q5/5

SET 30 • HSA-REI.D.10

FORWARD 1

Derive a parabola from its focus and directrix • High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations • HSG-GPE.A.2

A parabola has focus (0, 2) and directrix $y = -2$.

Write its equation.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.2 • Set 30 • FORWARD 1 • Q1/5

Is (4, 2) on the parabola with focus (0, 2) and directrix $y = -2$? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.2 • Set 30 • FORWARD 1 • Q2/5

Where is the focus of the parabola $y = x^2 \div 4$?

A. (0, 4)

B. $(0, \frac{1}{4})$

C. (1, 0)

D. (0, 1)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q3

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations HSG-GPE.A.2 • Set 30 • FORWARD 1 • Q3/5

True or false?

Every point on a parabola is the same distance from its focus as from its directrix.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.2 • Set 30 • FORWARD 1 • Q4/5

True or false?

The vertex of a parabola lies on its directrix.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.2 • Set 30 • FORWARD 1 • Q5/5

SET 30 • HSA-REI.D.10

FORWARD 2

Use the unit circle as the set of points (cos θ, sin θ) • High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2

Explain why the point $(\cos \theta, \sin \theta)$ lies on the circle $x^2 + y^2 = 1$ for every angle θ.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q1

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2 • Set 30 • FORWARD 2 • Q1/5

Which point on the unit circle corresponds to $\theta = \pi \div 2$?

Point: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q2

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2 • Set 30 • FORWARD 2 • Q2/5

Which point is on the unit circle $x^2 + y^2 = 1$?

A. (0.5, 0.5)

B. (1, 1)

C. (0.6, 0.8)

D. (0.8, 0.8)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q3

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2 • Set 30 • FORWARD 2 • Q3/5

True or false?

The point $(-1, 0)$ on the unit circle corresponds to an angle of π radians.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q4

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2 • Set 30 • FORWARD 2 • Q4/5

True or false?

The point (cos 0, sin 0) is (0, 1).

A. True

B. False

Explain why intersections of y = f(x) and y = g(x) solve f(x) = g(x), and approximate solutions with graphs and tables

MAIN	Algebra I main question	**HSA-REI.D.11**
BACKWARD 1	Check whether points are on a graph	**HSA-REI.D.10**
BACKWARD 2	Read the solution of a system from the graphs of two lines	**8.EE.C.8.a**
FORWARD 1	Solve exponential equations exactly with logarithms	**HSF-LE.A.4**
FORWARD 2	Solve trigonometric equations with graphs and technology	**HSF-TF.B.7**

SET 31 • HSA-REI.D.11


MAIN

Algebra I main question • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.11

The graphs of $f(x) = x^2$ and $g(x) = x + 2$ are shown.

Use the graphs to solve $x^2 = x + 2$.

Solutions: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.11 • Set 31 • MAIN • Q1/5

Use a table of values to find the solution of $2^x = 3x$ between $x = 3$ and $x = 4$, to the nearest tenth.

$x \approx$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.11 • Set 31 • MAIN • Q2/5

The table shows $f(x) = |x - 1|$ and $g(x) = 3 - x$.

For which x is $f(x) = g(x)$?

x	0	1	2	3	4
f(x)	1	0	1	2	3
g(x)	3	2	1	0	−1

A. $x = 2$ **B.** $x = 3$ **C.** $x = 0$ **D.** $x = 1$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.11 • Set 31 • MAIN • Q3/5

Explain why the x-coordinates of the points where the graphs of $y = f(x)$ and $y = g(x)$ meet are the solutions of $f(x) = g(x)$.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.11 • Set 31 • MAIN • Q4/5

True or false?

The graphs of $y = 3x + 1$ and $y = 3x - 4$ never meet, so $3x + 1 = 3x - 4$ has no solution.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.11 • Set 31 • MAIN • Q5/5

SET 31 • HSA-REI.D.11

BACKWARD 1

Check whether points are on a graph • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10

Is (2, 4) on both $y = x^2$ and $y = x + 2$? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 31 • BACKWARD 1 • Q1/5

The point $(-1, y)$ is on the graph of $y = x + 2$.

Find y.

$y =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 31 • BACKWARD 1 • Q2/5

Which point is on the graph of $y = |x - 1|$?

A. $(-2, -3)$

B. $(-2, 3)$

C. $(3, -2)$

D. $(1, 1)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 31 • BACKWARD 1 • Q3/5

True or false?

If (a, b) is on the graph of y = f(x), then b = f(a).

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 31 • BACKWARD 1 • Q4/5

True or false?

(0, 1) is on the graph of $y = 2^x + 1$.

A. True


B. False

SET 31 • HSA-REI.D.11

BACKWARD 2

Read the solution of a system from the graphs of two lines • Grade 8 • Expressions & Equations • 8.EE.C.8.a

Use the graph to solve the system $y = x + 1$ and $y = -x + 3$.



Solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q1

Grade 8 • Expressions & Equations • 8.EE.C.8.a • Set 31 • BACKWARD 2 • Q1/5

At what x-value do the graphs of $y = 2x - 3$ and $y = 5$ meet?

$x =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q2

Grade 8 • Expressions & Equations • 8.EE.C.8.a • Set 31 • BACKWARD 2 • Q2/5

The graphs of two linear equations are the same line.

How many solutions does the system have?

A. One

B. Infinitely many

C. Two

D. None

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q3

Grade 8 • Expressions & Equations • 8.EE.C.8.a • Set 31 • BACKWARD 2 • Q3/5

True or false?

Two lines with different slopes meet at exactly one point.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q4

Grade 8 • Expressions & Equations • 8.EE.C.8.a • Set 31 • BACKWARD 2 • Q4/5

True or false?

Two lines with the same slope always meet.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q5

Grade 8 • Expressions & Equations • 8.EE.C.8.a • Set 31 • BACKWARD 2 • Q5/5

SET 31 • HSA-REI.D.11

FORWARD 1

Solve exponential equations exactly with logarithms • High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4

The graphs of $y = 2^x$ and $y = 10$ meet at one point.

Find its x-coordinate exactly using logarithms, and to the nearest hundredth.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q1

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 31 • FORWARD 1 • Q1/5

Solve $5e^{x} = 20$ exactly.

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q2

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 31 • FORWARD 1 • Q2/5

A graph shows $y = 3^x$ meeting $y = 15$ at about $x = 2.5$.

Which expression is the exact solution of $3^x = 15$?

A. $15 \div 3$

B. $\log 5$

C. $\log 15 \div \log 3$

D. $\sqrt{15}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S31-F1-Q3**

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 31 • FORWARD 1 • Q3/5

True or false?

$\log_2 8 = 3$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q4

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 31 • FORWARD 1 • Q4/5

True or false?

The solution of $10^x = 0.01$ is $x = 2$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q5

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 31 • FORWARD 1 • Q5/5

SET 31 • HSA-REI.D.11

FORWARD 2

Solve trigonometric equations with graphs and technology • High School — Precalculus (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.7

Solve $\sin x = \frac{1}{2}$ for $0 \leq x \leq \pi$. Give exact answers.

Solutions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q1

High School — Precalculus (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.7 • Set 31 • FORWARD 2 • Q1/5

Use a calculator to solve $\cos x = 0.3$ for $0 \leq x \leq \pi$, to the nearest hundredth of a radian.

$x \approx$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q2

High School — Precalculus (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.7 • Set 31 • FORWARD 2 • Q2/5

How many solutions does $\sin x = 2$ have?

A. Two

B. One

C. Infinitely many

D. None

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S31-F2-Q3**

High School — Precalculus (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.7 • Set 31 • FORWARD 2 • Q3/5

True or false?

The graphs of $y = \sin x$ and $y = 0.5$ meet at infinitely many points.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q4

High School — Precalculus (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.7 • Set 31 • FORWARD 2 • Q4/5

True or false?

For $0 \leq x \leq \pi$, the equation $\cos x = 0$ has two solutions.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q5

High School — Precalculus (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.7 • Set 31 • FORWARD 2 • Q5/5

Graph the solutions of linear inequalities and systems of linear inequalities in two variables as half-planes


MAIN	Algebra I main question	**HSA-REI.D.12**
BACKWARD 1	Solve an inequality in two variables for y	**HSA-REI.B.3**
BACKWARD 2	Plot points and find distances in the coordinate plane	**6.NS.C.8**
FORWARD 1	Find the area of a region described by inequalities	**HSG-GPE.B.7**
FORWARD 2	Use zeros to find where a polynomial is positive or negative	**HSA-APR.B.3**

SET 32 • HSA-REI.D.12

MAIN

Algebra I main question • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12

Graph $y < 2x - 1$ on the coordinate plane.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12 • Set 32 • MAIN • Q1/5

Is (4, 1) a solution of the system $y \leq -x + 6$ and $y > \frac{1}{2}x - 2$? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12 • Set 32 • MAIN • Q2/5

A graph has a solid boundary line through (0, 2) and (3, 0), and the side that contains the origin is shaded.

Which inequality does it show?

A. $2x + 3y < 6$

B. $2x + 3y \geq 6$

C. $3x + 2y \leq 6$

D. $2x + 3y \leq 6$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S32-M-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12 • Set 32 • MAIN • Q3/5

Graph the system $y \geq x - 2$ and $x + y < 4$ on the coordinate plane.

Name one point that is a solution of the system.

Point: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12 • Set 32 • MAIN • Q4/5

True or false?

Points on the boundary line $y = 3x$ are solutions of $y > 3x$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12 • Set 32 • MAIN • Q5/5

SET 32 • HSA-REI.D.12

BACKWARD 1

Solve an inequality in two variables for y • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3

Solve $2x + 3y \leq 6$ for y.

Inequality: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3 • Set 32 • BACKWARD 1 • Q1/5

Solve $x - 2y > 4$ for y.

Inequality: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3 • Set 32 • BACKWARD 1 • Q2/5

Solve $-y \geq x - 5$ for y.

A. $y \geq x + 5$

B. $y \geq -x + 5$

C. $y \leq -x + 5$

D. $y \leq x - 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3 • Set 32 • BACKWARD 1 • Q3/5

True or false?

Solving $4x + y < 3$ for y gives $y < -4x + 3$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3 • Set 32 • BACKWARD 1 • Q4/5

True or false?

Solving $-3y < 9$ for y gives $y < -3$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3 • Set 32 • BACKWARD 1 • Q5/5

SET 32 • HSA-REI.D.12

BACKWARD 2

Plot points and find distances in the coordinate plane • Grade 6 • The Number System • 6.NS.C.8

Find the distance between $(2, -3)$ and $(2, 5)$.


Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q1

Grade 6 • The Number System • 6.NS.C.8 • Set 32 • BACKWARD 2 • Q1/5

Plot the points (−3, 2) and (4, −1).



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q2

Grade 6 • The Number System • 6.NS.C.8 • Set 32 • BACKWARD 2 • Q2/5

Which point is in Quadrant III?

A. (2, −5)

B. (−2, −5)

C. (2, 5)

D. (−2, 5)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q3

Grade 6 • The Number System • 6.NS.C.8 • Set 32 • BACKWARD 2 • Q3/5

True or false?

The points (3, 4) and (3, −4) are reflections of each other across the x-axis.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q4

Grade 6 • The Number System • 6.NS.C.8 • Set 32 • BACKWARD 2 • Q4/5

True or false?

The distance between $(-4, 1)$ and $(6, 1)$ is 2.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q5

Grade 6 • The Number System • 6.NS.C.8 • Set 32 • BACKWARD 2 • Q5/5

SET 32 • HSA-REI.D.12

FORWARD 1

Find the area of a region described by inequalities • High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations • HSG-GPE.B.7

The system $x \geq 0$, $y \geq 0$, and $x + y \leq 6$ describes a triangle.

Find its vertices and its area.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.7 • Set 32 • FORWARD 1 • Q1/5

Find the perimeter of the rectangle with vertices (1, 1), (5, 1), (5, 4), and (1, 4).

Perimeter: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.7 • Set 32 • FORWARD 1 • Q2/5

The region $0 \leq x \leq 4$ and $0 \leq y \leq 2x$ is a triangle.

What is its area?

A. 32

B. 16

C. 8

D. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q3

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.7 • Set 32 • FORWARD 1 • Q3/5

True or false?

The triangle with vertices (0, 0), (3, 0), and (0, 4) has perimeter 12.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.7 • Set 32 • FORWARD 1 • Q4/5

True or false?

The square with vertices (0, 0), (2, 0), (2, 2), and (0, 2) has area 8.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.7 • Set 32 • FORWARD 1 • Q5/5

SET 32 • HSA-REI.D.12

FORWARD 2

Use zeros to find where a polynomial is positive or negative • High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions • HSA-APR.B.3

$p(x) = (x - 1)(x - 4)$.

For which x is $p(x) < 0$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q1

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.B.3 • Set 32 • FORWARD 2 • Q1/5

$p(x) = x(x + 2)(x - 3)$.

Is $p(1)$ positive or negative? Explain using its factors.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q2

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.B.3 • Set 32 • FORWARD 2 • Q2/5

For which x is $(x + 3)(x - 2) > 0$?

A. $x < -3$ only

B. $x > 2$ only

C. $x < -3$ or $x > 2$

D. $-3 < x < 2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q3

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.B.3 • Set 32 • FORWARD 2 • Q3/5

True or false?

The graph of $y = (x - 1)^2$ touches the x-axis at $x = 1$ without crossing it.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q4

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.B.3 • Set 32 • FORWARD 2 • Q4/5

True or false?

$(x - 5)(x + 1) \geq 0$ for every real number x.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q5

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.B.3 • Set 32 • FORWARD 2 • Q5/5

Create equations in two or more variables and graph them on labeled axes

MAIN	Algebra I main question	**HSA-CED.A.2**
BACKWARD 1	Write and solve an equation in one variable	**HSA-CED.A.1**
BACKWARD 2	Write the equation of a linear function	**8.F.B.4**
FORWARD 1	Write the equation of a circle from a situation	**HSG-GPE.A.1**
FORWARD 2	Write and interpret polynomial models	**HSF-IF.C.7.c**

SET 33 • HSA-CED.A.2

MAIN

Algebra I main question • High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2

A savings account has $150 and grows by $25 each week.

Write an equation for the balance B after w weeks.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S33-M-Q1

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 33 • MAIN • Q1/5

A pool holds 600 gallons and drains at 50 gallons per minute.

Write an equation for the gallons G left after t minutes, and graph it for $0 \leq t \leq 12$.

Equation: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q2

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 33 • MAIN • Q2/5

A rectangle's length is 3 more than twice its width w.

Write an equation for its area A.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q3

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 33 • MAIN • Q3/5

A town has 8,000 people, and its population grows 3% each year.

Which equation gives the population P after t years?

A. $P = 8{,}000(0.03)^t$

B. $P = 8{,}000 + 0.03t$

C. $P = 8{,}000(1.03)^t$

D. $P = 8{,}000(1.3)^t$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q4

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 33 • MAIN • Q4/5

True or false?

Student tickets cost $4 and adult tickets cost $9. The equation 4s + 9a = 300 relates the numbers of tickets when sales total $300.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q5

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 33 • MAIN • Q5/5

SET 33 • HSA-CED.A.2

BACKWARD 1

Write and solve an equation in one variable • High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1

Solve 150 + 25w = 400 for w.

w = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q1

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1 • Set 33 • BACKWARD 1 • Q1/5

A pool has 600 gallons and drains at 50 gallons per minute.

Write and solve an equation for when it is empty.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q2

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1 • Set 33 • BACKWARD 1 • Q2/5

A plan costs $12 per month plus a $30 fee.

Which equation gives the number of months m for a total of $186?

A. $12m - 30 = 186$

B. $30m + 12 = 186$

C. $12(m + 30) = 186$

D. $12m + 30 = 186$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q3

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1 • Set 33 • BACKWARD 1 • Q3/5

True or false?

$w = 2.5$ is a solution of $w(2w + 3) = 20$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q4

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1 • Set 33 • BACKWARD 1 • Q4/5

True or false?

Solving $4s + 9(20) = 300$ gives $s = 40$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q5

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.1 • Set 33 • BACKWARD 1 • Q5/5

SET 33 • HSA-CED.A.2

BACKWARD 2

Write the equation of a linear function • Grade 8 • Functions • 8.F.B.4

A line passes through (0, 5) and (2, 11).

Write its equation.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q1

Grade 8 • Functions • 8.F.B.4 • Set 33 • BACKWARD 2 • Q1/5

A plumber charges $50 plus $30 per hour.

Write a function for the cost C(h).

C(h) = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q2

Grade 8 • Functions • 8.F.B.4 • Set 33 • BACKWARD 2 • Q2/5

A table has x-values 0, 1, 2 and y-values 4, 7, 10.

Which equation fits the table?

A. $y = 4x + 3$

B. $y = x + 4$

C. $y = 3x$

D. $y = 3x + 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q3

Grade 8 • Functions • 8.F.B.4 • Set 33 • BACKWARD 2 • Q3/5

True or false?

The rate of change of $y = -2x + 7$ is -2.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q4

Grade 8 • Functions • 8.F.B.4 • Set 33 • BACKWARD 2 • Q4/5

True or false?

The initial value of $y = 6x - 1$ is 6.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q5

Grade 8 • Functions • 8.F.B.4 • Set 33 • BACKWARD 2 • Q5/5

SET 33 • HSA-CED.A.2

FORWARD 1

Write the equation of a circle from a situation • High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations • HSG-GPE.A.1

A sprinkler at (3, −2) waters everything within 4 meters.

Write an equation of the boundary of the watered region in standard form.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.1 • Set 33 • FORWARD 1 • Q1/5

A cell tower at the origin reaches 10 km. Is a phone at (6, 7) within range? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations HSG-GPE.A.1 • Set 33 • FORWARD 1 • Q2/5

Which equation describes all the points 5 units from (0, 0)?

A. $x^2 - y^2 = 25$

B. $x^2 + y^2 = 25$

C. $x + y = 5$

D. $x^2 + y^2 = 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q3

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.1 • Set 33 • FORWARD 1 • Q3/5

True or false?

The circle $(x - 1)^2 + (y - 1)^2 = 4$ passes through $(3, 1)$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.1 • Set 33 • FORWARD 1 • Q4/5

True or false?

The circle $x^2 + y^2 = 9$ passes through (3, 3).

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.1 • Set 33 • FORWARD 1 • Q5/5

SET 33 • HSA-CED.A.2

FORWARD 2

Write and interpret polynomial models • High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c

An open box is made from a 10 in by 8 in sheet by cutting a square of side x from each corner.

Write an equation for its volume V.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q1

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 33 • FORWARD 2 • Q1/5

For $V = x(10 - 2x)(8 - 2x)$, which values of x make sense in the situation?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q2

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 33 • FORWARD 2 • Q2/5

What are the zeros of $V = x(10 - 2x)(8 - 2x)$?

A. 5 and 4 only

B. 0, 10, and 8

C. 0, −5, and −4

D. 0, 5, and 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S33-F2-Q3**

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 33 • FORWARD 2 • Q3/5

True or false?

The graph of $y = x^3 - x$ crosses the x-axis three times.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q4

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 33 • FORWARD 2 • Q4/5

True or false?

As x gets very large, $y = -x^3$ becomes very large and positive.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q5

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 33 • FORWARD 2 • Q5/5

Represent constraints with equations and inequalities and decide whether solutions are viable

MAIN	Algebra I main question	**HSA-CED.A.3**
BACKWARD 1	Test points in a system of inequalities	**HSA-REI.D.12**
BACKWARD 2	Solve a system of linear equations	**HSA-REI.C.6**
FORWARD 1	Use constraints to optimize a design	**HSG-MG.A.3**
FORWARD 2	Use expected values to compare decisions	**HSS-MD.B.7**

SET 34 • HSA-CED.A.3

MAIN

Algebra I main question • High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3

A bakery makes m muffins and b loaves. A muffin uses 1 cup of flour and a loaf uses 3 cups; there are 60 cups. A muffin takes 2 minutes and a loaf takes 5 minutes; there are 140 minutes.

Write the system of constraints.

Constraints: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q1

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3 • Set 34 • MAIN • Q1/5

For the bakery, is making 40 muffins and 10 loaves possible? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q2

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3 • Set 34 • MAIN • Q2/5

A club needs at least $500 from selling shirts at $15 and hats at $10, and it can sell at most 45 items.

Write the constraints for s shirts and h hats.

Constraints: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q3

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3 • Set 34 • MAIN • Q3/5

For the club, which combination meets both constraints?

A. 15 shirts and 25 hats

B. 25 shirts and 15 hats

C. 30 shirts and 20 hats

D. 20 shirts and 10 hats

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q4

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3 • Set 34 • MAIN • Q4/5

True or false?

If x counts people, x = 12.5 can be a viable solution.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q5

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3 • Set 34 • MAIN • Q5/5

SET 34 • HSA-CED.A.3

BACKWARD 1

Test points in a system of inequalities • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12

Is (10, 10) a solution of $x + 3y \leq 60$ and $2x + 5y \leq 140$? Explain.


Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12 • Set 34 • BACKWARD 1 • Q1/5

Graph the system $x + y \leq 5$, $x \geq 0$, and $y \geq 0$.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12 • Set 34 • BACKWARD 1 • Q2/5

Which point is in the solution region of $y \geq 2x$ and $y \leq 6$?

A. (4, 1)

B. (1, 7)

C. (3, 5)

D. (1, 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12 • Set 34 • BACKWARD 1 • Q3/5

True or false?

The point (0, 0) satisfies $x \geq 0$ and $y \geq 0$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12 • Set 34 • BACKWARD 1 • Q4/5

True or false?

The point (2, 5) satisfies $x + y < 7$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.12 • Set 34 • BACKWARD 1 • Q5/5

SET 34 • HSA-CED.A.3

BACKWARD 2

Solve a system of linear equations • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6

Solve.

$x + y = 45$

$15x + 10y = 500$

Solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 34 • BACKWARD 2 • Q1/5

Solve.

$2x + y = 12$

$x + y = 8$

Solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 34 • BACKWARD 2 • Q2/5

Solve.

$x + 3y = 60$

$x + y = 40$

A. (30, 10)

B. (15, 15)

C. (10, 30)

D. (20, 20)

True or false?

(10, 35) is a solution of $x + y = 45$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 34 • BACKWARD 2 • Q4/5

True or false?

The system $x + y = 10$ and $x + y = 12$ has one solution.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.C.6 • Set 34 • BACKWARD 2 • Q5/5

SET 34 • HSA-CED.A.3

FORWARD 1

Use constraints to optimize a design • High School — Geometry (course placement in this bank) • Geometry: Modeling with Geometry • HSG-MG.A.3

A feasible region has vertices (0, 0), (60, 0), and (0, 20).

Find the greatest value of P = 2m + 7b on the region and where it occurs.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Modeling with Geometry • HSG-MG.A.3 • Set 34 • FORWARD 1 • Q1/5

A rectangular pen uses at most 40 m of fence.

What dimensions give the greatest area?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Modeling with Geometry • HSG-MG.A.3 • Set 34 • FORWARD 1 • Q2/5

The cost $C = 3x + 2y$ is checked at the vertices (0, 6), (2, 2), and (6, 0) of a region.

Where is the cost least?

A. (2, 2)

B. (0, 0)

C. (6, 0)

D. (0, 6)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S34-F1-Q3**

High School — Geometry (course placement in this bank) • Geometry: Modeling with Geometry • HSG-MG.A.3 • Set 34 • FORWARD 1 • Q3/5

True or false?

For a linear expression on a polygonal region, the greatest value occurs at a vertex.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Modeling with Geometry • HSG-MG.A.3 • Set 34 • FORWARD 1 • Q4/5

True or false?

Of all rectangles with area 36, a square has the smallest perimeter, so its side is 9.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Modeling with Geometry • HSG-MG.A.3 • Set 34 • FORWARD 1 • Q5/5

SET 34 • HSA-CED.A.3

FORWARD 2

Use expected values to compare decisions • High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Using Probability to Make Decisions • HSS-MD.B.7

Plan A earns $100 with probability 0.6 and $0 otherwise.
Plan B earns $70 for sure.

Which plan has the greater expected value?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q1

High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Using Probability to Make Decisions
HSS-MD.B.7 • Set 34 • FORWARD 2 • Q1/5

Guessing on a 4-choice question earns 1 point if right and loses 0.25 point if wrong.

What is the expected score from guessing?

Expected score: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q2

High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Using Probability to Make Decisions
HSS-MD.B.7 • Set 34 • FORWARD 2 • Q2/5

A $5 warranty pays $100 with probability 0.04.

What is the expected net value of buying it?

A. $-\$5$

B. $\$1$

C. $\$4$

D. $-\$1$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q3

High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Using Probability to Make Decisions

HSS-MD.B.7 • Set 34 • FORWARD 2 • Q3/5

True or false?

A choice with the higher expected value can still lose money on a single trial.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q4

High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Using Probability to Make Decisions
HSS-MD.B.7 • Set 34 • FORWARD 2 • Q4/5

True or false?

If a game has an expected value of 0, a player cannot lose money playing it.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q5

High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Using Probability to Make Decisions
HSS-MD.B.7 • Set 34 • FORWARD 2 • Q5/5

SET 35 • HSF-IF.A.1 • INTERPRETING FUNCTIONS

Understand a function as a rule that assigns exactly one output to each input, with a domain and a range

MAIN	Algebra I main question	**HSF-IF.A.1**
BACKWARD 1	Decide whether a relation is a function	**8.F.A.1**
BACKWARD 2	Check whether points are on the graph of an equation	**HSA-REI.D.10**
FORWARD 1	Describe transformations of the plane as functions of points	**HSG-CO.A.2**
FORWARD 2	Restrict a domain to make a function invertible	**HSF-BF.B.4.d**

SET 35 • HSF-IF.A.1

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1

Does the relation $\{(-2, 4), (0, 1), (2, 4), (3, -1)\}$ define y as a function of x? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1 • Set 35 • MAIN • Q1/5

Give the domain and the range of $f(x) = x^2 + 1$.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1 • Set 35 • MAIN • Q2/5

Which equation does NOT define y as a function of x?

A. $y = x^2$

B. $x = y^2$

C. $y = 2^x$

D. $y = |x|$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1 • Set 35 • MAIN • Q3/5

$f(x) = \sqrt{(x - 3)}$. Over the real numbers, what is the domain of f?

Domain: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1 • Set 35 • MAIN • Q4/5

True or false?

If f is a function and f(2) = 5, then f(2) can also equal 7.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1 • Set 35 • MAIN • Q5/5

SET 35 • HSF-IF.A.1

BACKWARD 1

Decide whether a relation is a function • Grade 8 • Functions • 8.F.A.1

A table pairs x = 1, 2, 3, 2 with y = 4, 5, 6, 7. Is y a function of x? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q1

Grade 8 • Functions • 8.F.A.1 • Set 35 • BACKWARD 1 • Q1/5

Each button on a vending machine gives exactly one kind of snack. Is the snack a function of the button? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q2

Grade 8 • Functions • 8.F.A.1 • Set 35 • BACKWARD 1 • Q2/5

Which set of ordered pairs is a function?

A. {(5, 1), (5, 2), (6, 3)}

B. {(0, 0), (0, 1)}

C. {(1, 3), (2, 3), (3, 3)}

D. {(1, 2), (1, 3), (2, 4)}

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q3

Grade 8 • Functions • 8.F.A.1 • Set 35 • BACKWARD 1 • Q3/5

True or false?

Two different inputs of a function can have the same output.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q4

Grade 8 • Functions • 8.F.A.1 • Set 35 • BACKWARD 1 • Q4/5

True or false?

A function can pair the input 4 with two different outputs.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q5

Grade 8 • Functions • 8.F.A.1 • Set 35 • BACKWARD 1 • Q5/5

SET 35 • HSF-IF.A.1

BACKWARD 2

Check whether points are on the graph of an equation • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10

Is $(-2, 5)$ on the graph of $y = x^2 + 1$? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 35 • BACKWARD 2 • Q1/5

The point (a, 10) is on the graph of y = 2x + 4.

Find a.

a = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 35 • BACKWARD 2 • Q2/5

Which point is on the graph of $y = \sqrt{x}$?

A. (9, −3)

B. (−9, 3)

C. (9, 3)

D. (3, 9)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 35 • BACKWARD 2 • Q3/5

True or false?

The graph of $y = 4$ is the set of all points with y-coordinate 4.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.D.10 • Set 35 • BACKWARD 2 • Q4/5

True or false?

(1, 3) is on the graph of $y = x^2 + 3$.

A. True

B. False

SET 35 • HSF-IF.A.1

FORWARD 1

Describe transformations of the plane as functions of points • High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.2

The translation T maps (x, y) to (x + 3, y − 2).

Find T(4, 1).

Image: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.2 • Set 35 • FORWARD 1 • Q1/5

A reflection across the y-axis maps (x, y) to which point?

Image: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.2 • Set 35 • FORWARD 1 • Q2/5

Which transformation does NOT preserve distance?

A. $(x, y) \to (x + 5, y)$

B. $(x, y) \to (-x, y)$

C. $(x, y) \to (y, x)$

D. $(x, y) \to (2x, y)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q3

High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.2 • Set 35 • FORWARD 1 • Q3/5

True or false?

A transformation of the plane is a function: each input point has exactly one image.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.2 • Set 35 • FORWARD 1 • Q4/5

True or false?

A rotation of 90° counterclockwise about the origin maps (1, 0) to (0, −1).

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.2 • Set 35 • FORWARD 1 • Q5/5

SET 35 • HSF-IF.A.1

FORWARD 2

Restrict a domain to make a function invertible • High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.d

Explain why $f(x) = x^2$, with all real numbers as its domain, has no inverse function.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q1

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.d • Set 35 • FORWARD 2 • Q1/5

Restrict the domain of $f(x) = (x - 1)^2$ so that f has an inverse, and write the inverse.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q2

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.d • Set 35 • FORWARD 2 • Q2/5

Which function is one-to-one on all real numbers?

A. $f(x) = x^2 - 4$

B. $f(x) = x^3$

C. $f(x) = |x|$

D. $f(x) = x^2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S35-F2-Q3**

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.d • Set 35 • FORWARD 2 • Q3/5

True or false?

$f(x) = x^2$ with domain $x \geq 0$ has the inverse $f^{-1}(x) = \sqrt{x}$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q4

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.d • Set 35 • FORWARD 2 • Q4/5

True or false?

Every function has an inverse function.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q5

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.d • Set 35 • FORWARD 2 • Q5/5

SET 36 • HSF-IF.A.2 • INTERPRETING FUNCTIONS

Use function notation, evaluate functions, and interpret statements in function notation in context

MAIN	Algebra I main question	**HSF-IF.A.2**
BACKWARD 1	Evaluate expressions for given values	**6.EE.A.2.c**
BACKWARD 2	Solve linear equations	**HSA-REI.B.3**
FORWARD 1	Evaluate compositions of functions	**HSF-BF.A.1.c**
FORWARD 2	Read values of an inverse function	**HSF-BF.B.4.c**

SET 36 • HSF-IF.A.2

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2

$f(x) = 2x^2 - 3x + 1$.

Find $f(-2)$.

$f(-2) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 36 • MAIN • Q1/5

$h(t) = -16t^2 + 64t$ gives a ball's height in feet t seconds after it is hit.

Find h(1), and explain what it means.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 36 • MAIN • Q2/5

$g(x) = 5x - 7$.

Find the value of x for which $g(x) = 18$.

$x =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 36 • MAIN • Q3/5

C(n) is the cost in dollars of n tickets.

What does C(4) = 60 mean?

A. 4 tickets cost $60.

B. C equals 4 times 60.

C. Each ticket costs $60.

D. 60 tickets cost $4.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 36 • MAIN • Q4/5

True or false?

If $f(x) = x^2$, then $f(a + 1) = a^2 + 1$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 36 • MAIN • Q5/5

SET 36 • HSF-IF.A.2

BACKWARD 1

Evaluate expressions for given values • Grade 6 • Expressions & Equations • 6.EE.A.2.c

Evaluate $2x^2 - 3x + 1$ when $x = 3$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 36 • BACKWARD 1 • Q1/5

Evaluate $-16t^2 + 64t$ when $t = 2$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 36 • BACKWARD 1 • Q2/5

Evaluate $3(a - 4)^2$ when $a = 6$.

A. 144

B. 12

C. 6

D. 36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 36 • BACKWARD 1 • Q3/5

True or false?

When $x = -1$, $x^2 - x = 2$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 36 • BACKWARD 1 • Q4/5

True or false?

When $n = 5$, $2n^2 = 100$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 36 • BACKWARD 1 • Q5/5

SET 36 • HSF-IF.A.2

BACKWARD 2

Solve linear equations • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3

Solve $5x - 7 = 18$.

$x =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3 • Set 36 • BACKWARD 2 • Q1/5

Solve $3(x + 2) = 2x - 4$.

$x =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3 • Set 36 • BACKWARD 2 • Q2/5

Solve 0.5x + 3 = 11.

A. x = 7

B. x = 28

C. x = 16

D. x = 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3 • Set 36 • BACKWARD 2 • Q3/5

True or false?

$x = -2$ is the solution of $4x + 9 = 1$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q4

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.3 • Set 36 • BACKWARD 2 • Q4/5

True or false?

The solution of $7 - x = 10$ is $x = 3$.

A. True

B. False

SET 36 • HSF-IF.A.2

FORWARD 1

Evaluate compositions of functions • High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c

$f(x) = x + 4$ and $g(x) = 3x$.

Find $f(g(2))$.

$f(g(2)) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q1

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c • Set 36 • FORWARD 1 • Q1/5

$f(x) = x^2$ and $g(x) = x - 3$.

Write $f(g(x))$.

$f(g(x)) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q2

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c • Set 36 • FORWARD 1 • Q2/5

$f(x) = 2x$ and $g(x) = x + 1$.

Find $g(f(5))$.

A. 11

B. 10

C. 6

D. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S36-F1-Q3**

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c • Set 36 • FORWARD 1 • Q3/5

True or false?

If $f(x) = x - 1$ and $g(x) = x + 1$, then $f(g(x)) = x$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q4

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c • Set 36 • FORWARD 1 • Q4/5

True or false?

If $f(x) = 2x$ and $g(x) = x^2$, then $f(g(3)) = 36$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q5

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c • Set 36 • FORWARD 1 • Q5/5

SET 36 • HSF-IF.A.2

FORWARD 2

Read values of an inverse function • High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c

A function f has f(1) = 3, f(2) = 5, f(3) = 7, and f(4) = 9.

Find $f^{-1}(7)$.

$f^{-1}(7) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q1

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c • Set 36 • FORWARD 2 • Q1/5

$f(x) = 2x + 1$ is invertible.

Find $f^{-1}(11)$.

$f^{-1}(11) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q2

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c • Set 36 • FORWARD 2 • Q2/5

If $f(4) = 10$, which statement is true?

A. $f^{-1}(10) = 4$

B. $f^{-1}(4) = 10$

C. $f(10) = 4$

D. $f^{-1}(10) = \frac{1}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q3

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c • Set 36 • FORWARD 2 • Q3/5

True or false?

The graph of f^{-1} is the reflection of the graph of f across the line $y = x$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q4

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c • Set 36 • FORWARD 2 • Q4/5

True or false?

$f^{-1}(x)$ means $1 \div f(x)$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q5

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c • Set 36 • FORWARD 2 • Q5/5

Recognize that sequences are functions whose domain is a set of integers

MAIN	Algebra I main question	**HSF-IF.A.3**
BACKWARD 1	Evaluate functions in function notation	**HSF-IF.A.2**
BACKWARD 2	Generate numerical patterns from rules	**5.OA.B.3**
FORWARD 1	Repeat a dilation and describe the lengths	**HSG-SRT.A.1**
FORWARD 2	Find the sum of a finite geometric series	**HSA-SSE.B.4**

SET 37 • HSF-IF.A.3

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3

A sequence is defined by $f(1) = 3$ and $f(n) = f(n - 1) + 4$ for $n \geq 2$.

Find $f(5)$.

$f(5) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 37 • MAIN • Q1/5

A sequence is defined by $f(0) = f(1) = 1$ and $f(n + 1) = f(n) + f(n - 1)$ for $n \geq 1$.

Find $f(5)$.

$f(5) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 37 • MAIN • Q2/5

Write an explicit formula for the sequence 5, 10, 20, 40, …, with f(1) = 5.

f(n) = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 37 • MAIN • Q3/5

A sequence f(n) starts with f(1).

What is its domain?

A. The positive integers 1, 2, 3, ...

B. The numbers from 0 to 1

C. All real numbers

D. All integers

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 37 • MAIN • Q4/5

True or false?

The graph of the sequence f(n) = 2n + 1 for n = 1, 2, 3, ... is a solid line.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 37 • MAIN • Q5/5

SET 37 • HSF-IF.A.3

BACKWARD 1

Evaluate functions in function notation • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2

$f(n) = 3n - 1$.

Find $f(4)$.

$f(4) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 37 • BACKWARD 1 • Q1/5

$f(n) = 2^n$.

Find f(5).

f(5) = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 37 • BACKWARD 1 • Q2/5

$f(n) = n^2 + 1$.

Find $f(3)$.

A. 7

B. 10

C. 16

D. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 37 • BACKWARD 1 • Q3/5

True or false?

If $f(n) = 10 - n$, then $f(10) = 0$.

A. True

B. False

True or false?

If f(n) = 4n, then f(3) = 7.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 37 • BACKWARD 1 • Q5/5

SET 37 • HSF-IF.A.3

BACKWARD 2

Generate numerical patterns from rules • Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3

Start at 3 and add 4 each time.

Write the first 5 terms.

Terms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 37 • BACKWARD 2 • Q1/5

Start at 1 and multiply by 3 each time.

What is the 4th term?

4th term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 37 • BACKWARD 2 • Q2/5

Pattern A starts at 0 and adds 2. Pattern B starts at 0 and adds 6.

How do their third terms compare?

A. A's is 3 times B's.

B. B's is 4 more than A's.

C. B's is 3 times A's.

D. They are equal.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 37 • BACKWARD 2 • Q3/5

True or false?

The rule "start at 2 and add 5" gives 2, 7, 12, 17.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 37 • BACKWARD 2 • Q4/5

True or false?

The rule "start at 3 and double" gives 3, 5, 7, 9.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 37 • BACKWARD 2 • Q5/5

SET 37 • HSF-IF.A.3

FORWARD 1

Repeat a dilation and describe the lengths • High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.A.1

A segment of length 3 is dilated by scale factor 2, then the image is dilated by 2 again, and so on.

Write the length after n dilations.

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.A.1 • Set 37 • FORWARD 1 • Q1/5

A dilation with center (0, 0) and scale factor 3 maps (2, −1) to which point?

Image: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.A.1 • Set 37 • FORWARD 1 • Q2/5

A dilation with scale factor $\frac{1}{2}$ maps a segment of length 10 to a segment of what length?

A. 20

B. 9.5

C. 10

D. 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S37-F1-Q3**

High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.A.1 • Set 37 • FORWARD 1 • Q3/5

True or false?

A dilation maps a line that does not pass through the center to a parallel line.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.A.1 • Set 37 • FORWARD 1 • Q4/5

True or false?

A dilation with scale factor 2 doubles the area of a figure.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.A.1 • Set 37 • FORWARD 1 • Q5/5

SET 37 • HSF-IF.A.3

FORWARD 2

Find the sum of a finite geometric series • High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4

Find the sum of the first 5 terms of 2, 6, 18, ...

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q1

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 37 • FORWARD 2 • Q1/5

Write a formula for the sum of the first n terms of 5, 10, 20, ...

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q2

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 37 • FORWARD 2 • Q2/5

What is 1 + 4 + 16 + 64?

A. 256

B. 85

C. 84

D. 64

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S37-F2-Q3**

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 37 • FORWARD 2 • Q3/5

True or false?

The sum of the first 4 terms of 1, 2, 4, 8, ... is 15.

A. True

B. False

True or false?

A geometric series with first term 4, ratio 1, and 5 terms has sum 4.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q5

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 37 • FORWARD 2 • Q5/5

SET 38 • HSF-IF.B.4 • INTERPRETING FUNCTIONS

Interpret key features of graphs and tables of functions in context

MAIN	Algebra I main question	**HSF-IF.B.4**
BACKWARD 1	Describe a function qualitatively from a situation	**8.F.B.5**
BACKWARD 2	Use vertex form to find a maximum or minimum	**HSA-SSE.B.3.b**
FORWARD 1	Identify key features of polynomial functions	**HSF-IF.C.7.c**
FORWARD 2	Identify amplitude, midline, and period of a periodic model	**HSF-TF.B.5**

SET 38 • HSF-IF.B.4


MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4

The graph shows a ball's height h(t) in meters, t seconds after it is thrown from a balcony.

What is the maximum height, and when does it occur?

Answer: _____




REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 38 • MAIN • Q1/5

What is the h-intercept of the graph, and what does it mean?

Answer: _____




REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 38 • MAIN • Q2/5

When does the ball reach the ground? Over what interval is its height increasing?

Answer: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 38 • MAIN • Q3/5


Over what interval is the ball's height decreasing?

A. $0 < t < 2$

B. $0 < t < 5$

C. $2 < t < 5$

D. $25 < t < 45$



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q4


High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 38 • MAIN • Q4/5

True or false?

The ball is 25 meters high twice: at t = 0 and at t = 4.

A. True

B. False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 38 • MAIN • Q5/5

SET 38 • HSF-IF.B.4

BACKWARD 1

Describe a function qualitatively from a situation • Grade 8 • Functions • 8.F.B.5

A car speeds up, drives at a constant speed, then slows to a stop.

Describe the graph of its speed over time.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q1

Grade 8 • Functions • 8.F.B.5 • Set 38 • BACKWARD 1 • Q1/5

A graph of water level is horizontal from t = 2 to t = 5.

What does that mean?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q2

Grade 8 • Functions • 8.F.B.5 • Set 38 • BACKWARD 1 • Q2/5

Which situation has a graph that first increases and then decreases?

A. Savings with a steady deposit each week

B. The height of a ball thrown up that comes back down

C. The distance a parked car travels

D. The height of a burning candle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q3

Grade 8 • Functions • 8.F.B.5 • Set 38 • BACKWARD 1 • Q3/5

True or false?

On a distance-time graph, a steeper segment means a greater speed.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q4

Grade 8 • Functions • 8.F.B.5 • Set 38 • BACKWARD 1 • Q4/5

True or false?

A decreasing graph always means the quantity is negative.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q5

Grade 8 • Functions • 8.F.B.5 • Set 38 • BACKWARD 1 • Q5/5

SET 38 • HSF-IF.B.4

BACKWARD 2

Use vertex form to find a maximum or minimum • High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b

Write $-5t^2 + 20t + 25$ in the form $a(t - h)^2 + k$.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q1

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b • Set 38 • BACKWARD 2 • Q1/5

What is the maximum value of $-(x - 3)^2 + 7$, and for what x?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q2

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b • Set 38 • BACKWARD 2 • Q2/5

What is the minimum value of $2(x + 1)^2 - 8$?

A. -8

B. -1

C. 2

D. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q3

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b • Set 38 • BACKWARD 2 • Q3/5

True or false?

$-5(t - 2)^2 + 45$ is greatest when $t = 2$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q4

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b • Set 38 • BACKWARD 2 • Q4/5

True or false?

The minimum value of $(x - 4)^2 + 1$ is 4.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q5

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b • Set 38 • BACKWARD 2 • Q5/5

SET 38 • HSF-IF.B.4

FORWARD 1

Identify key features of polynomial functions • High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c

Describe the end behavior of $f(x) = -2x^3 + x$.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q1

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 38 • FORWARD 1 • Q1/5

Find the zeros of $f(x) = x(x - 2)(x + 3)$.

Zeros: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q2

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 38 • FORWARD 1 • Q2/5

Which function rises on the right and falls on the left?

A. $f(x) = -x^4$

B. $f(x) = x^3 - 4x$

C. $f(x) = x^2$

D. $f(x) = -x^3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q3

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 38 • FORWARD 1 • Q3/5

True or false?

A polynomial function of degree 4 has at most 4 real zeros.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q4

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 38 • FORWARD 1 • Q4/5

True or false?

The graph of $f(x) = x^4$ falls on both ends.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q5

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 38 • FORWARD 1 • Q5/5

SET 38 • HSF-IF.B.4

FORWARD 2

Identify amplitude, midline, and period of a periodic model • High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5

A Ferris wheel seat's height is $h(t) = 30 - 25\cos(\pi t \div 5)$ meters after t minutes.

What are the greatest and least heights?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q1

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 38 • FORWARD 2 • Q1/5

What is the period of $h(t) = 30 - 25\cos(\pi t \div 5)$?

Period: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q2

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 38 • FORWARD 2 • Q2/5

What is the midline of $y = 4\sin x + 2$?

A. $y = 4$

B. $y = 2$

C. $y = 6$

D. $y = 0$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S38-F2-Q3**

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 38 • FORWARD 2 • Q3/5

True or false?

The amplitude of $y = 3\sin x$ is 3.

A. True

B. False

True or false?

The function $y = \sin x$ has period π.

A. True

B. False

SET 39 • HSF-IF.B.5 • INTERPRETING FUNCTIONS

Relate the domain of a function to the quantity it describes

MAIN	Algebra I main question	**HSF-IF.B.5**
BACKWARD 1	Decide whether a solution is viable	**HSA-CED.A.3**
BACKWARD 2	Find where a quadratic model equals 0	**HSA-REI.B.4.b**
FORWARD 1	Use trigonometric ratios as functions of acute angles	**HSG-SRT.C.6**
FORWARD 2	Extend trigonometric functions to all real numbers with the unit ci…	**HSF-TF.A.2**

SET 39 • HSF-IF.B.5

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.5

$n(k) = 12k$ gives the number of eggs in k full cartons. The store has 30 cartons.

What is a reasonable domain?

Domain: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.5 • Set 39 • MAIN • Q1/5

$h(t) = -16t^2 + 64t$ gives a ball's height in feet from the moment it is hit until it lands.

What is the domain?

Domain: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.5 • Set 39 • MAIN • Q2/5

A taxi fare is $C(m) = 3 + 2.5m$ dollars for m miles, with a limit of 40 miles per ride.

What is the domain?

A. All real numbers

B. $m \geq 3$

C. $3 \leq m \leq 103$

D. $0 \leq m \leq 40$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.5 • Set 39 • MAIN • Q3/5

A rectangle has perimeter 20. Its area is $A(w) = w(10 - w)$, where w is the width.

What is the domain?

Domain: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.5 • Set 39 • MAIN • Q4/5

True or false?

P(n) = 50n gives the number of seats on n buses. n = 2.5 is in a reasonable domain.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.5 • Set 39 • MAIN • Q5/5

SET 39 • HSF-IF.B.5

BACKWARD 1

Decide whether a solution is viable • High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3

Solving a problem gives 7.4 buses needed to carry every student.

What is the viable answer? Explain.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q1

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3 • Set 39 • BACKWARD 1 • Q1/5

The number of tickets t must satisfy $5t \leq 60$ and $t \geq 0$.

What whole numbers of tickets are viable?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q2

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3 • Set 39 • BACKWARD 1 • Q2/5

Which value is NOT viable for the number of people in a room?

A. 40

B. 0

C. 12

D. -3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q3

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3 • Set 39 • BACKWARD 1 • Q3/5

True or false?

A length of 0.25 meter can be a viable solution.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q4

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3 • Set 39 • BACKWARD 1 • Q4/5

True or false?

$w(10 - w) = 24$ has solutions $w = 4$ and $w = 6$, but only one of them is a viable width.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q5

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.3 • Set 39 • BACKWARD 1 • Q5/5

SET 39 • HSF-IF.B.5

BACKWARD 2

Find where a quadratic model equals 0 • High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b

Solve $-16t^2 + 64t = 0$.

Solutions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q1

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b • Set 39 • BACKWARD 2 • Q1/5

Solve $w(10 - w) = 0$.

Solutions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q2

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b • Set 39 • BACKWARD 2 • Q2/5

Solve $-16t^2 + 64t + 80 = 0$.

A. $t = 4$ or $t = -2$

B. $t = 5$ or $t = -1$

C. $t = 5$ only

D. $t = -5$ or $t = 1$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q3

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b • Set 39 • BACKWARD 2 • Q3/5

True or false?

$t = 4$ is a solution of $t^2 - 4t = 0$.

A. True

B. False

True or false?

$x^2 + 9 = 0$ has two real solutions.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q5

High School — Algebra I • Algebra: Reasoning with Equations & Inequalities • HSA-REI.B.4.b • Set 39 • BACKWARD 2 • Q5/5

SET 39 • HSF-IF.B.5

FORWARD 1

Use trigonometric ratios as functions of acute angles • High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.C.6

Right triangle ABC has its right angle at C, with AC = 4, BC = 3, and AB = 5.

Find sin A.

sin A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.C.6 • Set 39 • FORWARD 1 • Q1/5

For which angle measures θ is sin θ defined as a ratio of sides of a right triangle?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.C.6 • Set 39 • FORWARD 1 • Q2/5

In a right triangle, $\cos A = \frac{12}{13}$.

What is sin A?

A. $\frac{5}{13}$

B. $\frac{12}{5}$

C. $\frac{1}{13}$

D. $\frac{13}{12}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S39-F1-Q3**

High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.C.6 • Set 39 • FORWARD 1 • Q3/5

True or false?

In a right triangle, sin A = cos B when A and B are the two acute angles.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.C.6 • Set 39 • FORWARD 1 • Q4/5

True or false?

For an acute angle θ, $\sin\theta$ can be greater than 1.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Similarity, Right Triangles & Trigonometry • HSG-SRT.C.6 • Set 39 • FORWARD 1 • Q5/5

SET 39 • HSF-IF.B.5

FORWARD 2

Extend trigonometric functions to all real numbers with the unit circle • High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2

Find cos π.

cos π = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q1

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2 • Set 39 • FORWARD 2 • Q1/5

Find $\sin(3\pi \div 2)$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q2

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2 • Set 39 • FORWARD 2 • Q2/5

With the unit circle, what is the domain of $f(\theta) = \sin \theta$?

A. All real numbers

B. $0 < \theta < \pi \div 2$

C. $\theta \geq 0$

D. $0 \leq \theta \leq 2\pi$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S39-F2-Q3**

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2 • Set 39 • FORWARD 2 • Q3/5

True or false?

A negative radian measure gives a clockwise rotation.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q4

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2 • Set 39 • FORWARD 2 • Q4/5

True or false?

sin θ is defined only for acute angles.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q5

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.A.2 • Set 39 • FORWARD 2 • Q5/5

SET 40 • HSF-IF.B.6 • INTERPRETING FUNCTIONS

Calculate, interpret, and estimate the average rate of change of a function over an interval

MAIN	Algebra I main question	**HSF-IF.B.6**
BACKWARD 1	Find the rate of change of a linear function	**8.F.B.4**
BACKWARD 2	Compute unit rates with fractions	**7.RP.A.1**
FORWARD 1	Find average rates of change of periodic models	**HSF-TF.B.5**
FORWARD 2	Analyze rational functions: rates of change and asymptotes	**HSF-IF.C.7.d**

SET 40 • HSF-IF.B.6

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6

$f(x) = x^2 + 2x$.

Find the average rate of change from $x = 1$ to $x = 4$.

Rate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6 • Set 40 • MAIN • Q1/5

A town had 12,000 people in 2010 and 15,600 in 2022.

Find the average rate of change, with units.

Rate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6 • Set 40 • MAIN • Q2/5

The table gives the distance d a cart has traveled after t seconds.

Over which 2-second interval was its average speed greatest? Give that speed.

t (seconds)	0	2	4	6
d (meters)	0	30	100	150

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6 • Set 40 • MAIN • Q3/5

What is the average rate of change of $g(x) = 3^x$ from $x = 0$ to $x = 2$?

A. 4

B. 3

C. 8

D. 4.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6 • Set 40 • MAIN • Q4/5

True or false?

A linear function has the same average rate of change over every interval.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6 • Set 40 • MAIN • Q5/5

SET 40 • HSF-IF.B.6

BACKWARD 1

Find the rate of change of a linear function • Grade 8 • Functions • 8.F.B.4

Find the rate of change of the line through (2, 5) and (6, 17).

Rate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q1

Grade 8 • Functions • 8.F.B.4 • Set 40 • BACKWARD 1 • Q1/5

A tank had 50 liters at t = 0 and 20 liters at t = 10 minutes, draining steadily.

What is the rate of change?

Rate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q2

Grade 8 • Functions • 8.F.B.4 • Set 40 • BACKWARD 1 • Q2/5

What is the rate of change of $y = 7 - 4x$?

A. 7

B. -4

C. $-\frac{4}{7}$

D. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q3

Grade 8 • Functions • 8.F.B.4 • Set 40 • BACKWARD 1 • Q3/5

True or false?

A negative rate of change means the quantity is decreasing.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q4

Grade 8 • Functions • 8.F.B.4 • Set 40 • BACKWARD 1 • Q4/5

True or false?

The rate of change from (0, 3) to (2, 3) is 3.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q5

Grade 8 • Functions • 8.F.B.4 • Set 40 • BACKWARD 1 • Q5/5

SET 40 • HSF-IF.B.6

BACKWARD 2

Compute unit rates with fractions • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1

A runner goes $\frac{3}{4}$ mile in $\frac{1}{8}$ hour.

What is the speed in miles per hour?

Speed: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • BACKWARD 2 • Q1/5

A car uses 12 gallons to go 300 miles.

How many miles per gallon?

Rate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • BACKWARD 2 • Q2/5

A recipe uses $\frac{2}{3}$ cup of sugar for $\frac{1}{3}$ of a batch.

How much sugar is used per batch?

A. $\frac{1}{2}$ cup

B. 1 cup

C. 2 cups

D. $\frac{2}{9}$ cup

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • BACKWARD 2 • Q3/5

True or false?

120 km in 1.5 hours is 80 km per hour.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • BACKWARD 2 • Q4/5

True or false?

$18 for 4 pounds is $4 per pound.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • BACKWARD 2 • Q5/5

SET 40 • HSF-IF.B.6

FORWARD 1

Find average rates of change of periodic models • High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5

The temperature is $T(h) = 20 + 8\sin(\pi h \div 12)$ °C, h hours after 6 a.m.

Find $T(0)$ and $T(6)$.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q1

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 40 • FORWARD 1 • Q1/5

Using T(0) = 20 and T(6) = 28, find the average rate of change from h = 0 to h = 6.

Rate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q2

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 40 • FORWARD 1 • Q2/5

What is the average rate of change of $y = \sin x$ from $x = 0$ to $x = 2\pi$?

A. 1

B. -1

C. 2π

D. 0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S40-F1-Q3**

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 40 • FORWARD 1 • Q3/5

True or false?

For a periodic function with period 12, the average rate of change over any interval of length 12 is 0.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q4

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 40 • FORWARD 1 • Q4/5

True or false?

The average rate of change of $y = \sin x$ from 0 to $\pi \div 2$ is 1.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q5

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 40 • FORWARD 1 • Q5/5

SET 40 • HSF-IF.B.6

FORWARD 2

Analyze rational functions: rates of change and asymptotes • High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d

$f(x) = 12 \div x$.

Find the average rate of change from $x = 2$ to $x = 6$.

Rate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q1

High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d • Set 40 • FORWARD 2 • Q1/5

Give the vertical and horizontal asymptotes of $f(x) = 1 \div (x - 3) + 2$.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q2

High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d • Set 40 • FORWARD 2 • Q2/5

Where is $f(x) = (x + 1) \div (x - 4)$ undefined?

A. $x = -4$

B. $x = 1$

C. $x = -1$

D. $x = 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S40-F2-Q3**

High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d • Set 40 • FORWARD 2 • Q3/5

True or false?

The graph of $y = 1 \div x$ gets closer to the x-axis as x gets large.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q4

High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d • Set 40 • FORWARD 2 • Q4/5

True or false?

The graph of $y = 1 \div x$ crosses the y-axis at (0, 1).

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q5

High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d • Set 40 • FORWARD 2 • Q5/5

SET 41 • HSF-IF.C.7.a • INTERPRETING FUNCTIONS

Graph linear functions and show their intercepts

MAIN	Algebra I main question	**HSF-IF.C.7.a**
BACKWARD 1	Find slope and write y = mx + b	**8.EE.B.6**
BACKWARD 2	Write linear equations in two variables from a situation	**HSA-CED.A.2**
FORWARD 1	Find a point that partitions a segment in a given ratio	**HSG-GPE.B.6**
FORWARD 2	Find and verify inverses of linear functions	**HSF-BF.B.4.b**


SET 41 • HSF-IF.C.7.a

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a

Graph $f(x) = -\frac{2}{3}x + 4$ on the coordinate plane.

Give the x-intercept and the y-intercept.



Intercepts: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 41 • MAIN • Q1/5

Find the x- and y-intercepts of $3x - 5y = 15$.

Intercepts: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 41 • MAIN • Q2/5

Write the equation of the line through $(-2, 7)$ and $(4, -5)$ in slope-intercept form.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 41 • MAIN • Q3/5

Which describes the graph of $y = -3$?

A. A line with slope 1 through $(-3, -3)$

B. A vertical line through $(-3, 0)$

C. A line with slope -3 through the origin

D. A horizontal line through $(0, -3)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 41 • MAIN • Q4/5

True or false?

The graph of $2x + y = 6$ has x-intercept 6.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 41 • MAIN • Q5/5

SET 41 • HSF-IF.C.7.a

BACKWARD 1

Find slope and write y = mx + b • Grade 8 • Expressions & Equations • 8.EE.B.6

Find the slope of the line through (1, 2) and (3, 8).

Slope: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q1

Grade 8 • Expressions & Equations • 8.EE.B.6 • Set 41 • BACKWARD 1 • Q1/5

A line has slope 2 and y-intercept −1.

Write its equation.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q2

Grade 8 • Expressions & Equations • 8.EE.B.6 • Set 41 • BACKWARD 1 • Q2/5

What is the y-intercept of $y = 5x - 4$?

A. $\frac{4}{5}$

B. 4

C. 5

D. -4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q3

Grade 8 • Expressions & Equations • 8.EE.B.6 • Set 41 • BACKWARD 1 • Q3/5

True or false?

Any two points on a line give the same slope.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q4

Grade 8 • Expressions & Equations • 8.EE.B.6 • Set 41 • BACKWARD 1 • Q4/5

True or false?

The line $y = 4x$ passes through $(1, 5)$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q5

Grade 8 • Expressions & Equations • 8.EE.B.6 • Set 41 • BACKWARD 1 • Q5/5

SET 41 • HSF-IF.C.7.a

BACKWARD 2

Write linear equations in two variables from a situation • High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2

A gym charges $25 to join plus $15 per month.

Write an equation for the cost C after m months.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q1

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 41 • BACKWARD 2 • Q1/5

A candle 20 cm tall burns 2 cm per hour.

Write an equation for its height h after t hours.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q2

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 41 • BACKWARD 2 • Q2/5

Ana earns $8 per hour plus $5 in tips.

Which equation gives her earnings E for h hours?

A. E = 8h + 5

B. E = 5h + 8

C. E = 13h

D. E = 8(h + 5)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q3

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 41 • BACKWARD 2 • Q3/5

True or false?

d = 60t gives the distance traveled at 60 miles per hour.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q4

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 41 • BACKWARD 2 • Q4/5

True or false?

$y = 100 - 4x$ describes a quantity that grows by 4 each step.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q5

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 41 • BACKWARD 2 • Q5/5

SET 41 • HSF-IF.C.7.a

FORWARD 1

Find a point that partitions a segment in a given ratio • High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations • HSG-GPE.B.6

Find the midpoint of the segment from $(-2, 3)$ to $(6, 7)$.

Midpoint: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.6 • Set 41 • FORWARD 1 • Q1/5

Find the point $\frac{1}{4}$ of the way from A(0, 0) to B(8, 12).

Point: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.6 • Set 41 • FORWARD 1 • Q2/5

Point P divides the segment from A(1, 2) to B(7, 11) in the ratio 1 : 2 (AP : PB).

Find P.

A. (5, 8)

B. (3, 5)

C. (4, 6.5)

D. (2, 3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q3

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.6 • Set 41 • FORWARD 1 • Q3/5

True or false?

The midpoint of (0, 0) and (10, 4) is (5, 2).

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.B.6 • Set 41 • FORWARD 1 • Q4/5

True or false?

The point $\frac{1}{3}$ of the way from (0, 0) to (9, 6) is (6, 4).

A. True

B. False

SET 41 • HSF-IF.C.7.a

FORWARD 2

Find and verify inverses of linear functions • High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b

Find the inverse of $f(x) = 3x - 6$.

$f^{-1}(x) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q1

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b • Set 41 • FORWARD 2 • Q1/5

Show that f(x) = 2x + 1 and g(x) = (x − 1) ÷ 2 are inverses.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q2

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b • Set 41 • FORWARD 2 • Q2/5

Which is the inverse of $f(x) = x \div 4 + 1$?

A. $f^{-1}(x) = 4x + 1$

B. $f^{-1}(x) = 4(x + 1)$

C. $f^{-1}(x) = 4x - 4$

D. $f^{-1}(x) = x \div 4 - 1$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S41-F2-Q3**

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b • Set 41 • FORWARD 2 • Q3/5

True or false?

If $f(g(x)) = x$ and $g(f(x)) = x$ for every x, then f and g are inverses.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q4

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b • Set 41 • FORWARD 2 • Q4/5

True or false?

The inverse of $f(x) = x + 5$ is $f^{-1}(x) = x + 5$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q5

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b • Set 41 • FORWARD 2 • Q5/5

SET 42 • HSF-IF.C.7.a • INTERPRETING FUNCTIONS

Graph quadratic functions and show intercepts, maxima, and minima

MAIN	Algebra I main question	**HSF-IF.C.7.a**
BACKWARD 1	Factor to find the zeros of a quadratic	**HSA-SSE.B.3.a**
BACKWARD 2	Interpret key features of a function	**HSF-IF.B.4**
FORWARD 1	Relate a parabola's equation to its focus and directrix	**HSG-GPE.A.2**
FORWARD 2	Use factors to describe the graph of a polynomial	**HSF-IF.C.7.c**


SET 42 • HSF-IF.C.7.a

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a

Graph $f(x) = x^2 - 4x - 5$.

Give the vertex, the x-intercepts, and the y-intercept.



Answer: _____

Find the vertex and the axis of symmetry of $y = 2x^2 + 8x + 3$.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 42 • MAIN • Q2/5

Does $y = -3x^2 + 6x - 1$ have a maximum or a minimum? Find it.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 42 • MAIN • Q3/5

What are the x-intercepts of $y = (x + 3)(x - 1)$?

A. (3, 0) and (−1, 0)

B. (−3, 0) and (1, 0)

C. (−3, 0) and (−1, 0)

D. (0, −3) only

True or false?

The graph of $y = x^2 + 4$ has no x-intercepts.

A. True

B. False

SET 42 • HSF-IF.C.7.a

BACKWARD 1

Factor to find the zeros of a quadratic • High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.a

Factor $x^2 - 4x - 5$, and give its zeros.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q1

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.a • Set 42 • BACKWARD 1 • Q1/5

Find the zeros of $2x^2 - 8$.

Zeros: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q2

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.a • Set 42 • BACKWARD 1 • Q2/5

What are the zeros of $x^2 + 6x + 8$?

A. 2 and −4

B. −2 and −4

C. 2 and 4

D. −2 and 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q3

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.a • Set 42 • BACKWARD 1 • Q3/5

True or false?

The zeros of $(x - 7)(x + 2)$ are 7 and -2.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q4

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.a • Set 42 • BACKWARD 1 • Q4/5

True or false?

The zeros of $x^2 - 9x$ are 0 and -9.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q5

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.a • Set 42 • BACKWARD 1 • Q5/5

SET 42 • HSF-IF.C.7.a

BACKWARD 2

Interpret key features of a function • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4

A table has x = −2, −1, 0, 1, 2 and y = 5, 2, 1, 2, 5.

Describe its symmetry and its minimum.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 42 • BACKWARD 2 • Q1/5

A profit function P(x) is positive for $10 < x < 50$, where x is the number of items sold.

What does that mean?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 42 • BACKWARD 2 • Q2/5

The highest point of a graph is (3, 40).

Which statement describes it?

A. A maximum of 40 at x = 3

B. A maximum of 3 at x = 40

C. A minimum of 3 at x = 40

D. A y-intercept of 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 42 • BACKWARD 2 • Q3/5

True or false?

A function is increasing on an interval when its outputs get larger as its inputs get larger.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 42 • BACKWARD 2 • Q4/5

True or false?

The x-intercepts of a graph are where the output is greatest.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 42 • BACKWARD 2 • Q5/5

SET 42 • HSF-IF.C.7.a

FORWARD 1

Relate a parabola's equation to its focus and directrix • High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations • HSG-GPE.A.2

Find the focus and directrix of $y = \frac{1}{8}x^2$.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.2 • Set 42 • FORWARD 1 • Q1/5

Write an equation of the parabola with vertex (0, 0) and focus (0, −1).

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.2 • Set 42 • FORWARD 1 • Q2/5

A parabola has focus (0, 3) and directrix $y = -3$.

Where is its vertex?

A. (0, 0)

B. (0, 3)

C. (0, −3)

D. (3, 0)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q3

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.2 • Set 42 • FORWARD 1 • Q3/5

True or false?

The parabola $x^2 = 12y$ opens upward.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.2 • Set 42 • FORWARD 1 • Q4/5

True or false?

The parabola with focus (0, 1) and directrix $y = -1$ is $y = x^2$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.2 • Set 42 • FORWARD 1 • Q5/5

SET 42 • HSF-IF.C.7.a

FORWARD 2

Use factors to describe the graph of a polynomial • High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c

$f(x) = (x + 1)(x - 2)(x - 4)$.

Find the zeros and the y-intercept.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q1

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 42 • FORWARD 2 • Q1/5

At most how many turning points can the graph of a degree-3 polynomial have?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q2

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 42 • FORWARD 2 • Q2/5

$f(x) = (x - 3)^2(x + 1)$.

What does the graph do at $x = 3$?

A. It touches the x-axis and turns around.

B. It is undefined.

C. It has a vertical asymptote.

D. It crosses the x-axis.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S42-F2-Q3**

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 42 • FORWARD 2 • Q3/5

True or false?

$f(x) = x^3 - 8$ has exactly one real zero.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q4

High School — Algebra II (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.c • Set 42 • FORWARD 2 • Q4/5

True or false?

The y-intercept of $f(x) = (x - 1)(x - 2)(x - 3)$ is 6.

A. True

B. False

SET 43 • HSF-IF.C.7.b • INTERPRETING FUNCTIONS

Graph square root, cube root, absolute value, step, and piecewise-defined functions

MAIN	Algebra I main question	**HSF-IF.C.7.b**
BACKWARD 1	Find the domain and range of a function	**HSF-IF.A.1**
BACKWARD 2	Understand absolute value as distance from 0	**6.NS.C.7.c**
FORWARD 1	Solve radical equations and check for extraneous solutions	**HSA-REI.A.2**
FORWARD 2	Read values of inverses of power and root functions	**HSF-BF.B.4.c**

SET 43 • HSF-IF.C.7.b

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.b

$f(x) = |x - 2| - 3$.

Find the vertex of its graph and its x-intercepts.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.b • Set 43 • MAIN • Q1/5

$f(x) = x + 1$ for $x < 2$, and $f(x) = 5 - x$ for $x \geq 2$.

Find $f(0)$, $f(2)$, and $f(4)$.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S43-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.b • Set 43 • MAIN • Q2/5

Graph $f(x) = \sqrt{(x + 4)}$.

Give its domain and range.

Answer: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.b • Set 43 • MAIN • Q3/5

Which describes the graph of $y = \sqrt[3]{x}$?

A. It starts at (0, 0) and goes only to the right.

B. It is V-shaped with vertex (0, 0).

C. It has the horizontal asymptote $y = 0$.

D. It passes through $(-8, -2)$, (0, 0), and (8, 2).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.b • Set 43 • MAIN • Q4/5

True or false?

For the greatest integer function, $\lfloor 2.7 \rfloor = 3$.

A. True

B. False

SET 43 • HSF-IF.C.7.b

BACKWARD 1

Find the domain and range of a function • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1

Over the real numbers, what is the domain of $f(x) = \sqrt{(x - 5)}$?

Domain: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1 • Set 43 • BACKWARD 1 • Q1/5

What is the range of f(x) = |x|?

Range: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1 • Set 43 • BACKWARD 1 • Q2/5

Which value is NOT in the domain of $g(x) = \sqrt{(6 - x)}$?

A. 7

B. -3

C. 0

D. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1 • Set 43 • BACKWARD 1 • Q3/5

True or false?

Every real number is in the domain of $f(x) = \sqrt[3]{x}$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1 • Set 43 • BACKWARD 1 • Q4/5

True or false?

The range of $f(x) = x^2$ is all real numbers.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.1 • Set 43 • BACKWARD 1 • Q5/5

SET 43 • HSF-IF.C.7.b

BACKWARD 2

Understand absolute value as distance from 0 • Grade 6 • The Number System • 6.NS.C.7.c

What is $|-9|$?

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q1

Grade 6 • The Number System • 6.NS.C.7.c • Set 43 • BACKWARD 2 • Q1/5

Which is farther from 0, −7 or 5? Explain with absolute value.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q2

Grade 6 • The Number System • 6.NS.C.7.c • Set 43 • BACKWARD 2 • Q2/5

Which value equals $|3 - 8|$?

A. 5

B. -5

C. 11

D. -11

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q3

Grade 6 • The Number System • 6.NS.C.7.c • Set 43 • BACKWARD 2 • Q3/5

True or false?

$|-4| = 4$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q4

Grade 6 • The Number System • 6.NS.C.7.c • Set 43 • BACKWARD 2 • Q4/5

True or false?

$|0| = 0$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q5

Grade 6 • The Number System • 6.NS.C.7.c • Set 43 • BACKWARD 2 • Q5/5

SET 43 • HSF-IF.C.7.b

FORWARD 1

Solve radical equations and check for extraneous solutions • High School — Algebra II (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.A.2

Solve $\sqrt{(x - 2)} = 4$.

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q1

High School — Algebra II (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.A.2 • Set 43 • FORWARD 1 • Q1/5

Solve $\sqrt{(x + 6)} = x$. Name any extraneous solution.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q2

High School — Algebra II (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.A.2 • Set 43 • FORWARD 1 • Q2/5

Solve $\sqrt[3]{(x + 1)} = 2$.

A. $x = 7$

B. $x = 3$

C. $x = 9$

D. $x = 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S43-F1-Q3**

High School — Algebra II (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.A.2 • Set 43 • FORWARD 1 • Q3/5

True or false?

$\sqrt{x} + 3 = 0$ has no real solution.

A. True

B. False

True or false?

$x = 16$ is a solution of $\sqrt{x} = -4$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q5

High School — Algebra II (course placement in this bank) • Algebra: Reasoning with Equations & Inequalities • HSA-REI.A.2 • Set 43 • FORWARD 1 • Q5/5

SET 43 • HSF-IF.C.7.b

FORWARD 2

Read values of inverses of power and root functions • High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c

$g(x) = x^3$.

Find $g^{-1}(27)$.

$g^{-1}(27) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q1

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c • Set 43 • FORWARD 2 • Q1/5

The point (4, 2) is on the graph of $f(x) = \sqrt{x}$.

Which point must be on the graph of f^{-1}?

Point: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q2

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c • Set 43 • FORWARD 2 • Q2/5

$f(x) = x^2$ with domain $x \geq 0$.

What is $f^{-1}(49)$?

A. -7

B. 24.5

C. 2,401

D. 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S43-F2-Q3**

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c • Set 43 • FORWARD 2 • Q3/5

True or false?

The inverse of $f(x) = x^3$ is $f^{-1}(x) = \sqrt[3]{x}$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q4

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c • Set 43 • FORWARD 2 • Q4/5

True or false?

If (3, 10) is on the graph of f, then (3, 10) is on the graph of f^{-1}.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q5

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.c • Set 43 • FORWARD 2 • Q5/5

SET 44 • HSF-IF.C.7.e • INTERPRETING FUNCTIONS

Graph exponential functions and show intercepts and end behavior

MAIN	Algebra I main question	**HSF-IF.C.7.e**
BACKWARD 1	Evaluate integer exponents	**8.EE.A.1**
BACKWARD 2	Evaluate exponential functions	**HSF-IF.A.2**
FORWARD 1	Solve exponential equations with logarithms	**HSF-LE.A.4**
FORWARD 2	Understand logarithms as inverses of exponential functions	**HSF-BF.B.5**

SET 44 • HSF-IF.C.7.e


MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e

Graph $f(x) = 3 \cdot 2^x$ for $-2 \leq x \leq 2$.

Give its y-intercept and its horizontal asymptote.

Answer: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e • Set 44 • MAIN • Q1/5

$g(x) = 50(0.8)^x$.

Is this growth or decay? Give its y-intercept, and say what happens to g(x) as x gets large.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e • Set 44 • MAIN • Q2/5

$h(x) = 2^x - 4$.

Find the y-intercept, the x-intercept, and the horizontal asymptote.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e • Set 44 • MAIN • Q3/5

Which function's graph rises from left to right and passes through (0, 5)?

A. $y = 1.2(5)^x$

B. $y = 0.8(5)^x$

C. $y = 5(0.8)^x$

D. $y = 5(1.2)^x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e • Set 44 • MAIN • Q4/5

True or false?

The graph of $y = 4(0.5)^x$ crosses the x-axis.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e • Set 44 • MAIN • Q5/5

SET 44 • HSF-IF.C.7.e

BACKWARD 1

Evaluate integer exponents • Grade 8 • Expressions & Equations • 8.EE.A.1

Evaluate 2^{-2}.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q1

Grade 8 • Expressions & Equations • 8.EE.A.1 • Set 44 • BACKWARD 1 • Q1/5

Evaluate $3 \cdot 2^{-1}$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q2

Grade 8 • Expressions & Equations • 8.EE.A.1 • Set 44 • BACKWARD 1 • Q2/5

Which number equals $(0.5)^{-1}$?

A. -0.5

B. 0.5

C. 2

D. -2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q3

Grade 8 • Expressions & Equations • 8.EE.A.1 • Set 44 • BACKWARD 1 • Q3/5

True or false?

$5^0 = 1$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q4

Grade 8 • Expressions & Equations • 8.EE.A.1 • Set 44 • BACKWARD 1 • Q4/5

True or false?

$4^{-1} = \frac{1}{4}$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q5

Grade 8 • Expressions & Equations • 8.EE.A.1 • Set 44 • BACKWARD 1 • Q5/5

SET 44 • HSF-IF.C.7.e

BACKWARD 2

Evaluate exponential functions • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2

$f(x) = 50(0.8)^x$.

Find f(2).

f(2) = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 44 • BACKWARD 2 • Q1/5

$g(x) = 2^x - 4$.

Find $g(3)$.

$g(3) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 44 • BACKWARD 2 • Q2/5

$h(x) = 3 \cdot 2^x$.

Find $h(-1)$.

A. -1.5

B. 6

C. -6

D. 1.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 44 • BACKWARD 2 • Q3/5

True or false?

If $f(x) = 10^x$, then $f(3) = 1{,}000$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 44 • BACKWARD 2 • Q4/5

True or false?

If $f(x) = 3^x$, then $f(2) = 6$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 44 • BACKWARD 2 • Q5/5

SET 44 • HSF-IF.C.7.e

FORWARD 1

Solve exponential equations with logarithms • High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4

Solve $3 \cdot 2^x = 48$.

$x =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q1

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 44 • FORWARD 1 • Q1/5

Solve $50(0.8)^x = 20$. Round to the nearest tenth.

$x \approx$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q2

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 44 • FORWARD 1 • Q2/5

Solve $2^x = 12$.

A. $x = \log 6$

B. $x = \log 12 \div \log 2 \approx 3.58$

C. $x = 3.5$

D. $x = 6$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S44-F1-Q3**

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 44 • FORWARD 1 • Q3/5

True or false?

$\log 1 = 0$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q4

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 44 • FORWARD 1 • Q4/5

True or false?

$\log 100 = 2$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q5

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 44 • FORWARD 1 • Q5/5

SET 44 • HSF-IF.C.7.e

FORWARD 2

Understand logarithms as inverses of exponential functions • High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.5

Write the inverse of $f(x) = 2^x$.

$f^{-1}(x) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q1

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.5 • Set 44 • FORWARD 2 • Q1/5

Explain why $\log_3 81 = 4$.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q2

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.5 • Set 44 • FORWARD 2 • Q2/5

The graph of $y = \log_2 x$ is the reflection of the graph of $y = 2^x$ across which line?

A. $x = 0$

B. $y = 0$

C. $y = x$

D. $y = -x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S44-F2-Q3**

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.5 • Set 44 • FORWARD 2 • Q3/5

True or false?

The domain of $y = \log x$ is $x > 0$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q4

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.5 • Set 44 • FORWARD 2 • Q4/5

True or false?

$\log_2(2^5) = 2$

A. True

B. False

SET 45 • HSF-IF.C.8.a • INTERPRETING FUNCTIONS

Factor and complete the square to show zeros, extreme values, and symmetry, and interpret them

MAIN	Algebra I main question	**HSF-IF.C.8.a**
BACKWARD 1	Complete the square	**HSA-SSE.B.3.b**
BACKWARD 2	Use the greatest common factor	**6.NS.B.4**
FORWARD 1	Prove polynomial identities	**HSA-APR.C.4**
FORWARD 2	Complete the square to find the center of a hyperbola	**HSG-GPE.A.3**

SET 45 • HSF-IF.C.8.a

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.a

$f(x) = x^2 - 8x + 12$.

Write f in factored form and in vertex form. Give the zeros, the vertex, and the axis of symmetry.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.a • Set 45 • MAIN • Q1/5

A company's profit is $P(x) = -2x^2 + 120x - 1{,}000$ dollars when it charges x dollars.

Complete the square to find the price that gives the most profit, and the greatest profit.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.a • Set 45 • MAIN • Q2/5

A rock's height is $h(t) = -16t^2 + 32t + 48$ feet after t seconds.

Factor to find when it hits the ground.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.a • Set 45 • MAIN • Q3/5

Which form of $f(x) = x^2 + 6x + 5$ shows the vertex directly?

A. $(x + 1)(x + 5)$

B. $x^2 + 6x + 5$

C. $(x + 3)^2 - 4$

D. $x(x + 6) + 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.a • Set 45 • MAIN • Q4/5

True or false?

The axis of symmetry of $y = (x - 1)(x - 7)$ is $x = 4$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.a • Set 45 • MAIN • Q5/5

SET 45 • HSF-IF.C.8.a

BACKWARD 1

Complete the square • High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b

Complete the square.

$x^2 - 8x + 12$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q1

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b • Set 45 • BACKWARD 1 • Q1/5

Complete the square.

$x^2 + 3x$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q2

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b • Set 45 • BACKWARD 1 • Q2/5

Which expression equals $-(x^2 - 6x)$?

A. $-(x - 3)^2 - 9$

B. $-(x - 3)^2 + 9$

C. $(x - 3)^2 - 9$

D. $-(x + 3)^2 + 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q3

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b • Set 45 • BACKWARD 1 • Q3/5

True or false?

$$x^2 + 2x + 10 = (x + 1)^2 + 9$$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q4

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b • Set 45 • BACKWARD 1 • Q4/5

True or false?

$(x - 5)^2 - 3$ has its minimum at $x = -5$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q5

High School — Algebra I • Algebra: Seeing Structure in Expressions • HSA-SSE.B.3.b • Set 45 • BACKWARD 1 • Q5/5

SET 45 • HSF-IF.C.8.a

BACKWARD 2

Use the greatest common factor • Grade 6 • The Number System • 6.NS.B.4

Use the greatest common factor to write 16 + 40 as a product.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 45 • BACKWARD 2 • Q1/5

Find the greatest common factor of 32 and 48.

GCF: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 45 • BACKWARD 2 • Q2/5

Which expression equals 36 + 27 and uses the greatest common factor?

A. 9(4 + 3)

B. 3(12 + 6)

C. 6(6 + 27)

D. 9(4 + 27)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 45 • BACKWARD 2 • Q3/5

True or false?

The greatest common factor of 12 and 18 is 6.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 45 • BACKWARD 2 • Q4/5

True or false?

$$20 + 50 = 5(4 + 5)$$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 45 • BACKWARD 2 • Q5/5

SET 45 • HSF-IF.C.8.a

FORWARD 1

Prove polynomial identities • High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions • HSA-APR.C.4

Show that $(x^2 + y^2)^2 = (x^2 - y^2)^2 + (2xy)^2$ by expanding both sides.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q1

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.C.4 • Set 45 • FORWARD 1 • Q1/5

Use $x = 2$ and $y = 1$ in $x^2 - y^2$, $2xy$, and $x^2 + y^2$ to make a Pythagorean triple.

Triple: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q2

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.C.4 • Set 45 • FORWARD 1 • Q2/5

Which equation is an identity (true for all numbers a and b)?

A. $a^3 + b^3 = (a + b)^3$

B. $a^3 - b^3 = (a - b)^3$

C. $a^2 + b^2 = (a + b)^2$

D. $a^3 - b^3 = (a - b)(a^2 + ab + b^2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q3

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.C.4 • Set 45 • FORWARD 1 • Q3/5

True or false?

$$(a + b)^2 - (a - b)^2 = 4ab$$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q4

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.C.4 • Set 45 • FORWARD 1 • Q4/5

True or false?

$(x + 1)^3 = x^3 + 1$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q5

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.C.4 • Set 45 • FORWARD 1 • Q5/5

SET 45 • HSF-IF.C.8.a

FORWARD 2

Complete the square to find the center of a hyperbola • High School — Precalculus (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations • HSG-GPE.A.3

Complete the square to find the center of the hyperbola $x^2 - 4y^2 - 6x - 8y - 11 = 0$.

Center: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q1

High School — Precalculus (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations HSG-GPE.A.3 • Set 45 • FORWARD 2 • Q1/5

Where are the vertices of the hyperbola $x^2 \div 9 - y^2 \div 16 = 1$?

Vertices: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q2

High School — Precalculus (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.3 • Set 45 • FORWARD 2 • Q2/5

Which equation is a hyperbola?

A. $y = x^2 \div 4$

B. $x^2 \div 4 + y^2 \div 9 = 1$

C. $x^2 \div 4 - y^2 \div 9 = 1$

D. $x^2 + y^2 = 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q3

High School — Precalculus (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.3 • Set 45 • FORWARD 2 • Q3/5

True or false?

For a hyperbola, the difference of the distances from any of its points to the two foci is constant.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q4

High School — Precalculus (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.3 • Set 45 • FORWARD 2 • Q4/5

True or false?

The hyperbola $x^2 - y^2 = 1$ passes through $(0, 1)$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q5

High School — Precalculus (course placement in this bank) • Geometry: Expressing Geometric Properties with Equations
HSG-GPE.A.3 • Set 45 • FORWARD 2 • Q5/5

SET 46 • HSF-IF.C.8.b • INTERPRETING FUNCTIONS

Use the properties of exponents to interpret growth and decay rates

MAIN	Algebra I main question	**HSF-IF.C.8.b**
BACKWARD 1	Read growth and decay from an exponential function	**HSF-IF.C.7.e**
BACKWARD 2	Solve percent increase and decrease problems	**7.RP.A.3**
FORWARD 1	Sum a geometric series in a savings context	**HSA-SSE.B.4**
FORWARD 2	Find times in exponential models with logarithms	**HSF-LE.A.4**

SET 46 • HSF-IF.C.8.b

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.b

$y = (1.02)^t$, where t is in years.

Is this growth or decay, and what is the percent rate of change per year?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.b • Set 46 • MAIN • Q1/5

$y = (1.01)^{12t}$, where t is in years.

Rewrite it to find the yearly growth factor (to four decimal places) and the yearly percent rate.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.b • Set 46 • MAIN • Q2/5

$y = 200(0.97)^t$ gives an amount after t years.

What is the yearly percent decrease?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.b • Set 46 • MAIN • Q3/5

$y = (1.2)^{t/10}$, where t is in years.

By what percent does y grow every 10 years?

A. 2%

B. 12%

C. 1.2%

D. 20%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.8.b • Set 46 • MAIN • Q4/5

True or false?

$y = 100(0.5)^{t/8}$ halves every 8 units of t.

A. True

B. False

SET 46 • HSF-IF.C.8.b

BACKWARD 1

Read growth and decay from an exponential function • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e

Is $y = 30(1.5)^x$ increasing or decreasing? Why?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e • Set 46 • BACKWARD 1 • Q1/5

What is the y-intercept of $y = 7(0.9)^x$?

y-intercept: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e • Set 46 • BACKWARD 1 • Q2/5

Which function is decreasing?

A. $y = 2(1.6)^x$

B. $y = 0.6(1.2)^x$

C. $y = 2(0.6)^x$

D. $y = 0.6(2)^x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e • Set 46 • BACKWARD 1 • Q3/5

True or false?

The graph of $y = 3^x$ has the horizontal asymptote $y = 0$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e • Set 46 • BACKWARD 1 • Q4/5

True or false?

$y = 5(1.1)^x$ has y-intercept 1.1.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.e • Set 46 • BACKWARD 1 • Q5/5

SET 46 • HSF-IF.C.8.b

BACKWARD 2

Solve percent increase and decrease problems • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3

A $40 shirt is marked up 15%.

What is the new price?

Price: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 46 • BACKWARD 2 • Q1/5

A town grows from 2,000 to 2,300 people.

What is the percent increase?

Percent: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 46 • BACKWARD 2 • Q2/5

A price drops from $80 to $60.

What is the percent decrease?

A. 25%

B. 20%

C. 33%

D. 75%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 46 • BACKWARD 2 • Q3/5

True or false?

Multiplying by 1.06 increases a number by 6%.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 46 • BACKWARD 2 • Q4/5

True or false?

Multiplying by 0.85 decreases a number by 85%.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 46 • BACKWARD 2 • Q5/5

SET 46 • HSF-IF.C.8.b

FORWARD 1

Sum a geometric series in a savings context • High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4

You save $100 the first month and 2% more each month after that.

Write the total for 12 months as a sum formula, and find it to the nearest dollar.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q1

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 46 • FORWARD 1 • Q1/5

Find $4 + 4(1.5) + 4(1.5)^2 + 4(1.5)^3$.

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q2

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 46 • FORWARD 1 • Q2/5

Which expression is the sum of the first n terms of $a + ar + ar^2 + \ldots$ $(r \neq 1)$?

A. $a \div (1 - r)$

B. $a(1 - r) \div (1 - r^n)$

C. $a(1 - r^n) \div (1 - r)$

D. nar

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S46-F1-Q3**

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 46 • FORWARD 1 • Q3/5

True or false?

$$1 + 0.5 + 0.25 + 0.125 = 1.875$$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q4

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 46 • FORWARD 1 • Q4/5

True or false?

The sum of 10 terms of $3 + 3 + 3 + \ldots$ is 3^{10}.

A. True

B. False

SET 46 • HSF-IF.C.8.b

FORWARD 2

Find times in exponential models with logarithms • High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4

$y = 100(0.5)^{t/8}$.

Find t when y = 10. Round to the nearest tenth.

t ≈ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q1

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 46 • FORWARD 2 • Q1/5

Find the continuous rate r for which $e^{10r} = 2$. Round to the nearest thousandth.

$r \approx$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q2

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 46 • FORWARD 2 • Q2/5

To the nearest tenth, how long does $y = (1.05)^t$ take to double?

A. 20

B. 7.2

C. 10.5

D. 14.2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S46-F2-Q3**

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 46 • FORWARD 2 • Q3/5

True or false?

If $y = 2^{t/3}$, then y doubles every 3 units of t.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q4

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 46 • FORWARD 2 • Q4/5

True or false?

$\log(2^{10}) = 20$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q5

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 46 • FORWARD 2 • Q5/5

SET 47 • HSF-IF.C.9 • INTERPRETING FUNCTIONS

Compare properties of two functions represented in different ways

MAIN	Algebra I main question	**HSF-IF.C.9**
BACKWARD 1	Interpret key features in context	**HSF-IF.B.4**
BACKWARD 2	Compute average rates of change	**HSF-IF.B.6**
FORWARD 1	Compare periodic functions given in different forms	**HSF-TF.B.5**
FORWARD 2	Compare normal distributions by mean and standard deviation	**HSS-ID.A.4**

SET 47 • HSF-IF.C.9

MAIN

Algebra I main question • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.9

f(x) = 3x + 2. The table shows g.

Which function has the greater value at x = 3? Which has the greater average rate of change from x = 0 to x = 3?

x	0	1	2	3
g(x)	1	4	9	16

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.9 • Set 47 • MAIN • Q1/5

Function A is $y = -2(x - 3)^2 + 10$. Function B is a parabola that opens down with vertex (1, 12).

Which has the greater maximum value?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.9 • Set 47 • MAIN • Q2/5

Function f has y-intercept 4 and increases by 5 for each 1-unit increase in x. g(x) = 5x − 1.

Compare their slopes and y-intercepts.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.9 • Set 47 • MAIN • Q3/5

$P(x) = 1.08^x$ grows 8% per year. The table shows Q.

Which grows faster?

x	0	1	2
Q(x)	1	1.1	1.21

A. P: its graph is a line.

B. Q: it grows 10% per year.

C. P: it grows 8% per year and Q grows 1%.

D. They grow at the same rate.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.9 • Set 47 • MAIN • Q4/5

True or false?

$f(x) = x^2$, and g is a parabola opening up with vertex $(0, -4)$. The two functions have the same minimum value.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.9 • Set 47 • MAIN • Q5/5

SET 47 • HSF-IF.C.9

BACKWARD 1

Interpret key features in context • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4

T(h) is the temperature h hours after midnight, and its minimum is T(6) = 4.

What does that mean?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 47 • BACKWARD 1 • Q1/5

A graph of savings S(m) is horizontal from m = 3 to m = 5.

What does that mean?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 47 • BACKWARD 1 • Q2/5

A function's graph is an unbroken curve. It is positive for $0 < x < 8$ and negative for $x > 8$.

What is true at $x = 8$?

A. The output is greatest.

B. The output is 8.

C. The output is 0.

D. The function is undefined.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 47 • BACKWARD 1 • Q3/5

True or false?

A y-intercept gives the starting value of a quantity that changes over time.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 47 • BACKWARD 1 • Q4/5

True or false?

An x-intercept tells the starting value of a quantity.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.4 • Set 47 • BACKWARD 1 • Q5/5

SET 47 • HSF-IF.C.9

BACKWARD 2

Compute average rates of change • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6

$f(x) = 2^x$.

Find the average rate of change from $x = 1$ to $x = 3$.

Rate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6 • Set 47 • BACKWARD 2 • Q1/5

A savings account had $100 at week 0 and $180 at week 4.

What is the average rate of change?

Rate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6 • Set 47 • BACKWARD 2 • Q2/5

$g(x) = x^2 - 1$.

What is the average rate of change from $x = -1$ to $x = 2$?

A. 1

B. -1

C. 3

D. 1.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6 • Set 47 • BACKWARD 2 • Q3/5

True or false?

The average rate of change of $y = 5$ is 0 on every interval.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6 • Set 47 • BACKWARD 2 • Q4/5

True or false?

The average rate of change of $y = x^2$ from $x = 0$ to $x = 2$ is 4.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.B.6 • Set 47 • BACKWARD 2 • Q5/5

SET 47 • HSF-IF.C.9

FORWARD 1

Compare periodic functions given in different forms • High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5

$f(x) = 3\sin(2x)$. Function g has amplitude 4 and period π.

Which has the greater amplitude? Do they have the same period?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q1

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 47 • FORWARD 1 • Q1/5

Tide A rises to 12 ft and falls to 2 ft. Tide B is $h(t) = 6 + 4\sin t$.

Which has the greater amplitude?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q2

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 47 • FORWARD 1 • Q2/5

What is the period of $y = \sin(4x)$?

A. $\pi \div 2$

B. $\pi \div 4$

C. 2π

D. 4π

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S47-F1-Q3**

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 47 • FORWARD 1 • Q3/5

True or false?

$y = 2\cos x$ and $y = 2\sin x$ have the same amplitude and the same period.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q4

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 47 • FORWARD 1 • Q4/5

True or false?

$y = 5\sin x$ has a maximum value of 10.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q5

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 47 • FORWARD 1 • Q5/5

SET 47 • HSF-IF.C.9

FORWARD 2

Compare normal distributions by mean and standard deviation • High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Interpreting Categorical & Quantitative Data • HSS-ID.A.4

Test A scores are normal with mean 70 and standard deviation 5. Test B scores are normal with mean 70 and standard deviation 10.

Which test's scores are more spread out?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q1

High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Interpreting Categorical & Quantitative Data

HSS-ID.A.4 • Set 47 • FORWARD 2 • Q1/5

Heights are normal with mean 64 in and standard deviation 3 in.

About what percent are between 61 in and 67 in?

Percent: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q2

High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Interpreting Categorical & Quantitative Data

HSS-ID.A.4 • Set 47 • FORWARD 2 • Q2/5

Scores are normal with mean 100 and standard deviation 15.

About what percent of scores are above 130?

A. About 16%

B. About 34%

C. About 2.5%

D. About 5%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S47-F2-Q3**

High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Interpreting Categorical & Quantitative Data
HSS-ID.A.4 • Set 47 • FORWARD 2 • Q3/5

True or false?

A normal distribution is symmetric about its mean.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q4

High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Interpreting Categorical & Quantitative Data

HSS-ID.A.4 • Set 47 • FORWARD 2 • Q4/5

True or false?

In a normal distribution, about 95% of the data lie within 1 standard deviation of the mean.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q5

High School — Probability & Statistics (course placement in this bank) • Statistics & Probability: Interpreting Categorical & Quantitative Data

HSS-ID.A.4 • Set 47 • FORWARD 2 • Q5/5

Write an explicit expression or a recursive process for a function from a context

MAIN	Algebra I main question	**HSF-BF.A.1.a**
BACKWARD 1	Evaluate a sequence from a recursive or explicit rule	**HSF-IF.A.3**
BACKWARD 2	Write equations in two or more variables	**HSA-CED.A.2**
FORWARD 1	Build a composite function from a context	**HSF-BF.A.1.c**
FORWARD 2	Find and interpret the inverse of a model	**HSF-BF.B.4.b**

SET 48 • HSF-BF.A.1.a

MAIN

Algebra I main question • High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.a

A phone plan has a $60 activation fee and costs $35 per month.

Write an explicit expression for the total cost C(n) after n months, and a recursive rule.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q1

High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.a • Set 48 • MAIN • Q1/5

A tree is 4 ft tall and grows 1.5 ft per year.

Write a function for its height h(t) after t years.

h(t) = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q2

High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.a • Set 48 • MAIN • Q2/5

A ball is dropped from 10 m. Each bounce reaches 60% of the height of the bounce before.

Write a function for the height h(n) of the nth bounce.

h(n) = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q3

High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.a • Set 48 • MAIN • Q3/5

A table shows n = 1, 2, 3, 4 and a(n) = 7, 11, 15, 19.

Which recursive process fits?

A. $a(1) = 4,\ a(n) = a(n - 1) + 7$

B. $a(1) = 7,\ a(n) = 4a(n - 1)$

C. $a(1) = 7,\ a(n) = a(n - 1) + 4$

D. $a(n) = 7n + 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q4

High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.a • Set 48 • MAIN • Q4/5

True or false?

The steps "start at 500 and multiply by 1.03 each year" give f(t) = 500 + 1.03t.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q5

High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.a • Set 48 • MAIN • Q5/5

SET 48 • HSF-BF.A.1.a

BACKWARD 1

Evaluate a sequence from a recursive or explicit rule • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3

$f(1) = 2$ and $f(n) = 3f(n - 1)$.

Find $f(4)$.

$f(4) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 48 • BACKWARD 1 • Q1/5

$f(n) = 10 - 2n$ for $n \geq 1$.

List the first four terms.

Terms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 48 • BACKWARD 1 • Q2/5

$f(1) = 5$ and $f(n) = f(n - 1) - 3$.

What is $f(3)$?

A. -1

B. 11

C. 2

D. -4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 48 • BACKWARD 1 • Q3/5

True or false?

The terms f(1), f(2), f(3) of a sequence are its outputs for the inputs 1, 2, 3.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 48 • BACKWARD 1 • Q4/5

True or false?

$f(n) = n^2$ gives the terms 1, 2, 3, 4.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 48 • BACKWARD 1 • Q5/5

SET 48 • HSF-BF.A.1.a

BACKWARD 2

Write equations in two or more variables • High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2

A car rental costs $45 per day plus $0.20 per mile.

Write an equation for the cost C for d days and m miles.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q1

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 48 • BACKWARD 2 • Q1/5

Write an equation for the perimeter P of a rectangle with length l and width w.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q2

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 48 • BACKWARD 2 • Q2/5

A $900 laptop loses $150 of value each year.

Which equation gives its value V after t years?

A. $V = 900 - 150t$

B. $V = 150 - 900t$

C. $V = 900(150)^t$

D. $V = 900 + 150t$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q3

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 48 • BACKWARD 2 • Q3/5

True or false?

$A = s^2$ gives the area of a square with side s.

A. True

B. False

True or false?

$y = 12x$ gives the number of feet in x inches.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q5

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.2 • Set 48 • BACKWARD 2 • Q5/5

SET 48 • HSF-BF.A.1.a

FORWARD 1

Build a composite function from a context • High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c

An oil spill's radius is $r(t) = 2t$ meters after t hours, and the area of a circle is $A(r) = \pi r^2$.

Write $A(r(t))$ and say what it gives.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q1

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c • Set 48 • FORWARD 1 • Q1/5

A store takes 20% off and then $5 off: $d(x) = 0.8x$ and $c(x) = x - 5$.

Find $c(d(50))$.

$c(d(50)) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q2

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c • Set 48 • FORWARD 1 • Q2/5

With $d(x) = 0.8x$ and $c(x) = x - 5$, which expression is $d(c(x))$?

A. $0.8x - 4$

B. $0.8x + 4$

C. $0.8x - 5$

D. $x - 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S48-F1-Q3**

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c • Set 48 • FORWARD 1 • Q3/5

True or false?

With these functions, c(d(50)) and d(c(50)) are different.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q4

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c • Set 48 • FORWARD 1 • Q4/5

True or false?

If $f(x) = 3x$ and $g(x) = x + 2$, then $f(g(x)) = 3x + 2$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q5

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.A.1.c • Set 48 • FORWARD 1 • Q5/5

SET 48 • HSF-BF.A.1.a

FORWARD 2

Find and interpret the inverse of a model • High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b

$C(n) = 60 + 35n$ is the total cost after n months.

Find the inverse and say what it gives.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q1

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b • Set 48 • FORWARD 2 • Q1/5

Show that f(x) = 5x − 2 and g(x) = (x + 2) ÷ 5 are inverses.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q2

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b • Set 48 • FORWARD 2 • Q2/5

$F = 1.8C + 32$ converts Celsius to Fahrenheit.

Which formula is its inverse?

A. $C = F \div 1.8 - 32$

B. $C = 1.8F + 32$

C. $C = (F + 32) \div 1.8$

D. $C = (F - 32) \div 1.8$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S48-F2-Q3**

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b • Set 48 • FORWARD 2 • Q3/5

True or false?

If $f(2) = 9$, then $f^{-1}(9) = 2$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q4

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b • Set 48 • FORWARD 2 • Q4/5

True or false?

The inverse of $f(x) = 2x$ is $f^{-1}(x) = -2x$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q5

High School — Precalculus (course placement in this bank) • Functions: Building Functions • HSF-BF.B.4.b • Set 48 • FORWARD 2 • Q5/5

Combine standard function types using arithmetic operations

MAIN	Algebra I main question	**HSF-BF.A.1.b**
BACKWARD 1	Add, subtract, and multiply polynomials	**HSA-APR.A.1**
BACKWARD 2	Evaluate and interpret functions	**HSF-IF.A.2**
FORWARD 1	Rewrite rational expressions such as average cost	**HSA-APR.D.6**
FORWARD 2	Graph and interpret an average-cost rational function	**HSF-IF.C.7.d**

SET 49 • HSF-BF.A.1.b

MAIN

Algebra I main question • High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.b

Revenue is R(x) = 25x and cost is C(x) = 400 + 9x dollars for x items.

Write the profit function P(x) in simplest form and find P(50).

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q1

High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.b • Set 49 • MAIN • Q1/5

A ball's height is $h(t) = -4.9t^2 + 30t + 2$ meters after t seconds.

Name the three simple functions added together, and what each one describes.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q2

High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.b • Set 49 • MAIN • Q2/5

$f(x) = x^2 + 1$ and $g(x) = 2x - 3$.

Find $(f - g)(x)$ in simplest form, and find $(f \cdot g)(2)$.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q3

High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.b • Set 49 • MAIN • Q3/5

The temperature of tea is $T(t) = 20 + 70(0.9)^t$ °C after t minutes.

Which description fits this combination of functions?

A. A linear function with slope 0.9

B. An exponential function that grows 90% per minute

C. A constant room temperature of 20 °C plus a difference of $70(0.9)^t$ that decays

D. A constant temperature of 90 °C

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q4

High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.b • Set 49 • MAIN • Q4/5

True or false?

If $f(x) = 3x$ and $g(x) = x^2$, then $(f + g)(2) = 10$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q5

High School — Algebra I • Functions: Building Functions • HSF-BF.A.1.b • Set 49 • MAIN • Q5/5

SET 49 • HSF-BF.A.1.b

BACKWARD 1

Add, subtract, and multiply polynomials • High School — Algebra I • Algebra: Arithmetic with Polynomials & Rational Expressions • HSA-APR.A.1

Subtract.

$25x - (400 + 9x)$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q1

High School — Algebra I • Algebra: Arithmetic with Polynomials & Rational Expressions • HSA-APR.A.1 • Set 49 • BACKWARD 1 • Q1/5

Add.

$(x^2 + 1) + (2x - 3)$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q2

High School — Algebra I • Algebra: Arithmetic with Polynomials & Rational Expressions • HSA-APR.A.1 • Set 49 • BACKWARD 1 • Q2/5

Multiply.

$(x^2 + 1)(2x - 3)$

A. $2x^3 + 2x - 3$

B. $2x^2 + 2x - 3$

C. $2x^3 - 3x^2 - 3$

D. $2x^3 - 3x^2 + 2x - 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S49-B1-Q3**

High School — Algebra I • Algebra: Arithmetic with Polynomials & Rational Expressions • HSA-APR.A.1 • Set 49 • BACKWARD 1 • Q3/5

True or false?

The product of two polynomials is a polynomial.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q4

High School — Algebra I • Algebra: Arithmetic with Polynomials & Rational Expressions • HSA-APR.A.1 • Set 49 • BACKWARD 1 • Q4/5

True or false?

$$(x + 2) - (x - 2) = 0$$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q5

High School — Algebra I • Algebra: Arithmetic with Polynomials & Rational Expressions • HSA-APR.A.1 • Set 49 • BACKWARD 1 • Q5/5

SET 49 • HSF-BF.A.1.b

BACKWARD 2

Evaluate and interpret functions • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2

$P(x) = 16x - 400$.

Find x so that $P(x) = 0$.

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 49 • BACKWARD 2 • Q1/5

$T(t) = 20 + 70(0.9)^t$.

Find $T(0)$.

$T(0) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 49 • BACKWARD 2 • Q2/5

R(x) is the revenue in dollars from selling x items.

What does R(10) = 250 mean?

A. Selling 250 items brings in $10.

B. Each item costs $10.

C. The profit is $250.

D. Selling 10 items brings in $250.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 49 • BACKWARD 2 • Q3/5

True or false?

If C(x) = 400 + 9x, then C(0) = 400.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 49 • BACKWARD 2 • Q4/5

True or false?

If $h(t) = -4.9t^2 + 30t + 2$, then $h(0) = 30$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.2 • Set 49 • BACKWARD 2 • Q5/5

SET 49 • HSF-BF.A.1.b

FORWARD 1

Rewrite rational expressions such as average cost • High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions • HSA-APR.D.6

Write the average cost $A(x) = (400 + 9x) \div x$ as a constant plus a fraction.

$A(x) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q1

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.D.6 • Set 49 • FORWARD 1 • Q1/5

Assume $x \neq -1$. Write $(x^2 + 3x + 5) \div (x + 1)$ in the form $q(x) + r \div (x + 1)$.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q2

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.D.6 • Set 49 • FORWARD 1 • Q2/5

Assume $x \neq 0$. Which expression equals $(6x^2 + 4x) \div (2x)$?

A. $3x + 4x$

B. $3x^2 + 2$

C. $6x + 2$

D. $3x + 2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q3

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.D.6 • Set 49 • FORWARD 1 • Q3/5

True or false?

$(x^2 - 1) \div (x - 1) = x + 1$ for $x \neq 1$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q4

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.D.6 • Set 49 • FORWARD 1 • Q4/5

True or false?

$(x + 8) \div x = 9$ for $x \neq 0$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q5

High School — Algebra II (course placement in this bank) • Algebra: Arithmetic with Polynomials & Rational Expressions
HSA-APR.D.6 • Set 49 • FORWARD 1 • Q5/5

SET 49 • HSF-BF.A.1.b

FORWARD 2

Graph and interpret an average-cost rational function • High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d

$A(x) = 9 + 400 \div x$ is the average cost per item, in dollars, for x items.

Give its horizontal asymptote and what it means.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q1

High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d • Set 49 • FORWARD 2 • Q1/5

Find A(100).

A(100) = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q2

High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d • Set 49 • FORWARD 2 • Q2/5

What is the vertical asymptote of y = 400 ÷ x + 9?

A. x = 400

B. x = 9

C. y = 9

D. x = 0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S49-F2-Q3**

High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d • Set 49 • FORWARD 2 • Q3/5

True or false?

As x increases, 9 + 400 ÷ x decreases toward 9.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q4

High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d • Set 49 • FORWARD 2 • Q4/5

True or false?

The graph of $y = 9 + 400 \div x$ crosses the line $y = 9$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q5

High School — Precalculus (course placement in this bank) • Functions: Interpreting Functions • HSF-IF.C.7.d • Set 49 • FORWARD 2 • Q5/5

Write arithmetic and geometric sequences recursively and with an explicit formula

MAIN	Algebra I main question	**HSF-BF.A.2**
BACKWARD 1	Evaluate recursively defined sequences	**HSF-IF.A.3**
BACKWARD 2	Generate a pattern from a rule and describe its features	**4.OA.C.5**
FORWARD 1	Sum geometric sequences	**HSA-SSE.B.4**
FORWARD 2	Use logarithms to find a term number	**HSF-LE.A.4**

SET 50 • HSF-BF.A.2

MAIN

Algebra I main question • High School — Algebra I • Functions: Building Functions • HSF-BF.A.2

Write an explicit formula and a recursive formula for 7, 4, 1, −2, ...

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q1

High School — Algebra I • Functions: Building Functions • HSF-BF.A.2 • Set 50 • MAIN • Q1/5

Write an explicit formula and a recursive formula for 3, 12, 48, 192, ...

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q2

High School — Algebra I • Functions: Building Functions • HSF-BF.A.2 • Set 50 • MAIN • Q2/5

An arithmetic sequence has a(3) = 14 and a(8) = 39.

Find a(1) and the common difference.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q3

High School — Algebra I • Functions: Building Functions • HSF-BF.A.2 • Set 50 • MAIN • Q3/5

A geometric sequence of real numbers has a(1) = 2 and a(4) = 54.

What is the common ratio?

A. 3

B. 18

C. 27

D. 13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q4

High School — Algebra I • Functions: Building Functions • HSF-BF.A.2 • Set 50 • MAIN • Q4/5

True or false?

The sequence 2, 4, 8, 14, ... is arithmetic.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q5

High School — Algebra I • Functions: Building Functions • HSF-BF.A.2 • Set 50 • MAIN • Q5/5

SET 50 • HSF-BF.A.2

BACKWARD 1

Evaluate recursively defined sequences • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3

$f(1) = 4$ and $f(n) = f(n - 1) + 6$.

Find $f(4)$.

$f(4) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 50 • BACKWARD 1 • Q1/5

$f(1) = 1$ and $f(n) = 2f(n - 1) + 1$.

Find $f(4)$.

$f(4) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 50 • BACKWARD 1 • Q2/5

$f(n) = 2n - 1$.

What is $f(10)$?

A. 20

B. 21

C. 19

D. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 50 • BACKWARD 1 • Q3/5

True or false?

A recursive formula gives each term from the term before it.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 50 • BACKWARD 1 • Q4/5

True or false?

$f(1) = 3$ and $f(n) = 2f(n - 1)$ give 3, 5, 7.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.A.3 • Set 50 • BACKWARD 1 • Q5/5

SET 50 • HSF-BF.A.2

BACKWARD 2

Generate a pattern from a rule and describe its features • Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5

Rule: start at 5 and add 5.

Write the first 6 terms.

Terms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 50 • BACKWARD 2 • Q1/5

Rule: start at 1 and add 4.

Explain why every term is odd.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 50 • BACKWARD 2 • Q2/5

Rule: start at 2 and multiply by 2.

What is the 5th term?

A. 10

B. 16

C. 64

D. 32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 50 • BACKWARD 2 • Q3/5

True or false?

With the rule "start at 3 and add 3," every term is a multiple of 3.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 50 • BACKWARD 2 • Q4/5

True or false?

With the rule "start at 10 and add 10," the 4th term is 50.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 50 • BACKWARD 2 • Q5/5

SET 50 • HSF-BF.A.2

FORWARD 1

Sum geometric sequences • High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4

Find the sum of the first 6 terms of 3, 12, 48, ...

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q1

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 50 • FORWARD 1 • Q1/5

A job pays $1 on day 1, and the pay doubles each day.

What is the total pay for 10 days?

Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q2

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 50 • FORWARD 1 • Q2/5

What is 5 + 10 + 20 + 40 + 80?

A. 160

B. 80

C. 155

D. 150

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S50-F1-Q3**

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 50 • FORWARD 1 • Q3/5

True or false?

The formula $a(1 - r^n) \div (1 - r)$ works for $r = 0.5$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q4

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 50 • FORWARD 1 • Q4/5

True or false?

$$2 + 6 + 18 + 54 = 2(3^4 - 1)$$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q5

High School — Algebra II (course placement in this bank) • Algebra: Seeing Structure in Expressions • HSA-SSE.B.4 • Set 50 • FORWARD 1 • Q5/5

SET 50 • HSF-BF.A.2

FORWARD 2

Use logarithms to find a term number • High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4

$a(n) = 3 \cdot 4^{n-1}$.

What is the smallest n for which a(n) > 10,000?

n = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q1

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 50 • FORWARD 2 • Q1/5

Solve $2^{n-1} = 64$.

n = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q2

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 50 • FORWARD 2 • Q2/5

Solve $5 \cdot 2^n = 640$.

A. n = 6

B. n = 8

C. n = 7

D. n = 64

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION **ID S50-F2-Q3**

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 50 • FORWARD 2 • Q3/5

True or false?

If $4^k = 64$, then k = 3.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q4

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 50 • FORWARD 2 • Q4/5

True or false?

If $3^n = 30$, then n = 10.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q5

High School — Algebra II (course placement in this bank) • Functions: Linear, Quadratic & Exponential Models • HSF-LE.A.4 • Set 50 • FORWARD 2 • Q5/5

Identify the effect of replacing f(x) by f(x) + k, kf(x), f(kx), and f(x + k), and recognize even and odd functions

MAIN	Algebra I main question	**HSF-BF.B.3**
BACKWARD 1	Graph absolute value and square root functions	**HSF-IF.C.7.b**
BACKWARD 2	Read key features of quadratic graphs	**HSF-IF.C.7.a**
FORWARD 1	Describe a sequence of rigid transformations	**HSG-CO.A.5**
FORWARD 2	Transform sine and cosine graphs	**HSF-TF.B.5**

SET 51 • HSF-BF.B.3

MAIN

Algebra I main question • High School — Algebra I • Functions: Building Functions • HSF-BF.B.3

$g(x) = (x - 4)^2 + 1$.

Describe how to get the graph of g from the graph of $y = x^2$.

Answer: _____


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q1

High School — Algebra I • Functions: Building Functions • HSF-BF.B.3 • Set 51 • MAIN • Q1/5

The graph shows $y = x^2$ and a translated graph $y = g(x)$.

Write $g(x)$.



$g(x) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q2

High School — Algebra I • Functions: Building Functions • HSF-BF.B.3 • Set 51 • MAIN • Q2/5

$f(x) = x^2$. Compare $g(x) = 3f(x)$ and $h(x) = f(3x)$.

Which is a vertical stretch and which is a horizontal compression? Are g and h the same function?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q3

High School — Algebra I • Functions: Building Functions • HSF-BF.B.3 • Set 51 • MAIN • Q3/5

$f(x) = x^3$.

Is f even, odd, or neither?

A. Odd: $f(-x) = -f(x)$

B. Even: $f(-x) = f(x)$

C. Both even and odd

D. Neither

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q4

High School — Algebra I • Functions: Building Functions • HSF-BF.B.3 • Set 51 • MAIN • Q4/5

True or false?

The graph of $y = f(x + 2)$ is the graph of $y = f(x)$ shifted 2 units right.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q5

High School — Algebra I • Functions: Building Functions • HSF-BF.B.3 • Set 51 • MAIN • Q5/5

SET 51 • HSF-BF.B.3

BACKWARD 1

Graph absolute value and square root functions • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.b

What is the vertex of $y = |x + 3| - 2$?

Vertex: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.b • Set 51 • BACKWARD 1 • Q1/5

Give two points on the graph of $y = \sqrt{(x - 1)}$.

Points: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.b • Set 51 • BACKWARD 1 • Q2/5

What is the vertex of $y = -|x - 1| + 4$?

A. (1, 4)

B. (1, −4)

C. (4, 1)

D. (−1, 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.b • Set 51 • BACKWARD 1 • Q3/5

True or false?

$y = |x|$ has its minimum at $(0, 0)$.

A. True

B. False

True or false?

The domain of $y = \sqrt{(x + 2)}$ is $x \geq 2$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.b • Set 51 • BACKWARD 1 • Q5/5

SET 51 • HSF-BF.B.3

BACKWARD 2

Read key features of quadratic graphs • High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a

Give the vertex of $y = (x - 2)^2 - 3$, and say whether it is a maximum or a minimum.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q1

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 51 • BACKWARD 2 • Q1/5

Find the x-intercepts of $y = x^2 - 9$.

x-intercepts: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q2

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 51 • BACKWARD 2 • Q2/5

What is the y-intercept of $y = 2x^2 - 5x + 7$?

A. 7

B. 0

C. -5

D. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q3

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 51 • BACKWARD 2 • Q3/5

True or false?

The graph of $y = -x^2 + 4$ opens downward.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q4

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 51 • BACKWARD 2 • Q4/5

True or false?

The vertex of $y = x^2 + 6$ is (6, 0).

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q5

High School — Algebra I • Functions: Interpreting Functions • HSF-IF.C.7.a • Set 51 • BACKWARD 2 • Q5/5

SET 51 • HSF-BF.B.3

FORWARD 1

Describe a sequence of rigid transformations • High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.5

Describe a transformation that maps the triangle with vertices (0, 0), (2, 0), (0, 1) to the triangle with vertices (3, 2), (5, 2), (3, 3).

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q1

High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.5 • Set 51 • FORWARD 1 • Q1/5

The point (2, 5) is reflected across the x-axis and then translated 4 units left.

Where does it end up?

Point: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q2

High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.5 • Set 51 • FORWARD 1 • Q2/5

Which single transformation maps every (x, y) to (−x, −y)?

A. A translation

B. A rotation of 180° about the origin

C. A reflection across the y-axis

D. A reflection across the x-axis

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q3

High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.5 • Set 51 • FORWARD 1 • Q3/5

True or false?

Reflecting across the x-axis and then across the y-axis has the same effect as a 180° rotation about the origin.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION ID S51-F1-Q4

High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.5 • Set 51 • FORWARD 1 • Q4/5

True or false?

Translating and then reflecting always gives the same result as reflecting and then translating.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q5

High School — Geometry (course placement in this bank) • Geometry: Congruence • HSG-CO.A.5 • Set 51 • FORWARD 1 • Q5/5

SET 51 • HSF-BF.B.3

FORWARD 2

Transform sine and cosine graphs • High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5

How is the graph of y = sin x + 3 related to the graph of y = sin x?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q1

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 51 • FORWARD 2 • Q1/5

Write a sine function with amplitude 2, midline $y = 1$, and period 2π.

$y =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q2

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 51 • FORWARD 2 • Q2/5

How is $y = 4\sin x$ obtained from $y = \sin x$?

A. A shift 4 units right

B. A horizontal stretch by a factor of 4

C. A vertical stretch by a factor of 4

D. A shift 4 units up

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q3

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 51 • FORWARD 2 • Q3/5

True or false?

$y = -\sin x$ is the reflection of $y = \sin x$ across the x-axis.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q4

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 51 • FORWARD 2 • Q4/5

True or false?

$y = \sin x - 2$ has midline $y = 2$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q5

High School — Algebra II (course placement in this bank) • Functions: Trigonometric Functions • HSF-TF.B.5 • Set 51 • FORWARD 2 • Q5/5

Solve f(x) = c for a simple function f and write an expression for the inverse

MAIN	Algebra I main question	**HSF-BF.B.4.a**
BACKWARD 1	Rearrange a formula for another variable	**HSA-CED.A.4**
BACKWARD 2	Use cube roots to solve $x^3 = p$	**8.EE.A.2**
FORWARD 1	Verify inverses by composition	**HSF-BF.B.4.b**
FORWARD 2	Restrict a domain to produce an inverse	**HSF-BF.B.4.d**

SET 52 • HSF-BF.B.4.a

MAIN

Algebra I main question • High School — Algebra I • Functions: Building Functions • HSF-BF.B.4.a

$f(x) = 2x^3$.

Solve $f(x) = 54$, and write an expression for the inverse.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q1

High School — Algebra I • Functions: Building Functions • HSF-BF.B.4.a • Set 52 • MAIN • Q1/5

$f(x) = (x + 1) \div (x - 1)$, for $x \neq 1$.

Write an expression for the inverse.

$f^{-1}(x) =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q2

High School — Algebra I • Functions: Building Functions • HSF-BF.B.4.a • Set 52 • MAIN • Q2/5

F(C) = 1.8C + 32 gives degrees Fahrenheit.

Write the inverse C(F), and find C when F = 77.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q3

High School — Algebra I • Functions: Building Functions • HSF-BF.B.4.a • Set 52 • MAIN • Q3/5

$f(x) = 4x - 7$.

What is $f^{-1}(x)$?

A. $(x - 7) \div 4$

B. $(x + 7) \div 4$

C. $x \div 4 + 7$

D. $4x + 7$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q4

High School — Algebra I • Functions: Building Functions • HSF-BF.B.4.a • Set 52 • MAIN • Q4/5

True or false?

If $f(x) = x \div 3 + 2$, then $f^{-1}(x) = 3x - 6$.

A. True

B. False

SET 52 • HSF-BF.B.4.a

BACKWARD 1

Rearrange a formula for another variable • High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.4

Solve $y = 4x - 7$ for x.

$x =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q1

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.4 • Set 52 • BACKWARD 1 • Q1/5

Solve P = 2l + 2w for l.

l = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q2

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.4 • Set 52 • BACKWARD 1 • Q2/5

Solve $d = rt$ for t. ($r \neq 0$)

A. $t = r \div d$

B. $t = d - r$

C. $t = d \div r$

D. $t = dr$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q3

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.4 • Set 52 • BACKWARD 1 • Q3/5

True or false?

Solving $y = x^3$ for x gives $x = \sqrt[3]{y}$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q4

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.4 • Set 52 • BACKWARD 1 • Q4/5

True or false?

Solving $y = 5x$ for x gives $x = 5y$.

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q5

High School — Algebra I • Algebra: Creating Equations • HSA-CED.A.4 • Set 52 • BACKWARD 1 • Q5/5

SET 52 • HSF-BF.B.4.a

BACKWARD 2

Use cube roots to solve $x^3 = p$ • Grade 8 • Expressions & Equations • 8.EE.A.2