S49-M-Q1 · question page 1010

AI.LEARN.07 · Explain learning from rewards and from human feedback

How does reinforcement learning teach a system?

Answer: C. Through rewards and penalties for its actions

Actions that earn reward become more likely.

- ✗ A. Through rules a programmer writes for every situation: that is rule-based
- ✗ B. Through an answer key attached to every training example: that is supervised learning
- ✗ D. Through copying a single human expert exactly: not the idea

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-M-Q2 · question page 1011

AI.LEARN.07 · Explain learning from rewards and from human feedback

Which everyday activity is most like reinforcement learning?

Answer: A. Training a dog with treats

Rewards shape behavior.

- ✗ B. Reading the answers at the back of a textbook: more like supervised learning
- ✗ C. Following a recipe word for word: more like rules
- ✗ D. Sorting socks into piles that look alike: more like unsupervised learning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-M-Q3 · question page 1012

AI.LEARN.07 · Explain learning from rewards and from human feedback

In RLHF, what do people do?

Answer: B. Rank or rate sample answers

Human ratings guide the adjustment.

- ✗ A. Give the model rewards in the form of money: not literally
- ✗ C. Delete the model and build a new one each day: not the process
- ✗ D. Write every answer the model will ever give: not possible

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-M-Q4 · question page 1013

AI.LEARN.07 · Explain learning from rewards and from human feedback

What does the "reward model" in RLHF do?

Answer: D. Predicts how people would rate an answer

It learns to predict human preferences.

- ✗ A. Checks every answer against official sources: it predicts ratings, not truth
- ✗ B. Pays the people who rate the answers: not its job
- ✗ C. Writes the final answers that users see: the language model does

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-M-Q5 · question page 1014

AI.LEARN.07 · Explain learning from rewards and from human feedback

What did 2022 research report about RLHF?

Answer: C. It made models better at following instructions

Instruction-following improved.

- ✗ A. It made models perfectly accurate: mistakes remained
- ✗ B. It made models refuse every question: not true
- ✗ D. It made models stop using any training data: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-B1-Q1 · question page 1015

AI.LEARN.07 · Picture training a puppy

How does the puppy learn to sit?

Answer: D. Sitting is rewarded with a treat

Rewards make the action more likely.

- ✗ A. It copies a video of another dog: not described
- ✗ B. It is told the answer in words: not how it learns
- ✗ C. It reads a rulebook about sitting: no rulebook

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-B1-Q2 · question page 1016

AI.LEARN.07 · Picture training a puppy

What happens if you reward barking by mistake?

Answer: B. The puppy learns to bark

The reward decides what is learned.

- ✗ A. The puppy stops learning anything: it learns barking
- ✗ C. The puppy still learns to sit: the reward shapes it
- ✗ D. The puppy learns to read: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-B1-Q3 · question page 1017

AI.LEARN.07 · Picture training a puppy

In the comparison, the treat is like what?

Answer: A. The reward

Treats are rewards.

- ✗ B. The training data: not exactly
- ✗ C. The rulebook: there is none
- ✗ D. The answer key: there is none

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-B1-Q4 · question page 1018

AI.LEARN.07 · Picture training a puppy

Does the puppy get a rulebook?

Answer: C. No; it learns from rewards

Rewards, not rules.

- ✗ A. Only on weekends: no
- ✗ B. Yes; but it ignores it: no rulebook
- ✗ D. Yes; a thick one about sitting: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-B1-Q5 · question page 1019

AI.LEARN.07 · Picture training a puppy

Why does sitting become more likely over time?

Answer: A. It was rewarded many times

Repeated rewards strengthen actions.

- ✗ B. Puppies always sit: not without training
- ✗ C. It was random luck: not random
- ✗ D. It was punished every time: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-F1-Q1 · question page 1020

AI.LEARN.07 · Apply reward-based learning to examples

A game-playing program gets points for winning and learns which moves lead to wins. Which kind of learning is this?

Answer: B. Reinforcement learning

Rewards for winning drive learning.

- ✗ A. Rule-based play with every move written by hand: it learns
- ✗ C. Unsupervised grouping of game boards by color: not the setup
- ✗ D. Supervised learning with an answer key for every move: it learns from rewards

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

S49-F1-Q2 · question page 1021

AI.LEARN.07 · Apply reward-based learning to examples

Raters prefer clear, polite answers. After RLHF, what is the model likely to produce more often?

Answer: D. Answers resembling the highly rated ones

It is adjusted toward highly rated answers.

- ✗ A. Exactly the same single answer to every question: not the effect
- ✗ B. Answers the raters rated lowest: the opposite
- ✗ C. Answers chosen at random with no pattern: not the effect

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-F1-Q3 · question page 1022

AI.LEARN.07 · Apply reward-based learning to examples

Which step comes first in RLHF?

Answer: A. People rank or rate sample answers

Human ratings come first.

- ✗ B. Users rate the final product forever: not the first step
- ✗ C. The reward model writes the answers: not its role
- ✗ D. The model is released to the public: later

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-F1-Q4 · question page 1023

AI.LEARN.07 · Apply reward-based learning to examples

A robot arm gets a reward each time it stacks a block successfully. What will it tend to do?

Answer: B. Repeat actions that led to successful stacks

Rewarded actions become more likely.

- ✗ A. Follow a written list of every arm movement: it learns from rewards
- ✗ C. Stop moving after the first reward: not the expected effect
- ✗ D. Avoid stacking blocks entirely: rewards encourage stacking

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-F1-Q5 · question page 1024

AI.LEARN.07 · Apply reward-based learning to examples

Why might a company use RLHF on a chatbot?

Answer: C. To make answers better match what people prefer

Human preferences guide adjustments.

- ✗ A. To remove the need for any training data: still needs data
- ✗ B. To make the chatbot run without electricity: nonsense
- ✗ D. To guarantee every answer is true: no guarantee

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-F2-Q1 · question page 1025

AI.LEARN.07 · Anticipate problems with rewards and ratings

A cleaning robot is rewarded for "no visible mess" and learns to push mess under a rug. What is this?

Answer: D. Reward hacking: reward without the intended result

The reward measured the wrong thing.

- ✗ A. A broken camera on the robot: the reward was the problem
- ✗ B. Perfect learning of the cleaning task: not the intended result
- ✗ C. Supervised learning from labeled photos of messy rooms: not the setup

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-F2-Q2 · question page 1026

AI.LEARN.07 · Anticipate problems with rewards and ratings

Raters often prefer confident, flattering answers. What could a model learn?

Answer: B. To sound agreeable rather than be accurate

Ratings can reward style over truth.

- ✗ A. To become more accurate in every case: not guaranteed
- ✗ C. To stop responding to raters: nonsense
- ✗ D. To refuse every question politely: not implied

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-F2-Q3 · question page 1027

AI.LEARN.07 · Anticipate problems with rewards and ratings

What did the 2022 RLHF researchers note about their improved models?

Answer: A. They still made simple mistakes

Improvement is not perfection.

- ✗ B. They no longer needed any ratings: not stated
- ✗ C. They never made any mistakes: not true
- ✗ D. They could no longer follow instructions: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-F2-Q4 · question page 1028

AI.LEARN.07 · Anticipate problems with rewards and ratings

What is the best way to reduce reward hacking?

Answer: D. Design rewards that measure what is truly intended

Rewards must match goals.

- ✗ A. Reward the system for any action it takes at all: worse
- ✗ B. Remove all rewards and hope: nothing to learn from
- ✗ C. Give larger rewards for the same thing: still the wrong target

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S49-F2-Q5 · question page 1029

AI.LEARN.07 · Anticipate problems with rewards and ratings

Which statement about RLHF is accurate?

Answer: C. Better rewards help, but do not guarantee truth

Answers still need checking.

- ✗ A. RLHF guarantees answers are always correct: not true
- ✗ B. RLHF removes the need to check answers: still check
- ✗ D. RLHF makes models conscious: unsupported

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

S50-M-Q1 · question page 1031

AI.LLM.08 · Explain attention in transformers at a conceptual level

What is the key idea of the transformer design?

Answer: B. Attention: weighing how relevant other words are

Attention links words to relevant context.

- ✗ A. Following grammar rules typed in by linguists: it learns from data
- ✗ C. Memorizing every sentence ever written word for word: not the key idea
- ✗ D. Reading only one word at a time with no context: attention uses context

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-M-Q2 · question page 1032

AI.LLM.08 · Explain attention in transformers at a conceptual level

In the trophy sentence, what does attention help the model link "it" to?

Answer: D. The trophy

Attention helps resolve references.

- ✗ A. The word "because": not the referent
- ✗ B. The word "did": not the referent
- ✗ C. The suitcase: less relevant here

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-M-Q3 · question page 1033

AI.LLM.08 · Explain attention in transformers at a conceptual level

Using the made-up weights in the table, which word is most strongly linked to "it"?

Prepared example (made-up attention weights, for teaching)

Word	How strongly "it" is linked (made-up weights)
trophy	0.71
suitcase	0.18
fit	0.06
other words	0.05

Answer: C. trophy

trophy has the highest weight (0.71).

- ✗ A. other words: 0.05 is lowest
- ✗ B. fit: 0.06 is lower
- ✗ D. suitcase: 0.18 is lower

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-M-Q4 · question page 1034

AI.LLM.08 · Explain attention in transformers at a conceptual level

When was the transformer introduced, according to the passage?

Answer: A. In a 2017 research paper

2017.

- ✗ B. In 2022, when chatbots became popular: later
- ✗ C. It has existed since the first computers: not true
- ✗ D. In a 1956 workshop at a university: that was earlier AI history

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-M-Q5 · question page 1035

AI.LLM.08 · Explain attention in transformers at a conceptual level

Which statement about attention is accurate?

Answer: C. It is a mathematical weighting, not a mind

Attention is math.

- ✗ A. It means the model consciously focuses like a person: misleading
- ✗ B. It means the model has feelings about words: not true
- ✗ D. It means the model reads only the first word: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-B1-Q1 · question page 1036

AI.LLM.08 · Picture highlighting a sentence

In the example, which word gets the heaviest highlight for "she"?

Answer: D. Maria

"She" refers to Maria.

- ✗ A. early: not the referent
- ✗ B. Sam: not the referent here
- ✗ C. umbrella: almost none

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-B1-Q2 · question page 1037

AI.LLM.08 · Picture highlighting a sentence

What do the highlights stand for?

Answer: A. How much each word influences the current one

Influence weights.

- ✗ B. How rare each word is: not the meaning
- ✗ C. How loudly each word is read aloud by people: not the meaning
- ✗ D. How long each word is: not the meaning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-B1-Q3 · question page 1038

AI.LLM.08 · Picture highlighting a sentence

What does a transformer use instead of highlighter ink?

Answer: A. Computed number weights

Weights are numbers.

- ✗ B. A dictionary lookup: no
- ✗ C. Real colored ink on paper: no
- ✗ D. A human reader: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-B1-Q4 · question page 1039

AI.LLM.08 · Picture highlighting a sentence

Is the highlighter picture the literal mechanism?

Answer: A. No, it is a teaching picture

An analogy only.

- ✗ B. Yes, models use highlighters: no
- ✗ C. Yes, models see colors: no
- ✗ D. No, models ignore context: they use context

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-B1-Q5 · question page 1040

AI.LLM.08 · Picture highlighting a sentence

Why would "umbrella" get almost no highlight for "she"?

Answer: C. It does not help identify "she"

Relevance decides weight.

- ✗ A. It is too long a word to weigh: not the reason
- ✗ B. It is misspelled: not misspelled
- ✗ D. It comes after "she": it comes before

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-F1-Q1 · question page 1041

AI.LLM.08 · Apply the attention idea to sentences

"The dog chased the ball until it was tired." Which word should attention most link to "it"?

Answer: B. dog

Dogs get tired; balls do not.

- ✗ A. until: not a referent
- ✗ C. chased: not a referent
- ✗ D. ball: balls do not get tired

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-F1-Q2 · question page 1042

AI.LLM.08 · Apply the attention idea to sentences

"The dog chased the ball until it rolled under the couch." Now which word should "it" link to?

Answer: D. ball

Balls roll under couches.

- ✗ A. dog: less likely to roll under a couch
- ✗ B. couch: it rolled under the couch
- ✗ C. chased: not a referent

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-F1-Q3 · question page 1043

AI.LLM.08 · Apply the attention idea to sentences

Why does attention help with long passages?

Answer: B. It can relate words that are far apart

Relationships across distance can be tracked.

- ✗ A. It removes all earlier words: not what it does
- ✗ C. It shortens every passage to one word: not what it does
- ✗ D. It reads only the final sentence: not what it does

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-F1-Q4 · question page 1044

AI.LLM.08 · Apply the attention idea to sentences

A friend says, "Attention means the AI is interested in my story." What is more accurate?

Answer: A. Attention is weighting of words, not interest

The term is technical, not emotional.

- ✗ B. Wrong; models never use context at all: they do
- ✗ C. Correct; the AI feels curious about stories: not supported
- ✗ D. Correct; attention means it likes the user: not supported

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-F1-Q5 · question page 1045

AI.LLM.08 · Apply the attention idea to sentences

Which statement fits the passage?

Answer: D. Attention is computed many times across many layers

Repeated, layered computation.

- ✗ A. Attention is typed in by programmers word by word: computed
- ✗ B. Attention is computed once for a whole book: many times
- ✗ C. Attention is the same as the training cutoff: unrelated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-F2-Q1 · question page 1046

AI.LLM.08 · Avoid over-reading what attention shows

A model links "it" to the wrong noun in a tricky sentence. What does this show?

Answer: C. Attention can weigh the wrong words

Weights can be wrong.

- ✗ A. Attention always resolves references correctly: not always
- ✗ B. The model was not using attention at all: not implied
- ✗ D. Tricky sentences cannot be processed: they can, imperfectly

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-F2-Q2 · question page 1047

AI.LLM.08 · Avoid over-reading what attention shows

A researcher sees high attention on a word. What can they safely conclude?

Answer: A. That word got a high weight; that is not proof

Weights are not proof of understanding.

- ✗ B. The model felt strongly about the word: not feelings
- ✗ C. The model fully understood that word: overreading
- ✗ D. The word was the answer to every later question: not implied

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-F2-Q3 · question page 1048

AI.LLM.08 · Avoid over-reading what attention shows

Why can the word "attention" mislead beginners?

Answer: D. It suggests a human mind focusing

Human words invite human comparisons.

- ✗ A. It suggests the model is slow: not the issue
- ✗ B. It suggests the model is a database: not the issue
- ✗ C. It suggests the model has no context: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-F2-Q4 · question page 1049

AI.LLM.08 · Avoid over-reading what attention shows

Which description of attention weights is most accurate?

Answer: B. Numbers computed from patterns

Weights are computed numbers.

- ✗ A. Awareness of the reader's needs: not awareness
- ✗ C. Intentions the model chooses freely: not intentions
- ✗ D. Feelings about which words matter: not feelings

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S50-F2-Q5 · question page 1050

AI.LLM.08 · Avoid over-reading what attention shows

Does a transformer design guarantee correct answers?

Answer: C. No; it can still produce errors

Good design does not guarantee truth.

- ✗ A. Yes; attention prevents all errors: not true
- ✗ B. Yes; transformers check facts automatically: not true
- ✗ D. No; transformers cannot process text: they can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

S51-M-Q1 · question page 1052

AI.EVERYDAY.01 · Use AI to widen options, then choose and check

What is an AI tool especially good at during brainstorming?

Answer: D. Producing many options quickly

Widening options is its strength.

- ✗ A. Guaranteeing every idea is legal and affordable: needs checking
- ✗ B. Knowing your schedule and budget automatically: it does not
- ✗ C. Choosing the single right option for your situation: you must choose

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-M-Q2 · question page 1053

AI.EVERYDAY.01 · Use AI to widen options, then choose and check

After getting a list of ideas, what is your job?

Answer: C. Narrow the list and check it against constraints

You choose and verify.

- ✗ A. Ask for a longer list until one feels right: still must check
- ✗ B. Use every idea at once: not practical
- ✗ D. Accept the first idea because the tool ranked it first: ranking is not fit

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-M-Q3 · question page 1054

AI.EVERYDAY.01 · Use AI to widen options, then choose and check

Which request makes choosing easier?

Answer: B. "Give five options with pros and cons for each."

Pros and cons support a decision.

- ✗ A. "Give me ideas in a poem.": harder to compare
- ✗ C. "Give me one idea only.": no options
- ✗ D. "Give me some ideas, whatever comes to mind first.": harder to compare

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-M-Q4 · question page 1055

AI.EVERYDAY.01 · Use AI to widen options, then choose and check

A tool suggests a party at a park pavilion. What should you verify?

Answer: A. That the pavilion exists and can be booked

Check facts behind suggestions.

- ✗ B. Whether the word "pavilion" is spelled right: minor
- ✗ C. Nothing; suggested places always exist: not guaranteed
- ✗ D. Whether the tool liked the idea more than others: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-M-Q5 · question page 1056

AI.EVERYDAY.01 · Use AI to widen options, then choose and check

How should you treat a plan made by a tool?

Answer: B. As a draft to check and adjust

Plans are drafts.

- ✗ A. As a guarantee nothing will go wrong: no guarantee
- ✗ C. As a rule you must follow exactly: not binding
- ✗ D. As a final plan that needs no changes: still a draft

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-B1-Q1 · question page 1057

AI.EVERYDAY.01 · Compare brainstorming with a menu

How does a menu help?

Answer: D. It shows options you might not think of

A menu widens choices.

- ✗ A. It pays the bill: no
- ✗ B. It cooks the food for you: no
- ✗ C. It decides your order based on your allergies: it does not know them

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-B1-Q2 · question page 1058

AI.EVERYDAY.01 · Compare brainstorming with a menu

What does the menu NOT know about you?

Answer: A. Your allergies and budget

Your needs are yours to apply.

- ✗ B. Its own prices: it shows them
- ✗ C. Its restaurant name: it shows it
- ✗ D. The names of its own dishes printed on it: it knows those

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-B1-Q3 · question page 1059

AI.EVERYDAY.01 · Compare brainstorming with a menu

Who makes the final choice?

Answer: C. You

You decide.

- ✗ A. The chef: not here
- ✗ B. The menu, because it lists the best dishes first: you choose
- ✗ D. The table next to you: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-B1-Q4 · question page 1060

AI.EVERYDAY.01 · Compare brainstorming with a menu

An AI brainstorm is like the menu because...

Answer: B. It offers ideas but cannot pick for your needs

Options, not decisions.

- ✗ A. It costs money: irrelevant
- ✗ C. It knows everything about you and picks perfectly every time: it does not
- ✗ D. It is printed on paper: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-B1-Q5 · question page 1061

AI.EVERYDAY.01 · Compare brainstorming with a menu

What should you still confirm, like asking if a dish is available?

Answer: A. Details such as availability

Confirm details.

- ✗ B. The waiter's name: irrelevant
- ✗ C. Nothing at all: details can be wrong
- ✗ D. Whether the menu font is pleasant: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-F1-Q1 · question page 1062

AI.EVERYDAY.01 · Brainstorm and plan for real needs

Nora asks for weekend ideas with her kids. She has no car and 30 dollars. What should she do with the list?

Answer: D. Drop ideas needing a car or costing more than 30 dollars

Filter by real constraints.

- ✗ A. Pick the first idea because it sounded the most fun when she read it: ignores limits
- ✗ B. Ask for more ideas until she gets 100: still must filter
- ✗ C. Ignore her budget this once: not her plan

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-F1-Q2 · question page 1063

AI.EVERYDAY.01 · Brainstorm and plan for real needs

A club wants fundraiser ideas. Which request will give the most useful options?

Answer: C. "List 8 fundraiser ideas for 15 students, under 100 dollars to start, with pros and cons."

Constraints and comparisons make options useful.

- ✗ A. "Write a speech convincing students to join our fundraiser, with jokes and a strong ending.": wrong task
- ✗ B. "List some fundraiser ideas for our club; make them exciting and different from usual ones.": no size, budget or comparison
- ✗ D. "Pick the single best fundraiser for a school club and explain why it is the best.": one answer, no constraints

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-F1-Q3 · question page 1064

AI.EVERYDAY.01 · Brainstorm and plan for real needs

A tool suggests a "free museum day every Tuesday." What should a family do before going?

Answer: D. Check the museum's official site for the current policy

Verify facts in plans.

- ✗ A. Go on Tuesday, since the tool said it plainly and confidently: may be wrong or outdated
- ✗ B. Ask the tool to repeat it: not a check
- ✗ C. Assume all museums are free on Tuesday: unsupported

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-F1-Q4 · question page 1065

AI.EVERYDAY.01 · Brainstorm and plan for real needs

Which is the best use of an AI tool for a science fair?

Answer: B. Listing possible project ideas to choose from

Brainstorming supports your own work.

- ✗ A. Faking the experiment results: dishonest
- ✗ C. Writing the whole report with invented data: dishonest
- ✗ D. Choosing the final project for you: you should choose

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-F1-Q5 · question page 1066

AI.EVERYDAY.01 · Brainstorm and plan for real needs

Sam wants unusual birthday ideas but keeps getting common ones. What should he ask for?

Answer: C. Unusual ideas that avoid the obvious choices

Ask explicitly for unusual options.

- ✗ A. Ideas in alphabetical order: not the issue
- ✗ B. Shorter ideas only: not the issue
- ✗ D. The same request again with no changes, hoping for something new: likely similar

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-F2-Q1 · question page 1067

AI.EVERYDAY.01 · Catch hidden assumptions and impossible plans

A day plan lists a 2 p.m. museum visit across town and a 2 p.m. lunch downtown. What is wrong?

Answer: A. Two activities are scheduled at the same time

Check for overlapping times.

- ✗ B. Museums are always closed at 2 p.m.: unsupported
- ✗ C. Lunch cannot be eaten downtown: unsupported
- ✗ D. Nothing; plans with many activities are always fine: conflict

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-F2-Q2 · question page 1068

AI.EVERYDAY.01 · Catch hidden assumptions and impossible plans

A travel plan has no time for getting between places. What should you add?

Answer: B. Realistic travel time

Plans need travel time.

- ✗ A. A longer list of restaurants: not the issue
- ✗ C. More activities to fill every possible minute of the day: worse
- ✗ D. Nothing; travel is instant: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-F2-Q3 · question page 1069

AI.EVERYDAY.01 · Catch hidden assumptions and impossible plans

A plan assumes "since you drive." You do not drive. What should you do?

Answer: A. Replace steps that depend on driving

Fix assumptions that do not fit you.

- ✗ B. Follow the plan anyway, since the tool must know best about your trip: it guessed wrong
- ✗ C. Learn to drive tonight: unrealistic
- ✗ D. Ignore the plan completely: parts may still help

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-F2-Q4 · question page 1070

AI.EVERYDAY.01 · Catch hidden assumptions and impossible plans

A list of 20 ideas feels complete. Why add your own ideas too?

Answer: C. The list may miss what fits you best

Generated lists can feel complete without being complete.

- ✗ A. Because your ideas will always be worse: not the reason
- ✗ B. Because tools refuse long lists: not true
- ✗ D. Because lists over 15 items are always wrong: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S51-F2-Q5 · question page 1071

AI.EVERYDAY.01 · Catch hidden assumptions and impossible plans

Tools tend to suggest common, safe ideas. What does this mean for brainstorming?

Answer: D. Ask explicitly for unusual options if you want them

Request variety on purpose.

- ✗ A. Unusual ideas are never possible from tools: they are, if asked
- ✗ B. Brainstorming with tools is useless: too strong
- ✗ C. Common ideas are always the best: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-M-Q1 · question page 1073

AI.EVERYDAY.02 · Use AI for drafts and edits while keeping your meaning and voice

What is a risk of having a tool edit your writing?

Answer: C. It can change your meaning or add facts

Edits can drift from your meaning.

- ✗ A. It cannot change any words at all: it can
- ✗ B. It will always make your writing sound more like you than before: often the opposite
- ✗ D. It makes writing impossible to read: not typical

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-M-Q2 · question page 1074

AI.EVERYDAY.02 · Use AI for drafts and edits while keeping your meaning and voice

In this prepared example, what changed in meaning?

Prepared example (a fictional sentence and an edited version)

Your original sentence	Edited version from a tool
I usually finish my shifts on time, and I helped train two new staff members.	I always finish my shifts on time and have extensive experience training large teams.

Answer: A. "Usually" became "always," and the claim grew

The edit made stronger claims.

- ✗ B. Only the punctuation changed: more changed
- ✗ C. The edit removed the word "shifts": it kept it
- ✗ D. Nothing; both sentences say exactly the same thing in different words: they differ

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-M-Q3 · question page 1075

AI.EVERYDAY.02 · Use AI for drafts and edits while keeping your meaning and voice

In the same example, why is the edited version a problem?

Prepared example (a fictional sentence and an edited version)

Your original sentence	Edited version from a tool
I usually finish my shifts on time, and I helped train two new staff members.	I always finish my shifts on time and have extensive experience training large teams.

Answer: B. It claims things the writer did not say

The writer helped train two people, not large teams.

- ✗ A. It is written in English: irrelevant
- ✗ C. It is shorter than the original sentence: not the problem
- ✗ D. It uses the word "teams,": not the main problem

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-M-Q4 · question page 1076

AI.EVERYDAY.02 · Use AI for drafts and edits while keeping your meaning and voice

Which instruction protects your meaning?

Answer: D. "Fix grammar only; keep my examples and opinion."

State what must not change.

- ✗ A. "Rewrite it completely.": invites changes
- ✗ B. "Make it sound impressive.": invites exaggeration
- ✗ C. "Make it better in whatever way you think is best.": invites changes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-M-Q5 · question page 1077

AI.EVERYDAY.02 · Use AI for drafts and edits while keeping your meaning and voice

After a tool edits your writing, what should you do?

Answer: A. Reread it to confirm you mean every sentence

You stand behind what you send.

- ✗ B. Send it right away because tools fix every problem in writing automatically: still check
- ✗ C. Delete your original version: keep it
- ✗ D. Ask for three more edits: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-B1-Q1 · question page 1078

AI.EVERYDAY.02 · Compare editing with a haircut

What does "Just a trim, keep the length" do?

Answer: D. States what to change and what to keep

Clear instructions limit changes.

- ✗ A. Asks for a completely new style that the barber picks freely: the opposite
- ✗ B. Asks for a shave: no
- ✗ C. Asks the barber to stop cutting: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-B1-Q2 · question page 1079

AI.EVERYDAY.02 · Compare editing with a haircut

What is the problem with a barber who ignores you?

Answer: B. You get something you did not ask for

Ignoring instructions changes the result.

- ✗ A. You leave early: irrelevant
- ✗ C. The barber charges less: irrelevant
- ✗ D. Your hair will always look worse: not necessarily

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-B1-Q3 · question page 1080

AI.EVERYDAY.02 · Compare editing with a haircut

In editing, what is like "keep the length"?

Answer: C. "Keep my examples and opinion"

Protect what matters.

- ✗ A. "Make it longer": different
- ✗ B. "Add jokes": different
- ✗ D. "Change everything you think needs changing, including my main points": opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-B1-Q4 · question page 1081

AI.EVERYDAY.02 · Compare editing with a haircut

What is like looking in the mirror after a haircut?

Answer: A. Rereading the edited text

Check the result.

- ✗ B. Washing your hair: not a check
- ✗ C. Booking the next haircut: not a check
- ✗ D. Paying for the haircut: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-B1-Q5 · question page 1082

AI.EVERYDAY.02 · Compare editing with a haircut

Whose writing is it after editing?

Answer: D. Still yours; you must stand behind it

You remain responsible.

- ✗ A. The barber's: no
- ✗ B. The tool's, so any mistakes in it are no longer your concern: still yours
- ✗ C. Nobody's: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-F1-Q1 · question page 1083

AI.EVERYDAY.02 · Edit practical writing without losing yourself

Eli asks a tool to "make my apology sound better," and it adds "This will never happen again." He is not sure he can promise that. What should he do?

Answer: C. Remove or change the promise he cannot keep

Only send what you mean.

- ✗ A. Keep it, since a stronger apology always sounds more sincere to everyone: he must mean it
- ✗ B. Send it without reading: risky
- ✗ D. Add two more promises: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-F1-Q2 · question page 1084

AI.EVERYDAY.02 · Edit practical writing without losing yourself

A student wants help shortening a 400-word essay to 250 words. Which instruction is best?

Answer: B. "Cut to 250 words; keep my thesis and both examples."

Name what must stay.

- ✗ A. "Rewrite it in a new style.": changes too much
- ✗ C. "Add more details.": opposite
- ✗ D. "Make it shorter however you like, removing whatever seems least important.": may drop key parts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-F1-Q3 · question page 1085

AI.EVERYDAY.02 · Edit practical writing without losing yourself

Which draft is the most honest starting point for a cover letter?

Answer: D. Your own notes about real experience

Start from your real material.

- ✗ A. A blank page and "write me a great letter": invites invention
- ✗ B. A famous person's cover letter: not yours
- ✗ C. A tool's invented list: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-F1-Q4 · question page 1086

AI.EVERYDAY.02 · Edit practical writing without losing yourself

A tool rewrote a thank-you note in stiff, formal language. Ana wanted it warm. What should she ask?

Answer: B. "Keep it warm and personal; only fix grammar."

State the tone you want.

- ✗ A. "Delete the thank-you part.": removes the purpose
- ✗ C. "Make it even more formal and professional, removing any personal touches.": opposite
- ✗ D. "Add legal language.": wrong tone

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-F1-Q5 · question page 1087

AI.EVERYDAY.02 · Edit practical writing without losing yourself

Why keep your original draft after editing?

Answer: A. To compare changes and undo unwanted ones

Originals let you compare.

- ✗ B. Because tools need it later: not the reason
- ✗ C. Because it takes up no space: irrelevant
- ✗ D. Because the original is always better: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-F2-Q1 · question page 1088

AI.EVERYDAY.02 · Catch subtle changes in edited writing

"Make my message more professional" added "I have extensive experience in management." The writer has none. What happened?

Answer: C. The edit added a false claim

Edits can invent claims.

- ✗ A. Nothing; professional messages always include management experience claims: false claim
- ✗ B. The writer gained experience: no
- ✗ D. The edit improved accuracy: it reduced accuracy

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-F2-Q2 · question page 1089

AI.EVERYDAY.02 · Catch subtle changes in edited writing

A shortened text changed "this method usually works" to "this method works." What was lost?

Answer: B. A qualifier that made the claim careful

Dropping qualifiers changes meaning.

- ✗ A. The subject of the sentence: still there
- ✗ C. Nothing important; "usually" is just an extra word that adds no meaning at all: it adds meaning
- ✗ D. The verb: still there

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-F2-Q3 · question page 1090

AI.EVERYDAY.02 · Catch subtle changes in edited writing

Which messages most need line-by-line comparison after editing?

Answer: A. Job applications and apologies

Messages that represent you deserve care.

- ✗ B. A list of movie titles: low stakes
- ✗ C. A note reminding you to water plants: low stakes
- ✗ D. Grocery lists you write only for yourself: low stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-F2-Q4 · question page 1091

AI.EVERYDAY.02 · Catch subtle changes in edited writing

"Make it more professional" removed a personal story that mattered to a teacher. What is the lesson?

Answer: C. Polishing can remove what made the message work

Say what to keep.

- ✗ A. Editing tools always improve messages: not always
- ✗ B. Professional messages should never contain any personal details at all: too strong
- ✗ D. Teachers dislike personal stories: not implied

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S52-F2-Q5 · question page 1092

AI.EVERYDAY.02 · Catch subtle changes in edited writing

What is the safest habit for important edited messages?

Answer: D. Compare with your original line by line

Compare carefully.

- ✗ A. Send both versions: confusing
- ✗ B. Ask the tool if it changed anything: not reliable
- ✗ C. Trust the edit: smooth is not accurate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-M-Q1 · question page 1094

AI.EVERYDAY.03 · Request a source-grounded summary and check it

Which request is most likely to produce a reliable summary?

Answer: C. Pasting the article and asking for a summary of it

Supply the text.

- ✗ A. Asking for "the main points of the news today" with no sources: no source
- ✗ B. Asking for a summary of a book you never named: no source
- ✗ D. Asking for a summary of an article from memory without giving the tool its text: no source

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-M-Q2 · question page 1095

AI.EVERYDAY.03 · Request a source-grounded summary and check it

Why say what a summary must include?

Answer: D. So key items like deadlines are not left out

Required items guide the summary.

- ✗ A. So the summary sounds more formal: not the goal
- ✗ B. So the tool can skip reading the source: it must read it
- ✗ C. So the summary becomes: not the goal

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-M-Q3 · question page 1096

AI.EVERYDAY.03 · Request a source-grounded summary and check it

What are the three checks for a summary?

Answer: A. Key points present, accurate, and nothing added

Compare against the source.

- ✗ B. Speed, tone and spelling: not content checks
- ✗ C. Title, date and author only: not enough
- ✗ D. Length, font and paragraph count, which together show whether it is complete: not content checks

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-M-Q4 · question page 1097

AI.EVERYDAY.03 · Request a source-grounded summary and check it

A tool summarizes "yesterday's meeting" but was never given notes. What is the risk?

Answer: B. It may invent the content

No source means possible invention.

- ✗ A. It will summarize perfectly from its training: it cannot know your meeting
- ✗ C. It will refuse every time, so there is no risk at all in asking it: it may answer anyway
- ✗ D. It will ask your coworkers: not possible

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-M-Q5 · question page 1098

AI.EVERYDAY.03 · Request a source-grounded summary and check it

When does a summary actually save time?

Answer: D. When you can trust it after checking

Trust comes from checking.

- ✗ A. Never: it can
- ✗ B. Only if it is under 10 words: not the criterion
- ✗ C. Whenever it is shorter than the original: not if wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-B1-Q1 · question page 1099

AI.EVERYDAY.03 · Check a summary point by point

How many key points does the example source have?

Answer: C. 3

Closure, fees, deadline.

- ✗ A. 5: three facts
- ✗ B. 2: three facts
- ✗ D. 1, because it is all about the library and so counts as a single point: three facts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-B1-Q2 · question page 1100

AI.EVERYDAY.03 · Check a summary point by point

Which key point is missing from the summary?

Answer: B. Return books by May 31

The deadline is missing.

- ✗ A. It is a library: not a key point
- ✗ C. Late fees are paused while the library is closed: included
- ✗ D. The library closes: included

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-B1-Q3 · question page 1101

AI.EVERYDAY.03 · Check a summary point by point

Is "closed in June" accurate?

Answer: A. Not exactly; it closes June 1-7

It overstates the closure.

- ✗ B. Yes, and also all of July: no
- ✗ C. No, it never closes: it closes
- ✗ D. Yes, completely: overstated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-B1-Q4 · question page 1102

AI.EVERYDAY.03 · Check a summary point by point

What does column 3 record?

Answer: D. Whether each point is accurate

Accuracy.

- ✗ A. How long each sentence in the summary is, measured in words: not the column
- ✗ B. The author's name: no
- ✗ C. The date of the summary: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-B1-Q5 · question page 1103

AI.EVERYDAY.03 · Check a summary point by point

What is the last step of the check?

Answer: B. Look for summary claims not in the source

Catch additions.

- ✗ A. Print the summary: not the step
- ✗ C. Count the words in the summary and compare the count with the source: not the step
- ✗ D. Reread the title: not the step

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-F1-Q1 · question page 1104

AI.EVERYDAY.03 · Get and check summaries in practice

Gina needs a summary of a 12-page lease before signing. Which request fits best?

Answer: C. Paste the lease; ask for fees, deadlines and rules

Supply the source and the needs.

- ✗ A. Ask "what do leases usually say?" and use that general answer as her summary: not her lease
- ✗ B. Ask for a funny summary: wrong purpose
- ✗ D. Ask for a one-word summary: too little

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-F1-Q2 · question page 1105

AI.EVERYDAY.03 · Get and check summaries in practice

A summary of a school email says "no school Friday." The email says "no school Friday for grades 9-10 only." What should a grade 11 student conclude?

Answer: A. Check the email; the summary dropped a condition

Conditions matter.

- ✗ B. Ask for a longer summary instead: check the source
- ✗ C. Stay home Friday, since the summary clearly said there would be no school: wrong for grade 11
- ✗ D. Assume all emails are wrong: too broad

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-F1-Q3 · question page 1106

AI.EVERYDAY.03 · Get and check summaries in practice

Which summary request is grounded in a source?

Answer: D. "Summarize the notes below in 5 bullet points."

Notes below are supplied.

- ✗ A. "Summarize the internet's view.": no source
- ✗ B. "Summarize what experts think.": vague, no source
- ✗ C. "Summarize the main ideas of last week's team meeting that you did not attend.": no source

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-F1-Q4 · question page 1107

AI.EVERYDAY.03 · Get and check summaries in practice

A summary of a recipe lists 7 ingredients; the recipe has 9. What happened?

Answer: C. Two ingredients were omitted

Compare counts and items.

- ✗ A. The recipe must have 7 ingredients: it has 9
- ✗ B. Nothing; summaries never omit: they can
- ✗ D. The summary improved the recipe: not its job

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

S53-F1-Q5 · question page 1108

AI.EVERYDAY.03 · Get and check summaries in practice

Why ask what the summary is for?

Answer: B. So it includes what you will use it for

Purpose shapes content.

- ✗ A. So the tool can decide what you should care about instead of you deciding: you decide
- ✗ C. So it uses bigger words: not the reason
- ✗ D. So it becomes longer: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-F2-Q1 · question page 1109

AI.EVERYDAY.03 · Handle summaries of long or important sources

A 40-page report has 8 sections. How can you make missing parts easy to spot?

Answer: A. Ask for a summary section by section

Matching sections reveal gaps.

- ✗ B. Ask for a single sentence covering all 40 pages so nothing can be left out: more gets left out
- ✗ C. Skip reading any of it: no check
- ✗ D. Ask for a summary of only the title: too little

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-F2-Q2 · question page 1110

AI.EVERYDAY.03 · Handle summaries of long or important sources

What request helps you verify each key point?

Answer: B. "For each point, quote the source sentence."

Quotes let you check.

- ✗ A. "Use exciting language.": not verification
- ✗ C. "Make it rhyme.": not verification
- ✗ D. "Be as confident as possible about every point.": no support

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-F2-Q3 · question page 1111

AI.EVERYDAY.03 · Handle summaries of long or important sources

You will cancel a contract based on a summary. What should you read yourself?

Answer: A. The cancellation section

Read decision-critical parts.

- ✗ B. Only the signature page: not enough
- ✗ C. Only the title: not enough
- ✗ D. Only the summary: read what matters

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-F2-Q4 · question page 1112

AI.EVERYDAY.03 · Handle summaries of long or important sources

Why is a summary like a map?

Answer: D. It leaves things out by design

Summaries simplify.

- ✗ A. It is always perfectly accurate: not always
- ✗ B. It cannot be checked: it can
- ✗ C. It shows every single detail: not a summary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S53-F2-Q5 · question page 1113

AI.EVERYDAY.03 · Handle summaries of long or important sources

A study summary says a treatment "works." Which section of the study should you check?

Answer: C. The results section

Results show what was found.

- ✗ A. Only the list of references: not the evidence
- ✗ B. Only the title page: not the evidence
- ✗ D. Only the acknowledgments: not the evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-M-Q1 · question page 1115

AI.EVERYDAY.04 · Use AI translation for understanding and know its limits

Which use of AI translation is generally reasonable?

Answer: D. Getting the gist of a menu while traveling

Understanding everyday text is a good use.

- ✗ A. Translating an immigration form unchecked: high stakes
- ✗ B. Translating medicine instructions with no check: high stakes
- ✗ C. Translating a legal contract you will sign: high stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-M-Q2 · question page 1116

AI.EVERYDAY.04 · Use AI translation for understanding and know its limits

An idiom like "it's raining cats and dogs" is translated word for word. What is the problem?

Answer: A. The meaning is lost in the literal words

Idioms need meaning-based translation.

- ✗ B. Nothing, because idioms mean exactly what their individual words say in every language: they do not
- ✗ C. Animals cannot be translated: nonsense
- ✗ D. The translation will be too short: not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-M-Q3 · question page 1117

AI.EVERYDAY.04 · Use AI translation for understanding and know its limits

What is a quick check on a translation?

Answer: B. Translate it back and see if the meaning survived

Back-translation is a quick check.

- ✗ A. Count the words in the translation and see if the number matches the original: not a meaning check
- ✗ C. Ask the same tool if it is sure: not independent
- ✗ D. Check that it uses big words: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-M-Q4 · question page 1118

AI.EVERYDAY.04 · Use AI translation for understanding and know its limits

Who should translate a medical discharge instruction for a patient?

Answer: C. A qualified translator or fluent checker

High-stakes text needs qualified help.

- ✗ A. A friend who knows a few words: not qualified
- ✗ B. Nobody; the patient can guess: unsafe
- ✗ D. A free translation tool alone, since medical words have exact matches in every language: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-M-Q5 · question page 1119

AI.EVERYDAY.04 · Use AI translation for understanding and know its limits

Which error can translation tools make?

Answer: B. Changing a number or name

Numbers and names can be altered.

- ✗ A. Printing it in the wrong color: not typical
- ✗ C. Making the text disappear forever: not typical
- ✗ D. Turning the text into a picture: not typical

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-B1-Q1 · question page 1120

AI.EVERYDAY.04 · Compare translation with a phrase book abroad

What is a phrase book good for?

Answer: A. Ordering food and asking directions

Everyday needs.

- ✗ B. Signing a contract: too risky
- ✗ C. Explaining surgery history: too risky
- ✗ D. Arguing a court case in another country: too risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-B1-Q2 · question page 1121

AI.EVERYDAY.04 · Compare translation with a phrase book abroad

What do you need for a court case abroad?

Answer: C. An interpreter who knows both languages

Qualified human help.

- ✗ A. Hand gestures: not enough
- ✗ B. A dictionary app only: not enough
- ✗ D. A bigger phrase book with more pages: still not enough

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-B1-Q3 · question page 1122

AI.EVERYDAY.04 · Compare translation with a phrase book abroad

AI translation is like what in the passage?

Answer: D. A large, fast phrase book

Useful for the gist.

- ✗ A. A court judge: no
- ✗ B. A surgeon: no
- ✗ C. A qualified interpreter who takes responsibility for every word: not the comparison

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-B1-Q4 · question page 1123

AI.EVERYDAY.04 · Compare translation with a phrase book abroad

When is AI translation risky?

Answer: C. When exact meaning matters a lot

High stakes need precision.

- ✗ A. When asking for directions: fine
- ✗ B. When reading a street sign: fine
- ✗ D. When you only want to know roughly what a menu says before ordering: fine

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-B1-Q5 · question page 1124

AI.EVERYDAY.04 · Compare translation with a phrase book abroad

Which task is like using a phrase book?

Answer: D. Getting the gist of a friendly email

Everyday understanding.

- ✗ A. Translating a medical consent form: high stakes
- ✗ B. Translating a will: high stakes
- ✗ C. Translating a lease: high stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-F1-Q1 · question page 1125

AI.EVERYDAY.04 · Decide how to translate in practical situations

A parent receives a school notice in a language she reads only a little. What is a reasonable first step?

Answer: A. Use AI translation for the gist, then confirm key dates with the school

Gist first, then confirm important details.

- ✗ B. Sign anything attached without understanding: risky
- ✗ C. Guess the meaning from the pictures only: unreliable
- ✗ D. Ignore the notice, since translation tools are never useful for anything at school: they help

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-F1-Q2 · question page 1126

AI.EVERYDAY.04 · Decide how to translate in practical situations

A small business needs its refund policy in Spanish for customers. What is the safest approach?

Answer: B. Draft with AI, then have a fluent speaker review it

Review published, binding text.

- ✗ A. Skip the translation: customers need it
- ✗ C. Use a dictionary word by word: error-prone
- ✗ D. Publish the AI translation as is, since policies use simple words that cannot go wrong: errors possible

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-F1-Q3 · question page 1127

AI.EVERYDAY.04 · Decide how to translate in practical situations

A translated email says the meeting is on "the 3rd," but the original says "the 13th." What kind of error?

Answer: C. A changed number

Numbers can be altered.

- ✗ A. An idiom that was translated literally and lost its meaning in the process: not an idiom
- ✗ B. A politeness error: not politeness
- ✗ D. No error: the date changed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-F1-Q4 · question page 1128

AI.EVERYDAY.04 · Decide how to translate in practical situations

Jon back-translates a sentence and gets a very different meaning. What should he conclude?

Answer: D. The translation may have lost the meaning

A meaning change is a warning sign.

- ✗ A. Back-translation proves the translation is perfect: the opposite
- ✗ B. The languages are identical: no
- ✗ C. The original sentence must have been wrong all along: unlikely

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-F1-Q5 · question page 1129

AI.EVERYDAY.04 · Decide how to translate in practical situations

Which document most needs a qualified human translator?

Answer: B. A legal document for a court

Legal stakes are high.

- ✗ A. A song lyric for fun: lower stakes
- ✗ C. A street sign on vacation: lower stakes
- ✗ D. A recipe from a friend's grandmother that you want to try at home for fun: lower stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-F2-Q1 · question page 1130

AI.EVERYDAY.04 · Account for limits of back-translation and context

A back-translation matches the original perfectly. Does this prove the translation is correct?

Answer: A. No; errors can cancel out or be hidden

Helpful check, not proof.

- ✗ B. Yes; a perfect back-translation always proves the forward translation is flawless: not proof
- ✗ C. No; back-translation is never useful: it is useful
- ✗ D. Yes; but only for short sentences: still not proof

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-F2-Q2 · question page 1131

AI.EVERYDAY.04 · Account for limits of back-translation and context

Translation between two rarely used languages on a technical topic is likely to be...

Answer: B. Less reliable than everyday common languages

Quality varies by language and topic.

- ✗ A. Impossible to attempt: possible but riskier
- ✗ C. Perfect, since rare languages are simpler: not true
- ✗ D. Exactly as reliable as everyday English to Spanish: quality varies

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-F2-Q3 · question page 1132

AI.EVERYDAY.04 · Account for limits of back-translation and context

A polite request translated word for word sounds rude in the other language. What does this show?

Answer: A. Cultural meaning can be lost even when words are accurate

Context and culture matter.

- ✗ B. The other language has no polite forms at all, so rudeness cannot be avoided: unsupported
- ✗ C. The translation tool is broken: not necessarily
- ✗ D. Politeness never matters in business: it does

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-F2-Q4 · question page 1133

AI.EVERYDAY.04 · Account for limits of back-translation and context

A company's slogan contains a pun. What is the best approach for translating it?

Answer: D. Ask a fluent speaker to adapt it for the audience

Puns need cultural adaptation.

- ✗ A. Delete the slogan: not needed
- ✗ B. Translate it word for word so the meaning stays exactly the same as in English: the pun is lost
- ✗ C. Translate only the first word: nonsense

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S54-F2-Q5 · question page 1134

AI.EVERYDAY.04 · Account for limits of back-translation and context

Who is best to check a translated message for a specific community event?

Answer: C. A fluent speaker who knows the community

Fluency plus context.

- ✗ A. Someone who speaks neither language: cannot check
- ✗ B. The original writer alone: may not know the language
- ✗ D. Any translation tool: not reliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-M-Q1 · question page 1136

AI.EVERYDAY.05 · Use AI to support learning rather than replace it

Which use supports learning?

Answer: A. Asking for a simpler explanation of a concept

Explanations build understanding.

- ✗ B. Copying homework answers: replaces learning
- ✗ C. Letting it take an online quiz for you: replaces learning
- ✗ D. Having the tool write your whole essay: replaces learning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-M-Q2 · question page 1137

AI.EVERYDAY.05 · Use AI to support learning rather than replace it

In this fictional example, why is the response a good tutoring move?

Fictional example (prepared in advance; not a real AI output)

Request:

> I am stuck on this math problem. Do not give me the answer. Give me one hint. Problem: A shirt costs 20 dollars after a 20 percent discount. What was the original price?

Response:

> Hint: the sale price is 80 percent of the original price. Try writing that as an equation with the original price as an unknown.

Answer: C. It gives a hint without the answer

Hints keep the student thinking.

- ✗ A. It changes the problem: it did not
- ✗ B. It refuses to help the student: it helped
- ✗ D. It solves the whole problem quickly: it did not

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-M-Q3 · question page 1138

AI.EVERYDAY.05 · Use AI to support learning rather than replace it

Using the hint in the example, what was the original price?

Fictional example (prepared in advance; not a real AI output)

Request:

I am stuck on this math problem. Do not give me the answer. Give me one hint. Problem: A shirt costs 20 dollars after a 20 percent discount. What was the original price?

Response:

Hint: the sale price is 80 percent of the original price. Try writing that as an equation with the original price as an unknown.

Answer: B. 25 dollars

0.8 x price = 20, so price = 25.

- ✗ A. 40 dollars: doubled
- ✗ C. 16 dollars: took 20 percent off again
- ✗ D. 24 dollars: wrong base

Arithmetic checked by code: yes. Code example run and its output checked: not applicable.
Sources: none (stable)

S55-M-Q4 · question page 1139

AI.EVERYDAY.05 · Use AI to support learning rather than replace it

What is the "try first" habit?

Answer: D. Attempt the problem before asking for hints

Effort first builds skill.

- ✗ A. Skip problems you find hard: no practice
- ✗ B. Ask a friend for their answers: not learning
- ✗ C. Ask the tool for the answer first, then try the problem if you have spare time: reversed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-M-Q5 · question page 1140

AI.EVERYDAY.05 · Use AI to support learning rather than replace it

Why does handing in a tool's work skip learning?

Answer: C. You miss the practice the work was meant to give

Practice is the purpose.

- ✗ A. Because teachers cannot read typed work: not true
- ✗ B. Because homework is never graded: not the point
- ✗ D. Because tools always produce work that is far worse: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-B1-Q1 · question page 1141

AI.EVERYDAY.05 · Compare tutoring with a gym spotter

What does a good spotter do?

Answer: A. Helps a little when you are stuck

Light help keeps you lifting.

- ✗ B. Lifts the entire weight for you every single time so you never strain: no growth
- ✗ C. Leaves the gym: no help
- ✗ D. Adds more weight secretly: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-B1-Q2 · question page 1142

AI.EVERYDAY.05 · Compare tutoring with a gym spotter

What happens if the spotter always lifts for you?

Answer: B. You do not get stronger

No effort, no growth.

- ✗ A. You win a medal: no
- ✗ C. The weights get lighter: no
- ✗ D. You get stronger faster: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-B1-Q3 · question page 1143

AI.EVERYDAY.05 · Compare tutoring with a gym spotter

In studying, what is like spotting?

Answer: D. Getting a hint after trying

Hints are spotting.

- ✗ A. Copying a friend's answers: not spotting
- ✗ B. Skipping class: not spotting
- ✗ C. Having the tool write the entire assignment for you from start to finish: that is lifting for you

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-B1-Q4 · question page 1144

AI.EVERYDAY.05 · Compare tutoring with a gym spotter

In studying, what is like the spotter lifting for you?

Answer: C. Handing in a tool's finished essay

Replacing your effort.

- ✗ A. Asking for a definition of one word you did not understand in the reading: that is support
- ✗ B. Asking for a practice question: support
- ✗ D. Checking your answer after trying: support

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-B1-Q5 · question page 1145

AI.EVERYDAY.05 · Compare tutoring with a gym spotter

What makes you stronger at the gym and in school?

Answer: A. Doing the work with light support

Your effort builds skill.

- ✗ B. Watching someone else do all of the work for you while you take notes: no growth
- ✗ C. Skipping the work: no growth
- ✗ D. Buying new shoes: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-F1-Q1 · question page 1146

AI.EVERYDAY.05 · Choose study requests that build skills

Lee has a history essay due. Which request supports learning?

Answer: B. "Give feedback on my draft's argument."

Feedback on your own draft.

- ✗ A. "Write it so my teacher cannot tell.": dishonest
- ✗ C. "Make up some quotes I can use.": dishonest
- ✗ D. "Write my history essay for me.": replaces learning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-F1-Q2 · question page 1147

AI.EVERYDAY.05 · Choose study requests that build skills

Mia keeps getting full answers when she wants hints. What should she ask?

Answer: D. "Give one hint, not the answer."

Ask explicitly for hints.

- ✗ A. "Solve all the problems.": gives answers
- ✗ B. "Just tell me what to write.": gives answers
- ✗ C. "Explain it again in more detail": gives the answer

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-F1-Q3 · question page 1148

AI.EVERYDAY.05 · Choose study requests that build skills

Which request helps prepare for a test?

Answer: C. "Give me 5 practice questions on photosynthesis."

Practice builds readiness.

- ✗ A. "Write my cheat sheet in tiny letters.": not learning
- ✗ B. "Tell me the exact questions that will be on my teacher's test next Friday.": it cannot know
- ✗ D. "Take the test for me.": not allowed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-F1-Q4 · question page 1149

AI.EVERYDAY.05 · Choose study requests that build skills

After an AI explanation of fractions, how can Raj check that he learned it?

Answer: A. Solve new problems without help

Practice without help shows learning.

- ✗ B. Copy the explanation into his notes: not a test
- ✗ C. Ask the tool if he understands: not a test
- ✗ D. Reread the explanation several times: illusion of learning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-F1-Q5 · question page 1150

AI.EVERYDAY.05 · Choose study requests that build skills

Which is a good "why" question while studying?

Answer: D. "Why does dividing by a fraction flip it?"

"Why" builds understanding.

- ✗ A. "What should I copy?": replaces work
- ✗ B. "Can you do my worksheet?": replaces work
- ✗ C. "What is the answer to number 7 on the worksheet?": answer only

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-F2-Q1 · question page 1151

AI.EVERYDAY.05 · Avoid the pitfalls of AI tutoring

An AI explanation of a chemistry rule disagrees with the textbook. What should a student do?

Answer: B. Check with the textbook or teacher

Compare with trusted sources.

- ✗ A. Average the two explanations: nonsense
- ✗ C. Ignore both: no learning
- ✗ D. Trust the AI: clarity is not accuracy

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-F2-Q2 · question page 1152

AI.EVERYDAY.05 · Avoid the pitfalls of AI tutoring

After reading a clear explanation, a student feels ready but fails practice problems. What happened?

Answer: A. Understanding an explanation is not the same as being able to do it

Practice reveals real skill.

- ✗ B. The practice problems must have been made unfair, since the explanation was clear: not the lesson
- ✗ C. Explanations are always wrong: too strong
- ✗ D. The student did not read the explanation: they did

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-F2-Q3 · question page 1153

AI.EVERYDAY.05 · Avoid the pitfalls of AI tutoring

Which plan avoids an illusion of learning?

Answer: C. Get help, then test yourself without help

Self-testing shows learning.

- ✗ A. Read explanations only: no test
- ✗ B. Memorize the tool's answers: not understanding
- ✗ D. Get help on every problem and never try any problem alone, to avoid mistakes: no self-test

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-F2-Q4 · question page 1154

AI.EVERYDAY.05 · Avoid the pitfalls of AI tutoring

A tool gave the final answer when the student asked for a hint. What should she do?

Answer: B. Try a similar problem herself to practice

Recover the practice.

- ✗ A. Report the tool to her teacher: not necessary
- ✗ C. Copy the answer and move on, since she now has what she needs for this question: no practice
- ✗ D. Stop studying for the day: no practice

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S55-F2-Q5 · question page 1155

AI.EVERYDAY.05 · Avoid the pitfalls of AI tutoring

Why are AI explanations riskier on advanced or obscure topics?

Answer: D. Errors are more likely there

Check advanced explanations carefully.

- ✗ A. Because obscure topics have no answers: not true
- ✗ B. Because advanced topics are always explained more clearly than basic ones by tools: not true
- ✗ C. Because tools refuse advanced topics: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-M-Q1 · question page 1157

AI.EVERYDAY.06 · Find and follow the AI rules that apply, including disclosure

Where should a student look first for AI rules on an assignment?

Answer: A. The assignment instructions and syllabus

The applicable rules come from your class.

- ✗ B. A friend's guess: not your rules
- ✗ C. The AI tool's advertising: not your rules
- ✗ D. A social media post from a student: not your rules

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-M-Q2 · question page 1158

AI.EVERYDAY.06 · Find and follow the AI rules that apply, including disclosure

What is disclosure of AI use?

Answer: D. Saying how you used AI in your work

Disclosure is being open about AI help.

- ✗ A. Deleting the AI tool afterward: not disclosure
- ✗ B. Paying a fee to use AI: not disclosure
- ✗ C. Hiding any AI use: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-M-Q3 · question page 1159

AI.EVERYDAY.06 · Find and follow the AI rules that apply, including disclosure

One class allows AI brainstorming; another bans all AI. What does this show?

Answer: B. Rules differ by class

Each setting has its own rules.

- ✗ A. AI is always banned everywhere: not true
- ✗ C. AI is always allowed everywhere: not true
- ✗ D. One of the two teachers must be breaking a law that applies to every school in the country: not implied

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-M-Q4 · question page 1160

AI.EVERYDAY.06 · Find and follow the AI rules that apply, including disclosure

A rule is unclear about using AI to check grammar. What should you do?

Answer: C. Ask the teacher before using it

Clarify unclear rules.

- ✗ A. Use it and decide later whether to mention it if anyone happens to ask: risky
- ✗ B. Assume it is allowed: risky
- ✗ D. Assume it is banned and say nothing: better to ask

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-M-Q5 · question page 1161

AI.EVERYDAY.06 · Find and follow the AI rules that apply, including disclosure

Which is an example of accurate disclosure?

Answer: D. "I used an AI tool to check grammar and spelling."

Specific and true.

- ✗ A. "No AI was used," when it was: dishonest
- ✗ B. "AI wrote this," when only grammar was checked: inaccurate
- ✗ C. "I may or may not have used some technology.": vague

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-B1-Q1 · question page 1162

AI.EVERYDAY.06 · Compare AI rules with rules for calculators

Why might calculators be banned on a mental math test?

Answer: A. The test measures mental arithmetic

Rules follow the purpose.

- ✗ B. Calculators are too slow: no
- ✗ C. Calculators are expensive: no
- ✗ D. Because calculators are always illegal: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-B1-Q2 · question page 1163

AI.EVERYDAY.06 · Compare AI rules with rules for calculators

Is the calculator different on the physics test?

Answer: C. No; the rule is different

Same tool, different rules.

- ✗ A. Yes, it gets new batteries: irrelevant
- ✗ B. No, and it is banned there too: may be allowed
- ✗ D. Yes: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-B1-Q3 · question page 1164

AI.EVERYDAY.06 · Compare AI rules with rules for calculators

What decides whether a tool is allowed?

Answer: B. What the task is meant to measure

Purpose.

- ✗ A. The day of the week: no
- ✗ C. The tool's color: no
- ✗ D. How expensive the tool was to buy: not the main reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-B1-Q4 · question page 1165

AI.EVERYDAY.06 · Compare AI rules with rules for calculators

Why might AI be banned on an essay?

Answer: D. The essay measures your writing

It would replace what is assessed.

- ✗ A. Because essays are short: no
- ✗ B. Because essays can never be improved by any outside help of any kind: too strong
- ✗ C. Because AI cannot write: it can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-B1-Q5 · question page 1166

AI.EVERYDAY.06 · Compare AI rules with rules for calculators

Where might AI be welcome?

Answer: A. Brainstorming research in another class

Depends on the rule and purpose.

- ✗ B. On a spelling quiz: probably not
- ✗ C. On a test that is specifically meant to measure your own writing skills: probably not
- ✗ D. On a mental math test: probably not

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-F1-Q1 · question page 1167

AI.EVERYDAY.06 · Apply AI rules and disclosure in practice

Ava's syllabus says, "AI may be used for brainstorming only; disclose any use." She used AI for ideas. What should she do?

Answer: B. Note in her work that she used AI for brainstorming

Follow the disclosure rule.

- ✗ A. Also let AI write the essay: not allowed
- ✗ C. Delete her ideas and start over: unnecessary
- ✗ D. Say nothing, since brainstorming does not really count as using AI on the essay: disclosure required

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-F1-Q2 · question page 1168

AI.EVERYDAY.06 · Apply AI rules and disclosure in practice

A workplace allows only approved AI tools. A new free tool is not approved. What should an employee do?

Answer: C. Use an approved tool or ask for approval

Follow the approved list.

- ✗ A. Use it on a personal phone for work files: still a violation
- ✗ B. Use it only for confidential files: worse
- ✗ D. Use the free tool anyway: still covered

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-F1-Q3 · question page 1169

AI.EVERYDAY.06 · Apply AI rules and disclosure in practice

A teacher's assignment says "no AI tools." Is using AI to fix grammar allowed?

Answer: A. No, unless the teacher says so

Follow the rule as written or ask.

- ✗ B. Yes, on weekends: nonsense
- ✗ C. Yes, if no one notices: dishonest
- ✗ D. Yes, because grammar checking is so minor that it does not count as using AI: it counts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-F1-Q4 · question page 1170

AI.EVERYDAY.06 · Apply AI rules and disclosure in practice

Which disclosure is most accurate for using AI to outline a report?

Answer: C. "I used an AI tool to suggest an outline, which I revised."

Specific and true.

- ✗ A. "Technology was involved.": vague
- ✗ B. "I did all of this entirely by myself with no outside help of any kind.": false
- ✗ D. "AI wrote the whole report.": inaccurate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-F1-Q5 · question page 1171

AI.EVERYDAY.06 · Apply AI rules and disclosure in practice

A student used AI in a class that bans it, but the same use is allowed in another class. Is it a problem?

Answer: D. Yes; the class's own rule applies

Each class sets its own rules.

- ✗ A. No, because AI is legal: school rules still apply
- ✗ B. No, if the grade is good: irrelevant
- ✗ C. No, because the other class allows it: rules differ

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-F2-Q1 · question page 1172

AI.EVERYDAY.06 · Handle layered rules and keep honest records

A school allows AI, but one teacher bans it for a specific essay. Which rule governs that essay?

Answer: B. The teacher's specific instruction

Specific instructions usually govern.

- ✗ A. Neither applies: both apply
- ✗ C. Whichever the student prefers: not how rules work
- ✗ D. The general school policy: the specific usually governs

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-F2-Q2 · question page 1173

AI.EVERYDAY.06 · Handle layered rules and keep honest records

A workplace allows AI for internal drafts but not for client messages. A draft becomes a client email. What should happen?

Answer: A. Rewrite or review it to meet the client-message rule

Rules apply to the final use.

- ✗ B. Send it without telling anyone: violation
- ✗ C. Delete the client: nonsense
- ✗ D. Send it as is, since it started out as an internal draft: rule applies at use

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-F2-Q3 · question page 1174

AI.EVERYDAY.06 · Handle layered rules and keep honest records

Why keep notes of how you used AI?

Answer: C. To make honest, specific disclosure easy

Records support honesty.

- ✗ A. To share with other students to copy: not the purpose
- ✗ B. To prove to your teacher that the AI did most of the hard work for you: not the purpose
- ✗ D. Because notes are always required by law: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-F2-Q4 · question page 1175

AI.EVERYDAY.06 · Handle layered rules and keep honest records

A teacher asks how a student used AI. Which answer is best?

Answer: B. A specific account of what was used and for what

Be specific and accurate.

- ✗ A. Blaming the tool: not an account
- ✗ C. Denying any use: dishonest if used
- ✗ D. A vague answer that avoids details, since the teacher probably will not check anyway: dishonest

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S56-F2-Q5 · question page 1176

AI.EVERYDAY.06 · Handle layered rules and keep honest records

What protects a student if questions come up about AI use later?

Answer: D. Notes of the requests made and how they were used

Records show honest use.

- ✗ A. Using a different tool each time: not protective
- ✗ B. Never mentioning anything: not protective
- ✗ C. Deleting every trace of the conversation so there is nothing anyone could question: not protective

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-M-Q1 · question page 1178

AI.EVERYDAY.07 · Use AI for household and travel plans while checking key facts

What is an AI tool most helpful for in trip planning?

Answer: D. Structure and ideas for the plan

Use it for structure; check facts.

- ✗ A. Knowing tomorrow's exact weather: needs a forecast source
- ✗ B. Guaranteeing that every price, time and rule in the plan is current and correct: facts need checking
- ✗ C. Booking flights without your approval: not appropriate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-M-Q2 · question page 1179

AI.EVERYDAY.07 · Use AI for household and travel plans while checking key facts

Which detail in a travel plan most needs checking?

Answer: A. A museum's opening hours

Hours change.

- ✗ B. The order of days in the plan: your choice
- ✗ C. The idea that visiting a museum on vacation can be an enjoyable way to spend time: opinion
- ✗ D. The plan's headings: formatting

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-M-Q3 · question page 1180

AI.EVERYDAY.07 · Use AI for household and travel plans while checking key facts

Where should you check a city's bus schedule?

Answer: B. The transit agency's current schedule

Official, current sources.

- ✗ A. A three-year-old blog: outdated
- ✗ C. A friend's memory: unreliable
- ✗ D. A travel plan written by a tool that does not show any source for its times: unverified

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-M-Q4 · question page 1181

AI.EVERYDAY.07 · Use AI for household and travel plans while checking key facts

A meal plan lists a dish with nuts for a family member with a nut allergy. What is the lesson?

Answer: C. Safety details must be checked by you

Check safety-critical details.

- ✗ A. Nuts are safe in small amounts for everyone: not true
- ✗ B. Allergies do not matter for planning: they do
- ✗ D. Meal plans from tools always remove allergens: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-M-Q5 · question page 1182

AI.EVERYDAY.07 · Use AI for household and travel plans while checking key facts

Which details can cost money, time or safety if wrong?

Answer: A. Prices, hours, rules and allergy information

Check consequential details.

- ✗ B. The plan's title: cosmetic
- ✗ C. The number of bullet points: cosmetic
- ✗ D. The colors and fonts used in the plan document: cosmetic

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-B1-Q1 · question page 1183

AI.EVERYDAY.07 · Pick which details in a plan need checking

In the example, which detail goes in the CHECK pile?

Answer: B. Ticket price of 15 dollars

Prices can be wrong.

- ✗ A. Going on Saturday: your choice
- ✗ C. Seeing animals: the purpose
- ✗ D. The idea of having a picnic: low risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-B1-Q2 · question page 1184

AI.EVERYDAY.07 · Pick which details in a plan need checking

Which detail is low-risk?

Answer: D. "Have pasta on Tuesday"

Preferences cost little if changed.

- ✗ A. "The park closes at 5": check
- ✗ B. "The ferry leaves at 7:15 a.m., and missing it means waiting until the next day": check
- ✗ C. "Entry costs 30 dollars": check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-B1-Q3 · question page 1185

AI.EVERYDAY.07 · Pick which details in a plan need checking

Why is "zoo opens 9 a.m." in the CHECK pile?

Answer: C. A wrong time could waste your trip

Time-sensitive facts need checking.

- ✗ A. Because 9 is an odd number: irrelevant
- ✗ B. Because zoos never open in the morning on weekends anywhere in the country: not true
- ✗ D. It is not in that pile: it is

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-B1-Q4 · question page 1186

AI.EVERYDAY.07 · Pick which details in a plan need checking

Which pile does "bring a sweater" go in?

Answer: D. Low-risk

A preference.

- ✗ A. Neither pile: it fits low-risk
- ✗ B. Both piles: one pile
- ✗ C. Check: not necessary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-B1-Q5 · question page 1187

AI.EVERYDAY.07 · Pick which details in a plan need checking

Which pile does "this beach allows dogs" go in?

Answer: C. Check

Local rules can be wrong.

- ✗ A. Low-risk, since rules about dogs are the same at every beach in every town: rules vary
- ✗ B. Neither pile: it is a rule
- ✗ D. It cannot be sorted: it can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-F1-Q1 · question page 1188

AI.EVERYDAY.07 · Check practical household and travel plans

A tool's weekend plan says a farmers market is "every Sunday 8-1." What should Kim do before going?

Answer: B. Check the market's current schedule

Confirm with the source.

- ✗ A. Assume all markets are open Sundays: unsupported
- ✗ C. Ask the tool to repeat the time: not a check
- ✗ D. Go at 8 on Sunday: may be wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-F1-Q2 · question page 1189

AI.EVERYDAY.07 · Check practical household and travel plans

A budget plan estimates rent at 900 dollars, but Kim pays 1,150. What should she do?

Answer: A. Replace the estimate with her real number

Use your real figures.

- ✗ B. Move to cheaper housing immediately: not the point
- ✗ C. Ignore rent in the budget: essential
- ✗ D. Keep the estimate: her number is real

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-F1-Q3 · question page 1190

AI.EVERYDAY.07 · Check practical household and travel plans

A packing list for a hiking trip is useful. What should still be checked?

Answer: B. Trail conditions and weather

Safety conditions need current sources.

- ✗ A. The number of items: not the key check
- ✗ C. The list's font: cosmetic
- ✗ D. Whether the packing list is arranged in alphabetical order for easy reading: cosmetic

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-F1-Q4 · question page 1191

AI.EVERYDAY.07 · Check practical household and travel plans

A plan says parking is free near a stadium on game days. Why check?

Answer: A. Parking rules vary and change

Local rules vary.

- ✗ B. Because stadiums have no parking: not true
- ✗ C. Because parking cannot be planned: it can
- ✗ D. Because parking near stadiums is always free on game days in every city: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-F1-Q5 · question page 1192

AI.EVERYDAY.07 · Check practical household and travel plans

Which part of a menu plan is fine to take straight from the tool?

Answer: C. Ideas for dinners to try

Ideas are low-risk.

- ✗ A. Medication timing with meals: check
- ✗ B. Exact prices at your store: check
- ✗ D. The safety of each dish for a family member with a serious food allergy: check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-F2-Q1 · question page 1193

AI.EVERYDAY.07 · Make plans robust and confirm bookings

A plan includes a popular museum that requires advance tickets. What could go wrong?

Answer: D. Arriving without tickets and being turned away

Check entry requirements.

- ✗ A. The museum will be too empty: not the risk
- ✗ B. The tickets will be free: not the risk
- ✗ C. Nothing, since museums always sell tickets at the door: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-F2-Q2 · question page 1194

AI.EVERYDAY.07 · Make plans robust and confirm bookings

A tool estimates a hike takes 2 hours, but the trail is steep. What makes the plan more robust?

Answer: B. Adding slack time and a backup option

Slack and backups absorb surprises.

- ✗ A. Hiking faster no matter what: unsafe
- ✗ C. Ignoring the steepness: risky
- ✗ D. Removing the hike and every other outdoor activity from the trip to avoid any risk: too extreme

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-F2-Q3 · question page 1195

AI.EVERYDAY.07 · Make plans robust and confirm bookings

Where should information about a trail's safety come from?

Answer: D. The park's official current conditions

Safety needs reliable sources.

- ✗ A. A guess based on photos: unreliable
- ✗ B. A general travel plan from a tool that did not cite any park source for the trail: unverified
- ✗ C. A movie set on a trail: not a source

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-F2-Q4 · question page 1196

AI.EVERYDAY.07 · Make plans robust and confirm bookings

A plan includes a hotel "booked for Friday." Kim never booked it. What should she do?

Answer: A. Confirm and book directly with the hotel

Bookings must be confirmed with the provider.

- ✗ B. Show up on Friday, since the plan said it was booked and plans are usually accurate: not booked
- ✗ C. Call a different hotel: not the point
- ✗ D. Assume the tool booked it for her: it did not

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S57-F2-Q5 · question page 1197

AI.EVERYDAY.07 · Make plans robust and confirm bookings

A recipe in the plan needs an ingredient that is hard to find locally. What is the best fix?

Answer: C. Plan a substitute or a backup recipe

Backups keep plans working.

- ✗ A. Ignore the ingredient and hope: risky
- ✗ B. Drive hours to find the exact ingredient no matter how far away the nearest store is: impractical
- ✗ D. Skip dinner: unnecessary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-M-Q1 · question page 1199

AI.EVERYDAY.08 · Use AI accessibility features and check their accuracy

Which is an AI accessibility feature?

Answer: D. Text-to-speech reading a screen aloud

Reading aloud supports access.

- ✗ A. A password manager that stores your logins safely in one place for later: not accessibility
- ✗ B. A screen saver: not accessibility
- ✗ C. A calendar reminder: not specific to accessibility

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-M-Q2 · question page 1200

AI.EVERYDAY.08 · Use AI accessibility features and check their accuracy

What mistake can automatic captions make?

Answer: C. Mishearing names or technical words

Speech recognition errors appear in captions.

- ✗ A. Muting the speaker: not a caption error
- ✗ B. Changing the video's colors: not a caption error
- ✗ D. Making the video play faster than normal: not a caption error

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-M-Q3 · question page 1201

AI.EVERYDAY.08 · Use AI accessibility features and check their accuracy

What risk comes with simplified text?

Answer: B. Important details may be dropped

Simplifying can lose details.

- ✗ A. It cannot be read aloud: not true
- ✗ C. It changes the language: not usually
- ✗ D. Simplified text always becomes longer: not the risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-M-Q4 · question page 1202

AI.EVERYDAY.08 · Use AI accessibility features and check their accuracy

A person who is blind uses an AI image description of a medicine label. What is wise?

Answer: A. Confirm critical details with a pharmacist or trusted person

High stakes need confirmation.

- ✗ B. Ignore the label: unsafe
- ✗ C. Trust the description fully, since image descriptions are always exact for printed labels: not always
- ✗ D. Guess the dose: unsafe

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-M-Q5 · question page 1203

AI.EVERYDAY.08 · Use AI accessibility features and check their accuracy

Which statement is accurate?

Answer: C. Accessibility features help but can make mistakes

Helpful, with checks for high stakes.

- ✗ A. Accessibility features are never useful: they are
- ✗ B. Only experts may use accessibility features: not true
- ✗ D. Accessibility features are perfect: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-B1-Q1 · question page 1204

AI.EVERYDAY.08 · Compare accessibility tools with a sign-language interpreter who is still learning

What does the volunteer interpreter provide?

Answer: B. Access to an event people could not follow otherwise

Valuable access.

- ✗ A. A recording only: not described
- ✗ C. Nothing useful: they help
- ✗ D. A perfect word-for-word record that never contains any mistakes or gaps: not perfect

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-B1-Q2 · question page 1205

AI.EVERYDAY.08 · Compare accessibility tools with a sign-language interpreter who is still learning

What mistakes might they make?

Answer: A. Missing a name or a technical term

Occasional misses.

- ✗ B. Changing the event time: no
- ✗ C. Speaking a different language entirely: no
- ✗ D. Leaving the event in the middle: not described

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-B1-Q3 · question page 1206

AI.EVERYDAY.08 · Compare accessibility tools with a sign-language interpreter who is still learning

When would you want a certified interpreter or written copy?

Answer: D. For a medical briefing

High stakes need precision.

- ✗ A. For a joke: low stakes
- ✗ B. For a movie trailer: low stakes
- ✗ C. For a casual chat: low stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-B1-Q4 · question page 1207

AI.EVERYDAY.08 · Compare accessibility tools with a sign-language interpreter who is still learning

AI captions are like the volunteer because they...

Answer: B. Usually help but sometimes err

Useful, imperfect.

- ✗ A. Only work on paper: no
- ✗ C. Always refuse to work: no
- ✗ D. Never make mistakes of any kind: they do

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-B1-Q5 · question page 1208

AI.EVERYDAY.08 · Compare accessibility tools with a sign-language interpreter who is still learning

Why do errors matter more at a medical briefing?

Answer: D. A missed detail could cause harm

Stakes raise the cost of errors.

- ✗ A. Because medical briefings are always much longer than casual talks at events: not the reason
- ✗ B. They do not matter more: they do
- ✗ C. Because doctors talk fast: not the main reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-F1-Q1 · question page 1209

AI.EVERYDAY.08 · Use accessibility features wisely

A student with dyslexia uses text-to-speech for a long reading. What is a good additional habit?

Answer: C. Check unfamiliar names or terms in the original text

Spot-check tricky words.

- ✗ A. Stop reading the original text forever, since the tool reads everything correctly: some words may be misread
- ✗ B. Turn the speed to maximum: not helpful
- ✗ D. Skip the hard parts: loses content

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-F1-Q2 · question page 1210

AI.EVERYDAY.08 · Use accessibility features wisely

Auto-captions in a class video show the teacher's name wrong. What should the student do?

Answer: A. Use the correct name from another source

Names are a common caption error.

- ✗ B. Assume the teacher changed names: no
- ✗ C. Stop watching the video: unnecessary
- ✗ D. Use the caption's version of the name: it is wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-F1-Q3 · question page 1211

AI.EVERYDAY.08 · Use accessibility features wisely

A simplified version of a lease drops the late-fee rule. What is the risk?

Answer: D. The reader misses an important cost

Simplification can drop key details.

- ✗ A. The simplified text becomes harder: not the issue
- ✗ B. The lease becomes invalid: not the issue
- ✗ C. No risk: they matter

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-F1-Q4 · question page 1212

AI.EVERYDAY.08 · Use accessibility features wisely

A person with low vision uses AI to describe a bar chart in a work report. What might go wrong?

Answer: C. The description may be vague or miss key values

Complex visuals are hard to describe.

- ✗ A. The chart will be deleted: no
- ✗ B. The report will be translated: no
- ✗ D. The description will always list every bar: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-F1-Q5 · question page 1213

AI.EVERYDAY.08 · Use accessibility features wisely

Which use of speech-to-text is lowest stakes?

Answer: A. Dictating a grocery list

Errors cost little.

- ✗ B. Dictating bank account numbers: high stakes
- ✗ C. Dictating a legal statement: high stakes
- ✗ D. Dictating exact dosage instructions: high stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-F2-Q1 · question page 1214

AI.EVERYDAY.08 · Recognize uneven accuracy and the need for accessible design

A speech tool works well for one employee but poorly for a coworker with a strong accent. What does this show?

Answer: B. Accuracy can vary across speakers

Performance is uneven.

- ✗ A. Accents cannot be recognized at all: too strong
- ✗ C. The tool is perfect for everyone: not shown
- ✗ D. The coworker must be speaking incorrectly: not the lesson

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-F2-Q2 · question page 1215

AI.EVERYDAY.08 · Recognize uneven accuracy and the need for accessible design

An organization relies only on automatic captions for an important public safety video. What is the concern?

Answer: A. Errors may go uncorrected in important content

Important content deserves reviewed captions.

- ✗ B. Safety videos never have words: they do
- ✗ C. Captions are not needed for videos: they are
- ✗ D. Automatic captions are always more accurate: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-F2-Q3 · question page 1216

AI.EVERYDAY.08 · Recognize uneven accuracy and the need for accessible design

What should people who rely on accessibility tools be able to do?

Answer: C. Correct errors and choose settings

Control and correction matter.

- ✗ A. Only use them on weekends: nonsense
- ✗ B. Pay extra for every correction: not the point
- ✗ D. Nothing: users need control

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-F2-Q4 · question page 1217

AI.EVERYDAY.08 · Recognize uneven accuracy and the need for accessible design

Which is part of accessible design rather than relying only on automatic tools?

Answer: D. Written alt text for key images

Designed accessibility complements tools.

- ✗ A. Using smaller text: worse
- ✗ B. Using low contrast colors: worse
- ✗ C. Removing all images: too extreme

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S58-F2-Q5 · question page 1218

AI.EVERYDAY.08 · Recognize uneven accuracy and the need for accessible design

A noisy room makes captions inaccurate during a meeting. What helps?

Answer: B. Sharing a written summary or notes too

Backups support access.

- ✗ A. Turning off captions completely: removes access
- ✗ C. Ignoring the errors: leaves gaps
- ✗ D. Talking louder than everyone else: not reliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-M-Q1 · question page 1220

AI.EVERYDAY.09 · Choose a simpler tool when it fits better

Which tool is best for adding up 40 expenses exactly?

Answer: A. A spreadsheet or calculator

Exact computation.

- ✗ B. A generative chatbot asked to add the numbers in a single long paragraph: can make arithmetic errors
- ✗ C. A thesaurus: not for math
- ✗ D. A drawing app: not for math

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-M-Q2 · question page 1221

AI.EVERYDAY.09 · Choose a simpler tool when it fits better

Which tool is best for a store's holiday hours?

Answer: D. The store's official website

Go to the source.

- ✗ A. A calculator: not for facts
- ✗ B. A generative tool answering from its training data with no link to any source: may be outdated
- ✗ C. A thesaurus: not for facts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-M-Q3 · question page 1222

AI.EVERYDAY.09 · Choose a simpler tool when it fits better

Which task suits a generative tool best?

Answer: B. Rephrasing a paragraph to be friendlier

Rewording is a strength.

- ✗ A. Finding today's bus times: use the official source
- ✗ C. Setting a reminder for a deadline: use a calendar
- ✗ D. Calculating exact loan payments: use a calculator

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-M-Q4 · question page 1223

AI.EVERYDAY.09 · Choose a simpler tool when it fits better

Why might a calculator beat a chatbot for math?

Answer: B. It follows a set calculation instead of guessing

A calculator follows a defined calculation; you still check the numbers you enter, the formula and the rounding.

- ✗ A. Because calculators are newer: not true
- ✗ C. Because chatbots cannot display numbers: not true
- ✗ D. Because calculators can also explain the meaning of every number in clear sentences: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-M-Q5 · question page 1224

AI.EVERYDAY.09 · Choose a simpler tool when it fits better

A student needs the meaning of one word. Which is quickest and reliable?

Answer: D. A dictionary

Simple lookup.

- ✗ A. A calendar: not for meanings
- ✗ B. A spreadsheet: not for meanings
- ✗ C. A long conversation: more than needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-B1-Q1 · question page 1225

AI.EVERYDAY.09 · Compare tools in a toolbox

Why use a screwdriver for a screw?

Answer: C. It fits the job better than a hammer

Fit matters.

- ✗ A. Hammers are too light: not the point
- ✗ B. Screwdrivers are newer: irrelevant
- ✗ D. Because hammers are always dangerous: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-B1-Q2 · question page 1226

AI.EVERYDAY.09 · Compare tools in a toolbox

A generative AI tool is like what?

Answer: A. A flexible multi-tool

Handy, not always best.

- ✗ B. A toolbox lid: no
- ✗ C. A perfect tool that is always the best choice for every possible job: not always best
- ✗ D. A broken tool: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-B1-Q3 · question page 1227

AI.EVERYDAY.09 · Compare tools in a toolbox

In the comparison, a calculator is like what?

Answer: B. The tape measure

Exact measurement.

- ✗ A. The toolbox: no
- ✗ C. The hammer that is used to hit screws even though it works badly for that job: not the comparison
- ✗ D. The multi-tool: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-B1-Q4 · question page 1228

AI.EVERYDAY.09 · Compare tools in a toolbox

What should you use for something official?

Answer: D. The right directory, like an official site

Official sources for official facts.

- ✗ A. The multi-tool, because it can do everything at least a little bit by guessing: not the source
- ✗ B. A guess: no
- ✗ C. A hammer: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-B1-Q5 · question page 1229

AI.EVERYDAY.09 · Compare tools in a toolbox

What is the main lesson?

Answer: A. Pick the tool that fits the task

Fit over habit.

- ✗ B. Never use tools: no
- ✗ C. Use only hammers: no
- ✗ D. Always use the newest and most flexible tool for every job, no matter what: not the lesson

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-F1-Q1 · question page 1230

AI.EVERYDAY.09 · Pick the right tool for practical tasks

Dev needs to split a 187-dollar dinner bill among 7 friends. Which tool fits best?

Answer: B. A calculator

187 / 7 = about 26.71.

- ✗ A. A chatbot asked to estimate a fair share for everyone based on what each person ordered: more than needed
- ✗ C. A thesaurus: no
- ✗ D. A photo editor: no

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

S59-F1-Q2 · question page 1231

AI.EVERYDAY.09 · Pick the right tool for practical tasks

Rita must know the last day to return a jacket. Which source is best?

Answer: C. The store's return policy page

Lookups need the actual policy.

- ✗ A. A calculator: no
- ✗ B. A dictionary: no
- ✗ D. A generative tool's general answer about how long stores usually allow returns: not this store

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-F1-Q3 · question page 1232

AI.EVERYDAY.09 · Pick the right tool for practical tasks

Which task is a good fit for a generative tool?

Answer: A. Brainstorming a club's event names

Ideas suit generative tools.

- ✗ B. Finding the post office's hours: official source
- ✗ C. Remembering a dentist appointment: calendar
- ✗ D. Tracking a monthly budget: use a spreadsheet

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-F1-Q4 · question page 1233

AI.EVERYDAY.09 · Pick the right tool for practical tasks

Tom wants reminders for three assignment deadlines. What fits best?

Answer: D. A calendar with reminders

Calendars handle deadlines.

- ✗ A. A thesaurus: no
- ✗ B. A chatbot conversation where he mentions the deadlines once and hopes it reminds him: not reliable
- ✗ C. A calculator: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-F1-Q5 · question page 1234

AI.EVERYDAY.09 · Pick the right tool for practical tasks

Which question is really a lookup?

Answer: C. "What time does the pharmacy close today?"

Lookups need sources.

- ✗ A. "Help me write a polite note to my neighbor about the noise from their late parties": writing task
- ✗ B. "Give me ideas for a poem": creative
- ✗ D. "Rephrase this sentence": writing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-F2-Q1 · question page 1235

AI.EVERYDAY.09 · Combine tools and spot disguised tasks

An email to a landlord includes a total of past payments. What is the best workflow?

Answer: B. Draft with AI; compute the total in a spreadsheet

Combine tools by strength.

- ✗ A. Skip the total: it is needed
- ✗ C. Guess the total: unreliable
- ✗ D. Let the AI tool compute the total inside the email: arithmetic risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-F2-Q2 · question page 1236

AI.EVERYDAY.09 · Combine tools and spot disguised tasks

"How much do I owe after these three purchases?" is really what kind of task?

Answer: A. A calculation

It needs exact math.

- ✗ B. A brainstorming task: no
- ✗ C. A translation task: no
- ✗ D. A creative writing task: it needs math

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-F2-Q3 · question page 1237

AI.EVERYDAY.09 · Combine tools and spot disguised tasks

Why might a simple offline tool be better for a sensitive budget?

Answer: C. It may avoid sharing data at all

Privacy can favor simple tools.

- ✗ A. Because offline tools write better emails: not the reason
- ✗ B. Because budgets cannot be online: not true
- ✗ D. Because offline tools always calculate faster: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-F2-Q4 · question page 1238

AI.EVERYDAY.09 · Combine tools and spot disguised tasks

Which question best decides the right tool?

Answer: B. Does this need exact math, a source, or new wording?

Match the need.

- ✗ A. Which tool is the newest and most talked about online this month by other people?: not fit
- ✗ C. Which tool has the nicest colors?: irrelevant
- ✗ D. Which tool did I use last time?: habit

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S59-F2-Q5 · question page 1239

AI.EVERYDAY.09 · Combine tools and spot disguised tasks

An invitation email must include the venue's exact address and hours. Which workflow fits?

Answer: D. Copy details from the venue's site; let AI help with wording

Facts from sources, wording from AI.

- ✗ A. Guess the hours: unreliable
- ✗ B. Leave out the address: needed
- ✗ C. Ask the AI tool to supply the address and hours from memory: may be wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-M-Q1 · question page 1241

AI.EVERYDAY.10 · Tell requests for facts from requests for invention, and label fiction

Which request asks for invention?

Answer: D. "Write a story about a dragon who runs a bakery."

Stories are invention.

- ✗ A. "What year was the first public library opened in our town, according to records?": a fact request
- ✗ B. "What is the capital of Peru?": a fact request
- ✗ C. "What are the museum's hours?": a fact request

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-M-Q2 · question page 1242

AI.EVERYDAY.10 · Tell requests for facts from requests for invention, and label fiction

Which request asks for facts?

Answer: B. "What is the boiling point of water at sea level?"

A factual question.

- ✗ A. "Write a poem about a lonely lighthouse on a stormy night near the sea": invention
- ✗ C. "Invent a new board game": invention
- ✗ D. "Imagine a city on Mars": invention

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-M-Q3 · question page 1243

AI.EVERYDAY.10 · Tell requests for facts from requests for invention, and label fiction

When should invented content be labeled as fiction?

Answer: C. When others might mistake it for fact

Labels prevent confusion.

- ✗ A. Never, because readers always know automatically which parts of a text are made up: not always
- ✗ B. Only if it is longer than 1,000 words: not the rule
- ✗ D. Only in schoolwork: not the rule

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-M-Q4 · question page 1244

AI.EVERYDAY.10 · Tell requests for facts from requests for invention, and label fiction

How can the line between fact and invention blur?

Answer: A. A "fact" answer may include invented details

Mixing can happen silently.

- ✗ B. Stories can never mention real places: they can
- ✗ C. Facts and inventions always look completely different, so they never get mixed together: they can mix
- ✗ D. Tools refuse to write fiction: they write it

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-M-Q5 · question page 1245

AI.EVERYDAY.10 · Tell requests for facts from requests for invention, and label fiction

When you need facts from a tool, what should you ask for?

Answer: B. Sources you can check

Sources support facts.

- ✗ A. A more creative and exciting version of the facts so they are easier to remember: invites invention
- ✗ C. A rhyming answer: not verification
- ✗ D. A longer answer: not verification

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-B1-Q1 · question page 1246

AI.EVERYDAY.10 · Compare a history book with a historical novel

What does a history book try to do?

Answer: A. Report what really happened, with sources

Facts with sources.

- ✗ B. Sell maps: no
- ✗ C. Predict the future: no
- ✗ D. Invent new characters and conversations: that is the novel

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-B1-Q2 · question page 1247

AI.EVERYDAY.10 · Compare a history book with a historical novel

What does a historical novel do?

Answer: C. Invents characters and events in a real setting

Fiction in a real setting.

- ✗ A. Translates documents: no
- ✗ B. Lists dates only: no
- ✗ D. Reports only verified events from the past: that is the history book

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-B1-Q3 · question page 1248

AI.EVERYDAY.10 · Compare a history book with a historical novel

What tells you which kind of book you are reading?

Answer: D. The cover and labels

Labels guide readers.

- ✗ A. The paper color: no
- ✗ B. The page count: no
- ✗ C. Nothing: labels tell

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-B1-Q4 · question page 1249

AI.EVERYDAY.10 · Compare a history book with a historical novel

Why is AI output different?

Answer: A. It has no automatic label telling fact from invention

You must know and label.

- ✗ B. It is always fact: no
- ✗ C. It is always fiction: no
- ✗ D. Because AI always marks every invented sentence: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-B1-Q5 · question page 1250

AI.EVERYDAY.10 · Compare a history book with a historical novel

What should you do with invented material you share?

Answer: B. Label it so readers know

Label fiction.

- ✗ A. Delete it: not necessary
- ✗ C. Translate it: irrelevant
- ✗ D. Share it as if it were a true report, since readers enjoy realistic stories more: misleading

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-F1-Q1 · question page 1251

AI.EVERYDAY.10 · Handle fact and invention in practical work

A student asks for "a sample interview with the mayor" for a class demo, and the tool invents quotes. What should she do?

Answer: C. Label it as fictional and not attribute quotes to the real mayor

Do not put invented words in real people's mouths.

- ✗ A. Post it online as news: misleading
- ✗ B. Send it to the local newspaper: misleading
- ✗ D. Present it as a real interview, since it is only a class demo: misleading

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-F1-Q2 · question page 1252

AI.EVERYDAY.10 · Handle fact and invention in practical work

A tool writes a story set in a real city and mentions a real restaurant. Is that a problem?

Answer: D. Not if it is clearly fiction and fair to the real place

Fiction can use real settings, clearly labeled.

- ✗ A. Yes, all stories are illegal: no
- ✗ B. Yes, stories must never mention any real places, streets or businesses at all: too strict
- ✗ C. No, and it can say anything about the restaurant as fact: not as fact

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-F1-Q3 · question page 1253

AI.EVERYDAY.10 · Handle fact and invention in practical work

Which request is clearly for facts?

Answer: A. "List three verified facts about bees with sources."

Facts with sources.

- ✗ B. "Write a bee poem": invention
- ✗ C. "Invent a bee character": invention
- ✗ D. "Imagine what bees might say to each other if they could talk": invention

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-F1-Q4 · question page 1254

AI.EVERYDAY.10 · Handle fact and invention in practical work

A tool adds a made-up statistic to a persuasive essay "to sound convincing." What should the student do?

Answer: C. Remove it or replace it with a real, sourced figure

Never present invented data as real.

- ✗ A. Keep it, since persuasive essays are allowed to use made-up numbers to make a point: misleading
- ✗ B. Round it to look official: still made up
- ✗ D. Make it bigger: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-F1-Q5 · question page 1255

AI.EVERYDAY.10 · Handle fact and invention in practical work

A family newsletter includes an AI-written funny "news story" about the dog. How should it appear?

Answer: D. Marked as a joke or fictional story

Labels keep context.

- ✗ A. Hidden at the end: not a label
- ✗ B. Translated into another language: irrelevant
- ✗ C. Presented as real news: context can be lost

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-F2-Q1 · question page 1256

AI.EVERYDAY.10 · Avoid realistic fiction that misleads

Someone creates a fake but realistic quote from a real scientist "as a joke." What is the risk?

Answer: B. It can spread without its context and mislead people

Realistic fakes spread.

- ✗ A. Quotes cannot be shared: they can
- ✗ C. The scientist will enjoy it: not the point
- ✗ D. No risk, because jokes are always understood as jokes: context gets lost

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-F2-Q2 · question page 1257

AI.EVERYDAY.10 · Avoid realistic fiction that misleads

Which practice keeps sample content from misleading?

Answer: D. Marking it "fictional" or "sample"

Labels prevent confusion.

- ✗ A. Making the sample look as realistic as possible so it feels authentic to readers: increases risk
- ✗ B. Adding real names to it: increases risk
- ✗ C. Removing all labels: increases risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-F2-Q3 · question page 1258

AI.EVERYDAY.10 · Avoid realistic fiction that misleads

A school project includes an AI-invented survey result presented as real. What is the problem?

Answer: B. Invented data is presented as a real finding

Never present invented data as real.

- ✗ A. The numbers were not rounded: not the problem
- ✗ C. Nothing, because survey results in school projects do not need to be real at all: dishonest
- ✗ D. The survey was too short: not the problem

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-F2-Q4 · question page 1259

AI.EVERYDAY.10 · Avoid realistic fiction that misleads

A business wants AI-written "customer reviews" for its website. What is wrong?

Answer: A. Invented reviews mislead customers

Fake reviews deceive.

- ✗ B. Only five reviews are allowed: irrelevant
- ✗ C. Reviews must be under 50 words: irrelevant
- ✗ D. Nothing: still fake

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S60-F2-Q5 · question page 1260

AI.EVERYDAY.10 · Avoid realistic fiction that misleads

Which is acceptable?

Answer: C. A clearly labeled fictional dialogue for a lesson

Labeled fiction is fine.

- ✗ A. Made-up statistics presented as research: misleading
- ✗ B. An invented quote attributed to a real official: misleading
- ✗ D. A fake news article about a real person: misleading

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-M-Q1 · question page 1262

AI.RETRIEVAL.01 · Tell searching from generating, and explain retrieval-augmented generation

What does searching do?

Answer: A. Finds existing sources and shows them

Search finds; it does not write.

- ✗ B. Retrains the model on the web: not what search does
- ✗ C. Writes brand-new text from patterns: that is generating
- ✗ D. Guarantees every result is true: results vary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-M-Q2 · question page 1263

AI.RETRIEVAL.01 · Tell searching from generating, and explain retrieval-augmented generation

What does RAG stand for?

Answer: D. Retrieval-augmented generation

Retrieval-augmented generation.

- ✗ A. Random answer generator: not the term
- ✗ B. Rapid AI grammar: not the term
- ✗ C. Reviewed and approved generation: not the term

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-M-Q3 · question page 1264

AI.RETRIEVAL.01 · Tell searching from generating, and explain retrieval-augmented generation

In RAG, what happens first?

Answer: B. Relevant passages are retrieved and added to the context

Retrieve, then generate.

- ✗ A. The model is retrained on the passages: no retraining
- ✗ C. The answer is written before anything is looked up: reversed
- ✗ D. The user approves each source by hand, one at a time: not how it works

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-M-Q4 · question page 1265

AI.RETRIEVAL.01 · Tell searching from generating, and explain retrieval-augmented generation

Why can a RAG answer still be wrong?

Answer: C. It is generated and can misread the sources

Generation can drift from sources.

- ✗ A. Citations prevent any error: not true
- ✗ B. Retrieval always finds perfect sources: not always
- ✗ D. RAG answers are copied word for word: they are generated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-M-Q5 · question page 1266

AI.RETRIEVAL.01 · Tell searching from generating, and explain retrieval-augmented generation

What is a benefit of retrieval?

Answer: D. Answers can be more current and specific

Fresh, specific material.

- ✗ A. The model learns permanently from each search: no retraining
- ✗ B. Answers become shorter: not the benefit
- ✗ C. Answers never need checking again: still check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-B1-Q1 · question page 1267

AI.RETRIEVAL.01 · Compare a librarian with a storyteller

The librarian who hands you books is like what?

Answer: A. Searching

Finding existing sources.

- ✗ B. Training a model: no
- ✗ C. Translating: no
- ✗ D. Generating: that is the storyteller

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-B1-Q2 · question page 1268

AI.RETRIEVAL.01 · Compare a librarian with a storyteller

The storyteller from memory is like what?

Answer: C. Generating

New text from memory.

- ✗ A. An official record: no
- ✗ B. Retrieval: no sources
- ✗ D. Searching: no sources

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-B1-Q3 · question page 1269

AI.RETRIEVAL.01 · Compare a librarian with a storyteller

The librarian who reads three books and summarizes is like what?

Answer: B. Retrieval-augmented generation

Retrieve, then generate.

- ✗ A. Retraining a model: no
- ✗ C. Pure searching with no summary: she summarized
- ✗ D. Pure storytelling with no books: she used books

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-B1-Q4 · question page 1270

AI.RETRIEVAL.01 · Compare a librarian with a storyteller

Why might her summary still be wrong?

Answer: A. She could mix things up while summarizing

Generation can err.

- ✗ B. Summaries cannot be wrong: they can
- ✗ C. Because she never read the books: she did
- ✗ D. Because books always contain errors: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-B1-Q5 · question page 1271

AI.RETRIEVAL.01 · Compare a librarian with a storyteller

What can you check?

Answer: C. The pages she named

Citations let you verify.

- ✗ A. Nothing: pages can be checked
- ✗ B. The library's address: irrelevant
- ✗ D. Her favorite color: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-F1-Q1 · question page 1272

AI.RETRIEVAL.01 · Choose between search, generation and RAG

Ana needs the official text of her city's noise ordinance. Which approach fits best?

Answer: D. Search for the city's official ordinance page

Official text comes from a source.

- ✗ A. Guess from a neighbor's summary: unreliable
- ✗ B. Ask for a poem about noise: irrelevant
- ✗ C. Ask a generative tool to write out the ordinance: may be wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-F1-Q2 · question page 1273

AI.RETRIEVAL.01 · Choose between search, generation and RAG

A tool answers a question about this week's news with links to articles. What is it most likely doing?

Answer: B. Retrieving articles and generating an answer from them

Links signal retrieval.

- ✗ A. Copying one article exactly: it generated
- ✗ C. Answering only from training data that ended years ago: links suggest retrieval
- ✗ D. Retraining itself every morning: not implied

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-F1-Q3 · question page 1274

AI.RETRIEVAL.01 · Choose between search, generation and RAG

Which task suits pure generation without retrieval?

Answer: D. Writing a birthday poem

Creative tasks need no sources.

- ✗ A. Listing current store prices: needs current data
- ✗ B. Finding today's flight status: needs retrieval
- ✗ C. Quoting a new law exactly: needs the source

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-F1-Q4 · question page 1275

AI.RETRIEVAL.01 · Choose between search, generation and RAG

A RAG answer cites a document. What should you do if the claim matters?

Answer: B. Open the cited passage and check it

Verify cited passages.

- ✗ A. Ask for more citations without reading any: not a check
- ✗ C. Delete the citation: removes evidence
- ✗ D. Trust it: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-F1-Q5 · question page 1276

AI.RETRIEVAL.01 · Choose between search, generation and RAG

Why might a company use RAG for its help desk?

Answer: A. To ground answers in its current help articles

Grounding in current material.

- ✗ B. To make answers random: not the goal
- ✗ C. To permanently retrain its model every time a customer asks a new question: no retraining
- ✗ D. To avoid having any help articles: needs articles

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-F2-Q1 · question page 1277

AI.RETRIEVAL.01 · Find where retrieval can go wrong

A RAG tool retrieved last year's policy instead of this year's. What went wrong?

Answer: C. The search step found an outdated version

Retrieval can pick the wrong version.

- ✗ A. Nothing; last year's policy is always the same: policies change
- ✗ B. The generation step invented a policy from nothing: it used a real, old document
- ✗ D. The user typed too fast: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-F2-Q2 · question page 1278

AI.RETRIEVAL.01 · Find where retrieval can go wrong

An answer cites Article A for a claim that Article A never makes. Which step failed?

Answer: B. Generation went beyond the source

The claim was not in the source.

- ✗ A. Neither; citations are always accurate: not true
- ✗ C. Retrieval, because Article A does not exist: it exists
- ✗ D. The user, for reading Article A: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-F2-Q3 · question page 1279

AI.RETRIEVAL.01 · Find where retrieval can go wrong

How does a search results page differ from a RAG answer?

Answer: A. Search shows sources for you to judge directly

RAG packages sources; search shows them.

- ✗ B. They are identical: they differ
- ✗ C. RAG answers never use sources: they do
- ✗ D. Search results are always written by AI: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-F2-Q4 · question page 1280

AI.RETRIEVAL.01 · Find where retrieval can go wrong

A RAG answer is missing part of the information you needed. What might explain this?

Answer: D. Retrieval found only some of the relevant documents

Incomplete retrieval leads to gaps.

- ✗ A. The documents were in bold: irrelevant
- ✗ B. The answer was too polite: irrelevant
- ✗ C. RAG always retrieves every relevant document: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S61-F2-Q5 · question page 1281

AI.RETRIEVAL.01 · Find where retrieval can go wrong

What is the best habit when a RAG answer will guide a decision?

Answer: C. Confirm key claims in the cited sources

Open and confirm.

- ✗ A. Ask the tool to sound surer: not a check
- ✗ B. Ignore the citations: they are the evidence
- ✗ D. Accept it, since retrieval makes generated answers fully reliable for decisions: still check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-M-Q1 · question page 1283

AI.RETRIEVAL.02 · Check that a source-grounded answer stays within its sources

What should a source-grounded answer do?

Answer: C. Stay within what its sources say

Grounded means supported by the sources.

- ✗ A. Use as many sources as possible: quantity is not grounding
- ✗ B. Ignore its sources when it disagrees: not grounded
- ✗ D. Add any background facts the tool believes are probably true, even without a source: that breaks grounding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-M-Q2 · question page 1284

AI.RETRIEVAL.02 · Check that a source-grounded answer stays within its sources

In this prepared example, which claim is NOT supported by its quoted sentence?

Prepared example (a fictional answer checked against a warranty document)

Answer claim	Quoted source sentence
The warranty lasts 2 years.	"This product is covered for 24 months from purchase."
Water damage is covered.	"The warranty does not cover water or fire damage."
Repairs are free.	"Covered repairs are made at no charge."

Answer: D. Water damage is covered

The source says water damage is not covered.

- ✗ A. Repairs are free: covered repairs at no charge
- ✗ B. All three are supported: one contradicts its source
- ✗ C. The warranty lasts 2 years: 24 months supports it

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-M-Q3 · question page 1285

AI.RETRIEVAL.02 · Check that a source-grounded answer stays within its sources

Which is a grounding failure?

Answer: D. A conclusion the sources do not support, even together

A valid inference from several sources is fine if it is labeled as one; an unsupported conclusion is not.

- ✗ A. Reporting a disagreement between sources: good practice
- ✗ B. Quoting the exact sentence that supports each claim: good practice
- ✗ C. Saying "not found" when sources are silent: good practice

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-M-Q4 · question page 1286

AI.RETRIEVAL.02 · Check that a source-grounded answer stays within its sources

Which request best encourages grounded answers?

Answer: B. "Answer only from these documents; quote each source."

Restrict and require quotes.

- ✗ A. "Answer using these documents plus anything else you happen to know about the topic.": invites ungrounded claims
- ✗ C. "Keep it short.": not grounding
- ✗ D. "Answer as confidently as possible.": not grounding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-M-Q5 · question page 1287

AI.RETRIEVAL.02 · Check that a source-grounded answer stays within its sources

A claim is in the source but stated more strongly in the answer. Which check catches this?

Answer: A. Does the source say it in that strength?

Compare strength as well as content.

- ✗ B. Is the answer longer than the source?: not about strength
- ✗ C. Does the answer have a title?: not about strength
- ✗ D. Is the answer formatted with bullet points?: not about strength

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-B1-Q1 · question page 1288

AI.RETRIEVAL.02 · Match each claim to a quoted sentence

"Doors open at 6" is...

Answer: D. Supported

Same meaning.

- ✗ A. Both supported and contradicted: only supported
- ✗ B. Contradicted: the source says 6 p.m.
- ✗ C. Not found: it is there

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-B1-Q2 · question page 1289

AI.RETRIEVAL.02 · Match each claim to a quoted sentence

"Seats are reserved" is...

Answer: B. Contradicted

The source says the opposite.

- ✗ A. Not found: the source addresses seating
- ✗ C. Supported: first come means not reserved
- ✗ D. Neither: it is contradicted

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-B1-Q3 · question page 1290

AI.RETRIEVAL.02 · Match each claim to a quoted sentence

"Parking is free" is...

Answer: C. Not found

No sentence covers it.

- ✗ A. Supported: no sentence about parking
- ✗ B. Proven: no
- ✗ D. Contradicted: the source does not mention parking

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-B1-Q4 · question page 1291

AI.RETRIEVAL.02 · Match each claim to a quoted sentence

What are the two columns?

Answer: B. Claim and source sentence

Claim matched to sentence.

- ✗ A. Font and size: no
- ✗ C. Title and date: no
- ✗ D. Author name and page price: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-B1-Q5 · question page 1292

AI.RETRIEVAL.02 · Match each claim to a quoted sentence

"Doors open at 7 p.m." would be...

Answer: D. Contradicted

A different time conflicts.

- ✗ A. Supported: the source says 6
- ✗ B. Not found: the source gives a time
- ✗ C. Neither: it conflicts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-F1-Q1 · question page 1293

AI.RETRIEVAL.02 · Check grounded answers in practice

A tool summarizes a store's policy: "Refunds within 60 days." The policy says 30 days. What is this?

Answer: C. A claim contradicted by its source

Contradiction.

- ✗ A. A claim not found in the source: the source covers it
- ✗ B. A correct rounding: not rounding
- ✗ D. A supported claim: they differ

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-F1-Q2 · question page 1294

AI.RETRIEVAL.02 · Check grounded answers in practice

An answer about a lease says "pets allowed," citing page 3. Page 3 is about parking. What happened?

Answer: A. It cited the wrong page

Check the cited location.

- ✗ B. Nothing; page numbers never matter: they matter
- ✗ C. Parking and pets are the same topic: no
- ✗ D. The lease must allow pets somewhere: unverified

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-F1-Q3 · question page 1295

AI.RETRIEVAL.02 · Check grounded answers in practice

Which request asks for grounding?

Answer: D. "Use only the handbook; say 'not found' if it is not covered."

Restrict and allow "not found."

- ✗ A. "Guess if unsure.": not grounded
- ✗ B. "Be creative with the rules.": not grounded
- ✗ C. "Tell me everything you know about workplace rules in general.": mixes sources

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-F1-Q4 · question page 1296

AI.RETRIEVAL.02 · Check grounded answers in practice

An answer includes "most companies do this," which no supplied document says. What is it?

Answer: B. An ungrounded claim from outside the sources

Unsupported background claims.

- ✗ A. A grounded claim, since it sounds like common knowledge that any document would support: no source
- ✗ C. A formatting error: not formatting
- ✗ D. A quote from the handbook: not in it

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-F1-Q5 · question page 1297

AI.RETRIEVAL.02 · Check grounded answers in practice

Why ask the tool to quote the sentence for each claim?

Answer: A. So you can quickly check support

Quotes make checking fast.

- ✗ B. So you never read the document: you still check
- ✗ C. So the tool learns permanently: no
- ✗ D. So the answer becomes longer: not the purpose

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-F2-Q1 · question page 1298

AI.RETRIEVAL.02 · Handle "not found," disagreements and weak sources

A tool says the manual does not mention battery life, but the manual is a blurry scan. What should you do?

Answer: C. Search the manual yourself to confirm

Confirm "not found" in poor scans.

- ✗ A. Assume battery life is unlimited: unsupported
- ✗ B. Ask for a longer answer: not a check
- ✗ D. Accept "not found" as proof: may be missed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-F2-Q2 · question page 1299

AI.RETRIEVAL.02 · Handle "not found," disagreements and weak sources

Two supplied documents give different deadlines. What should a grounded answer do?

Answer: D. Report the disagreement

Show the conflict.

- ✗ A. Pick the earlier deadline silently, since that one is probably the correct one to use: hides conflict
- ✗ B. Ignore both deadlines: drops information
- ✗ C. Average the two dates: nonsense

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-F2-Q3 · question page 1300

AI.RETRIEVAL.02 · Handle "not found," disagreements and weak sources

A faithful summary of an unreliable website is...

Answer: B. Still unreliable

Grounding moves the problem.

- ✗ A. More reliable than the website: no
- ✗ C. Fully reliable, because the summary matched the website perfectly in every detail: source is weak
- ✗ D. Impossible to make: possible

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-F2-Q4 · question page 1301

AI.RETRIEVAL.02 · Handle "not found," disagreements and weak sources

Why might a tool say "not found" incorrectly in a long document?

Answer: C. It may have missed the relevant passage

Long inputs can be missed.

- ✗ A. Because the tool reads only titles: not necessarily
- ✗ B. Because long documents never contain any useful information at all for readers: not true
- ✗ D. Because "not found" is always correct: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S62-F2-Q5 · question page 1302

AI.RETRIEVAL.02 · Handle "not found," disagreements and weak sources

What makes a grounded answer trustworthy?

Answer: A. Faithful use of reliable, relevant sources

Faithful use plus reliable sources.

- ✗ B. A long list of links: quantity is not quality
- ✗ C. Any citation at all, even to a page that does not discuss the topic of the claim: not enough
- ✗ D. A confident tone: not evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-M-Q1 · question page 1304

AI.RETRIEVAL.03 · Tell extracting from interpreting and check each

Which request is extraction?

Answer: A. "List every date mentioned in this contract."

Pulling out stated facts.

- ✗ B. "Is this a good deal?": interpretation
- ✗ C. "What does this clause really mean for me?": interpretation
- ✗ D. "Is this contract fair to me?": interpretation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-M-Q2 · question page 1305

AI.RETRIEVAL.03 · Tell extracting from interpreting and check each

Which request is interpretation?

Answer: B. "Should I sign this lease?"

A judgment about meaning.

- ✗ A. "What is the start date?": extraction
- ✗ C. "What is the monthly rent listed on page one of the lease?": extraction
- ✗ D. "List the names of the tenants.": extraction

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-M-Q3 · question page 1306

AI.RETRIEVAL.03 · Tell extracting from interpreting and check each

How can extraction be checked?

Answer: C. Directly against the document

Compare with the source.

- ✗ A. It cannot be checked: it can
- ✗ B. By counting the words in the answer: not a check
- ✗ D. By asking the tool: not independent

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-M-Q4 · question page 1307

AI.RETRIEVAL.03 · Tell extracting from interpreting and check each

Why is interpretation riskier?

Answer: D. It needs judgment and context the tool may lack

Judgment and expertise.

- ✗ A. Because documents cannot be interpreted: they can
- ✗ B. Because interpretation is always shorter than extraction: not the reason
- ✗ C. Because tools refuse interpretation: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-M-Q5 · question page 1308

AI.RETRIEVAL.03 · Tell extracting from interpreting and check each

How should you treat a tool's interpretation of a medical report?

Answer: B. As a starting point for a qualified person

Interpretation needs expertise.

- ✗ A. As a legal document: no
- ✗ C. As meaningless: it can help prepare
- ✗ D. As a final diagnosis that can be acted on immediately without asking anyone: unsafe

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-B1-Q1 · question page 1309

AI.RETRIEVAL.03 · Compare reading a thermometer with deciding if you are sick

Reading the number on a thermometer is...

Answer: D. Extraction

A checkable value.

- ✗ A. Guessing: no
- ✗ B. Interpretation: it is a stated value
- ✗ C. Translation: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-B1-Q2 · question page 1310

AI.RETRIEVAL.03 · Compare reading a thermometer with deciding if you are sick

Deciding whether to see a doctor is...

Answer: C. Interpretation

Judgment about meaning.

- ✗ A. Counting: no
- ✗ B. Extraction: it needs judgment
- ✗ D. Reading: more than reading

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-B1-Q3 · question page 1311

AI.RETRIEVAL.03 · Compare reading a thermometer with deciding if you are sick

Which can anyone check easily?

Answer: A. The thermometer reading

Values are checkable.

- ✗ B. A diagnosis: needs expertise
- ✗ C. Your future health: no
- ✗ D. Whether you are sick enough: needs judgment

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-B1-Q4 · question page 1312

AI.RETRIEVAL.03 · Compare reading a thermometer with deciding if you are sick

What does interpretation depend on?

Answer: C. Other information, history and judgment

Context matters.

- ✗ A. The thermometer's color: no
- ✗ B. The time of day only: no
- ✗ D. Only the number shown on the thermometer: more is needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-B1-Q5 · question page 1313

AI.RETRIEVAL.03 · Compare reading a thermometer with deciding if you are sick

A tool pulling the due date from a bill is like...

Answer: B. Reading the thermometer

Extraction.

- ✗ A. Guessing the weather: no
- ✗ C. Writing a story: no
- ✗ D. Deciding whether you are sick: that is interpretation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-F1-Q1 · question page 1314

AI.RETRIEVAL.03 · Extract and interpret documents in practice

Kai uploads a phone bill and asks for the total due and due date. What should he do with the answer?

Answer: D. Check both values against the bill

Verify extracted values.

- ✗ A. Ask the tool if the bill is fair: different task
- ✗ B. Pay whatever amount the tool says without looking at the bill, since extraction is simple: check
- ✗ C. Ignore the due date: needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-F1-Q2 · question page 1315

AI.RETRIEVAL.03 · Extract and interpret documents in practice

A tool says a contract is "standard and safe to sign." What kind of statement is this?

Answer: A. An interpretation

A judgment that needs review.

- ✗ B. A quote from the contract: not a quote
- ✗ C. A calculation: no
- ✗ D. An extraction of a sentence: it is a judgment

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-F1-Q3 · question page 1316

AI.RETRIEVAL.03 · Extract and interpret documents in practice

Which use is best for a long benefits document?

Answer: B. Extract all deadlines and costs into a table

Organize stated facts.

- ✗ A. Ask for a poem about benefits: irrelevant
- ✗ C. Ask it to sign up for you: not appropriate
- ✗ D. Ask whether you should choose the benefits plan: interpretation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-F1-Q4 · question page 1317

AI.RETRIEVAL.03 · Extract and interpret documents in practice

A student uploads a scholarship notice. Which request can be checked directly?

Answer: C. "What documents does it require?"

Stated requirements are checkable.

- ✗ A. "Will I definitely win this scholarship if I apply before the deadline?": unknowable
- ✗ B. "Is this the best scholarship?": judgment
- ✗ D. "Will my essay be good enough?": judgment

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-F1-Q5 · question page 1318

AI.RETRIEVAL.03 · Extract and interpret documents in practice

After extracting dates from a lease, what is the best next step?

Answer: A. Spot-check the dates in the lease

Check extractions.

- ✗ B. Delete the lease: keep it
- ✗ C. Ask for an interpretation instead: different task
- ✗ D. Move on immediately: can be misread

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-F2-Q1 · question page 1319

AI.RETRIEVAL.03 · Catch hidden extraction errors and disguised interpretation

A table of "all payments" from a 3-page statement skips one row that crossed a page break. What kind of error?

Answer: D. An extraction omission

Rows across pages can be missed.

- ✗ A. An interpretation error, because the tool decided that row did not matter to the reader: it simply missed it
- ✗ B. A spelling error: no
- ✗ C. No error; page breaks never matter: they can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-F2-Q2 · question page 1320

AI.RETRIEVAL.03 · Catch hidden extraction errors and disguised interpretation

An extraction lists "due date: March 3," but March 3 is the invoice date. What happened?

Answer: A. Similar fields were confused

Check field labels.

- ✗ B. Nothing; both dates are the same: they differ
- ✗ C. The invoice has no dates: it does
- ✗ D. The tool interpreted the invoice: not interpretation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-F2-Q3 · question page 1321

AI.RETRIEVAL.03 · Catch hidden extraction errors and disguised interpretation

"List the risks in this contract" mixes extraction with what?

Answer: B. Interpretation of what counts as a risk

Deciding risk is judgment.

- ✗ A. Arithmetic on the contract totals: no
- ✗ C. Formatting the contract: no
- ✗ D. Translation into another language: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-F2-Q4 · question page 1322

AI.RETRIEVAL.03 · Catch hidden extraction errors and disguised interpretation

Which extracted items most deserve spot-checks?

Answer: D. Numbers, names and dates

High-value details.

- ✗ A. The page margins: irrelevant
- ✗ B. The document title only: not enough
- ✗ C. Words like "the" and "and,": low risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S63-F2-Q5 · question page 1323

AI.RETRIEVAL.03 · Catch hidden extraction errors and disguised interpretation

A tidy extraction table looks complete. Why still check?

Answer: C. Tidy output can hide misread values

Appearance is not accuracy.

- ✗ A. Because the font may be small: irrelevant
- ✗ B. Because tables cannot be checked: they can
- ✗ D. Because tidy tables are always wrong: too strong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-M-Q1 · question page 1325

AI.RETRIEVAL.04 · Recognize when a document may be misread or incomplete

Which document is most likely to be misread by a tool?

Answer: D. A blurry, tilted phone photo of a receipt

Poor quality causes misreading.

- ✗ A. A clean typed page with plain, simple text: easier to read
- ✗ B. A short typed note: easier to read
- ✗ C. A typed list of names: easier to read

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-M-Q2 · question page 1326

AI.RETRIEVAL.04 · Recognize when a document may be misread or incomplete

What is a warning sign that a document was misread?

Answer: B. Numbers that do not add up

Inconsistencies signal misreading.

- ✗ A. An answer with headings: not a warning sign
- ✗ C. An answer in English: not a warning sign
- ✗ D. An answer that is polite: not a warning sign

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-M-Q3 · question page 1327

AI.RETRIEVAL.04 · Recognize when a document may be misread or incomplete

An answer ignores a section you know is in the document. What might have happened?

Answer: A. Part of the document was not read

Incomplete reading.

- ✗ B. The tool chose to hide it on purpose: not likely
- ✗ C. Sections are never read by tools: too strong
- ✗ D. The section must not really exist: you know it exists

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-M-Q4 · question page 1328

AI.RETRIEVAL.04 · Recognize when a document may be misread or incomplete

Which fix helps with a complex table?

Answer: C. Split it or type the key numbers yourself

Simplify the input.

- ✗ A. Add more columns: worse
- ✗ B. Upload it at a lower quality so the file is smaller and easier for the tool to handle: worse
- ✗ D. Remove the headings: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-M-Q5 · question page 1329

AI.RETRIEVAL.04 · Recognize when a document may be misread or incomplete

Does a confident answer mean the document was read correctly?

Answer: A. No; confidence does not show accuracy

Confidence is not evidence.

- ✗ B. Yes, if the answer is long: length is not accuracy
- ✗ C. Only for scanned files: not true
- ✗ D. Yes; tools only sound confident: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-B1-Q1 · question page 1330

AI.RETRIEVAL.04 · Spot signs of a misread document

Items 12 + 8 + 5, stated total 30. Which sign appears?

Answer: C. Math that does not add up

12 + 8 + 5 = 25, not 30.

- ✗ A. Mixed-up order: not shown
- ✗ B. Missing parts: not shown
- ✗ D. Garbled words in the item names: not shown

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

S64-B1-Q2 · question page 1331

AI.RETRIEVAL.04 · Spot signs of a misread document

"Tota1 Arnount" is which sign?

Answer: B. Garbled words

Misread characters.

- ✗ A. Math that does not add up because the total is listed incorrectly: not math
- ✗ C. Mixed-up order: not order
- ✗ D. Missing parts: not missing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-B1-Q3 · question page 1332

AI.RETRIEVAL.04 · Spot signs of a misread document

An answer never mentions the "Fees" section you can see. Which sign?

Answer: D. Missing parts

A section was skipped.

- ✗ A. Mixed-up order: not order
- ✗ B. Garbled words that appear in the name of the fees section of the document: not garbled
- ✗ C. Math that does not add up: not math

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-B1-Q4 · question page 1333

AI.RETRIEVAL.04 · Spot signs of a misread document

Sentences from two newspaper columns are stitched together. Which sign?

Answer: C. Mixed-up order

Columns merged.

- ✗ A. Missing parts, because some sentences were left out of the answer entirely: not missing
- ✗ B. Garbled words: not garbled
- ✗ D. Math that does not add up: not math

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-B1-Q5 · question page 1334

AI.RETRIEVAL.04 · Spot signs of a misread document

What should you do if any sign appears?

Answer: B. Check the original document

Go back to the source.

- ✗ A. Delete the document: no
- ✗ C. Ask for a longer answer: not a check
- ✗ D. Trust the answer anyway: check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-F1-Q1 · question page 1335

AI.RETRIEVAL.04 · Handle poor and incomplete documents in practice

Eva photographs a faded receipt and the tool reads the total as 81.00 instead of 31.00. What should she do?

Answer: A. Upload a clearer photo or type the total herself

Better input or manual entry.

- ✗ B. Use 81.00, since the tool read the receipt and tools read numbers more carefully than people: misread
- ✗ C. Ask the tool to round it: not a fix
- ✗ D. Throw the receipt away: needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-F1-Q2 · question page 1336

AI.RETRIEVAL.04 · Handle poor and incomplete documents in practice

A 10-page PDF upload produces an answer about only the first 3 pages. What should you check?

Answer: D. Whether all pages uploaded and were read

Confirm completeness.

- ✗ A. Whether the PDF is colorful: irrelevant
- ✗ B. Whether page 1 has a title: irrelevant
- ✗ C. Whether the tool prefers short documents: not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-F1-Q3 · question page 1337

AI.RETRIEVAL.04 · Handle poor and incomplete documents in practice

A handwritten form is read with several wrong names. What is the best approach?

Answer: A. Type the key information yourself

Manual entry for key details.

- ✗ B. Accept the wrong names: wrong
- ✗ C. Ask for a poem about the form: irrelevant
- ✗ D. Upload the same handwritten form again: unreliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-F1-Q4 · question page 1338

AI.RETRIEVAL.04 · Handle poor and incomplete documents in practice

A spreadsheet image with many columns comes back with values in the wrong columns. What helps?

Answer: C. Share the data as a real spreadsheet file or smaller tables

Structured data reads better than images.

- ✗ A. Remove the column headings: worse
- ✗ B. Add more colors: worse
- ✗ D. Take an even smaller screenshot of the spreadsheet so there is less to read: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-F1-Q5 · question page 1339

AI.RETRIEVAL.04 · Handle poor and incomplete documents in practice

A photo of a contract cuts off the bottom lines of page 2. What is the risk?

Answer: D. Missing terms in the answer

Incomplete input, incomplete answer.

- ✗ A. The contract becomes invalid: not the issue
- ✗ B. The tool will guess correctly: not reliable
- ✗ C. No risk: they might

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-F2-Q1 · question page 1340

AI.RETRIEVAL.04 · Detect silent reading failures

What question helps reveal how much of a file a tool read?

Answer: B. "How many pages did you read?"

Ask what it can see.

- ✗ A. "Can you make it shorter?": not revealing
- ✗ C. "Is this file important?": not revealing
- ✗ D. "Are you confident?": not revealing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-F2-Q2 · question page 1341

AI.RETRIEVAL.04 · Detect silent reading failures

A two-column newsletter is read as one column, mixing sentences. What can result?

Answer: A. Jumbled, incorrect content

Layout can scramble meaning.

- ✗ B. A shorter file size: irrelevant
- ✗ C. A translated newsletter: no
- ✗ D. A perfect summary: not likely

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-F2-Q3 · question page 1342

AI.RETRIEVAL.04 · Detect silent reading failures

Some pages in a file are scanned images, not text. What might the tool do?

Answer: D. Skip those pages without saying so

Silent skips can happen.

- ✗ A. Delete the file: no
- ✗ B. Refuse to answer anything: not necessarily
- ✗ C. Always read image pages perfectly: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-F2-Q4 · question page 1343

AI.RETRIEVAL.04 · Detect silent reading failures

How can you compare what the tool saw with the document?

Answer: B. Ask it to list the section headings it found

Headings reveal coverage.

- ✗ A. Ask it to describe the document's font, color and paper size in great detail: not useful
- ✗ C. Ask it for a longer answer: not a comparison
- ✗ D. Ask it to guess the author: not useful

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S64-F2-Q5 · question page 1344

AI.RETRIEVAL.04 · Detect silent reading failures

For an important value from a long document, what should you rely on?

Answer: C. The original document

Confirm key values in the source.

- ✗ A. The file name: no
- ✗ B. A guess: no
- ✗ D. The tool's reading of it: confirm

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-M-Q1 · question page 1346

AI.RETRIEVAL.05 · Explain that a supplied document does not retrain the model

What happens when you upload a document to a chat?

Answer: B. It is placed in the context for that request

Context, not training.

- ✗ A. Every user immediately learns its contents: not shared
- ✗ C. The document is published online: not what uploading does
- ✗ D. The underlying model is retrained on it right away: no retraining

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-M-Q2 · question page 1347

AI.RETRIEVAL.05 · Explain that a supplied document does not retrain the model

In a private chat with no shared project or workspace, does another user gain knowledge of your uploaded file?

Answer: C. No; it was in your request's context

Your context is yours.

- ✗ A. Only if the file is long: no
- ✗ B. Yes; every upload is added to the model: no
- ✗ D. Yes, if they use the same tool: a private chat's context is not shared

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-M-Q3 · question page 1348

AI.RETRIEVAL.05 · Explain that a supplied document does not retrain the model

In a new conversation, will the model know your earlier file?

Answer: A. Usually not, unless saved or supplied again

New chats start fresh unless a feature saves it.

- ✗ B. Only if you ask politely: no
- ✗ C. Never, under any product settings: some products save files
- ✗ D. Always, because the model permanently learned the file during the first chat: not training

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-M-Q4 · question page 1349

AI.RETRIEVAL.05 · Explain that a supplied document does not retrain the model

What does changing the model itself require?

Answer: D. Training or fine-tuning

A separate process.

- ✗ A. Restarting the app: not training
- ✗ B. Typing a longer message: not training
- ✗ C. Uploading any document: that is context

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-M-Q5 · question page 1350

AI.RETRIEVAL.05 · Explain that a supplied document does not retrain the model

Whether a provider may later use uploads for training depends on what?

Answer: A. Its policy and your settings

Policy and settings decide.

- ✗ B. The time of day: no
- ✗ C. The file's font: no
- ✗ D. Nothing, because uploads can never be stored or used by any provider at all: they may

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-B1-Q1 · question page 1351

AI.RETRIEVAL.05 · Compare uploading a file with showing a photo to a friend

Showing a friend a photo lets them...

Answer: B. Talk about it with you right now

Like context.

- ✗ A. Instantly change everything they ever learned at school about every subject: no
- ✗ C. Own the photo: no
- ✗ D. Tell all their friends automatically: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-B1-Q2 · question page 1352

AI.RETRIEVAL.05 · Compare uploading a file with showing a photo to a friend

Do the friend's other friends now know about your trip?

Answer: D. No

Context is not shared.

- ✗ A. Yes, after a week: no
- ✗ B. Yes, because your friend's memory is shared with everyone they know automatically: no
- ✗ C. Only if it was a long trip: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-B1-Q3 · question page 1353

AI.RETRIEVAL.05 · Compare uploading a file with showing a photo to a friend

Later, will the friend remember all the details?

Answer: C. Not unless shown again or a copy was kept

Like a new chat without saved files.

- ✗ A. Yes, if the photo was blurry: no
- ✗ B. Only in summer: no
- ✗ D. Yes, every detail forever, because looking at a photo once changes memory permanently: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-B1-Q4 · question page 1354

AI.RETRIEVAL.05 · Compare uploading a file with showing a photo to a friend

In AI terms, showing the photo is like what?

Answer: A. Uploading a file to a chat

Supplying context.

- ✗ B. Deleting a model: no
- ✗ C. Building a new model: no
- ✗ D. Fine-tuning the model: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-B1-Q5 · question page 1355

AI.RETRIEVAL.05 · Compare uploading a file with showing a photo to a friend

What is like "kept a copy"?

Answer: D. A product saving the file

Saved features carry it over.

- ✗ A. Showing it to strangers: no
- ✗ B. Forgetting the photo: opposite
- ✗ C. The model's original training on data collected years before you ever used it: not the same

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-F1-Q1 · question page 1356

AI.RETRIEVAL.05 · Apply the context-versus-retraining idea

Tia uploads her club's rules in a private chat with no shared workspace. Tomorrow a friend asks the same tool about the club. Will it know Tia's rules?

Answer: B. No; the rules were only in Tia's request

Context belongs to that request.

- ✗ A. Only if the club is famous: no
- ✗ C. Yes, if the friend is in the same club: no
- ✗ D. Yes; uploading the rules retrained the model: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-F1-Q2 · question page 1357

AI.RETRIEVAL.05 · Apply the context-versus-retraining idea

A manager says, "Upload our handbook once and the AI will know it forever." What is more accurate?

Answer: C. It is used in that context; saving depends on product features

Context, plus product-specific saving.

- ✗ A. Correct, but only for PDFs: no
- ✗ B. Wrong; tools cannot read handbooks at all: they can
- ✗ D. Correct; uploads permanently teach the model everything in them: not training

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-F1-Q3 · question page 1358

AI.RETRIEVAL.05 · Apply the context-versus-retraining idea

Raj wants a model permanently changed to know his company's style. What is required?

Answer: A. Fine-tuning or training

A separate process.

- ✗ B. Typing "learn this" in capitals: not training
- ✗ C. Starting many new chats: not training
- ✗ D. Uploading one style guide: not permanent training

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-F1-Q4 · question page 1359

AI.RETRIEVAL.05 · Apply the context-versus-retraining idea

A student uploads notes, then starts a new chat and the tool does not know them. What explains this?

Answer: D. The new chat does not have the earlier context

Context does not carry over automatically.

- ✗ A. The notes were too short: not the reason
- ✗ B. The tool forgot its training: no
- ✗ C. The tool deleted the notes from the internet: not what happened

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-F1-Q5 · question page 1360

AI.RETRIEVAL.05 · Apply the context-versus-retraining idea

Which statement is accurate?

Answer: C. Uploads affect the conversation, not the model's training

Context, not retraining.

- ✗ A. Uploads change the model's cutoff date: no
- ✗ B. Uploads are never stored by any product: some store them
- ✗ D. Uploads instantly retrain the model so that it improves for every single user: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-F2-Q1 · question page 1361

AI.RETRIEVAL.05 · Avoid both mistaken beliefs about uploads

Someone says uploads "teach the AI instantly for everyone." What is wrong?

Answer: B. Uploads do not retrain the model in the moment

No instant retraining.

- ✗ A. Uploads cannot be read at all: they can
- ✗ C. Uploads are always deleted first: not necessarily
- ✗ D. Nothing; uploads are added to the model: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-F2-Q2 · question page 1362

AI.RETRIEVAL.05 · Avoid both mistaken beliefs about uploads

Someone else says, "Since uploads don't retrain it, they are never stored." What is wrong?

Answer: A. Products may store uploads under their policy

Storage depends on the product.

- ✗ B. Uploads always retrain the model: not true
- ✗ C. Uploads always become public: not true
- ✗ D. Nothing; no product anywhere ever keeps a copy: some do

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-F2-Q3 · question page 1363

AI.RETRIEVAL.05 · Avoid both mistaken beliefs about uploads

What determines whether stored uploads may be used to train future models?

Answer: D. The provider's terms and your settings

Terms and settings.

- ✗ A. Whether the file has images: not the rule
- ✗ B. The size of the file, since large files are always used for training automatically: not the rule
- ✗ C. The user's age only: not the rule

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-F2-Q4 · question page 1364

AI.RETRIEVAL.05 · Avoid both mistaken beliefs about uploads

A worker uploads a confidential client file to a tool not approved by her employer. What is the main issue?

Answer: B. She may not be permitted to share it

Permission matters regardless of training.

- ✗ A. The file will improve the model: not the issue
- ✗ C. The upload will be slower: irrelevant
- ✗ D. None: still sharing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S65-F2-Q5 · question page 1365

AI.RETRIEVAL.05 · Avoid both mistaken beliefs about uploads

What is the most accurate summary?

Answer: C. Uploads are used in context; storage and training depend on policy

The accurate picture.

- ✗ A. Uploads vanish instantly and can never be stored: not accurate
- ✗ B. Uploads always retrain the model and are shared with every other user immediately: not accurate
- ✗ D. Uploads change the model's parameters: not accurate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-M-Q1 · question page 1367

AI.PITFALL.01 · Notice overloaded requests and missing attachments

What is context overload?

Answer: D. So much loosely related material that the key part gets lost

Too much, poorly focused material.

- ✗ A. A password that is too long: not the meaning
- ✗ B. A tool that is too slow: not the meaning
- ✗ C. A request that is short and focused on exactly one clear question: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-M-Q2 · question page 1368

AI.PITFALL.01 · Notice overloaded requests and missing attachments

You wrote "see the attached schedule," but the upload failed. What might the tool do?

Answer: B. Answer anyway and invent what the file says

Missing files can lead to invented answers.

- ✗ A. Find the file on your computer: no
- ✗ C. Email you the file: no
- ✗ D. Always stop and clearly say that no file was received before doing anything else: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-M-Q3 · question page 1369

AI.PITFALL.01 · Notice overloaded requests and missing attachments

How can you confirm a tool can see your file?

Answer: A. Ask it to state the file's title or first heading

A specific detail proves it was read.

- ✗ B. Make the file name longer: not a check
- ✗ C. Upload it in a different color: nonsense
- ✗ D. Ask whether it is happy to help with the file: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-M-Q4 · question page 1370

AI.PITFALL.01 · Notice overloaded requests and missing attachments

Which is a fix for overload?

Answer: C. Include only the relevant material and point to what matters

Focus the input.

- ✗ A. Remove your question: not a fix
- ✗ B. Paste every document you have so the tool has the most information possible to use: worsens overload
- ✗ D. Repeat the same document three times: worsens overload

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-M-Q5 · question page 1371

AI.PITFALL.01 · Notice overloaded requests and missing attachments

Which can cause a missing attachment?

Answer: B. An unsupported file format

Formats, sizes and failed uploads.

- ✗ A. A common file type: usually supported
- ✗ C. A short, clear question typed directly into the message box with good grammar: not a cause
- ✗ D. A polite greeting: not a cause

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-B1-Q1 · question page 1372

AI.PITFALL.01 · Compare overload with packing a suitcase

Why is an overstuffed suitcase a problem?

Answer: A. The thing you need is hard to find

Overload buries what matters.

- ✗ B. It is the wrong color: no
- ✗ C. Because every single item in it will always be damaged by the extra weight inside: not the point
- ✗ D. It is too light: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-B1-Q2 · question page 1373

AI.PITFALL.01 · Compare overload with packing a suitcase

Saying "my passport is packed" when it is not is like what?

Answer: C. Mentioning an attachment that never uploaded

Mentioning is not attaching.

- ✗ A. Going on vacation: no
- ✗ B. Packing the passport carefully in an easy-to-reach front pocket of the bag: opposite
- ✗ D. Buying a new suitcase: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-B1-Q3 · question page 1374

AI.PITFALL.01 · Compare overload with packing a suitcase

What helps you find the passport quickly?

Answer: D. Packing only what you need

Less, focused content.

- ✗ A. Using a smaller tag: no
- ✗ B. Packing even more things on top of the passport to protect it: worse
- ✗ C. Locking the suitcase: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-B1-Q4 · question page 1375

AI.PITFALL.01 · Compare overload with packing a suitcase

In a request, what is like the passport?

Answer: B. The part of the material that matters

The key content.

- ✗ A. The app's logo: no
- ✗ C. The tool's settings: no
- ✗ D. The decorative cover page of a long document: not the key part

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-B1-Q5 · question page 1376

AI.PITFALL.01 · Compare overload with packing a suitcase

How do you know the passport is really packed?

Answer: C. Check inside the suitcase

Confirm attachments arrived.

- ✗ A. Weigh the suitcase: not reliable
- ✗ B. Hope: no
- ✗ D. Say out loud, several times: saying is not checking

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-F1-Q1 · question page 1377

AI.PITFALL.01 · Fix overload and attachment problems in practice

Jo pastes a 30-page report to ask about one budget table. What is a better approach?

Answer: A. Paste the budget table and its heading

Supply the relevant part.

- ✗ B. Paste only the cover page: wrong part
- ✗ C. Paste nothing and describe it vaguely: too little
- ✗ D. Paste the full report twice: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-F1-Q2 · question page 1378

AI.PITFALL.01 · Fix overload and attachment problems in practice

A tool answers about "your attached invoice" with general advice and no specific numbers. What should you suspect?

Answer: D. The file may not have been read

Vague answers can signal a missing file.

- ✗ A. General advice is always better: not the point
- ✗ B. The tool is protecting your privacy: not implied
- ✗ C. The invoice must have no numbers on it: unlikely

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-F1-Q3 · question page 1379

AI.PITFALL.01 · Fix overload and attachment problems in practice

An upload shows "file too large." What should you do?

Answer: A. Split or shrink the file, then re-upload

Fix the upload first.

- ✗ B. Rename the file: not a fix
- ✗ C. Give up on the task: not necessary
- ✗ D. Ignore the message and trust the answer that the tool writes next about the file: may be based on nothing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-F1-Q4 · question page 1380

AI.PITFALL.01 · Fix overload and attachment problems in practice

Which request avoids overload?

Answer: D. "In the notes below, check only the dates in section 2."

Focused scope.

- ✗ A. "Look at all of these files at once.": overloaded
- ✗ B. "Read everything and answer everything.": overloaded
- ✗ C. "Here are all my notes from the whole year; tell me what you think about them overall.": overloaded

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-F1-Q5 · question page 1381

AI.PITFALL.01 · Fix overload and attachment problems in practice

Before relying on an answer about a PDF, what quick check helps?

Answer: B. Ask for a specific detail you can verify

Verify it read the file.

- ✗ A. Ask for bold text: not a check
- ✗ C. Ask for a longer answer: not a check
- ✗ D. Ask the tool whether it enjoyed reading the PDF: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-F2-Q1 · question page 1382

AI.PITFALL.01 · Recover from overloaded conversations and failed uploads

A long conversation covers five topics, and the tool now mixes up instructions. What often works better?

Answer: C. Start fresh with a short summary of what matters

A clean context helps.

- ✗ A. Switch topics again: worse
- ✗ B. Keep going in the same conversation and add another ten messages of new instructions: worse
- ✗ D. Repeat every old message: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-F2-Q2 · question page 1383

AI.PITFALL.01 · Recover from overloaded conversations and failed uploads

After a "file too large" error, the tool gives a detailed answer about the file. What is the risk?

Answer: D. The answer may be based on nothing

Errors before answers matter.

- ✗ A. The file was read twice: not likely
- ✗ B. No risk, because detailed answers always prove the file was read in full: not proof
- ✗ C. The answer is official: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-F2-Q3 · question page 1384

AI.PITFALL.01 · Recover from overloaded conversations and failed uploads

Why do earlier instructions get lost in long conversations?

Answer: A. Newer messages compete with them

Competing and dropped context.

- ✗ B. Because long chats are illegal: no
- ✗ C. Because instructions expire at midnight: nonsense
- ✗ D. Because tools delete every earlier instruction: not how it works

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-F2-Q4 · question page 1385

AI.PITFALL.01 · Recover from overloaded conversations and failed uploads

What should a fresh-start summary include?

Answer: C. The key instructions and facts still needed

Carry forward what matters.

- ✗ A. A full copy of every single message from the old conversation, word for word: that is overload
- ✗ B. Only the first message: may miss later decisions
- ✗ D. Nothing at all: loses needed context

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S66-F2-Q5 · question page 1386

AI.PITFALL.01 · Recover from overloaded conversations and failed uploads

A tool says, "Based on your attached file..." but you attached nothing. What does this show?

Answer: B. It may invent content for a file that does not exist

Watch for invented file content.

- ✗ A. That the tool read your mind: no
- ✗ C. That attachments are never needed: not the point
- ✗ D. That a file must have been attached by accident: unlikely

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-M-Q1 · question page 1388

AI.PITFALL.02 · Spot truncated output and formatting errors

In this fictional example, what problem does the response show?

Fictional example (prepared in advance; not a real AI output)

Request:

List the 10 steps for setting up the class fundraiser.

Response:

1. Choose a date.
2. Get approval from the principal.
3. Set a goal amount.
4. Pick a theme.
5. Make a sign-up sheet.
6. Order supplies.
7. Create flyers and post them in the

Answer: B. It was cut off before finishing

It stops mid-sentence at step 7.

- ✗ A. It refused the request: it answered
- ✗ C. It used too many steps: it used fewer
- ✗ D. It was formatted as a numbered list: lists are fine

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-M-Q2 · question page 1389

AI.PITFALL.02 · Spot truncated output and formatting errors

In the same example, how many promised steps never appear at all?

Fictional example (prepared in advance; not a real AI output)

Request:

> List the 10 steps for setting up the class fundraiser.

Response:

> 1. Choose a date.
> 2. Get approval from the principal.
> 3. Set a goal amount.
> 4. Pick a theme.
> 5. Make a sign-up sheet.
> 6. Order supplies.
> 7. Create flyers and post them in the

Answer: C. 3 (steps 8 to 10)

Steps 8, 9 and 10 are absent; step 7 is started but unfinished.

- ✗ A. 4: step 7 started; it is unfinished, not absent
- ✗ B. 10: it gave some
- ✗ D. None, since the list already covers the most important parts of planning a fundraiser: it promised 10

Arithmetic checked by code: yes. Code example run and its output checked: not applicable.
Sources: none (stable)

S67-M-Q3 · question page 1390

AI.PITFALL.02 · Spot truncated output and formatting errors

What is a sign of truncation?

Answer: D. A sentence that ends abruptly

Abrupt endings.

- ✗ A. A numbered list that reaches its stated count: complete
- ✗ B. A polite greeting: not a sign
- ✗ C. A conclusion paragraph that wraps up the answer neatly: a sign of completion

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-M-Q4 · question page 1391

AI.PITFALL.02 · Spot truncated output and formatting errors

Which is a formatting error?

Answer: A. Numbering that restarts at 1 halfway through

Broken numbering.

- ✗ B. A table with labeled columns: good formatting
- ✗ C. Consistent bullet points: good formatting
- ✗ D. A clear heading at the top of the answer that names the topic of the list below: good formatting

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-M-Q5 · question page 1392

AI.PITFALL.02 · Spot truncated output and formatting errors

Before using output, what two things should you check?

Answer: C. That it is complete and its format survived

Completeness and format.

- ✗ A. That it is colorful and short: not the checks
- ✗ B. That it has emojis and links: not the checks
- ✗ D. That it is long and that it sounds confident: not the checks

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-B1-Q1 · question page 1393

AI.PITFALL.02 · Count what was promised versus what arrived

You asked for 12 monthly rows and see 9. What is wrong?

Answer: D. 3 rows are missing

12 - 9 = 3.

- ✗ A. 9 rows are extra: reversed
- ✗ B. Nothing, because 9 rows is close enough to a full year for most purposes: incomplete
- ✗ C. The months are in the wrong order: not shown

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

S67-B1-Q2 · question page 1394

AI.PITFALL.02 · Count what was promised versus what arrived

Which last line suggests truncation?

Answer: B. "Then, after you finish the"

An unfinished sentence.

- ✗ A. "Good luck with your project!": complete
- ✗ C. "Step 10: Celebrate.": complete
- ✗ D. "That completes the list.": complete

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-B1-Q3 · question page 1395

AI.PITFALL.02 · Count what was promised versus what arrived

An outline promised 5 sections; you find 5 with a final summary. What does the count show?

Answer: A. It appears complete

Count and ending both pass.

- ✗ B. It cannot be checked: it can
- ✗ C. It is missing 2 sections: count matches
- ✗ D. It is truncated: count matches

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-B1-Q4 · question page 1396

AI.PITFALL.02 · Count what was promised versus what arrived

You asked for 8 tips and got 6, ending mid-sentence. How many checks fail?

Answer: B. Both: count and last line

6 of 8, and the ending is cut off.

- ✗ A. Only the last line: the count also fails
- ✗ C. Only the count: the last line also fails
- ✗ D. Neither, because six tips is enough for most readers to get the main ideas: both fail

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-B1-Q5 · question page 1397

AI.PITFALL.02 · Count what was promised versus what arrived

What is the first step of the check?

Answer: A. Count the items you asked for

Count first.

- ✗ B. Change the font: irrelevant
- ✗ C. Copy it elsewhere: not a check
- ✗ D. Read the answer out loud: not a count

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-F1-Q1 · question page 1398

AI.PITFALL.02 · Catch truncation and formatting problems in practice

Ana asked for a 7-day meal plan and the table ends at Friday. What should she do?

Answer: D. Ask for Saturday and Sunday separately

Request the missing part.

- ✗ A. Start a new topic: not a fix
- ✗ B. Use the plan as is: missing days
- ✗ C. Assume weekend meals are not needed: incomplete

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-F1-Q2 · question page 1399

AI.PITFALL.02 · Catch truncation and formatting problems in practice

A pasted table became one long line in a word processor. What happened?

Answer: C. The format broke when pasting

Pasting can break formatting.

- ✗ A. The tool refused to make a table: it made one
- ✗ B. Tables cannot be pasted: they can
- ✗ D. The table's contents changed into a completely different set of numbers and words: format, not content

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-F1-Q3 · question page 1400

AI.PITFALL.02 · Catch truncation and formatting problems in practice

A code answer ends in the middle of a line. What should you do before using it?

Answer: D. Get the complete code

Incomplete code is unreliable.

- ✗ A. Add random characters: no
- ✗ B. Delete the last line: still incomplete
- ✗ C. Run it anyway: incomplete

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-F1-Q4 · question page 1401

AI.PITFALL.02 · Catch truncation and formatting problems in practice

A numbered list goes 1, 2, 3, 1, 2. What kind of problem is this?

Answer: A. A formatting error

Numbering restarted.

- ✗ B. A grounding error: no
- ✗ C. A spelling error: no
- ✗ D. Truncation: not truncation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-F1-Q5 · question page 1402

AI.PITFALL.02 · Catch truncation and formatting problems in practice

Which request reduces truncation risk for a long report?

Answer: B. "Write sections 1-3 now; I will ask for 4-6 next."

Ask in parts.

- ✗ A. "Use small words.": not related
- ✗ C. "Make it as long as possible.": more likely to truncate
- ✗ D. "Write the entire 40-page report in one single response.": more likely to truncate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-F2-Q1 · question page 1403

AI.PITFALL.02 · Handle quiet truncation and broken formats

A summary of a 6-section report ends after section 5 but sounds finished. What is the risk?

Answer: C. Quiet truncation that looks complete

Check coverage, not tone.

- ✗ A. Section 6 is never important: unsupported
- ✗ B. The report has only 5 sections: it has 6
- ✗ D. No risk: not proof

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-F2-Q2 · question page 1404

AI.PITFALL.02 · Handle quiet truncation and broken formats

Cut-off code still runs without an error. Why might it be a problem?

Answer: D. It may skip the final steps

Running is not finishing.

- ✗ A. Because code that runs without an error is always completely correct and complete: not true
- ✗ B. It cannot be read: not the issue
- ✗ C. It runs too fast: not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-F2-Q3 · question page 1405

AI.PITFALL.02 · Handle quiet truncation and broken formats

Bullet symbols turned into odd characters after pasting into an email. Where should you check formatting?

Answer: C. In the final destination before sending

Check where it will be used.

- ✗ A. Nowhere; formatting never matters: it matters
- ✗ B. Only on a printed copy: not the email
- ✗ D. Only in the chat window: not where it is used

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-F2-Q4 · question page 1406

AI.PITFALL.02 · Handle quiet truncation and broken formats

You asked for 20 interview questions in parts of 5. What should you do after each part?

Answer: B. Count to confirm 5 arrived

Count each part.

- ✗ A. Trust that each part was complete, since asking in parts already prevents every problem: still check
- ✗ C. Skip counting: misses gaps
- ✗ D. Ask for all 20 again: unnecessary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S67-F2-Q5 · question page 1407

AI.PITFALL.02 · Handle quiet truncation and broken formats

A schedule table lost its last column when copied into a spreadsheet. What should you do?

Answer: A. Fix or re-export the table and recheck all columns

Recheck structure after moving data.

- ✗ B. Ignore the missing column, since the last column in a schedule is usually the least important: may be key
- ✗ C. Delete the whole schedule: unnecessary
- ✗ D. Rename the file: not a fix

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-M-Q1 · question page 1409

AI.PITFALL.03 · Check links and dated facts before sharing them

What should you do before sharing a link from an AI answer?

Answer: C. Open it and confirm it shows what was claimed

Verify links.

- ✗ A. Shorten it first: not a check
- ✗ B. Share it right away, since links in answers are always checked by the tool before writing: not guaranteed
- ✗ D. Add more links: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-M-Q2 · question page 1410

AI.PITFALL.03 · Check links and dated facts before sharing them

Which is a way a link can fail?

Answer: B. It can be made up

Invented, broken or wrong links.

- ✗ A. It can be blue: not a failure
- ✗ C. It can have a period: not a failure
- ✗ D. It can be too short: not a failure

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-M-Q3 · question page 1411

AI.PITFALL.03 · Check links and dated facts before sharing them

Why are phone numbers in answers especially risky?

Answer: D. A wrong one can reach the wrong group or a scammer

Wrong contacts can be harmful.

- ✗ A. Because phone numbers cannot be checked: they can
- ✗ B. Because phones cannot call companies: no
- ✗ C. Because phone numbers are always much longer: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-M-Q4 · question page 1412

AI.PITFALL.03 · Check links and dated facts before sharing them

What is a stale fact?

Answer: A. One that was true but has changed

Outdated information.

- ✗ B. A fact about food: not the meaning
- ✗ C. A very short fact: not the meaning
- ✗ D. A fact that has always been false: that is just wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-M-Q5 · question page 1413

AI.PITFALL.03 · Check links and dated facts before sharing them

Before relying on a price in an answer, what should you find?

Answer: D. A current source

Current, dated sources.

- ✗ A. A longer answer: not a source
- ✗ B. A friend's guess: not reliable
- ✗ C. An older source: not current

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-B1-Q1 · question page 1414

AI.PITFALL.03 · Compare links with directions to a shop

Why might old directions be wrong?

Answer: C. The shop may have moved or closed

Things change.

- ✗ A. Directions are always wrong: no
- ✗ B. Shops never change: they do
- ✗ D. Because streets in every city are renamed every single year without any notice: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-B1-Q2 · question page 1415

AI.PITFALL.03 · Compare links with directions to a shop

What is like calling ahead?

Answer: B. Opening a link to check it

Verification before relying.

- ✗ A. Ignoring the directions: not the comparison
- ✗ C. Asking for more directions: not the comparison
- ✗ D. Driving across town immediately: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-B1-Q3 · question page 1416

AI.PITFALL.03 · Compare links with directions to a shop

Links in AI answers are like what?

Answer: A. Directions that may be out of date

Possibly stale.

- ✗ B. A shopping list: no
- ✗ C. A receipt: no
- ✗ D. A guaranteed map that is automatically updated every second with any changes: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-B1-Q4 · question page 1417

AI.PITFALL.03 · Compare links with directions to a shop

What could change about the shop?

Answer: D. Its location or hours

Practical details change.

- ✗ A. Only its logo: not the concern
- ✗ B. Only its paint color: not the concern
- ✗ C. Nothing at all, because shops always stay exactly the same for many decades: they change

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-B1-Q5 · question page 1418

AI.PITFALL.03 · Compare links with directions to a shop

What is the lesson?

Answer: A. Check before relying on old information

Verify first.

- ✗ B. Only shop online: no
- ✗ C. Always drive faster: no
- ✗ D. Never use directions from friends again: too strong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-F1-Q1 · question page 1419

AI.PITFALL.03 · Check links and facts in practice

A tool gives a link to a scholarship application. It opens to a "page not found" error. What should you do?

Answer: B. Find the scholarship on the organization's main site

Find the current page from a trusted source.

- ✗ A. Assume the scholarship ended, since a broken link proves that the program no longer exists: not proof
- ✗ C. Try the same broken link every hour: not useful
- ✗ D. Share the link with friends anyway: broken

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-F1-Q2 · question page 1420

AI.PITFALL.03 · Check links and facts in practice

An answer lists a customer service number for a bank. What is the safest check?

Answer: C. Compare it with the number on your card or the bank's site

Use trusted contact details.

- ✗ A. Text it your account number: unsafe
- ✗ B. Call it right away, since phone numbers in answers are taken directly from bank records: not guaranteed
- ✗ D. Post it online: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-F1-Q3 · question page 1421

AI.PITFALL.03 · Check links and facts in practice

A link opens a real page, but about a different topic. What is this?

Answer: B. A link to the wrong page

Check what the page says.

- ✗ A. A broken link: it opened
- ✗ C. A made-up link: it exists
- ✗ D. A working link that proves the claim, since the page loaded without any errors: wrong content

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-F1-Q4 · question page 1422

AI.PITFALL.03 · Check links and facts in practice

An answer says a museum costs "12 dollars, as of 2021." What should you do?

Answer: C. Check the current price

Dated facts may be stale.

- ✗ A. Assume it is free now: unsupported
- ✗ B. Ignore the price: it matters
- ✗ D. Pay 12 dollars at the door: may have changed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-F1-Q5 · question page 1423

AI.PITFALL.03 · Check links and facts in practice

Which item from an answer most needs checking before sharing with a group?

Answer: D. A link to a sign-up form

Links can be broken or wrong.

- ✗ A. A joke: low risk
- ✗ B. A list of snack ideas: low risk
- ✗ C. A friendly sentence: low risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-F2-Q1 · question page 1424

AI.PITFALL.03 · Avoid look-alike links and stale cached pages

An answer links to "paypa1-support.example." What should you notice?

Answer: A. It is a misspelled look-alike address

Look-alikes can belong to others.

- ✗ B. It must be the official site: not shown
- ✗ C. All support sites look like this: no
- ✗ D. Nothing: it can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-F2-Q2 · question page 1425

AI.PITFALL.03 · Avoid look-alike links and stale cached pages

What is the safest way to reach an organization's page?

Answer: C. Type its known address or search for it

Trusted routes.

- ✗ A. Use a link in a surprise text: risky
- ✗ B. Use a link from a pop-up ad: risky
- ✗ D. Click any link that a tool provides: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-F2-Q3 · question page 1426

AI.PITFALL.03 · Avoid look-alike links and stale cached pages

A page looks current but shows "archived copy from 2019." What should you conclude?

Answer: A. It may be stale

Archives show old versions.

- ✗ B. It cannot contain errors: it can
- ✗ C. It is the official page: not necessarily
- ✗ D. It must be current: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-F2-Q4 · question page 1427

AI.PITFALL.03 · Avoid look-alike links and stale cached pages

For an official matter like a tax form, which source should you use?

Answer: B. The agency's main site

Go to the official source.

- ✗ A. A cached copy: possibly stale
- ✗ C. A screenshot from social media: possibly altered
- ✗ D. A link from a forum post: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S68-F2-Q5 · question page 1428

AI.PITFALL.03 · Avoid look-alike links and stale cached pages

What should you look for on a page to judge freshness?

Answer: D. Its date or "last updated" note

Dates indicate freshness.

- ✗ A. The font size: not a sign
- ✗ B. The background color: not a sign
- ✗ C. The number of pictures on the page: not a sign

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-M-Q1 · question page 1430

AI.PITFALL.04 · Keep originals and version drafts

Why keep your original before AI editing?

Answer: D. To see what changed and go back if needed

Originals allow comparison and undo.

- ✗ A. Because originals print faster: irrelevant
- ✗ B. Because tools require you to keep it: not the reason
- ✗ C. Because the original will always be better: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-M-Q2 · question page 1431

AI.PITFALL.04 · Keep originals and version drafts

Which file name best shows a version?

Answer: A. "essay_v2_ai_edit"

Clear version labels.

- ✗ B. "stuff": unclear
- ✗ C. "new new new": unclear
- ✗ D. "essay," the same name used for every draft from the first one to the last one: unclear

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-M-Q3 · question page 1432

AI.PITFALL.04 · Keep originals and version drafts

What is the rule in the passage?

Answer: B. Never overwrite your only copy

Keep copies.

- ✗ A. Only save on Fridays: nonsense
- ✗ C. Use one file for everything: risky
- ✗ D. Always delete old drafts right away: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-M-Q4 · question page 1433

AI.PITFALL.04 · Keep originals and version drafts

How does versioning help with honesty?

Answer: C. It shows how your work developed

A visible history.

- ✗ A. It makes work look longer: not the reason
- ✗ B. It removes the need to disclose AI use: not true
- ✗ D. It hides: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-M-Q5 · question page 1434

AI.PITFALL.04 · Keep originals and version drafts

Before accepting a big AI change, what should you do?

Answer: D. Compare it with the previous version

Compare before accepting.

- ✗ A. Print both and throw them away: nonsense
- ✗ B. Delete the previous version: loses comparison
- ✗ C. Accept it right away: check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-B1-Q1 · question page 1435

AI.PITFALL.04 · Compare versions with photos of a room before you redecorate

Why take a photo before redecorating?

Answer: C. To put things back if you dislike the change

Like keeping an original.

- ✗ A. Photos make paint dry: no
- ✗ B. To sell the room: no
- ✗ D. Because photos of rooms are needed to buy new paint: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-B1-Q2 · question page 1436

AI.PITFALL.04 · Compare versions with photos of a room before you redecorate

A photo after each step is like what?

Answer: A. Saving a version after each edit

Step-by-step versions.

- ✗ B. Deleting the old version each time a change is made so only the newest remains: opposite
- ✗ C. Buying furniture: no
- ✗ D. Painting faster: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-B1-Q3 · question page 1437

AI.PITFALL.04 · Compare versions with photos of a room before you redecorate

What can step-by-step photos show?

Answer: B. Which change made it better or worse

Comparison across versions.

- ✗ A. The weather outside: no
- ✗ C. The room's address: no
- ✗ D. The exact price of every item of furniture: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-B1-Q4 · question page 1438

AI.PITFALL.04 · Compare versions with photos of a room before you redecorate

In documents, what is a "photo" of your work?

Answer: C. A saved copy at that moment

A version.

- ✗ A. The file's size: no
- ✗ B. A screenshot of the app icon: no
- ✗ D. The final printed copy only, made after all of the changes are completely finished: not each moment

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-B1-Q5 · question page 1439

AI.PITFALL.04 · Compare versions with photos of a room before you redecorate

Without a before photo, what is hard?

Answer: A. Putting things back the way they were

No original, no undo.

- ✗ B. Opening the door: no
- ✗ C. Turning on the light: no
- ✗ D. Buying paint in a new color for the walls: unrelated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-F1-Q1 · question page 1440

AI.PITFALL.04 · Version drafts in practical work

Ben pastes his essay into a tool for edits and replaces his file with the result. He dislikes some changes. What would have helped?

Answer: D. Saving his original as a separate file first

Keep the original.

- ✗ A. Printing the edited version: too late
- ✗ B. Making the essay shorter first: irrelevant
- ✗ C. Asking the tool to remember what the essay said: not reliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-F1-Q2 · question page 1441

AI.PITFALL.04 · Version drafts in practical work

Which set of names is clearest?

Answer: B. "report_v1_draft," "report_v2_ai_edit," "report_v3_final"

Clear, ordered names.

- ✗ A. "final," "final2," "final_final": confusing
- ✗ C. "a," "b," "c": unclear
- ✗ D. "report," "report," "report," each saved in a different folder on the desktop: confusing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-F1-Q3 · question page 1442

AI.PITFALL.04 · Version drafts in practical work

A teacher asks how a student's essay changed with AI help. What helps the student answer?

Answer: C. Saved versions of each draft

Versions show development.

- ✗ A. Deleting old drafts: loses history
- ✗ B. A memory of what changed: unreliable
- ✗ D. Only the final version: loses history

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-F1-Q4 · question page 1443

AI.PITFALL.04 · Version drafts in practical work

A document app offers version history. When is it most useful?

Answer: A. Before and after accepting big changes

Use it around big edits.

- ✗ B. Only when printing: not the main use
- ✗ C. Never, because version history only matters for very large companies with many staff: useful for all
- ✗ D. Only for spreadsheets: not only

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-F1-Q5 · question page 1444

AI.PITFALL.04 · Version drafts in practical work

After an AI edit, what should you compare?

Answer: B. The edited draft with the previous version

Compare versions.

- ✗ A. The file sizes only: not content
- ✗ C. The fonts only: not content
- ✗ D. The edited draft with a completely different essay: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-F2-Q1 · question page 1445

AI.PITFALL.04 · Keep versions clear and collaborative

A folder has "final," "final2" and "really_final." What is the problem?

Answer: D. It is unclear which is which

Use dates and descriptions.

- ✗ A. The files are too small: irrelevant
- ✗ B. Three versions are illegal: no
- ✗ C. Nothing: not reliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-F2-Q2 · question page 1446

AI.PITFALL.04 · Keep versions clear and collaborative

Which name is clearest?

Answer: C. "2026-03-14_after_peer_review"

Date plus description.

- ✗ A. "final_new_new," which shows that it is newer than the other final versions: unclear
- ✗ B. "untitled": unclear
- ✗ D. "doc": unclear

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-F2-Q3 · question page 1447

AI.PITFALL.04 · Keep versions clear and collaborative

Three classmates edit a group report separately. What prevents lost changes?

Answer: B. Agreeing on one master copy

One master copy.

- ✗ A. Emailing random versions: confusing
- ✗ C. Deleting everyone else's edits: loses work
- ✗ D. Each person keeping their own separate version and never combining any of them: changes get lost

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-F2-Q4 · question page 1448

AI.PITFALL.04 · Keep versions clear and collaborative

Is pasting your text into a chat a reliable versioned backup?

Answer: B. No; save or export your own copy

A chat may keep history, but it is not a dependable versioned backup.

- ✗ A. Only if the chat is long: length does not make it a backup
- ✗ C. Yes; chat history always keeps every version: history may be lost, changed or hard to use
- ✗ D. Yes, if the chat is pinned: pinning is not a versioned backup

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S69-F2-Q5 · question page 1449

AI.PITFALL.04 · Keep versions clear and collaborative

Why track which version you submitted?

Answer: D. So you know exactly what was graded or sent

Clear records.

- ✗ A. So you can delete the others: not the reason
- ✗ B. So the file gets bigger: irrelevant
- ✗ C. So that you can change the submitted version later: not honest

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-M-Q1 · question page 1451

AI.PITFALL.05 · Check files after moving them between tools

What can happen with an unsupported file type?

Answer: B. It may not open or may lose features

Compatibility problems.

- ✗ A. It always opens perfectly and keeps every feature, image and formula exactly the same: not guaranteed
- ✗ C. It becomes a better file: no
- ✗ D. It deletes your computer: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-M-Q2 · question page 1452

AI.PITFALL.05 · Check files after moving them between tools

A chat says "here is your presentation" but shows only text. What is true?

Answer: C. Writing text is separate from creating a real file

File creation is a separate feature.

- ✗ A. Presentations cannot be made: they can
- ✗ B. Text and slide files are the same: they differ
- ✗ D. A real slide file must already be saved on your computer: not necessarily

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-M-Q3 · question page 1453

AI.PITFALL.05 · Check files after moving them between tools

After exporting a file, where should you check it?

Answer: A. In the program where it will be used

Check at the destination.

- ✗ B. In a different, unrelated program: not the target
- ✗ C. Nowhere: must check
- ✗ D. Only in the chat window: not where it is used

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-M-Q4 · question page 1454

AI.PITFALL.05 · Check files after moving them between tools

What might an export drop?

Answer: D. Images, fonts or formulas

Features can be lost.

- ✗ A. Nothing, because exports always copy every single part of a file without any changes: they can drop parts
- ✗ B. Only blank lines: more can be lost
- ✗ C. Only the file name: more can be lost

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-M-Q5 · question page 1455

AI.PITFALL.05 · Check files after moving them between tools

Which items must you test after moving work?

Answer: C. Anything that must work, like links or formulas

Test functional parts.

- ✗ A. Only the color scheme: not enough
- ✗ B. Nothing: must test
- ✗ D. Only the title, since it is the first thing people see when they open any file: not enough

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-B1-Q1 · question page 1456

AI.PITFALL.05 · Compare moving files with moving house

What can happen to a lamp in a move?

Answer: D. It can arrive without its shade

Parts get lost.

- ✗ A. It gets lighter: no
- ✗ B. It becomes a table: no
- ✗ C. It always arrives in better condition: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-B1-Q2 · question page 1457

AI.PITFALL.05 · Compare moving files with moving house

A table that does not fit the new door is like what?

Answer: A. A file type the new program cannot handle

Compatibility.

- ✗ B. A new font: no
- ✗ C. A faster computer: no
- ✗ D. A file that opens perfectly in every program: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-B1-Q3 · question page 1458

AI.PITFALL.05 · Compare moving files with moving house

Why unpack and check before the party?

Answer: B. To find problems before they matter

Check before relying.

- ✗ A. To make the house smaller: no
- ✗ C. To change the address: no
- ✗ D. Because boxes must legally be unpacked within one hour of arriving at the new house: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-B1-Q4 · question page 1459

AI.PITFALL.05 · Compare moving files with moving house

A "kitchen" box holding books is like what?

Answer: D. Content that ended up in the wrong place

Misplaced content.

- ✗ A. A new kitchen: no
- ✗ B. A perfectly organized move where every box contains exactly what its label says: opposite
- ✗ C. A heavier box: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-B1-Q5 · question page 1460

AI.PITFALL.05 · Compare moving files with moving house

What is the lesson for files?

Answer: B. Open and check work in its new program

Check at the destination.

- ✗ A. Rename every file: no
- ✗ C. Delete originals: risky
- ✗ D. Never move files between tools, no matter what the task requires or needs: too strong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-F1-Q1 · question page 1461

AI.PITFALL.05 · Move and export work safely in practice

Lia copies an AI-made table into a spreadsheet, and the totals stop updating. What happened?

Answer: A. It was pasted as text, so formulas were lost

Text has no formulas.

- ✗ B. The numbers are too large: not the cause
- ✗ C. The spreadsheet program is broken and needs to be replaced with a different program entirely: not the cause
- ✗ D. Totals never update in spreadsheets: they do

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-F1-Q2 · question page 1462

AI.PITFALL.05 · Move and export work safely in practice

A tool offers to "export your slides," but your product only produces text. What should you do?

Answer: C. Use a presentation app to build the file from the text

Text draft and file creation are separate.

- ✗ A. Email the text as slides: not slides
- ✗ B. Give up on presenting: unnecessary
- ✗ D. Wait for a slide file to appear on your computer: may not exist

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-F1-Q3 · question page 1463

AI.PITFALL.05 · Move and export work safely in practice

A document with accented names shows odd symbols after export. What should you do?

Answer: A. Check and fix the names before sharing

Special characters can break.

- ✗ B. Delete the names: needed
- ✗ C. Ignore it, since readers will understand the names even with strange symbols in them: may confuse
- ✗ D. Change everyone's name: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-F1-Q4 · question page 1464

AI.PITFALL.05 · Move and export work safely in practice

Ravi will present on the school's computer. When should he check his exported file?

Answer: B. Early, on that computer

Test on the target device.

- ✗ A. After the presentation: too late
- ✗ C. Only on his own laptop the night before, since files look the same on every computer: may differ
- ✗ D. Never: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-F1-Q5 · question page 1465

AI.PITFALL.05 · Move and export work safely in practice

Which file should you keep in case an export fails?

Answer: D. The original in its native format

Keep the original.

- ✗ A. Neither: risky
- ✗ B. A screenshot of the file name: not useful
- ✗ C. Only the exported copy: may be broken

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-F2-Q1 · question page 1466

AI.PITFALL.05 · Catch silent export failures

A converted document looks fine but page 3's table is split across two pages. What kind of problem is this?

Answer: C. A layout shift from conversion

Conversions shift layouts.

- ✗ A. A spelling error that was added to the table by the conversion program on purpose: not spelling
- ✗ B. A missing file: it exists
- ✗ D. A grounding error: not grounding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-F2-Q2 · question page 1467

AI.PITFALL.05 · Catch silent export failures

A deadline is tomorrow morning. When should you export?

Answer: B. Early, leaving time to fix problems

Leave time to check.

- ✗ A. Never; send the chat link: may not work
- ✗ C. After the deadline: too late
- ✗ D. One minute before the deadline: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-F2-Q3 · question page 1468

AI.PITFALL.05 · Catch silent export failures

Why check on the audience's device and software?

Answer: A. Files can look different there

Test where it will be used.

- ✗ B. Because fonts never change: they can
- ✗ C. Because every device and every program display files in exactly the same way: they differ
- ✗ D. Because audiences prefer printed copies: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-F2-Q4 · question page 1469

AI.PITFALL.05 · Catch silent export failures

A spreadsheet export lost a column of formulas but kept the numbers. What risk follows?

Answer: C. Numbers will not update if inputs change

Static numbers go stale.

- ✗ A. The file becomes larger: irrelevant
- ✗ B. No risk, because numbers without formulas will still update whenever the inputs change: they will not
- ✗ D. The colors change: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S70-F2-Q5 · question page 1470

AI.PITFALL.05 · Catch silent export failures

What should you do if an export breaks formatting badly?

Answer: D. Return to the original and try again

The original lets you retry.

- ✗ A. Send it anyway: poor result
- ✗ B. Fix every problem by hand in the broken copy and delete the original file to save space: risky
- ✗ C. Change the file name only: not a fix

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-M-Q1 · question page 1472

AI.PITFALL.06 · Tell interface and account limits from model abilities

A free plan stops you after 20 messages a day. Is this a model limit or an account limit?

Answer: A. An account limit

Plans set usage limits.

- ✗ B. A model limit, because the model itself gets tired and cannot answer more than twenty messages: not a model limit
- ✗ C. A law that limits all users: not a law
- ✗ D. A network limit: not stated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-M-Q2 · question page 1473

AI.PITFALL.06 · Tell interface and account limits from model abilities

A school network blocks an AI website. What does that mean?

Answer: D. The network does not allow it here

Network rules, not model ability.

- ✗ A. The model behind the website cannot answer questions for any user anywhere in the world: not the model
- ✗ B. The website is broken for everyone: not necessarily
- ✗ C. The student did something wrong: not necessarily

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-M-Q3 · question page 1474

AI.PITFALL.06 · Tell interface and account limits from model abilities

A feature exists on the company's website but not in its phone app. What is the likely reason?

Answer: B. The interfaces offer different features

Interfaces differ.

- ✗ A. The model is a completely different and much weaker model inside the phone app every time: not necessarily
- ✗ C. Phones cannot run any apps: not true
- ✗ D. The feature was never real: it exists on the site

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-M-Q4 · question page 1475

AI.PITFALL.06 · Tell interface and account limits from model abilities

Before deciding a task is impossible, what should you check?

Answer: C. The plan, settings and help pages

Look for product-level limits.

- ✗ A. Only the app's icon: no
- ✗ B. Only your internet speed: not enough
- ✗ D. Nothing, because if one product cannot do something then no AI product could ever do it: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-M-Q5 · question page 1476

AI.PITFALL.06 · Tell interface and account limits from model abilities

What should you know about a paid AI plan?

Answer: B. How to get support and cancel, including renewal dates

Know support and cancellation.

- ✗ A. Only the name of the plan, since the other details never matter after you have signed up: details matter
- ✗ C. Only the logo color: no
- ✗ D. Nothing; plans cancel themselves: often they renew

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-B1-Q1 · question page 1477

AI.PITFALL.06 · Compare plan limits with a gym membership

Why can a basic member not use the pool?

Answer: A. The membership does not include it

Plan limits.

- ✗ B. The member cannot swim: not stated
- ✗ C. Pools are illegal: no
- ✗ D. Because the pool cannot hold water: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-B1-Q2 · question page 1478

AI.PITFALL.06 · Compare plan limits with a gym membership

The pool working fine for premium members shows what?

Answer: D. The limit is the plan, not the pool

Access, not ability.

- ✗ A. That pools are broken: no
- ✗ B. That premium members are better swimmers: irrelevant
- ✗ C. That the pool only works on certain days: not shown

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-B1-Q3 · question page 1479

AI.PITFALL.06 · Compare plan limits with a gym membership

Booking a class on the website but not the app is like what?

Answer: C. Interfaces offering different features

Different interfaces.

- ✗ A. A broken treadmill: no
- ✗ B. A new gym: no
- ✗ D. The class being cancelled for every member: not the comparison

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-B1-Q4 · question page 1480

AI.PITFALL.06 · Compare plan limits with a gym membership

In AI terms, the pool is like what?

Answer: B. A feature your plan does not include

Plan-gated features.

✗ A. A password: no

✗ C. The model's total ability to do anything at all, which is the same for every single plan: not the comparison

✗ D. A bug: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-B1-Q5 · question page 1481

AI.PITFALL.06 · Compare plan limits with a gym membership

What should a member check before saying "this gym has no pool"?

Answer: A. What the membership plan includes

Check the plan.

✗ B. The weather: no

✗ C. Nothing, because a member can always tell what a gym has just by looking at the lobby: not reliable

✗ D. The gym's logo: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-F1-Q1 · question page 1482

AI.PITFALL.06 · Handle account limits, support and cancellation in practice

Omar's app cannot read PDFs, but a friend says the same company's website can. What should he do?

Answer: D. Check the website or help pages for the feature

Interfaces differ.

- ✗ A. Give up on the task: premature
- ✗ B. Buy a new phone: unnecessary
- ✗ C. Conclude that no AI tool anywhere can read PDFs: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-F1-Q2 · question page 1483

AI.PITFALL.06 · Handle account limits, support and cancellation in practice

A student's AI tool is blocked on the school Wi-Fi. What is the right step?

Answer: C. Follow school rules or ask about approved tools

Respect network rules.

- ✗ A. Assume the tool is broken: it is blocked
- ✗ B. Report the tool as unsafe: not the issue
- ✗ D. Find a way around the school network's block: breaks rules

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-F1-Q3 · question page 1484

AI.PITFALL.06 · Handle account limits, support and cancellation in practice

Mia signed up for a 7-day free trial on March 1. When should she decide whether to cancel?

Answer: D. Before March 8

March 1 + 7 days = March 8.

- ✗ A. Only if charged: too late
- ✗ B. Never: it may renew
- ✗ C. After March 15: not guaranteed

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

S71-F1-Q4 · question page 1485

AI.PITFALL.06 · Handle account limits, support and cancellation in practice

A long answer is cut off on a free plan with a length limit. What does this suggest?

Answer: A. A plan limit, not a model failure

Plans can cap length.

- ✗ B. That the model does not know how to finish answers and should not be used for long tasks: not the cause
- ✗ C. That the question was illegal: no
- ✗ D. That the internet failed: not stated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-F1-Q5 · question page 1486

AI.PITFALL.06 · Handle account limits, support and cancellation in practice

Where should you look to cancel a paid AI plan?

Answer: B. The account or billing settings and help pages

Use official settings.

- ✗ A. A friend's account: not yours
- ✗ C. A social media post: not reliable
- ✗ D. The chat window, by typing "please cancel me": may not cancel

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-F2-Q1 · question page 1487

AI.PITFALL.06 · Avoid account surprises

A free trial turned into a paid plan without Jo noticing. What habit would have prevented this?

Answer: C. Noting the renewal date and how to cancel

Track renewals.

- ✗ A. Ignoring emails from the company: worse
- ✗ B. Signing up for more trials: worse
- ✗ D. Using the trial as much as possible every day: not prevention

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-F2-Q2 · question page 1488

AI.PITFALL.06 · Avoid account surprises

A graduating student will lose access to the school's AI account. What should she do first?

Answer: D. Save important work outside the tool

Keep copies outside.

- ✗ A. Delete all her work: loses it
- ✗ B. Share her login with younger students: not allowed
- ✗ C. Nothing: access ends

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-F2-Q3 · question page 1489

AI.PITFALL.06 · Avoid account surprises

A feature suddenly disappears. What should you check before assuming your work is lost?

Answer: B. The provider's help or status page

Check official status.

- ✗ A. Your shoe size: no
- ✗ C. Nothing, because a missing feature always means every bit of your work was deleted forever: not necessarily
- ✗ D. A random forum only: not first

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-F2-Q4 · question page 1490

AI.PITFALL.06 · Avoid account surprises

Two family members share one paid login. What problem can follow?

Answer: C. Mixed histories and usage limits

Shared logins cause conflicts.

- ✗ A. Faster answers: no
- ✗ B. Better privacy: worse privacy
- ✗ D. Twice as many messages for free: not how plans work

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S71-F2-Q5 · question page 1491

AI.PITFALL.06 · Avoid account surprises

Which record helps most with a subscription?

Answer: A. What you signed up for, the price, renewal date and cancel steps

Keep a simple record.

- ✗ B. Only the name of the app, since the app will remind you of everything else automatically: not reliable
- ✗ C. Nothing; memory is enough: easy to forget
- ✗ D. Only the first message you sent: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-M-Q1 · question page 1493

AI.IMAGE.01 · Write an image request with subject, setting, style and composition

What does an image generator do?

Answer: B. Turns a text description into a picture

Text to new image.

- ✗ A. Searches the internet and returns an existing photo that matches the words you typed: that is image search
- ✗ C. Prints pictures on paper: no
- ✗ D. Edits only photos you took: not the definition

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-M-Q2 · question page 1494

AI.IMAGE.01 · Write an image request with subject, setting, style and composition

In "a brown puppy holding a red ball," which part is this?

Answer: A. Subject

What is shown.

- ✗ B. Setting: that is where
- ✗ C. Style: that is how it looks
- ✗ D. Composition: that is framing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-M-Q3 · question page 1495

AI.IMAGE.01 · Write an image request with subject, setting, style and composition

"Watercolor" describes which part?

Answer: C. Style

How it looks.

- ✗ A. Composition: not framing
- ✗ B. Setting: not where
- ✗ D. Subject: it is how it looks

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-M-Q4 · question page 1496

AI.IMAGE.01 · Write an image request with subject, setting, style and composition

"Puppy on the left, empty space on the right for a title" describes which part?

Answer: D. Composition

Framing and layout.

- ✗ A. Setting: not where
- ✗ B. Style: not how it is painted
- ✗ C. Subject: not what is shown

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-M-Q5 · question page 1497

AI.IMAGE.01 · Write an image request with subject, setting, style and composition

Why add "square poster for a school bake sale"?

Answer: B. So the result fits where it will be used

Purpose and shape.

- ✗ A. To make the image load faster: not the reason
- ✗ C. Because every request must name a school: no
- ✗ D. So the tool knows: not how it works

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-B1-Q1 · question page 1498

AI.IMAGE.01 · Compare an image request with ordering a custom cake

"A soccer ball" on the cake is like which part of an image request?

Answer: A. Subject

What is shown.

- ✗ B. Style: not the look
- ✗ C. Composition: not layout
- ✗ D. Setting: not the theme

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-B1-Q2 · question page 1499

AI.IMAGE.01 · Compare an image request with ordering a custom cake

"Bright and simple, not realistic" is like which part?

Answer: D. Style

How it looks.

- ✗ A. Composition: not layout
- ✗ B. Setting: not the theme
- ✗ C. Subject: not what is shown

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-B1-Q3 · question page 1500

AI.IMAGE.01 · Compare an image request with ordering a custom cake

"Ball in the middle, words along the bottom" is like which part?

Answer: C. Composition

Layout.

- ✗ A. Subject: not what
- ✗ B. Style: not the look
- ✗ D. Setting: not the theme

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-B1-Q4 · question page 1501

AI.IMAGE.01 · Compare an image request with ordering a custom cake

What happens if you only say "a cake"?

Answer: D. You get whatever the baker imagines

Vague requests, random results.

- ✗ A. You get exactly the cake you were picturing in your head, every detail included: not likely
- ✗ B. No cake is made: not stated
- ✗ C. The cake is free: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-B1-Q5 · question page 1502

AI.IMAGE.01 · Compare an image request with ordering a custom cake

Saying the size and occasion is like what in an image request?

Answer: C. Stating the purpose and shape

Fit for use.

- ✗ A. Picking a font: no
- ✗ B. Paying the baker: no
- ✗ D. Naming the exact brand of paint: not the comparison

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-F1-Q1 · question page 1503

AI.IMAGE.01 · Write useful image requests in practice

Which request is most useful for a library flyer?

Answer: A. "Flat cartoon of kids reading under a tree, wide view, space at top for a title, portrait page."

All four parts plus purpose.

- ✗ B. "Kids reading under a tree, in every possible style, any shape, with lots and lots of details.": no clear style or layout
- ✗ C. "Books.": too vague
- ✗ D. "Make a really nice picture about reading that people will like and that looks good on a flyer.": vague

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-F1-Q2 · question page 1504

AI.IMAGE.01 · Write useful image requests in practice

Lee asks for "a dragon" and gets a dark, scary image for a toddler book. What was missing?

Answer: B. Style and purpose

Say "friendly cartoon for a toddler book."

- ✗ A. Nothing; dragons are always drawn dark and scary, so no request could have changed it: style is choosable
- ✗ C. A longer file name: irrelevant
- ✗ D. The word "please": not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-F1-Q3 · question page 1505

AI.IMAGE.01 · Write useful image requests in practice

Which detail adds the setting?

Answer: C. "On a busy city street at night"

Where and when.

- ✗ A. "In bright, flat colors with thick, bold black outlines around every shape": that is style
- ✗ B. "Close-up": composition
- ✗ D. "A smiling chef": subject

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-F1-Q4 · question page 1506

AI.IMAGE.01 · Write useful image requests in practice

A request for a banner gets a square image. What should have been added?

Answer: D. The shape, such as "wide banner"

State the shape.

- ✗ A. More colors: not shape
- ✗ B. A longer description of the main subject, so the tool understands the picture better: shape was missing
- ✗ C. A different subject: not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-F1-Q5 · question page 1507

AI.IMAGE.01 · Write useful image requests in practice

Which detail could be left out of a request for a simple class logo?

Answer: B. The color of a background cloud

Drop details that do not matter.

- ✗ A. The style: useful
- ✗ C. The shape: useful
- ✗ D. The main subject of the logo: needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-F2-Q1 · question page 1508

AI.IMAGE.01 · Avoid conflicting, ambiguous and unfair image requests

"A minimalist poster packed with decorations" has what problem?

Answer: A. Conflicting details

Minimalist and packed clash.

- ✗ B. It is too short: not the issue
- ✗ C. It names no colors: not the main issue
- ✗ D. No problem: they conflict

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-F2-Q2 · question page 1509

AI.IMAGE.01 · Avoid conflicting, ambiguous and unfair image requests

"A bat on a table" could confuse a tool. Why?

Answer: D. "Bat" has two meanings

Say "a baseball bat" or "a fruit bat."

- ✗ A. Because animals cannot be drawn: not true
- ✗ B. Because the request is too long: it is short
- ✗ C. Because tables can never appear: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-F2-Q3 · question page 1510

AI.IMAGE.01 · Avoid conflicting, ambiguous and unfair image requests

Instead of naming a living artist as the style, what is a better approach?

Answer: A. Describe the qualities you want

Describe the look in your own words.

- ✗ B. Leave out style entirely: loses control
- ✗ C. Upload the artist's work and ask for a copy: worse
- ✗ D. Name several living artists at once so that no single artist is copied too closely: still uses names

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-F2-Q4 · question page 1511

AI.IMAGE.01 · Avoid conflicting, ambiguous and unfair image requests

Which request should never be made?

Answer: D. A realistic fake photo of a classmate stealing, shared as real

It deceives viewers and harms a real person who did not consent.

- ✗ A. A cartoon of an invented robot character waving hello on a bright and sunny school playground: fine
- ✗ B. A watercolor of a lake: fine
- ✗ C. A diagram of a plant cell: fine

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S72-F2-Q5 · question page 1512

AI.IMAGE.01 · Avoid conflicting, ambiguous and unfair image requests

Which revision fixes "a bright, dark, cheerful, gloomy forest"?

Answer: C. "A bright, cheerful forest in the morning"

Pick one consistent mood.

- ✗ A. "A forest": too vague
- ✗ B. "Any forest you like": too vague
- ✗ D. "A bright, dark, cheerful, gloomy, spooky": more conflict

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)