Set 97: Scheduled automation versus model decisions

Outcome AI.AGENT.03: Tell fixed scheduled automation from steps where a model makes choices, and where each is safer

Module: Coding: agents and automation

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Not every automation needs a model to make choices. SCHEDULED AUTOMATION runs fixed rules at set times: "every Monday at 8, send the attendance report." It is PREDICTABLE: the same input gives the same result, and it is easy to test. MODEL-DECISION steps let a model choose something, such as which emails are urgent or what to reply. They handle messy situations rules cannot, but they can be wrong in surprising ways. A safe design uses fixed rules where the rule is clear, and model decisions only where judgment is needed, with checks around them.

What is scheduled automation?

A. Fixed rules that run at set times

B. A model that decides by itself what work to do each day, based on what seems important

C. A person doing tasks

D. A calendar app

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-M-Q1
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · MAIN · Q1/5 · Outcome AI.AGENT.03 (local)

Learn
Not every automation needs a model to make choices. SCHEDULED AUTOMATION runs fixed rules at set times: "every Monday at 8, send the attendance report." It is PREDICTABLE: the same input gives the same result, and it is easy to test. MODEL-DECISION steps let a model choose something, such as which emails are urgent or what to reply. They handle messy situations rules cannot, but they can be wrong in surprising ways. A safe design uses fixed rules where the rule is clear, and model decisions only where judgment is needed, with checks around them.

Why is scheduled automation predictable?

A. Because it runs at night

B. The same input gives the same result

C. Because it is new

D. Because it uses a model that has been trained to make very confident and careful choices

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-M-Q2
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · MAIN · Q2/5 · Outcome AI.AGENT.03 (local)

Learn
Not every automation needs a model to make choices. SCHEDULED AUTOMATION runs fixed rules at set times: "every Monday at 8, send the attendance report." It is PREDICTABLE: the same input gives the same result, and it is easy to test. MODEL-DECISION steps let a model choose something, such as which emails are urgent or what to reply. They handle messy situations rules cannot, but they can be wrong in surprising ways. A safe design uses fixed rules where the rule is clear, and model decisions only where judgment is needed, with checks around them.

Which step needs a model decision?

A. Sending the attendance report every Monday at 8 o'clock to the same list of teachers

B. Adding today's date to a file name

C. Backing up files at midnight

D. Deciding which emails sound urgent

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-M-Q3
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · MAIN · Q3/5 · Outcome AI.AGENT.03 (local)

Learn
Not every automation needs a model to make choices. SCHEDULED AUTOMATION runs fixed rules at set times: "every Monday at 8, send the attendance report." It is PREDICTABLE: the same input gives the same result, and it is easy to test. MODEL-DECISION steps let a model choose something, such as which emails are urgent or what to reply. They handle messy situations rules cannot, but they can be wrong in surprising ways. A safe design uses fixed rules where the rule is clear, and model decisions only where judgment is needed, with checks around them.

What is a downside of model decisions?

A. They are always slower
B. They cannot be used with email
C. They can be wrong in surprising ways
D. They can never handle messy situations

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-M-Q4
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · MAIN · Q4/5 · Outcome AI.AGENT.03 (local)

Learn
Not every automation needs a model to make choices. SCHEDULED AUTOMATION runs fixed rules at set times: "every Monday at 8, send the attendance report." It is PREDICTABLE: the same input gives the same result, and it is easy to test. MODEL-DECISION steps let a model choose something, such as which emails are urgent or what to reply. They handle messy situations rules cannot, but they can be wrong in surprising ways. A safe design uses fixed rules where the rule is clear, and model decisions only where judgment is needed, with checks around them.

What does a safe design use where the rule is clear?

A. Fixed rules
B. Random choices
C. No automation at all
D. A model decision

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-M-Q5
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · MAIN · Q5/5 · Outcome AI.AGENT.03 (local)

Learn
A SPRINKLER TIMER waters the garden at 6 a.m. every day: predictable, cheap, and it never forgets, but it waters even when it is raining. A GARDENER looks at the plants and the weather and decides: flexible and smart, but sometimes wrong, and you want to know what they decided. Scheduled automation is the timer; a model decision is the gardener. Many gardens use both.

The sprinkler timer is like what?

A. A chatbot
B. Scheduled automation
C. A person
D. A model decision

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-B1-Q1
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.AGENT.03 (local)

Learn
A SPRINKLER TIMER waters the garden at 6 a.m. every day: predictable, cheap, and it never forgets, but it waters even when it is raining. A GARDENER looks at the plants and the weather and decides: flexible and smart, but sometimes wrong, and you want to know what they decided. Scheduled automation is the timer; a model decision is the gardener. Many gardens use both.

The gardener is like what?

A. A calendar
B. A rule book
C. A model decision
D. Scheduled automation

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-B1-Q2
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.AGENT.03 (local)

Learn
A SPRINKLER TIMER waters the garden at 6 a.m. every day: predictable, cheap, and it never forgets, but it waters even when it is raining. A GARDENER looks at the plants and the weather and decides: flexible and smart, but sometimes wrong, and you want to know what they decided. Scheduled automation is the timer; a model decision is the gardener. Many gardens use both.

What is a weakness of the timer?

A. It is expensive
B. It is unpredictable
C. It forgets to water the garden
D. It waters even when it rains

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-B1-Q3
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.AGENT.03 (local)

Learn
A SPRINKLER TIMER waters the garden at 6 a.m. every day: predictable, cheap, and it never forgets, but it waters even when it is raining. A GARDENER looks at the plants and the weather and decides: flexible and smart, but sometimes wrong, and you want to know what they decided. Scheduled automation is the timer; a model decision is the gardener. Many gardens use both.

What is a weakness of the gardener?

A. They can sometimes be wrong
B. They cannot see plants
C. They never decide
D. They always water

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-B1-Q4
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.AGENT.03 (local)

Learn
A SPRINKLER TIMER waters the garden at 6 a.m. every day: predictable, cheap, and it never forgets, but it waters even when it is raining. A GARDENER looks at the plants and the weather and decides: flexible and smart, but sometimes wrong, and you want to know what they decided. Scheduled automation is the timer; a model decision is the gardener. Many gardens use both.

Why do many gardens use both?

A. Because timers are illegal

B. Because using two methods always doubles the amount of water the plants receive

C. Because gardeners need timers

D. Each fits different needs

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-B1-Q5
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.AGENT.03 (local)

Learn
Not every automation needs a model to make choices. SCHEDULED AUTOMATION runs fixed rules at set times: "every Monday at 8, send the attendance report." It is PREDICTABLE: the same input gives the same result, and it is easy to test. MODEL-DECISION steps let a model choose something, such as which emails are urgent or what to reply. They handle messy situations rules cannot, but they can be wrong in surprising ways. A safe design uses fixed rules where the rule is clear, and model decisions only where judgment is needed, with checks around them.

A school wants to email the lunch menu every Friday. Which approach fits?

A. No automation
B. An agent with full email access
C. Scheduled automation
D. A model decision each Friday

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-F1-Q1
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.AGENT.03 (local)

Learn
Not every automation needs a model to make choices. SCHEDULED AUTOMATION runs fixed rules at set times: "every Monday at 8, send the attendance report." It is PREDICTABLE: the same input gives the same result, and it is easy to test. MODEL-DECISION steps let a model choose something, such as which emails are urgent or what to reply. They handle messy situations rules cannot, but they can be wrong in surprising ways. A safe design uses fixed rules where the rule is clear, and model decisions only where judgment is needed, with checks around them.

A help desk gets messages in many styles and wants them sorted by topic. Which approach fits?

A. Random sorting

B. A model decision with checks

C. No sorting

D. A fixed rule that sorts every message by its first word, since the first word shows the topic

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-F1-Q2
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.AGENT.03 (local)

Learn
Not every automation needs a model to make choices. SCHEDULED AUTOMATION runs fixed rules at set times: "every Monday at 8, send the attendance report." It is PREDICTABLE: the same input gives the same result, and it is easy to test. MODEL-DECISION steps let a model choose something, such as which emails are urgent or what to reply. They handle messy situations rules cannot, but they can be wrong in surprising ways. A safe design uses fixed rules where the rule is clear, and model decisions only where judgment is needed, with checks around them.

Backups every night at 2 a.m. Should a model decide whether to run them?

A. Only on weekends

B. Yes, since the model can decide on busy nights that backups are not really needed this time

C. Yes, always

D. No; a fixed schedule is safer

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-F1-Q3
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.AGENT.03 (local)

Learn
Not every automation needs a model to make choices. SCHEDULED AUTOMATION runs fixed rules at set times: "every Monday at 8, send the attendance report." It is PREDICTABLE: the same input gives the same result, and it is easy to test. MODEL-DECISION steps let a model choose something, such as which emails are urgent or what to reply. They handle messy situations rules cannot, but they can be wrong in surprising ways. A safe design uses fixed rules where the rule is clear, and model decisions only where judgment is needed, with checks around them.

Which is a benefit of fixed rules?

A. They never need updating

B. They can handle any new situation that nobody predicted, much better than any model

C. Easy to test

D. They understand language

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-F1-Q4
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.AGENT.03 (local)

Learn
Not every automation needs a model to make choices. SCHEDULED AUTOMATION runs fixed rules at set times: "every Monday at 8, send the attendance report." It is PREDICTABLE: the same input gives the same result, and it is easy to test. MODEL-DECISION steps let a model choose something, such as which emails are urgent or what to reply. They handle messy situations rules cannot, but they can be wrong in surprising ways. A safe design uses fixed rules where the rule is clear, and model decisions only where judgment is needed, with checks around them.

Where should a model decision go in a workflow?

A. Where judgment is truly needed

B. Nowhere

C. Everywhere, so that every single step of the workflow can make its own choices

D. Only in backups

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-F1-Q5
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.AGENT.03 (local)

Learn
Mixing the two needs care. If a model decides which customers get a refund and a fixed step pays automatically, a model error becomes a real payment. Put model decisions where mistakes are cheap and reversible, or add a person before consequential steps. Also, fixed rules are not automatically safe: a wrong rule repeats its mistake every time. Test both kinds, and keep a record of what each step decided.

A model chooses refunds and a fixed step pays automatically. What is the risk?

A. No risk, because a fixed payment step always checks the model's decision before paying

B. A model error becomes a real payment

C. Customers get emails

D. Refunds become slower

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-F2-Q1
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.AGENT.03 (local)

Learn
Mixing the two needs care. If a model decides which customers get a refund and a fixed step pays automatically, a model error becomes a real payment. Put model decisions where mistakes are cheap and reversible, or add a person before consequential steps. Also, fixed rules are not automatically safe: a wrong rule repeats its mistake every time. Test both kinds, and keep a record of what each step decided.

How can that design be made safer?

A. Make payments faster

B. Hide the decisions

C. Add a person to approve before payment

D. Remove the fixed payment step and let the model send the payments directly by itself

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-F2-Q2
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.AGENT.03 (local)

Learn
Mixing the two needs care. If a model decides which customers get a refund and a fixed step pays automatically, a model error becomes a real payment. Put model decisions where mistakes are cheap and reversible, or add a person before consequential steps. Also, fixed rules are not automatically safe: a wrong rule repeats its mistake every time. Test both kinds, and keep a record of what each step decided.

A fixed rule sends a reminder to the wrong list every week. What does this show?

A. That the list is right
B. Wrong rules repeat mistakes
C. That reminders are useless
D. That fixed rules can never be wrong, because they are not made by a model

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-F2-Q3
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.AGENT.03 (local)

Learn
Mixing the two needs care. If a model decides which customers get a refund and a fixed step pays automatically, a model error becomes a real payment. Put model decisions where mistakes are cheap and reversible, or add a person before consequential steps. Also, fixed rules are not automatically safe: a wrong rule repeats its mistake every time. Test both kinds, and keep a record of what each step decided.

Where should model decisions be placed when possible?

A. Where mistakes are cheap and reversible
B. Before every payment
C. In deletion steps
D. Where mistakes are the most expensive

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-F2-Q4
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.AGENT.03 (local)

Learn
Mixing the two needs care. If a model decides which customers get a refund and a fixed step pays automatically, a model error becomes a real payment. Put model decisions where mistakes are cheap and reversible, or add a person before consequential steps. Also, fixed rules are not automatically safe: a wrong rule repeats its mistake every time. Test both kinds, and keep a record of what each step decided.

Why keep a record of what each step decided?

A. It is never useful

B. Because records make the automation run faster and use less electricity each day

C. To hide mistakes

D. To check and fix problems later

REFERENCE LABEL: NOT PART OF THE QUESTION ID S97-F2-Q5
Artificial Intelligence, Set 97: Scheduled automation versus model decisions · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.AGENT.03 (local)

Set 98: Least access: limiting permissions

Outcome AI.AGENT.04: Give an automated workflow only the access its task needs

Module: Coding: agents and automation

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
The principle of LEAST ACCESS (also called least privilege) says: give an automated workflow or agent only the access its task needs, and no more. An agent that summarizes your calendar needs to READ the calendar, not delete events or send email. Limit what it can see (one folder, not your whole drive), what it can do (read, not write), and how long access lasts. If something goes wrong, such as a bug or a malicious instruction hidden in a document, least access limits the damage. Review and remove access that is no longer needed.

What does least access mean?

A. No access at all
B. Access only at night
C. Full access to everything
D. Only the access a task needs

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-M-Q1
Artificial Intelligence, Set 98: Least access: limiting permissions · MAIN · Q1/5 · Outcome AI.AGENT.04 (local)

Learn
The principle of LEAST ACCESS (also called least privilege) says: give an automated workflow or agent only the access its task needs, and no more. An agent that summarizes your calendar needs to READ the calendar, not delete events or send email. Limit what it can see (one folder, not your whole drive), what it can do (read, not write), and how long access lasts. If something goes wrong, such as a bug or a malicious instruction hidden in a document, least access limits the damage. Review and remove access that is no longer needed.

A calendar-summary agent needs which access?

A. Read the calendar

B. Send email as you

C. Delete events

D. Read, delete and send email, so that it can also clean up the calendar and notify people

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-M-Q2
Artificial Intelligence, Set 98: Least access: limiting permissions · MAIN · Q2/5 · Outcome AI.AGENT.04 (local)

Learn
The principle of LEAST ACCESS (also called least privilege) says: give an automated workflow or agent only the access its task needs, and no more. An agent that summarizes your calendar needs to READ the calendar, not delete events or send email. Limit what it can see (one folder, not your whole drive), what it can do (read, not write), and how long access lasts. If something goes wrong, such as a bug or a malicious instruction hidden in a document, least access limits the damage. Review and remove access that is no longer needed.

Which limit restricts what an agent can see?

A. A longer password
B. One folder instead of the whole drive
C. A faster computer
D. Allowing the agent to write and delete

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-M-Q3
Artificial Intelligence, Set 98: Least access: limiting permissions · MAIN · Q3/5 · Outcome AI.AGENT.04 (local)

Learn
The principle of LEAST ACCESS (also called least privilege) says: give an automated workflow or agent only the access its task needs, and no more. An agent that summarizes your calendar needs to READ the calendar, not delete events or send email. Limit what it can see (one folder, not your whole drive), what it can do (read, not write), and how long access lasts. If something goes wrong, such as a bug or a malicious instruction hidden in a document, least access limits the damage. Review and remove access that is no longer needed.

Why does least access help if something goes wrong?

A. It prevents anything from ever going wrong, so no further checks are needed at all

B. It hides the problem

C. It limits the damage

D. It speeds up recovery

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-M-Q4
Artificial Intelligence, Set 98: Least access: limiting permissions · MAIN · Q4/5 · Outcome AI.AGENT.04 (local)

Learn
The principle of LEAST ACCESS (also called least privilege) says: give an automated workflow or agent only the access its task needs, and no more. An agent that summarizes your calendar needs to READ the calendar, not delete events or send email. Limit what it can see (one folder, not your whole drive), what it can do (read, not write), and how long access lasts. If something goes wrong, such as a bug or a malicious instruction hidden in a document, least access limits the damage. Review and remove access that is no longer needed.

What should you do with access that is no longer needed?

A. Share it with others
B. Remove it
C. Double it
D. Keep it forever

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-M-Q5
Artificial Intelligence, Set 98: Least access: limiting permissions · MAIN · Q5/5 · Outcome AI.AGENT.04 (local)

Learn
A house sitter who waters your plants needs the FRONT DOOR key. They do not need the key to your safe, your car or your office. If the front door key is lost, the damage is limited. Giving them every key "just in case" means one mistake could expose everything. Least access for software works the same way: give each automation only the keys its job needs, and take them back when the job is done.

Which key does a plant-watering house sitter need?

A. The front door key

B. Every key you own, so the house sitter never gets locked out of any room or vehicle

C. The car key

D. The safe key

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-B1-Q1
Artificial Intelligence, Set 98: Least access: limiting permissions · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.AGENT.04 (local)

Learn
A house sitter who waters your plants needs the FRONT DOOR key. They do not need the key to your safe, your car or your office. If the front door key is lost, the damage is limited. Giving them every key "just in case" means one mistake could expose everything. Least access for software works the same way: give each automation only the keys its job needs, and take them back when the job is done.

Why not give the safe key too?

A. Because safes cannot be opened by house sitters under any circumstances at all

B. Because keys are heavy

C. Because plants need it

D. One mistake could expose more

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-B1-Q2
Artificial Intelligence, Set 98: Least access: limiting permissions · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.AGENT.04 (local)

Learn
A house sitter who waters your plants needs the FRONT DOOR key. They do not need the key to your safe, your car or your office. If the front door key is lost, the damage is limited. Giving them every key "just in case" means one mistake could expose everything. Least access for software works the same way: give each automation only the keys its job needs, and take them back when the job is done.

If only the front door key is lost, what follows?

A. The plants die
B. Nothing at all can go wrong
C. The damage is limited
D. Everything in the house

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-B1-Q3
Artificial Intelligence, Set 98: Least access: limiting permissions · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.AGENT.04 (local)

Learn
A house sitter who waters your plants needs the FRONT DOOR key. They do not need the key to your safe, your car or your office. If the front door key is lost, the damage is limited. Giving them every key "just in case" means one mistake could expose everything. Least access for software works the same way: give each automation only the keys its job needs, and take them back when the job is done.

What should happen when the job is done?

A. Make copies

B. Let the house sitter keep the key forever, in case they need to water plants next year

C. Hide it under the mat

D. Take the key back

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-B1-Q4
Artificial Intelligence, Set 98: Least access: limiting permissions · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.AGENT.04 (local)

Learn
A house sitter who waters your plants needs the FRONT DOOR key. They do not need the key to your safe, your car or your office. If the front door key is lost, the damage is limited. Giving them every key "just in case" means one mistake could expose everything. Least access for software works the same way: give each automation only the keys its job needs, and take them back when the job is done.

In software, the keys are like what?

A. Files

B. Passwords written in the code, which is the safest place to keep any kind of key

C. Permissions

D. Comments

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-B1-Q5
Artificial Intelligence, Set 98: Least access: limiting permissions · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.AGENT.04 (local)

Learn
The principle of LEAST ACCESS (also called least privilege) says: give an automated workflow or agent only the access its task needs, and no more. An agent that summarizes your calendar needs to READ the calendar, not delete events or send email. Limit what it can see (one folder, not your whole drive), what it can do (read, not write), and how long access lasts. If something goes wrong, such as a bug or a malicious instruction hidden in a document, least access limits the damage. Review and remove access that is no longer needed.

A meeting-notes tool asks for permission to send email as you. What should you do?

A. Decline; it only needs to read meetings

B. Allow it, since tools only ask for permissions that are completely necessary for their task

C. Allow everything to save time

D. Share your password instead

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-F1-Q1
Artificial Intelligence, Set 98: Least access: limiting permissions · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.AGENT.04 (local)

Learn
The principle of LEAST ACCESS (also called least privilege) says: give an automated workflow or agent only the access its task needs, and no more. An agent that summarizes your calendar needs to READ the calendar, not delete events or send email. Limit what it can see (one folder, not your whole drive), what it can do (read, not write), and how long access lasts. If something goes wrong, such as a bug or a malicious instruction hidden in a document, least access limits the damage. Review and remove access that is no longer needed.

An agent sorts receipts in one folder. Which access fits?

A. No access
B. Read and write to that folder only
C. Access to your bank account
D. Full access to your whole drive

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-F1-Q2
Artificial Intelligence, Set 98: Least access: limiting permissions · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.AGENT.04 (local)

Learn
The principle of LEAST ACCESS (also called least privilege) says: give an automated workflow or agent only the access its task needs, and no more. An agent that summarizes your calendar needs to READ the calendar, not delete events or send email. Limit what it can see (one folder, not your whole drive), what it can do (read, not write), and how long access lasts. If something goes wrong, such as a bug or a malicious instruction hidden in a document, least access limits the damage. Review and remove access that is no longer needed.

A temporary project needs an automation for two weeks. What should the access do?

A. Last forever, since removing access later is complicated and might break other things

B. Be doubled

C. Expire or be removed after two weeks

D. Be shared widely

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-F1-Q3
Artificial Intelligence, Set 98: Least access: limiting permissions · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.AGENT.04 (local)

Learn
The principle of LEAST ACCESS (also called least privilege) says: give an automated workflow or agent only the access its task needs, and no more. An agent that summarizes your calendar needs to READ the calendar, not delete events or send email. Limit what it can see (one folder, not your whole drive), what it can do (read, not write), and how long access lasts. If something goes wrong, such as a bug or a malicious instruction hidden in a document, least access limits the damage. Review and remove access that is no longer needed.

Which choice follows least access?

A. Admin rights for a calendar viewer
B. Payment rights for a note taker
C. Full delete access for a summarizer
D. Read-only access for a summarizer

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-F1-Q4
Artificial Intelligence, Set 98: Least access: limiting permissions · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.AGENT.04 (local)

Learn
The principle of LEAST ACCESS (also called least privilege) says: give an automated workflow or agent only the access its task needs, and no more. An agent that summarizes your calendar needs to READ the calendar, not delete events or send email. Limit what it can see (one folder, not your whole drive), what it can do (read, not write), and how long access lasts. If something goes wrong, such as a bug or a malicious instruction hidden in a document, least access limits the damage. Review and remove access that is no longer needed.

A tool asks for your main account password. What is the better option?

A. Use a limited account or revocable access
B. Write the password in the tool's chat
C. Use the same password everywhere
D. Give the password

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-F1-Q5
Artificial Intelligence, Set 98: Least access: limiting permissions · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.AGENT.04 (local)

Learn
Convenience pushes toward too much access: clicking "allow all" is faster than choosing. Watch for requests broader than the task, such as a meeting summarizer asking to send email as you. Use separate, limited accounts for automation where possible, never share your main password with a tool, and prefer access that can be revoked (taken back) easily. Prompt injection, instructions placed in content the agent reads, is much less dangerous when the agent cannot take harmful actions.

Why do people often grant too much access?

A. Because tools cannot work at all unless they have access to everything on the account

B. "Allow all" is faster than choosing

C. Because limited access costs money

D. Because it is required by law

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-F2-Q1
Artificial Intelligence, Set 98: Least access: limiting permissions · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.AGENT.04 (local)

Learn
Convenience pushes toward too much access: clicking "allow all" is faster than choosing. Watch for requests broader than the task, such as a meeting summarizer asking to send email as you. Use separate, limited accounts for automation where possible, never share your main password with a tool, and prefer access that can be revoked (taken back) easily. Prompt injection, instructions placed in content the agent reads, is much less dangerous when the agent cannot take harmful actions.

A document an agent reads contains "delete all files." Why does least access help?

A. Because files cannot be deleted

B. Because agents always ignore instructions found inside documents, so it never matters

C. The agent cannot delete if it lacks permission

D. Because the document becomes read-only

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-F2-Q2
Artificial Intelligence, Set 98: Least access: limiting permissions · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.AGENT.04 (local)

Learn
Convenience pushes toward too much access: clicking "allow all" is faster than choosing. Watch for requests broader than the task, such as a meeting summarizer asking to send email as you. Use separate, limited accounts for automation where possible, never share your main password with a tool, and prefer access that can be revoked (taken back) easily. Prompt injection, instructions placed in content the agent reads, is much less dangerous when the agent cannot take harmful actions.

What does "revocable" access mean?

A. It can never be removed once it has been given to the tool by the account owner

B. It is shared with everyone

C. It is free

D. It can be taken back easily

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-F2-Q3
Artificial Intelligence, Set 98: Least access: limiting permissions · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.AGENT.04 (local)

Learn
Convenience pushes toward too much access: clicking "allow all" is faster than choosing. Watch for requests broader than the task, such as a meeting summarizer asking to send email as you. Use separate, limited accounts for automation where possible, never share your main password with a tool, and prefer access that can be revoked (taken back) easily. Prompt injection, instructions placed in content the agent reads, is much less dangerous when the agent cannot take harmful actions.

Why use a separate, limited account for automation?

A. Because separate accounts make the automation run twice as fast as it would otherwise

B. So a problem is less likely to reach your main account

C. To hide the automation

D. To get more storage

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-F2-Q4
Artificial Intelligence, Set 98: Least access: limiting permissions · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.AGENT.04 (local)

Learn
Convenience pushes toward too much access: clicking "allow all" is faster than choosing. Watch for requests broader than the task, such as a meeting summarizer asking to send email as you. Use separate, limited accounts for automation where possible, never share your main password with a tool, and prefer access that can be revoked (taken back) easily. Prompt injection, instructions placed in content the agent reads, is much less dangerous when the agent cannot take harmful actions.

Which request is broader than its task?

A. A spell checker asking to read your contacts
B. A photo resizer asking to open a photo
C. A calendar viewer asking to read the calendar
D. A spell checker asking to read the text

REFERENCE LABEL: NOT PART OF THE QUESTION ID S98-F2-Q5
Artificial Intelligence, Set 98: Least access: limiting permissions · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.AGENT.04 (local)

Set 99: Human approval before consequential actions

Outcome AI.AGENT.05: Require a person to approve messages, payments, deletions and publication before they happen

Module: Coding: agents and automation

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Some actions are CONSEQUENTIAL: hard or impossible to undo, or affecting other people. Examples: SENDING messages, making PAYMENTS, DELETING data, and PUBLISHING content. A safe automation pauses before these and asks a person to APPROVE, showing exactly what will happen ("Send this email to 120 parents?" with the text). This is called HUMAN-IN-THE-LOOP review. Low-stakes, reversible steps, such as drafting or sorting, can run without approval. The person approving should actually read the details, not click "yes" by habit.

Which action is consequential?

A. Sorting files into folders
B. Summarizing an article
C. Drafting a reply
D. Making a payment

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-M-Q1
Artificial Intelligence, Set 99: Human approval before consequential actions · MAIN · Q1/5 · Outcome AI.AGENT.05 (local)

Learn
Some actions are CONSEQUENTIAL: hard or impossible to undo, or affecting other people. Examples: SENDING messages, making PAYMENTS, DELETING data, and PUBLISHING content. A safe automation pauses before these and asks a person to APPROVE, showing exactly what will happen ("Send this email to 120 parents?" with the text). This is called HUMAN-IN-THE-LOOP review. Low-stakes, reversible steps, such as drafting or sorting, can run without approval. The person approving should actually read the details, not click "yes" by habit.

What does human-in-the-loop mean?

A. The automation repeats forever
B. A person approves before key actions
C. No person is involved
D. A person watches a video loop

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-M-Q2
Artificial Intelligence, Set 99: Human approval before consequential actions · MAIN · Q2/5 · Outcome AI.AGENT.05 (local)

Learn

Some actions are CONSEQUENTIAL: hard or impossible to undo, or affecting other people. Examples: SENDING messages, making PAYMENTS, DELETING data, and PUBLISHING content. A safe automation pauses before these and asks a person to APPROVE, showing exactly what will happen ("Send this email to 120 parents?" with the text). This is called HUMAN-IN-THE-LOOP review. Low-stakes, reversible steps, such as drafting or sorting, can run without approval. The person approving should actually read the details, not click "yes" by habit.

Prepared example (a fictional approval screen)

APPROVAL NEEDED
Action: Send email
To: 120 parents (Grade 7 list)
Subject: Field trip moved to Friday
Body: "The museum trip is now on Friday, May 9. Buses leave at 8:15."
[Approve] [Edit] [Cancel]

In this prepared example, what should the approver check before clicking Approve?

A. The time of day

B. Only that the Approve button is green, because the color shows whether it is safe

C. The recipients and the message

D. Nothing

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-M-Q3
Artificial Intelligence, Set 99: Human approval before consequential actions · MAIN · Q3/5 · Outcome AI.AGENT.05 (local)

Learn
Some actions are CONSEQUENTIAL: hard or impossible to undo, or affecting other people. Examples: SENDING messages, making PAYMENTS, DELETING data, and PUBLISHING content. A safe automation pauses before these and asks a person to APPROVE, showing exactly what will happen ("Send this email to 120 parents?" with the text). This is called HUMAN-IN-THE-LOOP review. Low-stakes, reversible steps, such as drafting or sorting, can run without approval. The person approving should actually read the details, not click "yes" by habit.

Which step can run without approval?

A. Drafting a reply for review
B. Paying an invoice
C. Deleting old student records
D. Publishing a post

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-M-Q4
Artificial Intelligence, Set 99: Human approval before consequential actions · MAIN · Q4/5 · Outcome AI.AGENT.05 (local)

Learn
Some actions are CONSEQUENTIAL: hard or impossible to undo, or affecting other people. Examples: SENDING messages, making PAYMENTS, DELETING data, and PUBLISHING content. A safe automation pauses before these and asks a person to APPROVE, showing exactly what will happen ("Send this email to 120 parents?" with the text). This is called HUMAN-IN-THE-LOOP review. Low-stakes, reversible steps, such as drafting or sorting, can run without approval. The person approving should actually read the details, not click "yes" by habit.

What should an approver do?

A. Approve without opening
B. Let the agent approve itself
C. Read the details before approving
D. Click yes quickly every time

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-M-Q5
Artificial Intelligence, Set 99: Human approval before consequential actions · MAIN · Q5/5 · Outcome AI.AGENT.05 (local)

Learn
A school does not take students on a trip just because a teacher planned it. A PARENT reads the permission slip (where, when, cost) and SIGNS before the trip happens. A signature after the trip would be pointless. Small things, like what game to play at recess, need no slip. Human approval in automation works the same way: a person reads the details and approves BEFORE consequential actions, while small steps go ahead.

When must the parent sign?

A. During the trip
B. Before the trip
C. Never
D. After the trip

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-B1-Q1
Artificial Intelligence, Set 99: Human approval before consequential actions · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.AGENT.05 (local)

Learn
A school does not take students on a trip just because a teacher planned it. A PARENT reads the permission slip (where, when, cost) and SIGNS before the trip happens. A signature after the trip would be pointless. Small things, like what game to play at recess, need no slip. Human approval in automation works the same way: a person reads the details and approves BEFORE consequential actions, while small steps go ahead.

What should the parent read?

A. The teacher's age
B. Nothing
C. Only the school's logo
D. Where, when and cost

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-B1-Q2
Artificial Intelligence, Set 99: Human approval before consequential actions · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.AGENT.05 (local)

Learn
A school does not take students on a trip just because a teacher planned it. A PARENT reads the permission slip (where, when, cost) and SIGNS before the trip happens. A signature after the trip would be pointless. Small things, like what game to play at recess, need no slip. Human approval in automation works the same way: a person reads the details and approves BEFORE consequential actions, while small steps go ahead.

A recess game choice is like what in automation?

A. A small step that needs no approval

B. A deletion

C. A payment that must be approved by two separate people before it can go ahead

D. A field trip

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-B1-Q3
Artificial Intelligence, Set 99: Human approval before consequential actions · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.AGENT.05 (local)

Learn
A school does not take students on a trip just because a teacher planned it. A PARENT reads the permission slip (where, when, cost) and SIGNS before the trip happens. A signature after the trip would be pointless. Small things, like what game to play at recess, need no slip. Human approval in automation works the same way: a person reads the details and approves BEFORE consequential actions, while small steps go ahead.

The field trip is like what?

A. A summary

B. A sorted folder

C. A consequential action

D. A draft that nobody sees and that can be thrown away without any effect on anyone

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-B1-Q4
Artificial Intelligence, Set 99: Human approval before consequential actions · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.AGENT.05 (local)

Learn
A school does not take students on a trip just because a teacher planned it. A PARENT reads the permission slip (where, when, cost) and SIGNS before the trip happens. A signature after the trip would be pointless. Small things, like what game to play at recess, need no slip. Human approval in automation works the same way: a person reads the details and approves BEFORE consequential actions, while small steps go ahead.

A signature after the trip is like what?

A. Writing a draft
B. Sorting files
C. Approving an email before it is sent
D. Reviewing a log after an email was sent

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-B1-Q5
Artificial Intelligence, Set 99: Human approval before consequential actions · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.AGENT.05 (local)

Learn
Some actions are CONSEQUENTIAL: hard or impossible to undo, or affecting other people. Examples: SENDING messages, making PAYMENTS, DELETING data, and PUBLISHING content. A safe automation pauses before these and asks a person to APPROVE, showing exactly what will happen ("Send this email to 120 parents?" with the text). This is called HUMAN-IN-THE-LOOP review. Low-stakes, reversible steps, such as drafting or sorting, can run without approval. The person approving should actually read the details, not click "yes" by habit.

An agent drafts and sends club newsletters automatically. What change adds safety?

A. Require approval before sending
B. Send to more people
C. Let it send faster, since newsletters are always correct when drafted by a tool
D. Remove the draft step

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-F1-Q1
Artificial Intelligence, Set 99: Human approval before consequential actions · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.AGENT.05 (local)

Learn
Some actions are CONSEQUENTIAL: hard or impossible to undo, or affecting other people. Examples: SENDING messages, making PAYMENTS, DELETING data, and PUBLISHING content. A safe automation pauses before these and asks a person to APPROVE, showing exactly what will happen ("Send this email to 120 parents?" with the text). This is called HUMAN-IN-THE-LOOP review. Low-stakes, reversible steps, such as drafting or sorting, can run without approval. The person approving should actually read the details, not click "yes" by habit.

An approval screen says only "Approve action #4471?" What is wrong?

A. It has a number

B. It does not show what will happen

C. Nothing, since the action number is enough for any approver to know what is going on

D. It is too long

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-F1-Q2
Artificial Intelligence, Set 99: Human approval before consequential actions · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.AGENT.05 (local)

Learn
Some actions are CONSEQUENTIAL: hard or impossible to undo, or affecting other people. Examples: SENDING messages, making PAYMENTS, DELETING data, and PUBLISHING content. A safe automation pauses before these and asks a person to APPROVE, showing exactly what will happen ("Send this email to 120 parents?" with the text). This is called HUMAN-IN-THE-LOOP review. Low-stakes, reversible steps, such as drafting or sorting, can run without approval. The person approving should actually read the details, not click "yes" by habit.

Which action should require approval?

A. Deleting a shared folder
B. Making a summary
C. Sorting emails into labels
D. Renaming a draft file

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-F1-Q3
Artificial Intelligence, Set 99: Human approval before consequential actions · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.AGENT.05 (local)

Learn
Some actions are CONSEQUENTIAL: hard or impossible to undo, or affecting other people. Examples: SENDING messages, making PAYMENTS, DELETING data, and PUBLISHING content. A safe automation pauses before these and asks a person to APPROVE, showing exactly what will happen ("Send this email to 120 parents?" with the text). This is called HUMAN-IN-THE-LOOP review. Low-stakes, reversible steps, such as drafting or sorting, can run without approval. The person approving should actually read the details, not click "yes" by habit.

An agent wants to post a review on a public site. What should happen?

A. Post it twice

B. Post it anonymously

C. A person reads and approves it first

D. Post it at once, since reviews posted online can always be taken back without any harm

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-F1-Q4
Artificial Intelligence, Set 99: Human approval before consequential actions · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.AGENT.05 (local)

Learn
Some actions are CONSEQUENTIAL: hard or impossible to undo, or affecting other people. Examples: SENDING messages, making PAYMENTS, DELETING data, and PUBLISHING content. A safe automation pauses before these and asks a person to APPROVE, showing exactly what will happen ("Send this email to 120 parents?" with the text). This is called HUMAN-IN-THE-LOOP review. Low-stakes, reversible steps, such as drafting or sorting, can run without approval. The person approving should actually read the details, not click "yes" by habit.

A manager approves 40 requests in one minute without opening any. What is the problem?

A. The manager was too careful
B. The approval is not real review
C. The requests were too short
D. No problem

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-F1-Q5
Artificial Intelligence, Set 99: Human approval before consequential actions · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.AGENT.05 (local)

Learn
Approval can fail quietly. If every small step asks for approval, people stop reading and click yes automatically, called APPROVAL FATIGUE. Ask only for consequential steps, and show clear details: who, what, how much. Watch for actions split into many small ones that each look harmless, such as 50 separate one-dollar payments. And approval must happen BEFORE the action; reviewing a log afterward cannot reliably recall an email that was already read.

What is approval fatigue?

A. A slow computer
B. Refusing every request
C. Feeling tired after approving one very important request
D. Clicking yes by habit because there are too many requests

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-F2-Q1
Artificial Intelligence, Set 99: Human approval before consequential actions · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.AGENT.05 (local)

Learn
Approval can fail quietly. If every small step asks for approval, people stop reading and click yes automatically, called APPROVAL FATIGUE. Ask only for consequential steps, and show clear details: who, what, how much. Watch for actions split into many small ones that each look harmless, such as 50 separate one-dollar payments. And approval must happen BEFORE the action; reviewing a log afterward cannot reliably recall an email that was already read.

How can approval fatigue be reduced?

A. Hide the details
B. Ask only for consequential steps
C. Remove all approvals
D. Ask for approval on every tiny step

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-F2-Q2
Artificial Intelligence, Set 99: Human approval before consequential actions · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.AGENT.05 (local)

Learn
Approval can fail quietly. If every small step asks for approval, people stop reading and click yes automatically, called APPROVAL FATIGUE. Ask only for consequential steps, and show clear details: who, what, how much. Watch for actions split into many small ones that each look harmless, such as 50 separate one-dollar payments. And approval must happen BEFORE the action; reviewing a log afterward cannot reliably recall an email that was already read.

An agent makes 50 separate one-dollar payments, each under the approval limit. What is the concern?

A. The payments are too slow

B. The payments are too large

C. Small actions can add up to a large one

D. No concern, because each payment is small and small payments can never cause problems

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-F2-Q3
Artificial Intelligence, Set 99: Human approval before consequential actions · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.AGENT.05 (local)

Learn
Approval can fail quietly. If every small step asks for approval, people stop reading and click yes automatically, called APPROVAL FATIGUE. Ask only for consequential steps, and show clear details: who, what, how much. Watch for actions split into many small ones that each look harmless, such as 50 separate one-dollar payments. And approval must happen BEFORE the action; reviewing a log afterward cannot reliably recall an email that was already read.

Why must approval happen before an email is sent?

A. Because logs are not allowed

B. A sent email usually cannot be recalled once read

C. Because emails are short

D. Because email systems refuse to send any message that has not been approved by a person

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-F2-Q4
Artificial Intelligence, Set 99: Human approval before consequential actions · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.AGENT.05 (local)

Learn
Approval can fail quietly. If every small step asks for approval, people stop reading and click yes automatically, called APPROVAL FATIGUE. Ask only for consequential steps, and show clear details: who, what, how much. Watch for actions split into many small ones that each look harmless, such as 50 separate one-dollar payments. And approval must happen BEFORE the action; reviewing a log afterward cannot reliably recall an email that was already read.

What should an approval screen show?

A. Only the time
B. Nothing
C. Only a short code number
D. Who, what and how much

REFERENCE LABEL: NOT PART OF THE QUESTION ID S99-F2-Q5
Artificial Intelligence, Set 99: Human approval before consequential actions · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.AGENT.05 (local)

Set 100: Logs, retries and duplicate actions

Outcome AI.AGENT.06: Use logs to check what an automation did and prevent duplicate actions after retries

Module: Coding: agents and automation

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
A LOG is a record of what an automation did and when: "9:02 sent reminder to Sam; 9:03 sent reminder to Ana." Logs let you check that it did what you expected, find errors, and explain what happened. When a step fails, automations often RETRY it. Retries are useful but risky: if the first attempt actually succeeded but the confirmation was lost, a retry can do the action TWICE, such as double-charging a card or sending a message twice. Safe designs check the log or a unique ID before repeating, so each action happens only once.

What is a log?

A. A record of what an automation did and when
B. A password file
C. A list of goals that the automation hopes to achieve some time in the future
D. A type of agent

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-M-Q1
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · MAIN · Q1/5 · Outcome AI.AGENT.06 (local)

Learn
A LOG is a record of what an automation did and when: "9:02 sent reminder to Sam; 9:03 sent reminder to Ana." Logs let you check that it did what you expected, find errors, and explain what happened. When a step fails, automations often RETRY it. Retries are useful but risky: if the first attempt actually succeeded but the confirmation was lost, a retry can do the action TWICE, such as double-charging a card or sending a message twice. Safe designs check the log or a unique ID before repeating, so each action happens only once.

Why do automations retry steps?

A. To use more memory

B. To slow down

C. Because a step may have failed

D. Because every step must be done exactly twice to make sure that it worked correctly

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-M-Q2
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · MAIN · Q2/5 · Outcome AI.AGENT.06 (local)

Learn
A LOG is a record of what an automation did and when: "9:02 sent reminder to Sam; 9:03 sent reminder to Ana." Logs let you check that it did what you expected, find errors, and explain what happened. When a step fails, automations often RETRY it. Retries are useful but risky: if the first attempt actually succeeded but the confirmation was lost, a retry can do the action TWICE, such as double-charging a card or sending a message twice. Safe designs check the log or a unique ID before repeating, so each action happens only once.

Prepared example (a fictional automation log)

Time	Action	Order ID	Result
10:00:01	Charge 25 dollars	A-118	Timed out
10:00:31	Charge 25 dollars (retry)	A-118	Success
10:05:00	Bank statement check	A-118	2 charges found

In this prepared example, what went wrong?

A. The order ID changed

B. The customer was never charged at all, because the first attempt timed out completely

C. Nothing went wrong

D. The customer was charged twice

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-M-Q3
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · MAIN · Q3/5 · Outcome AI.AGENT.06 (local)

Learn
A LOG is a record of what an automation did and when: "9:02 sent reminder to Sam; 9:03 sent reminder to Ana." Logs let you check that it did what you expected, find errors, and explain what happened. When a step fails, automations often RETRY it. Retries are useful but risky: if the first attempt actually succeeded but the confirmation was lost, a retry can do the action TWICE, such as double-charging a card or sending a message twice. Safe designs check the log or a unique ID before repeating, so each action happens only once.

Prepared example (a fictional automation log)

Time	Action	Order ID	Result
10:00:01	Charge 25 dollars	A-118	Timed out
10:00:31	Charge 25 dollars (retry)	A-118	Success
10:05:00	Bank statement check	A-118	2 charges found

In the same example, how much was charged in total?

A. 75 dollars
B. 50 dollars
C. 0 dollars
D. 25 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-M-Q4
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · MAIN · Q4/5 · Outcome AI.AGENT.06 (local)

Learn
A LOG is a record of what an automation did and when: "9:02 sent reminder to Sam; 9:03 sent reminder to Ana." Logs let you check that it did what you expected, find errors, and explain what happened. When a step fails, automations often RETRY it. Retries are useful but risky: if the first attempt actually succeeded but the confirmation was lost, a retry can do the action TWICE, such as double-charging a card or sending a message twice. Safe designs check the log or a unique ID before repeating, so each action happens only once.

How can a safe design prevent duplicates?

A. Never retry anything

B. Retry every step as many times as possible, so that at least one attempt is sure to work

C. Delete the log

D. Check a unique ID before repeating

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-M-Q5
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · MAIN · Q5/5 · Outcome AI.AGENT.06 (local)

Learn
Pressing an ELEVATOR button twice is harmless: the elevator still comes once. Pressing "BUY" twice on a slow website might buy two items. The difference is whether repeating changes the result. Automations retry when they are unsure a step worked. For "elevator-like" steps, that is fine. For "buy-like" steps, they must first check whether the first attempt already worked, using a record such as an order number.

Why is pressing the elevator button twice harmless?

A. The elevator still comes once

B. Because buttons break

C. Because elevators are slow

D. Because pressing a button twice always cancels the first press, so nothing happens

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-B1-Q1
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.AGENT.06 (local)

Learn
Pressing an ELEVATOR button twice is harmless: the elevator still comes once. Pressing "BUY" twice on a slow website might buy two items. The difference is whether repeating changes the result. Automations retry when they are unsure a step worked. For "elevator-like" steps, that is fine. For "buy-like" steps, they must first check whether the first attempt already worked, using a record such as an order number.

Why can pressing "BUY" twice be a problem?

A. Because buttons are red

B. Because pressing buy twice always cancels the order completely and refunds your money

C. It might buy two items

D. Because the page gets brighter

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-B1-Q2
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.AGENT.06 (local)

Learn
Pressing an ELEVATOR button twice is harmless: the elevator still comes once. Pressing "BUY" twice on a slow website might buy two items. The difference is whether repeating changes the result. Automations retry when they are unsure a step worked. For "elevator-like" steps, that is fine. For "buy-like" steps, they must first check whether the first attempt already worked, using a record such as an order number.

A retried "send payment" step is like what?

A. Pressing the elevator button twice, which is always harmless for everyone involved

B. Pressing "BUY" twice

C. Reading a menu

D. Closing a door

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-B1-Q3
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.AGENT.06 (local)

Learn
Pressing an ELEVATOR button twice is harmless: the elevator still comes once. Pressing "BUY" twice on a slow website might buy two items. The difference is whether repeating changes the result. Automations retry when they are unsure a step worked. For "elevator-like" steps, that is fine. For "buy-like" steps, they must first check whether the first attempt already worked, using a record such as an order number.

What should the automation check before retrying a buy-like step?

A. Whether the first attempt worked
B. The weather
C. The screen color
D. Whether the internet is fast enough

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-B1-Q4
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.AGENT.06 (local)

Learn
Pressing an ELEVATOR button twice is harmless: the elevator still comes once. Pressing "BUY" twice on a slow website might buy two items. The difference is whether repeating changes the result. Automations retry when they are unsure a step worked. For "elevator-like" steps, that is fine. For "buy-like" steps, they must first check whether the first attempt already worked, using a record such as an order number.

What record can show if the purchase happened?

A. The time of day
B. An order number
C. The browser name
D. The color of the "BUY" button on the website, which changes after a purchase

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-B1-Q5
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.AGENT.06 (local)

Learn
A LOG is a record of what an automation did and when: "9:02 sent reminder to Sam; 9:03 sent reminder to Ana." Logs let you check that it did what you expected, find errors, and explain what happened. When a step fails, automations often RETRY it. Retries are useful but risky: if the first attempt actually succeeded but the confirmation was lost, a retry can do the action TWICE, such as double-charging a card or sending a message twice. Safe designs check the log or a unique ID before repeating, so each action happens only once.

A parent says they got the same reminder text three times. Where should you look first?

A. The parent's phone settings, since repeated texts are always caused by phones

B. The school website

C. The automation's log

D. Nowhere

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-F1-Q1
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.AGENT.06 (local)

Learn
A LOG is a record of what an automation did and when: "9:02 sent reminder to Sam; 9:03 sent reminder to Ana." Logs let you check that it did what you expected, find errors, and explain what happened. When a step fails, automations often RETRY it. Retries are useful but risky: if the first attempt actually succeeded but the confirmation was lost, a retry can do the action TWICE, such as double-charging a card or sending a message twice. Safe designs check the log or a unique ID before repeating, so each action happens only once.

A log shows "send reminder" retried after a timeout, and both attempts succeeded. What happened?

A. No message was sent

B. The log is wrong

C. Nothing unusual, since the second attempt cancels the first message automatically

D. A duplicate message was sent

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-F1-Q2
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.AGENT.06 (local)

Learn
A LOG is a record of what an automation did and when: "9:02 sent reminder to Sam; 9:03 sent reminder to Ana." Logs let you check that it did what you expected, find errors, and explain what happened. When a step fails, automations often RETRY it. Retries are useful but risky: if the first attempt actually succeeded but the confirmation was lost, a retry can do the action TWICE, such as double-charging a card or sending a message twice. Safe designs check the log or a unique ID before repeating, so each action happens only once.

Which detail makes a retry safe for payments?

A. A new card each time
B. A bigger payment
C. A unique payment ID checked before charging
D. A shorter waiting time between attempts

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-F1-Q3
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.AGENT.06 (local)

Learn
A LOG is a record of what an automation did and when: "9:02 sent reminder to Sam; 9:03 sent reminder to Ana." Logs let you check that it did what you expected, find errors, and explain what happened. When a step fails, automations often RETRY it. Retries are useful but risky: if the first attempt actually succeeded but the confirmation was lost, a retry can do the action TWICE, such as double-charging a card or sending a message twice. Safe designs check the log or a unique ID before repeating, so each action happens only once.

Which log entry is most useful?

A. "9:02 sent reminder to Sam - success"

B. "OK"

C. "Something happened at some point today," which shows that the system is working

D. "Done"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-F1-Q4
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.AGENT.06 (local)

Learn
A LOG is a record of what an automation did and when: "9:02 sent reminder to Sam; 9:03 sent reminder to Ana." Logs let you check that it did what you expected, find errors, and explain what happened. When a step fails, automations often RETRY it. Retries are useful but risky: if the first attempt actually succeeded but the confirmation was lost, a retry can do the action TWICE, such as double-charging a card or sending a message twice. Safe designs check the log or a unique ID before repeating, so each action happens only once.

An automation never retries failed steps. What is the downside?

A. It runs too fast
B. It sends duplicates
C. There is no downside
D. Real failures stay unfixed

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-F1-Q5
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.AGENT.06 (local)

Learn
A design where repeating a step has the same effect as doing it once is called IDEMPOTENT. "Set the status to paid" is idempotent: doing it twice leaves it paid. "Add 10 dollars" is not: doing it twice adds 20. Logs should include enough detail (what, when, who, result) to rebuild what happened, without storing secrets such as passwords. Review logs after something goes wrong, and also spot-check them when things seem fine.

Which step is idempotent?

A. "Add 10 dollars to the balance," since adding money twice is the same as adding it once

B. "Set status to paid"

C. "Charge the card"

D. "Send a message"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-F2-Q1
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.AGENT.06 (local)

Learn
A design where repeating a step has the same effect as doing it once is called IDEMPOTENT. "Set the status to paid" is idempotent: doing it twice leaves it paid. "Add 10 dollars" is not: doing it twice adds 20. Logs should include enough detail (what, when, who, result) to rebuild what happened, without storing secrets such as passwords. Review logs after something goes wrong, and also spot-check them when things seem fine.

"Add 10 dollars" runs twice. What is the result?

A. 20 dollars added
B. 0 dollars added
C. 30 dollars added
D. 10 dollars added

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-F2-Q2
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.AGENT.06 (local)

Learn
A design where repeating a step has the same effect as doing it once is called IDEMPOTENT. "Set the status to paid" is idempotent: doing it twice leaves it paid. "Add 10 dollars" is not: doing it twice adds 20. Logs should include enough detail (what, when, who, result) to rebuild what happened, without storing secrets such as passwords. Review logs after something goes wrong, and also spot-check them when things seem fine.

What should logs avoid storing?

A. The result of each action
B. Which action ran
C. Secrets such as passwords
D. The time of each action

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-F2-Q3
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.AGENT.06 (local)

Learn
A design where repeating a step has the same effect as doing it once is called IDEMPOTENT. "Set the status to paid" is idempotent: doing it twice leaves it paid. "Add 10 dollars" is not: doing it twice adds 20. Logs should include enough detail (what, when, who, result) to rebuild what happened, without storing secrets such as passwords. Review logs after something goes wrong, and also spot-check them when things seem fine.

Why spot-check logs even when things seem fine?

A. Because logs are deleted automatically if nobody reads them for more than one day

B. To catch quiet problems early

C. Because logs are always wrong

D. To make the logs longer

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-F2-Q4
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.AGENT.06 (local)

Learn
A design where repeating a step has the same effect as doing it once is called IDEMPOTENT. "Set the status to paid" is idempotent: doing it twice leaves it paid. "Add 10 dollars" is not: doing it twice adds 20. Logs should include enough detail (what, when, who, result) to rebuild what happened, without storing secrets such as passwords. Review logs after something goes wrong, and also spot-check them when things seem fine.

What should a useful log entry include?

A. Only the date
B. Only a smiley face to show that the step finished, which is easy to read quickly
C. Only the password used
D. What, when, who and the result

REFERENCE LABEL: NOT PART OF THE QUESTION ID S100-F2-Q5
Artificial Intelligence, Set 100: Logs, retries and duplicate actions · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.AGENT.06 (local)

Set 101: Tasks versus whole jobs

Outcome AI.WORK.01: Analyze how AI may change some tasks in a job without assuming the whole occupation disappears or stays the same

Module: Work: jobs and careers

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
A JOB is made of many TASKS. A medical receptionist, for example, schedules appointments, answers calls, comforts worried patients, handles insurance forms and solves surprise problems. AI may change SOME tasks, such as drafting reminder messages or filling forms, while others, such as calming an upset patient, change little. So "Will AI take this job?" is usually the wrong question. Better questions: Which tasks might AI help with or change? Which depend on judgment, trust, physical presence or responsibility? How might the job shift as a result? Changes can add new tasks, too, such as checking AI drafts.

What is a job made of?

A. Only a job title
B. Only a salary
C. Many tasks
D. One single task

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-M-Q1
Artificial Intelligence, Set 101: Tasks versus whole jobs · MAIN · Q1/5 · Outcome AI.WORK.01 (local)

Learn

A JOB is made of many TASKS. A medical receptionist, for example, schedules appointments, answers calls, comforts worried patients, handles insurance forms and solves surprise problems. AI may change SOME tasks, such as drafting reminder messages or filling forms, while others, such as calming an upset patient, change little. So "Will AI take this job?" is usually the wrong question. Better questions: Which tasks might AI help with or change? Which depend on judgment, trust, physical presence or responsibility? How might the job shift as a result? Changes can add new tasks, too, such as checking AI drafts.

Prepared example (an illustrative task breakdown, not a forecast)

Task (medical receptionist)	How AI might affect it
Draft appointment reminders	Could help a lot
Fill insurance forms	Could help, with checking
Comfort a worried patient	Little change
Solve a scheduling surprise	Some help; judgment needed

In this prepared example, which task is least likely to change?

A. Fill insurance forms
B. Comfort a worried patient
C. Solve a scheduling surprise
D. Draft appointment reminders

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-M-Q2
Artificial Intelligence, Set 101: Tasks versus whole jobs · MAIN · Q2/5 · Outcome AI.WORK.01 (local)

Learn
A JOB is made of many TASKS. A medical receptionist, for example, schedules appointments, answers calls, comforts worried patients, handles insurance forms and solves surprise problems. AI may change SOME tasks, such as drafting reminder messages or filling forms, while others, such as calming an upset patient, change little. So "Will AI take this job?" is usually the wrong question. Better questions: Which tasks might AI help with or change? Which depend on judgment, trust, physical presence or responsibility? How might the job shift as a result? Changes can add new tasks, too, such as checking AI drafts.

Why is "Will AI take this job?" usually the wrong question?

A. Because nobody knows what jobs are

B. Because jobs have no tasks

C. Because AI will never affect any job

D. AI tends to change some tasks, not all

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-M-Q3
Artificial Intelligence, Set 101: Tasks versus whole jobs · MAIN · Q3/5 · Outcome AI.WORK.01 (local)

Learn
A JOB is made of many TASKS. A medical receptionist, for example, schedules appointments, answers calls, comforts worried patients, handles insurance forms and solves surprise problems. AI may change SOME tasks, such as drafting reminder messages or filling forms, while others, such as calming an upset patient, change little. So "Will AI take this job?" is usually the wrong question. Better questions: Which tasks might AI help with or change? Which depend on judgment, trust, physical presence or responsibility? How might the job shift as a result? Changes can add new tasks, too, such as checking AI drafts.

Which kind of task depends most on a person?

A. One needing trust and responsibility

B. Drafting reminders

C. Sorting files

D. One that involves copying the same information from one form into another form

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-M-Q4
Artificial Intelligence, Set 101: Tasks versus whole jobs · MAIN · Q4/5 · Outcome AI.WORK.01 (local)

Learn
A JOB is made of many TASKS. A medical receptionist, for example, schedules appointments, answers calls, comforts worried patients, handles insurance forms and solves surprise problems. AI may change SOME tasks, such as drafting reminder messages or filling forms, while others, such as calming an upset patient, change little. So "Will AI take this job?" is usually the wrong question. Better questions: Which tasks might AI help with or change? Which depend on judgment, trust, physical presence or responsibility? How might the job shift as a result? Changes can add new tasks, too, such as checking AI drafts.

What new task might AI create in a job?

A. No new tasks at all, since AI only ever removes tasks and never adds any work

B. Only physical tasks

C. Checking AI drafts

D. Only unpaid tasks

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-M-Q5
Artificial Intelligence, Set 101: Tasks versus whole jobs · MAIN · Q5/5 · Outcome AI.WORK.01 (local)

Learn
Think of a job as a TOOLBOX of tasks. A new power drill replaces the hand screwdriver for some jobs, but the hammer, tape measure and the carpenter's judgment are still needed, and now someone must know how to use the drill safely. The carpenter's job changed; it did not vanish. AI is like a new tool in the box: it changes some tasks, leaves others, and adds new ones.

What does the power drill replace?

A. Some uses of the hand screwdriver

B. The carpenter completely, since a drill can build an entire house without a person

C. The hammer

D. The tape measure

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-B1-Q1
Artificial Intelligence, Set 101: Tasks versus whole jobs · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.WORK.01 (local)

Learn
Think of a job as a TOOLBOX of tasks. A new power drill replaces the hand screwdriver for some jobs, but the hammer, tape measure and the carpenter's judgment are still needed, and now someone must know how to use the drill safely. The carpenter's job changed; it did not vanish. AI is like a new tool in the box: it changes some tasks, leaves others, and adds new ones.

What is still needed?

A. Only the box
B. The carpenter's judgment and other tools
C. Only the drill
D. Nothing else, because the drill does every task that the carpenter used to do

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-B1-Q2
Artificial Intelligence, Set 101: Tasks versus whole jobs · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.WORK.01 (local)

Learn
Think of a job as a TOOLBOX of tasks. A new power drill replaces the hand screwdriver for some jobs, but the hammer, tape measure and the carpenter's judgment are still needed, and now someone must know how to use the drill safely. The carpenter's job changed; it did not vanish. AI is like a new tool in the box: it changes some tasks, leaves others, and adds new ones.

What new task appears?

A. Painting the drill

B. Selling the house

C. Throwing away every other tool in the box, since the drill makes them unnecessary

D. Using the drill safely

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-B1-Q3
Artificial Intelligence, Set 101: Tasks versus whole jobs · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.WORK.01 (local)

Learn
Think of a job as a TOOLBOX of tasks. A new power drill replaces the hand screwdriver for some jobs, but the hammer, tape measure and the carpenter's judgment are still needed, and now someone must know how to use the drill safely. The carpenter's job changed; it did not vanish. AI is like a new tool in the box: it changes some tasks, leaves others, and adds new ones.

Did the carpenter's job vanish?

A. Yes, partly
B. It cannot be known
C. No; it changed
D. Yes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-B1-Q4
Artificial Intelligence, Set 101: Tasks versus whole jobs · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.WORK.01 (local)

Learn
Think of a job as a TOOLBOX of tasks. A new power drill replaces the hand screwdriver for some jobs, but the hammer, tape measure and the carpenter's judgment are still needed, and now someone must know how to use the drill safely. The carpenter's job changed; it did not vanish. AI is like a new tool in the box: it changes some tasks, leaves others, and adds new ones.

In this comparison, AI is like what?

A. The wood
B. The carpenter
C. The whole toolbox
D. A new tool in the box

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-B1-Q5
Artificial Intelligence, Set 101: Tasks versus whole jobs · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.WORK.01 (local)

Learn
A JOB is made of many TASKS. A medical receptionist, for example, schedules appointments, answers calls, comforts worried patients, handles insurance forms and solves surprise problems. AI may change SOME tasks, such as drafting reminder messages or filling forms, while others, such as calming an upset patient, change little. So "Will AI take this job?" is usually the wrong question. Better questions: Which tasks might AI help with or change? Which depend on judgment, trust, physical presence or responsibility? How might the job shift as a result? Changes can add new tasks, too, such as checking AI drafts.

A bank teller counts cash, answers questions, spots fraud and helps elderly customers. Which task might AI help with most?

A. Spotting unusual transactions

B. Opening the door

C. Helping elderly customers feel comfortable and safe while they visit the bank in person

D. Shaking hands

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-F1-Q1
Artificial Intelligence, Set 101: Tasks versus whole jobs · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.WORK.01 (local)

Learn
A JOB is made of many TASKS. A medical receptionist, for example, schedules appointments, answers calls, comforts worried patients, handles insurance forms and solves surprise problems. AI may change SOME tasks, such as drafting reminder messages or filling forms, while others, such as calming an upset patient, change little. So "Will AI take this job?" is usually the wrong question. Better questions: Which tasks might AI help with or change? Which depend on judgment, trust, physical presence or responsibility? How might the job shift as a result? Changes can add new tasks, too, such as checking AI drafts.

A teacher plans lessons, grades quizzes, mentors students and handles conflicts. Which is least likely to change?

A. Typing announcements

B. Mentoring students

C. Grading multiple-choice quizzes, since grading needs a teacher's personal judgment each time

D. Formatting worksheets

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-F1-Q2
Artificial Intelligence, Set 101: Tasks versus whole jobs · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.WORK.01 (local)

Learn
A JOB is made of many TASKS. A medical receptionist, for example, schedules appointments, answers calls, comforts worried patients, handles insurance forms and solves surprise problems. AI may change SOME tasks, such as drafting reminder messages or filling forms, while others, such as calming an upset patient, change little. So "Will AI take this job?" is usually the wrong question. Better questions: Which tasks might AI help with or change? Which depend on judgment, trust, physical presence or responsibility? How might the job shift as a result? Changes can add new tasks, too, such as checking AI drafts.

Which is the better question about a graphic designer's job?

A. "Which design tasks might AI change?"
B. "Is design a real job?"
C. "Will AI completely replace every graphic designer in the world by next year?"
D. "Do designers use computers?"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-F1-Q3
Artificial Intelligence, Set 101: Tasks versus whole jobs · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.WORK.01 (local)

Learn
A JOB is made of many TASKS. A medical receptionist, for example, schedules appointments, answers calls, comforts worried patients, handles insurance forms and solves surprise problems. AI may change SOME tasks, such as drafting reminder messages or filling forms, while others, such as calming an upset patient, change little. So "Will AI take this job?" is usually the wrong question. Better questions: Which tasks might AI help with or change? Which depend on judgment, trust, physical presence or responsibility? How might the job shift as a result? Changes can add new tasks, too, such as checking AI drafts.

A warehouse adds AI scheduling. What new task might workers gain?

A. None, because adding a scheduling tool never creates any new work for anybody

B. Checking and adjusting schedules

C. Selling the software

D. Building the warehouse

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-F1-Q4
Artificial Intelligence, Set 101: Tasks versus whole jobs · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.WORK.01 (local)

Learn
A JOB is made of many TASKS. A medical receptionist, for example, schedules appointments, answers calls, comforts worried patients, handles insurance forms and solves surprise problems. AI may change SOME tasks, such as drafting reminder messages or filling forms, while others, such as calming an upset patient, change little. So "Will AI take this job?" is usually the wrong question. Better questions: Which tasks might AI help with or change? Which depend on judgment, trust, physical presence or responsibility? How might the job shift as a result? Changes can add new tasks, too, such as checking AI drafts.

Which task depends on physical presence?

A. Translating a menu
B. Summarizing a report
C. Repairing a leaking pipe
D. Drafting a reply

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-F1-Q5
Artificial Intelligence, Set 101: Tasks versus whole jobs · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.WORK.01 (local)

Learn
Task analysis has limits. A job whose tasks could be automated may still change slowly because of cost, rules, customer preferences or the need for someone to be responsible. A job might also shrink in some places and grow in others. Two simple predictions are both risky: "nothing will change" and "the whole job will disappear." Look at evidence over time, and notice that workers who learn to use and check new tools well often shape how their own jobs change.

Tasks in a job could be automated, but the job changes slowly. What might explain this?

A. The weather

B. Workers refusing to learn

C. Nothing explains it, since automation always happens immediately once it is possible

D. Cost, rules or customer preferences

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-F2-Q1
Artificial Intelligence, Set 101: Tasks versus whole jobs · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.WORK.01 (local)

Learn
Task analysis has limits. A job whose tasks could be automated may still change slowly because of cost, rules, customer preferences or the need for someone to be responsible. A job might also shrink in some places and grow in others. Two simple predictions are both risky: "nothing will change" and "the whole job will disappear." Look at evidence over time, and notice that workers who learn to use and check new tools well often shape how their own jobs change.

Which prediction is most reasonable?

A. "This whole job will certainly disappear within one year, everywhere in the world."

B. "Nothing about this job will ever change."

C. "Some tasks will change; how much is uncertain."

D. "AI will do every job by next month."

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-F2-Q2
Artificial Intelligence, Set 101: Tasks versus whole jobs · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.WORK.01 (local)

Learn
Task analysis has limits. A job whose tasks could be automated may still change slowly because of cost, rules, customer preferences or the need for someone to be responsible. A job might also shrink in some places and grow in others. Two simple predictions are both risky: "nothing will change" and "the whole job will disappear." Look at evidence over time, and notice that workers who learn to use and check new tools well often shape how their own jobs change.

A job shrinks in one city but grows in another. What does this show?

A. That AI is not involved

B. That one of the cities must be reporting completely false numbers about its jobs

C. That jobs never change

D. Effects can differ by place

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-F2-Q3
Artificial Intelligence, Set 101: Tasks versus whole jobs · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.WORK.01 (local)

Learn
Task analysis has limits. A job whose tasks could be automated may still change slowly because of cost, rules, customer preferences or the need for someone to be responsible. A job might also shrink in some places and grow in others. Two simple predictions are both risky: "nothing will change" and "the whole job will disappear." Look at evidence over time, and notice that workers who learn to use and check new tools well often shape how their own jobs change.

How can workers influence how their jobs change?

A. By hiding from managers

B. By learning to use and check new tools well

C. By changing their job title only

D. By ignoring every new tool and hoping that nothing about their work ever changes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-F2-Q4
Artificial Intelligence, Set 101: Tasks versus whole jobs · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.WORK.01 (local)

Learn
Task analysis has limits. A job whose tasks could be automated may still change slowly because of cost, rules, customer preferences or the need for someone to be responsible. A job might also shrink in some places and grow in others. Two simple predictions are both risky: "nothing will change" and "the whole job will disappear." Look at evidence over time, and notice that workers who learn to use and check new tools well often shape how their own jobs change.

Why might a job need a person even if tasks could be automated?

A. Someone must be responsible

B. Because people type faster

C. Because computers are not allowed to do any work at all on weekends or holidays

D. Because automation is illegal

REFERENCE LABEL: NOT PART OF THE QUESTION ID S101-F2-Q5
Artificial Intelligence, Set 101: Tasks versus whole jobs · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.WORK.01 (local)

Set 102: Reading job forecasts

Outcome AI.WORK.02: Read an employment forecast as a projection with assumptions and uncertainty

Module: Work: jobs and careers

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
An employment FORECAST or PROJECTION estimates future jobs based on ASSUMPTIONS: about the economy, technology, population and how employers behave. It is not a promise. Read forecasts by asking: Who made it, and how (a survey of employers, a statistical model)? What period and place does it cover? What does it count? Example: the World Economic Forum's Future of Jobs Report 2025, based on a survey of more than 1,000 employers, projected 170 million roles created and 92 million displaced worldwide by 2030, a net 78 million, from several trends together (technology, the economy, demographics, the green transition), not AI alone. Different forecasts often disagree.

What is an employment forecast?

A. An estimate based on assumptions

B. A list of job openings

C. A salary table

D. A guarantee that a certain number of jobs will exist, which employers must legally meet

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-M-Q1
Artificial Intelligence, Set 102: Reading job forecasts · MAIN · Q1/5 · Outcome AI.WORK.02 (local)

Learn
An employment FORECAST or PROJECTION estimates future jobs based on ASSUMPTIONS: about the economy, technology, population and how employers behave. It is not a promise. Read forecasts by asking: Who made it, and how (a survey of employers, a statistical model)? What period and place does it cover? What does it count? Example: the World Economic Forum's Future of Jobs Report 2025, based on a survey of more than 1,000 employers, projected 170 million roles created and 92 million displaced worldwide by 2030, a net 78 million, from several trends together (technology, the economy, demographics, the green transition), not AI alone. Different forecasts often disagree.

What was the WEF Future of Jobs Report 2025 based on?

A. A guess by one person
B. One company's records
C. A count of every single job that exists
D. A survey of more than 1,000 employers

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-M-Q2
Artificial Intelligence, Set 102: Reading job forecasts · MAIN · Q2/5 · Outcome AI.WORK.02 (local)

Learn
An employment FORECAST or PROJECTION estimates future jobs based on ASSUMPTIONS: about the economy, technology, population and how employers behave. It is not a promise. Read forecasts by asking: Who made it, and how (a survey of employers, a statistical model)? What period and place does it cover? What does it count? Example: the World Economic Forum's Future of Jobs Report 2025, based on a survey of more than 1,000 employers, projected 170 million roles created and 92 million displaced worldwide by 2030, a net 78 million, from several trends together (technology, the economy, demographics, the green transition), not AI alone. Different forecasts often disagree.

What net change did that report project by 2030?

A. 92 million roles
B. 78 million roles
C. 262 million roles
D. 170 million roles

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-M-Q3
Artificial Intelligence, Set 102: Reading job forecasts · MAIN · Q3/5 · Outcome AI.WORK.02 (local)

Learn
An employment FORECAST or PROJECTION estimates future jobs based on ASSUMPTIONS: about the economy, technology, population and how employers behave. It is not a promise. Read forecasts by asking: Who made it, and how (a survey of employers, a statistical model)? What period and place does it cover? What does it count? Example: the World Economic Forum's Future of Jobs Report 2025, based on a survey of more than 1,000 employers, projected 170 million roles created and 92 million displaced worldwide by 2030, a net 78 million, from several trends together (technology, the economy, demographics, the green transition), not AI alone. Different forecasts often disagree.

Which question helps you read a forecast?

A. "Is it long?"
B. "Is it popular online?"
C. "What period and place does it cover?"
D. "Does the report have a colorful cover?"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-M-Q4
Artificial Intelligence, Set 102: Reading job forecasts · MAIN · Q4/5 · Outcome AI.WORK.02 (local)

Learn
An employment FORECAST or PROJECTION estimates future jobs based on ASSUMPTIONS: about the economy, technology, population and how employers behave. It is not a promise. Read forecasts by asking: Who made it, and how (a survey of employers, a statistical model)? What period and place does it cover? What does it count? Example: the World Economic Forum's Future of Jobs Report 2025, based on a survey of more than 1,000 employers, projected 170 million roles created and 92 million displaced worldwide by 2030, a net 78 million, from several trends together (technology, the economy, demographics, the green transition), not AI alone. Different forecasts often disagree.

Different forecasts disagree. What does this show?

A. Forecasts depend on assumptions and methods

B. That forecasting is illegal

C. That jobs cannot change

D. That every forecast except the most recent one must be completely wrong and useless

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-M-Q5
Artificial Intelligence, Set 102: Reading job forecasts · MAIN · Q5/5 · Outcome AI.WORK.02 (local)

Learn
A WEATHER FORECAST of "70% chance of rain" is useful but not certain. It is based on models and data, it covers a particular place and time, and different services sometimes disagree. A jobs forecast is similar: based on assumptions and methods, for a particular place and period, and not a promise. You bring an umbrella based on a weather forecast; you plan your learning using jobs forecasts, without treating them as certain.

What does "70% chance of rain" mean?

A. It will certainly rain
B. Rain is likely but not certain
C. It will not rain
D. It will rain for exactly 70%

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-B1-Q1
Artificial Intelligence, Set 102: Reading job forecasts · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.WORK.02 (local)

Learn
A WEATHER FORECAST of "70% chance of rain" is useful but not certain. It is based on models and data, it covers a particular place and time, and different services sometimes disagree. A jobs forecast is similar: based on assumptions and methods, for a particular place and period, and not a promise. You bring an umbrella based on a weather forecast; you plan your learning using jobs forecasts, without treating them as certain.

What is a jobs forecast based on?

A. Certain knowledge of the future, which is why jobs forecasts are never wrong
B. Guesses only
C. Weather data
D. Assumptions and methods

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-B1-Q2
Artificial Intelligence, Set 102: Reading job forecasts · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.WORK.02 (local)

Learn
A WEATHER FORECAST of "70% chance of rain" is useful but not certain. It is based on models and data, it covers a particular place and time, and different services sometimes disagree. A jobs forecast is similar: based on assumptions and methods, for a particular place and period, and not a promise. You bring an umbrella based on a weather forecast; you plan your learning using jobs forecasts, without treating them as certain.

Weather services sometimes disagree. What is the jobs parallel?

A. Forecasts are useless

B. All job forecasts always give exactly the same numbers for every country and every year

C. Different forecasts disagree

D. Jobs never change

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-B1-Q3
Artificial Intelligence, Set 102: Reading job forecasts · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.WORK.02 (local)

Learn
A WEATHER FORECAST of "70% chance of rain" is useful but not certain. It is based on models and data, it covers a particular place and time, and different services sometimes disagree. A jobs forecast is similar: based on assumptions and methods, for a particular place and period, and not a promise. You bring an umbrella based on a weather forecast; you plan your learning using jobs forecasts, without treating them as certain.

Using a forecast to bring an umbrella is like what?

A. Using a jobs forecast to plan learning
B. Buying a weather app
C. Ignoring all forecasts
D. Quitting your current job immediately

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-B1-Q4
Artificial Intelligence, Set 102: Reading job forecasts · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.WORK.02 (local)

Learn
A WEATHER FORECAST of "70% chance of rain" is useful but not certain. It is based on models and data, it covers a particular place and time, and different services sometimes disagree. A jobs forecast is similar: based on assumptions and methods, for a particular place and period, and not a promise. You bring an umbrella based on a weather forecast; you plan your learning using jobs forecasts, without treating them as certain.

What is the lesson?

A. Never read forecasts
B. Use forecasts as inputs, not guarantees
C. Only read weather forecasts
D. Treat every forecast as a certain prediction

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-B1-Q5
Artificial Intelligence, Set 102: Reading job forecasts · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.WORK.02 (local)

Learn
An employment FORECAST or PROJECTION estimates future jobs based on ASSUMPTIONS: about the economy, technology, population and how employers behave. It is not a promise. Read forecasts by asking: Who made it, and how (a survey of employers, a statistical model)? What period and place does it cover? What does it count? Example: the World Economic Forum's Future of Jobs Report 2025, based on a survey of more than 1,000 employers, projected 170 million roles created and 92 million displaced worldwide by 2030, a net 78 million, from several trends together (technology, the economy, demographics, the green transition), not AI alone. Different forecasts often disagree.

A headline says "AI will create 170 million jobs!" What is missing?

A. The author's photo
B. The report's font
C. Nothing, since jobs created are the only number that matters
D. The totals cover several trends, and roles are also displaced

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-F1-Q1
Artificial Intelligence, Set 102: Reading job forecasts · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.WORK.02 (local)

Learn
An employment FORECAST or PROJECTION estimates future jobs based on ASSUMPTIONS: about the economy, technology, population and how employers behave. It is not a promise. Read forecasts by asking: Who made it, and how (a survey of employers, a statistical model)? What period and place does it cover? What does it count? Example: the World Economic Forum's Future of Jobs Report 2025, based on a survey of more than 1,000 employers, projected 170 million roles created and 92 million displaced worldwide by 2030, a net 78 million, from several trends together (technology, the economy, demographics, the green transition), not AI alone. Different forecasts often disagree.

A friend says the WEF report "proves" there will be 78 million more jobs. What is more accurate?

A. It says jobs will fall

B. It proves it, because reports from large organizations are always exactly correct about the future

C. It projects that, based on an employer survey

D. It says nothing about jobs

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-F1-Q2
Artificial Intelligence, Set 102: Reading job forecasts · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.WORK.02 (local)

Learn
An employment FORECAST or PROJECTION estimates future jobs based on ASSUMPTIONS: about the economy, technology, population and how employers behave. It is not a promise. Read forecasts by asking: Who made it, and how (a survey of employers, a statistical model)? What period and place does it cover? What does it count? Example: the World Economic Forum's Future of Jobs Report 2025, based on a survey of more than 1,000 employers, projected 170 million roles created and 92 million displaced worldwide by 2030, a net 78 million, from several trends together (technology, the economy, demographics, the green transition), not AI alone. Different forecasts often disagree.

Two forecasts give very different numbers for the same field. What should you do?

A. Choose whichever forecast has the bigger number, since bigger numbers are more reliable

B. Compare their methods and assumptions

C. Ignore both

D. Average them blindly

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-F1-Q3
Artificial Intelligence, Set 102: Reading job forecasts · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.WORK.02 (local)

Learn
An employment FORECAST or PROJECTION estimates future jobs based on ASSUMPTIONS: about the economy, technology, population and how employers behave. It is not a promise. Read forecasts by asking: Who made it, and how (a survey of employers, a statistical model)? What period and place does it cover? What does it count? Example: the World Economic Forum's Future of Jobs Report 2025, based on a survey of more than 1,000 employers, projected 170 million roles created and 92 million displaced worldwide by 2030, a net 78 million, from several trends together (technology, the economy, demographics, the green transition), not AI alone. Different forecasts often disagree.

Which detail is most important when reading a forecast?

A. Its page count
B. Its color scheme
C. How many times it has been shared on social media by people who liked it
D. Who made it and how

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-F1-Q4
Artificial Intelligence, Set 102: Reading job forecasts · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.WORK.02 (local)

Learn
An employment FORECAST or PROJECTION estimates future jobs based on ASSUMPTIONS: about the economy, technology, population and how employers behave. It is not a promise. Read forecasts by asking: Who made it, and how (a survey of employers, a statistical model)? What period and place does it cover? What does it count? Example: the World Economic Forum's Future of Jobs Report 2025, based on a survey of more than 1,000 employers, projected 170 million roles created and 92 million displaced worldwide by 2030, a net 78 million, from several trends together (technology, the economy, demographics, the green transition), not AI alone. Different forecasts often disagree.

A forecast covers 2025 to 2030 worldwide. Can it tell you about your town next year?

A. Yes, if the town is large

B. Only for farming

C. Not directly

D. Yes, exactly, because worldwide numbers apply equally to every town in every year

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-F1-Q5
Artificial Intelligence, Set 102: Reading job forecasts · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.WORK.02 (local)

Learn
Large numbers can hide important details. A global "net gain" can include big losses for particular workers, places or roles. Percent growth from a small base can sound huge while adding few jobs. A government projection, such as the US Bureau of Labor Statistics (BLS) estimate that data scientist employment will grow about 35 percent from 2025 to 2035, uses its own method and period. Compare like with like, and treat every forecast as one input to your decisions, not a guarantee.

A global net gain is projected. Could some workers still lose out?

A. Yes; losses can be hidden in a net figure

B. Only if the gain is small

C. Only in summer

D. No, because a net gain means that every single worker in the world will be better off

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-F2-Q1
Artificial Intelligence, Set 102: Reading job forecasts · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.WORK.02 (local)

Learn
Large numbers can hide important details. A global "net gain" can include big losses for particular workers, places or roles. Percent growth from a small base can sound huge while adding few jobs. A government projection, such as the US Bureau of Labor Statistics (BLS) estimate that data scientist employment will grow about 35 percent from 2025 to 2035, uses its own method and period. Compare like with like, and treat every forecast as one input to your decisions, not a guarantee.

A role grows "200%" from 5 jobs to 15. How many jobs were added?

A. 15
B. 10
C. 5
D. 200

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-F2-Q2
Artificial Intelligence, Set 102: Reading job forecasts · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.WORK.02 (local)

Learn
Large numbers can hide important details. A global "net gain" can include big losses for particular workers, places or roles. Percent growth from a small base can sound huge while adding few jobs. A government projection, such as the US Bureau of Labor Statistics (BLS) estimate that data scientist employment will grow about 35 percent from 2025 to 2035, uses its own method and period. Compare like with like, and treat every forecast as one input to your decisions, not a guarantee.

BLS projects data scientist jobs to grow about 35% from 2025 to 2035. What is this?

A. A US projection with its own method
B. A worldwide count
C. A salary promise
D. A guarantee that everyone who studies data science gets a job by 2035

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-F2-Q3
Artificial Intelligence, Set 102: Reading job forecasts · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.WORK.02 (local)

Learn
Large numbers can hide important details. A global "net gain" can include big losses for particular workers, places or roles. Percent growth from a small base can sound huge while adding few jobs. A government projection, such as the US Bureau of Labor Statistics (BLS) estimate that data scientist employment will grow about 35 percent from 2025 to 2035, uses its own method and period. Compare like with like, and treat every forecast as one input to your decisions, not a guarantee.

Why compare like with like?

A. Because every forecast always measures exactly the same thing in exactly the same way

B. Because older forecasts are always wrong

C. Because numbers must be the same

D. Forecasts differ in place, period and what they count

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-F2-Q4
Artificial Intelligence, Set 102: Reading job forecasts · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.WORK.02 (local)

Learn
Large numbers can hide important details. A global "net gain" can include big losses for particular workers, places or roles. Percent growth from a small base can sound huge while adding few jobs. A government projection, such as the US Bureau of Labor Statistics (BLS) estimate that data scientist employment will grow about 35 percent from 2025 to 2035, uses its own method and period. Compare like with like, and treat every forecast as one input to your decisions, not a guarantee.

How should you use forecasts in decisions?

A. Not at all
B. Only when they agree with you
C. As one input, not a guarantee
D. As the only input

REFERENCE LABEL: NOT PART OF THE QUESTION ID S102-F2-Q5
Artificial Intelligence, Set 102: Reading job forecasts · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.WORK.02 (local)

Set 103: Technical AI roles

Outcome AI.WORK.03: Describe what data scientists, machine learning engineers and AI engineers typically do, without inventing pay or credential rules

Module: Work: jobs and careers

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Several technical roles work with AI; titles vary by employer. A DATA SCIENTIST collects, cleans and analyzes data to answer questions, often using statistics and programming. A MACHINE LEARNING (ML) ENGINEER builds, trains and runs models so they work reliably in real products. An AI ENGINEER often builds applications on top of existing models, connecting them to data and tools and testing how they behave. All three usually need programming, careful testing and clear communication. Pay and credential requirements vary widely by employer and place, so this course does not state them.

What does a data scientist typically do?

A. Builds the physical computer chips that every AI model needs in order to run at all

B. Collects, cleans and analyzes data to answer questions

C. Sells AI products

D. Writes laws about AI

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-M-Q1
Artificial Intelligence, Set 103: Technical AI roles · MAIN · Q1/5 · Outcome AI.WORK.03 (local)

Learn
Several technical roles work with AI; titles vary by employer. A DATA SCIENTIST collects, cleans and analyzes data to answer questions, often using statistics and programming. A MACHINE LEARNING (ML) ENGINEER builds, trains and runs models so they work reliably in real products. An AI ENGINEER often builds applications on top of existing models, connecting them to data and tools and testing how they behave. All three usually need programming, careful testing and clear communication. Pay and credential requirements vary widely by employer and place, so this course does not state them.

What does an ML engineer typically do?

A. Only answers customer emails about products that use machine learning features

B. Designs logos

C. Builds and runs models so they work reliably in products

D. Repairs printers

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-M-Q2
Artificial Intelligence, Set 103: Technical AI roles · MAIN · Q2/5 · Outcome AI.WORK.03 (local)

Learn
Several technical roles work with AI; titles vary by employer. A DATA SCIENTIST collects, cleans and analyzes data to answer questions, often using statistics and programming. A MACHINE LEARNING (ML) ENGINEER builds, trains and runs models so they work reliably in real products. An AI ENGINEER often builds applications on top of existing models, connecting them to data and tools and testing how they behave. All three usually need programming, careful testing and clear communication. Pay and credential requirements vary widely by employer and place, so this course does not state them.

What does an AI engineer often do?

A. Builds applications on top of existing models

B. Manages office supplies

C. Teaches only history

D. Trains every model from nothing, using only paper and pencil calculations each day

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-M-Q3
Artificial Intelligence, Set 103: Technical AI roles · MAIN · Q3/5 · Outcome AI.WORK.03 (local)

Learn
Several technical roles work with AI; titles vary by employer. A DATA SCIENTIST collects, cleans and analyzes data to answer questions, often using statistics and programming. A MACHINE LEARNING (ML) ENGINEER builds, trains and runs models so they work reliably in real products. An AI ENGINEER often builds applications on top of existing models, connecting them to data and tools and testing how they behave. All three usually need programming, careful testing and clear communication. Pay and credential requirements vary widely by employer and place, so this course does not state them.

What skills do all three roles usually need?

A. No skills

B. Only drawing

C. Only a famous university degree, since skills are not important for technical roles

D. Programming, testing and communication

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-M-Q4
Artificial Intelligence, Set 103: Technical AI roles · MAIN · Q4/5 · Outcome AI.WORK.03 (local)

Learn
Several technical roles work with AI; titles vary by employer. A DATA SCIENTIST collects, cleans and analyzes data to answer questions, often using statistics and programming. A MACHINE LEARNING (ML) ENGINEER builds, trains and runs models so they work reliably in real products. An AI ENGINEER often builds applications on top of existing models, connecting them to data and tools and testing how they behave. All three usually need programming, careful testing and clear communication. Pay and credential requirements vary widely by employer and place, so this course does not state them.

Why does this course not state pay or credentials?

A. They vary widely by employer and place
B. Because all jobs pay the same
C. Because pay is secret everywhere
D. Because these roles are always unpaid

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-M-Q5
Artificial Intelligence, Set 103: Technical AI roles · MAIN · Q5/5 · Outcome AI.WORK.03 (local)

Learn
In a restaurant, a FOOD TASTER studies what customers like and which dishes sell, then reports findings; that is like a data scientist. The KITCHEN ENGINEER sets up ovens and equipment so food comes out right every time, even on busy nights; that is like an ML engineer. A CHEF who creates new dishes using ready-made ingredients and equipment is like an AI engineer building applications from existing models.

The food taster who studies sales is like whom?

A. An AI engineer
B. A cashier
C. An ML engineer
D. A data scientist

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-B1-Q1
Artificial Intelligence, Set 103: Technical AI roles · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.WORK.03 (local)

Learn
In a restaurant, a FOOD TASTER studies what customers like and which dishes sell, then reports findings; that is like a data scientist. The KITCHEN ENGINEER sets up ovens and equipment so food comes out right every time, even on busy nights; that is like an ML engineer. A CHEF who creates new dishes using ready-made ingredients and equipment is like an AI engineer building applications from existing models.

The kitchen engineer is like whom?

A. A waiter
B. An ML engineer
C. A chef
D. A data scientist

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-B1-Q2
Artificial Intelligence, Set 103: Technical AI roles · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.WORK.03 (local)

Learn
In a restaurant, a FOOD TASTER studies what customers like and which dishes sell, then reports findings; that is like a data scientist. The KITCHEN ENGINEER sets up ovens and equipment so food comes out right every time, even on busy nights; that is like an ML engineer. A CHEF who creates new dishes using ready-made ingredients and equipment is like an AI engineer building applications from existing models.

The chef using ready-made ingredients is like whom?

A. A dishwasher
B. An ML engineer
C. An AI engineer
D. A data scientist

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-B1-Q3
Artificial Intelligence, Set 103: Technical AI roles · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.WORK.03 (local)

Learn
In a restaurant, a FOOD TASTER studies what customers like and which dishes sell, then reports findings; that is like a data scientist. The KITCHEN ENGINEER sets up ovens and equipment so food comes out right every time, even on busy nights; that is like an ML engineer. A CHEF who creates new dishes using ready-made ingredients and equipment is like an AI engineer building applications from existing models.

What does the kitchen engineer care about most?

A. Choosing music
B. Food coming out right every time
C. Counting customers
D. Inventing a brand-new dish

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-B1-Q4
Artificial Intelligence, Set 103: Technical AI roles · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.WORK.03 (local)

Learn
In a restaurant, a FOOD TASTER studies what customers like and which dishes sell, then reports findings; that is like a data scientist. The KITCHEN ENGINEER sets up ovens and equipment so food comes out right every time, even on busy nights; that is like an ML engineer. A CHEF who creates new dishes using ready-made ingredients and equipment is like an AI engineer building applications from existing models.

What do all three restaurant roles share?

A. Working together to serve customers well

B. Only the uniform

C. Exactly the same daily tasks, done in the same way, with the same tools and training

D. Nothing

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-B1-Q5
Artificial Intelligence, Set 103: Technical AI roles · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.WORK.03 (local)

Learn
Several technical roles work with AI; titles vary by employer. A DATA SCIENTIST collects, cleans and analyzes data to answer questions, often using statistics and programming. A MACHINE LEARNING (ML) ENGINEER builds, trains and runs models so they work reliably in real products. An AI ENGINEER often builds applications on top of existing models, connecting them to data and tools and testing how they behave. All three usually need programming, careful testing and clear communication. Pay and credential requirements vary widely by employer and place, so this course does not state them.

Someone analyzes survey results to find why customers leave. Which role fits best?

A. Graphic designer
B. Receptionist
C. ML engineer
D. Data scientist

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-F1-Q1
Artificial Intelligence, Set 103: Technical AI roles · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.WORK.03 (local)

Learn
Several technical roles work with AI; titles vary by employer. A DATA SCIENTIST collects, cleans and analyzes data to answer questions, often using statistics and programming. A MACHINE LEARNING (ML) ENGINEER builds, trains and runs models so they work reliably in real products. An AI ENGINEER often builds applications on top of existing models, connecting them to data and tools and testing how they behave. All three usually need programming, careful testing and clear communication. Pay and credential requirements vary widely by employer and place, so this course does not state them.

Someone makes sure a recommendation model keeps working when millions use it. Which role fits?

A. Accountant
B. Copywriter
C. ML engineer
D. Data scientist

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-F1-Q2
Artificial Intelligence, Set 103: Technical AI roles · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.WORK.03 (local)

Learn
Several technical roles work with AI; titles vary by employer. A DATA SCIENTIST collects, cleans and analyzes data to answer questions, often using statistics and programming. A MACHINE LEARNING (ML) ENGINEER builds, trains and runs models so they work reliably in real products. An AI ENGINEER often builds applications on top of existing models, connecting them to data and tools and testing how they behave. All three usually need programming, careful testing and clear communication. Pay and credential requirements vary widely by employer and place, so this course does not state them.

Someone builds a help-desk app that uses an existing language model and company documents. Which role fits?

A. AI engineer
B. Hardware technician
C. Salesperson
D. Data scientist

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-F1-Q3
Artificial Intelligence, Set 103: Technical AI roles · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.WORK.03 (local)

Learn
Several technical roles work with AI; titles vary by employer. A DATA SCIENTIST collects, cleans and analyzes data to answer questions, often using statistics and programming. A MACHINE LEARNING (ML) ENGINEER builds, trains and runs models so they work reliably in real products. An AI ENGINEER often builds applications on top of existing models, connecting them to data and tools and testing how they behave. All three usually need programming, careful testing and clear communication. Pay and credential requirements vary widely by employer and place, so this course does not state them.

A posting titled "AI Specialist" lists data cleaning, statistics and reports. What role is it most like?

A. Pilot
B. Data scientist
C. Chef
D. ML engineer

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-F1-Q4
Artificial Intelligence, Set 103: Technical AI roles · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.WORK.03 (local)

Learn
Several technical roles work with AI; titles vary by employer. A DATA SCIENTIST collects, cleans and analyzes data to answer questions, often using statistics and programming. A MACHINE LEARNING (ML) ENGINEER builds, trains and runs models so they work reliably in real products. An AI ENGINEER often builds applications on top of existing models, connecting them to data and tools and testing how they behave. All three usually need programming, careful testing and clear communication. Pay and credential requirements vary widely by employer and place, so this course does not state them.

Which statement about these roles is accurate?

A. Only one role exists
B. No programming is ever needed
C. Titles and requirements vary by employer
D. Every employer uses exactly the same title

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-F1-Q5
Artificial Intelligence, Set 103: Technical AI roles · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.WORK.03 (local)

Learn
Job titles overlap and change. One company's "data scientist" may do what another calls "analyst" or "ML engineer." Read the TASKS in a job posting rather than the title. Many postings list many skills; check which are marked required and which preferred rather than assuming all or none are essential. Government sources such as the BLS Occupational Outlook Handbook describe typical duties for US occupations, which helps you compare roles more consistently.

Why read tasks instead of titles in a posting?

A. Because titles are always false and are written only to attract as many applicants as possible

B. Because tasks are shorter

C. Because titles are secret

D. Titles overlap and differ between employers

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-F2-Q1
Artificial Intelligence, Set 103: Technical AI roles · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.WORK.03 (local)

Learn
Job titles overlap and change. One company's "data scientist" may do what another calls "analyst" or "ML engineer." Read the TASKS in a job posting rather than the title. Many postings list many skills; check which are marked required and which preferred rather than assuming all or none are essential. Government sources such as the BLS Occupational Outlook Handbook describe typical duties for US occupations, which helps you compare roles more consistently.

A posting lists 25 skills. What is a reasonable reading?

A. The job needs no skills
B. None of the 25 skills really matter for applicants
C. Check which skills are required and which are preferred
D. Every applicant must have all 25 skills

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-F2-Q2
Artificial Intelligence, Set 103: Technical AI roles · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.WORK.03 (local)

Learn
Job titles overlap and change. One company's "data scientist" may do what another calls "analyst" or "ML engineer." Read the TASKS in a job posting rather than the title. Many postings list many skills; check which are marked required and which preferred rather than assuming all or none are essential. Government sources such as the BLS Occupational Outlook Handbook describe typical duties for US occupations, which helps you compare roles more consistently.

Which source describes typical duties of US occupations consistently?

A. A movie
B. A random job posting
C. The BLS Occupational Outlook Handbook
D. A single social media post from someone

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-F2-Q3
Artificial Intelligence, Set 103: Technical AI roles · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.WORK.03 (local)

Learn
Job titles overlap and change. One company's "data scientist" may do what another calls "analyst" or "ML engineer." Read the TASKS in a job posting rather than the title. Many postings list many skills; check which are marked required and which preferred rather than assuming all or none are essential. Government sources such as the BLS Occupational Outlook Handbook describe typical duties for US occupations, which helps you compare roles more consistently.

Two companies call different jobs "data scientist." What does this show?

A. Titles are not standard

B. That data science is not real

C. That one of the two companies must be breaking the law by using the wrong job title

D. That titles never matter

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-F2-Q4
Artificial Intelligence, Set 103: Technical AI roles · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.WORK.03 (local)

Learn
Job titles overlap and change. One company's "data scientist" may do what another calls "analyst" or "ML engineer." Read the TASKS in a job posting rather than the title. Many postings list many skills; check which are marked required and which preferred rather than assuming all or none are essential. Government sources such as the BLS Occupational Outlook Handbook describe typical duties for US occupations, which helps you compare roles more consistently.

A posting says "ML engineer" but describes only writing reports. What should you conclude?

A. That ML engineers only write reports
B. That you should ignore the tasks
C. That the posting is definitely a scam
D. The tasks matter more than the title

REFERENCE LABEL: NOT PART OF THE QUESTION ID S103-F2-Q5
Artificial Intelligence, Set 103: Technical AI roles · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.WORK.03 (local)

Set 104: Roles beyond coding

Outcome AI.WORK.04: Describe AI-related roles that rely on evaluation, data work, product, design, governance and subject knowledge

Module: Work: jobs and careers

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Many AI-related roles rely on skills other than programming. EVALUATORS design tests and judge whether AI output is accurate and safe. DATA workers collect, label and organize information that systems use or are tested on. PRODUCT managers decide what a tool should do and for whom. DESIGNERS shape how people use it. GOVERNANCE, legal and policy roles set rules and check compliance. SUBJECT EXPERTS, such as nurses, teachers or accountants, judge whether AI output makes sense in their field. Domain knowledge plus careful checking is valuable everywhere.

What does an AI evaluator do?

A. Cleans offices
B. Designs tests and judges output quality and safety
C. Sells computers
D. Writes every line of code for a new model from scratch

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-M-Q1
Artificial Intelligence, Set 104: Roles beyond coding · MAIN · Q1/5 · Outcome AI.WORK.04 (local)

Learn
Many AI-related roles rely on skills other than programming. EVALUATORS design tests and judge whether AI output is accurate and safe. DATA workers collect, label and organize information that systems use or are tested on. PRODUCT managers decide what a tool should do and for whom. DESIGNERS shape how people use it. GOVERNANCE, legal and policy roles set rules and check compliance. SUBJECT EXPERTS, such as nurses, teachers or accountants, judge whether AI output makes sense in their field. Domain knowledge plus careful checking is valuable everywhere.

What do governance and policy roles do?

A. Set rules and check compliance
B. Train models
C. Label images
D. Design the colors and icons

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-M-Q2
Artificial Intelligence, Set 104: Roles beyond coding · MAIN · Q2/5 · Outcome AI.WORK.04 (local)

Learn
Many AI-related roles rely on skills other than programming. EVALUATORS design tests and judge whether AI output is accurate and safe. DATA workers collect, label and organize information that systems use or are tested on. PRODUCT managers decide what a tool should do and for whom. DESIGNERS shape how people use it. GOVERNANCE, legal and policy roles set rules and check compliance. SUBJECT EXPERTS, such as nurses, teachers or accountants, judge whether AI output makes sense in their field. Domain knowledge plus careful checking is valuable everywhere.

Why are subject experts valuable in AI work?

A. Because they never need AI
B. Because they work for free
C. Because they can write code faster than any programmer
D. They judge whether output makes sense in their field

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-M-Q3
Artificial Intelligence, Set 104: Roles beyond coding · MAIN · Q3/5 · Outcome AI.WORK.04 (local)

Learn
Many AI-related roles rely on skills other than programming. EVALUATORS design tests and judge whether AI output is accurate and safe. DATA workers collect, label and organize information that systems use or are tested on. PRODUCT managers decide what a tool should do and for whom. DESIGNERS shape how people use it. GOVERNANCE, legal and policy roles set rules and check compliance. SUBJECT EXPERTS, such as nurses, teachers or accountants, judge whether AI output makes sense in their field. Domain knowledge plus careful checking is valuable everywhere.

What does a product manager decide?

A. Which laws apply
B. How to repair servers
C. What a tool should do and for whom
D. Which data labels are correct

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-M-Q4
Artificial Intelligence, Set 104: Roles beyond coding · MAIN · Q4/5 · Outcome AI.WORK.04 (local)

Learn
Many AI-related roles rely on skills other than programming. EVALUATORS design tests and judge whether AI output is accurate and safe. DATA workers collect, label and organize information that systems use or are tested on. PRODUCT managers decide what a tool should do and for whom. DESIGNERS shape how people use it. GOVERNANCE, legal and policy roles set rules and check compliance. SUBJECT EXPERTS, such as nurses, teachers or accountants, judge whether AI output makes sense in their field. Domain knowledge plus careful checking is valuable everywhere.

Which skill is valuable across all these roles?

A. Memorizing model names
B. Careful checking plus domain knowledge
C. Owning many devices
D. Typing very fast, which matters more than understanding the work in any role

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-M-Q5
Artificial Intelligence, Set 104: Roles beyond coding · MAIN · Q5/5 · Outcome AI.WORK.04 (local)

Learn
A movie needs more than camera operators. WRITERS decide the story, like product managers deciding what a tool does. EDITORS review footage and cut what does not work, like evaluators. RESEARCH STAFF check historical details, like subject experts. LAWYERS clear rights, like governance roles. AI work is similar: the people writing code are one part of a larger team.

Film editors who cut what does not work are like whom?

A. Evaluators
B. Coders
C. Lawyers
D. Product managers

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-B1-Q1
Artificial Intelligence, Set 104: Roles beyond coding · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.WORK.04 (local)

Learn
A movie needs more than camera operators. WRITERS decide the story, like product managers deciding what a tool does. EDITORS review footage and cut what does not work, like evaluators. RESEARCH STAFF check historical details, like subject experts. LAWYERS clear rights, like governance roles. AI work is similar: the people writing code are one part of a larger team.

Writers who decide the story are like whom?

A. Subject experts
B. Lawyers
C. Product managers
D. Evaluators

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-B1-Q2
Artificial Intelligence, Set 104: Roles beyond coding · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.WORK.04 (local)

Learn
A movie needs more than camera operators. WRITERS decide the story, like product managers deciding what a tool does. EDITORS review footage and cut what does not work, like evaluators. RESEARCH STAFF check historical details, like subject experts. LAWYERS clear rights, like governance roles. AI work is similar: the people writing code are one part of a larger team.

Research staff checking history are like whom?

A. Designers
B. Coders
C. Lawyers
D. Subject experts

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-B1-Q3
Artificial Intelligence, Set 104: Roles beyond coding · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.WORK.04 (local)

Learn
A movie needs more than camera operators. WRITERS decide the story, like product managers deciding what a tool does. EDITORS review footage and cut what does not work, like evaluators. RESEARCH STAFF check historical details, like subject experts. LAWYERS clear rights, like governance roles. AI work is similar: the people writing code are one part of a larger team.

Lawyers clearing rights are like whom?

A. Camera operators
B. Writers
C. Governance roles
D. Evaluators

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-B1-Q4
Artificial Intelligence, Set 104: Roles beyond coding · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.WORK.04 (local)

Learn
A movie needs more than camera operators. WRITERS decide the story, like product managers deciding what a tool does. EDITORS review footage and cut what does not work, like evaluators. RESEARCH STAFF check historical details, like subject experts. LAWYERS clear rights, like governance roles. AI work is similar: the people writing code are one part of a larger team.

What is the lesson?

A. Films do not need editors

B. AI has no teams

C. Only people who write code can ever work on AI projects in any company

D. Coding is one part of a larger team

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-B1-Q5
Artificial Intelligence, Set 104: Roles beyond coding · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.WORK.04 (local)

Learn
Many AI-related roles rely on skills other than programming. EVALUATORS design tests and judge whether AI output is accurate and safe. DATA workers collect, label and organize information that systems use or are tested on. PRODUCT managers decide what a tool should do and for whom. DESIGNERS shape how people use it. GOVERNANCE, legal and policy roles set rules and check compliance. SUBJECT EXPERTS, such as nurses, teachers or accountants, judge whether AI output makes sense in their field. Domain knowledge plus careful checking is valuable everywhere.

A nurse reviews AI summaries of patient charts for errors. What role is this most like?

A. Subject expert evaluator

B. ML engineer, because reviewing summaries requires building and training the model

C. Lawyer

D. Product designer

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-F1-Q1
Artificial Intelligence, Set 104: Roles beyond coding · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.WORK.04 (local)

Learn
Many AI-related roles rely on skills other than programming. EVALUATORS design tests and judge whether AI output is accurate and safe. DATA workers collect, label and organize information that systems use or are tested on. PRODUCT managers decide what a tool should do and for whom. DESIGNERS shape how people use it. GOVERNANCE, legal and policy roles set rules and check compliance. SUBJECT EXPERTS, such as nurses, teachers or accountants, judge whether AI output makes sense in their field. Domain knowledge plus careful checking is valuable everywhere.

Someone writes company rules for which AI tools staff may use. What role is this?

A. Coding

B. Governance or policy

C. Evaluation

D. Data labeling, since writing rules is the same as tagging images for training data

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-F1-Q2
Artificial Intelligence, Set 104: Roles beyond coding · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.WORK.04 (local)

Learn
Many AI-related roles rely on skills other than programming. EVALUATORS design tests and judge whether AI output is accurate and safe. DATA workers collect, label and organize information that systems use or are tested on. PRODUCT managers decide what a tool should do and for whom. DESIGNERS shape how people use it. GOVERNANCE, legal and policy roles set rules and check compliance. SUBJECT EXPERTS, such as nurses, teachers or accountants, judge whether AI output makes sense in their field. Domain knowledge plus careful checking is valuable everywhere.

Someone decides an AI homework helper should focus on hints, not answers. What role is this?

A. Product management
B. Hardware
C. Legal
D. Data science

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-F1-Q3
Artificial Intelligence, Set 104: Roles beyond coding · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.WORK.04 (local)

Learn
Many AI-related roles rely on skills other than programming. EVALUATORS design tests and judge whether AI output is accurate and safe. DATA workers collect, label and organize information that systems use or are tested on. PRODUCT managers decide what a tool should do and for whom. DESIGNERS shape how people use it. GOVERNANCE, legal and policy roles set rules and check compliance. SUBJECT EXPERTS, such as nurses, teachers or accountants, judge whether AI output makes sense in their field. Domain knowledge plus careful checking is valuable everywhere.

Someone tags thousands of photos as "cat" or "not cat." What kind of work is this?

A. Design
B. Governance
C. Data labeling
D. Product management

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-F1-Q4
Artificial Intelligence, Set 104: Roles beyond coding · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.WORK.04 (local)

Learn
Many AI-related roles rely on skills other than programming. EVALUATORS design tests and judge whether AI output is accurate and safe. DATA workers collect, label and organize information that systems use or are tested on. PRODUCT managers decide what a tool should do and for whom. DESIGNERS shape how people use it. GOVERNANCE, legal and policy roles set rules and check compliance. SUBJECT EXPERTS, such as nurses, teachers or accountants, judge whether AI output makes sense in their field. Domain knowledge plus careful checking is valuable everywhere.

An accountant wants to work with AI without becoming a programmer. What is a strong route?

A. Only learn model names
B. Combine accounting knowledge with AI understanding
C. Avoid AI entirely
D. Abandon accounting completely and start again

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-F1-Q5
Artificial Intelligence, Set 104: Roles beyond coding · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.WORK.04 (local)

Learn
Non-coding roles still need some technical literacy: understanding what models can and cannot do, how they fail, and how to describe problems precisely. A nurse who can explain why an AI summary of a patient chart is unsafe is very valuable. Some data-labeling jobs are low-paid and repetitive, so look at conditions as well as titles. Combining your existing field with AI understanding is often a stronger route than switching fields entirely.

Why do non-coding AI roles still need technical literacy?

A. To memorize jargon

B. Because every non-coding role secretly requires writing large amounts of code each day

C. To repair computers

D. To understand how AI works and fails

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-F2-Q1
Artificial Intelligence, Set 104: Roles beyond coding · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.WORK.04 (local)

Learn
Non-coding roles still need some technical literacy: understanding what models can and cannot do, how they fail, and how to describe problems precisely. A nurse who can explain why an AI summary of a patient chart is unsafe is very valuable. Some data-labeling jobs are low-paid and repetitive, so look at conditions as well as titles. Combining your existing field with AI understanding is often a stronger route than switching fields entirely.

A nurse explains why an AI chart summary is unsafe. Why is this valuable?

A. Because nurses write code
B. Domain expertise catches risks
C. Because it is fast
D. It is not valuable

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-F2-Q2
Artificial Intelligence, Set 104: Roles beyond coding · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.WORK.04 (local)

Learn
Non-coding roles still need some technical literacy: understanding what models can and cannot do, how they fail, and how to describe problems precisely. A nurse who can explain why an AI summary of a patient chart is unsafe is very valuable. Some data-labeling jobs are low-paid and repetitive, so look at conditions as well as titles. Combining your existing field with AI understanding is often a stronger route than switching fields entirely.

Some data-labeling jobs are low-paid and repetitive. What should a job seeker do?

A. Avoid all AI jobs
B. Ignore pay
C. Look at conditions as well as titles
D. Assume all AI jobs pay very well

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-F2-Q3
Artificial Intelligence, Set 104: Roles beyond coding · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.WORK.04 (local)

Learn
Non-coding roles still need some technical literacy: understanding what models can and cannot do, how they fail, and how to describe problems precisely. A nurse who can explain why an AI summary of a patient chart is unsafe is very valuable. Some data-labeling jobs are low-paid and repetitive, so look at conditions as well as titles. Combining your existing field with AI understanding is often a stronger route than switching fields entirely.

Which skill helps across non-coding AI roles?

A. Typing only in capitals
B. Using as much jargon as possible
C. Avoiding any discussion of problems
D. Describing problems precisely

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-F2-Q4
Artificial Intelligence, Set 104: Roles beyond coding · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.WORK.04 (local)

Learn
Non-coding roles still need some technical literacy: understanding what models can and cannot do, how they fail, and how to describe problems precisely. A nurse who can explain why an AI summary of a patient chart is unsafe is very valuable. Some data-labeling jobs are low-paid and repetitive, so look at conditions as well as titles. Combining your existing field with AI understanding is often a stronger route than switching fields entirely.

What is often stronger than switching fields entirely?

A. Combining your field with AI understanding
B. Changing job titles
C. Staying unaware of AI
D. Learning only the newest AI tool names every week

REFERENCE LABEL: NOT PART OF THE QUESTION ID S104-F2-Q5
Artificial Intelligence, Set 104: Roles beyond coding · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.WORK.04 (local)

Set 105: Learning routes and portfolios

Outcome AI.WORK.05: Plan a learning route and portfolio evidence that matches a stated goal, with no guaranteed outcome

Module: Work: jobs and careers

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
A LEARNING ROUTE is a plan from where you are to a stated GOAL, such as "help my nonprofit use AI tools safely" or "get an entry-level data analysis role." Work backward: what tasks does the goal involve, what skills do those tasks need, and which free or low-cost resources teach them? A PORTFOLIO is a collection of evidence of what you can do: small projects, write-ups explaining your choices, and tests showing your work is correct. Match portfolio pieces to the goal. No course, certificate or portfolio GUARANTEES a job, but clear evidence helps.

What is a learning route?

A. A plan from where you are to a stated goal
B. A map of a school
C. A certificate
D. A list of every AI course that exists

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-M-Q1
Artificial Intelligence, Set 105: Learning routes and portfolios · MAIN · Q1/5 · Outcome AI.WORK.05 (local)

Learn

A LEARNING ROUTE is a plan from where you are to a stated GOAL, such as "help my nonprofit use AI tools safely" or "get an entry-level data analysis role." Work backward: what tasks does the goal involve, what skills do those tasks need, and which free or low-cost resources teach them? A PORTFOLIO is a collection of evidence of what you can do: small projects, write-ups explaining your choices, and tests showing your work is correct. Match portfolio pieces to the goal. No course, certificate or portfolio GUARANTEES a job, but clear evidence helps.

How should you build a route?

A. Copy a friend's plan exactly

B. Pick courses at random

C. Start with the most expensive course available

D. Work backward from the goal's tasks and skills

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-M-Q2

Artificial Intelligence, Set 105: Learning routes and portfolios · MAIN · Q2/5 · Outcome AI.WORK.05 (local)

Learn
A LEARNING ROUTE is a plan from where you are to a stated GOAL, such as "help my nonprofit use AI tools safely" or "get an entry-level data analysis role." Work backward: what tasks does the goal involve, what skills do those tasks need, and which free or low-cost resources teach them? A PORTFOLIO is a collection of evidence of what you can do: small projects, write-ups explaining your choices, and tests showing your work is correct. Match portfolio pieces to the goal. No course, certificate or portfolio GUARANTEES a job, but clear evidence helps.

What is a portfolio?

A. A list of every course you signed up for, including ones you did not finish
B. A folder of certificates only
C. Evidence of what you can do
D. A résumé template

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-M-Q3
Artificial Intelligence, Set 105: Learning routes and portfolios · MAIN · Q3/5 · Outcome AI.WORK.05 (local)

Learn
A LEARNING ROUTE is a plan from where you are to a stated GOAL, such as "help my nonprofit use AI tools safely" or "get an entry-level data analysis role." Work backward: what tasks does the goal involve, what skills do those tasks need, and which free or low-cost resources teach them? A PORTFOLIO is a collection of evidence of what you can do: small projects, write-ups explaining your choices, and tests showing your work is correct. Match portfolio pieces to the goal. No course, certificate or portfolio GUARANTEES a job, but clear evidence helps.

Does any course or portfolio guarantee a job?

A. Yes, if it is expensive
B. No
C. Yes, after one year
D. Yes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-M-Q4
Artificial Intelligence, Set 105: Learning routes and portfolios · MAIN · Q4/5 · Outcome AI.WORK.05 (local)

Learn
A LEARNING ROUTE is a plan from where you are to a stated GOAL, such as "help my nonprofit use AI tools safely" or "get an entry-level data analysis role." Work backward: what tasks does the goal involve, what skills do those tasks need, and which free or low-cost resources teach them? A PORTFOLIO is a collection of evidence of what you can do: small projects, write-ups explaining your choices, and tests showing your work is correct. Match portfolio pieces to the goal. No course, certificate or portfolio GUARANTEES a job, but clear evidence helps.

What should portfolio pieces match?

A. The goal

B. Other people's portfolios

C. The longest projects possible

D. Whatever topic is currently most popular online, even if it has nothing to do with the goal

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-M-Q5
Artificial Intelligence, Set 105: Learning routes and portfolios · MAIN · Q5/5 · Outcome AI.WORK.05 (local)

Learn
Use four steps. (1) GOAL: state it clearly. (2) TASKS: list what someone reaching that goal does. (3) SKILLS: list what each task requires. (4) EVIDENCE: plan a small project that shows each key skill. Example goal: "Help my club use AI to draft newsletters safely." Tasks: draft, check facts, protect member privacy. Skills: prompting, fact-checking, privacy basics. Evidence: a sample newsletter with notes on what was checked and what personal information was left out.

What is the first step?

A. List skills
B. State the goal clearly
C. Buy a course before deciding what you want to achieve with the new skills
D. Make a project

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-B1-Q1
Artificial Intelligence, Set 105: Learning routes and portfolios · BACKWARD 1 (underlying skill) · Q1/5 · Outcome AI.WORK.05 (local)

Learn
Use four steps. (1) GOAL: state it clearly. (2) TASKS: list what someone reaching that goal does. (3) SKILLS: list what each task requires. (4) EVIDENCE: plan a small project that shows each key skill. Example goal: "Help my club use AI to draft newsletters safely." Tasks: draft, check facts, protect member privacy. Skills: prompting, fact-checking, privacy basics. Evidence: a sample newsletter with notes on what was checked and what personal information was left out.

In the example, which is a task?

A. The club
B. A sample newsletter
C. Check facts
D. Privacy basics

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-B1-Q2
Artificial Intelligence, Set 105: Learning routes and portfolios · BACKWARD 1 (underlying skill) · Q2/5 · Outcome AI.WORK.05 (local)

Learn
Use four steps. (1) GOAL: state it clearly. (2) TASKS: list what someone reaching that goal does. (3) SKILLS: list what each task requires. (4) EVIDENCE: plan a small project that shows each key skill. Example goal: "Help my club use AI to draft newsletters safely." Tasks: draft, check facts, protect member privacy. Skills: prompting, fact-checking, privacy basics. Evidence: a sample newsletter with notes on what was checked and what personal information was left out.

In the example, which is a skill?

A. The goal
B. Draft
C. A sample newsletter
D. Fact-checking

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-B1-Q3
Artificial Intelligence, Set 105: Learning routes and portfolios · BACKWARD 1 (underlying skill) · Q3/5 · Outcome AI.WORK.05 (local)

Learn
Use four steps. (1) GOAL: state it clearly. (2) TASKS: list what someone reaching that goal does. (3) SKILLS: list what each task requires. (4) EVIDENCE: plan a small project that shows each key skill. Example goal: "Help my club use AI to draft newsletters safely." Tasks: draft, check facts, protect member privacy. Skills: prompting, fact-checking, privacy basics. Evidence: a sample newsletter with notes on what was checked and what personal information was left out.

In the example, what is the evidence?

A. A promise to the club that every future newsletter will be perfectly accurate
B. A sample newsletter with notes
C. A list of tasks
D. A certificate

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-B1-Q4
Artificial Intelligence, Set 105: Learning routes and portfolios · BACKWARD 1 (underlying skill) · Q4/5 · Outcome AI.WORK.05 (local)

Learn
Use four steps. (1) GOAL: state it clearly. (2) TASKS: list what someone reaching that goal does. (3) SKILLS: list what each task requires. (4) EVIDENCE: plan a small project that shows each key skill. Example goal: "Help my club use AI to draft newsletters safely." Tasks: draft, check facts, protect member privacy. Skills: prompting, fact-checking, privacy basics. Evidence: a sample newsletter with notes on what was checked and what personal information was left out.

What order do the steps follow?

A. Goal, tasks, skills, evidence
B. Skills, goal, evidence, tasks
C. Any order
D. Evidence, skills, tasks, goal

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-B1-Q5
Artificial Intelligence, Set 105: Learning routes and portfolios · BACKWARD 1 (underlying skill) · Q5/5 · Outcome AI.WORK.05 (local)

Learn
A LEARNING ROUTE is a plan from where you are to a stated GOAL, such as "help my nonprofit use AI tools safely" or "get an entry-level data analysis role." Work backward: what tasks does the goal involve, what skills do those tasks need, and which free or low-cost resources teach them? A PORTFOLIO is a collection of evidence of what you can do: small projects, write-ups explaining your choices, and tests showing your work is correct. Match portfolio pieces to the goal. No course, certificate or portfolio GUARANTEES a job, but clear evidence helps.

Jay's goal is an entry-level data analysis role. Which portfolio piece fits best?

A. A collection of AI-generated poems, which shows creativity with many different tools

B. A logo design

C. A list of courses started

D. A project analyzing a public data set with a clear write-up

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-F1-Q1
Artificial Intelligence, Set 105: Learning routes and portfolios · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.WORK.05 (local)

Learn
A LEARNING ROUTE is a plan from where you are to a stated GOAL, such as "help my nonprofit use AI tools safely" or "get an entry-level data analysis role." Work backward: what tasks does the goal involve, what skills do those tasks need, and which free or low-cost resources teach them? A PORTFOLIO is a collection of evidence of what you can do: small projects, write-ups explaining your choices, and tests showing your work is correct. Match portfolio pieces to the goal. No course, certificate or portfolio GUARANTEES a job, but clear evidence helps.

A program promises "guaranteed job placement in 30 days." What should you think?

A. Sign up immediately, since programs are only allowed to promise things they can deliver

B. Ask for a longer guarantee

C. Be skeptical; nothing guarantees a job

D. Promises are always true

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-F1-Q2
Artificial Intelligence, Set 105: Learning routes and portfolios · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.WORK.05 (local)

Learn
A LEARNING ROUTE is a plan from where you are to a stated GOAL, such as "help my nonprofit use AI tools safely" or "get an entry-level data analysis role." Work backward: what tasks does the goal involve, what skills do those tasks need, and which free or low-cost resources teach them? A PORTFOLIO is a collection of evidence of what you can do: small projects, write-ups explaining your choices, and tests showing your work is correct. Match portfolio pieces to the goal. No course, certificate or portfolio GUARANTEES a job, but clear evidence helps.

A teacher wants to use AI to make quizzes safely. What is a useful first skill?

A. Checking generated questions for errors
B. Buying the newest computer
C. Learning every AI law worldwide
D. Building a new language model from scratch

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-F1-Q3
Artificial Intelligence, Set 105: Learning routes and portfolios · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.WORK.05 (local)

Learn
A LEARNING ROUTE is a plan from where you are to a stated GOAL, such as "help my nonprofit use AI tools safely" or "get an entry-level data analysis role." Work backward: what tasks does the goal involve, what skills do those tasks need, and which free or low-cost resources teach them? A PORTFOLIO is a collection of evidence of what you can do: small projects, write-ups explaining your choices, and tests showing your work is correct. Match portfolio pieces to the goal. No course, certificate or portfolio GUARANTEES a job, but clear evidence helps.

Which project is best sized for a beginner's portfolio?

A. Ten unfinished projects

B. A small project that can be finished well

C. A huge project that rebuilds an entire search engine, even if it never gets finished

D. No project

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-F1-Q4
Artificial Intelligence, Set 105: Learning routes and portfolios · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.WORK.05 (local)

Learn
A LEARNING ROUTE is a plan from where you are to a stated GOAL, such as "help my nonprofit use AI tools safely" or "get an entry-level data analysis role." Work backward: what tasks does the goal involve, what skills do those tasks need, and which free or low-cost resources teach them? A PORTFOLIO is a collection of evidence of what you can do: small projects, write-ups explaining your choices, and tests showing your work is correct. Match portfolio pieces to the goal. No course, certificate or portfolio GUARANTEES a job, but clear evidence helps.

Which resource choice fits a learner on a budget?

A. The most expensive course available, because price is the best sign of quality in learning

B. Random videos with no plan

C. No resources

D. Free or low-cost resources that teach the needed skills

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-F1-Q5
Artificial Intelligence, Set 105: Learning routes and portfolios · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.WORK.05 (local)

Learn
Portfolios are stronger when they are honest and specific. Say what you did yourself and where you used AI help; employers and teachers increasingly ask. Show a problem, your approach, your checks and the result, including what did not work. Keep projects small enough to finish. Update the route as you learn: if a skill turns out to matter more than you expected, adjust, and ask people working in the field what evidence they value.

Should a portfolio say where AI help was used?

A. Never

B. Only if asked twice

C. Yes; be honest about what you did

D. No, because mentioning AI help always makes employers think the work has no value at all

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-F2-Q1
Artificial Intelligence, Set 105: Learning routes and portfolios · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.WORK.05 (local)

Learn
Portfolios are stronger when they are honest and specific. Say what you did yourself and where you used AI help; employers and teachers increasingly ask. Show a problem, your approach, your checks and the result, including what did not work. Keep projects small enough to finish. Update the route as you learn: if a skill turns out to matter more than you expected, adjust, and ask people working in the field what evidence they value.

Which write-up is strongest?

A. Problem, approach, checks, result and what did not work

B. Only the final result, presented as perfect, with no mention of any problems along the way

C. Only the tools used

D. Only the time spent

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-F2-Q2
Artificial Intelligence, Set 105: Learning routes and portfolios · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.WORK.05 (local)

Learn
Portfolios are stronger when they are honest and specific. Say what you did yourself and where you used AI help; employers and teachers increasingly ask. Show a problem, your approach, your checks and the result, including what did not work. Keep projects small enough to finish. Update the route as you learn: if a skill turns out to matter more than you expected, adjust, and ask people working in the field what evidence they value.

A learner finds a skill matters more than expected. What should they do?

A. Ignore the skill

B. Adjust the route

C. Keep the original plan unchanged, since changing plans always shows a lack of commitment

D. Quit learning

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-F2-Q3
Artificial Intelligence, Set 105: Learning routes and portfolios · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.WORK.05 (local)

Learn
Portfolios are stronger when they are honest and specific. Say what you did yourself and where you used AI help; employers and teachers increasingly ask. Show a problem, your approach, your checks and the result, including what did not work. Keep projects small enough to finish. Update the route as you learn: if a skill turns out to matter more than you expected, adjust, and ask people working in the field what evidence they value.

Who can tell you what evidence employers value?

A. Random strangers online only
B. No one
C. Advertisements for courses
D. People working in the field

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-F2-Q4
Artificial Intelligence, Set 105: Learning routes and portfolios · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.WORK.05 (local)

Learn
Portfolios are stronger when they are honest and specific. Say what you did yourself and where you used AI help; employers and teachers increasingly ask. Show a problem, your approach, your checks and the result, including what did not work. Keep projects small enough to finish. Update the route as you learn: if a skill turns out to matter more than you expected, adjust, and ask people working in the field what evidence they value.

Why include what did not work?

A. It should never be included

B. To make the write-up longer

C. It shows honest problem-solving

D. Because employers only hire people whose projects failed completely and never worked

REFERENCE LABEL: NOT PART OF THE QUESTION ID S105-F2-Q5
Artificial Intelligence, Set 105: Learning routes and portfolios · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.WORK.05 (local)

Set 106: Checking job and course claims

Outcome AI.WORK.06: Spot exaggerated AI income, job or course promises and check them

Module: Work: jobs and careers

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Some offers use AI hype to make big promises: "Earn 10,000 dollars a month with AI, no experience needed," "Our course guarantees an AI job," or "This AI lawyer replaces your attorney." Warning signs: GUARANTEED income or jobs, URGENT pressure ("only 3 spots left"), vague methods, testimonials you cannot verify, and upfront fees for "secret" systems. In September 2024, the US Federal Trade Commission (FTC) announced "Operation AI Comply," actions under existing consumer-protection law, including against claims about a "robot lawyer" and schemes promising quick earnings from AI-powered online stores.

Which is a warning sign in an AI offer?

A. A free trial lesson
B. Independent reviews
C. A clear description
D. Guaranteed income

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-M-Q1
Artificial Intelligence, Set 106: Checking job and course claims · MAIN · Q1/5 · Outcome AI.WORK.06 (local)

Learn
Some offers use AI hype to make big promises: "Earn 10,000 dollars a month with AI, no experience needed," "Our course guarantees an AI job," or "This AI lawyer replaces your attorney." Warning signs: GUARANTEED income or jobs, URGENT pressure ("only 3 spots left"), vague methods, testimonials you cannot verify, and upfront fees for "secret" systems. In September 2024, the US Federal Trade Commission (FTC) announced "Operation AI Comply," actions under existing consumer-protection law, including against claims about a "robot lawyer" and schemes promising quick earnings from AI-powered online stores.

"Only 3 spots left - sign up in the next hour!" is what kind of sign?

A. A refund policy
B. An independent review
C. Urgent pressure
D. A sign of quality

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-M-Q2
Artificial Intelligence, Set 106: Checking job and course claims · MAIN · Q2/5 · Outcome AI.WORK.06 (local)

Learn
Some offers use AI hype to make big promises: "Earn 10,000 dollars a month with AI, no experience needed," "Our course guarantees an AI job," or "This AI lawyer replaces your attorney." Warning signs: GUARANTEED income or jobs, URGENT pressure ("only 3 spots left"), vague methods, testimonials you cannot verify, and upfront fees for "secret" systems. In September 2024, the US Federal Trade Commission (FTC) announced "Operation AI Comply," actions under existing consumer-protection law, including against claims about a "robot lawyer" and schemes promising quick earnings from AI-powered online stores.

What was "Operation AI Comply" (September 2024)?

A. FTC actions against deceptive AI claims
B. A coding contest
C. A tech conference
D. A new law that made all AI courses free

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-M-Q3
Artificial Intelligence, Set 106: Checking job and course claims · MAIN · Q3/5 · Outcome AI.WORK.06 (local)

Learn
Some offers use AI hype to make big promises: "Earn 10,000 dollars a month with AI, no experience needed," "Our course guarantees an AI job," or "This AI lawyer replaces your attorney." Warning signs: GUARANTEED income or jobs, URGENT pressure ("only 3 spots left"), vague methods, testimonials you cannot verify, and upfront fees for "secret" systems. In September 2024, the US Federal Trade Commission (FTC) announced "Operation AI Comply," actions under existing consumer-protection law, including against claims about a "robot lawyer" and schemes promising quick earnings from AI-powered online stores.

Under what law did the FTC act?

A. A brand-new AI law that was passed by Congress specifically for that single operation

B. Existing consumer-protection law

C. Traffic law

D. Tax law only

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-M-Q4
Artificial Intelligence, Set 106: Checking job and course claims · MAIN · Q4/5 · Outcome AI.WORK.06 (local)

Learn
Some offers use AI hype to make big promises: "Earn 10,000 dollars a month with AI, no experience needed," "Our course guarantees an AI job," or "This AI lawyer replaces your attorney." Warning signs: GUARANTEED income or jobs, URGENT pressure ("only 3 spots left"), vague methods, testimonials you cannot verify, and upfront fees for "secret" systems. In September 2024, the US Federal Trade Commission (FTC) announced "Operation AI Comply," actions under existing consumer-protection law, including against claims about a "robot lawyer" and schemes promising quick earnings from AI-powered online stores.

Testimonials you cannot verify are what?

A. A warning sign

B. Strong proof that the offer works, since real people would not write fake reviews

C. A legal requirement

D. A refund

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-M-Q5
Artificial Intelligence, Set 106: Checking job and course claims · MAIN · Q5/5 · Outcome AI.WORK.06 (local)

Learn
Long before AI, ads promised "Make thousands working from home stuffing envelopes!" The pattern was the same: easy money, no skills needed, pay a fee first to learn the "secret." Most buyers made nothing. AI income claims often follow the same pattern with new words: the tool is new, the trick is old. Recognizing the pattern helps you spot it whatever technology it mentions.

What did old "envelope stuffing" ads promise?

A. A steady job with an established company, along with training, benefits and a contract

B. Easy money with no skills

C. Free envelopes

D. A college degree

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-B1-Q1
Artificial Intelligence, Set 106: Checking job and course claims · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.WORK.06 (local)

Learn
Long before AI, ads promised "Make thousands working from home stuffing envelopes!" The pattern was the same: easy money, no skills needed, pay a fee first to learn the "secret." Most buyers made nothing. AI income claims often follow the same pattern with new words: the tool is new, the trick is old. Recognizing the pattern helps you spot it whatever technology it mentions.

What did buyers have to do first?

A. Move to a new city
B. Nothing
C. Pay a fee to learn the secret
D. Pass a difficult test that proved they had years of experience in the same job

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-B1-Q2
Artificial Intelligence, Set 106: Checking job and course claims · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.WORK.06 (local)

Learn
Long before AI, ads promised "Make thousands working from home stuffing envelopes!" The pattern was the same: easy money, no skills needed, pay a fee first to learn the "secret." Most buyers made nothing. AI income claims often follow the same pattern with new words: the tool is new, the trick is old. Recognizing the pattern helps you spot it whatever technology it mentions.

What usually happened?

A. Every buyer became wealthy within a few months, exactly as the advertisements had promised

B. They got refunds

C. They got jobs

D. Most buyers made nothing

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-B1-Q3
Artificial Intelligence, Set 106: Checking job and course claims · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.WORK.06 (local)

Learn
Long before AI, ads promised "Make thousands working from home stuffing envelopes!" The pattern was the same: easy money, no skills needed, pay a fee first to learn the "secret." Most buyers made nothing. AI income claims often follow the same pattern with new words: the tool is new, the trick is old. Recognizing the pattern helps you spot it whatever technology it mentions.

How do AI income claims often compare?

A. They are always legal
B. They are always free
C. Same pattern, new words
D. They are completely different

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-B1-Q4
Artificial Intelligence, Set 106: Checking job and course claims · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.WORK.06 (local)

Learn
Long before AI, ads promised "Make thousands working from home stuffing envelopes!" The pattern was the same: easy money, no skills needed, pay a fee first to learn the "secret." Most buyers made nothing. AI income claims often follow the same pattern with new words: the tool is new, the trick is old. Recognizing the pattern helps you spot it whatever technology it mentions.

What is the lesson?

A. Only trust envelopes

B. Avoid all new technology

C. Trust any offer that mentions AI, since AI is new and old scams do not apply to it

D. Recognize the pattern whatever technology it mentions

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-B1-Q5
Artificial Intelligence, Set 106: Checking job and course claims · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.WORK.06 (local)

Learn
Some offers use AI hype to make big promises: "Earn 10,000 dollars a month with AI, no experience needed," "Our course guarantees an AI job," or "This AI lawyer replaces your attorney." Warning signs: GUARANTEED income or jobs, URGENT pressure ("only 3 spots left"), vague methods, testimonials you cannot verify, and upfront fees for "secret" systems. In September 2024, the US Federal Trade Commission (FTC) announced "Operation AI Comply," actions under existing consumer-protection law, including against claims about a "robot lawyer" and schemes promising quick earnings from AI-powered online stores.

An ad says "Earn 10,000 dollars a month with AI, no experience needed - pay 499 dollars to start." What should you do?

A. Ask for a bigger guarantee
B. Treat it as a likely scam and research it
C. Share it with friends
D. Pay quickly before the price goes up

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-F1-Q1
Artificial Intelligence, Set 106: Checking job and course claims · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.WORK.06 (local)

Learn
Some offers use AI hype to make big promises: "Earn 10,000 dollars a month with AI, no experience needed," "Our course guarantees an AI job," or "This AI lawyer replaces your attorney." Warning signs: GUARANTEED income or jobs, URGENT pressure ("only 3 spots left"), vague methods, testimonials you cannot verify, and upfront fees for "secret" systems. In September 2024, the US Federal Trade Commission (FTC) announced "Operation AI Comply," actions under existing consumer-protection law, including against claims about a "robot lawyer" and schemes promising quick earnings from AI-powered online stores.

A course says "100% job guarantee." What is the best question to ask?

A. "What happened to past students, with evidence?"
B. "What color is the certificate?"
C. "Is the teacher friendly?"
D. "Can I pay the full fee today to make sure?"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-F1-Q2
Artificial Intelligence, Set 106: Checking job and course claims · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.WORK.06 (local)

Learn
Some offers use AI hype to make big promises: "Earn 10,000 dollars a month with AI, no experience needed," "Our course guarantees an AI job," or "This AI lawyer replaces your attorney." Warning signs: GUARANTEED income or jobs, URGENT pressure ("only 3 spots left"), vague methods, testimonials you cannot verify, and upfront fees for "secret" systems. In September 2024, the US Federal Trade Commission (FTC) announced "Operation AI Comply," actions under existing consumer-protection law, including against claims about a "robot lawyer" and schemes promising quick earnings from AI-powered online stores.

An app claims its "AI lawyer" can replace your attorney in court. What should you consider?

A. That courts accept apps
B. The claim may be untested or deceptive
C. That lawyers are no longer needed
D. That the claim must be true

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-F1-Q3
Artificial Intelligence, Set 106: Checking job and course claims · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.WORK.06 (local)

Learn
Some offers use AI hype to make big promises: "Earn 10,000 dollars a month with AI, no experience needed," "Our course guarantees an AI job," or "This AI lawyer replaces your attorney." Warning signs: GUARANTEED income or jobs, URGENT pressure ("only 3 spots left"), vague methods, testimonials you cannot verify, and upfront fees for "secret" systems. In September 2024, the US Federal Trade Commission (FTC) announced "Operation AI Comply," actions under existing consumer-protection law, including against claims about a "robot lawyer" and schemes promising quick earnings from AI-powered online stores.

Where should you look for reviews?

A. Nowhere

B. Only on the seller's own website, since the seller knows the product better than anyone

C. Only in the ad

D. Independent sources, not only the seller's site

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-F1-Q4
Artificial Intelligence, Set 106: Checking job and course claims · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.WORK.06 (local)

Learn
Some offers use AI hype to make big promises: "Earn 10,000 dollars a month with AI, no experience needed," "Our course guarantees an AI job," or "This AI lawyer replaces your attorney." Warning signs: GUARANTEED income or jobs, URGENT pressure ("only 3 spots left"), vague methods, testimonials you cannot verify, and upfront fees for "secret" systems. In September 2024, the US Federal Trade Commission (FTC) announced "Operation AI Comply," actions under existing consumer-protection law, including against claims about a "robot lawyer" and schemes promising quick earnings from AI-powered online stores.

Which offer seems most trustworthy?

A. An urgent offer ending today

B. A course with no description, a large upfront fee and a promise of guaranteed wealth

C. A course with a clear syllabus, fair price and written refund policy

D. A secret system with testimonials only

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-F1-Q5
Artificial Intelligence, Set 106: Checking job and course claims · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.WORK.06 (local)

Learn
Checking a claim takes a few steps. Look for independent reviews, not just ones on the seller's site. Search the company name with "complaint" or "scam." Ask what exactly you get, what results past students actually had (with evidence), and the refund policy in writing. Compare with free or official resources. Remember that AI does not change basic rules: if an offer sounds too good to be true, it usually is.

Which search helps check a company?

A. Its name plus "complaint" or "scam"

B. Its founder's birthday

C. Its logo only

D. Its name plus "best ever," which will show the most accurate reviews from customers

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-F2-Q1
Artificial Intelligence, Set 106: Checking job and course claims · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.WORK.06 (local)

Learn
Checking a claim takes a few steps. Look for independent reviews, not just ones on the seller's site. Search the company name with "complaint" or "scam." Ask what exactly you get, what results past students actually had (with evidence), and the refund policy in writing. Compare with free or official resources. Remember that AI does not change basic rules: if an offer sounds too good to be true, it usually is.

What should you get in writing before paying?

A. Nothing
B. The seller's favorite color
C. The refund policy
D. A promise that you will become rich within one month of completing the course

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-F2-Q2
Artificial Intelligence, Set 106: Checking job and course claims · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.WORK.06 (local)

Learn
Checking a claim takes a few steps. Look for independent reviews, not just ones on the seller's site. Search the company name with "complaint" or "scam." Ask what exactly you get, what results past students actually had (with evidence), and the refund policy in writing. Compare with free or official resources. Remember that AI does not change basic rules: if an offer sounds too good to be true, it usually is.

Why compare with free or official resources?

A. To see whether the paid offer adds real value
B. Because paid offers are illegal
C. To find a secret
D. Because free resources are always worse than paid ones

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-F2-Q3
Artificial Intelligence, Set 106: Checking job and course claims · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.WORK.06 (local)

Learn
Checking a claim takes a few steps. Look for independent reviews, not just ones on the seller's site. Search the company name with "complaint" or "scam." Ask what exactly you get, what results past students actually had (with evidence), and the refund policy in writing. Compare with free or official resources. Remember that AI does not change basic rules: if an offer sounds too good to be true, it usually is.

Does AI change the rule "too good to be true usually is"?

A. Yes, for online stores

B. No

C. Only in 2024

D. Yes, because AI makes all impossible promises possible, so old rules no longer apply

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-F2-Q4
Artificial Intelligence, Set 106: Checking job and course claims · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.WORK.06 (local)

Learn
Checking a claim takes a few steps. Look for independent reviews, not just ones on the seller's site. Search the company name with "complaint" or "scam." Ask what exactly you get, what results past students actually had (with evidence), and the refund policy in writing. Compare with free or official resources. Remember that AI does not change basic rules: if an offer sounds too good to be true, it usually is.

A seller refuses to say what past students achieved. What does this suggest?

A. That the course is free

B. Nothing at all

C. That past students achieved even more than the advertisements say, but it is a secret

D. Results may not support the claims

REFERENCE LABEL: NOT PART OF THE QUESTION ID S106-F2-Q5
Artificial Intelligence, Set 106: Checking job and course claims · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.WORK.06 (local)

Set 107: Responsible AI use at work

Outcome AI.WORK.07: Follow approved tools, protect confidential information and review AI output before it reaches others at work

Module: Work: jobs and careers

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Using AI responsibly at work starts with three habits. (1) Use APPROVED TOOLS: your employer may allow some tools and not others, often because of how they handle data. (2) Protect CONFIDENTIAL INFORMATION: do not paste customer details, unreleased plans, passwords or private records into tools that are not approved for them. (3) REVIEW before output reaches others: check facts, tone and fit, because you are responsible for what you send. Also follow any rule about disclosing AI use, and ask your manager when the rules are unclear.

Why might an employer allow some AI tools and not others?

A. Because of random choice
B. Because all tools are identical
C. Because of how they handle data
D. Because some tools have nicer colors

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-M-Q1
Artificial Intelligence, Set 107: Responsible AI use at work · MAIN · Q1/5 · Outcome AI.WORK.07 (local)

Learn
Using AI responsibly at work starts with three habits. (1) Use APPROVED TOOLS: your employer may allow some tools and not others, often because of how they handle data. (2) Protect CONFIDENTIAL INFORMATION: do not paste customer details, unreleased plans, passwords or private records into tools that are not approved for them. (3) REVIEW before output reaches others: check facts, tone and fit, because you are responsible for what you send. Also follow any rule about disclosing AI use, and ask your manager when the rules are unclear.

Which is confidential information?

A. The company's public address
B. A published recipe
C. A public news article
D. Customer account details

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-M-Q2
Artificial Intelligence, Set 107: Responsible AI use at work · MAIN · Q2/5 · Outcome AI.WORK.07 (local)

Learn
Using AI responsibly at work starts with three habits. (1) Use APPROVED TOOLS: your employer may allow some tools and not others, often because of how they handle data. (2) Protect CONFIDENTIAL INFORMATION: do not paste customer details, unreleased plans, passwords or private records into tools that are not approved for them. (3) REVIEW before output reaches others: check facts, tone and fit, because you are responsible for what you send. Also follow any rule about disclosing AI use, and ask your manager when the rules are unclear.

Who is responsible for AI-drafted text you send at work?

A. You
B. The recipient
C. Nobody
D. The AI tool

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-M-Q3
Artificial Intelligence, Set 107: Responsible AI use at work · MAIN · Q3/5 · Outcome AI.WORK.07 (local)

Learn
Using AI responsibly at work starts with three habits. (1) Use APPROVED TOOLS: your employer may allow some tools and not others, often because of how they handle data. (2) Protect CONFIDENTIAL INFORMATION: do not paste customer details, unreleased plans, passwords or private records into tools that are not approved for them. (3) REVIEW before output reaches others: check facts, tone and fit, because you are responsible for what you send. Also follow any rule about disclosing AI use, and ask your manager when the rules are unclear.

What should you do when AI rules at work are unclear?

A. Avoid all work
B. Ask your manager
C. Guess
D. Do whatever is fastest

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-M-Q4
Artificial Intelligence, Set 107: Responsible AI use at work · MAIN · Q4/5 · Outcome AI.WORK.07 (local)

Learn
Using AI responsibly at work starts with three habits. (1) Use APPROVED TOOLS: your employer may allow some tools and not others, often because of how they handle data. (2) Protect CONFIDENTIAL INFORMATION: do not paste customer details, unreleased plans, passwords or private records into tools that are not approved for them. (3) REVIEW before output reaches others: check facts, tone and fit, because you are responsible for what you send. Also follow any rule about disclosing AI use, and ask your manager when the rules are unclear.

Before AI output reaches others, what should you check?

A. Only the font
B. Nothing
C. Only that it is long
D. Facts, tone and fit

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-M-Q5
Artificial Intelligence, Set 107: Responsible AI use at work · MAIN · Q5/5 · Outcome AI.WORK.07 (local)

Learn
At many workplaces, your BADGE opens some doors but not others, and you would not lend it to a stranger or prop open a secure door because it is convenient. AI tools are similar: the company decides which tools you may use (which doors open), what information can go where (what you can carry out), and you remain responsible for what you do with your access.

Why does a badge open only some doors?

A. Because of the weather

B. The company decides what access is safe

C. Because badges are broken and should open every door in the building for every worker

D. Because doors are random

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-B1-Q1
Artificial Intelligence, Set 107: Responsible AI use at work · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.WORK.07 (local)

Learn
At many workplaces, your BADGE opens some doors but not others, and you would not lend it to a stranger or prop open a secure door because it is convenient. AI tools are similar: the company decides which tools you may use (which doors open), what information can go where (what you can carry out), and you remain responsible for what you do with your access.

Approved AI tools are like what?

A. Doors that are locked for everyone, including the managers and the owners of the company

B. A broken lock

C. Doors your badge opens

D. A lost badge

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-B1-Q2
Artificial Intelligence, Set 107: Responsible AI use at work · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.WORK.07 (local)

Learn
At many workplaces, your BADGE opens some doors but not others, and you would not lend it to a stranger or prop open a secure door because it is convenient. AI tools are similar: the company decides which tools you may use (which doors open), what information can go where (what you can carry out), and you remain responsible for what you do with your access.

Pasting private data into an unapproved tool is like what?

A. Propping open a secure door
B. Reporting a problem
C. Locking a door
D. Using your badge on the doors

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-B1-Q3
Artificial Intelligence, Set 107: Responsible AI use at work · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.WORK.07 (local)

Learn
At many workplaces, your BADGE opens some doors but not others, and you would not lend it to a stranger or prop open a secure door because it is convenient. AI tools are similar: the company decides which tools you may use (which doors open), what information can go where (what you can carry out), and you remain responsible for what you do with your access.

Who is responsible for how you use your badge?

A. The badge maker

B. You

C. The door, since the door decides who can go through it and why they are going

D. Nobody

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-B1-Q4
Artificial Intelligence, Set 107: Responsible AI use at work · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.WORK.07 (local)

Learn
At many workplaces, your BADGE opens some doors but not others, and you would not lend it to a stranger or prop open a secure door because it is convenient. AI tools are similar: the company decides which tools you may use (which doors open), what information can go where (what you can carry out), and you remain responsible for what you do with your access.

What is the lesson?

A. AI tools are completely different from every other kind of access at a workplace

B. Ignore rules when convenient

C. Lend your badge freely

D. Follow access rules for AI as for doors

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-B1-Q5
Artificial Intelligence, Set 107: Responsible AI use at work · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.WORK.07 (local)

Learn
Using AI responsibly at work starts with three habits. (1) Use APPROVED TOOLS: your employer may allow some tools and not others, often because of how they handle data. (2) Protect CONFIDENTIAL INFORMATION: do not paste customer details, unreleased plans, passwords or private records into tools that are not approved for them. (3) REVIEW before output reaches others: check facts, tone and fit, because you are responsible for what you send. Also follow any rule about disclosing AI use, and ask your manager when the rules are unclear.

Sara wants to paste a customer complaint, including the customer's address, into an unapproved chatbot. What should she do?

A. Email it to friends
B. Paste it, since customer addresses are not really private
C. Remove the address, then use the unapproved chatbot
D. Use a tool approved for that data, sharing only what is needed

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-F1-Q1
Artificial Intelligence, Set 107: Responsible AI use at work · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.WORK.07 (local)

Learn
Using AI responsibly at work starts with three habits. (1) Use APPROVED TOOLS: your employer may allow some tools and not others, often because of how they handle data. (2) Protect CONFIDENTIAL INFORMATION: do not paste customer details, unreleased plans, passwords or private records into tools that are not approved for them. (3) REVIEW before output reaches others: check facts, tone and fit, because you are responsible for what you send. Also follow any rule about disclosing AI use, and ask your manager when the rules are unclear.

An AI draft to a client promises a discount the company does not offer. What should happen?

A. Remove it before sending
B. Add more discounts
C. Send it to everyone
D. Send it

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-F1-Q2
Artificial Intelligence, Set 107: Responsible AI use at work · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.WORK.07 (local)

Learn
Using AI responsibly at work starts with three habits. (1) Use APPROVED TOOLS: your employer may allow some tools and not others, often because of how they handle data. (2) Protect CONFIDENTIAL INFORMATION: do not paste customer details, unreleased plans, passwords or private records into tools that are not approved for them. (3) REVIEW before output reaches others: check facts, tone and fit, because you are responsible for what you send. Also follow any rule about disclosing AI use, and ask your manager when the rules are unclear.

A team rule says to note when reports used AI drafting. What should you do?

A. Ask AI to hide it

B. Skip the note, because nobody will notice whether AI was used to draft a report

C. Follow the rule and add the note

D. Delete the report

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-F1-Q3
Artificial Intelligence, Set 107: Responsible AI use at work · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.WORK.07 (local)

Learn
Using AI responsibly at work starts with three habits. (1) Use APPROVED TOOLS: your employer may allow some tools and not others, often because of how they handle data. (2) Protect CONFIDENTIAL INFORMATION: do not paste customer details, unreleased plans, passwords or private records into tools that are not approved for them. (3) REVIEW before output reaches others: check facts, tone and fit, because you are responsible for what you send. Also follow any rule about disclosing AI use, and ask your manager when the rules are unclear.

Which use is clearly appropriate?

A. Drafting a public event announcement in an approved tool, then reviewing it

B. Sharing passwords with a tool

C. Sending unreviewed AI replies to clients

D. Pasting next year's secret product plans into a free public chatbot to get feedback

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-F1-Q4
Artificial Intelligence, Set 107: Responsible AI use at work · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.WORK.07 (local)

Learn
Using AI responsibly at work starts with three habits. (1) Use APPROVED TOOLS: your employer may allow some tools and not others, often because of how they handle data. (2) Protect CONFIDENTIAL INFORMATION: do not paste customer details, unreleased plans, passwords or private records into tools that are not approved for them. (3) REVIEW before output reaches others: check facts, tone and fit, because you are responsible for what you send. Also follow any rule about disclosing AI use, and ask your manager when the rules are unclear.

Which information should never go into an unapproved tool?

A. A general grammar question

B. Passwords

C. A public holiday schedule

D. The text of a public press release that the company already posted on its website

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-F1-Q5
Artificial Intelligence, Set 107: Responsible AI use at work · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.WORK.07 (local)

Learn
Gray areas are common. Is a customer's first name confidential? Can you summarize a public report with an unapproved tool? When unsure, ask before acting, and choose the more careful option. Watch for AI output that sounds right but conflicts with company policy, such as a promised refund the company does not offer. If you make a mistake, such as pasting private data into the wrong tool, report it promptly so it can be handled; hiding it makes it worse.

You are unsure whether a document is confidential. What is the best approach?

A. Paste half of it

B. Assume it is public, since most workplace documents are not confidential anyway

C. Ignore the question

D. Ask before using it in a tool

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-F2-Q1
Artificial Intelligence, Set 107: Responsible AI use at work · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.WORK.07 (local)

Learn
Gray areas are common. Is a customer's first name confidential? Can you summarize a public report with an unapproved tool? When unsure, ask before acting, and choose the more careful option. Watch for AI output that sounds right but conflicts with company policy, such as a promised refund the company does not offer. If you make a mistake, such as pasting private data into the wrong tool, report it promptly so it can be handled; hiding it makes it worse.

You accidentally pasted private data into the wrong tool. What should you do?

A. Paste more data
B. Delete your account and say nothing
C. Report it promptly
D. Hide it and hope nobody finds out

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-F2-Q2
Artificial Intelligence, Set 107: Responsible AI use at work · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.WORK.07 (local)

Learn
Gray areas are common. Is a customer's first name confidential? Can you summarize a public report with an unapproved tool? When unsure, ask before acting, and choose the more careful option. Watch for AI output that sounds right but conflicts with company policy, such as a promised refund the company does not offer. If you make a mistake, such as pasting private data into the wrong tool, report it promptly so it can be handled; hiding it makes it worse.

Which option is more careful in a gray area?

A. Leaving out the uncertain information

B. Guessing quickly

C. Including everything, since more information always leads to a better answer from the tool

D. Using any tool

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-F2-Q3
Artificial Intelligence, Set 107: Responsible AI use at work · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.WORK.07 (local)

Learn
Gray areas are common. Is a customer's first name confidential? Can you summarize a public report with an unapproved tool? When unsure, ask before acting, and choose the more careful option. Watch for AI output that sounds right but conflicts with company policy, such as a promised refund the company does not offer. If you make a mistake, such as pasting private data into the wrong tool, report it promptly so it can be handled; hiding it makes it worse.

An AI summary says a policy allows refunds after 90 days, but the policy says 30. What does this show?

A. That the policy must be outdated, because AI summaries are usually more current than policies

B. That refunds are not allowed

C. Nothing important

D. Output can conflict with company policy

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-F2-Q4
Artificial Intelligence, Set 107: Responsible AI use at work · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.WORK.07 (local)

Learn
Gray areas are common. Is a customer's first name confidential? Can you summarize a public report with an unapproved tool? When unsure, ask before acting, and choose the more careful option. Watch for AI output that sounds right but conflicts with company policy, such as a promised refund the company does not offer. If you make a mistake, such as pasting private data into the wrong tool, report it promptly so it can be handled; hiding it makes it worse.

Why is hiding a data mistake worse than reporting it?

A. Because reports are long

B. It prevents the problem from being handled

C. Because managers like secrets

D. It is not worse, since hiding a small mistake always makes it disappear on its own

REFERENCE LABEL: NOT PART OF THE QUESTION ID S107-F2-Q5
Artificial Intelligence, Set 107: Responsible AI use at work · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.WORK.07 (local)

Set 108: Free, subscription and pay-per-use

Outcome AI.COST.01: Compare free plans, subscriptions and metered (pay-per-use) pricing for a stated pattern of use

Module: Work: costs and choosing tools

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
AI tools are priced in three common ways. A FREE PLAN costs nothing but usually has limits: fewer messages, slower or smaller models, or fewer features. A SUBSCRIPTION charges a fixed amount each month for a set of features, whether you use it a lot or a little. PAY-PER-USE (metered) pricing charges for what you actually use, often per amount of text processed. To compare, estimate YOUR pattern of use. Light, occasional use often fits a free plan or pay-per-use; heavy, steady use may make a subscription cheaper per task.

What does a subscription charge?

A. A fixed amount each period
B. Nothing at all
C. Only for what you actually use each month, so that light users always pay less
D. A one-time price forever

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-M-Q1
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · MAIN · Q1/5 · Outcome AI.COST.01 (local)

Learn
AI tools are priced in three common ways. A FREE PLAN costs nothing but usually has limits: fewer messages, slower or smaller models, or fewer features. A SUBSCRIPTION charges a fixed amount each month for a set of features, whether you use it a lot or a little. PAY-PER-USE (metered) pricing charges for what you actually use, often per amount of text processed. To compare, estimate YOUR pattern of use. Light, occasional use often fits a free plan or pay-per-use; heavy, steady use may make a subscription cheaper per task.

What does pay-per-use charge for?

A. Nothing
B. Only the first day
C. What you actually use
D. A fixed amount every month

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-M-Q2
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · MAIN · Q2/5 · Outcome AI.COST.01 (local)

Learn

AI tools are priced in three common ways. A FREE PLAN costs nothing but usually has limits: fewer messages, slower or smaller models, or fewer features. A SUBSCRIPTION charges a fixed amount each month for a set of features, whether you use it a lot or a little. PAY-PER-USE (metered) pricing charges for what you actually use, often per amount of text processed. To compare, estimate YOUR pattern of use. Light, occasional use often fits a free plan or pay-per-use; heavy, steady use may make a subscription cheaper per task.

Prepared example (hypothetical prices for practice; not any real product's prices)

Plan	Price	Notes
Free	0 dollars	Up to 20 requests a day
Subscription	20 dollars a month	No daily limit
Pay-per-use	0.05 dollars per request	No monthly fee

In this hypothetical example, what do 300 pay-per-use requests in a month cost?

A. 3 dollars

B. 150 dollars

C. 20 dollars

D. 15 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-M-Q3

Artificial Intelligence, Set 108: Free, subscription and pay-per-use · MAIN · Q3/5 · Outcome AI.COST.01 (local)

Learn

AI tools are priced in three common ways. A FREE PLAN costs nothing but usually has limits: fewer messages, slower or smaller models, or fewer features. A SUBSCRIPTION charges a fixed amount each month for a set of features, whether you use it a lot or a little. PAY-PER-USE (metered) pricing charges for what you actually use, often per amount of text processed. To compare, estimate YOUR pattern of use. Light, occasional use often fits a free plan or pay-per-use; heavy, steady use may make a subscription cheaper per task.

Prepared example (hypothetical prices for practice; not any real product's prices)

Plan	Price	Notes
Free	0 dollars	Up to 20 requests a day
Subscription	20 dollars a month	No daily limit
Pay-per-use	0.05 dollars per request	No monthly fee

In the same example, at how many requests a month do pay-per-use and the subscription cost the same?

A. 100

B. 400

C. 4,000

D. 20

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-M-Q4

Artificial Intelligence, Set 108: Free, subscription and pay-per-use · MAIN · Q4/5 · Outcome AI.COST.01 (local)

Learn
AI tools are priced in three common ways. A FREE PLAN costs nothing but usually has limits: fewer messages, slower or smaller models, or fewer features. A SUBSCRIPTION charges a fixed amount each month for a set of features, whether you use it a lot or a little. PAY-PER-USE (metered) pricing charges for what you actually use, often per amount of text processed. To compare, estimate YOUR pattern of use. Light, occasional use often fits a free plan or pay-per-use; heavy, steady use may make a subscription cheaper per task.

Which pattern usually fits a free plan?

A. Use by a large company

B. Use that must never hit limits

C. Light, occasional use

D. Heavy, all-day use for work that needs hundreds of requests every single day of the week

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-M-Q5
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · MAIN · Q5/5 · Outcome AI.COST.01 (local)

Learn
Paying for the BUS per ride is like pay-per-use: you pay each time. A monthly BUS PASS is like a subscription: one price, ride as much as you like. A free community walking trail is like a free plan: no cost, but limited (no rain cover, fixed hours). If you ride the bus twice a month, pay per ride. If you ride twice a day, the pass is cheaper. The right choice depends on how often you go.

Paying per bus ride is like which plan?

A. Free plan
B. Pay-per-use
C. A loan
D. Subscription

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-B1-Q1
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.COST.01 (local)

Learn
Paying for the BUS per ride is like pay-per-use: you pay each time. A monthly BUS PASS is like a subscription: one price, ride as much as you like. A free community walking trail is like a free plan: no cost, but limited (no rain cover, fixed hours). If you ride the bus twice a month, pay per ride. If you ride twice a day, the pass is cheaper. The right choice depends on how often you go.

A monthly bus pass is like which plan?

A. Subscription
B. A refund
C. Free plan
D. Pay-per-use

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-B1-Q2
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.COST.01 (local)

Learn
Paying for the BUS per ride is like pay-per-use: you pay each time. A monthly BUS PASS is like a subscription: one price, ride as much as you like. A free community walking trail is like a free plan: no cost, but limited (no rain cover, fixed hours). If you ride the bus twice a month, pay per ride. If you ride twice a day, the pass is cheaper. The right choice depends on how often you go.

A free walking trail with fixed hours is like which plan?

A. Pay-per-use
B. A gift card
C. Subscription
D. Free plan

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-B1-Q3
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.COST.01 (local)

Learn
Paying for the BUS per ride is like pay-per-use: you pay each time. A monthly BUS PASS is like a subscription: one price, ride as much as you like. A free community walking trail is like a free plan: no cost, but limited (no rain cover, fixed hours). If you ride the bus twice a month, pay per ride. If you ride twice a day, the pass is cheaper. The right choice depends on how often you go.

You ride the bus twice a month. Which is likely cheaper?

A. Neither
B. Paying per ride
C. Buying a bus
D. The monthly pass

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-B1-Q4
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.COST.01 (local)

Learn
Paying for the BUS per ride is like pay-per-use: you pay each time. A monthly BUS PASS is like a subscription: one price, ride as much as you like. A free community walking trail is like a free plan: no cost, but limited (no rain cover, fixed hours). If you ride the bus twice a month, pay per ride. If you ride twice a day, the pass is cheaper. The right choice depends on how often you go.

What decides the best choice?

A. How often you use it
B. The driver's name
C. The weather only
D. The color of the bus

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-B1-Q5
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.COST.01 (local)

Learn
AI tools are priced in three common ways. A FREE PLAN costs nothing but usually has limits: fewer messages, slower or smaller models, or fewer features. A SUBSCRIPTION charges a fixed amount each month for a set of features, whether you use it a lot or a little. PAY-PER-USE (metered) pricing charges for what you actually use, often per amount of text processed. To compare, estimate YOUR pattern of use. Light, occasional use often fits a free plan or pay-per-use; heavy, steady use may make a subscription cheaper per task.

Mia uses an AI tool about 10 times a month, and the free plan allows 20 a day. Which plan fits?

A. Two subscriptions
B. An annual business plan
C. The free plan
D. The subscription

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-F1-Q1
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.COST.01 (local)

Learn
AI tools are priced in three common ways. A FREE PLAN costs nothing but usually has limits: fewer messages, slower or smaller models, or fewer features. A SUBSCRIPTION charges a fixed amount each month for a set of features, whether you use it a lot or a little. PAY-PER-USE (metered) pricing charges for what you actually use, often per amount of text processed. To compare, estimate YOUR pattern of use. Light, occasional use often fits a free plan or pay-per-use; heavy, steady use may make a subscription cheaper per task.

Hypothetical: a subscription costs 15 dollars a month; pay-per-use costs 0.10 dollars a request. Leo makes 300 requests a month. Which is cheaper?

A. They cost the same
B. Neither can be compared
C. Pay-per-use
D. The subscription

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-F1-Q2
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.COST.01 (local)

Learn
AI tools are priced in three common ways. A FREE PLAN costs nothing but usually has limits: fewer messages, slower or smaller models, or fewer features. A SUBSCRIPTION charges a fixed amount each month for a set of features, whether you use it a lot or a little. PAY-PER-USE (metered) pricing charges for what you actually use, often per amount of text processed. To compare, estimate YOUR pattern of use. Light, occasional use often fits a free plan or pay-per-use; heavy, steady use may make a subscription cheaper per task.

Hypothetical: a subscription costs 15 dollars a month; pay-per-use costs 0.10 dollars a request. Ana makes 50 requests a month. Which is cheaper?

A. Pay-per-use
B. They cost the same
C. Neither
D. The subscription

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-F1-Q3
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.COST.01 (local)

Learn
AI tools are priced in three common ways. A FREE PLAN costs nothing but usually has limits: fewer messages, slower or smaller models, or fewer features. A SUBSCRIPTION charges a fixed amount each month for a set of features, whether you use it a lot or a little. PAY-PER-USE (metered) pricing charges for what you actually use, often per amount of text processed. To compare, estimate YOUR pattern of use. Light, occasional use often fits a free plan or pay-per-use; heavy, steady use may make a subscription cheaper per task.

Which information do you need first to compare plans?

A. The app's color

B. The company's logo and the number of social media followers it has around the world

C. The founder's name

D. Your expected use per month

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-F1-Q4
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.COST.01 (local)

Learn
AI tools are priced in three common ways. A FREE PLAN costs nothing but usually has limits: fewer messages, slower or smaller models, or fewer features. A SUBSCRIPTION charges a fixed amount each month for a set of features, whether you use it a lot or a little. PAY-PER-USE (metered) pricing charges for what you actually use, often per amount of text processed. To compare, estimate YOUR pattern of use. Light, occasional use often fits a free plan or pay-per-use; heavy, steady use may make a subscription cheaper per task.

A student hits the free plan's daily limit only during exam weeks. What is a reasonable choice?

A. Buy a yearly subscription right away, since hitting a limit once means you need it all year

B. Make several free accounts to avoid limits

C. Stay on the free plan or pay only during busy weeks

D. Stop studying

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-F1-Q5
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.COST.01 (local)

Learn
Comparisons hide details. A subscription may include features you will never use, and an annual plan may be cheaper per month but cost more if you stop after two months. Pay-per-use can surprise you if usage spikes, so set spending limits where available. Free plans may have different privacy terms from paid plans. Check whether the price includes tax, how renewal works, and how to cancel before you sign up.

Hypothetical: an annual plan costs 120 dollars; monthly costs 15 dollars. You will only use it for 2 months. Which is cheaper?

A. Neither

B. Monthly

C. They cost the same

D. Annual, since annual plans are always the cheaper option no matter how long you use the tool

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-F2-Q1
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.COST.01 (local)

Learn
Comparisons hide details. A subscription may include features you will never use, and an annual plan may be cheaper per month but cost more if you stop after two months. Pay-per-use can surprise you if usage spikes, so set spending limits where available. Free plans may have different privacy terms from paid plans. Check whether the price includes tax, how renewal works, and how to cancel before you sign up.

Why set a spending limit on pay-per-use?

A. Because limits are required by law

B. Because pay-per-use plans always charge the same amount every month no matter what

C. Usage can spike and surprise you

D. To make the tool faster

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-F2-Q2
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.COST.01 (local)

Learn
Comparisons hide details. A subscription may include features you will never use, and an annual plan may be cheaper per month but cost more if you stop after two months. Pay-per-use can surprise you if usage spikes, so set spending limits where available. Free plans may have different privacy terms from paid plans. Check whether the price includes tax, how renewal works, and how to cancel before you sign up.

Do free and paid plans always have the same privacy terms?

A. Free plans have no terms
B. Paid plans have no terms
C. Yes
D. Not always; check each

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-F2-Q3
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.COST.01 (local)

Learn
Comparisons hide details. A subscription may include features you will never use, and an annual plan may be cheaper per month but cost more if you stop after two months. Pay-per-use can surprise you if usage spikes, so set spending limits where available. Free plans may have different privacy terms from paid plans. Check whether the price includes tax, how renewal works, and how to cancel before you sign up.

What should you check before subscribing?

A. Nothing
B. Renewal and cancellation terms
C. Only the logo
D. Only the price for the first month

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-F2-Q4
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.COST.01 (local)

Learn
Comparisons hide details. A subscription may include features you will never use, and an annual plan may be cheaper per month but cost more if you stop after two months. Pay-per-use can surprise you if usage spikes, so set spending limits where available. Free plans may have different privacy terms from paid plans. Check whether the price includes tax, how renewal works, and how to cancel before you sign up.

A subscription includes ten features; you need one. What should you consider?

A. Whether a cheaper option covers that one feature

B. Nothing, since paying for unused features is always the best value for most people

C. Using every feature anyway

D. Buying a second subscription

REFERENCE LABEL: NOT PART OF THE QUESTION ID S108-F2-Q5
Artificial Intelligence, Set 108: Free, subscription and pay-per-use · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.COST.01 (local)

Set 109: Tokens and usage pricing

Outcome AI.COST.02: Estimate a metered cost from token counts and stated input and output rates

Module: Work: costs and choosing tools

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Metered AI pricing is often based on TOKENS: chunks of text that models read and write. As a provider rule of thumb for English, one token is about 4 characters or about three-quarters of a word, but exact counts depend on the model. Many services charge separately for INPUT tokens (what you send) and OUTPUT tokens (what the model writes), often at different rates, quoted per million tokens. To estimate a cost: divide each token count by 1,000,000, multiply by its rate, and add the two results.

What is a token?

A. A whole page
B. A chunk of text a model reads or writes
C. A password
D. A coin that you must buy from the provider

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-M-Q1
Artificial Intelligence, Set 109: Tokens and usage pricing · MAIN · Q1/5 · Outcome AI.COST.02 (local)

Learn
Metered AI pricing is often based on TOKENS: chunks of text that models read and write. As a provider rule of thumb for English, one token is about 4 characters or about three-quarters of a word, but exact counts depend on the model. Many services charge separately for INPUT tokens (what you send) and OUTPUT tokens (what the model writes), often at different rates, quoted per million tokens. To estimate a cost: divide each token count by 1,000,000, multiply by its rate, and add the two results.

By the rule of thumb, about how many tokens is 300 English words?

A. About 75
B. About 1,200
C. About 400
D. About 300

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-M-Q2
Artificial Intelligence, Set 109: Tokens and usage pricing · MAIN · Q2/5 · Outcome AI.COST.02 (local)

Learn

Metered AI pricing is often based on TOKENS: chunks of text that models read and write. As a provider rule of thumb for English, one token is about 4 characters or about three-quarters of a word, but exact counts depend on the model. Many services charge separately for INPUT tokens (what you send) and OUTPUT tokens (what the model writes), often at different rates, quoted per million tokens. To estimate a cost: divide each token count by 1,000,000, multiply by its rate, and add the two results.

Prepared example (hypothetical prices for practice; not any real product's prices)

Item	Hypothetical rate
Input tokens	2 dollars per million
Output tokens	8 dollars per million

In this hypothetical example, what do 500,000 input tokens cost?

A. 1 dollar

B. 4 dollars

C. 10 dollars

D. 2 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-M-Q3

Artificial Intelligence, Set 109: Tokens and usage pricing · MAIN · Q3/5 · Outcome AI.COST.02 (local)

Learn

Metered AI pricing is often based on TOKENS: chunks of text that models read and write. As a provider rule of thumb for English, one token is about 4 characters or about three-quarters of a word, but exact counts depend on the model. Many services charge separately for INPUT tokens (what you send) and OUTPUT tokens (what the model writes), often at different rates, quoted per million tokens. To estimate a cost: divide each token count by 1,000,000, multiply by its rate, and add the two results.

Prepared example (hypothetical prices for practice; not any real product's prices)

Item	Hypothetical rate
Input tokens	2 dollars per million
Output tokens	8 dollars per million

In the same example, what do 500,000 input plus 100,000 output tokens cost?

A. 1.20 dollars

B. 5.00 dollars

C. 1.00 dollar

D. 1.80 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-M-Q4

Artificial Intelligence, Set 109: Tokens and usage pricing · MAIN · Q4/5 · Outcome AI.COST.02 (local)

Learn
Metered AI pricing is often based on TOKENS: chunks of text that models read and write. As a provider rule of thumb for English, one token is about 4 characters or about three-quarters of a word, but exact counts depend on the model. Many services charge separately for INPUT tokens (what you send) and OUTPUT tokens (what the model writes), often at different rates, quoted per million tokens. To estimate a cost: divide each token count by 1,000,000, multiply by its rate, and add the two results.

Which are often priced separately?

A. Short and long words

B. Morning and evening use

C. Input and output tokens

D. Uppercase and lowercase letters, which always cost different amounts to process

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-M-Q5
Artificial Intelligence, Set 109: Tokens and usage pricing · MAIN · Q5/5 · Outcome AI.COST.02 (local)

Learn
To price tokens quoted "per million": (1) DIVIDE the token count by 1,000,000 to get millions. (2) MULTIPLY by the rate. (3) ADD input and output costs. Example with hypothetical rates of 3 dollars per million input and 12 per million output: 2,000,000 input tokens is 2 million x 3 = 6 dollars; 250,000 output tokens is 0.25 million x 12 = 3 dollars; total 9 dollars.

2,000,000 tokens is how many millions?

A. 200

B. 0.2

C. 20, because you count the number of zeros in the number and divide that by three

D. 2

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-B1-Q1
Artificial Intelligence, Set 109: Tokens and usage pricing · BACKWARD 1 (underlying skill) · Q1/5 · Outcome AI.COST.02 (local)

Learn
To price tokens quoted "per million": (1) DIVIDE the token count by 1,000,000 to get millions. (2) MULTIPLY by the rate. (3) ADD input and output costs. Example with hypothetical rates of 3 dollars per million input and 12 per million output: 2,000,000 input tokens is 2 million x 3 = 6 dollars; 250,000 output tokens is 0.25 million x 12 = 3 dollars; total 9 dollars.

250,000 tokens is how many millions?

A. 0.025

B. 0.25

C. 25, since there are two hundred and fifty thousand tokens, which rounds to twenty-five

D. 2.5

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-B1-Q2
Artificial Intelligence, Set 109: Tokens and usage pricing · BACKWARD 1 (underlying skill) · Q2/5 · Outcome AI.COST.02 (local)

Learn
To price tokens quoted "per million": (1) DIVIDE the token count by 1,000,000 to get millions. (2) MULTIPLY by the rate. (3) ADD input and output costs. Example with hypothetical rates of 3 dollars per million input and 12 per million output: 2,000,000 input tokens is 2 million x 3 = 6 dollars; 250,000 output tokens is 0.25 million x 12 = 3 dollars; total 9 dollars.

Input cost at 3 dollars per million for 2 million?

A. 6 dollars
B. 5 dollars
C. 1.50 dollars
D. 3 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-B1-Q3
Artificial Intelligence, Set 109: Tokens and usage pricing · BACKWARD 1 (underlying skill) · Q3/5 · Outcome AI.COST.02 (local)

Learn
To price tokens quoted "per million": (1) DIVIDE the token count by 1,000,000 to get millions. (2) MULTIPLY by the rate. (3) ADD input and output costs. Example with hypothetical rates of 3 dollars per million input and 12 per million output: 2,000,000 input tokens is 2 million x 3 = 6 dollars; 250,000 output tokens is 0.25 million x 12 = 3 dollars; total 9 dollars.

Output cost at 12 per million for 0.25 million?

A. 48 dollars
B. 0.30 dollars
C. 3 dollars
D. 12 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-B1-Q4
Artificial Intelligence, Set 109: Tokens and usage pricing · BACKWARD 1 (underlying skill) · Q4/5 · Outcome AI.COST.02 (local)

Learn
To price tokens quoted "per million": (1) DIVIDE the token count by 1,000,000 to get millions. (2) MULTIPLY by the rate. (3) ADD input and output costs. Example with hypothetical rates of 3 dollars per million input and 12 per million output: 2,000,000 input tokens is 2 million x 3 = 6 dollars; 250,000 output tokens is 0.25 million x 12 = 3 dollars; total 9 dollars.

What is the total?

A. 18 dollars
B. 9 dollars
C. 15 dollars
D. 6 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-B1-Q5
Artificial Intelligence, Set 109: Tokens and usage pricing · BACKWARD 1 (underlying skill) · Q5/5 · Outcome AI.COST.02 (local)

Learn
Metered AI pricing is often based on TOKENS: chunks of text that models read and write. As a provider rule of thumb for English, one token is about 4 characters or about three-quarters of a word, but exact counts depend on the model. Many services charge separately for INPUT tokens (what you send) and OUTPUT tokens (what the model writes), often at different rates, quoted per million tokens. To estimate a cost: divide each token count by 1,000,000, multiply by its rate, and add the two results.

Hypothetical rates of 2 dollars per million input and 8 per million output. A job uses 3,000,000 input and 500,000 output tokens. What is the cost?

A. 11 dollars

B. 20 dollars

C. 6 dollars

D. 10 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-F1-Q1
Artificial Intelligence, Set 109: Tokens and usage pricing · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.COST.02 (local)

Learn
Metered AI pricing is often based on TOKENS: chunks of text that models read and write. As a provider rule of thumb for English, one token is about 4 characters or about three-quarters of a word, but exact counts depend on the model. Many services charge separately for INPUT tokens (what you send) and OUTPUT tokens (what the model writes), often at different rates, quoted per million tokens. To estimate a cost: divide each token count by 1,000,000, multiply by its rate, and add the two results.

A 1,000-word document is sent as input. About how many tokens is that, by the rule of thumb?

A. About 1,333
B. About 250
C. About 4,000
D. Exactly 1,000

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-F1-Q2
Artificial Intelligence, Set 109: Tokens and usage pricing · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.COST.02 (local)

Learn
Metered AI pricing is often based on TOKENS: chunks of text that models read and write. As a provider rule of thumb for English, one token is about 4 characters or about three-quarters of a word, but exact counts depend on the model. Many services charge separately for INPUT tokens (what you send) and OUTPUT tokens (what the model writes), often at different rates, quoted per million tokens. To estimate a cost: divide each token count by 1,000,000, multiply by its rate, and add the two results.

Which change most reduces output cost?

A. Adding more attachments
B. Repeating the question
C. Typing your question
D. Asking for shorter answers

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-F1-Q3
Artificial Intelligence, Set 109: Tokens and usage pricing · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.COST.02 (local)

Learn
Metered AI pricing is often based on TOKENS: chunks of text that models read and write. As a provider rule of thumb for English, one token is about 4 characters or about three-quarters of a word, but exact counts depend on the model. Many services charge separately for INPUT tokens (what you send) and OUTPUT tokens (what the model writes), often at different rates, quoted per million tokens. To estimate a cost: divide each token count by 1,000,000, multiply by its rate, and add the two results.

A tool says your request used 12,000 input tokens. Is that the same as 12,000 words?

A. No; tokens are not words

B. Only for short texts

C. Yes, in English only

D. Yes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-F1-Q4
Artificial Intelligence, Set 109: Tokens and usage pricing · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.COST.02 (local)

Learn
Metered AI pricing is often based on TOKENS: chunks of text that models read and write. As a provider rule of thumb for English, one token is about 4 characters or about three-quarters of a word, but exact counts depend on the model. Many services charge separately for INPUT tokens (what you send) and OUTPUT tokens (what the model writes), often at different rates, quoted per million tokens. To estimate a cost: divide each token count by 1,000,000, multiply by its rate, and add the two results.

Hypothetical: 100 requests, each 2,000 input and 500 output tokens, at 2 and 8 dollars per million. Total cost?

A. 0.40 dollars

B. 80 dollars

C. 0.80 dollars

D. 8.00 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-F1-Q5
Artificial Intelligence, Set 109: Tokens and usage pricing · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.COST.02 (local)

Learn
Estimates go wrong in predictable ways. In many metered products a long conversation resends earlier messages as input, so processed input grows, though some products trim, summarize or discount repeated text. Attached documents add the text actually processed. Output is often priced higher, so for the same input, longer answers cost more. Some languages use more tokens for the same meaning. Before running a big job, test a small sample, measure the actual tokens used, and then multiply.

Why do long conversations cost more per message over time?

A. Because tokens get bigger
B. Earlier messages are often resent
C. Because answers get shorter
D. Because providers charge a fee

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-F2-Q1
Artificial Intelligence, Set 109: Tokens and usage pricing · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.COST.02 (local)

Learn
Estimates go wrong in predictable ways. In many metered products a long conversation resends earlier messages as input, so processed input grows, though some products trim, summarize or discount repeated text. Attached documents add the text actually processed. Output is often priced higher, so for the same input, longer answers cost more. Some languages use more tokens for the same meaning. Before running a big job, test a small sample, measure the actual tokens used, and then multiply.

Do attached documents count toward input tokens?

A. Yes, for the text that is processed

B. No, because attachments are always processed for free by every provider of every tool

C. Only on weekends

D. Only if the file is very large

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-F2-Q2
Artificial Intelligence, Set 109: Tokens and usage pricing · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.COST.02 (local)

Learn
Estimates go wrong in predictable ways. In many metered products a long conversation resends earlier messages as input, so processed input grows, though some products trim, summarize or discount repeated text. Attached documents add the text actually processed. Output is often priced higher, so for the same input, longer answers cost more. Some languages use more tokens for the same meaning. Before running a big job, test a small sample, measure the actual tokens used, and then multiply.

Hypothetical rates: input 2 dollars and output 8 dollars per million tokens. Request X uses 1,000 input and 50,000 output tokens; request Y uses 1,000 input and 500 output tokens. Which costs more?

A. Request Y
B. They cost the same
C. Request X
D. It cannot be worked out

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-F2-Q3
Artificial Intelligence, Set 109: Tokens and usage pricing · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.COST.02 (local)

Learn
Estimates go wrong in predictable ways. In many metered products a long conversation resends earlier messages as input, so processed input grows, though some products trim, summarize or discount repeated text. Attached documents add the text actually processed. Output is often priced higher, so for the same input, longer answers cost more. Some languages use more tokens for the same meaning. Before running a big job, test a small sample, measure the actual tokens used, and then multiply.

Before a big job, what is the best way to estimate cost?

A. Guess the total from the length of the instructions without running any test at all

B. Test a small sample and measure tokens

C. Ask a friend

D. Assume it is free

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-F2-Q4
Artificial Intelligence, Set 109: Tokens and usage pricing · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.COST.02 (local)

Learn
Estimates go wrong in predictable ways. In many metered products a long conversation resends earlier messages as input, so processed input grows, though some products trim, summarize or discount repeated text. Attached documents add the text actually processed. Output is often priced higher, so for the same input, longer answers cost more. Some languages use more tokens for the same meaning. Before running a big job, test a small sample, measure the actual tokens used, and then multiply.

Hypothetical: a 10-request sample used 50,000 tokens. About how many tokens will 1,000 similar requests use?

A. 50,000,000
B. 500,000
C. 50,000
D. 5,000,000

REFERENCE LABEL: NOT PART OF THE QUESTION ID S109-F2-Q5
Artificial Intelligence, Set 109: Tokens and usage pricing · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.COST.02 (local)

Set 110: Usage limits and waiting time

Outcome AI.COST.03: Plan around usage limits and response time (latency)

Module: Work: costs and choosing tools

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Two practical limits shape how you use AI tools. USAGE LIMITS cap how much you can do: a number of messages per day or hour, a maximum file size, or a spending cap. LATENCY is the waiting time between sending a request and getting the answer; larger models, longer answers and busy times usually mean longer waits. Plan around both: do heavy work early instead of right before a deadline, keep a backup plan if you hit a limit, and for tasks needing quick replies, such as live chat, choose faster options even if they are slightly less capable.

What is a usage limit?

A. A cap on how much you can use a tool
B. The tool's price
C. The tool's name
D. A rule that says how fast you must type when you send a message to the tool

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-M-Q1
Artificial Intelligence, Set 110: Usage limits and waiting time · MAIN · Q1/5 · Outcome AI.COST.03 (local)

Learn
Two practical limits shape how you use AI tools. USAGE LIMITS cap how much you can do: a number of messages per day or hour, a maximum file size, or a spending cap. LATENCY is the waiting time between sending a request and getting the answer; larger models, longer answers and busy times usually mean longer waits. Plan around both: do heavy work early instead of right before a deadline, keep a backup plan if you hit a limit, and for tasks needing quick replies, such as live chat, choose faster options even if they are slightly less capable.

What is latency?

A. The tool's cost

B. The answer's length

C. How accurate the answer is compared with the correct answer from a trusted source

D. Waiting time before the answer arrives

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-M-Q2
Artificial Intelligence, Set 110: Usage limits and waiting time · MAIN · Q2/5 · Outcome AI.COST.03 (local)

Learn
Two practical limits shape how you use AI tools. USAGE LIMITS cap how much you can do: a number of messages per day or hour, a maximum file size, or a spending cap. LATENCY is the waiting time between sending a request and getting the answer; larger models, longer answers and busy times usually mean longer waits. Plan around both: do heavy work early instead of right before a deadline, keep a backup plan if you hit a limit, and for tasks needing quick replies, such as live chat, choose faster options even if they are slightly less capable.

What usually increases latency?

A. Smaller models

B. Larger models and longer answers

C. Shorter questions sent during quiet times of day when few other people are using the tool

D. Short answers

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-M-Q3
Artificial Intelligence, Set 110: Usage limits and waiting time · MAIN · Q3/5 · Outcome AI.COST.03 (local)

Learn
Two practical limits shape how you use AI tools. USAGE LIMITS cap how much you can do: a number of messages per day or hour, a maximum file size, or a spending cap. LATENCY is the waiting time between sending a request and getting the answer; larger models, longer answers and busy times usually mean longer waits. Plan around both: do heavy work early instead of right before a deadline, keep a backup plan if you hit a limit, and for tasks needing quick replies, such as live chat, choose faster options even if they are slightly less capable.

When should you do heavy AI work before a deadline?

A. After the deadline

B. Right before the deadline, since tools are always fastest when many people are using them

C. Early

D. Never

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-M-Q4
Artificial Intelligence, Set 110: Usage limits and waiting time · MAIN · Q4/5 · Outcome AI.COST.03 (local)

Learn
Two practical limits shape how you use AI tools. USAGE LIMITS cap how much you can do: a number of messages per day or hour, a maximum file size, or a spending cap. LATENCY is the waiting time between sending a request and getting the answer; larger models, longer answers and busy times usually mean longer waits. Plan around both: do heavy work early instead of right before a deadline, keep a backup plan if you hit a limit, and for tasks needing quick replies, such as live chat, choose faster options even if they are slightly less capable.

A live chat needs quick replies. What should you choose?

A. No tool
B. A tool with long waits
C. The slowest and largest model available
D. A faster option, even if slightly less capable

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-M-Q5
Artificial Intelligence, Set 110: Usage limits and waiting time · MAIN · Q5/5 · Outcome AI.COST.03 (local)

Learn
A library might let you borrow 5 books at a time, and popular books may have a waiting list. If you need books for a project due Friday, you go early in the week, not Thursday night. AI tools are similar: limits are like the borrowing cap, and latency is like waiting for a book that others are reading. Planning ahead avoids being stuck.

A 5-book borrowing cap is like what?

A. A token
B. A usage limit
C. A subscription
D. Latency

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-B1-Q1
Artificial Intelligence, Set 110: Usage limits and waiting time · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.COST.03 (local)

Learn
A library might let you borrow 5 books at a time, and popular books may have a waiting list. If you need books for a project due Friday, you go early in the week, not Thursday night. AI tools are similar: limits are like the borrowing cap, and latency is like waiting for a book that others are reading. Planning ahead avoids being stuck.

Waiting for a popular book is like what?

A. Latency at busy times

B. A usage limit, because the library refuses to lend popular books to anyone at all

C. A refund

D. A free plan

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-B1-Q2
Artificial Intelligence, Set 110: Usage limits and waiting time · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.COST.03 (local)

Learn
A library might let you borrow 5 books at a time, and popular books may have a waiting list. If you need books for a project due Friday, you go early in the week, not Thursday night. AI tools are similar: limits are like the borrowing cap, and latency is like waiting for a book that others are reading. Planning ahead avoids being stuck.

Why go to the library early in the week?

A. Because books are cheaper on Monday
B. To meet friends
C. To avoid being stuck near the deadline
D. Because libraries close every Thursday night

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-B1-Q3
Artificial Intelligence, Set 110: Usage limits and waiting time · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.COST.03 (local)

Learn
A library might let you borrow 5 books at a time, and popular books may have a waiting list. If you need books for a project due Friday, you go early in the week, not Thursday night. AI tools are similar: limits are like the borrowing cap, and latency is like waiting for a book that others are reading. Planning ahead avoids being stuck.

What is like a backup plan?

A. Knowing another library or source
B. Borrowing more than allowed
C. Giving up
D. Waiting at the same library

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-B1-Q4
Artificial Intelligence, Set 110: Usage limits and waiting time · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.COST.03 (local)

Learn
A library might let you borrow 5 books at a time, and popular books may have a waiting list. If you need books for a project due Friday, you go early in the week, not Thursday night. AI tools are similar: limits are like the borrowing cap, and latency is like waiting for a book that others are reading. Planning ahead avoids being stuck.

What is the lesson for AI tools?

A. Never use tools

B. Only use them at night

C. Plan ahead for limits and waits

D. Assume tools are always instantly available with no limits, especially near deadlines

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-B1-Q5
Artificial Intelligence, Set 110: Usage limits and waiting time · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.COST.03 (local)

Learn

Two practical limits shape how you use AI tools. USAGE LIMITS cap how much you can do: a number of messages per day or hour, a maximum file size, or a spending cap. LATENCY is the waiting time between sending a request and getting the answer; larger models, longer answers and busy times usually mean longer waits. Plan around both: do heavy work early instead of right before a deadline, keep a backup plan if you hit a limit, and for tasks needing quick replies, such as live chat, choose faster options even if they are slightly less capable.

Sam's free plan allows 30 messages a day. His project needs about 90. What is a sensible plan?

A. Give up

B. Create many fake accounts

C. Do it all on the last day, since limits are rarely enforced when many messages are needed

D. Spread the work over at least 3 days

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-F1-Q1

Artificial Intelligence, Set 110: Usage limits and waiting time · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.COST.03 (local)

Learn
Two practical limits shape how you use AI tools. USAGE LIMITS cap how much you can do: a number of messages per day or hour, a maximum file size, or a spending cap. LATENCY is the waiting time between sending a request and getting the answer; larger models, longer answers and busy times usually mean longer waits. Plan around both: do heavy work early instead of right before a deadline, keep a backup plan if you hit a limit, and for tasks needing quick replies, such as live chat, choose faster options even if they are slightly less capable.

A tool slows down every evening when many people use it. What helps?

A. Using longer prompts
B. Doing heavy work at quieter times
C. Asking for longer answers
D. Sending the same request many times

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-F1-Q2
Artificial Intelligence, Set 110: Usage limits and waiting time · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.COST.03 (local)

Learn
Two practical limits shape how you use AI tools. USAGE LIMITS cap how much you can do: a number of messages per day or hour, a maximum file size, or a spending cap. LATENCY is the waiting time between sending a request and getting the answer; larger models, longer answers and busy times usually mean longer waits. Plan around both: do heavy work early instead of right before a deadline, keep a backup plan if you hit a limit, and for tasks needing quick replies, such as live chat, choose faster options even if they are slightly less capable.

An upload fails because the file is over the size limit. What should you do?

A. Give up on the task
B. Rename it
C. Split or shrink the file
D. Upload the same file again

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-F1-Q3
Artificial Intelligence, Set 110: Usage limits and waiting time · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.COST.03 (local)

Learn
Two practical limits shape how you use AI tools. USAGE LIMITS cap how much you can do: a number of messages per day or hour, a maximum file size, or a spending cap. LATENCY is the waiting time between sending a request and getting the answer; larger models, longer answers and busy times usually mean longer waits. Plan around both: do heavy work early instead of right before a deadline, keep a backup plan if you hit a limit, and for tasks needing quick replies, such as live chat, choose faster options even if they are slightly less capable.

A store chatbot takes 40 seconds to reply. What problem does this cause?

A. The store saves money

B. None, since customers always wait patiently for as long as a chatbot needs to answer

C. The answers become more accurate

D. Customers may leave before getting help

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-F1-Q4
Artificial Intelligence, Set 110: Usage limits and waiting time · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.COST.03 (local)

Learn
Two practical limits shape how you use AI tools. USAGE LIMITS cap how much you can do: a number of messages per day or hour, a maximum file size, or a spending cap. LATENCY is the waiting time between sending a request and getting the answer; larger models, longer answers and busy times usually mean longer waits. Plan around both: do heavy work early instead of right before a deadline, keep a backup plan if you hit a limit, and for tasks needing quick replies, such as live chat, choose faster options even if they are slightly less capable.

A report is due tomorrow morning and needs AI help. When should you start?

A. Never

B. Today, leaving time for limits or delays

C. After the deadline

D. Tomorrow morning, a few minutes before the deadline, since tools respond instantly

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-F1-Q5
Artificial Intelligence, Set 110: Usage limits and waiting time · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.COST.03 (local)

Learn
Limits can change without much notice, especially on free plans, and busy periods may slow responses or block requests temporarily. Automations that call a tool many times can hit rate limits (how many requests per minute are allowed) and fail partway; design them to wait and retry slowly. For important deadlines, do not depend on one tool always being available. Save your work as you go so a limit or outage does not erase progress.

A free plan's limit was lowered without much notice. What does this show?

A. Limits can change
B. That you did something wrong
C. That the tool is broken
D. That limits are fixed by law

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-F2-Q1
Artificial Intelligence, Set 110: Usage limits and waiting time · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.COST.03 (local)

Learn
Limits can change without much notice, especially on free plans, and busy periods may slow responses or block requests temporarily. Automations that call a tool many times can hit rate limits (how many requests per minute are allowed) and fail partway; design them to wait and retry slowly. For important deadlines, do not depend on one tool always being available. Save your work as you go so a limit or outage does not erase progress.

An automation calls a tool 500 times a minute and starts failing. What is the likely cause?

A. The tool is free

B. A spelling mistake in the automation's name that makes the tool reject every request

C. The answers are too short

D. A rate limit

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-F2-Q2
Artificial Intelligence, Set 110: Usage limits and waiting time · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.COST.03 (local)

Learn
Limits can change without much notice, especially on free plans, and busy periods may slow responses or block requests temporarily. Automations that call a tool many times can hit rate limits (how many requests per minute are allowed) and fail partway; design them to wait and retry slowly. For important deadlines, do not depend on one tool always being available. Save your work as you go so a limit or outage does not erase progress.

How should an automation respond to a rate limit?

A. Stop forever

B. Wait and retry slowly

C. Delete its logs

D. Send even more requests immediately, so that the tool is forced to answer them faster

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-F2-Q3
Artificial Intelligence, Set 110: Usage limits and waiting time · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.COST.03 (local)

Learn
Limits can change without much notice, especially on free plans, and busy periods may slow responses or block requests temporarily. Automations that call a tool many times can hit rate limits (how many requests per minute are allowed) and fail partway; design them to wait and retry slowly. For important deadlines, do not depend on one tool always being available. Save your work as you go so a limit or outage does not erase progress.

Why save your work as you go?

A. Because tools require it
B. To use more storage
C. So a limit or outage does not erase progress
D. Because saving makes the AI tool answer faster

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-F2-Q4
Artificial Intelligence, Set 110: Usage limits and waiting time · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.COST.03 (local)

Learn
Limits can change without much notice, especially on free plans, and busy periods may slow responses or block requests temporarily. Automations that call a tool many times can hit rate limits (how many requests per minute are allowed) and fail partway; design them to wait and retry slowly. For important deadlines, do not depend on one tool always being available. Save your work as you go so a limit or outage does not erase progress.

For an important deadline, what is a wise approach?

A. Have a backup in case the tool is unavailable

B. Wait until the last minute

C. Depend completely on one tool, since popular tools are always available at every moment

D. Ignore the deadline

REFERENCE LABEL: NOT PART OF THE QUESTION ID S110-F2-Q5
Artificial Intelligence, Set 110: Usage limits and waiting time · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.COST.03 (local)

Set 111: Cloud versus your own device

Outcome AI.COST.04: Compare running a model through a provider with running one on your own device, including hardware, privacy and upkeep

Module: Work: costs and choosing tools

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
A model can run in two places. Through a PROVIDER (in the cloud): your request goes over the internet to the provider's computers. Benefits: powerful models, no special hardware, and the provider handles updates. Costs and concerns: fees, dependence on the internet and the provider, and your data leaving your device. ON YOUR OWN DEVICE (locally): you download a model and run it yourself. Benefits: data can stay on your device and it can work offline. Costs: capable hardware, usually smaller or less capable models, and you handle setup and updates.

What happens when you use a model through a provider?

A. Nothing is sent anywhere
B. Your request goes to the provider's computers
C. You must build the model
D. The model always runs entirely on your own phone

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-M-Q1
Artificial Intelligence, Set 111: Cloud versus your own device · MAIN · Q1/5 · Outcome AI.COST.04 (local)

Learn
A model can run in two places. Through a PROVIDER (in the cloud): your request goes over the internet to the provider's computers. Benefits: powerful models, no special hardware, and the provider handles updates. Costs and concerns: fees, dependence on the internet and the provider, and your data leaving your device. ON YOUR OWN DEVICE (locally): you download a model and run it yourself. Benefits: data can stay on your device and it can work offline. Costs: capable hardware, usually smaller or less capable models, and you handle setup and updates.

What is a benefit of running a model locally?

A. Updates happen automatically

B. You always get the most powerful models available, which are larger than any cloud model

C. No hardware is needed

D. Data can stay on your device

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-M-Q2
Artificial Intelligence, Set 111: Cloud versus your own device · MAIN · Q2/5 · Outcome AI.COST.04 (local)

Learn
A model can run in two places. Through a PROVIDER (in the cloud): your request goes over the internet to the provider's computers. Benefits: powerful models, no special hardware, and the provider handles updates. Costs and concerns: fees, dependence on the internet and the provider, and your data leaving your device. ON YOUR OWN DEVICE (locally): you download a model and run it yourself. Benefits: data can stay on your device and it can work offline. Costs: capable hardware, usually smaller or less capable models, and you handle setup and updates.

What is a cost of running locally?

A. Capable hardware and your own upkeep
B. Data always leaves your device
C. It cannot work offline
D. A monthly fee paid to the provider

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-M-Q3
Artificial Intelligence, Set 111: Cloud versus your own device · MAIN · Q3/5 · Outcome AI.COST.04 (local)

Learn
A model can run in two places. Through a PROVIDER (in the cloud): your request goes over the internet to the provider's computers. Benefits: powerful models, no special hardware, and the provider handles updates. Costs and concerns: fees, dependence on the internet and the provider, and your data leaving your device. ON YOUR OWN DEVICE (locally): you download a model and run it yourself. Benefits: data can stay on your device and it can work offline. Costs: capable hardware, usually smaller or less capable models, and you handle setup and updates.

What is a benefit of using a provider?

A. It is always free
B. It works with no internet
C. Powerful models without special hardware
D. Your data never leaves your device

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-M-Q4
Artificial Intelligence, Set 111: Cloud versus your own device · MAIN · Q4/5 · Outcome AI.COST.04 (local)

Learn
A model can run in two places. Through a PROVIDER (in the cloud): your request goes over the internet to the provider's computers. Benefits: powerful models, no special hardware, and the provider handles updates. Costs and concerns: fees, dependence on the internet and the provider, and your data leaving your device. ON YOUR OWN DEVICE (locally): you download a model and run it yourself. Benefits: data can stay on your device and it can work offline. Costs: capable hardware, usually smaller or less capable models, and you handle setup and updates.

Who handles updates for a local model?

A. The internet

B. You

C. The provider, who updates every downloaded model automatically from its own computers

D. Nobody; models never need updates

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-M-Q5
Artificial Intelligence, Set 111: Cloud versus your own device · MAIN · Q5/5 · Outcome AI.COST.04 (local)

Learn
EATING AT A RESTAURANT is like using a provider: skilled chefs and big kitchens, no equipment needed at home, but you pay each time, travel there, and others handle your food. COOKING AT HOME is like running a model locally: you need a kitchen and skills, meals may be simpler, and you clean up, but you control the ingredients and nobody else sees your plate. Neither is always better; it depends on the meal.

A restaurant is like what?

A. A token
B. A subscription only
C. Running a model locally
D. Using a provider

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-B1-Q1
Artificial Intelligence, Set 111: Cloud versus your own device · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.COST.04 (local)

Learn
EATING AT A RESTAURANT is like using a provider: skilled chefs and big kitchens, no equipment needed at home, but you pay each time, travel there, and others handle your food. COOKING AT HOME is like running a model locally: you need a kitchen and skills, meals may be simpler, and you clean up, but you control the ingredients and nobody else sees your plate. Neither is always better; it depends on the meal.

Cooking at home is like what?

A. A rate limit

B. Using a provider, since your kitchen is connected to the restaurant through the internet

C. Running a model locally

D. A free trial

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-B1-Q2
Artificial Intelligence, Set 111: Cloud versus your own device · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.COST.04 (local)

Learn
EATING AT A RESTAURANT is like using a provider: skilled chefs and big kitchens, no equipment needed at home, but you pay each time, travel there, and others handle your food. COOKING AT HOME is like running a model locally: you need a kitchen and skills, meals may be simpler, and you clean up, but you control the ingredients and nobody else sees your plate. Neither is always better; it depends on the meal.

What do you need to cook at home?

A. A kitchen and skills

B. Nothing at all, since home cooking needs no equipment or knowledge of any kind

C. A waiter

D. A restaurant

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-B1-Q3
Artificial Intelligence, Set 111: Cloud versus your own device · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.COST.04 (local)

Learn
EATING AT A RESTAURANT is like using a provider: skilled chefs and big kitchens, no equipment needed at home, but you pay each time, travel there, and others handle your food. COOKING AT HOME is like running a model locally: you need a kitchen and skills, meals may be simpler, and you clean up, but you control the ingredients and nobody else sees your plate. Neither is always better; it depends on the meal.

What does home cooking give you?

A. Access to a team of professional chefs who cook every meal for you every day
B. Control over ingredients
C. No dishes to wash
D. Free meals forever

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-B1-Q4
Artificial Intelligence, Set 111: Cloud versus your own device · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.COST.04 (local)

Learn
EATING AT A RESTAURANT is like using a provider: skilled chefs and big kitchens, no equipment needed at home, but you pay each time, travel there, and others handle your food. COOKING AT HOME is like running a model locally: you need a kitchen and skills, meals may be simpler, and you clean up, but you control the ingredients and nobody else sees your plate. Neither is always better; it depends on the meal.

Which is always better?

A. Fast food only

B. Home, always

C. Neither; it depends on the meal

D. Restaurants, because professional kitchens always make every meal better than home kitchens

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-B1-Q5
Artificial Intelligence, Set 111: Cloud versus your own device · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.COST.04 (local)

Learn
A model can run in two places. Through a PROVIDER (in the cloud): your request goes over the internet to the provider's computers. Benefits: powerful models, no special hardware, and the provider handles updates. Costs and concerns: fees, dependence on the internet and the provider, and your data leaving your device. ON YOUR OWN DEVICE (locally): you download a model and run it yourself. Benefits: data can stay on your device and it can work offline. Costs: capable hardware, usually smaller or less capable models, and you handle setup and updates.

A clinic wants to summarize notes containing patient details and has strict rules about data leaving its building. Which option deserves serious consideration?

A. A local model, if it is capable enough

B. Posting notes online

C. Emailing notes to a stranger

D. Any free public chatbot, since summarizing notes is a simple task with no privacy concerns

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-F1-Q1
Artificial Intelligence, Set 111: Cloud versus your own device · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.COST.04 (local)

Learn
A model can run in two places. Through a PROVIDER (in the cloud): your request goes over the internet to the provider's computers. Benefits: powerful models, no special hardware, and the provider handles updates. Costs and concerns: fees, dependence on the internet and the provider, and your data leaving your device. ON YOUR OWN DEVICE (locally): you download a model and run it yourself. Benefits: data can stay on your device and it can work offline. Costs: capable hardware, usually smaller or less capable models, and you handle setup and updates.

A student with an old laptop wants the most capable model for essays. Which fits?

A. Building a data center
B. No tool
C. A large local model
D. A provider

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-F1-Q2
Artificial Intelligence, Set 111: Cloud versus your own device · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.COST.04 (local)

Learn
A model can run in two places. Through a PROVIDER (in the cloud): your request goes over the internet to the provider's computers. Benefits: powerful models, no special hardware, and the provider handles updates. Costs and concerns: fees, dependence on the internet and the provider, and your data leaving your device. ON YOUR OWN DEVICE (locally): you download a model and run it yourself. Benefits: data can stay on your device and it can work offline. Costs: capable hardware, usually smaller or less capable models, and you handle setup and updates.

A field researcher works where there is no internet. Which option can work?

A. Only a phone call
B. Neither
C. A local model
D. A cloud provider

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-F1-Q3
Artificial Intelligence, Set 111: Cloud versus your own device · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.COST.04 (local)

Learn
A model can run in two places. Through a PROVIDER (in the cloud): your request goes over the internet to the provider's computers. Benefits: powerful models, no special hardware, and the provider handles updates. Costs and concerns: fees, dependence on the internet and the provider, and your data leaving your device. ON YOUR OWN DEVICE (locally): you download a model and run it yourself. Benefits: data can stay on your device and it can work offline. Costs: capable hardware, usually smaller or less capable models, and you handle setup and updates.

A small team has no one to maintain software. Which is easier for them?

A. A provider
B. Building their own model
C. Neither
D. Running local models

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-F1-Q4
Artificial Intelligence, Set 111: Cloud versus your own device · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.COST.04 (local)

Learn
A model can run in two places. Through a PROVIDER (in the cloud): your request goes over the internet to the provider's computers. Benefits: powerful models, no special hardware, and the provider handles updates. Costs and concerns: fees, dependence on the internet and the provider, and your data leaving your device. ON YOUR OWN DEVICE (locally): you download a model and run it yourself. Benefits: data can stay on your device and it can work offline. Costs: capable hardware, usually smaller or less capable models, and you handle setup and updates.

Which question matters most when choosing?

A. "Which is newest?"

B. "How sensitive is the data?"

C. "Which do my friends use?"

D. "Which option has the more attractive logo and the more popular brand name online?"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-F1-Q5
Artificial Intelligence, Set 111: Cloud versus your own device · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.COST.04 (local)

Learn
Local is not automatically private or free. Some local apps still send data online, so check their settings. Running large models can need expensive hardware and use a lot of electricity, and keeping models and software updated, including security fixes, is your job. Cloud is not automatically unsafe: providers may offer strong security and data controls. Choose based on the task: sensitivity of the data, needed capability, budget, and who will maintain it.

Is a local app automatically private?

A. Yes, if it is free

B. Only on phones

C. Yes, because every app that runs on your own device keeps all data on the device forever

D. No; some still send data online

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-F2-Q1
Artificial Intelligence, Set 111: Cloud versus your own device · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.COST.04 (local)

Learn
Local is not automatically private or free. Some local apps still send data online, so check their settings. Running large models can need expensive hardware and use a lot of electricity, and keeping models and software updated, including security fixes, is your job. Cloud is not automatically unsafe: providers may offer strong security and data controls. Choose based on the task: sensitivity of the data, needed capability, budget, and who will maintain it.

Is running a large model locally automatically free?

A. No; hardware and electricity cost money

B. Yes, on weekends

C. Only for students

D. Yes, because once a model is downloaded it can be run forever without any cost at all

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-F2-Q2
Artificial Intelligence, Set 111: Cloud versus your own device · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.COST.04 (local)

Learn
Local is not automatically private or free. Some local apps still send data online, so check their settings. Running large models can need expensive hardware and use a lot of electricity, and keeping models and software updated, including security fixes, is your job. Cloud is not automatically unsafe: providers may offer strong security and data controls. Choose based on the task: sensitivity of the data, needed capability, budget, and who will maintain it.

Who must install security fixes for a local setup?

A. Nobody

B. Your internet company

C. The provider of a cloud service, who reaches into your device to fix it automatically

D. You

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-F2-Q3
Artificial Intelligence, Set 111: Cloud versus your own device · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.COST.04 (local)

Learn
Local is not automatically private or free. Some local apps still send data online, so check their settings. Running large models can need expensive hardware and use a lot of electricity, and keeping models and software updated, including security fixes, is your job. Cloud is not automatically unsafe: providers may offer strong security and data controls. Choose based on the task: sensitivity of the data, needed capability, budget, and who will maintain it.

Is cloud use automatically unsafe?

A. Only at night
B. No; providers may offer strong security and controls
C. Yes, always
D. Yes, because any data that leaves your device is always stolen

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-F2-Q4
Artificial Intelligence, Set 111: Cloud versus your own device · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.COST.04 (local)

Learn
Local is not automatically private or free. Some local apps still send data online, so check their settings. Running large models can need expensive hardware and use a lot of electricity, and keeping models and software updated, including security fixes, is your job. Cloud is not automatically unsafe: providers may offer strong security and data controls. Choose based on the task: sensitivity of the data, needed capability, budget, and who will maintain it.

Which factors should guide the choice?

A. Only price
B. Only speed
C. Data sensitivity, capability, budget and maintenance
D. Only which option sounds more modern and impressive

REFERENCE LABEL: NOT PART OF THE QUESTION ID S111-F2-Q5
Artificial Intelligence, Set 111: Cloud versus your own device · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.COST.04 (local)

Set 112: Open weights and licenses

Outcome AI.COST.05: Explain that downloadable model weights still come with license terms, and read those terms for a stated use

Module: Work: costs and choosing tools

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
A model's WEIGHTS are the learned numbers that make it work. Some developers let anyone download them, called OPEN WEIGHTS. Downloadable does not mean "no rules": open-weight models come with a LICENSE, a legal agreement that can limit COMMERCIAL use, require credit, ban certain uses, or set conditions for large companies. Open weights are also not automatically "open source"; the Open Source Initiative published an Open Source AI Definition (version 1.0, October 2024), though some groups dispute it. Before using a downloaded model for a project, read its license for your intended use.

What are a model's weights?

A. The training data

B. The learned numbers that make it work

C. The model's price

D. How heavy the computer is that runs the model, measured in kilograms or pounds

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-M-Q1
Artificial Intelligence, Set 112: Open weights and licenses · MAIN · Q1/5 · Outcome AI.COST.05 (local)

Learn
A model's WEIGHTS are the learned numbers that make it work. Some developers let anyone download them, called OPEN WEIGHTS. Downloadable does not mean "no rules": open-weight models come with a LICENSE, a legal agreement that can limit COMMERCIAL use, require credit, ban certain uses, or set conditions for large companies. Open weights are also not automatically "open source"; the Open Source Initiative published an Open Source AI Definition (version 1.0, October 2024), though some groups dispute it. Before using a downloaded model for a project, read its license for your intended use.

What does "open weights" mean?

A. Anyone can use the model for any purpose at all, with no license or rules of any kind

B. The weights are secret

C. The model is broken

D. Anyone can download the weights

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-M-Q2
Artificial Intelligence, Set 112: Open weights and licenses · MAIN · Q2/5 · Outcome AI.COST.05 (local)

Learn
A model's WEIGHTS are the learned numbers that make it work. Some developers let anyone download them, called OPEN WEIGHTS. Downloadable does not mean "no rules": open-weight models come with a LICENSE, a legal agreement that can limit COMMERCIAL use, require credit, ban certain uses, or set conditions for large companies. Open weights are also not automatically "open source"; the Open Source Initiative published an Open Source AI Definition (version 1.0, October 2024), though some groups dispute it. Before using a downloaded model for a project, read its license for your intended use.

Prepared example (a fictional license excerpt)

Model license (excerpt): "You may use, copy and modify this model for research and personal projects. Commercial use requires a separate written agreement. You must keep this notice in any copy you share."

In this fictional license, may you use the model in a paid product without another agreement?

A. Yes, if you modify it
B. Yes, after one month
C. No
D. Yes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-M-Q3
Artificial Intelligence, Set 112: Open weights and licenses · MAIN · Q3/5 · Outcome AI.COST.05 (local)

Learn
A model's WEIGHTS are the learned numbers that make it work. Some developers let anyone download them, called OPEN WEIGHTS. Downloadable does not mean "no rules": open-weight models come with a LICENSE, a legal agreement that can limit COMMERCIAL use, require credit, ban certain uses, or set conditions for large companies. Open weights are also not automatically "open source"; the Open Source Initiative published an Open Source AI Definition (version 1.0, October 2024), though some groups dispute it. Before using a downloaded model for a project, read its license for your intended use.

Prepared example (a fictional license excerpt)

Model license (excerpt): "You may use, copy and modify this model for research and personal projects. Commercial use requires a separate written agreement. You must keep this notice in any copy you share."

In the same license, what must you do when sharing a copy?

A. Keep the notice
B. Pay a fee
C. Nothing
D. Remove the notice

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-M-Q4
Artificial Intelligence, Set 112: Open weights and licenses · MAIN · Q4/5 · Outcome AI.COST.05 (local)

Learn
A model's WEIGHTS are the learned numbers that make it work. Some developers let anyone download them, called OPEN WEIGHTS. Downloadable does not mean "no rules": open-weight models come with a LICENSE, a legal agreement that can limit COMMERCIAL use, require credit, ban certain uses, or set conditions for large companies. Open weights are also not automatically "open source"; the Open Source Initiative published an Open Source AI Definition (version 1.0, October 2024), though some groups dispute it. Before using a downloaded model for a project, read its license for your intended use.

Are open weights automatically "open source"?

A. Yes, if they are free
B. Only for small models
C. Yes
D. No, not automatically

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-M-Q5
Artificial Intelligence, Set 112: Open weights and licenses · MAIN · Q5/5 · Outcome AI.COST.05 (local)

Learn
A designer finds a FREE FONT online. It is free to download, but its terms say "free for personal use; buy a license for commercial use." Using it on a company's paid ads without a license breaks those terms, even though the download was free. Open-weight models work the same way: free to download does not mean free for every use. The license says what you may do.

Is the font free to download?

A. Yes

B. Only for companies

C. Only on weekends

D. No, because every font on the internet must be bought before it can be downloaded

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-B1-Q1
Artificial Intelligence, Set 112: Open weights and licenses · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.COST.05 (local)

Learn
A designer finds a FREE FONT online. It is free to download, but its terms say "free for personal use; buy a license for commercial use." Using it on a company's paid ads without a license breaks those terms, even though the download was free. Open-weight models work the same way: free to download does not mean free for every use. The license says what you may do.

May the designer use it in paid ads without a license?

A. Yes, if the ad is small
B. No
C. Yes, after a week
D. Yes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-B1-Q2
Artificial Intelligence, Set 112: Open weights and licenses · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.COST.05 (local)

Learn
A designer finds a FREE FONT online. It is free to download, but its terms say "free for personal use; buy a license for commercial use." Using it on a company's paid ads without a license breaks those terms, even though the download was free. Open-weight models work the same way: free to download does not mean free for every use. The license says what you may do.

What decides what the designer may do?

A. Where it was found
B. The font's color
C. The terms
D. The size of the font file, since smaller fonts always come with fewer rules

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-B1-Q3
Artificial Intelligence, Set 112: Open weights and licenses · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.COST.05 (local)

Learn
A designer finds a FREE FONT online. It is free to download, but its terms say "free for personal use; buy a license for commercial use." Using it on a company's paid ads without a license breaks those terms, even though the download was free. Open-weight models work the same way: free to download does not mean free for every use. The license says what you may do.

Open-weight models are like the font how?

A. They have no files

B. They are completely different, because model licenses are never enforced by anyone

C. They are always paid

D. Free to download, but use depends on the license

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-B1-Q4
Artificial Intelligence, Set 112: Open weights and licenses · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.COST.05 (local)

Learn
A designer finds a FREE FONT online. It is free to download, but its terms say "free for personal use; buy a license for commercial use." Using it on a company's paid ads without a license breaks those terms, even though the download was free. Open-weight models work the same way: free to download does not mean free for every use. The license says what you may do.

What should you do before using either one in a project?

A. Ask a friend whether they think the terms probably allow it, and go with their guess

B. Assume it is allowed

C. Read the terms for your intended use

D. Delete the terms

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-B1-Q5
Artificial Intelligence, Set 112: Open weights and licenses · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.COST.05 (local)

Learn
A model's WEIGHTS are the learned numbers that make it work. Some developers let anyone download them, called OPEN WEIGHTS. Downloadable does not mean "no rules": open-weight models come with a LICENSE, a legal agreement that can limit COMMERCIAL use, require credit, ban certain uses, or set conditions for large companies. Open weights are also not automatically "open source"; the Open Source Initiative published an Open Source AI Definition (version 1.0, October 2024), though some groups dispute it. Before using a downloaded model for a project, read its license for your intended use.

A student uses an open-weight model for a personal study app. The license allows personal use. Is this allowed?

A. No, because open-weight models can never be used by students for any purpose at all

B. Yes, under that license

C. Only with a lawyer

D. Only if paid

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-F1-Q1
Artificial Intelligence, Set 112: Open weights and licenses · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.COST.05 (local)

Learn
A model's WEIGHTS are the learned numbers that make it work. Some developers let anyone download them, called OPEN WEIGHTS. Downloadable does not mean "no rules": open-weight models come with a LICENSE, a legal agreement that can limit COMMERCIAL use, require credit, ban certain uses, or set conditions for large companies. Open weights are also not automatically "open source"; the Open Source Initiative published an Open Source AI Definition (version 1.0, October 2024), though some groups dispute it. Before using a downloaded model for a project, read its license for your intended use.

A startup wants to sell an app built on a model whose license says "non-commercial use only." What follows?

A. They need different permission or a different model
B. They can sell it if they change the app's name
C. They can ignore it
D. Nothing

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-F1-Q2
Artificial Intelligence, Set 112: Open weights and licenses · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.COST.05 (local)

Learn
A model's WEIGHTS are the learned numbers that make it work. Some developers let anyone download them, called OPEN WEIGHTS. Downloadable does not mean "no rules": open-weight models come with a LICENSE, a legal agreement that can limit COMMERCIAL use, require credit, ban certain uses, or set conditions for large companies. Open weights are also not automatically "open source"; the Open Source Initiative published an Open Source AI Definition (version 1.0, October 2024), though some groups dispute it. Before using a downloaded model for a project, read its license for your intended use.

A license requires credit to the model's creators. Where should credit appear?

A. In a secret file
B. Only in your diary
C. Nowhere
D. Where the license says

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-F1-Q3
Artificial Intelligence, Set 112: Open weights and licenses · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.COST.05 (local)

Learn
A model's WEIGHTS are the learned numbers that make it work. Some developers let anyone download them, called OPEN WEIGHTS. Downloadable does not mean "no rules": open-weight models come with a LICENSE, a legal agreement that can limit COMMERCIAL use, require credit, ban certain uses, or set conditions for large companies. Open weights are also not automatically "open source"; the Open Source Initiative published an Open Source AI Definition (version 1.0, October 2024), though some groups dispute it. Before using a downloaded model for a project, read its license for your intended use.

Two versions of a model have different licenses. Which applies?

A. The license for the version you use

B. The oldest license, because the first version's license always applies to every later one

C. The shortest

D. Neither

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-F1-Q4
Artificial Intelligence, Set 112: Open weights and licenses · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.COST.05 (local)

Learn
A model's WEIGHTS are the learned numbers that make it work. Some developers let anyone download them, called OPEN WEIGHTS. Downloadable does not mean "no rules": open-weight models come with a LICENSE, a legal agreement that can limit COMMERCIAL use, require credit, ban certain uses, or set conditions for large companies. Open weights are also not automatically "open source"; the Open Source Initiative published an Open Source AI Definition (version 1.0, October 2024), though some groups dispute it. Before using a downloaded model for a project, read its license for your intended use.

Someone says, "It's open weights, so there are no rules." What is more accurate?

A. Only governments set rules

B. Only the app store sets rules

C. Its license sets the rules

D. That is right; open-weight models are always released with no license or conditions

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-F1-Q5
Artificial Intelligence, Set 112: Open weights and licenses · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.COST.05 (local)

Learn
License terms vary widely. One may allow any use with credit; another may forbid use in certain products or above a number of users; another may require sharing changes. Licenses can change between versions, so read the one that comes with the exact version you download. If a project is commercial or public, or the terms are unclear, ask someone who handles legal questions. "Everyone else uses it" is not permission.

A license forbids use in products with more than a certain number of users. Why does this matter?

A. It removes the license

B. A growing product might later break the terms

C. It makes the model faster

D. It does not matter, because user limits in licenses are never enforced against anyone

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-F2-Q1
Artificial Intelligence, Set 112: Open weights and licenses · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.COST.05 (local)

Learn
License terms vary widely. One may allow any use with credit; another may forbid use in certain products or above a number of users; another may require sharing changes. Licenses can change between versions, so read the one that comes with the exact version you download. If a project is commercial or public, or the terms are unclear, ask someone who handles legal questions. "Everyone else uses it" is not permission.

A license requires sharing your changes to the model. What should you do if you modify it?

A. Rename the model
B. Delete the license
C. Keep the changes secret
D. Share as the license requires

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-F2-Q2
Artificial Intelligence, Set 112: Open weights and licenses · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.COST.05 (local)

Learn
License terms vary widely. One may allow any use with credit; another may forbid use in certain products or above a number of users; another may require sharing changes. Licenses can change between versions, so read the one that comes with the exact version you download. If a project is commercial or public, or the terms are unclear, ask someone who handles legal questions. "Everyone else uses it" is not permission.

The terms for a public project are unclear. What is the best step?

A. Ask someone who handles legal questions
B. Ignore the terms
C. Copy another project
D. Guess the most generous meaning of the terms

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-F2-Q3
Artificial Intelligence, Set 112: Open weights and licenses · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.COST.05 (local)

Learn
License terms vary widely. One may allow any use with credit; another may forbid use in certain products or above a number of users; another may require sharing changes. Licenses can change between versions, so read the one that comes with the exact version you download. If a project is commercial or public, or the terms are unclear, ask someone who handles legal questions. "Everyone else uses it" is not permission.

Is "everyone else uses it" permission to use a model however you like?

A. Only online
B. No
C. Yes, after a year
D. Yes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-F2-Q4
Artificial Intelligence, Set 112: Open weights and licenses · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.COST.05 (local)

Learn
License terms vary widely. One may allow any use with credit; another may forbid use in certain products or above a number of users; another may require sharing changes. Licenses can change between versions, so read the one that comes with the exact version you download. If a project is commercial or public, or the terms are unclear, ask someone who handles legal questions. "Everyone else uses it" is not permission.

Is the Open Source AI Definition accepted by everyone?

A. It does not exist

B. Yes, every company and every group in the world has fully agreed to it without any debate

C. No; some groups dispute it

D. It is a law

REFERENCE LABEL: NOT PART OF THE QUESTION ID S112-F2-Q5
Artificial Intelligence, Set 112: Open weights and licenses · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.COST.05 (local)

Set 113: Choosing a tool for a task

Outcome AI.COST.06: Choose a tool from stated needs, limits and costs, including switching costs and avoiding unneeded subscriptions

Module: Work: costs and choosing tools

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Choosing a tool works best when you start from the TASK, not the brand. List your NEEDS (what it must do, such as read PDFs or handle your language), your LIMITS (budget, privacy rules, devices, approved tools) and how you will judge QUALITY (try it on a few real examples). Compare options against that list. Also count SWITCHING COSTS: time to learn a new tool and move your files, prompts or workflows. Avoid UNNEEDED SUBSCRIPTIONS: a tool you already have, or a free option, may be enough, and paying for three similar tools is common waste.

Where should tool choice start?

A. With whichever brand is most famous, since famous tools are always best for every task

B. With the task

C. With a random pick

D. With the newest tool

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-M-Q1
Artificial Intelligence, Set 113: Choosing a tool for a task · MAIN · Q1/5 · Outcome AI.COST.06 (local)

Learn

Choosing a tool works best when you start from the TASK, not the brand. List your NEEDS (what it must do, such as read PDFs or handle your language), your LIMITS (budget, privacy rules, devices, approved tools) and how you will judge QUALITY (try it on a few real examples). Compare options against that list. Also count SWITCHING COSTS: time to learn a new tool and move your files, prompts or workflows. Avoid UNNEEDED SUBSCRIPTIONS: a tool you already have, or a free option, may be enough, and paying for three similar tools is common waste.

Prepared example (hypothetical prices for practice; not any real product's prices)

Need or limit	Tool A	Tool B	Tool C
Reads PDFs	Yes	Yes	No
Approved by school	No	Yes	Yes
Monthly cost (hypothetical)	10 dollars	0 dollars	0 dollars

In this hypothetical example, a student needs to read PDFs with a school-approved tool. Which fits?

A. Tool B

B. Tool A, because it reads PDFs and the school's approval does not matter for homework

C. None of them

D. Tool C

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-M-Q2
Artificial Intelligence, Set 113: Choosing a tool for a task · MAIN · Q2/5 · Outcome AI.COST.06 (local)

Learn
Choosing a tool works best when you start from the TASK, not the brand. List your NEEDS (what it must do, such as read PDFs or handle your language), your LIMITS (budget, privacy rules, devices, approved tools) and how you will judge QUALITY (try it on a few real examples). Compare options against that list. Also count SWITCHING COSTS: time to learn a new tool and move your files, prompts or workflows. Avoid UNNEEDED SUBSCRIPTIONS: a tool you already have, or a free option, may be enough, and paying for three similar tools is common waste.

What are switching costs?

A. A cancellation fee only
B. The cost of electricity
C. Time and effort to move to a new tool
D. The monthly price of the new tool

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-M-Q3
Artificial Intelligence, Set 113: Choosing a tool for a task · MAIN · Q3/5 · Outcome AI.COST.06 (local)

Learn
Choosing a tool works best when you start from the TASK, not the brand. List your NEEDS (what it must do, such as read PDFs or handle your language), your LIMITS (budget, privacy rules, devices, approved tools) and how you will judge QUALITY (try it on a few real examples). Compare options against that list. Also count SWITCHING COSTS: time to learn a new tool and move your files, prompts or workflows. Avoid UNNEEDED SUBSCRIPTIONS: a tool you already have, or a free option, may be enough, and paying for three similar tools is common waste.

How should you judge quality?

A. Look at its logo
B. Check how many downloads it has
C. Read the tool's own advertisements
D. Try it on a few real examples

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-M-Q4
Artificial Intelligence, Set 113: Choosing a tool for a task · MAIN · Q4/5 · Outcome AI.COST.06 (local)

Learn
Choosing a tool works best when you start from the TASK, not the brand. List your NEEDS (what it must do, such as read PDFs or handle your language), your LIMITS (budget, privacy rules, devices, approved tools) and how you will judge QUALITY (try it on a few real examples). Compare options against that list. Also count SWITCHING COSTS: time to learn a new tool and move your files, prompts or workflows. Avoid UNNEEDED SUBSCRIPTIONS: a tool you already have, or a free option, may be enough, and paying for three similar tools is common waste.

Which is a common waste?

A. Paying for several similar tools
B. Reading the terms
C. Testing tools on real tasks
D. Using a free tool

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-M-Q5
Artificial Intelligence, Set 113: Choosing a tool for a task · MAIN · Q5/5 · Outcome AI.COST.06 (local)

Learn
Make a NEEDS TABLE. Rows: each need or limit. Columns: each option. Mark yes or no, and add costs. Cross out any option that fails a MUST-HAVE need. Among the rest, prefer the cheapest that does the job well. Example: must-haves are "works offline" and "under 5 dollars a month." Option X: offline yes, 8 dollars. Option Y: offline no, free. Option Z: offline yes, 3 dollars. X fails on cost, Y fails offline, so choose Z.

Which option fails on cost?

A. Y

B. Z, because three dollars a month is more than the budget of five dollars a month

C. X

D. None

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-B1-Q1
Artificial Intelligence, Set 113: Choosing a tool for a task · BACKWARD 1 (underlying skill) · Q1/5 · Outcome AI.COST.06 (local)

Learn
Make a NEEDS TABLE. Rows: each need or limit. Columns: each option. Mark yes or no, and add costs. Cross out any option that fails a MUST-HAVE need. Among the rest, prefer the cheapest that does the job well. Example: must-haves are "works offline" and "under 5 dollars a month." Option X: offline yes, 8 dollars. Option Y: offline no, free. Option Z: offline yes, 3 dollars. X fails on cost, Y fails offline, so choose Z.

Which option fails "works offline"?

A. None

B. Z

C. X, since paid options never work offline because they need to check your payment

D. Y

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-B1-Q2
Artificial Intelligence, Set 113: Choosing a tool for a task · BACKWARD 1 (underlying skill) · Q2/5 · Outcome AI.COST.06 (local)

Learn
Make a NEEDS TABLE. Rows: each need or limit. Columns: each option. Mark yes or no, and add costs. Cross out any option that fails a MUST-HAVE need. Among the rest, prefer the cheapest that does the job well. Example: must-haves are "works offline" and "under 5 dollars a month." Option X: offline yes, 8 dollars. Option Y: offline no, free. Option Z: offline yes, 3 dollars. X fails on cost, Y fails offline, so choose Z.

Which option should be chosen?

A. Y, because free options are always the best choice even when they fail a must-have need

B. Z

C. None

D. X

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-B1-Q3
Artificial Intelligence, Set 113: Choosing a tool for a task · BACKWARD 1 (underlying skill) · Q3/5 · Outcome AI.COST.06 (local)

Learn
Make a NEEDS TABLE. Rows: each need or limit. Columns: each option. Mark yes or no, and add costs. Cross out any option that fails a MUST-HAVE need. Among the rest, prefer the cheapest that does the job well. Example: must-haves are "works offline" and "under 5 dollars a month." Option X: offline yes, 8 dollars. Option Y: offline no, free. Option Z: offline yes, 3 dollars. X fails on cost, Y fails offline, so choose Z.

What do you do with an option that fails a must-have?

A. Cross it out
B. Ignore the need
C. Pay extra
D. Choose it anyway

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-B1-Q4
Artificial Intelligence, Set 113: Choosing a tool for a task · BACKWARD 1 (underlying skill) · Q4/5 · Outcome AI.COST.06 (local)

Learn
Make a NEEDS TABLE. Rows: each need or limit. Columns: each option. Mark yes or no, and add costs. Cross out any option that fails a MUST-HAVE need. Among the rest, prefer the cheapest that does the job well. Example: must-haves are "works offline" and "under 5 dollars a month." Option X: offline yes, 8 dollars. Option Y: offline no, free. Option Z: offline yes, 3 dollars. X fails on cost, Y fails offline, so choose Z.

Among options that pass, which should you prefer?

A. The one with the longest name
B. The newest
C. The cheapest that does the job well
D. The most expensive

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-B1-Q5
Artificial Intelligence, Set 113: Choosing a tool for a task · BACKWARD 1 (underlying skill) · Q5/5 · Outcome AI.COST.06 (local)

Learn
Choosing a tool works best when you start from the TASK, not the brand. List your NEEDS (what it must do, such as read PDFs or handle your language), your LIMITS (budget, privacy rules, devices, approved tools) and how you will judge QUALITY (try it on a few real examples). Compare options against that list. Also count SWITCHING COSTS: time to learn a new tool and move your files, prompts or workflows. Avoid UNNEEDED SUBSCRIPTIONS: a tool you already have, or a free option, may be enough, and paying for three similar tools is common waste.

Lia's school provides an approved AI tool that meets her needs. An ad pushes a 15-dollar app. What should she do?

A. Use neither

B. Use the approved tool she already has

C. Buy the app, since paid apps are always better than tools that schools provide for free

D. Use both and pay for both

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-F1-Q1
Artificial Intelligence, Set 113: Choosing a tool for a task · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.COST.06 (local)

Learn
Choosing a tool works best when you start from the TASK, not the brand. List your NEEDS (what it must do, such as read PDFs or handle your language), your LIMITS (budget, privacy rules, devices, approved tools) and how you will judge QUALITY (try it on a few real examples). Compare options against that list. Also count SWITCHING COSTS: time to learn a new tool and move your files, prompts or workflows. Avoid UNNEEDED SUBSCRIPTIONS: a tool you already have, or a free option, may be enough, and paying for three similar tools is common waste.

Ben uses a tool daily, and his saved prompts and files are in it. Another tool is slightly better. What should he weigh?

A. Nothing, because switching tools is always free and instant, with no time or effort at all

B. Only the logo

C. Only the price

D. Switching costs against the improvement

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-F1-Q2
Artificial Intelligence, Set 113: Choosing a tool for a task · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.COST.06 (local)

Learn
Choosing a tool works best when you start from the TASK, not the brand. List your NEEDS (what it must do, such as read PDFs or handle your language), your LIMITS (budget, privacy rules, devices, approved tools) and how you will judge QUALITY (try it on a few real examples). Compare options against that list. Also count SWITCHING COSTS: time to learn a new tool and move your files, prompts or workflows. Avoid UNNEEDED SUBSCRIPTIONS: a tool you already have, or a free option, may be enough, and paying for three similar tools is common waste.

Which is the best way to compare two writing tools?

A. Choose the one with more downloads
B. Test both on the same real writing tasks
C. Choose the one with the newest version number
D. Compare their advertisements

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-F1-Q3
Artificial Intelligence, Set 113: Choosing a tool for a task · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.COST.06 (local)

Learn
Choosing a tool works best when you start from the TASK, not the brand. List your NEEDS (what it must do, such as read PDFs or handle your language), your LIMITS (budget, privacy rules, devices, approved tools) and how you will judge QUALITY (try it on a few real examples). Compare options against that list. Also count SWITCHING COSTS: time to learn a new tool and move your files, prompts or workflows. Avoid UNNEEDED SUBSCRIPTIONS: a tool you already have, or a free option, may be enough, and paying for three similar tools is common waste.

A club pays for three AI tools that all summarize documents. What should it do?

A. Add a fourth tool so that every club member has a different summarizer to choose from

B. Keep all three

C. Keep one that meets its needs and cancel the others

D. Cancel all three without checking

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-F1-Q4
Artificial Intelligence, Set 113: Choosing a tool for a task · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.COST.06 (local)

Learn
Choosing a tool works best when you start from the TASK, not the brand. List your NEEDS (what it must do, such as read PDFs or handle your language), your LIMITS (budget, privacy rules, devices, approved tools) and how you will judge QUALITY (try it on a few real examples). Compare options against that list. Also count SWITCHING COSTS: time to learn a new tool and move your files, prompts or workflows. Avoid UNNEEDED SUBSCRIPTIONS: a tool you already have, or a free option, may be enough, and paying for three similar tools is common waste.

Which need is a "limit" rather than a feature?

A. Supporting Spanish

B. Making charts

C. Being able to read PDF files that are uploaded by users of the tool during the day

D. A budget of 0 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-F1-Q5
Artificial Intelligence, Set 113: Choosing a tool for a task · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.COST.06 (local)

Learn
Marketing makes every tool sound essential. Ask what problem it solves that your current tools do not. Try free trials with a reminder to cancel, and test on your real tasks, not the vendor's demos. Review subscriptions every few months and cancel unused ones. If a tool becomes central to your work, check how you would export your data if you ever leave, so you are not locked in.

A vendor's demo looks amazing. What should you do before buying?

A. Test it on your own real tasks
B. Ask the vendor if it works
C. Watch the demo again
D. Buy it immediately

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-F2-Q1
Artificial Intelligence, Set 113: Choosing a tool for a task · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.COST.06 (local)

Learn
Marketing makes every tool sound essential. Ask what problem it solves that your current tools do not. Try free trials with a reminder to cancel, and test on your real tasks, not the vendor's demos. Review subscriptions every few months and cancel unused ones. If a tool becomes central to your work, check how you would export your data if you ever leave, so you are not locked in.

What helps with free trials?

A. Ignoring the renewal date

B. A reminder to cancel before it renews

C. Signing up for as many free trials as possible at the same time to compare them all quickly

D. Sharing your card number

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-F2-Q2
Artificial Intelligence, Set 113: Choosing a tool for a task · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.COST.06 (local)

Learn
Marketing makes every tool sound essential. Ask what problem it solves that your current tools do not. Try free trials with a reminder to cancel, and test on your real tasks, not the vendor's demos. Review subscriptions every few months and cancel unused ones. If a tool becomes central to your work, check how you would export your data if you ever leave, so you are not locked in.

How often should you review subscriptions?

A. Only once in your life

B. Every hour

C. Never, because subscriptions always cancel themselves when you stop using the tool

D. Every few months

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-F2-Q3
Artificial Intelligence, Set 113: Choosing a tool for a task · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.COST.06 (local)

Learn
Marketing makes every tool sound essential. Ask what problem it solves that your current tools do not. Try free trials with a reminder to cancel, and test on your real tasks, not the vendor's demos. Review subscriptions every few months and cancel unused ones. If a tool becomes central to your work, check how you would export your data if you ever leave, so you are not locked in.

A tool is central to your work. What should you check?

A. How to export your data if you leave
B. Nothing
C. Its founder's name
D. Whether its logo will look good

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-F2-Q4
Artificial Intelligence, Set 113: Choosing a tool for a task · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.COST.06 (local)

Learn
Marketing makes every tool sound essential. Ask what problem it solves that your current tools do not. Try free trials with a reminder to cancel, and test on your real tasks, not the vendor's demos. Review subscriptions every few months and cancel unused ones. If a tool becomes central to your work, check how you would export your data if you ever leave, so you are not locked in.

What question cuts through marketing?

A. "Is it expensive?"

B. "Does it have a nice website?"

C. "What problem does it solve that my tools do not?"

D. "Is it the newest and most talked-about AI tool?"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S113-F2-Q5
Artificial Intelligence, Set 113: Choosing a tool for a task · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.COST.06 (local)

Set 114: A small test set with expected answers

Outcome AI.EVAL.01: Build a small test set of real tasks with expected answers before trusting a tool

Module: Work: measuring how well AI works

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Before trusting a tool for a recurring task, build a small TEST SET: 10 to 20 REAL examples of the task, each with an EXPECTED ANSWER you worked out or confirmed yourself. Include ordinary cases and a few hard or unusual ones. Run the tool on every example, compare with the expected answers, and count how many it gets right. Write down which ones it got wrong and how. Example: to judge a tool that sorts customer emails, collect 20 past emails whose correct category you know, then check its sorting against yours.

What is a test set?

A. A list of tool features

B. Real examples with expected answers

C. A collection of the tool's own past answers, saved so they can be shown to new users

D. A price list

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-M-Q1
Artificial Intelligence, Set 114: A small test set with expected answers · MAIN · Q1/5 · Outcome AI.EVAL.01 (local)

Learn
Before trusting a tool for a recurring task, build a small TEST SET: 10 to 20 REAL examples of the task, each with an EXPECTED ANSWER you worked out or confirmed yourself. Include ordinary cases and a few hard or unusual ones. Run the tool on every example, compare with the expected answers, and count how many it gets right. Write down which ones it got wrong and how. Example: to judge a tool that sorts customer emails, collect 20 past emails whose correct category you know, then check its sorting against yours.

Who should determine the expected answers?

A. You, by working them out or confirming them

B. A random guess

C. Nobody

D. The tool being tested, since it knows the correct answers better than any person could

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-M-Q2
Artificial Intelligence, Set 114: A small test set with expected answers · MAIN · Q2/5 · Outcome AI.EVAL.01 (local)

Learn

Before trusting a tool for a recurring task, build a small TEST SET: 10 to 20 REAL examples of the task, each with an EXPECTED ANSWER you worked out or confirmed yourself. Include ordinary cases and a few hard or unusual ones. Run the tool on every example, compare with the expected answers, and count how many it gets right. Write down which ones it got wrong and how. Example: to judge a tool that sorts customer emails, collect 20 past emails whose correct category you know, then check its sorting against yours.

Prepared example (a fictional five-item slice of a test set)

Email	Expected category	Tool's category
1	Billing	Billing
2	Shipping	Shipping
3	Billing	Refund
4	Refund	Refund
5	Shipping	Shipping

In this prepared example, how many did the tool get right?

A. 2 of 5

B. 3 of 5

C. 4 of 5

D. 5 of 5

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-M-Q3

Artificial Intelligence, Set 114: A small test set with expected answers · MAIN · Q3/5 · Outcome AI.EVAL.01 (local)

Learn
Before trusting a tool for a recurring task, build a small TEST SET: 10 to 20 REAL examples of the task, each with an EXPECTED ANSWER you worked out or confirmed yourself. Include ordinary cases and a few hard or unusual ones. Run the tool on every example, compare with the expected answers, and count how many it gets right. Write down which ones it got wrong and how. Example: to judge a tool that sorts customer emails, collect 20 past emails whose correct category you know, then check its sorting against yours.

Prepared example (a fictional five-item slice of a test set)

Email	Expected category	Tool's category
1	Billing	Billing
2	Shipping	Shipping
3	Billing	Refund
4	Refund	Refund
5	Shipping	Shipping

In the same example, what percent is correct?

A. 4%
B. 40%
C. 100%
D. 80%

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-M-Q4
Artificial Intelligence, Set 114: A small test set with expected answers · MAIN · Q4/5 · Outcome AI.EVAL.01 (local)

Learn
Before trusting a tool for a recurring task, build a small TEST SET: 10 to 20 REAL examples of the task, each with an EXPECTED ANSWER you worked out or confirmed yourself. Include ordinary cases and a few hard or unusual ones. Run the tool on every example, compare with the expected answers, and count how many it gets right. Write down which ones it got wrong and how. Example: to judge a tool that sorts customer emails, collect 20 past emails whose correct category you know, then check its sorting against yours.

Which examples should a test set include?

A. Only made-up examples
B. Ordinary cases and a few hard ones
C. Only one example
D. Only the easiest examples you can find

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-M-Q5
Artificial Intelligence, Set 114: A small test set with expected answers · MAIN · Q5/5 · Outcome AI.EVAL.01 (local)

Learn
A teacher deciding whether a new textbook's practice problems are accurate might work 15 problems herself, writing an ANSWER KEY, and then compare the textbook's answers with hers. A tool test set is the same: real tasks plus an answer key you trust. Without the key, you cannot tell right from wrong; with only easy problems, you learn little.

What does the answer key do?

A. Shortens the exam
B. Grades students
C. Makes the textbook's answers correct
D. Lets you tell right from wrong

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-B1-Q1
Artificial Intelligence, Set 114: A small test set with expected answers · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.EVAL.01 (local)

Learn
A teacher deciding whether a new textbook's practice problems are accurate might work 15 problems herself, writing an ANSWER KEY, and then compare the textbook's answers with hers. A tool test set is the same: real tasks plus an answer key you trust. Without the key, you cannot tell right from wrong; with only easy problems, you learn little.

Who writes the key in the example?

A. The teacher
B. A student
C. Nobody
D. The textbook

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-B1-Q2
Artificial Intelligence, Set 114: A small test set with expected answers · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.EVAL.01 (local)

Learn
A teacher deciding whether a new textbook's practice problems are accurate might work 15 problems herself, writing an ANSWER KEY, and then compare the textbook's answers with hers. A tool test set is the same: real tasks plus an answer key you trust. Without the key, you cannot tell right from wrong; with only easy problems, you learn little.

Why not use only easy problems?

A. Because easy problems always have wrong answers in every textbook that has been printed

B. Because keys cannot be written for them

C. You would learn little about hard cases

D. Because they take too long

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-B1-Q3
Artificial Intelligence, Set 114: A small test set with expected answers · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.EVAL.01 (local)

Learn
A teacher deciding whether a new textbook's practice problems are accurate might work 15 problems herself, writing an ANSWER KEY, and then compare the textbook's answers with hers. A tool test set is the same: real tasks plus an answer key you trust. Without the key, you cannot tell right from wrong; with only easy problems, you learn little.

In AI terms, the 15 problems are like what?

A. A test set

B. The tool's price

C. A single question

D. The tool's marketing materials, which show only examples that the tool handles well

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-B1-Q4
Artificial Intelligence, Set 114: A small test set with expected answers · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.EVAL.01 (local)

Learn
A teacher deciding whether a new textbook's practice problems are accurate might work 15 problems herself, writing an ANSWER KEY, and then compare the textbook's answers with hers. A tool test set is the same: real tasks plus an answer key you trust. Without the key, you cannot tell right from wrong; with only easy problems, you learn little.

What can you not do without a key?

A. Turn the pages
B. Buy the book
C. Tell right answers from wrong ones
D. Read the textbook's problems

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-B1-Q5
Artificial Intelligence, Set 114: A small test set with expected answers · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.EVAL.01 (local)

Learn
Before trusting a tool for a recurring task, build a small TEST SET: 10 to 20 REAL examples of the task, each with an EXPECTED ANSWER you worked out or confirmed yourself. Include ordinary cases and a few hard or unusual ones. Run the tool on every example, compare with the expected answers, and count how many it gets right. Write down which ones it got wrong and how. Example: to judge a tool that sorts customer emails, collect 20 past emails whose correct category you know, then check its sorting against yours.

A clinic wants to test a tool that drafts appointment reminders. What should its test set contain?

A. One appointment

B. Real past appointments with the correct reminder details

C. Ten examples invented by the tool itself, along with the tool's own idea of the correct reminder

D. Only the clinic's logo

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-F1-Q1
Artificial Intelligence, Set 114: A small test set with expected answers · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.EVAL.01 (local)

Learn
Before trusting a tool for a recurring task, build a small TEST SET: 10 to 20 REAL examples of the task, each with an EXPECTED ANSWER you worked out or confirmed yourself. Include ordinary cases and a few hard or unusual ones. Run the tool on every example, compare with the expected answers, and count how many it gets right. Write down which ones it got wrong and how. Example: to judge a tool that sorts customer emails, collect 20 past emails whose correct category you know, then check its sorting against yours.

A tool gets 18 of 20 test emails right. What percent is that?

A. 95%
B. 80%
C. 18%
D. 90%

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-F1-Q2
Artificial Intelligence, Set 114: A small test set with expected answers · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.EVAL.01 (local)

Learn
Before trusting a tool for a recurring task, build a small TEST SET: 10 to 20 REAL examples of the task, each with an EXPECTED ANSWER you worked out or confirmed yourself. Include ordinary cases and a few hard or unusual ones. Run the tool on every example, compare with the expected answers, and count how many it gets right. Write down which ones it got wrong and how. Example: to judge a tool that sorts customer emails, collect 20 past emails whose correct category you know, then check its sorting against yours.

After the test, what should you write down?

A. Only the tool's name

B. Only the final percent, since the details of each failure are not useful for decisions

C. Which examples failed and how

D. Nothing

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-F1-Q3
Artificial Intelligence, Set 114: A small test set with expected answers · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.EVAL.01 (local)

Learn
Before trusting a tool for a recurring task, build a small TEST SET: 10 to 20 REAL examples of the task, each with an EXPECTED ANSWER you worked out or confirmed yourself. Include ordinary cases and a few hard or unusual ones. Run the tool on every example, compare with the expected answers, and count how many it gets right. Write down which ones it got wrong and how. Example: to judge a tool that sorts customer emails, collect 20 past emails whose correct category you know, then check its sorting against yours.

Which example adds a useful hard case for a receipt reader?

A. A crumpled receipt with a faded total
B. A blank page
C. A photo of a cat
D. A clean, printed receipt with large numbers

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-F1-Q4
Artificial Intelligence, Set 114: A small test set with expected answers · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.EVAL.01 (local)

Learn
Before trusting a tool for a recurring task, build a small TEST SET: 10 to 20 REAL examples of the task, each with an EXPECTED ANSWER you worked out or confirmed yourself. Include ordinary cases and a few hard or unusual ones. Run the tool on every example, compare with the expected answers, and count how many it gets right. Write down which ones it got wrong and how. Example: to judge a tool that sorts customer emails, collect 20 past emails whose correct category you know, then check its sorting against yours.

Why use real examples rather than invented ones?

A. Because real examples are shorter
B. They reflect the task the tool will actually face
C. Because invented ones are illegal
D. Because invented examples are always too difficult

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-F1-Q5
Artificial Intelligence, Set 114: A small test set with expected answers · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.EVAL.01 (local)

Learn
Test sets go wrong in quiet ways. If you choose only easy examples, the tool looks better than it is. If your expected answers are wrong, you will blame the tool for your error. If you keep tweaking your request until it passes these 20 examples, it may fail on new ones, so keep a few examples aside for a final check. Rerun the same test set when the tool or your instructions change, and add new examples whenever a real failure surprises you.

A test set contains only easy examples. What happens?

A. The test cannot run

B. Nothing changes

C. The tool looks worse than it really is, since easy examples confuse most AI tools

D. The tool looks better than it is

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-F2-Q1
Artificial Intelligence, Set 114: A small test set with expected answers · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.EVAL.01 (local)

Learn
Test sets go wrong in quiet ways. If you choose only easy examples, the tool looks better than it is. If your expected answers are wrong, you will blame the tool for your error. If you keep tweaking your request until it passes these 20 examples, it may fail on new ones, so keep a few examples aside for a final check. Rerun the same test set when the tool or your instructions change, and add new examples whenever a real failure surprises you.

Your expected answer for one example is wrong. What might you conclude incorrectly?

A. That the tool is faster
B. That the tool made a mistake
C. That the example is real
D. That the test set is perfect

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-F2-Q2
Artificial Intelligence, Set 114: A small test set with expected answers · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.EVAL.01 (local)

Learn
Test sets go wrong in quiet ways. If you choose only easy examples, the tool looks better than it is. If your expected answers are wrong, you will blame the tool for your error. If you keep tweaking your request until it passes these 20 examples, it may fail on new ones, so keep a few examples aside for a final check. Rerun the same test set when the tool or your instructions change, and add new examples whenever a real failure surprises you.

You keep changing your request until all 20 examples pass. What is the risk?

A. It may fail on new examples
B. The request becomes shorter
C. The tool gets slower
D. No risk

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-F2-Q3
Artificial Intelligence, Set 114: A small test set with expected answers · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.EVAL.01 (local)

Learn
Test sets go wrong in quiet ways. If you choose only easy examples, the tool looks better than it is. If your expected answers are wrong, you will blame the tool for your error. If you keep tweaking your request until it passes these 20 examples, it may fail on new ones, so keep a few examples aside for a final check. Rerun the same test set when the tool or your instructions change, and add new examples whenever a real failure surprises you.

When should you rerun the test set?

A. Only on holidays

B. Never, since a test set only needs to be run one time when you first choose the tool

C. When the tool or your instructions change

D. Every minute

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-F2-Q4
Artificial Intelligence, Set 114: A small test set with expected answers · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.EVAL.01 (local)

Learn
Test sets go wrong in quiet ways. If you choose only easy examples, the tool looks better than it is. If your expected answers are wrong, you will blame the tool for your error. If you keep tweaking your request until it passes these 20 examples, it may fail on new ones, so keep a few examples aside for a final check. Rerun the same test set when the tool or your instructions change, and add new examples whenever a real failure surprises you.

A real failure surprises you. What should you do with it?

A. Delete the test set
B. Hide it
C. Ignore it
D. Add it to the test set

REFERENCE LABEL: NOT PART OF THE QUESTION ID S114-F2-Q5
Artificial Intelligence, Set 114: A small test set with expected answers · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.EVAL.01 (local)

Set 115: False positives and false negatives

Outcome AI.EVAL.02: Read false positives and false negatives from a simple table and say which matters more in a situation

Module: Work: measuring how well AI works

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
When a tool says YES or NO, such as "spam" or "not spam," it can be wrong in two ways. A FALSE POSITIVE is a wrong YES: a real email marked as spam. A FALSE NEGATIVE is a wrong NO: a spam email let through. A table of results shows both. Which mistake matters more DEPENDS ON THE SITUATION. For spam, a false positive may hide an important message. For a smoke detector, a false negative, missing a real fire, is far worse than a false alarm. Often reducing one kind of mistake increases the other.

What is a false positive?

A. A wrong "yes"

B. A correct "no"

C. A correct "yes"

D. A wrong "no," where the tool missed something that it should have flagged as a yes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-M-Q1
Artificial Intelligence, Set 115: False positives and false negatives · MAIN · Q1/5 · Outcome AI.EVAL.02 (local)

Learn

When a tool says YES or NO, such as "spam" or "not spam," it can be wrong in two ways. A FALSE POSITIVE is a wrong YES: a real email marked as spam. A FALSE NEGATIVE is a wrong NO: a spam email let through. A table of results shows both. Which mistake matters more DEPENDS ON THE SITUATION. For spam, a false positive may hide an important message. For a smoke detector, a false negative, missing a real fire, is far worse than a false alarm. Often reducing one kind of mistake increases the other.

Prepared example (fictional results for 200 emails)

	Tool said spam	Tool said not spam
Really spam	45	5
Really not spam	10	140

In this prepared example, how many false positives are there?

A. 45

B. 5, which is the number of real spam emails that the tool failed to mark as spam

C. 140

D. 10

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-M-Q2

Artificial Intelligence, Set 115: False positives and false negatives · MAIN · Q2/5 · Outcome AI.EVAL.02 (local)

Learn

When a tool says YES or NO, such as "spam" or "not spam," it can be wrong in two ways. A FALSE POSITIVE is a wrong YES: a real email marked as spam. A FALSE NEGATIVE is a wrong NO: a spam email let through. A table of results shows both. Which mistake matters more DEPENDS ON THE SITUATION. For spam, a false positive may hide an important message. For a smoke detector, a false negative, missing a real fire, is far worse than a false alarm. Often reducing one kind of mistake increases the other.

Prepared example (fictional results for 200 emails)

	Tool said spam	Tool said not spam
Really spam	45	5
Really not spam	10	140

In the same example, how many false negatives are there?

A. 140

B. 5

C. 45

D. 10

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-M-Q3

Artificial Intelligence, Set 115: False positives and false negatives · MAIN · Q3/5 · Outcome AI.EVAL.02 (local)

Learn
When a tool says YES or NO, such as "spam" or "not spam," it can be wrong in two ways. A FALSE POSITIVE is a wrong YES: a real email marked as spam. A FALSE NEGATIVE is a wrong NO: a spam email let through. A table of results shows both. Which mistake matters more DEPENDS ON THE SITUATION. For spam, a false positive may hide an important message. For a smoke detector, a false negative, missing a real fire, is far worse than a false alarm. Often reducing one kind of mistake increases the other.

For a smoke detector, which mistake is worse?

A. Neither matters
B. They are always equal
C. A false negative
D. A false positive

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-M-Q4
Artificial Intelligence, Set 115: False positives and false negatives · MAIN · Q4/5 · Outcome AI.EVAL.02 (local)

Learn
When a tool says YES or NO, such as "spam" or "not spam," it can be wrong in two ways. A FALSE POSITIVE is a wrong YES: a real email marked as spam. A FALSE NEGATIVE is a wrong NO: a spam email let through. A table of results shows both. Which mistake matters more DEPENDS ON THE SITUATION. For spam, a false positive may hide an important message. For a smoke detector, a false negative, missing a real fire, is far worse than a false alarm. Often reducing one kind of mistake increases the other.

What often happens when you reduce one kind of mistake?

A. The tool stops working

B. The other kind may increase

C. Both kinds of mistake always disappear completely at the same time without any trade-off

D. Nothing changes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-M-Q5
Artificial Intelligence, Set 115: False positives and false negatives · MAIN · Q5/5 · Outcome AI.EVAL.02 (local)

Learn
A results table has four boxes. Rows show what is REALLY true; columns show what the tool SAID. TRUE POSITIVE: really yes, said yes. FALSE NEGATIVE: really yes, said no. FALSE POSITIVE: really no, said yes. TRUE NEGATIVE: really no, said no. Example for a tool flagging damaged parcels: really damaged and flagged = 30; really damaged but not flagged = 6; not damaged but flagged = 4; not damaged and not flagged = 160.

How many true positives?

A. 4

B. 6, since those parcels were really damaged and the tool said something about them

C. 160

D. 30

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-B1-Q1
Artificial Intelligence, Set 115: False positives and false negatives · BACKWARD 1 (underlying skill) · Q1/5 · Outcome AI.EVAL.02 (local)

Learn
A results table has four boxes. Rows show what is REALLY true; columns show what the tool SAID. TRUE POSITIVE: really yes, said yes. FALSE NEGATIVE: really yes, said no. FALSE POSITIVE: really no, said yes. TRUE NEGATIVE: really no, said no. Example for a tool flagging damaged parcels: really damaged and flagged = 30; really damaged but not flagged = 6; not damaged but flagged = 4; not damaged and not flagged = 160.

How many false negatives?

A. 6

B. 30

C. 4, because those parcels were flagged by the tool even though they were not damaged

D. 160

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-B1-Q2
Artificial Intelligence, Set 115: False positives and false negatives · BACKWARD 1 (underlying skill) · Q2/5 · Outcome AI.EVAL.02 (local)

Learn
A results table has four boxes. Rows show what is REALLY true; columns show what the tool SAID. TRUE POSITIVE: really yes, said yes. FALSE NEGATIVE: really yes, said no. FALSE POSITIVE: really no, said yes. TRUE NEGATIVE: really no, said no. Example for a tool flagging damaged parcels: really damaged and flagged = 30; really damaged but not flagged = 6; not damaged but flagged = 4; not damaged and not flagged = 160.

How many false positives?

A. 30

B. 6, which counts the damaged parcels that the tool failed to flag before shipping

C. 4

D. 160

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-B1-Q3
Artificial Intelligence, Set 115: False positives and false negatives · BACKWARD 1 (underlying skill) · Q3/5 · Outcome AI.EVAL.02 (local)

Learn
A results table has four boxes. Rows show what is REALLY true; columns show what the tool SAID. TRUE POSITIVE: really yes, said yes. FALSE NEGATIVE: really yes, said no. FALSE POSITIVE: really no, said yes. TRUE NEGATIVE: really no, said no. Example for a tool flagging damaged parcels: really damaged and flagged = 30; really damaged but not flagged = 6; not damaged but flagged = 4; not damaged and not flagged = 160.

How many parcels in total?

A. 166
B. 190
C. 36
D. 200

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-B1-Q4
Artificial Intelligence, Set 115: False positives and false negatives · BACKWARD 1 (underlying skill) · Q4/5 · Outcome AI.EVAL.02 (local)

Learn
A results table has four boxes. Rows show what is REALLY true; columns show what the tool SAID. TRUE POSITIVE: really yes, said yes. FALSE NEGATIVE: really yes, said no. FALSE POSITIVE: really no, said yes. TRUE NEGATIVE: really no, said no. Example for a tool flagging damaged parcels: really damaged and flagged = 30; really damaged but not flagged = 6; not damaged but flagged = 4; not damaged and not flagged = 160.

How many were really damaged?

A. 200

B. 36

C. 34, the number of parcels the tool flagged as damaged, whether or not they really were

D. 30

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-B1-Q5
Artificial Intelligence, Set 115: False positives and false negatives · BACKWARD 1 (underlying skill) · Q5/5 · Outcome AI.EVAL.02 (local)

Learn
When a tool says YES or NO, such as "spam" or "not spam," it can be wrong in two ways. A FALSE POSITIVE is a wrong YES: a real email marked as spam. A FALSE NEGATIVE is a wrong NO: a spam email let through. A table of results shows both. Which mistake matters more DEPENDS ON THE SITUATION. For spam, a false positive may hide an important message. For a smoke detector, a false negative, missing a real fire, is far worse than a false alarm. Often reducing one kind of mistake increases the other.

A screening tool outputs YES for applicants it judges qualified to advance and NO otherwise. It outputs NO for a qualified applicant. Which error is this?

A. A false negative
B. A true negative
C. A true positive
D. A false positive

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-F1-Q1
Artificial Intelligence, Set 115: False positives and false negatives · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.EVAL.02 (local)

Learn

When a tool says YES or NO, such as "spam" or "not spam," it can be wrong in two ways. A FALSE POSITIVE is a wrong YES: a real email marked as spam. A FALSE NEGATIVE is a wrong NO: a spam email let through. A table of results shows both. Which mistake matters more DEPENDS ON THE SITUATION. For spam, a false positive may hide an important message. For a smoke detector, a false negative, missing a real fire, is far worse than a false alarm. Often reducing one kind of mistake increases the other.

A medical screening tool flags patients for a follow-up test. Which error is usually worse?

A. Both are always equal

B. Neither

C. Missing someone who is sick

D. Flagging a healthy person

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-F1-Q2

Artificial Intelligence, Set 115: False positives and false negatives · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.EVAL.02 (local)

Learn

When a tool says YES or NO, such as "spam" or "not spam," it can be wrong in two ways. A FALSE POSITIVE is a wrong YES: a real email marked as spam. A FALSE NEGATIVE is a wrong NO: a spam email let through. A table of results shows both. Which mistake matters more DEPENDS ON THE SITUATION. For spam, a false positive may hide an important message. For a smoke detector, a false negative, missing a real fire, is far worse than a false alarm. Often reducing one kind of mistake increases the other.

A spam filter hides a job offer email. Which error is this?

A. A false positive

B. A true negative

C. A true positive

D. A false negative

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-F1-Q3

Artificial Intelligence, Set 115: False positives and false negatives · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.EVAL.02 (local)

Learn
When a tool says YES or NO, such as "spam" or "not spam," it can be wrong in two ways. A FALSE POSITIVE is a wrong YES: a real email marked as spam. A FALSE NEGATIVE is a wrong NO: a spam email let through. A table of results shows both. Which mistake matters more DEPENDS ON THE SITUATION. For spam, a false positive may hide an important message. For a smoke detector, a false negative, missing a real fire, is far worse than a false alarm. Often reducing one kind of mistake increases the other.

Results: 90 real fraud cases caught, 10 missed. How many false negatives?

A. 100
B. 10
C. 0
D. 90

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-F1-Q4
Artificial Intelligence, Set 115: False positives and false negatives · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.EVAL.02 (local)

Learn
When a tool says YES or NO, such as "spam" or "not spam," it can be wrong in two ways. A FALSE POSITIVE is a wrong YES: a real email marked as spam. A FALSE NEGATIVE is a wrong NO: a spam email let through. A table of results shows both. Which mistake matters more DEPENDS ON THE SITUATION. For spam, a false positive may hide an important message. For a smoke detector, a false negative, missing a real fire, is far worse than a false alarm. Often reducing one kind of mistake increases the other.

For a library's "overdue book" reminder, a false positive sends a reminder for a returned book. How serious is it?

A. Worse than any missed reminder

B. Impossible

C. Extremely dangerous

D. Mildly annoying, usually

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-F1-Q5
Artificial Intelligence, Set 115: False positives and false negatives · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.EVAL.02 (local)

Learn
Deciding the balance is a choice, not a technical fact. A school screening tool that flags students for extra reading help might accept more false positives (some students get help they did not need) to avoid false negatives (students who needed help and were missed). A tool that flags people for fraud investigations might need very few false positives, because a wrong flag harms an innocent person. Say which error you are trying to limit and why.

A reading-help screener says YES for students it thinks need extra help. It is set to accept more false positives. Why might that be reasonable?

A. Because it saves money always
B. Because screeners must be wrong
C. Missing a student who needs help is worse
D. Because false positives never have any cost

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-F2-Q1
Artificial Intelligence, Set 115: False positives and false negatives · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.EVAL.02 (local)

Learn
Deciding the balance is a choice, not a technical fact. A school screening tool that flags students for extra reading help might accept more false positives (some students get help they did not need) to avoid false negatives (students who needed help and were missed). A tool that flags people for fraud investigations might need very few false positives, because a wrong flag harms an innocent person. Say which error you are trying to limit and why.

A fraud flagger should have very few false positives. Why?

A. Because false negatives do not exist
B. Because flags are expensive to print
C. Because fraud is never real
D. A wrong flag harms an innocent person

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-F2-Q2
Artificial Intelligence, Set 115: False positives and false negatives · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.EVAL.02 (local)

Learn
Deciding the balance is a choice, not a technical fact. A school screening tool that flags students for extra reading help might accept more false positives (some students get help they did not need) to avoid false negatives (students who needed help and were missed). A tool that flags people for fraud investigations might need very few false positives, because a wrong flag harms an innocent person. Say which error you are trying to limit and why.

Is choosing the balance a technical fact or a decision?

A. A technical fact that is fixed by the model and that nobody can choose or change

B. A decision people must make

C. Neither

D. A law of physics

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-F2-Q3
Artificial Intelligence, Set 115: False positives and false negatives · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.EVAL.02 (local)

Learn
Deciding the balance is a choice, not a technical fact. A school screening tool that flags students for extra reading help might accept more false positives (some students get help they did not need) to avoid false negatives (students who needed help and were missed). A tool that flags people for fraud investigations might need very few false positives, because a wrong flag harms an innocent person. Say which error you are trying to limit and why.

What should a team say when setting a tool's threshold?

A. Which error it is limiting and why

B. Only the tool's name

C. Only the date

D. Nothing, since the threshold setting is a private technical detail that nobody needs to know

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-F2-Q4
Artificial Intelligence, Set 115: False positives and false negatives · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.EVAL.02 (local)

Learn
Deciding the balance is a choice, not a technical fact. A school screening tool that flags students for extra reading help might accept more false positives (some students get help they did not need) to avoid false negatives (students who needed help and were missed). A tool that flags people for fraud investigations might need very few false positives, because a wrong flag harms an innocent person. Say which error you are trying to limit and why.

A smoke detector maker lowers false alarms but now misses more fires. Is this a good trade?

A. Yes, because people find false alarms annoying, and annoyance is the most important factor

B. It does not matter

C. No; missed fires are far worse

D. Yes, always

REFERENCE LABEL: NOT PART OF THE QUESTION ID S115-F2-Q5
Artificial Intelligence, Set 115: False positives and false negatives · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.EVAL.02 (local)

Set 116: Benchmarks and their limits

Outcome AI.EVAL.03: Explain what a benchmark score shows, why it may not match your task, and what contamination means

Module: Work: measuring how well AI works

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
A BENCHMARK is a standard test used to compare models, such as a set of math problems or reading questions with known answers. A high score shows the model did well on THAT test. It may not predict how well the model does YOUR task, which may use different topics, formats or languages. Benchmarks can also be affected by CONTAMINATION: test questions that leaked into the model's training data, so the model may have seen the answers. Researchers (Deng and others, 2024) found contamination can inflate scores and is hard to detect. Use benchmarks as a rough guide, then test on your own examples.

What is a benchmark?

A. A standard test used to compare models
B. A model's price
C. A company's ranking of its own staff
D. A long bench in a computer lab

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-M-Q1
Artificial Intelligence, Set 116: Benchmarks and their limits · MAIN · Q1/5 · Outcome AI.EVAL.03 (local)

Learn
A BENCHMARK is a standard test used to compare models, such as a set of math problems or reading questions with known answers. A high score shows the model did well on THAT test. It may not predict how well the model does YOUR task, which may use different topics, formats or languages. Benchmarks can also be affected by CONTAMINATION: test questions that leaked into the model's training data, so the model may have seen the answers. Researchers (Deng and others, 2024) found contamination can inflate scores and is hard to detect. Use benchmarks as a rough guide, then test on your own examples.

What does a high benchmark score show?

A. That it is cheap
B. That the model is conscious
C. Good performance on every task
D. Good performance on that test

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-M-Q2
Artificial Intelligence, Set 116: Benchmarks and their limits · MAIN · Q2/5 · Outcome AI.EVAL.03 (local)

Learn
A BENCHMARK is a standard test used to compare models, such as a set of math problems or reading questions with known answers. A high score shows the model did well on THAT test. It may not predict how well the model does YOUR task, which may use different topics, formats or languages. Benchmarks can also be affected by CONTAMINATION: test questions that leaked into the model's training data, so the model may have seen the answers. Researchers (Deng and others, 2024) found contamination can inflate scores and is hard to detect. Use benchmarks as a rough guide, then test on your own examples.

What is contamination?

A. A model refusing a test

B. A virus that infects the computers used to train models, making them run more slowly

C. Test questions leaking into training data

D. Dust in a data center

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-M-Q3
Artificial Intelligence, Set 116: Benchmarks and their limits · MAIN · Q3/5 · Outcome AI.EVAL.03 (local)

Learn
A BENCHMARK is a standard test used to compare models, such as a set of math problems or reading questions with known answers. A high score shows the model did well on THAT test. It may not predict how well the model does YOUR task, which may use different topics, formats or languages. Benchmarks can also be affected by CONTAMINATION: test questions that leaked into the model's training data, so the model may have seen the answers. Researchers (Deng and others, 2024) found contamination can inflate scores and is hard to detect. Use benchmarks as a rough guide, then test on your own examples.

How can contamination affect scores?

A. It has no effect at all
B. It can inflate them
C. It makes scores random
D. It always lowers scores

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-M-Q4
Artificial Intelligence, Set 116: Benchmarks and their limits · MAIN · Q4/5 · Outcome AI.EVAL.03 (local)

Learn
A BENCHMARK is a standard test used to compare models, such as a set of math problems or reading questions with known answers. A high score shows the model did well on THAT test. It may not predict how well the model does YOUR task, which may use different topics, formats or languages. Benchmarks can also be affected by CONTAMINATION: test questions that leaked into the model's training data, so the model may have seen the answers. Researchers (Deng and others, 2024) found contamination can inflate scores and is hard to detect. Use benchmarks as a rough guide, then test on your own examples.

After reading benchmark scores, what should you do?

A. Ask the vendor

B. Ignore all scores

C. Test on your own examples

D. Choose the model with the highest score and use it without any further testing at all

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-M-Q5
Artificial Intelligence, Set 116: Benchmarks and their limits · MAIN · Q5/5 · Outcome AI.EVAL.03 (local)

Learn
A DRIVING TEST checks set skills on a set route: parking, signaling, a few turns. Passing shows you can do those things on that day. It does not prove you can drive in a snowstorm or on a mountain road. And if someone memorized the exact route and every turn in advance, a pass would show even less. A benchmark is like a driving test: useful, but limited to what it tests, and less meaningful if the answers were known beforehand.

What does passing a driving test show?

A. You can do the tested skills on that day

B. That you are a mechanic

C. That you own a car

D. That you can drive perfectly in every condition anywhere in the world for the rest of your life

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-B1-Q1
Artificial Intelligence, Set 116: Benchmarks and their limits · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.EVAL.03 (local)

Learn
A DRIVING TEST checks set skills on a set route: parking, signaling, a few turns. Passing shows you can do those things on that day. It does not prove you can drive in a snowstorm or on a mountain road. And if someone memorized the exact route and every turn in advance, a pass would show even less. A benchmark is like a driving test: useful, but limited to what it tests, and less meaningful if the answers were known beforehand.

Driving in a snowstorm is like what for a model?

A. A faster computer
B. A task different from the benchmark
C. A price change
D. The exact benchmark questions

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-B1-Q2
Artificial Intelligence, Set 116: Benchmarks and their limits · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.EVAL.03 (local)

Learn
A DRIVING TEST checks set skills on a set route: parking, signaling, a few turns. Passing shows you can do those things on that day. It does not prove you can drive in a snowstorm or on a mountain road. And if someone memorized the exact route and every turn in advance, a pass would show even less. A benchmark is like a driving test: useful, but limited to what it tests, and less meaningful if the answers were known beforehand.

Memorizing the exact route is like what?

A. A false negative
B. A subscription
C. A fair test
D. Contamination

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-B1-Q3
Artificial Intelligence, Set 116: Benchmarks and their limits · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.EVAL.03 (local)

Learn
A DRIVING TEST checks set skills on a set route: parking, signaling, a few turns. Passing shows you can do those things on that day. It does not prove you can drive in a snowstorm or on a mountain road. And if someone memorized the exact route and every turn in advance, a pass would show even less. A benchmark is like a driving test: useful, but limited to what it tests, and less meaningful if the answers were known beforehand.

Why does memorizing the route weaken the test?

A. The pass shows less real skill
B. Because memorizing routes makes cars drive more slowly during the test itself
C. Because testers object
D. Because routes change daily

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-B1-Q4
Artificial Intelligence, Set 116: Benchmarks and their limits · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.EVAL.03 (local)

Learn
A DRIVING TEST checks set skills on a set route: parking, signaling, a few turns. Passing shows you can do those things on that day. It does not prove you can drive in a snowstorm or on a mountain road. And if someone memorized the exact route and every turn in advance, a pass would show even less. A benchmark is like a driving test: useful, but limited to what it tests, and less meaningful if the answers were known beforehand.

What is the lesson about benchmarks?

A. They are about cars

B. Useful but limited to what they test

C. They are worthless and should never be looked at by anyone choosing a model

D. They prove everything

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-B1-Q5
Artificial Intelligence, Set 116: Benchmarks and their limits · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.EVAL.03 (local)

Learn
A BENCHMARK is a standard test used to compare models, such as a set of math problems or reading questions with known answers. A high score shows the model did well on THAT test. It may not predict how well the model does YOUR task, which may use different topics, formats or languages. Benchmarks can also be affected by CONTAMINATION: test questions that leaked into the model's training data, so the model may have seen the answers. Researchers (Deng and others, 2024) found contamination can inflate scores and is hard to detect. Use benchmarks as a rough guide, then test on your own examples.

A model scores highly on an English reading benchmark. You need it for Vietnamese customer emails. What should you do?

A. Ignore the language

B. Choose a model with a lower English score

C. Test it on real Vietnamese emails

D. Use it right away, since high English scores always mean equally strong results in every language

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-F1-Q1
Artificial Intelligence, Set 116: Benchmarks and their limits · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.EVAL.03 (local)

Learn
A BENCHMARK is a standard test used to compare models, such as a set of math problems or reading questions with known answers. A high score shows the model did well on THAT test. It may not predict how well the model does YOUR task, which may use different topics, formats or languages. Benchmarks can also be affected by CONTAMINATION: test questions that leaked into the model's training data, so the model may have seen the answers. Researchers (Deng and others, 2024) found contamination can inflate scores and is hard to detect. Use benchmarks as a rough guide, then test on your own examples.

A model's math score jumps suddenly, and the test questions were posted online years ago. What should you suspect?

A. That the model must have become truly brilliant at mathematics overnight without any other explanation

B. That the score is lower

C. That math changed

D. Possible contamination

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-F1-Q2
Artificial Intelligence, Set 116: Benchmarks and their limits · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.EVAL.03 (local)

Learn
A BENCHMARK is a standard test used to compare models, such as a set of math problems or reading questions with known answers. A high score shows the model did well on THAT test. It may not predict how well the model does YOUR task, which may use different topics, formats or languages. Benchmarks can also be affected by CONTAMINATION: test questions that leaked into the model's training data, so the model may have seen the answers. Researchers (Deng and others, 2024) found contamination can inflate scores and is hard to detect. Use benchmarks as a rough guide, then test on your own examples.

An ad lists three benchmarks where its model wins. What question should you ask?

A. "Who designed the logo?"

B. "What about other benchmarks?"

C. "How many colors are used in the chart that shows the three benchmark scores in the ad?"

D. "Is the ad long?"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-F1-Q3
Artificial Intelligence, Set 116: Benchmarks and their limits · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.EVAL.03 (local)

Learn
A BENCHMARK is a standard test used to compare models, such as a set of math problems or reading questions with known answers. A high score shows the model did well on THAT test. It may not predict how well the model does YOUR task, which may use different topics, formats or languages. Benchmarks can also be affected by CONTAMINATION: test questions that leaked into the model's training data, so the model may have seen the answers. Researchers (Deng and others, 2024) found contamination can inflate scores and is hard to detect. Use benchmarks as a rough guide, then test on your own examples.

Which benchmark is most relevant for a tool that summarizes legal contracts?

A. A benchmark of grade-school arithmetic word problems, since all tasks use the same skills

B. A trivia quiz

C. A poetry benchmark

D. One using real contract summaries

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-F1-Q4
Artificial Intelligence, Set 116: Benchmarks and their limits · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.EVAL.03 (local)

Learn
A BENCHMARK is a standard test used to compare models, such as a set of math problems or reading questions with known answers. A high score shows the model did well on THAT test. It may not predict how well the model does YOUR task, which may use different topics, formats or languages. Benchmarks can also be affected by CONTAMINATION: test questions that leaked into the model's training data, so the model may have seen the answers. Researchers (Deng and others, 2024) found contamination can inflate scores and is hard to detect. Use benchmarks as a rough guide, then test on your own examples.

Two models score 91 and 92 on a benchmark. What is reasonable?

A. Neither works
B. Model A is better
C. The difference may be noise; test both
D. Model B is clearly far better in every way

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-F1-Q5
Artificial Intelligence, Set 116: Benchmarks and their limits · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.EVAL.03 (local)

Learn
Scores invite over-reading. A difference of one or two points may be noise. A benchmark can become "saturated" when top models all score near 100, so it no longer separates them. Marketing may quote only the benchmarks a model does well on. Ask: What exactly does the test measure? Is it like my task? Who ran it, and how? Then check with a small test set of your own.

All top models score about 99 on a benchmark. What does this mean?

A. It no longer separates them well
B. That scores went down
C. That the benchmark is broken
D. That every model is now perfect

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-F2-Q1
Artificial Intelligence, Set 116: Benchmarks and their limits · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.EVAL.03 (local)

Learn
Scores invite over-reading. A difference of one or two points may be noise. A benchmark can become "saturated" when top models all score near 100, so it no longer separates them. Marketing may quote only the benchmarks a model does well on. Ask: What exactly does the test measure? Is it like my task? Who ran it, and how? Then check with a small test set of your own.

Which question best checks a benchmark's relevance?

A. "Is the model new?"

B. "Is the score a round number?"

C. "How many people shared the benchmark results on social media during the first week?"

D. "Is this test like my task?"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-F2-Q2
Artificial Intelligence, Set 116: Benchmarks and their limits · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.EVAL.03 (local)

Learn
Scores invite over-reading. A difference of one or two points may be noise. A benchmark can become "saturated" when top models all score near 100, so it no longer separates them. Marketing may quote only the benchmarks a model does well on. Ask: What exactly does the test measure? Is it like my task? Who ran it, and how? Then check with a small test set of your own.

Who ran a benchmark matters because...

A. It does not matter
B. Methods and incentives can affect results
C. Benchmarks run themselves
D. Only famous people are allowed to run benchmarks

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-F2-Q3
Artificial Intelligence, Set 116: Benchmarks and their limits · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.EVAL.03 (local)

Learn
Scores invite over-reading. A difference of one or two points may be noise. A benchmark can become "saturated" when top models all score near 100, so it no longer separates them. Marketing may quote only the benchmarks a model does well on. Ask: What exactly does the test measure? Is it like my task? Who ran it, and how? Then check with a small test set of your own.

Why are simple overlap checks not enough to rule out contamination?

A. Because overlap checks always find every single leaked question with no mistakes

B. Because contamination does not exist

C. They can miss contaminated examples

D. Because they are too slow

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-F2-Q4
Artificial Intelligence, Set 116: Benchmarks and their limits · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.EVAL.03 (local)

Learn
Scores invite over-reading. A difference of one or two points may be noise. A benchmark can become "saturated" when top models all score near 100, so it no longer separates them. Marketing may quote only the benchmarks a model does well on. Ask: What exactly does the test measure? Is it like my task? Who ran it, and how? Then check with a small test set of your own.

What is the final step after reading benchmarks?

A. Check with your own small test set

B. Buy the tool with the most benchmark wins and never test it on any of your own tasks

C. Ask friends only

D. Read more ads

REFERENCE LABEL: NOT PART OF THE QUESTION ID S116-F2-Q5
Artificial Intelligence, Set 116: Benchmarks and their limits · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.EVAL.03 (local)

Set 117: Accuracy, speed and cost

Outcome AI.EVAL.04: Weigh accuracy against speed and cost for a stated need

Module: Work: measuring how well AI works

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Tools differ in ACCURACY (how often they are right), SPEED (how long you wait) and COST (money per task or month). Usually you cannot have the best of all three: the most accurate option may be slower and pricier. Decide what the task NEEDS. A live help chat needs speed. Checking medicine instructions needs accuracy above all. A big batch of simple sorting may need low cost. Set a minimum for what matters most ("at least 95% correct on my test set"), then choose the cheapest or fastest option that meets it.

What does accuracy measure here?

A. How long answers are
B. How often the tool is right
C. How much it costs
D. How quickly the answer appears

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-M-Q1
Artificial Intelligence, Set 117: Accuracy, speed and cost · MAIN · Q1/5 · Outcome AI.EVAL.04 (local)

Learn
Tools differ in ACCURACY (how often they are right), SPEED (how long you wait) and COST (money per task or month). Usually you cannot have the best of all three: the most accurate option may be slower and pricier. Decide what the task NEEDS. A live help chat needs speed. Checking medicine instructions needs accuracy above all. A big batch of simple sorting may need low cost. Set a minimum for what matters most ("at least 95% correct on my test set"), then choose the cheapest or fastest option that meets it.

Which task needs accuracy above all?

A. Brainstorming party themes
B. Sorting old photos
C. Checking medicine instructions
D. Suggesting fun names

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-M-Q2
Artificial Intelligence, Set 117: Accuracy, speed and cost · MAIN · Q2/5 · Outcome AI.EVAL.04 (local)

Learn

Tools differ in ACCURACY (how often they are right), SPEED (how long you wait) and COST (money per task or month). Usually you cannot have the best of all three: the most accurate option may be slower and pricier. Decide what the task NEEDS. A live help chat needs speed. Checking medicine instructions needs accuracy above all. A big batch of simple sorting may need low cost. Set a minimum for what matters most ("at least 95% correct on my test set"), then choose the cheapest or fastest option that meets it.

Prepared example (fictional measurements and hypothetical prices)

Option	Correct on test set	Seconds per answer	Cost per 1,000 tasks (hypothetical)
P	98%	6	20 dollars
Q	95%	2	5 dollars
R	85%	1	1 dollar

In this example, which option meets "at least 95% correct" at the lowest cost?

A. Q

B. P, because the most accurate option is always the cheapest choice that meets any minimum

C. R

D. None

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-M-Q3

Artificial Intelligence, Set 117: Accuracy, speed and cost · MAIN · Q3/5 · Outcome AI.EVAL.04 (local)

Learn
Tools differ in ACCURACY (how often they are right), SPEED (how long you wait) and COST (money per task or month). Usually you cannot have the best of all three: the most accurate option may be slower and pricier. Decide what the task NEEDS. A live help chat needs speed. Checking medicine instructions needs accuracy above all. A big batch of simple sorting may need low cost. Set a minimum for what matters most ("at least 95% correct on my test set"), then choose the cheapest or fastest option that meets it.

Prepared example (fictional measurements and hypothetical prices)

Option	Correct on test set	Seconds per answer	Cost per 1,000 tasks (hypothetical)
P	98%	6	20 dollars
Q	95%	2	5 dollars
R	85%	1	1 dollar

In the same example, which option is fastest?

A. They are equal
B. Q
C. P, since the most accurate option always gives its answers in the shortest time
D. R

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-M-Q4
Artificial Intelligence, Set 117: Accuracy, speed and cost · MAIN · Q4/5 · Outcome AI.EVAL.04 (local)

Learn
Tools differ in ACCURACY (how often they are right), SPEED (how long you wait) and COST (money per task or month). Usually you cannot have the best of all three: the most accurate option may be slower and pricier. Decide what the task NEEDS. A live help chat needs speed. Checking medicine instructions needs accuracy above all. A big batch of simple sorting may need low cost. Set a minimum for what matters most ("at least 95% correct on my test set"), then choose the cheapest or fastest option that meets it.

What is the suggested method?

A. Choose the fastest no matter what

B. Choose at random

C. Set a minimum for what matters most, then pick the cheapest that meets it

D. Always choose the most expensive option, since price is the best measure of overall quality

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-M-Q5
Artificial Intelligence, Set 117: Accuracy, speed and cost · MAIN · Q5/5 · Outcome AI.EVAL.04 (local)

Learn
Sending a package, you can choose OVERNIGHT (fast, expensive), STANDARD (a few days, cheaper) or ECONOMY (slow, cheapest). For a birthday gift due tomorrow, speed matters most. For a box of old books, cheap is fine. For a passport application, reliability matters most. You pick based on what the package NEEDS. AI tools are similar: accuracy, speed and cost trade off, and the task decides.

Overnight delivery is like what in AI tools?

A. A benchmark
B. A fast but expensive option
C. A free plan
D. A slow and very cheap option

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-B1-Q1
Artificial Intelligence, Set 117: Accuracy, speed and cost · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.EVAL.04 (local)

Learn
Sending a package, you can choose OVERNIGHT (fast, expensive), STANDARD (a few days, cheaper) or ECONOMY (slow, cheapest). For a birthday gift due tomorrow, speed matters most. For a box of old books, cheap is fine. For a passport application, reliability matters most. You pick based on what the package NEEDS. AI tools are similar: accuracy, speed and cost trade off, and the task decides.

For a box of old books, what matters most?

A. Tracking every minute
B. Gift wrap
C. Overnight speed
D. Low cost

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-B1-Q2
Artificial Intelligence, Set 117: Accuracy, speed and cost · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.EVAL.04 (local)

Learn
Sending a package, you can choose OVERNIGHT (fast, expensive), STANDARD (a few days, cheaper) or ECONOMY (slow, cheapest). For a birthday gift due tomorrow, speed matters most. For a box of old books, cheap is fine. For a passport application, reliability matters most. You pick based on what the package NEEDS. AI tools are similar: accuracy, speed and cost trade off, and the task decides.

For a passport application, what matters most?

A. Reliability
B. Nothing
C. The color of the envelope
D. The cheapest possible price

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-B1-Q3
Artificial Intelligence, Set 117: Accuracy, speed and cost · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.EVAL.04 (local)

Learn
Sending a package, you can choose OVERNIGHT (fast, expensive), STANDARD (a few days, cheaper) or ECONOMY (slow, cheapest). For a birthday gift due tomorrow, speed matters most. For a box of old books, cheap is fine. For a passport application, reliability matters most. You pick based on what the package NEEDS. AI tools are similar: accuracy, speed and cost trade off, and the task decides.

What decides the choice?

A. Whichever option is advertised most often on television and online that week
B. The sender's mood
C. The weather
D. What the package needs

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-B1-Q4
Artificial Intelligence, Set 117: Accuracy, speed and cost · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.EVAL.04 (local)

Learn
Sending a package, you can choose OVERNIGHT (fast, expensive), STANDARD (a few days, cheaper) or ECONOMY (slow, cheapest). For a birthday gift due tomorrow, speed matters most. For a box of old books, cheap is fine. For a passport application, reliability matters most. You pick based on what the package NEEDS. AI tools are similar: accuracy, speed and cost trade off, and the task decides.

What is the lesson for AI tools?

A. Never use tools

B. Let the task decide among accuracy, speed and cost

C. Always pick the cheapest

D. Always pick the fastest tool, because speed matters more than anything else for every task

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-B1-Q5
Artificial Intelligence, Set 117: Accuracy, speed and cost · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.EVAL.04 (local)

Learn

Tools differ in ACCURACY (how often they are right), SPEED (how long you wait) and COST (money per task or month). Usually you cannot have the best of all three: the most accurate option may be slower and pricier. Decide what the task NEEDS. A live help chat needs speed. Checking medicine instructions needs accuracy above all. A big batch of simple sorting may need low cost. Set a minimum for what matters most ("at least 95% correct on my test set"), then choose the cheapest or fastest option that meets it.

Prepared example (fictional measurements and hypothetical prices)

Option	Correct on test set	Seconds per answer	Cost per 1,000 tasks (hypothetical)
P	98%	6	20 dollars
Q	95%	2	5 dollars
R	85%	1	1 dollar

Using this table, a team needs answers in under 3 seconds and at least 90% correct. Which option fits?

A. Q

B. P, because it is the most accurate, and accuracy matters more than any time limit

C. None

D. R

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-F1-Q1
Artificial Intelligence, Set 117: Accuracy, speed and cost · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.EVAL.04 (local)

Learn
Tools differ in ACCURACY (how often they are right), SPEED (how long you wait) and COST (money per task or month). Usually you cannot have the best of all three: the most accurate option may be slower and pricier. Decide what the task NEEDS. A live help chat needs speed. Checking medicine instructions needs accuracy above all. A big batch of simple sorting may need low cost. Set a minimum for what matters most ("at least 95% correct on my test set"), then choose the cheapest or fastest option that meets it.

A school sorts 10,000 old forms overnight; errors are easy to fix. Which factor matters most?

A. Speed, because the forms must be sorted within one second each, even though it runs overnight

B. Perfect accuracy at any price

C. Low cost

D. None

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-F1-Q2
Artificial Intelligence, Set 117: Accuracy, speed and cost · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.EVAL.04 (local)

Learn
Tools differ in ACCURACY (how often they are right), SPEED (how long you wait) and COST (money per task or month). Usually you cannot have the best of all three: the most accurate option may be slower and pricier. Decide what the task NEEDS. A live help chat needs speed. Checking medicine instructions needs accuracy above all. A big batch of simple sorting may need low cost. Set a minimum for what matters most ("at least 95% correct on my test set"), then choose the cheapest or fastest option that meets it.

A pharmacy helper answers dosage questions. Which factor matters most?

A. Accuracy
B. Speed above all
C. Answer length
D. Low cost

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-F1-Q3
Artificial Intelligence, Set 117: Accuracy, speed and cost · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.EVAL.04 (local)

Learn
Tools differ in ACCURACY (how often they are right), SPEED (how long you wait) and COST (money per task or month). Usually you cannot have the best of all three: the most accurate option may be slower and pricier. Decide what the task NEEDS. A live help chat needs speed. Checking medicine instructions needs accuracy above all. A big batch of simple sorting may need low cost. Set a minimum for what matters most ("at least 95% correct on my test set"), then choose the cheapest or fastest option that meets it.

Hypothetical: option R costs 1 dollar per 1,000 tasks and Q costs 5. For 20,000 tasks, how much more is Q?

A. 100 dollars
B. 20 dollars
C. 80 dollars
D. 4 dollars

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-F1-Q4
Artificial Intelligence, Set 117: Accuracy, speed and cost · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.EVAL.04 (local)

Learn
Tools differ in ACCURACY (how often they are right), SPEED (how long you wait) and COST (money per task or month). Usually you cannot have the best of all three: the most accurate option may be slower and pricier. Decide what the task NEEDS. A live help chat needs speed. Checking medicine instructions needs accuracy above all. A big batch of simple sorting may need low cost. Set a minimum for what matters most ("at least 95% correct on my test set"), then choose the cheapest or fastest option that meets it.

Which is the right first step?

A. Pick the cheapest tool
B. Pick the newest tool
C. Pick the tool
D. Decide what the task needs

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-F1-Q5
Artificial Intelligence, Set 117: Accuracy, speed and cost · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.EVAL.04 (local)

Learn
Hidden costs change the math. A cheaper, less accurate tool may cost more overall if people must fix its mistakes: if each error takes 10 minutes to correct, a few extra errors add up. A slower tool may be fine for overnight batches but not for customers waiting. Measure on your own test set, include the time people spend checking and fixing, and revisit the choice when prices or tools change.

Option R makes 150 errors per 1,000 tasks and Q makes 50. Each error takes 10 minutes to fix. How much more fixing time does R need per 1,000 tasks?

A. 1,500 minutes
B. 1,000 minutes
C. 500 minutes
D. 100 minutes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-F2-Q1
Artificial Intelligence, Set 117: Accuracy, speed and cost · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.EVAL.04 (local)

Learn
Hidden costs change the math. A cheaper, less accurate tool may cost more overall if people must fix its mistakes: if each error takes 10 minutes to correct, a few extra errors add up. A slower tool may be fine for overnight batches but not for customers waiting. Measure on your own test set, include the time people spend checking and fixing, and revisit the choice when prices or tools change.

A tool costs less per task but makes many more errors that people must fix. What can follow?

A. That errors do not matter
B. That fixing errors is always free
C. It can cost more overall
D. It is always the better choice

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-F2-Q2
Artificial Intelligence, Set 117: Accuracy, speed and cost · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.EVAL.04 (local)

Learn
Hidden costs change the math. A cheaper, less accurate tool may cost more overall if people must fix its mistakes: if each error takes 10 minutes to correct, a few extra errors add up. A slower tool may be fine for overnight batches but not for customers waiting. Measure on your own test set, include the time people spend checking and fixing, and revisit the choice when prices or tools change.

A slow but accurate tool is used for overnight reports. Is slowness a problem?

A. Probably not, since no one is waiting
B. Yes, because reports must be instant
C. It cannot be judged
D. Yes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-F2-Q3
Artificial Intelligence, Set 117: Accuracy, speed and cost · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.EVAL.04 (local)

Learn
Hidden costs change the math. A cheaper, less accurate tool may cost more overall if people must fix its mistakes: if each error takes 10 minutes to correct, a few extra errors add up. A slower tool may be fine for overnight batches but not for customers waiting. Measure on your own test set, include the time people spend checking and fixing, and revisit the choice when prices or tools change.

What should a fair comparison include besides the tool's price?

A. The tool's logo

B. The tool's age

C. Only the price of the tool, since people's time is never counted as a cost in practice

D. Time people spend checking and fixing

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-F2-Q4
Artificial Intelligence, Set 117: Accuracy, speed and cost · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.EVAL.04 (local)

Learn
Hidden costs change the math. A cheaper, less accurate tool may cost more overall if people must fix its mistakes: if each error takes 10 minutes to correct, a few extra errors add up. A slower tool may be fine for overnight batches but not for customers waiting. Measure on your own test set, include the time people spend checking and fixing, and revisit the choice when prices or tools change.

Prices drop and a new option appears. What should you do?

A. Ignore the news
B. Revisit the choice with your test set
C. Switch immediately without testing
D. Keep the old choice forever

REFERENCE LABEL: NOT PART OF THE QUESTION ID S117-F2-Q5
Artificial Intelligence, Set 117: Accuracy, speed and cost · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.EVAL.04 (local)

Set 118: Comparing versions fairly

Outcome AI.EVAL.05: Compare two versions with the same tests and written criteria

Module: Work: measuring how well AI works

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
To compare two versions fairly, such as two tools, two prompts or an old and a new model, use the SAME TESTS and WRITTEN CRITERIA decided BEFORE you look at results. Change ONE thing at a time, so you know what caused any difference. Run both on every example, record results side by side, and count. Watch for small samples: with 5 examples, one lucky answer changes the score a lot. If you can, hide which version produced which answer when judging quality, so your expectations do not tip the scales.

What makes a comparison fair?

A. Judging by one memorable answer
B. Criteria written after seeing results
C. Same tests and criteria written beforehand
D. Different tests for each version

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-M-Q1
Artificial Intelligence, Set 118: Comparing versions fairly · MAIN · Q1/5 · Outcome AI.EVAL.05 (local)

Learn
To compare two versions fairly, such as two tools, two prompts or an old and a new model, use the SAME TESTS and WRITTEN CRITERIA decided BEFORE you look at results. Change ONE thing at a time, so you know what caused any difference. Run both on every example, record results side by side, and count. Watch for small samples: with 5 examples, one lucky answer changes the score a lot. If you can, hide which version produced which answer when judging quality, so your expectations do not tip the scales.

Why change only one thing at a time?

A. To know what caused any difference

B. Because changing several things at once is not allowed by any of the AI providers

C. To make tests longer

D. To save money

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-M-Q2
Artificial Intelligence, Set 118: Comparing versions fairly · MAIN · Q2/5 · Outcome AI.EVAL.05 (local)

Learn

To compare two versions fairly, such as two tools, two prompts or an old and a new model, use the SAME TESTS and WRITTEN CRITERIA decided BEFORE you look at results. Change ONE thing at a time, so you know what caused any difference. Run both on every example, record results side by side, and count. Watch for small samples: with 5 examples, one lucky answer changes the score a lot. If you can, hide which version produced which answer when judging quality, so your expectations do not tip the scales.

Prepared example (fictional side-by-side results on the same six tests)

Example	Version A	Version B
1	Correct	Correct
2	Wrong	Correct
3	Correct	Wrong
4	Correct	Correct
5	Wrong	Correct
6	Correct	Correct

In this example, how many does Version B get right?

A. 3 of 6

B. 6 of 6

C. 4 of 6

D. 5 of 6

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-M-Q3

Artificial Intelligence, Set 118: Comparing versions fairly · MAIN · Q3/5 · Outcome AI.EVAL.05 (local)

Learn

To compare two versions fairly, such as two tools, two prompts or an old and a new model, use the SAME TESTS and WRITTEN CRITERIA decided BEFORE you look at results. Change ONE thing at a time, so you know what caused any difference. Run both on every example, record results side by side, and count. Watch for small samples: with 5 examples, one lucky answer changes the score a lot. If you can, hide which version produced which answer when judging quality, so your expectations do not tip the scales.

Prepared example (fictional side-by-side results on the same six tests)

Example	Version A	Version B
1	Correct	Correct
2	Wrong	Correct
3	Correct	Wrong
4	Correct	Correct
5	Wrong	Correct
6	Correct	Correct

In the same example, which test shows a regression for Version B?

A. Example 5

B. Example 3

C. Example 1

D. Example 2

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-M-Q4

Artificial Intelligence, Set 118: Comparing versions fairly · MAIN · Q4/5 · Outcome AI.EVAL.05 (local)

Learn
To compare two versions fairly, such as two tools, two prompts or an old and a new model, use the SAME TESTS and WRITTEN CRITERIA decided BEFORE you look at results. Change ONE thing at a time, so you know what caused any difference. Run both on every example, record results side by side, and count. Watch for small samples: with 5 examples, one lucky answer changes the score a lot. If you can, hide which version produced which answer when judging quality, so your expectations do not tip the scales.

Why hide which version produced each answer when judging?

A. Because answers have no labels
B. To save time
C. Because version names are secret information
D. So expectations do not bias the judgment

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-M-Q5
Artificial Intelligence, Set 118: Comparing versions fairly · MAIN · Q5/5 · Outcome AI.EVAL.05 (local)

Learn
To find out which of two cookie recipes is better, you bake both with the SAME oven, the SAME temperature and the SAME tasters, and decide beforehand what "better" means: taste, texture, appearance. Tasters do not know which is which. If you changed the recipe AND the oven at once, you would not know which change mattered. Comparing AI versions works the same way.

Why use the same oven for both recipes?

A. To save electricity

B. So only the recipe differs

C. Because ovens can only be used once each day and must be shared by both recipes

D. Because ovens are expensive

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-B1-Q1
Artificial Intelligence, Set 118: Comparing versions fairly · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.EVAL.05 (local)

Learn
To find out which of two cookie recipes is better, you bake both with the SAME oven, the SAME temperature and the SAME tasters, and decide beforehand what "better" means: taste, texture, appearance. Tasters do not know which is which. If you changed the recipe AND the oven at once, you would not know which change mattered. Comparing AI versions works the same way.

Deciding "taste, texture, appearance" in advance is like what?

A. Writing criteria beforehand

B. Choosing what "better" means after tasting, so that your favorite recipe can win easily

C. Buying flour

D. Using the same tasters

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-B1-Q2
Artificial Intelligence, Set 118: Comparing versions fairly · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.EVAL.05 (local)

Learn
To find out which of two cookie recipes is better, you bake both with the SAME oven, the SAME temperature and the SAME tasters, and decide beforehand what "better" means: taste, texture, appearance. Tasters do not know which is which. If you changed the recipe AND the oven at once, you would not know which change mattered. Comparing AI versions works the same way.

Tasters not knowing which is which is like what?

A. Baking twice
B. Using one oven
C. Blind judging
D. Telling the tasters

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-B1-Q3
Artificial Intelligence, Set 118: Comparing versions fairly · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.EVAL.05 (local)

Learn
To find out which of two cookie recipes is better, you bake both with the SAME oven, the SAME temperature and the SAME tasters, and decide beforehand what "better" means: taste, texture, appearance. Tasters do not know which is which. If you changed the recipe AND the oven at once, you would not know which change mattered. Comparing AI versions works the same way.

Changing recipe and oven at once causes what problem?

A. The cookies always burn, since two changes at once are too much for any oven

B. No problem

C. The cookies get bigger

D. You cannot tell which change mattered

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-B1-Q4
Artificial Intelligence, Set 118: Comparing versions fairly · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.EVAL.05 (local)

Learn
To find out which of two cookie recipes is better, you bake both with the SAME oven, the SAME temperature and the SAME tasters, and decide beforehand what "better" means: taste, texture, appearance. Tasters do not know which is which. If you changed the recipe AND the oven at once, you would not know which change mattered. Comparing AI versions works the same way.

What is the lesson for AI versions?

A. Never compare

B. Test each version on different examples so that both versions get a fair chance to shine

C. Same tests, prior criteria, one change, blind judging

D. Taste only the new version

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-B1-Q5
Artificial Intelligence, Set 118: Comparing versions fairly · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.EVAL.05 (local)

Learn
To compare two versions fairly, such as two tools, two prompts or an old and a new model, use the SAME TESTS and WRITTEN CRITERIA decided BEFORE you look at results. Change ONE thing at a time, so you know what caused any difference. Run both on every example, record results side by side, and count. Watch for small samples: with 5 examples, one lucky answer changes the score a lot. If you can, hide which version produced which answer when judging quality, so your expectations do not tip the scales.

Ana changes both her prompt and the model, and results improve. What can she conclude?

A. Not which change helped

B. Nothing improved

C. That the new model caused all of the improvement, since models matter more than prompts

D. That the prompt caused it

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-F1-Q1
Artificial Intelligence, Set 118: Comparing versions fairly · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.EVAL.05 (local)

Learn
To compare two versions fairly, such as two tools, two prompts or an old and a new model, use the SAME TESTS and WRITTEN CRITERIA decided BEFORE you look at results. Change ONE thing at a time, so you know what caused any difference. Run both on every example, record results side by side, and count. Watch for small samples: with 5 examples, one lucky answer changes the score a lot. If you can, hide which version produced which answer when judging quality, so your expectations do not tip the scales.

A team tests the new version on 3 examples and the old on 20 different ones. What is wrong?

A. The old version needs more tests

B. Different tests make the comparison unfair

C. The new version needs fewer

D. Nothing, because a small number of examples is always enough for any new version of a tool

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-F1-Q2
Artificial Intelligence, Set 118: Comparing versions fairly · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.EVAL.05 (local)

Learn
To compare two versions fairly, such as two tools, two prompts or an old and a new model, use the SAME TESTS and WRITTEN CRITERIA decided BEFORE you look at results. Change ONE thing at a time, so you know what caused any difference. Run both on every example, record results side by side, and count. Watch for small samples: with 5 examples, one lucky answer changes the score a lot. If you can, hide which version produced which answer when judging quality, so your expectations do not tip the scales.

After seeing results, Raj decides "shorter answers are better," which favors his choice. What is the problem?

A. Shorter answers are always better

B. Criteria do not matter

C. No problem, since criteria should always be chosen after seeing which version is better

D. Criteria chosen after results can be biased

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-F1-Q3
Artificial Intelligence, Set 118: Comparing versions fairly · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.EVAL.05 (local)

Learn
To compare two versions fairly, such as two tools, two prompts or an old and a new model, use the SAME TESTS and WRITTEN CRITERIA decided BEFORE you look at results. Change ONE thing at a time, so you know what caused any difference. Run both on every example, record results side by side, and count. Watch for small samples: with 5 examples, one lucky answer changes the score a lot. If you can, hide which version produced which answer when judging quality, so your expectations do not tip the scales.

With only 4 test examples, one changed answer moves the score by how much?

A. 50 percentage points
B. 25 percentage points
C. 4 percentage points
D. 1 percentage point

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-F1-Q4
Artificial Intelligence, Set 118: Comparing versions fairly · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.EVAL.05 (local)

Learn
To compare two versions fairly, such as two tools, two prompts or an old and a new model, use the SAME TESTS and WRITTEN CRITERIA decided BEFORE you look at results. Change ONE thing at a time, so you know what caused any difference. Run both on every example, record results side by side, and count. Watch for small samples: with 5 examples, one lucky answer changes the score a lot. If you can, hide which version produced which answer when judging quality, so your expectations do not tip the scales.

Which practice reduces bias when judging writing quality?

A. Letting the developer judge alone
B. Judging only the best answer
C. Hiding which version wrote each answer
D. Telling judges

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-F1-Q5
Artificial Intelligence, Set 118: Comparing versions fairly · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.EVAL.05 (local)

Learn
Unfair comparisons are common. Testing the new version on easy examples and the old on hard ones, changing the prompt and the model at the same time, or judging by the one impressive answer you remember all mislead. Writing criteria after seeing results lets you pick the ones that favor your preference. Also check whether the new version fixed some problems but broke others that used to work, called a REGRESSION.

What is a regression?

A. Something that used to work now fails
B. A price increase
C. A slower computer
D. A new feature that works better

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-F2-Q1
Artificial Intelligence, Set 118: Comparing versions fairly · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.EVAL.05 (local)

Learn
Unfair comparisons are common. Testing the new version on easy examples and the old on hard ones, changing the prompt and the model at the same time, or judging by the one impressive answer you remember all mislead. Writing criteria after seeing results lets you pick the ones that favor your preference. Also check whether the new version fixed some problems but broke others that used to work, called a REGRESSION.

A new version fixes 5 problems but breaks 4 that worked before. What should you report?

A. Nothing

B. Both the fixes and the regressions

C. Only the regressions

D. Only the five fixes, since regressions are normal and do not need to be mentioned to anyone

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-F2-Q2
Artificial Intelligence, Set 118: Comparing versions fairly · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.EVAL.05 (local)

Learn
Unfair comparisons are common. Testing the new version on easy examples and the old on hard ones, changing the prompt and the model at the same time, or judging by the one impressive answer you remember all mislead. Writing criteria after seeing results lets you pick the ones that favor your preference. Also check whether the new version fixed some problems but broke others that used to work, called a REGRESSION.

Someone judges a new model by one impressive answer they remember. What is wrong?

A. One answer is not a fair test
B. Memories are always wrong
C. The answer was too short
D. Nothing

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-F2-Q3
Artificial Intelligence, Set 118: Comparing versions fairly · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.EVAL.05 (local)

Learn
Unfair comparisons are common. Testing the new version on easy examples and the old on hard ones, changing the prompt and the model at the same time, or judging by the one impressive answer you remember all mislead. Writing criteria after seeing results lets you pick the ones that favor your preference. Also check whether the new version fixed some problems but broke others that used to work, called a REGRESSION.

The new version was tested only on easy examples. What can result?

A. No result
B. A perfectly fair comparison
C. An overly positive comparison
D. An overly negative comparison

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-F2-Q4
Artificial Intelligence, Set 118: Comparing versions fairly · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.EVAL.05 (local)

Learn
Unfair comparisons are common. Testing the new version on easy examples and the old on hard ones, changing the prompt and the model at the same time, or judging by the one impressive answer you remember all mislead. Writing criteria after seeing results lets you pick the ones that favor your preference. Also check whether the new version fixed some problems but broke others that used to work, called a REGRESSION.

What protects against picking criteria that favor your preference?

A. Using no criteria
B. Changing criteria after each test
C. Choosing criteria together with the developer
D. Writing criteria before seeing results

REFERENCE LABEL: NOT PART OF THE QUESTION ID S118-F2-Q5
Artificial Intelligence, Set 118: Comparing versions fairly · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.EVAL.05 (local)

Set 119: Human review and rubrics

Outcome AI.EVAL.06: Use a rubric for human review and look for failures rather than trusting a demonstration

Module: Work: measuring how well AI works

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
Some outputs, such as summaries, letters or explanations, cannot be scored as simply right or wrong. Use a RUBRIC: a short list of criteria with levels, such as ACCURATE (no false claims), COMPLETE (covers the key points), CLEAR (easy to follow) and APPROPRIATE (right tone and length), each scored 0 to 2. Reviewers apply the same rubric to every output. And be wary of DEMONSTRATIONS: a demo shows chosen examples that work. Good evaluation looks for FAILURES on purpose, using hard and unusual cases.

What is a rubric?

A. A type of model

B. A single overall impression of whether an answer feels good or bad to the reviewer

C. A list of criteria with levels for scoring

D. A price chart

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-M-Q1
Artificial Intelligence, Set 119: Human review and rubrics · MAIN · Q1/5 · Outcome AI.EVAL.06 (local)

Learn

Some outputs, such as summaries, letters or explanations, cannot be scored as simply right or wrong. Use a RUBRIC: a short list of criteria with levels, such as ACCURATE (no false claims), COMPLETE (covers the key points), CLEAR (easy to follow) and APPROPRIATE (right tone and length), each scored 0 to 2. Reviewers apply the same rubric to every output. And be wary of DEMONSTRATIONS: a demo shows chosen examples that work. Good evaluation looks for FAILURES on purpose, using hard and unusual cases.

Prepared example (a fictional rubric score for one AI-written reminder)

Criterion	Score (0-2)	Reviewer note
Accurate	1	One date is wrong
Complete	2	All key points present
Clear	2	Easy to follow
Appropriate	1	Too long for a text message

In this prepared example, what is the total score out of 8?

A. 6

B. 4

C. 5

D. 8, because every criterion was at least partly met, which counts as a full score

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-M-Q2

Artificial Intelligence, Set 119: Human review and rubrics · MAIN · Q2/5 · Outcome AI.EVAL.06 (local)

Learn

Some outputs, such as summaries, letters or explanations, cannot be scored as simply right or wrong. Use a RUBRIC: a short list of criteria with levels, such as ACCURATE (no false claims), COMPLETE (covers the key points), CLEAR (easy to follow) and APPROPRIATE (right tone and length), each scored 0 to 2. Reviewers apply the same rubric to every output. And be wary of DEMONSTRATIONS: a demo shows chosen examples that work. Good evaluation looks for FAILURES on purpose, using hard and unusual cases.

Prepared example (a fictional rubric score for one AI-written reminder)

Criterion	Score (0-2)	Reviewer note
Accurate	1	One date is wrong
Complete	2	All key points present
Clear	2	Easy to follow
Appropriate	1	Too long for a text message

In the same example, which criterion found a factual problem?

A. Complete

B. Accurate

C. Clear

D. Appropriate

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-M-Q3

Artificial Intelligence, Set 119: Human review and rubrics · MAIN · Q3/5 · Outcome AI.EVAL.06 (local)

Learn
Some outputs, such as summaries, letters or explanations, cannot be scored as simply right or wrong. Use a RUBRIC: a short list of criteria with levels, such as ACCURATE (no false claims), COMPLETE (covers the key points), CLEAR (easy to follow) and APPROPRIATE (right tone and length), each scored 0 to 2. Reviewers apply the same rubric to every output. And be wary of DEMONSTRATIONS: a demo shows chosen examples that work. Good evaluation looks for FAILURES on purpose, using hard and unusual cases.

Why be wary of demonstrations?

A. Because they are free
B. Because demonstrations always use fake tools that do not exist in real life
C. Because they are too long
D. They show chosen examples that work

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-M-Q4
Artificial Intelligence, Set 119: Human review and rubrics · MAIN · Q4/5 · Outcome AI.EVAL.06 (local)

Learn
Some outputs, such as summaries, letters or explanations, cannot be scored as simply right or wrong. Use a RUBRIC: a short list of criteria with levels, such as ACCURATE (no false claims), COMPLETE (covers the key points), CLEAR (easy to follow) and APPROPRIATE (right tone and length), each scored 0 to 2. Reviewers apply the same rubric to every output. And be wary of DEMONSTRATIONS: a demo shows chosen examples that work. Good evaluation looks for FAILURES on purpose, using hard and unusual cases.

What does good evaluation look for on purpose?

A. Only short answers
B. Only the fastest answers
C. Failures
D. Only successes

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-M-Q5
Artificial Intelligence, Set 119: Human review and rubrics · MAIN · Q5/5 · Outcome AI.EVAL.06 (local)

Learn
To score with a rubric: (1) read the output once fully. (2) For each criterion, decide the level, 0 (not met), 1 (partly met) or 2 (fully met), and write a short reason. (3) Add the scores. Example criteria for a thank-you note: Accurate (names the right gift), Warm (friendly tone), Brief (under 80 words). A note naming the wrong gift, friendly, 60 words: Accurate 0, Warm 2, Brief 2, total 4 of 6.

The note names the wrong gift. What is the Accurate score?

A. 1

B. 0

C. 2, since naming a gift at all shows that the note is generally accurate

D. 3

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-B1-Q1
Artificial Intelligence, Set 119: Human review and rubrics · BACKWARD 1 (underlying skill) · Q1/5 · Outcome AI.EVAL.06 (local)

Learn
To score with a rubric: (1) read the output once fully. (2) For each criterion, decide the level, 0 (not met), 1 (partly met) or 2 (fully met), and write a short reason. (3) Add the scores. Example criteria for a thank-you note: Accurate (names the right gift), Warm (friendly tone), Brief (under 80 words). A note naming the wrong gift, friendly, 60 words: Accurate 0, Warm 2, Brief 2, total 4 of 6.

The note is friendly. What is the Warm score?

A. 1

B. 0, because a friendly tone cannot make up for naming the wrong gift in the note

C. 3

D. 2

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-B1-Q2
Artificial Intelligence, Set 119: Human review and rubrics · BACKWARD 1 (underlying skill) · Q2/5 · Outcome AI.EVAL.06 (local)

Learn
To score with a rubric: (1) read the output once fully. (2) For each criterion, decide the level, 0 (not met), 1 (partly met) or 2 (fully met), and write a short reason. (3) Add the scores. Example criteria for a thank-you note: Accurate (names the right gift), Warm (friendly tone), Brief (under 80 words). A note naming the wrong gift, friendly, 60 words: Accurate 0, Warm 2, Brief 2, total 4 of 6.

The note has 60 words. What is the Brief score?

A. 2

B. 3

C. 1, since sixty words is quite long for a thank-you note, even though it is under eighty

D. 0

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-B1-Q3
Artificial Intelligence, Set 119: Human review and rubrics · BACKWARD 1 (underlying skill) · Q3/5 · Outcome AI.EVAL.06 (local)

Learn
To score with a rubric: (1) read the output once fully. (2) For each criterion, decide the level, 0 (not met), 1 (partly met) or 2 (fully met), and write a short reason. (3) Add the scores. Example criteria for a thank-you note: Accurate (names the right gift), Warm (friendly tone), Brief (under 80 words). A note naming the wrong gift, friendly, 60 words: Accurate 0, Warm 2, Brief 2, total 4 of 6.

What is the total?

A. 5 of 6
B. 2 of 6
C. 4 of 6
D. 6 of 6

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-B1-Q4
Artificial Intelligence, Set 119: Human review and rubrics · BACKWARD 1 (underlying skill) · Q4/5 · Outcome AI.EVAL.06 (local)

Learn
To score with a rubric: (1) read the output once fully. (2) For each criterion, decide the level, 0 (not met), 1 (partly met) or 2 (fully met), and write a short reason. (3) Add the scores. Example criteria for a thank-you note: Accurate (names the right gift), Warm (friendly tone), Brief (under 80 words). A note naming the wrong gift, friendly, 60 words: Accurate 0, Warm 2, Brief 2, total 4 of 6.

What should accompany each score?

A. A drawing
B. A short reason
C. Nothing
D. A long essay

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-B1-Q5
Artificial Intelligence, Set 119: Human review and rubrics · BACKWARD 1 (underlying skill) · Q5/5 · Outcome AI.EVAL.06 (local)

Learn
Some outputs, such as summaries, letters or explanations, cannot be scored as simply right or wrong. Use a RUBRIC: a short list of criteria with levels, such as ACCURATE (no false claims), COMPLETE (covers the key points), CLEAR (easy to follow) and APPROPRIATE (right tone and length), each scored 0 to 2. Reviewers apply the same rubric to every output. And be wary of DEMONSTRATIONS: a demo shows chosen examples that work. Good evaluation looks for FAILURES on purpose, using hard and unusual cases.

A vendor demo shows five perfect summaries. What should a buyer do?

A. Test it on hard, real documents
B. Ask for the same five again
C. Trust the vendor
D. Buy it immediately

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-F1-Q1
Artificial Intelligence, Set 119: Human review and rubrics · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.EVAL.06 (local)

Learn
Some outputs, such as summaries, letters or explanations, cannot be scored as simply right or wrong. Use a RUBRIC: a short list of criteria with levels, such as ACCURATE (no false claims), COMPLETE (covers the key points), CLEAR (easy to follow) and APPROPRIATE (right tone and length), each scored 0 to 2. Reviewers apply the same rubric to every output. And be wary of DEMONSTRATIONS: a demo shows chosen examples that work. Good evaluation looks for FAILURES on purpose, using hard and unusual cases.

Which rubric criterion is most specific?

A. "Is nice"

B. "Feels right"

C. "Is good quality overall and generally pleasant to read for most people who see it"

D. "Includes the deadline and the fee"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-F1-Q2
Artificial Intelligence, Set 119: Human review and rubrics · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.EVAL.06 (local)

Learn
Some outputs, such as summaries, letters or explanations, cannot be scored as simply right or wrong. Use a RUBRIC: a short list of criteria with levels, such as ACCURATE (no false claims), COMPLETE (covers the key points), CLEAR (easy to follow) and APPROPRIATE (right tone and length), each scored 0 to 2. Reviewers apply the same rubric to every output. And be wary of DEMONSTRATIONS: a demo shows chosen examples that work. Good evaluation looks for FAILURES on purpose, using hard and unusual cases.

Two reviewers score the same letter 2 and 0 on "Clear." What does this suggest?

A. The criterion may be unclear

B. That rubrics never work

C. That the letter is perfect

D. That one of the two reviewers is lying about the score that they gave to the letter

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-F1-Q3
Artificial Intelligence, Set 119: Human review and rubrics · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.EVAL.06 (local)

Learn
Some outputs, such as summaries, letters or explanations, cannot be scored as simply right or wrong. Use a RUBRIC: a short list of criteria with levels, such as ACCURATE (no false claims), COMPLETE (covers the key points), CLEAR (easy to follow) and APPROPRIATE (right tone and length), each scored 0 to 2. Reviewers apply the same rubric to every output. And be wary of DEMONSTRATIONS: a demo shows chosen examples that work. Good evaluation looks for FAILURES on purpose, using hard and unusual cases.

Which test case seeks failure for a meeting summarizer?

A. A meeting about the weather
B. A one-sentence meeting
C. A short meeting where one person reads an agenda
D. A meeting where people disagree and change plans

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-F1-Q4
Artificial Intelligence, Set 119: Human review and rubrics · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.EVAL.06 (local)

Learn
Some outputs, such as summaries, letters or explanations, cannot be scored as simply right or wrong. Use a RUBRIC: a short list of criteria with levels, such as ACCURATE (no false claims), COMPLETE (covers the key points), CLEAR (easy to follow) and APPROPRIATE (right tone and length), each scored 0 to 2. Reviewers apply the same rubric to every output. And be wary of DEMONSTRATIONS: a demo shows chosen examples that work. Good evaluation looks for FAILURES on purpose, using hard and unusual cases.

A reviewer scores 50 outputs in one sitting and later scores become generous. What helps?

A. Removing the rubric
B. Shorter review sessions
C. Scoring without reading
D. Longer sessions

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-F1-Q5
Artificial Intelligence, Set 119: Human review and rubrics · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.EVAL.06 (local)

Learn
Rubrics work better when criteria are specific ("names the deadline and the fee") rather than vague ("good quality"). Two reviewers scoring the same outputs and comparing results reveals unclear criteria; if they disagree often, refine the rubric. Tired reviewers become less careful and less consistent, sometimes more lenient and sometimes harsher, so keep review sessions short. Record examples of each score level so new reviewers can calibrate.

Why have two reviewers score the same outputs?

A. To avoid writing criteria
B. To make the review take twice as long, which always improves the final results
C. To reveal unclear criteria
D. To hide disagreements

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-F2-Q1
Artificial Intelligence, Set 119: Human review and rubrics · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.EVAL.06 (local)

Learn
Rubrics work better when criteria are specific ("names the deadline and the fee") rather than vague ("good quality"). Two reviewers scoring the same outputs and comparing results reveals unclear criteria; if they disagree often, refine the rubric. Tired reviewers become less careful and less consistent, sometimes more lenient and sometimes harsher, so keep review sessions short. Record examples of each score level so new reviewers can calibrate.

What helps new reviewers score consistently?

A. Only the final total

B. Telling them to score however they feel, without any examples or written criteria

C. Nothing

D. Examples of each score level

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-F2-Q2
Artificial Intelligence, Set 119: Human review and rubrics · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.EVAL.06 (local)

Learn
Rubrics work better when criteria are specific ("names the deadline and the fee") rather than vague ("good quality"). Two reviewers scoring the same outputs and comparing results reveals unclear criteria; if they disagree often, refine the rubric. Tired reviewers become less careful and less consistent, sometimes more lenient and sometimes harsher, so keep review sessions short. Record examples of each score level so new reviewers can calibrate.

Why do vague criteria cause problems?

A. Because they cannot be written
B. Reviewers interpret them differently
C. Because they are always too strict
D. Because vague criteria are shorter

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-F2-Q3
Artificial Intelligence, Set 119: Human review and rubrics · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.EVAL.06 (local)

Learn
Rubrics work better when criteria are specific ("names the deadline and the fee") rather than vague ("good quality"). Two reviewers scoring the same outputs and comparing results reveals unclear criteria; if they disagree often, refine the rubric. Tired reviewers become less careful and less consistent, sometimes more lenient and sometimes harsher, so keep review sessions short. Record examples of each score level so new reviewers can calibrate.

Reviewers disagree often. What should you do?

A. Fire a reviewer
B. Stop reviewing
C. Refine the rubric
D. Average their scores

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-F2-Q4
Artificial Intelligence, Set 119: Human review and rubrics · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.EVAL.06 (local)

Learn
Rubrics work better when criteria are specific ("names the deadline and the fee") rather than vague ("good quality"). Two reviewers scoring the same outputs and comparing results reveals unclear criteria; if they disagree often, refine the rubric. Tired reviewers become less careful and less consistent, sometimes more lenient and sometimes harsher, so keep review sessions short. Record examples of each score level so new reviewers can calibrate.

Why does reviewer fatigue matter?

A. It only affects speed
B. It can make judgments less careful and less consistent
C. Tired reviewers always score more harshly than others
D. It does not matter

REFERENCE LABEL: NOT PART OF THE QUESTION ID S119-F2-Q5
Artificial Intelligence, Set 119: Human review and rubrics · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.EVAL.06 (local)

Set 120: Choosing a measure that fits

Outcome AI.EVAL.07: Choose a measure that matches the goal of a task

Module: Work: measuring how well AI works

Course scope: general education for adults and high-school students, not legal, medical or financial advice. No AI tool, account, download or paid service is needed: every example is prepared in advance and shown as text, and nothing runs. Examples labeled "fictional" were written for this course and are not real outputs of any named product. Laws, products and prices change; dated lessons say what to check. People and organizations in scenarios are fictional unless a lesson names a real case.

Learn
A MEASURE should match the GOAL of the task. If a tool flags rare problems, "percent correct" can mislead: if only 2 of 100 parcels are damaged, a tool that always says "fine" is 98% correct and catches nothing. Better measures look at what matters: how many damaged parcels were CAUGHT (out of all damaged ones), and how many flags were RIGHT (out of all flags). For a writing tool, the goal might be "fewer edits needed" or "readers understand it," not word count. Ask: "If this number improves, is the real goal closer?"

What should a measure match?

A. The tool's price
B. The goal of the task
C. The tool's name
D. Whatever number is easiest

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-M-Q1
Artificial Intelligence, Set 120: Choosing a measure that fits · MAIN · Q1/5 · Outcome AI.EVAL.07 (local)

Learn
A MEASURE should match the GOAL of the task. If a tool flags rare problems, "percent correct" can mislead: if only 2 of 100 parcels are damaged, a tool that always says "fine" is 98% correct and catches nothing. Better measures look at what matters: how many damaged parcels were CAUGHT (out of all damaged ones), and how many flags were RIGHT (out of all flags). For a writing tool, the goal might be "fewer edits needed" or "readers understand it," not word count. Ask: "If this number improves, is the real goal closer?"

Only 2 of 100 parcels are damaged. A tool always says "fine." What percent is it correct?

A. 2%
B. 100%
C. 0%
D. 98%

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-M-Q2
Artificial Intelligence, Set 120: Choosing a measure that fits · MAIN · Q2/5 · Outcome AI.EVAL.07 (local)

Learn
A MEASURE should match the GOAL of the task. If a tool flags rare problems, "percent correct" can mislead: if only 2 of 100 parcels are damaged, a tool that always says "fine" is 98% correct and catches nothing. Better measures look at what matters: how many damaged parcels were CAUGHT (out of all damaged ones), and how many flags were RIGHT (out of all flags). For a writing tool, the goal might be "fewer edits needed" or "readers understand it," not word count. Ask: "If this number improves, is the real goal closer?"

How many damaged parcels does that tool catch?

A. 100
B. 2
C. 0
D. 98

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-M-Q3
Artificial Intelligence, Set 120: Choosing a measure that fits · MAIN · Q3/5 · Outcome AI.EVAL.07 (local)

Learn
A MEASURE should match the GOAL of the task. If a tool flags rare problems, "percent correct" can mislead: if only 2 of 100 parcels are damaged, a tool that always says "fine" is 98% correct and catches nothing. Better measures look at what matters: how many damaged parcels were CAUGHT (out of all damaged ones), and how many flags were RIGHT (out of all flags). For a writing tool, the goal might be "fewer edits needed" or "readers understand it," not word count. Ask: "If this number improves, is the real goal closer?"

Which measure fits "catch damaged parcels"?

A. Damaged parcels caught out of all damaged
B. Number of parcels shipped
C. Speed of the tool
D. Overall percent correct across every parcel

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-M-Q4
Artificial Intelligence, Set 120: Choosing a measure that fits · MAIN · Q4/5 · Outcome AI.EVAL.07 (local)

Learn
A MEASURE should match the GOAL of the task. If a tool flags rare problems, "percent correct" can mislead: if only 2 of 100 parcels are damaged, a tool that always says "fine" is 98% correct and catches nothing. Better measures look at what matters: how many damaged parcels were CAUGHT (out of all damaged ones), and how many flags were RIGHT (out of all flags). For a writing tool, the goal might be "fewer edits needed" or "readers understand it," not word count. Ask: "If this number improves, is the real goal closer?"

Which question checks a measure?

A. "Is it easy to compute?"
B. "Is the number round?"
C. "If this number improves, is the real goal closer?"
D. "Is this number large enough to look impressive?"

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-M-Q5
Artificial Intelligence, Set 120: Choosing a measure that fits · MAIN · Q5/5 · Outcome AI.EVAL.07 (local)

Learn

Judging a basketball player only by POINTS SCORED misses a lot: a defender who blocks shots and passes well helps the team win but may score little. And a player who takes 40 shots to score 20 points is not as helpful as the number suggests. The real goal is helping the team win, so coaches use several measures that connect to that goal. Measures for AI tools should connect to the real goal in the same way.

What does judging only by points miss?

A. The player's height

B. The jersey number

C. Nothing

D. Defense and passing

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-B1-Q1

Artificial Intelligence, Set 120: Choosing a measure that fits · BACKWARD 1 (concept simplification) · Q1/5 · Outcome AI.EVAL.07 (local)

Learn
Judging a basketball player only by POINTS SCORED misses a lot: a defender who blocks shots and passes well helps the team win but may score little. And a player who takes 40 shots to score 20 points is not as helpful as the number suggests. The real goal is helping the team win, so coaches use several measures that connect to that goal. Measures for AI tools should connect to the real goal in the same way.

A player who takes 40 shots to score 20 points shows what?

A. A number can look better than the reality
B. That shots do not matter
C. That defense is bad
D. That the player is the best on the team

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-B1-Q2
Artificial Intelligence, Set 120: Choosing a measure that fits · BACKWARD 1 (concept simplification) · Q2/5 · Outcome AI.EVAL.07 (local)

Learn

Judging a basketball player only by POINTS SCORED misses a lot: a defender who blocks shots and passes well helps the team win but may score little. And a player who takes 40 shots to score 20 points is not as helpful as the number suggests. The real goal is helping the team win, so coaches use several measures that connect to that goal. Measures for AI tools should connect to the real goal in the same way.

What is the real goal in basketball?

A. Being tallest

B. Helping the team win

C. Scoring as many points as possible as an individual, whatever happens to the team

D. Taking the most shots

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-B1-Q3

Artificial Intelligence, Set 120: Choosing a measure that fits · BACKWARD 1 (concept simplification) · Q3/5 · Outcome AI.EVAL.07 (local)

Learn

Judging a basketball player only by POINTS SCORED misses a lot: a defender who blocks shots and passes well helps the team win but may score little. And a player who takes 40 shots to score 20 points is not as helpful as the number suggests. The real goal is helping the team win, so coaches use several measures that connect to that goal. Measures for AI tools should connect to the real goal in the same way.

Why do coaches use several measures?

A. One number misses parts of the goal

B. To confuse players

C. Because one is illegal

D. Because coaches enjoy doing extra math

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-B1-Q4

Artificial Intelligence, Set 120: Choosing a measure that fits · BACKWARD 1 (concept simplification) · Q4/5 · Outcome AI.EVAL.07 (local)

Learn
Judging a basketball player only by POINTS SCORED misses a lot: a defender who blocks shots and passes well helps the team win but may score little. And a player who takes 40 shots to score 20 points is not as helpful as the number suggests. The real goal is helping the team win, so coaches use several measures that connect to that goal. Measures for AI tools should connect to the real goal in the same way.

What is the lesson for AI measures?

A. Use whichever single number is the largest, because larger numbers show better results

B. Never measure

C. Measure only speed

D. Connect measures to the real goal

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-B1-Q5
Artificial Intelligence, Set 120: Choosing a measure that fits · BACKWARD 1 (concept simplification) · Q5/5 · Outcome AI.EVAL.07 (local)

Learn
A MEASURE should match the GOAL of the task. If a tool flags rare problems, "percent correct" can mislead: if only 2 of 100 parcels are damaged, a tool that always says "fine" is 98% correct and catches nothing. Better measures look at what matters: how many damaged parcels were CAUGHT (out of all damaged ones), and how many flags were RIGHT (out of all flags). For a writing tool, the goal might be "fewer edits needed" or "readers understand it," not word count. Ask: "If this number improves, is the real goal closer?"

A tool flags fraudulent transactions, which are rare. Which measure is most useful?

A. Number of transactions processed
B. Average transaction size
C. Fraud cases caught and how many flags were right
D. Overall percent correct across all transactions

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-F1-Q1
Artificial Intelligence, Set 120: Choosing a measure that fits · FORWARD 1: APPLY IT · Q1/5 · Outcome AI.EVAL.07 (local)

Learn
A MEASURE should match the GOAL of the task. If a tool flags rare problems, "percent correct" can mislead: if only 2 of 100 parcels are damaged, a tool that always says "fine" is 98% correct and catches nothing. Better measures look at what matters: how many damaged parcels were CAUGHT (out of all damaged ones), and how many flags were RIGHT (out of all flags). For a writing tool, the goal might be "fewer edits needed" or "readers understand it," not word count. Ask: "If this number improves, is the real goal closer?"

A writing helper aims to save staff time. Which measure fits best?

A. Number of fonts used
B. Minutes spent editing its drafts
C. Number of emojis
D. Number of words in each draft

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-F1-Q2
Artificial Intelligence, Set 120: Choosing a measure that fits · FORWARD 1: APPLY IT · Q2/5 · Outcome AI.EVAL.07 (local)

Learn
A MEASURE should match the GOAL of the task. If a tool flags rare problems, "percent correct" can mislead: if only 2 of 100 parcels are damaged, a tool that always says "fine" is 98% correct and catches nothing. Better measures look at what matters: how many damaged parcels were CAUGHT (out of all damaged ones), and how many flags were RIGHT (out of all flags). For a writing tool, the goal might be "fewer edits needed" or "readers understand it," not word count. Ask: "If this number improves, is the real goal closer?"

A tool flags 10 parcels as damaged; 8 really are. What fraction of flags were right?

A. 8 out of 10

B. 10 out of 8

C. 8 out of 100

D. 2 out of 10

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-F1-Q3
Artificial Intelligence, Set 120: Choosing a measure that fits · FORWARD 1: APPLY IT · Q3/5 · Outcome AI.EVAL.07 (local)

Learn
A MEASURE should match the GOAL of the task. If a tool flags rare problems, "percent correct" can mislead: if only 2 of 100 parcels are damaged, a tool that always says "fine" is 98% correct and catches nothing. Better measures look at what matters: how many damaged parcels were CAUGHT (out of all damaged ones), and how many flags were RIGHT (out of all flags). For a writing tool, the goal might be "fewer edits needed" or "readers understand it," not word count. Ask: "If this number improves, is the real goal closer?"

There were 16 damaged parcels in total, and the tool caught 8. What fraction did it catch?

A. A quarter
B. Half
C. None
D. All of them

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-F1-Q4
Artificial Intelligence, Set 120: Choosing a measure that fits · FORWARD 1: APPLY IT · Q4/5 · Outcome AI.EVAL.07 (local)

Learn
A MEASURE should match the GOAL of the task. If a tool flags rare problems, "percent correct" can mislead: if only 2 of 100 parcels are damaged, a tool that always says "fine" is 98% correct and catches nothing. Better measures look at what matters: how many damaged parcels were CAUGHT (out of all damaged ones), and how many flags were RIGHT (out of all flags). For a writing tool, the goal might be "fewer edits needed" or "readers understand it," not word count. Ask: "If this number improves, is the real goal closer?"

A translation tool is measured by speed only. What important goal is missing?

A. The tool's color
B. The number of languages listed
C. Nothing is missing
D. Whether translations are accurate

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-F1-Q5
Artificial Intelligence, Set 120: Choosing a measure that fits · FORWARD 1: APPLY IT · Q5/5 · Outcome AI.EVAL.07 (local)

Learn
When a measure becomes a target, people and systems can improve the number without improving the goal: a help desk measured on "tickets closed" may close tickets without solving problems. Use more than one measure, include one that reflects real outcomes (such as customers who did not need to contact you again), and look at examples behind the numbers.

A help desk is measured on "tickets closed," and staff close tickets without solving problems. What happened?

A. The goal improved a lot, because closing more tickets always means more problems are solved

B. Nothing unusual

C. The number improved without the goal improving

D. The measure is perfect

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-F2-Q1
Artificial Intelligence, Set 120: Choosing a measure that fits · FORWARD 2: HANDLE THE COMPLICATIONS · Q1/5 · Outcome AI.EVAL.07 (local)

Learn
When a measure becomes a target, people and systems can improve the number without improving the goal: a help desk measured on "tickets closed" may close tickets without solving problems. Use more than one measure, include one that reflects real outcomes (such as customers who did not need to contact you again), and look at examples behind the numbers.

Which measure better reflects real outcomes for a help desk?

A. Number of tickets opened, since more tickets always mean that the help desk is doing better

B. Average ticket length

C. Number of staff

D. Customers who did not need to contact again

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-F2-Q2
Artificial Intelligence, Set 120: Choosing a measure that fits · FORWARD 2: HANDLE THE COMPLICATIONS · Q2/5 · Outcome AI.EVAL.07 (local)

Learn
When a measure becomes a target, people and systems can improve the number without improving the goal: a help desk measured on "tickets closed" may close tickets without solving problems. Use more than one measure, include one that reflects real outcomes (such as customers who did not need to contact you again), and look at examples behind the numbers.

Why use more than one measure?

A. One number can be gamed or miss parts of the goal

B. To confuse people

C. Because using one measure is not allowed and every organization must track exactly ten

D. To make reports longer

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-F2-Q3
Artificial Intelligence, Set 120: Choosing a measure that fits · FORWARD 2: HANDLE THE COMPLICATIONS · Q3/5 · Outcome AI.EVAL.07 (local)

Learn
When a measure becomes a target, people and systems can improve the number without improving the goal: a help desk measured on "tickets closed" may close tickets without solving problems. Use more than one measure, include one that reflects real outcomes (such as customers who did not need to contact you again), and look at examples behind the numbers.

Besides numbers, what should you look at?

A. Only the logo

B. Examples behind the numbers

C. Only the price

D. Nothing else, since numbers always tell the full story about how a tool is performing

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-F2-Q4
Artificial Intelligence, Set 120: Choosing a measure that fits · FORWARD 2: HANDLE THE COMPLICATIONS · Q4/5 · Outcome AI.EVAL.07 (local)

Learn
When a measure becomes a target, people and systems can improve the number without improving the goal: a help desk measured on "tickets closed" may close tickets without solving problems. Use more than one measure, include one that reflects real outcomes (such as customers who did not need to contact you again), and look at examples behind the numbers.

A summarizer is rewarded for shorter summaries and starts dropping key facts. What should change?

A. Ignore the dropped facts

B. Reward even shorter summaries, since shortness is the main goal of every summary

C. Add a measure for including key facts

D. Remove all measures

REFERENCE LABEL: NOT PART OF THE QUESTION ID S120-F2-Q5
Artificial Intelligence, Set 120: Choosing a measure that fits · FORWARD 2: HANDLE THE COMPLICATIONS · Q5/5 · Outcome AI.EVAL.07 (local)