S120-F2-Q5 · question page 2520

AI.EVAL.07 · Prevent gaming of measures

A summarizer is rewarded for shorter summaries and starts dropping key facts. What should change?

Answer: C. Add a measure for including key facts

Balance measures.

- ✗ A. Ignore the dropped facts: misses the goal
- ✗ B. Reward even shorter summaries, since shortness is the main goal of every summary: worsens it
- ✗ D. Remove all measures: no guidance

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-M-Q1 · question page 2522

AI.FAIR.01 · Explain how data can build in bias

Why can problems in training data become problems in a model?

Answer: B. Models learn patterns from the data

Patterns in, patterns out.

- ✗ A. Models only use the internet: no
- ✗ C. Data is deleted after training: not the point
- ✗ D. Models ignore their training data: they learn from data

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-M-Q2 · question page 2523

AI.FAIR.01 · Explain how data can build in bias

What is unrepresentative data?

Answer: C. Data that leaves out or underrepresents some groups

Missing groups.

- ✗ A. Data with numbers: no
- ✗ B. Data stored in the cloud: no
- ✗ D. Data that has been checked carefully and includes every group: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-M-Q3 · question page 2524

AI.FAIR.01 · Explain how data can build in bias

A skin tool trained mostly on light skin works worse on dark skin. What kind of problem is this?

Answer: D. Unrepresentative data

Underrepresented group.

- ✗ A. A formatting error: no
- ✗ B. A slow computer: no
- ✗ C. Historical data that recorded past unfair decisions about which patients received treatment: not stated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-M-Q4 · question page 2525

AI.FAIR.01 · Explain how data can build in bias

A model trained on past promotions favors the group promoted most before. What kind of problem is this?

Answer: A. Historical bias in the data

Past patterns repeated.

- ✗ B. A fair result: repeats unfairness
- ✗ C. A software bug: not the cause
- ✗ D. Unrepresentative data: not stated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-M-Q5 · question page 2526

AI.FAIR.01 · Explain how data can build in bias

Is the model "deciding" to be unfair?

Answer: B. No; it repeats patterns in the data

Patterns, not intent.

- ✗ A. Yes, but only sometimes: no
- ✗ C. Only on weekends: no
- ✗ D. Yes; models choose to be unfair on purpose: no intent

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-B1-Q1 · question page 2527

AI.FAIR.01 · Compare biased data with learning a language from one town

What would you pick up from one town?

Answer: D. Its accent and local habits

What you hear.

- ✗ A. Every accent and every way of speaking English in the whole world, equally well: too broad
- ✗ B. Nothing: you learn some
- ✗ C. Only grammar rules: more than that

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-B1-Q2 · question page 2528

AI.FAIR.01 · Compare biased data with learning a language from one town

Why might you struggle with people from elsewhere?

Answer: C. You rarely heard their way of speaking

Limited exposure.

- ✗ A. Because they talk fast: not the main reason
- ✗ B. Because people from other places always speak incorrectly and cannot be understood: not the reason
- ✗ D. Because English is hard: too vague

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-B1-Q3 · question page 2529

AI.FAIR.01 · Compare biased data with learning a language from one town

A model trained on limited data is like what?

Answer: A. Learning from one town

Skewed exposure.

- ✗ B. Taking a test: no
- ✗ C. Reading a dictionary: no
- ✗ D. Learning from people: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-B1-Q4 · question page 2530

AI.FAIR.01 · Compare biased data with learning a language from one town

Is other English "wrong" in the comparison?

Answer: B. No

Different, not wrong.

- ✗ A. Yes, partly: no
- ✗ C. It depends on the weather: no
- ✗ D. Yes, because the town's English is the only correct kind of English that exists: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-B1-Q5 · question page 2531

AI.FAIR.01 · Compare biased data with learning a language from one town

What is the lesson for models?

Answer: C. They do worse on what they rarely saw

Exposure shapes performance.

- ✗ A. They never learn: they learn
- ✗ B. They only learn accents: no
- ✗ D. They do equally well on everything: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-F1-Q1 · question page 2532

AI.FAIR.01 · Spot data-driven bias in practice

A voice assistant was trained mostly on adult voices. Who might it work worse for?

Answer: D. Children

Underrepresented voices.

- ✗ A. No one: some groups
- ✗ B. Everyone equally: not likely
- ✗ C. Adults with deep voices, since the training included far too many deep adult voices: well represented

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-F1-Q2 · question page 2533

AI.FAIR.01 · Spot data-driven bias in practice

A hiring model is trained on 10 years of hires from a company that rarely hired women. What risk follows?

Answer: A. It may learn to favor men

Historical patterns.

- ✗ B. It will stop working: not the risk
- ✗ C. It will hire only women: not likely
- ✗ D. No risk: historical bias

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-F1-Q3 · question page 2534

AI.FAIR.01 · Spot data-driven bias in practice

A photo tool trained mostly on pictures from one country misreads street signs from another. Why?

Answer: B. Its data underrepresented other places

Limited data.

- ✗ A. Because photos are blurry: not the cause
- ✗ C. Because signs change daily: no
- ✗ D. Because street signs in other countries are always written incorrectly by local governments: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-F1-Q4 · question page 2535

AI.FAIR.01 · Spot data-driven bias in practice

What is a first step to reduce data-driven bias?

Answer: A. Check who is and is not represented in the data

Examine the data.

- ✗ B. Delete the model's name: no
- ✗ C. Make the model faster: no
- ✗ D. Train the model on even more data from the same narrow source it was trained on before: same gap

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-F1-Q5 · question page 2536

AI.FAIR.01 · Spot data-driven bias in practice

A model repeats a past unfair pattern. Who is responsible for checking this?

Answer: C. The people who build and use it

Human responsibility.

- ✗ A. The data itself: not a person
- ✗ B. Nobody, since a model that repeats patterns cannot be anyone's responsibility at all: people are
- ✗ D. The computer: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-F2-Q1 · question page 2537

AI.FAIR.01 · Trace bias beyond data collection

Labelers assume all nurses are women and label photos that way. Where did bias enter?

Answer: D. In the labels

Labeler assumptions.

- ✗ A. Nowhere: it entered
- ✗ B. In the font: no
- ✗ C. In the computer hardware, which adds its own assumptions to every photo label: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-F2-Q2 · question page 2538

AI.FAIR.01 · Trace bias beyond data collection

Why is "past arrests" a poor stand-in for "crimes committed"?

Answer: C. Arrests also reflect where police patrol

Proxy target.

- ✗ A. Because arrests and crimes are exactly the same thing, so using either one is equally fine: they differ
- ✗ B. Because crimes are not recorded: not the point
- ✗ D. Because arrests are rare: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-F2-Q3 · question page 2539

AI.FAIR.01 · Trace bias beyond data collection

Is deleting one column usually enough to fix bias?

Answer: D. No; it usually takes more

Not a quick fix.

- ✗ A. Yes, if it is the first column: no
- ✗ B. Only for small models: no
- ✗ C. Yes: too simple

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-F2-Q4 · question page 2540

AI.FAIR.01 · Trace bias beyond data collection

What helps reduce bias over time?

Answer: A. Testing across groups and ongoing monitoring

Continuous checks.

- ✗ B. Hiding results: worse
- ✗ C. Using one test example: too few
- ✗ D. Checking once on launch day and never looking again: can drift

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S121-F2-Q5 · question page 2541

AI.FAIR.01 · Trace bias beyond data collection

At which steps can bias enter?

Answer: B. Data, labels, goals and use

Many steps.

- ✗ A. Only in the final report: no
- ✗ C. Nowhere: it can
- ✗ D. Only during data collection: not only

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S122-M-Q1 · question page 2543

AI.FAIR.02 · Compare error rates across groups and describe a disparity accurately

What is an error rate?

Answer: C. The share of cases a system gets wrong

Wrong out of total.

- ✗ A. The price of errors: no
- ✗ B. The speed of a system: no
- ✗ D. The total number of people who used the system on a single day: not a rate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-M-Q2 · question page 2544

AI.FAIR.02 · Compare error rates across groups and describe a disparity accurately

In this prepared example, how many times higher is Group B's error rate?

Prepared example (fictional results for one system)

Group	Tests	Errors	Error rate
Group A	200	10	5%
Group B	200	40	20%

Answer: A. 4 times

20% / 5% = 4.

- ✗ B. 15 times: that is points
- ✗ C. 20 times: no
- ✗ D. 2 times: same tests

Arithmetic checked by code: yes. Code example run and its output checked: not applicable.
Sources: fair_gendershades; fair_asr

S122-M-Q3 · question page 2545

AI.FAIR.02 · Compare error rates across groups and describe a disparity accurately

In the same example, what is the gap in percentage points?

Prepared example (fictional results for one system)

Group	Tests	Errors	Error rate
Group A	200	10	5%
Group B	200	40	20%

Answer: D. 15

20 - 5 = 15.

✗ A. 4, since Group B has four times the error rate of Group A in this example: that is a ratio

✗ B. 30: no

✗ C. 25: added

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-M-Q4 · question page 2546

AI.FAIR.02 · Compare error rates across groups and describe a disparity accurately

What did "Gender Shades" (2018) find?

Answer: B. Much higher error rates for darker-skinned women

Up to 34.7% versus at most 0.8%.

- ✗ A. Equal error rates for every group, which showed the systems were already perfectly fair: not the finding
- ✗ C. Errors only for men: no
- ✗ D. No errors at all: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-M-Q5 · question page 2547

AI.FAIR.02 · Compare error rates across groups and describe a disparity accurately

What do such findings describe?

Answer: C. Those systems at that time

Dated, specific findings.

- ✗ A. Only future systems: no
- ✗ B. Every AI system that will ever be built, now and in the future, in every country: too broad
- ✗ D. Nothing measurable: they measured

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-B1-Q1 · question page 2548

AI.FAIR.02 · Compute and compare error rates

What is Group X's error rate?

Answer: B. 6%

6 / 100.

- ✗ A. 18%: that is Y
- ✗ C. 12%: that is the gap
- ✗ D. 94%: that is accuracy

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-B1-Q2 · question page 2549

AI.FAIR.02 · Compute and compare error rates

What is the difference in percentage points?

Answer: D. 12

18 - 6 = 12.

- ✗ A. 6: no
- ✗ B. 3, because Group Y has three times as many errors as Group X on the same words: that is ratio
- ✗ C. 24: added

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-B1-Q3 · question page 2550

AI.FAIR.02 · Compute and compare error rates

What is the ratio?

Answer: A. 3 times

18 / 6 = 3.

- ✗ B. 6 times: no
- ✗ C. 2 times: no
- ✗ D. 12 times: that is difference

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-B1-Q4 · question page 2551

AI.FAIR.02 · Compute and compare error rates

Which description is accurate?

Answer: D. "Y's error rate is 12 points higher (18% vs 6%)."

Numbers given.

- ✗ A. "Y always fails, while X never has any problems with the app at all.": overstated
- ✗ B. "There is no difference.": false
- ✗ C. "X is 3 times worse.": reversed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-B1-Q5 · question page 2552

AI.FAIR.02 · Compute and compare error rates

Why report the numbers too?

Answer: C. So readers can judge the gap

Transparency.

- ✗ A. Because words are not allowed: no
- ✗ B. To hide the gap: no
- ✗ D. Because numbers make the report longer, which shows that more work went into it: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-F1-Q1 · question page 2553

AI.FAIR.02 · Describe measured disparities in practice

The 2020 speech study found average word error rates of 0.35 and 0.19. What is the difference?

Answer: A. 0.16

0.35 - 0.19 = 0.16.

- ✗ B. 0.19: one value
- ✗ C. 1.84: that is roughly the ratio
- ✗ D. 0.54: subtract

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-F1-Q2 · question page 2554

AI.FAIR.02 · Describe measured disparities in practice

Which statement about that study is accurate?

Answer: B. The five tested systems erred more for Black speakers

Specific, dated.

- ✗ A. The systems had no errors: false
- ✗ C. The study tested one system: five systems
- ✗ D. Every speech system in the world makes more errors: overstated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-F1-Q3 · question page 2555

AI.FAIR.02 · Describe measured disparities in practice

A company says, "Our average error rate is only 3%." What should you ask?

Answer: D. "What is the rate for each group?"

Averages can hide gaps.

- ✗ A. "How many staff do you have?": irrelevant
- ✗ B. "What color is the app?": irrelevant
- ✗ C. "Is three percent a round number?": irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-F1-Q4 · question page 2556

AI.FAIR.02 · Describe measured disparities in practice

A tool errs on 2 of 50 cases for Group A and 10 of 50 for Group B. What are the rates?

Answer: A. 4% and 20%

2/50 and 10/50.

- ✗ B. 8% and 12%: no
- ✗ C. 20% and 4%: reversed
- ✗ D. 2% and 10%: divide by 50

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-F1-Q5 · question page 2557

AI.FAIR.02 · Describe measured disparities in practice

A 2018 finding is cited about a system updated in 2025. What is the careful approach?

Answer: B. Look for newer tests

Evidence is dated.

- ✗ A. Assume the problem is fixed: needs evidence
- ✗ C. Assume the 2018 finding still applies exactly, since systems never change after release: they change
- ✗ D. Ignore both: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-F2-Q1 · question page 2558

AI.FAIR.02 · Avoid overstating or dismissing disparities

Which statement overstates a finding?

Answer: C. "All AI is biased against this group."

Too broad.

- ✗ A. "In this 2020 study, five systems had higher error rates for one group of speakers.": accurate
- ✗ B. "Newer tests may differ.": accurate
- ✗ D. "The tested system erred more for Group B.": accurate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-F2-Q2 · question page 2559

AI.FAIR.02 · Avoid overstating or dismissing disparities

Which statement dismisses a finding without evidence?

Answer: D. "That was years ago; it's fixed now."

Claim without evidence.

- ✗ A. "The study was about those systems.": accurate
- ✗ B. "We should retest.": reasonable
- ✗ C. "A 2024 retest of the same systems found the gap had narrowed to 3 points.": evidence given

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-F2-Q3 · question page 2560

AI.FAIR.02 · Avoid overstating or dismissing disparities

"Twice the error rate" and "10 points higher" can describe the same gap when rates are...

Answer: C. 10% and 20%

20/10 = 2 and 20 - 10 = 10.

- ✗ A. 1% and 2%: that is 1 point
- ✗ B. 20% and 40%: that is 20 points
- ✗ D. 5% and 10%: that is 5 points

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-F2-Q4 · question page 2561

AI.FAIR.02 · Avoid overstating or dismissing disparities

What three things should a disparity description name?

Answer: A. Which systems, when, and what was measured

Specific and dated.

- ✗ B. Only the year: not enough
- ✗ C. Only the company's name, since that is enough for readers to judge any disparity: not enough
- ✗ D. Only the biggest number: not enough

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S122-F2-Q5 · question page 2562

AI.FAIR.02 · Avoid overstating or dismissing disparities

Why might newer tests show different gaps?

Answer: B. Systems change over time

Systems are updated.

- ✗ A. Because groups change: not the main reason
- ✗ C. Because numbers expire: no
- ✗ D. Because older tests are always wrong and should never be cited again by anyone: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_gendershades; fair_asr

S123-M-Q1 · question page 2564

AI.FAIR.03 · Recognize a proxy for a protected trait

What is a proxy in this context?

Answer: C. An input that stands in for something else

Stand-in input.

- ✗ A. A password: no
- ✗ B. A computer server: other meaning
- ✗ D. A person who votes for someone else: other meaning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-M-Q2 · question page 2565

AI.FAIR.03 · Recognize a proxy for a protected trait

Which is a protected trait?

Answer: D. Age

Covered by anti-discrimination rules.

- ✗ A. Shoe size: not protected
- ✗ B. Favorite food: not protected
- ✗ C. Favorite color: not protected

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-M-Q3 · question page 2566

AI.FAIR.03 · Recognize a proxy for a protected trait

Why does removing the protected trait not always prevent bias?

Answer: B. A proxy may remain

Stand-ins carry the pattern.

- ✗ A. Because traits are not real: no
- ✗ C. Because removal is impossible: it is possible
- ✗ D. Because computers can see protected traits directly in every piece of data they are given: not how

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-M-Q4 · question page 2567

AI.FAIR.03 · Recognize a proxy for a protected trait

How can ZIP code act as a proxy?

Answer: A. Neighborhoods can be segregated by race

Location reflects demographics.

- ✗ B. ZIP codes contain each person's race written directly into the numbers: not literally
- ✗ C. ZIP codes are random: not random
- ✗ D. ZIP codes show income exactly: not exactly

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-M-Q5 · question page 2568

AI.FAIR.03 · Recognize a proxy for a protected trait

What did the Illinois amendment (effective January 1, 2026) bar?

Answer: C. Using ZIP codes as a proxy in AI hiring decisions

A specific rule.

- ✗ A. Mailing letters: no
- ✗ B. All hiring: no
- ✗ D. Using any kind of computer in the workplace: too broad

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-B1-Q1 · question page 2569

AI.FAIR.03 · Compare a proxy with guessing someone's age from their music

In the example, what is the proxy?

Answer: A. Favorite radio station

Stands in for age.

- ✗ B. Age, which is the trait that was written on the form in the very first place: that is the trait
- ✗ C. The form: no
- ✗ D. The music: not specific

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-B1-Q2 · question page 2570

AI.FAIR.03 · Compare a proxy with guessing someone's age from their music

What trait does the proxy point to?

Answer: D. Age

The hidden trait.

- ✗ A. Eye color: no
- ✗ B. Favorite food: no
- ✗ C. Height: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-B1-Q3 · question page 2571

AI.FAIR.03 · Compare a proxy with guessing someone's age from their music

Removing "age" from the form did what?

Answer: B. Did not fully hide age

Proxy remains.

- ✗ A. Made it impossible to guess anyone's age from any other answer on the form: proxy remains
- ✗ C. Removed the radio: no
- ✗ D. Changed everyone's age: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-B1-Q4 · question page 2572

AI.FAIR.03 · Compare a proxy with guessing someone's age from their music

What might a model do with a proxy?

Answer: A. Repeat unfair patterns

Hidden bias.

- ✗ B. Become perfectly fair automatically, since the protected trait itself was removed: not guaranteed
- ✗ C. Ignore the proxy: not necessarily
- ✗ D. Delete itself: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-B1-Q5 · question page 2573

AI.FAIR.03 · Compare a proxy with guessing someone's age from their music

What is the lesson?

Answer: D. Removing a trait is not enough if proxies remain

Look for proxies.

- ✗ A. Forms are always biased: too broad
- ✗ B. Never collect radio station preferences, since radio is the main source of bias: too narrow
- ✗ C. Age does not matter: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-F1-Q1 · question page 2574

AI.FAIR.03 · Spot proxies in practice

A loan model excludes race but uses the applicant's neighborhood. What should reviewers check?

Answer: C. Whether neighborhood acts as a proxy for race

Possible proxy.

- ✗ A. Only the interest rate: not enough
- ✗ B. Only the loan size: not enough
- ✗ D. Nothing, because excluding race from the inputs proves the model is fair to everyone: proxy risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-F1-Q2 · question page 2575

AI.FAIR.03 · Spot proxies in practice

A hiring model penalizes résumé gaps. Which protected trait might this act as a proxy for?

Answer: B. Sex, through caregiving

Caregiving gaps.

- ✗ A. Typing speed: no
- ✗ C. Height: no
- ✗ D. Favorite sports team: not protected

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-F1-Q3 · question page 2576

AI.FAIR.03 · Spot proxies in practice

Which input is most likely a proxy for age?

Answer: A. Year of high school graduation

Closely tied to age.

- ✗ B. Favorite color: no
- ✗ C. Shoe brand: weak link
- ✗ D. Number of words typed per minute: weak link

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-F1-Q4 · question page 2577

AI.FAIR.03 · Spot proxies in practice

An Illinois employer uses ZIP codes as a proxy for race in an AI hiring tool in 2026. What applies?

Answer: B. The amended Illinois Human Rights Act bars it

Dated state rule.

- ✗ A. Only a federal tax rule: not the rule
- ✗ C. A traffic law: no
- ✗ D. Nothing, since ZIP codes are just numbers: law covers it

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-F1-Q5 · question page 2578

AI.FAIR.03 · Spot proxies in practice

What should a team be ready to explain about each input?

Answer: C. Why it is needed for the task

Justify inputs.

- ✗ A. Its font: irrelevant
- ✗ B. Its file size: irrelevant
- ✗ D. Nothing, since inputs to models are private and teams never need to explain them: accountability

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-F2-Q1 · question page 2579

AI.FAIR.03 · Handle hidden and mixed proxies

Shopping habits, first names and commute times together reveal a protected trait. What does this show?

Answer: D. Combinations can act as proxies

Combined proxies.

- ✗ A. That proxies do not exist: they do
- ✗ B. That shopping is protected: no
- ✗ C. That each input is a proxy: together

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-F2-Q2 · question page 2580

AI.FAIR.03 · Handle hidden and mixed proxies

An input carries real task information and is also a proxy. What makes this hard?

Answer: C. Removing it may lose useful information

A real trade-off.

- ✗ A. It is illegal to discuss: no
- ✗ B. It has no effect: it does
- ✗ D. Nothing, because useful inputs can never also act as proxies for a protected trait: they can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-F2-Q3 · question page 2581

AI.FAIR.03 · Handle hidden and mixed proxies

Protected traits are not used as inputs. Should outcomes still be tested across groups?

Answer: D. Yes

Test outcomes.

- ✗ A. Only for large companies: not only
- ✗ B. No, because a model without protected traits as inputs is always fair to every group: proxies
- ✗ C. Only once: ongoing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-F2-Q4 · question page 2582

AI.FAIR.03 · Handle hidden and mixed proxies

Even after protected-trait columns are removed, which is a useful first check for possible unequal outcomes?

Answer: B. Compare outcomes across groups

Comparing outcomes shows gaps worth investigating; it does not by itself prove which input causes them.

- ✗ A. Remove all inputs: not practical
- ✗ C. Ask the model: not reliable
- ✗ D. Read the input names quickly: misses them

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S123-F2-Q5 · question page 2583

AI.FAIR.03 · Handle hidden and mixed proxies

Who should decide what to do about a useful proxy?

Answer: A. People who can explain and answer for the choice

Accountable humans.

- ✗ B. A random vote: no
- ✗ C. Nobody: someone must
- ✗ D. The model, which should decide by itself: not accountable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_illinois

S124-M-Q1 · question page 2585

AI.FAIR.04 · Explain that fairness goals can conflict and require a decision

One kind of "equal error rates" is equal false-positive rates. What does it aim for?

Answer: A. The same chance of being wrongly flagged in each group

The same chance of a wrong flag in each group.

- ✗ B. Faster answers: no
- ✗ C. No errors at all: not the goal
- ✗ D. Exactly the same number of people approved in each group: that is selection

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-M-Q2 · question page 2586

AI.FAIR.04 · Explain that fairness goals can conflict and require a decision

What does "equal selection rates" aim for?

Answer: B. Each group approved at the same rate

Equal approvals.

- ✗ A. A score that means the same in each group: calibration
- ✗ C. Fewer applications: no
- ✗ D. The same chance of being wrongly flagged by the system in each of the groups: that is error rates

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-M-Q3 · question page 2587

AI.FAIR.04 · Explain that fairness goals can conflict and require a decision

What does calibration mean here?

Answer: D. A score means the same thing for every group

Consistent meaning.

- ✗ A. A tool is fast: no
- ✗ B. A tool is cheap: no
- ✗ C. Every group receives exactly the same score: not calibration

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-M-Q4 · question page 2588

AI.FAIR.04 · Explain that fairness goals can conflict and require a decision

Can all these goals usually be met at once when groups differ?

Answer: C. Usually not

They conflict.

- ✗ A. Only on weekends: no
- ✗ B. Yes, with more data: not generally
- ✗ D. Yes: shown otherwise

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-M-Q5 · question page 2589

AI.FAIR.04 · Explain that fairness goals can conflict and require a decision

So what is choosing a fairness goal?

Answer: B. A decision about values people must make

Human judgment.

- ✗ A. A purely technical setting that a computer chooses automatically with no human input: values involved
- ✗ C. Unimportant: it matters
- ✗ D. Impossible: it is possible

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-B1-Q1 · question page 2590

AI.FAIR.04 · Compare fairness goals with splitting a pizza

How many ideas of fair are in the example?

Answer: D. Three

Equal, need, payment.

- ✗ A. Two: three
- ✗ B. None: three
- ✗ C. One: several

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-B1-Q2 · question page 2591

AI.FAIR.04 · Compare fairness goals with splitting a pizza

Can all three ideas be met at once when people differ?

Answer: C. No

They conflict.

- ✗ A. Yes, always: no
- ✗ B. Only for large pizzas: no
- ✗ D. Yes, by cutting the pizza into a very large number of tiny slices for everyone: still conflicts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-B1-Q3 · question page 2592

AI.FAIR.04 · Compare fairness goals with splitting a pizza

Who decides which idea to use?

Answer: A. The group

People decide.

- ✗ B. The oven: no
- ✗ C. Nobody: someone decides
- ✗ D. The pizza: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-B1-Q4 · question page 2593

AI.FAIR.04 · Compare fairness goals with splitting a pizza

Is any of the three ideas unreasonable?

Answer: C. No; each is reasonable

Reasonable disagreement.

- ✗ A. Only equal slices is reasonable: not settled
- ✗ B. Only payment is reasonable: not settled
- ✗ D. Yes, all three are unreasonable: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-B1-Q5 · question page 2594

AI.FAIR.04 · Compare fairness goals with splitting a pizza

What is the lesson for AI fairness?

Answer: D. Different goals conflict; people must choose and explain

A values decision.

- ✗ A. There is one correct fairness formula that every AI system should always use: not settled
- ✗ B. Pizza is unfair: no
- ✗ C. Fairness does not matter: it does

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-F1-Q1 · question page 2595

AI.FAIR.04 · Reason about fairness goals in practice

A scholarship tool is tuned so each group is selected at the same rate. Which goal is this?

Answer: B. Equal selection rates

Same approval rate.

- ✗ A. No goal: it has one
- ✗ C. Equal error rates: not stated
- ✗ D. Calibration: not stated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-F1-Q2 · question page 2596

AI.FAIR.04 · Reason about fairness goals in practice

A fraud tool is tuned so innocent people in each group are wrongly flagged equally often. Which goal?

Answer: A. Equal false-positive rates

Equal false flags.

- ✗ B. Calibration: not stated
- ✗ C. Equal selection rates: not stated
- ✗ D. None: it has one

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-F1-Q3 · question page 2597

AI.FAIR.04 · Reason about fairness goals in practice

A team announces its tool is "fair" without saying which goal. What should you ask?

Answer: C. "Fair by which definition?"

Definitions differ.

- ✗ A. "Who designed the logo?": irrelevant
- ✗ B. "Does fair mean the tool is fast and cheap enough for every customer to use it daily?": not fairness
- ✗ D. "Is it new?": irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-F1-Q4 · question page 2598

AI.FAIR.04 · Reason about fairness goals in practice

Improving equal selection rates makes error rates less equal. What is this?

Answer: A. A trade-off between goals

Goals conflict.

- ✗ B. Proof fairness is impossible: too strong
- ✗ C. A sign the tool is broken: not necessarily
- ✗ D. A bug that will always be fixed by the next software update without any other changes: not a bug

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-F1-Q5 · question page 2599

AI.FAIR.04 · Reason about fairness goals in practice

Which statement fits this course's approach?

Answer: B. The choice of goal is open; explain whichever is chosen

Transparency, not a verdict.

- ✗ A. Equal error rates is always right: not settled
- ✗ C. Fairness goals never matter: no
- ✗ D. Equal selection rates is the only correct fairness goal: not settled

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-F2-Q1 · question page 2600

AI.FAIR.04 · Make fairness choices transparent

What should a team disclose about its fairness choice?

Answer: D. Which goal, why, who was consulted and the trade-offs

Full explanation.

- ✗ A. Only the goal name: incomplete
- ✗ B. Nothing at all, because fairness choices are trade secrets that must never be shared: transparency
- ✗ C. Only the date: incomplete

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-F2-Q2 · question page 2601

AI.FAIR.04 · Make fairness choices transparent

Do reasonable people disagree about which fairness goal matters most?

Answer: B. Yes

Ongoing disagreement.

- ✗ A. Only in movies: no
- ✗ C. Only about pizza: no
- ✗ D. No, every expert in the world agrees on one single fairness goal for every situation: they disagree

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-F2-Q3 · question page 2602

AI.FAIR.04 · Make fairness choices transparent

Can laws affect which fairness goals apply?

Answer: D. Yes, in some areas such as hiring and lending

Legal requirements.

- ✗ A. No, because laws never say anything at all about fairness in decisions made with AI tools: they can
- ✗ B. Only outside the US: no
- ✗ C. Only for games: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-F2-Q4 · question page 2603

AI.FAIR.04 · Make fairness choices transparent

When should a fairness choice be revisited?

Answer: A. As evidence and circumstances change

Ongoing review.

- ✗ B. Only if sued: too late
- ✗ C. Never, since a fairness choice made once is correct forever in every possible situation: should revisit
- ✗ D. Every minute: excessive

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S124-F2-Q5 · question page 2604

AI.FAIR.04 · Make fairness choices transparent

Who should be consulted about a fairness choice?

Answer: C. People affected by the decisions

Include affected people.

- ✗ A. Only investors: too narrow
- ✗ B. No one: consultation helps
- ✗ D. Only the engineers who built the system, since nobody else understands fairness: too narrow

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-M-Q1 · question page 2606

AI.FAIR.05 · Explain why one accuracy score can hide problems and plan inclusive testing

In this prepared example, what is the overall accuracy?

Prepared example (fictional results)

Group	Tests	Correct	Accuracy
Large group	900	882	98%
Small group	100	70	70%
All	1,000	952	95.2%

Answer: C. 95.2%

952 / 1,000.

- ✗ A. 70%: one group
- ✗ B. 98%: one group
- ✗ D. 84%: unweighted

Arithmetic checked by code: yes. Code example run and its output checked: not applicable.
Sources: none (stable)

S125-M-Q2 · question page 2607

AI.FAIR.05 · Explain why one accuracy score can hide problems and plan inclusive testing

In the same example, why is the overall score close to 98%?

Prepared example (fictional results)

Group	Tests	Correct	Accuracy
Large group	900	882	98%
Small group	100	70	70%
All	1,000	952	95.2%

Answer: B. The large group dominates the average

Weighted by size.

- ✗ A. Because accuracy is always high: no
- ✗ C. Because the small group's results are not included anywhere in the overall total: they are included
- ✗ D. Because 70% rounds up: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-M-Q3 · question page 2608

AI.FAIR.05 · Explain why one accuracy score can hide problems and plan inclusive testing

What can a single overall score hide?

Answer: D. Poor results for some groups or cases

Averages hide gaps.

- ✗ A. Nothing at all, since one number always tells you everything about how a tool performs: it can hide
- ✗ B. Only the tool's price: no
- ✗ C. Only its speed: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-M-Q4 · question page 2609

AI.FAIR.05 · Explain why one accuracy score can hide problems and plan inclusive testing

What does inclusive testing do?

Answer: A. Breaks results down by group, situation and case

Disaggregated results.

- ✗ B. Tests only the largest group: not inclusive
- ✗ C. Skips rare cases: not inclusive
- ✗ D. Combines all results into one single number: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-M-Q5 · question page 2610

AI.FAIR.05 · Explain why one accuracy score can hide problems and plan inclusive testing

Which cases deserve special checking?

Answer: B. Those where errors cause the most harm

High-harm cases.

- ✗ A. Only the most common ones: misses rare
- ✗ C. None: some do
- ✗ D. Those that are easiest for the tool: low value

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-B1-Q1 · question page 2611

AI.FAIR.05 · Compare an overall score with a class average

What does the 85% average hide?

Answer: D. Three students who are struggling

Hidden low scores.

- ✗ A. The test date: no
- ✗ B. That every student in the class scored exactly eighty-five percent on the test: not true
- ✗ C. The teacher's name: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-B1-Q2 · question page 2612

AI.FAIR.05 · Compare an overall score with a class average

Why does the average still look good?

Answer: C. Most students scored high

Majority dominates.

- ✗ A. Because 40 is close to 85: no
- ✗ B. Because the low scores were not counted, since only high scores go into an average: they count
- ✗ D. Because the test was easy: not stated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-B1-Q3 · question page 2613

AI.FAIR.05 · Compare an overall score with a class average

Who would the teacher miss by looking only at the average?

Answer: A. The struggling students

The minority.

- ✗ B. The principal: no
- ✗ C. The students who scored about ninety percent, since they are hidden by the average: reversed
- ✗ D. Nobody: some are missed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-B1-Q4 · question page 2614

AI.FAIR.05 · Compare an overall score with a class average

In AI terms, the 3 students are like what?

Answer: B. A group the tool works poorly for

Hidden failure.

- ✗ A. The tool's price: no
- ✗ C. The tool's strongest group, where its results are better than for anyone else: reversed
- ✗ D. A benchmark: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-B1-Q5 · question page 2615

AI.FAIR.05 · Compare an overall score with a class average

What should the teacher do?

Answer: D. Look at individual or group scores

Break results down.

- ✗ A. Report only the average, since breaking scores down takes too much time to be useful: misses them
- ✗ B. Raise the average: no
- ✗ C. Ignore low scores: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-F1-Q1 · question page 2616

AI.FAIR.05 · Plan inclusive testing in practice

A voice assistant reports 96% accuracy. Which follow-up question matters most?

Answer: C. "How accurate is it for different accents?"

Break down results.

- ✗ A. "When was it released?": less relevant
- ✗ B. "Is ninety-six percent the highest accuracy number that any voice assistant has ever reached?": not the key
- ✗ D. "How many colors does the app use?": irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-F1-Q2 · question page 2617

AI.FAIR.05 · Plan inclusive testing in practice

A medical tool works well for common conditions but poorly for a rare, dangerous one. What does overall accuracy hide?

Answer: A. Poor results on a rare but important case

Rare, high-harm cases.

- ✗ B. The tool's speed: no
- ✗ C. Nothing, because rare conditions are so uncommon that they never affect any real patients: they matter
- ✗ D. The hospital's name: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-F1-Q3 · question page 2618

AI.FAIR.05 · Plan inclusive testing in practice

A test set has 500 examples from one group and 5 from another. What problem follows?

Answer: B. Too few examples to measure the small group

Collect more.

- ✗ A. No problem, since five examples are always enough to measure how a tool works for any group: too few
- ✗ C. The large group is unmeasurable: no
- ✗ D. The test is too long: not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-F1-Q4 · question page 2619

AI.FAIR.05 · Plan inclusive testing in practice

Which plan is most inclusive for a reading app?

Answer: D. Test with readers of different ages, languages and abilities

Diverse testing.

- ✗ A. Test with one reader: too few
- ✗ B. Skip testing: no
- ✗ C. Test only with the developers themselves, since they understand the app better than anyone: narrow

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-F1-Q5 · question page 2620

AI.FAIR.05 · Plan inclusive testing in practice

Results by group show 97% and 72%. What should a report include?

Answer: C. Both numbers, not just the average

Show the breakdown.

- ✗ A. Only the overall average, since group numbers might confuse readers of the report: hides gap
- ✗ B. Neither: report them
- ✗ D. Only 97%: hides gap

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-F2-Q1 · question page 2621

AI.FAIR.05 · Handle the practical side of inclusive testing

With 10 examples in a group, how much does one error move the rate?

Answer: A. 10 percentage points

1 / 10 = 10%.

- ✗ B. 50 percentage points: no
- ✗ C. 100 percentage points: no
- ✗ D. 1 percentage point: small sample

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

S125-F2-Q2 · question page 2622

AI.FAIR.05 · Handle the practical side of inclusive testing

Collecting group information like disability status requires what?

Answer: B. Consent and care

Sensitive data.

- ✗ A. Publishing it online: no
- ✗ C. A faster computer: no
- ✗ D. Nothing: sensitive

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-F2-Q3 · question page 2623

AI.FAIR.05 · Handle the practical side of inclusive testing

Who can help reveal cases a team would not think of?

Answer: A. The people affected

Involve affected people.

- ✗ B. The tool itself: not reliable
- ✗ C. Only the team's own engineers, who always know every case that could possibly matter: blind spots
- ✗ D. No one: people can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-F2-Q4 · question page 2624

AI.FAIR.05 · Handle the practical side of inclusive testing

Is choosing which groups to test a neutral technical step?

Answer: C. No; it is a choice

Judgment involved.

- ✗ A. Yes, always: it is a choice
- ✗ B. It does not matter: it matters
- ✗ D. Yes: not fixed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S125-F2-Q5 · question page 2625

AI.FAIR.05 · Handle the practical side of inclusive testing

A small group has noisy results. What helps?

Answer: D. Collecting more examples

More data, better estimates.

- ✗ A. Ignoring the noise: unreliable
- ✗ B. Reporting only the average: hides it
- ✗ C. Removing that group: hides it

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-M-Q1 · question page 2627

AI.FAIR.06 · Spot stereotypes in generated content and plan review

What is a stereotype?

Answer: B. An oversimplified idea about a group

Oversimplification.

- ✗ A. A file format: no
- ✗ C. A type of speaker: other meaning
- ✗ D. A detailed and accurate description: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-M-Q2 · question page 2628

AI.FAIR.06 · Spot stereotypes in generated content and plan review

Asking for "a doctor" returns only men in 10 images. What does this suggest?

Answer: D. A stereotype from training data

Repeated pattern.

- ✗ A. Nothing: it is a pattern
- ✗ B. That the tool is broken: not necessarily
- ✗ C. That only men are allowed to work as doctors in every country, according to the tool: not a fact

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-M-Q3 · question page 2629

AI.FAIR.06 · Spot stereotypes in generated content and plan review

How should you spot stereotypes?

Answer: A. Look across several outputs

Patterns show over many.

- ✗ B. Only read titles: not enough
- ✗ C. Ask the tool if it is biased: not reliable
- ✗ D. Look at one single output: not enough

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-M-Q4 · question page 2630

AI.FAIR.06 · Spot stereotypes in generated content and plan review

Which question helps review generated content?

Answer: C. "Who is missing?"

Notice absence.

- ✗ A. "Is it long?": not the point
- ✗ B. "Is it colorful?": not the point
- ✗ D. "Is the image file small enough to send quickly by email to everyone on the team?": irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-M-Q5 · question page 2631

AI.FAIR.06 · Spot stereotypes in generated content and plan review

When is human review most important?

Answer: A. Before publishing content about people

Review before release.

- ✗ B. Never, since content generated by tools is always neutral and fair to every group: not true
- ✗ C. Only for private notes: less important
- ✗ D. Only after complaints: too late

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-B1-Q1 · question page 2632

AI.FAIR.06 · Compare stereotypes in outputs with a picture book that always shows the same roles

Is any single page in the book false?

Answer: B. Not necessarily

Each page alone is plausible.

- ✗ A. Only the cover: no
- ✗ C. Yes, the pilot page: some pilots are men
- ✗ D. Yes, every page is false: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-B1-Q2 · question page 2633

AI.FAIR.06 · Compare stereotypes in outputs with a picture book that always shows the same roles

What does the whole book teach?

Answer: C. A narrow picture of who does what

Pattern across pages.

- ✗ A. An accurate picture of the variety of people who work as pilots, teachers and heroes: opposite
- ✗ B. Nothing: it teaches
- ✗ D. How to fly planes: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-B1-Q3 · question page 2634

AI.FAIR.06 · Compare stereotypes in outputs with a picture book that always shows the same roles

Generated content is like the book when...

Answer: D. Many outputs repeat the same roles

Pattern across outputs.

- ✗ A. The output is colorful: no
- ✗ B. The output is long: no
- ✗ C. One output shows a single person: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-B1-Q4 · question page 2635

AI.FAIR.06 · Compare stereotypes in outputs with a picture book that always shows the same roles

How would you notice the book's problem?

Answer: A. By looking across many pages

Look at the whole.

- ✗ B. By counting words: no
- ✗ C. By checking the price: no
- ✗ D. By reading only the first page very carefully and skipping the rest of the book: misses pattern

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-B1-Q5 · question page 2636

AI.FAIR.06 · Compare stereotypes in outputs with a picture book that always shows the same roles

What is the lesson?

Answer: B. Check patterns across many outputs

Look at the set.

- ✗ A. Stereotypes are true: no
- ✗ C. One page is enough: no
- ✗ D. Never make picture books, since every picture book teaches stereotypes to children: too strong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-F1-Q1 · question page 2637

AI.FAIR.06 · Review generated content for stereotypes in practice

A school asks a tool for "a scientist" images for a poster and all show older men in lab coats. What should it do?

Answer: D. Revise the request to reflect the range of real scientists

Specific requests.

- ✗ A. Add a caption saying "scientists": not a fix
- ✗ B. Remove scientists from the poster: unnecessary
- ✗ C. Use them as they are, since images of older men in lab coats are what every scientist looks like: stereotype

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-F1-Q2 · question page 2638

AI.FAIR.06 · Review generated content for stereotypes in practice

Generated stories always make the same group the villain. What is this?

Answer: C. A stereotype

Repeated role.

- ✗ A. A grammar mistake: no
- ✗ B. A formatting error: no
- ✗ D. A creative choice: can harm

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-F1-Q3 · question page 2639

AI.FAIR.06 · Review generated content for stereotypes in practice

Before publishing a brochure with generated people, what is wise?

Answer: B. Have people review it, including different viewpoints

Diverse review.

- ✗ A. Ask the tool to review itself: not reliable
- ✗ C. Skip review: risky
- ✗ D. Publish quickly, since images of people from tools are always balanced and fair to everyone: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-F1-Q4 · question page 2640

AI.FAIR.06 · Review generated content for stereotypes in practice

A request for "a family at dinner" returns only one family type. What can help?

Answer: A. Ask for specific families that fit your audience

Specific prompts.

- ✗ B. Ask for a bigger image: not a fix
- ✗ C. Remove the family: unnecessary
- ✗ D. Accept it, because there is only one kind of family: false

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-F1-Q5 · question page 2641

AI.FAIR.06 · Review generated content for stereotypes in practice

Which review question best reveals stereotyped roles?

Answer: D. "Who is shown in which roles?"

Roles matter.

- ✗ A. "What file type are the images saved in, and how large is each of the images?": irrelevant
- ✗ B. "How many words?": irrelevant
- ✗ C. "How long did it take?": irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-F2-Q1 · question page 2642

AI.FAIR.06 · Avoid both stereotypes and misleading overcorrection

A tool inserts modern diversity into a photo-like image of a specific historical event where that is inaccurate. What is the problem?

Answer: C. It misleads about historical facts

Overcorrection.

- ✗ A. The image is too large: irrelevant
- ✗ B. There is no problem at all, since images of history never need to be accurate for any purpose: accuracy matters
- ✗ D. It is a stereotype: different problem

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-F2-Q2 · question page 2643

AI.FAIR.06 · Avoid both stereotypes and misleading overcorrection

What is the goal for generated content about people?

Answer: B. Accurate for its purpose, without stereotypes

Accuracy and fairness.

- ✗ A. Whatever the tool produces: no review
- ✗ C. As diverse as possible in every case, even when that contradicts the facts being shown: can mislead
- ✗ D. As uniform as possible: stereotype

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-F2-Q3 · question page 2644

AI.FAIR.06 · Avoid both stereotypes and misleading overcorrection

Why include reviewers from different backgrounds?

Answer: C. They notice different issues

Broader view.

- ✗ A. Because it is required everywhere: not the reason
- ✗ B. Because reviewers from the same background always miss every problem in every image: too strong
- ✗ D. To make review faster: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-F2-Q4 · question page 2645

AI.FAIR.06 · Avoid both stereotypes and misleading overcorrection

Recurring problems appear in a team's generated content. What should the team do?

Answer: A. Keep notes and improve requests and checks

Learn from patterns.

- ✗ B. Ignore them, since recurring problems always disappear by themselves after some time: they persist
- ✗ C. Blame the audience: no
- ✗ D. Stop all content: too drastic

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S126-F2-Q5 · question page 2646

AI.FAIR.06 · Avoid both stereotypes and misleading overcorrection

Is a single unusual output proof of a stereotype?

Answer: D. Not by itself; look for patterns

Patterns over many.

- ✗ A. Yes, always: not proof
- ✗ B. Stereotypes cannot be found: they can
- ✗ C. Yes: not proof

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S127-M-Q1 · question page 2648

AI.FAIR.07 · Evaluate whether an AI feature works across languages, accents and disabilities

Why check access across groups?

Answer: B. A feature is useful only if it works for those who need it

Real usefulness.

- ✗ A. For decoration: no
- ✗ C. To make it slower: no
- ✗ D. Because features always work equally well for every user: they may not

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-M-Q2 · question page 2649

AI.FAIR.07 · Evaluate whether an AI feature works across languages, accents and disabilities

Which is an accessibility check for blind users?

Answer: D. Can it be operated with a screen reader?

Screen reader support.

- ✗ A. Is it cheap?: not specific
- ✗ B. Does it have attractive colors that most sighted users will find pleasant to look at?: not for blind users
- ✗ C. Is it fast?: not specific

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-M-Q3 · question page 2650

AI.FAIR.07 · Evaluate whether an AI feature works across languages, accents and disabilities

What kind of evidence should you use?

Answer: A. Measured results from testing with real users

Measured evidence.

- ✗ B. One person's opinion: not enough
- ✗ C. Assumptions by the team, since the team knows best how every group will use the feature: not evidence
- ✗ D. Marketing claims: not evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-M-Q4 · question page 2651

AI.FAIR.07 · Evaluate whether an AI feature works across languages, accents and disabilities

Which is a language access question?

Answer: C. Does it handle Tagalog as well as English?

Language coverage.

- ✗ A. Does it have a logo?: irrelevant
- ✗ B. Does it include a dark mode that changes the background color for nighttime use?: not language
- ✗ D. Is it the newest version?: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-M-Q5 · question page 2652

AI.FAIR.07 · Evaluate whether an AI feature works across languages, accents and disabilities

What did the 2020 speech study measure?

Answer: B. Error rates between groups of speakers

Measured gaps.

- ✗ A. The prices of five speech-recognition systems sold in different countries around the world: not prices
- ✗ C. Typing speed: no
- ✗ D. Screen brightness: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-B1-Q1 · question page 2653

AI.FAIR.07 · Compare AI access with a building's entrances

Who does a staircase-only entrance shut out?

Answer: D. Wheelchair users and others

Some visitors excluded.

- ✗ A. Nobody, since every visitor can always climb stairs easily without any help at all: some cannot
- ✗ B. Only children: too narrow
- ✗ C. Only tall people: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-B1-Q2 · question page 2654

AI.FAIR.07 · Compare AI access with a building's entrances

Adding a ramp is like what in AI?

Answer: A. Offering alternatives like typing

Alternative access.

- ✗ B. Making the feature faster: not the comparison
- ✗ C. Removing the typing option, so that every user must speak to the feature instead: opposite
- ✗ D. Raising the price: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-B1-Q3 · question page 2655

AI.FAIR.07 · Compare AI access with a building's entrances

A spoken-English-only feature is like what?

Answer: C. A staircase-only entrance

Works for some.

- ✗ A. A locked door: not quite
- ✗ B. A window: no
- ✗ D. A building with ramps: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-B1-Q4 · question page 2656

AI.FAIR.07 · Compare AI access with a building's entrances

Who else benefits from the ramp?

Answer: B. Parents with strollers and delivery workers

Broad benefits.

- ✗ A. Only the architect: no
- ✗ C. Only the owner: no
- ✗ D. Nobody, since ramps are only useful for exactly one kind of visitor to the building: many benefit

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-B1-Q5 · question page 2657

AI.FAIR.07 · Compare AI access with a building's entrances

What is the lesson?

Answer: D. Design so more people can use it

Inclusive design.

- ✗ A. Avoid buildings: no
- ✗ B. Ramps are optional decoration: no
- ✗ C. Build only staircases: excludes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-F1-Q1 · question page 2658

AI.FAIR.07 · Evaluate access in practice

A city launches a voice-only AI phone line for services. Who might be excluded?

Answer: C. People who cannot speak or hear well

Voice-only barriers.

- ✗ A. Nobody at all, because every resident of every city can use a phone line in the same way: some excluded
- ✗ B. Only tourists: too narrow
- ✗ D. Only children: too narrow

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-F1-Q2 · question page 2659

AI.FAIR.07 · Evaluate access in practice

Testing shows a speech feature errs on 5% of words for one accent and 25% for another. What should the report say?

Answer: A. Both rates, naming the gap

Honest reporting.

- ✗ B. Only the average of the two rates, which is fifteen percent, to keep the report simple: hides gap
- ✗ C. Only 5%: hides gap
- ✗ D. Nothing: report it

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-F1-Q3 · question page 2660

AI.FAIR.07 · Evaluate access in practice

A captioning tool will be used in a class with deaf students. What is the best test?

Answer: B. Check captions with deaf students in real lessons

Test with real users.

- ✗ A. Test once with a hearing teacher: not the users
- ✗ C. Skip testing: risky
- ✗ D. Ask the tool's maker whether its captions work well: not evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-F1-Q4 · question page 2661

AI.FAIR.07 · Evaluate access in practice

A form helper works only in English in a community where many speak Spanish. What is a fair improvement?

Answer: A. Support Spanish and test it with Spanish speakers

Language access.

- ✗ B. Remove the form: unnecessary
- ✗ C. Add more English: no help
- ✗ D. Keep it in English only, since most forms are written in English and people can always translate: excludes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-F1-Q5 · question page 2662

AI.FAIR.07 · Evaluate access in practice

Why pay disabled testers for their time?

Answer: D. Their expertise and time have value

Respect their contribution.

- ✗ A. It is never appropriate: it is
- ✗ B. Because testers who are paid always give positive feedback about the features they test: not the reason
- ✗ C. To finish faster: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-F2-Q1 · question page 2663

AI.FAIR.07 · Make invisible access problems visible

Why are access problems often invisible to the building team?

Answer: C. The team may not share the users' needs

Blind spots.

- ✗ A. Because tools hide them: not the main reason
- ✗ B. Because teams are too large: not the reason
- ✗ D. Because access problems do not exist: they exist

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-F2-Q2 · question page 2664

AI.FAIR.07 · Make invisible access problems visible

Which alternative helps a voice feature serve more people?

Answer: B. Allowing typed input too

Multiple ways in.

- ✗ A. Removing captions: worse
- ✗ C. Allowing only one language: worse
- ✗ D. Making the voice feature louder: does not help

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-F2-Q3 · question page 2665

AI.FAIR.07 · Make invisible access problems visible

A feature works poorly for one group. Should the report include this?

Answer: C. Yes, honestly

Report gaps.

- ✗ A. Only in private: be open
- ✗ B. Only if asked: be proactive
- ✗ D. No, because reporting weaknesses always makes users stop trusting every feature completely: honesty matters

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-F2-Q4 · question page 2666

AI.FAIR.07 · Make invisible access problems visible

Who should test an accessibility feature?

Answer: A. The people who will use it, including disabled users

Real users.

- ✗ B. Only managers: not the users
- ✗ C. Nobody: test it
- ✗ D. Only the engineers who built it, since they understand how it is supposed to work: not the users

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S127-F2-Q5 · question page 2667

AI.FAIR.07 · Make invisible access problems visible

What evidence best shows a feature works across accents?

Answer: D. Measured error rates per accent group

Disaggregated measurement.

- ✗ A. A five-star review: not measured
- ✗ B. A press release: not measured
- ✗ C. A short video demonstration in which one speaker with one accent uses the feature successfully: not broad

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: fair_asr

S128-M-Q1 · question page 2669

AI.LAW.01 · Tell a law, regulation, bill, ruling, contract and guidance apart

Who passes a law (statute)?

Answer: B. A legislature

Congress or a state legislature.

- ✗ A. A single judge: that is a ruling
- ✗ C. A news reporter: no
- ✗ D. A company that makes AI tools, when it writes the terms that its users agree to: that is a contract

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-M-Q2 · question page 2670

AI.LAW.01 · Tell a law, regulation, bill, ruling, contract and guidance apart

What is a regulation?

Answer: D. A detailed rule made by an agency under a law

Agency rule.

- ✗ A. A bill that has been proposed in a legislature but has not yet been voted on by anyone: that is a bill
- ✗ B. A court decision: that is a ruling
- ✗ C. A company's privacy policy: that is a contract or notice

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-M-Q3 · question page 2671

AI.LAW.01 · Tell a law, regulation, bill, ruling, contract and guidance apart

Is a proposed bill a law?

Answer: A. Not until it passes

Proposals are not law.

- ✗ B. Only in summer: no
- ✗ C. Yes, if it is popular: not yet
- ✗ D. Yes: not yet

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-M-Q4 · question page 2672

AI.LAW.01 · Tell a law, regulation, bill, ruling, contract and guidance apart

A tool's terms of service are which kind of rule?

Answer: C. A contract

Binds those who agree.

- ✗ A. A regulation: not an agency rule
- ✗ B. A court ruling: no
- ✗ D. A law: not a law

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-M-Q5 · question page 2673

AI.LAW.01 · Tell a law, regulation, bill, ruling, contract and guidance apart

What is the NIST AI Risk Management Framework?

Answer: A. Voluntary guidance

Advice, not law.

- ✗ B. A proposed bill: no
- ✗ C. A court ruling: no
- ✗ D. A federal law: not a law

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-B1-Q1 · question page 2674

AI.LAW.01 · Compare kinds of rules with rules at a school

A required number of school days set by the state is like what?

Answer: C. A law

Passed by a legislature.

- ✗ A. A proposal: no
- ✗ B. A contract: no
- ✗ D. Voluntary advice: binding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-B1-Q2 · question page 2675

AI.LAW.01 · Compare kinds of rules with rules at a school

A student council proposal is like what?

Answer: D. A proposed bill

Not yet a rule.

- ✗ A. A court ruling: no
- ✗ B. A law that every student must follow from the moment the proposal is written down: not yet
- ✗ C. A regulation: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-B1-Q3 · question page 2676

AI.LAW.01 · Compare kinds of rules with rules at a school

A principal's decision about one student's case is like what?

Answer: B. A court ruling

Decides a case.

- ✗ A. Advice: no
- ✗ C. A contract: no
- ✗ D. A law that applies equally to every student in every school across the whole state: one case

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-B1-Q4 · question page 2677

AI.LAW.01 · Compare kinds of rules with rules at a school

A team agreement signed by players is like what?

Answer: D. A contract

Binds those who agreed.

- ✗ A. A regulation made by the school district that applies to every student in the district: only signers
- ✗ B. A tip: no
- ✗ C. A law: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-B1-Q5 · question page 2678

AI.LAW.01 · Compare kinds of rules with rules at a school

A teacher's study tips are like what?

Answer: A. Voluntary guidance

Helpful, not binding.

- ✗ B. A law that students can be punished for not following during every single study session: advice
- ✗ C. A ruling: no
- ✗ D. A contract: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-F1-Q1 · question page 2679

AI.LAW.01 · Classify AI rules in practice

A headline says "Senator introduces AI safety act." What is it?

Answer: C. A proposed bill

Introduced, not passed.

- ✗ A. A contract: no
- ✗ B. A law already in effect across the country, since senators can create laws by announcing them: not passed
- ✗ D. A court ruling: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-F1-Q2 · question page 2680

AI.LAW.01 · Classify AI rules in practice

An app's terms forbid using its outputs to train other models. What kind of rule is this?

Answer: B. A contract term

Terms of service.

- ✗ A. A law: no
- ✗ C. A court ruling: no
- ✗ D. A federal regulation: only users

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-F1-Q3 · question page 2681

AI.LAW.01 · Classify AI rules in practice

A federal judge decides one company's copyright case. What is this?

Answer: A. A court ruling

Decides a case.

- ✗ B. Voluntary guidance: no
- ✗ C. A proposed bill: no
- ✗ D. A new law passed by Congress that applies to every company in the United States from now on: not a statute

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-F1-Q4 · question page 2682

AI.LAW.01 · Classify AI rules in practice

A government agency publishes a "framework" that organizations "may use." What is it most likely?

Answer: D. Voluntary guidance

"May use" signals voluntary.

- ✗ A. A ruling: no
- ✗ B. A contract: no
- ✗ C. A binding law: voluntary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-F1-Q5 · question page 2683

AI.LAW.01 · Classify AI rules in practice

Which question best checks a rule's force?

Answer: B. "Is it binding, and has it taken effect?"

Status and force.

- ✗ A. "Is it long?": irrelevant
- ✗ C. "Who reported it?": not enough
- ✗ D. "Is it described in an exciting way?": irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-F2-Q1 · question page 2684

AI.LAW.01 · Check the status and date of AI rules

A news story says "New AI law!" but describes an agency's draft. What is it really?

Answer: C. A draft that is not yet final

Check status.

- ✗ A. A contract: no
- ✗ B. A final law that took effect the moment the agency posted the draft on its website: not final
- ✗ D. A court ruling: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-F2-Q2 · question page 2685

AI.LAW.01 · Check the status and date of AI rules

A bill about AI failed to pass. Does it apply?

Answer: B. No

Failed bills are not law.

- ✗ A. Yes, partly: no
- ✗ C. Only in some states: no
- ✗ D. Yes, because every bill that is introduced becomes law automatically after one full year: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-F2-Q3 · question page 2686

AI.LAW.01 · Check the status and date of AI rules

A higher court overturns a lower court's AI ruling. What happens to the lower ruling?

Answer: C. It no longer stands as decided

Rulings can be reversed.

- ✗ A. Nothing changes: it changes
- ✗ B. It becomes a law: no
- ✗ D. It becomes even stronger: overturned

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-F2-Q4 · question page 2687

AI.LAW.01 · Check the status and date of AI rules

Before relying on an AI rule, what should you check?

Answer: D. Its date and current status

Rules change.

- ✗ A. Only its title: not enough
- ✗ B. Nothing: check
- ✗ C. Only whether a friend has heard: unreliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S128-F2-Q5 · question page 2688

AI.LAW.01 · Check the status and date of AI rules

Which four questions help assess a rule?

Answer: A. Who made it, when it takes effect, where it applies, whether it binds

Source, timing, scope, force.

- ✗ B. Only where it applies: incomplete
- ✗ C. Only who made it: incomplete
- ✗ D. How long it is, how many times it was shared, what color the website is, and who wrote the headline: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nist_rmf

S129-M-Q1 · question page 2690

AI.LAW.02 · Apply the US human-authorship requirement and separate settled from open

What does US copyright require?

Answer: C. Human authorship

Human authorship.

- ✗ A. Payment of a fee only: no
- ✗ B. Any creator at all, including an AI system working completely on its own without a person: not per Thaler
- ✗ D. A famous author: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-M-Q2 · question page 2691

AI.LAW.02 · Apply the US human-authorship requirement and separate settled from open

What did Thaler v. Perlmutter (March 2025) uphold?

Answer: B. Refusing registration for a work said to be made entirely by AI

Human authorship required.

- ✗ A. A ban on all AI art: no
- ✗ C. A new law: it was a ruling
- ✗ D. Registering every AI-generated image as the property of the company: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-M-Q3 · question page 2692

AI.LAW.02 · Apply the US human-authorship requirement and separate settled from open

Per the January 2025 Copyright Office report, do prompts alone usually make you the author?

Answer: D. No

Prompts alone are not enough.

- ✗ A. Only for poems: no
- ✗ B. Yes, if the prompt is long: not per the report
- ✗ C. Yes, because any prompt, however short or simple, always makes the person the full author: not per the report

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-M-Q4 · question page 2693

AI.LAW.02 · Apply the US human-authorship requirement and separate settled from open

Which is settled in the US, per these sources?

Answer: A. Purely AI-generated material is not protected

The clear part.

- ✗ B. That all AI-assisted work is protected: not settled
- ✗ C. That no AI-assisted work is protected: not true
- ✗ D. Exactly how many minutes of human editing are needed before any AI output can be protected: that is open

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-M-Q5 · question page 2694

AI.LAW.02 · Apply the US human-authorship requirement and separate settled from open

Which question remains open?

Answer: B. How much human contribution is enough

The line is still being drawn.

- ✗ A. Whether human-written text can ever be protected by copyright in the United States at all: it can
- ✗ C. Whether Thaler was decided: it was
- ✗ D. Whether copyright exists: it does

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-B1-Q1 · question page 2695

AI.LAW.02 · Compare AI authorship with arranging a flower bouquet

In the bouquet, what reflects your choices?

Answer: A. The arrangement

Selection and arrangement.

- ✗ B. The weather: no
- ✗ C. The individual flowers, which you created yourself from seeds you designed in a lab: you picked them
- ✗ D. The vase maker: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-B1-Q2 · question page 2696

AI.LAW.02 · Compare AI authorship with arranging a flower bouquet

Did you create the individual flowers?

Answer: D. No

Like AI-generated images.

- ✗ A. Only the red ones: no
- ✗ B. Only in spring: no
- ✗ C. Yes: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-B1-Q3 · question page 2697

AI.LAW.02 · Compare AI authorship with arranging a flower bouquet

The individual flowers are like what?

Answer: C. AI-generated images

Not human-authored.

- ✗ A. The arrangement: no
- ✗ B. A contract: no
- ✗ D. Text that a person wrote: human-written

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-B1-Q4 · question page 2698

AI.LAW.02 · Compare AI authorship with arranging a flower bouquet

Your arrangement is like what?

Answer: D. Human selection and arrangement

Protectable human contribution.

- ✗ A. An image generated entirely by an AI system without any choices made by a person: opposite
- ✗ B. A license: no
- ✗ C. A prompt: not the same

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-B1-Q5 · question page 2699

AI.LAW.02 · Compare AI authorship with arranging a flower bouquet

What is still being worked out?

Answer: B. Where the line falls in harder cases

Open questions remain.

- ✗ A. Whether arrangements exist: no
- ✗ C. Nothing: some is open
- ✗ D. Whether flowers can grow in gardens: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-F1-Q1 · question page 2700

AI.LAW.02 · Apply human-authorship ideas to examples

Jo writes a story and uses an AI image for the cover. Which part most clearly has human authorship?

Answer: A. The story text

Human-written text.

- ✗ B. Both equally: not equally
- ✗ C. Neither: the text does
- ✗ D. The AI-generated cover image, because Jo chose to put it on the front of the book: image itself is not

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-F1-Q2 · question page 2701

AI.LAW.02 · Apply human-authorship ideas to examples

Someone types one prompt and gets an image, changing nothing. Per the 2025 report, are they likely its author?

Answer: C. Unlikely

Prompts alone are not enough.

- ✗ A. Yes, if the image is beautiful: no
- ✗ B. Yes, if they paid for the tool: no
- ✗ D. Certainly: not per the report

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-F1-Q3 · question page 2702

AI.LAW.02 · Apply human-authorship ideas to examples

An artist heavily repaints parts of an AI image by hand. What might be protectable?

Answer: D. The artist's human modifications

Human modification.

- ✗ A. The original AI parts: not protected
- ✗ B. The tool's code: not the question
- ✗ C. Nothing at all, since any work that started with AI can never have protectable parts: modifications can be

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-F1-Q4 · question page 2703

AI.LAW.02 · Apply human-authorship ideas to examples

A comic combines human-written text with AI-generated images that a person selected and arranged. Per the January 2025 report, which parts can be protected?

Answer: D. The text and the human selection and arrangement

Human-written text and human selection and arrangement can be protected; the generated images alone cannot. The Copyright Office decided Zarya of the Dawn (2023) the same way.

- ✗ A. The individual AI-generated images, since a person chose them: choosing outputs does not make the images human-authored
- ✗ B. Nothing: some parts were
- ✗ C. Only the cover: not the finding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-F1-Q5 · question page 2704

AI.LAW.02 · Apply human-authorship ideas to examples

Which statement fits this course's approach?

Answer: B. The minimum human contribution is still unsettled

Settled versus open.

- ✗ A. Copyright no longer exists: no
- ✗ C. No AI-assisted work can ever be protected: not true
- ✗ D. Every AI-assisted work is now fully protected by copyright: not settled

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-F2-Q1 · question page 2705

AI.LAW.02 · Disclose AI material and check current status

Per the March 2023 guidance, what should a US registration applicant disclose?

Answer: C. More-than-minimal AI-generated material

Disclose AI material.

- ✗ A. Their age: no
- ✗ B. Their computer brand: no
- ✗ D. Nothing, since AI use never needs to be mentioned to the Copyright Office in any application: must disclose

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-F2-Q2 · question page 2706

AI.LAW.02 · Disclose AI material and check current status

What should applicants claim?

Answer: B. Only the human-authored parts

Human parts only.

- ✗ A. Only the AI parts: reversed
- ✗ C. Nothing: claim human parts
- ✗ D. The whole work, including AI parts: only human parts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-F2-Q3 · question page 2707

AI.LAW.02 · Disclose AI material and check current status

Do other countries follow exactly the US approach?

Answer: D. Not necessarily; they have their own rules

Jurisdiction matters.

- ✗ A. Only Canada: no
- ✗ B. Yes, every country follows US copyright rules exactly, so one rule applies everywhere: no
- ✗ C. No country has copyright: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-F2-Q4 · question page 2708

AI.LAW.02 · Disclose AI material and check current status

Why check the current status before relying on these points?

Answer: C. Courts may still refine the line

Evolving area.

- ✗ A. Because copyright was abolished: no
- ✗ B. Because copyright law changes every single day and nothing in it is ever stable or settled: overstated
- ✗ D. Because the sources are fiction: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S129-F2-Q5 · question page 2709

AI.LAW.02 · Disclose AI material and check current status

A student makes a collage from AI images, carefully selecting and arranging them. What best describes the situation?

Answer: A. The selection and arrangement may be protectable; the images alone are not

Apply Zarya.

- ✗ B. Only the images are protectable: reversed
- ✗ C. Nothing is protectable: arrangement may be
- ✗ D. The student owns full copyright in every image, since collages always transfer ownership: not the rule

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_thaler; law_usco_part2; law_zarya; law_usco_guidance

S130-M-Q1 · question page 2711

AI.LAW.03 · Describe open questions about training on copyrighted works

Is training AI on copyrighted works without permission settled law in the US?

Answer: C. No; it is still unsettled

Open question.

- ✗ A. Yes, it is always legal: not settled
- ✗ B. Yes, it is always illegal: not settled
- ✗ D. Yes: not settled

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-M-Q2 · question page 2712

AI.LAW.03 · Describe open questions about training on copyrighted works

What is fair use?

Answer: A. A doctrine weighing purpose, nature, amount and market effect

A balancing test.

- ✗ B. A type of AI model: no
- ✗ C. A rule that any use of a work is allowed as long as the user does not make any money from it: too simple
- ✗ D. A license fee: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-M-Q3 · question page 2713

AI.LAW.03 · Describe open questions about training on copyrighted works

What did the June 2025 Bartz and Kadrey rulings find?

Answer: D. Training on those books was fair use on those records

Fact-specific findings.

- ✗ A. Nothing about training: they did
- ✗ B. That all AI training is illegal: not the finding
- ✗ C. That all AI training on any work is fair use for every company: too broad

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-M-Q4 · question page 2714

AI.LAW.03 · Describe open questions about training on copyrighted works

What did the Copyright Office's May 2025 report say?

Answer: B. The answer depends on the facts

Fact-dependent.

- ✗ A. That AI must be banned: no
- ✗ C. That copyright no longer applies: no
- ✗ D. That training is always fair use: not the report

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-M-Q5 · question page 2715

AI.LAW.03 · Describe open questions about training on copyrighted works

What is the accurate summary?

Answer: C. Open, contested and changing

Not settled.

- ✗ A. Finished and decided, with one clear answer that applies to every case in every court: not settled
- ✗ B. Irrelevant to AI: relevant
- ✗ D. Decided by the EU for the US: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-B1-Q1 · question page 2716

AI.LAW.03 · Compare an unsettled legal question with a sports rule under review

What does each referee's ruling settle?

Answer: D. That one game

Specific case.

- ✗ A. The league's rulebook: not yet
- ✗ B. Nothing: it settles the game
- ✗ C. Every future game: too broad

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-B1-Q2 · question page 2717

AI.LAW.03 · Compare an unsettled legal question with a sports rule under review

Has the league made a final rule?

Answer: A. No

Still open.

- ✗ B. There is no league: no
- ✗ C. Yes, last year: no
- ✗ D. Yes: not yet

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-B1-Q3 · question page 2718

AI.LAW.03 · Compare an unsettled legal question with a sports rule under review

Fans saying "it's decided!" are doing what?

Answer: B. Getting ahead of things

Overstating.

- ✗ A. Describing the situation accurately, since the referees have already made their rulings: overstating
- ✗ C. Making the rule: no
- ✗ D. Playing the game: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-B1-Q4 · question page 2719

AI.LAW.03 · Compare an unsettled legal question with a sports rule under review

In AI terms, the referees' rulings are like what?

Answer: A. District-court rulings

Case-specific rulings.

- ✗ B. A company's terms: no
- ✗ C. A benchmark: no
- ✗ D. A law passed by Congress: not the same

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-B1-Q5 · question page 2720

AI.LAW.03 · Compare an unsettled legal question with a sports rule under review

What is the lesson?

Answer: C. Some rulings exist, but the question remains open

Avoid overstating.

- ✗ A. The question is completely settled, so nobody needs to check for new rulings again: still open
- ✗ B. Rulings never matter: they do
- ✗ D. Sports are like law: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-F1-Q1 · question page 2721

AI.LAW.03 · Describe the training-data question accurately

A blog says "Courts ruled AI training is legal, case closed." What is more accurate?

Answer: B. Some rulings found fair use on specific facts; the question is open

Specific, not final.

- ✗ A. No court has ruled: some have
- ✗ C. The blog is completely accurate, because two rulings always close every legal question: overstated
- ✗ D. Courts ruled all training illegal: false

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-F1-Q2 · question page 2722

AI.LAW.03 · Describe the training-data question accurately

Which factor does fair use weigh?

Answer: D. The effect on the market for the original

Market effect.

- ✗ A. The number of employees: irrelevant
- ✗ B. The model's speed: irrelevant
- ✗ C. The color scheme of the AI company's website: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-F1-Q3 · question page 2723

AI.LAW.03 · Describe the training-data question accurately

A student writes, "The Copyright Office decided training is legal." What is the correction?

Answer: A. It issued a report saying the answer depends on the facts

Report, not decision.

- ✗ B. It banned training: false
- ✗ C. No correction is needed, since the Copyright Office makes final legal decisions for courts: it does not
- ✗ D. It said nothing: it reported

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-F1-Q4 · question page 2724

AI.LAW.03 · Describe the training-data question accurately

Why is it fair to say many questions remain open?

Answer: D. Many other cases are pending

Pending cases.

- ✗ A. Because AI is too new for law: law applies
- ✗ B. Because copyright does not apply to books: it does
- ✗ C. Because no court has ever heard any case: some have

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-F1-Q5 · question page 2725

AI.LAW.03 · Describe the training-data question accurately

Which statement fits this course's approach?

Answer: B. Describe the open questions without declaring a winner

Balanced description.

- ✗ A. Avoid the topic: not helpful
- ✗ C. Declare AI companies won everything: settling
- ✗ D. Declare that authors have definitely won every case: settling

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-F2-Q1 · question page 2726

AI.LAW.03 · Read rulings and reports with care

Do district-court rulings bind other courts nationwide?

Answer: C. No

Fact-specific and local.

- ✗ A. Yes, after one year: no
- ✗ B. Only on Tuesdays: no
- ✗ D. Yes: not binding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-F2-Q2 · question page 2727

AI.LAW.03 · Read rulings and reports with care

In Bartz, how were pirated copies treated?

Answer: D. Differently from lawfully obtained books

A key limit.

- ✗ A. They were ignored: no
- ✗ B. They were praised: no
- ✗ C. Exactly the same as lawfully purchased books: treated differently

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-F2-Q3 · question page 2728

AI.LAW.03 · Read rulings and reports with care

What did the Kadrey judge warn about?

Answer: C. Different market-harm evidence could change the result

Fact-dependence.

- ✗ A. That books cannot be used: no
- ✗ B. That copyright is over: no
- ✗ D. That the ruling would apply to every AI company forever: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-F2-Q4 · question page 2729

AI.LAW.03 · Read rulings and reports with care

Is the Copyright Office report binding law?

Answer: A. No; it is guidance

Agency guidance.

- ✗ B. Yes, in some states: no
- ✗ C. Only for musicians: no
- ✗ D. Yes: not binding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S130-F2-Q5 · question page 2730

AI.LAW.03 · Read rulings and reports with care

Can appeals change these outcomes?

Answer: B. Yes

Not final.

- ✗ A. Only if the parties agree: not required
- ✗ C. Only in other countries: no
- ✗ D. No, because district-court rulings about AI are final and can never be appealed by anyone: they can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_usco_part3; law_bartz_kadrey

S131-M-Q1 · question page 2732

AI.LAW.04 · Read provider terms for what they allow and require

What are a tool's terms of service?

Answer: D. A contract between you and the provider

Contract.

- ✗ A. A law passed by Congress that applies to everyone, whether or not they use the tool: not a law
- ✗ B. A court ruling: no
- ✗ C. Voluntary guidance: binding once agreed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-M-Q2 · question page 2733

AI.LAW.04 · Read provider terms for what they allow and require

In this fictional excerpt, who owns the outputs?

Prepared example (fictional terms of service)

Terms of Service (excerpt): "You own the outputs you create, to the extent permitted by law. You may not use the service to impersonate others or to make decisions about credit or employment without human review. We may use your inputs to improve our services unless you opt out in Settings."

Answer: C. The user, to the extent permitted by law

Stated in the terms.

- ✗ A. The government: no
- ✗ B. The provider, which keeps full ownership of everything that any user creates with it: not per the excerpt
- ✗ D. Nobody: the user

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-M-Q3 · question page 2734

AI.LAW.04 · Read provider terms for what they allow and require

In the same excerpt, which use is prohibited?

Prepared example (fictional terms of service)

Terms of Service (excerpt): "You own the outputs you create, to the extent permitted by law. You may not use the service to impersonate others or to make decisions about credit or employment without human review. We may use your inputs to improve our services unless you opt out in Settings."

Answer: B. Impersonating others

Stated prohibition.

- ✗ A. Drafting an email: not prohibited
- ✗ C. Summarizing an article: not prohibited
- ✗ D. Writing a birthday poem: not prohibited

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-M-Q4 · question page 2735

AI.LAW.04 · Read provider terms for what they allow and require

In the same excerpt, how can a user stop inputs being used to improve services?

Prepared example (fictional terms of service)

Terms of Service (excerpt): "You own the outputs you create, to the extent permitted by law. You may not use the service to impersonate others or to make decisions about credit or employment without human review. We may use your inputs to improve our services unless you opt out in Settings."

Answer: A. Opt out in Settings

Stated option.

- ✗ B. Delete the app: not stated
- ✗ C. Write to Congress: not stated
- ✗ D. Nothing can be done: opt-out exists

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-M-Q5 · question page 2736

AI.LAW.04 · Read provider terms for what they allow and require

Do laws still apply on top of a contract?

Answer: D. Yes

Laws and contracts both apply.

- ✗ A. No, because agreeing to a contract replaces every law that would otherwise apply to the user: laws apply
- ✗ B. Only for businesses: no
- ✗ C. Only in some countries: generally yes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-B1-Q1 · question page 2737

AI.LAW.04 · Find five key points in terms

"We may update these terms with 30 days' notice" is which point?

Answer: C. Changes

How terms change.

- ✗ A. Outputs, since the notice period decides who owns the content that users create: not ownership
- ✗ B. Inputs: no
- ✗ D. Prohibited uses: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-B1-Q2 · question page 2738

AI.LAW.04 · Find five key points in terms

"You may not use the service to create spam" is which point?

Answer: B. Prohibited uses

Not allowed.

- ✗ A. Changes: no
- ✗ C. Outputs: no
- ✗ D. Attribution: not attribution

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-B1-Q3 · question page 2739

AI.LAW.04 · Find five key points in terms

"We may use your conversations to train models; opt out anytime" is which point?

Answer: A. Inputs

Use of your inputs.

- ✗ B. Attribution: no
- ✗ C. Changes: no
- ✗ D. Outputs: it is inputs

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-B1-Q4 · question page 2740

AI.LAW.04 · Find five key points in terms

"You own the images you generate" is which point?

Answer: B. Outputs

Ownership of outputs.

- ✗ A. Inputs, because the images are what the user sends to the tool at the start: reversed
- ✗ C. Prohibited uses: no
- ✗ D. Changes: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-B1-Q5 · question page 2741

AI.LAW.04 · Find five key points in terms

How many key points does the checklist have?

Answer: A. Five

Outputs, prohibited uses, inputs, attribution, changes.

- ✗ B. Ten: five
- ✗ C. One: five
- ✗ D. Three: five

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-F1-Q1 · question page 2742

AI.LAW.04 · Apply provider terms in practice

A tool's terms require labeling AI images when published. A club posts one without a label. What happened?

Answer: D. The club broke the terms

Contract breach.

- ✗ A. The club broke a federal law: not stated
- ✗ B. The tool broke the law: no
- ✗ C. Nothing: they bind

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-F1-Q2 · question page 2743

AI.LAW.04 · Apply provider terms in practice

A free plan's terms differ from the business plan's. Which applies to a company using the free plan?

Answer: C. The free plan's terms

Terms of the plan used.

- ✗ A. Both: the one agreed to
- ✗ B. Neither: one applies
- ✗ D. The business plan's terms: not automatically

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-F1-Q3 · question page 2744

AI.LAW.04 · Apply provider terms in practice

Terms say "you own the outputs." Does this guarantee no one else has rights in them?

Answer: B. No

Others' rights may exist.

- ✗ A. Yes, because ownership terms always guarantee that outputs contain nothing that belongs to others: not guaranteed
- ✗ C. Yes, if paid: no
- ✗ D. Yes, in every country: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-F1-Q4 · question page 2745

AI.LAW.04 · Apply provider terms in practice

A term allows a use that a law forbids. Which wins?

Answer: A. The law

Contracts cannot override law.

- ✗ B. Neither: law applies
- ✗ C. Whichever is newer: not the rule
- ✗ D. The term, since contracts are stronger than laws whenever both apply to the same situation: law wins

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-F1-Q5 · question page 2746

AI.LAW.04 · Apply provider terms in practice

A teacher wants to use a tool with students. What extra rules may apply?

Answer: C. The school's own policies

Layered rules.

- ✗ A. Only the teacher's preferences: not only
- ✗ B. Only the app store's: not only
- ✗ D. None at all, since a tool's terms of service are the only rules that apply to schools: more may apply

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-F2-Q1 · question page 2747

AI.LAW.04 · Handle changing and layered terms

Which terms should you rely on?

Answer: D. The current terms for your plan

Current and specific.

- ✗ A. A friend's plan's terms: not yours
- ✗ B. Any terms you find online: may differ
- ✗ C. The terms you remember: may be outdated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-F2-Q2 · question page 2748

AI.LAW.04 · Handle changing and layered terms

Can a contract make an illegal use legal?

Answer: A. No

Law still applies.

- ✗ B. Yes, for businesses: no
- ✗ C. Only abroad: no
- ✗ D. Yes, as long as both the user and the provider agree to the use in writing beforehand: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-F2-Q3 · question page 2749

AI.LAW.04 · Handle changing and layered terms

A workplace account adds rules beyond the provider's terms. Which do you follow?

Answer: D. Both

Layered obligations.

- ✗ A. Only the workplace's: both apply
- ✗ B. Neither: both apply
- ✗ C. Only the provider's terms: both apply

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-F2-Q4 · question page 2750

AI.LAW.04 · Handle changing and layered terms

A public, commercial project has unclear terms. What is the best step?

Answer: B. Ask someone qualified

Get advice.

- ✗ A. Copy another company: not permission
- ✗ C. Guess the meaning that is best for the project and continue without asking anyone at all: risky
- ✗ D. Ignore the terms: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S131-F2-Q5 · question page 2751

AI.LAW.04 · Handle changing and layered terms

Terms changed after you signed up. What should you do?

Answer: C. Read the changes and decide whether to continue

Stay informed.

- ✗ A. Delete your work: unnecessary
- ✗ B. Ignore the notice: risky
- ✗ D. Nothing, because changes to terms never apply to people: they may

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S132-M-Q1 · question page 2753

AI.LAW.05 · Explain likeness and voice rights with dated examples

What does a right of publicity typically limit?

Answer: D. Commercial use of someone's identity without consent

Identity in commerce.

- ✗ A. Use of public parks: no
- ✗ B. Use of software: no
- ✗ C. Any mention of a person's name in any news story: too broad

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-M-Q2 · question page 2754

AI.LAW.05 · Explain likeness and voice rights with dated examples

What did Tennessee's ELVIS Act (effective July 1, 2024) add?

Answer: C. Voice, including simulated voice, to publicity rights

State law, dated.

- ✗ A. A federal law for all states: one state
- ✗ B. A new tax on singers: no
- ✗ D. A ban on every kind of music made with any computer anywhere: not what it did

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-M-Q3 · question page 2755

AI.LAW.05 · Explain likeness and voice rights with dated examples

What did the FCC rule in February 2024?

Answer: A. AI voices count as "artificial" voices under robocall rules

The ruling applies existing artificial-voice rules, with their exceptions, to AI voices.

- ✗ B. AI voices may be used in any robocall to anyone at any time without asking first: opposite
- ✗ C. Phones are banned: no
- ✗ D. All calls must use AI: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-M-Q4 · question page 2756

AI.LAW.05 · Explain likeness and voice rights with dated examples

From May 19, 2026, what must covered US platforms do under the TAKE IT DOWN Act?

Answer: B. Remove nonconsensual intimate images within 48 hours of a valid request

Dated federal duty.

- ✗ A. Nothing new: it adds duties
- ✗ C. Ban all AI: no
- ✗ D. Remove every image that shows any person, including photos that people posted of themselves: too broad

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-M-Q5 · question page 2757

AI.LAW.05 · Explain likeness and voice rights with dated examples

Which is a safe practice everywhere?

Answer: A. Get consent before using someone's likeness or voice

Consent first.

- ✗ B. Use only famous people: worse
- ✗ C. Never label synthetic media: opposite
- ✗ D. Use anyone's face or voice freely, as long as the content is shared only on social media: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-B1-Q1 · question page 2758

AI.LAW.05 · Compare likeness rights with using someone's photo in an ad

Why can't the bakery use the athlete's photo freely?

Answer: B. It uses her identity to sell and implies endorsement

Commercial use of identity.

- ✗ A. Because bread is not allowed in ads: no
- ✗ C. Because she is tall: no
- ✗ D. Because photos of athletes are always blurry and look bad: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-B1-Q2 · question page 2759

AI.LAW.05 · Compare likeness rights with using someone's photo in an ad

An AI image of the athlete in the ad is like what?

Answer: C. Using her photo without permission

Same problem.

- ✗ A. A parody: not stated
- ✗ B. A news report: no
- ✗ D. Something completely different: it does

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-B1-Q3 · question page 2760

AI.LAW.05 · Compare likeness rights with using someone's photo in an ad

A cloned voice saying "I love this bread" is like what?

Answer: D. A fake endorsement

Implied endorsement.

- ✗ A. A weather report: no
- ✗ B. A recipe: no
- ✗ C. A real endorsement: not real

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-B1-Q4 · question page 2761

AI.LAW.05 · Compare likeness rights with using someone's photo in an ad

Is the core idea new?

Answer: C. No; the technology is new

Older principle.

- ✗ A. Yes, from 2026: older
- ✗ B. There is no idea: there is
- ✗ D. Yes, the idea of controlling one's identity was invented specifically for AI tools: older

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-B1-Q5 · question page 2762

AI.LAW.05 · Compare likeness rights with using someone's photo in an ad

What would make the ad acceptable?

Answer: D. The athlete's permission

Consent.

- ✗ A. Making the AI image slightly blurry so that viewers are not quite sure who it shows: still her identity
- ✗ B. More bread: no
- ✗ C. A bigger font: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-F1-Q1 · question page 2763

AI.LAW.05 · Apply likeness and voice ideas in practice

A company in Tennessee sells ads using a cloned voice of a singer without consent after July 2024. What law may apply?

Answer: B. The ELVIS Act

State voice protection.

- ✗ A. No law at all, because voices are never covered by any law in any state in the country: it may apply
- ✗ C. A federal tax law: no
- ✗ D. A traffic law: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-F1-Q2 · question page 2764

AI.LAW.05 · Apply likeness and voice ideas in practice

A campaign sends non-emergency robocalls to cellphones using an AI-cloned voice, without prior consent. Under the FCC's 2024 ruling, what applies?

Answer: A. Prior-consent rules for artificial-voice calls

Consent rules.

- ✗ B. A ban on campaigns: no
- ✗ C. Nothing, since political calls are always exempt from every rule about voices and consent: not stated
- ✗ D. Only a fee: not stated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-F1-Q3 · question page 2765

AI.LAW.05 · Apply likeness and voice ideas in practice

Someone posts an AI-generated intimate image of a classmate. What can the classmate do on covered platforms after May 19, 2026?

Answer: D. Request removal, which must be acted on within 48 hours

TAKE IT DOWN Act process.

- ✗ A. Pay a fee: not stated
- ✗ B. Nothing, since AI-generated images cannot be removed by any platform once they are posted: they can
- ✗ C. Only wait: can request

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-F1-Q4 · question page 2766

AI.LAW.05 · Apply likeness and voice ideas in practice

A student makes a clearly labeled cartoon of a celebrity for a class parody. What is true?

Answer: B. Parody may be treated differently, depending on the law

Context matters.

- ✗ A. It is definitely fine everywhere: not settled
- ✗ C. Cartoons are not images: no
- ✗ D. It is definitely illegal everywhere, because any image of a celebrity always needs written consent: not settled

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-F1-Q5 · question page 2767

AI.LAW.05 · Apply likeness and voice ideas in practice

Which use is clearly inappropriate?

Answer: C. A realistic fake video of a real person endorsing a product

Deceptive identity use.

- ✗ A. A labeled synthetic narrator, made with a paid voice actor's written consent, reading a story: consented
- ✗ B. A cartoon of an invented character: fine
- ✗ D. Your own voice clone with consent: fine

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-F2-Q1 · question page 2768

AI.LAW.05 · Navigate varying likeness laws safely

Do publicity rights work the same in every state?

Answer: A. No; they vary

State differences.

- ✗ B. Yes, every state has exactly the same publicity law, written word for word the same way: they vary
- ✗ C. Only in Tennessee: not only
- ✗ D. There are no such rights: some exist

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-F2-Q2 · question page 2769

AI.LAW.05 · Navigate varying likeness laws safely

Which practice is safe regardless of the exact rule?

Answer: B. Getting consent and labeling synthetic media

Consent and disclosure.

- ✗ A. Never telling viewers: deceptive
- ✗ C. Using anyone's likeness, as long as the use is in a state that has no publicity law: risky
- ✗ D. Using famous people only: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-F2-Q3 · question page 2770

AI.LAW.05 · Navigate varying likeness laws safely

Are courts still applying older laws to new technology?

Answer: C. Yes

Evolving application.

- ✗ A. Only in Europe: not only
- ✗ B. Courts ignore technology: no
- ✗ D. No, every question about AI and likeness was fully answered by courts before 2020: still developing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-F2-Q4 · question page 2771

AI.LAW.05 · Navigate varying likeness laws safely

Which content should never be created about real people?

Answer: D. Sexual or deceptive content

Clear harm.

- ✗ A. Any content that mentions a real person, including accurate news and labeled commentary: too broad
- ✗ B. Birthday cards: fine
- ✗ C. Labeled cartoons: often fine

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S132-F2-Q5 · question page 2772

AI.LAW.05 · Navigate varying likeness laws safely

Why include dates when describing these laws?

Answer: A. Rules take effect at different times and change

Time-sensitive information.

- ✗ B. To make it longer: no
- ✗ C. Because laws without dates are not allowed to be described in any classroom setting: not the reason
- ✗ D. Dates do not matter: they do

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_elvis; law_fcc_voice; law_takeitdown

S133-M-Q1 · question page 2774

AI.LAW.06 · Recognize privacy rules that can apply to data used with AI

Whose information does COPPA cover?

Answer: D. Children under 13, collected online

Children under 13.

- ✗ A. Only businesses: no
- ✗ B. Only teachers: no
- ✗ C. Every adult who uses the internet: too broad

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-M-Q2 · question page 2775

AI.LAW.06 · Recognize privacy rules that can apply to data used with AI

When was most compliance with the amended COPPA rule required?

Answer: A. By April 22, 2026

Dated deadline.

- ✗ B. Never: it is required
- ✗ C. By 2035: no
- ✗ D. By January 1, 2000: not the amendment

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-M-Q3 · question page 2776

AI.LAW.06 · Recognize privacy rules that can apply to data used with AI

What does GDPR Article 22 address?

Answer: C. Decisions based solely on automated processing

Automated decisions.

- ✗ A. Copyright: no
- ✗ B. Traffic: no
- ✗ D. The price of computers sold in the European Union: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-M-Q4 · question page 2777

AI.LAW.06 · Recognize privacy rules that can apply to data used with AI

Where does GDPR apply?

Answer: B. The European Union

EU regulation.

- ✗ A. Every country in the world equally, including countries with no connection to Europe: too broad
- ✗ C. Only the US: no
- ✗ D. Only Tennessee: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-M-Q5 · question page 2778

AI.LAW.06 · Recognize privacy rules that can apply to data used with AI

What does Article 22 require for significant decisions?

Answer: D. Not solely automated, with exceptions and safeguards

A right with exceptions.

- ✗ A. That AI be banned: no
- ✗ B. Nothing: it sets a right
- ✗ C. That every decision of any kind must be made by a computer: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-B1-Q1 · question page 2779

AI.LAW.06 · Ask five privacy questions

"Records children's voices" answers which question?

Answer: A. What is collected

The data.

- ✗ B. Why: no
- ✗ C. Who receives it: no
- ✗ D. How long it is kept: that is retention

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-B1-Q2 · question page 2780

AI.LAW.06 · Ask five privacy questions

"To measure fluency" answers which question?

Answer: C. Why

Purpose.

- ✗ A. What: no
- ✗ B. Who receives the data, because teachers are the ones who measure the fluency: that is who
- ✗ D. How long: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-B1-Q3 · question page 2781

AI.LAW.06 · Ask five privacy questions

"Tells parents and asks permission" answers which question?

Answer: B. Consent or notice

Consent.

- ✗ A. How long: no
- ✗ C. Why: no
- ✗ D. What is collected: not what

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-B1-Q4 · question page 2782

AI.LAW.06 · Ask five privacy questions

"Shares recordings only with the teacher" answers which question?

Answer: D. Who receives it

Recipients.

- ✗ A. What: no
- ✗ B. How long: no
- ✗ C. Why it is collected: not purpose

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-B1-Q5 · question page 2783

AI.LAW.06 · Ask five privacy questions

"Deletes them after the school year" answers which question?

Answer: B. How long it is kept

Retention.

- ✗ A. Who: no
- ✗ C. Consent, because deleting the recordings is a way of asking the parents for permission: no
- ✗ D. What: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-F1-Q1 · question page 2784

AI.LAW.06 · Apply privacy rules to AI scenarios

A US learning app for 8-year-olds collects voice recordings to train its AI. Which rule is relevant?

Answer: C. COPPA

Children under 13.

- ✗ A. No rule: COPPA likely
- ✗ B. A traffic law: no
- ✗ D. GDPR Article 22: not necessarily

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-F1-Q2 · question page 2785

AI.LAW.06 · Apply privacy rules to AI scenarios

An EU bank rejects loans using only an automated system, with no human involvement. Which rule is relevant?

Answer: A. GDPR Article 22

Solely automated, significant decision.

- ✗ B. A US state law: EU case
- ✗ C. No rule: Article 22
- ✗ D. COPPA: wrong rule

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-F1-Q3 · question page 2786

AI.LAW.06 · Apply privacy rules to AI scenarios

A school club wants to use members' photos in an AI tool. What should it do first?

Answer: B. Tell members and get permission

Notice and consent.

- ✗ A. Sell the photos: worse
- ✗ C. Post the photos publicly: worse
- ✗ D. Use the photos right away: they are

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-F1-Q4 · question page 2787

AI.LAW.06 · Apply privacy rules to AI scenarios

A project collects birthdays, addresses and favorite songs, but only needs ages. What should change?

Answer: C. Collect only what is needed

Data minimization.

- ✗ A. Publish everything: worse
- ✗ B. Nothing: over-collects
- ✗ D. Collect even more information: over-collection

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-F1-Q5 · question page 2788

AI.LAW.06 · Apply privacy rules to AI scenarios

A US company says "GDPR doesn't apply to us." When might it still apply?

Answer: A. When it handles data of people in the EU in covered ways

Scope can reach across borders.

- ✗ B. Only on weekends: no
- ✗ C. Always, everywhere: too broad
- ✗ D. Never, because European rules can never apply to any company: they can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-F2-Q1 · question page 2789

AI.LAW.06 · Protect personal data in AI projects

Besides COPPA, what other kinds of US privacy rules exist?

Answer: D. State privacy laws and sector laws

Several layers.

- ✗ A. Only company terms: no
- ✗ B. None, because COPPA is the only privacy rule that exists anywhere in the United States: others exist
- ✗ C. Only EU rules: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-F2-Q2 · question page 2790

AI.LAW.06 · Protect personal data in AI projects

Which practice reflects good privacy habits?

Answer: C. Collect only what is needed and protect it

Minimize and protect.

- ✗ A. Hide data collection: risky
- ✗ B. Share data with anyone who asks: risky
- ✗ D. Collect as much personal data as possible: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-F2-Q3 · question page 2791

AI.LAW.06 · Protect personal data in AI projects

Is this course's privacy information legal advice?

Answer: D. No; it is general information

General information.

- ✗ A. Yes, for students: not advice
- ✗ B. Only in Europe: not advice
- ✗ C. Yes, it can be used in court: not advice

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-F2-Q4 · question page 2792

AI.LAW.06 · Protect personal data in AI projects

Health records used in an AI project may fall under what?

Answer: B. Sector-specific health privacy laws

Sector laws.

- ✗ A. No rules at all, since health records are not considered personal information in any law: they are
- ✗ C. Only traffic laws: no
- ✗ D. Only copyright: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S133-F2-Q5 · question page 2793

AI.LAW.06 · Protect personal data in AI projects

Before an AI project uses personal data, what should you check?

Answer: A. Which rules apply where you are

Jurisdiction-specific.

- ✗ B. Nothing: check
- ✗ C. Only the tool's logo and app store rating, which show whether privacy rules apply: irrelevant
- ✗ D. Only the price: not enough

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_coppa; law_gdpr22

S134-M-Q1 · question page 2795

AI.LAW.07 · Explain that anti-discrimination and notice rules can apply to AI decisions

Does using AI switch off anti-discrimination rules?

Answer: C. No

Rules still apply.

- ✗ A. Only for small companies: no
- ✗ B. Yes, in every state: no
- ✗ D. Yes: they still apply

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-M-Q2 · question page 2796

AI.LAW.07 · Explain that anti-discrimination and notice rules can apply to AI decisions

What does NYC Local Law 144 (enforced from July 5, 2023) require before using a covered hiring tool?

Answer: A. An independent bias audit within the past year

Audit, summary, notice.

- ✗ B. A tax payment: no
- ✗ C. A ban on all hiring: no
- ✗ D. Nothing at all, as long as the employer believes: audit required

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-M-Q3 · question page 2797

AI.LAW.07 · Explain that anti-discrimination and notice rules can apply to AI decisions

What must NYC employers give candidates?

Answer: D. Advance notice

Notice.

- ✗ A. A job guarantee: no
- ✗ B. A copy of the tool's source code and the full training data used to build the hiring tool: not required
- ✗ C. Nothing: notice required

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-M-Q4 · question page 2798

AI.LAW.07 · Explain that anti-discrimination and notice rules can apply to AI decisions

What did the Illinois amendment (effective January 1, 2026) bar?

Answer: B. Discriminatory AI use in employment

Employment discrimination.

- ✗ A. All hiring: no
- ✗ C. All AI everywhere: no
- ✗ D. Every use of computers by employers: too broad

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-M-Q5 · question page 2799

AI.LAW.07 · Explain that anti-discrimination and notice rules can apply to AI decisions

Under Regulation B, what must a lender that denies credit give, or tell applicants how to request?

Answer: C. The specific principal reasons

Regulation B (12 CFR 1002.9) requires specific principal reasons, whatever method was used.

- ✗ A. No reasons, because complex algorithms cannot explain decisions: the rule still applies
- ✗ B. A discount: no
- ✗ D. A generic reason only: not enough

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-B1-Q1 · question page 2800

AI.LAW.07 · Compare AI decision rules with a referee using instant replay

Do the game's rules still apply with replay?

Answer: A. Yes

Rules remain.

- ✗ B. No, because using technology replaces every rule that applied to the game before it: still apply
- ✗ C. Only for one team: no
- ✗ D. Only in playoffs: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-B1-Q2 · question page 2801

AI.LAW.07 · Compare AI decision rules with a referee using instant replay

Who is responsible for the call?

Answer: B. The referee

Human responsibility.

- ✗ A. The fans: no
- ✗ C. The replay machine, which takes full responsibility for every decision it helps to make: no
- ✗ D. Nobody: the referee

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-B1-Q3 · question page 2802

AI.LAW.07 · Compare AI decision rules with a referee using instant replay

A replay system set up to favor one team is like what?

Answer: D. A biased AI tool

Unfair design.

- ✗ A. A scoreboard: no
- ✗ B. A new rule: no
- ✗ C. A fair tool: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-B1-Q4 · question page 2803

AI.LAW.07 · Compare AI decision rules with a referee using instant replay

Teams asking why a call was made is like what?

Answer: B. People asking for reasons for a decision

Explanation.

- ✗ A. A bias audit: related but different
- ✗ C. Fans buying more tickets to watch the next game played in the same stadium: no
- ✗ D. A contract: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-B1-Q5 · question page 2804

AI.LAW.07 · Compare AI decision rules with a referee using instant replay

What is the lesson for AI decisions?

Answer: A. Rules, responsibility and explanations remain

Tools help; duties remain.

- ✗ B. Replay is unfair: not the point
- ✗ C. Sports are like law: not the point
- ✗ D. Technology removes the need for any rules: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-F1-Q1 · question page 2805

AI.LAW.07 · Apply discrimination and notice rules in practice

A NYC employer uses an AI résumé screener without a bias audit in 2024. What is the issue?

Answer: C. It may violate Local Law 144

Audit required before use.

- ✗ A. It violates COPPA: wrong rule
- ✗ B. It violates the ELVIS Act: wrong rule
- ✗ D. Nothing: audit first

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-F1-Q2 · question page 2806

AI.LAW.07 · Apply discrimination and notice rules in practice

A lender denies a loan and its notice says only "algorithm decision." Under Regulation B, what is wrong?

Answer: D. Specific reasons are required

A vague label is not a statement of the specific reasons.

- ✗ A. It must hire more staff: not stated
- ✗ B. It must give a discount: no
- ✗ C. Nothing: not enough

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-F1-Q3 · question page 2807

AI.LAW.07 · Apply discrimination and notice rules in practice

An Illinois employer uses an AI tool for promotions in 2026 without telling staff. What may be required?

Answer: A. Notice of the AI use

Notice requirement.

- ✗ B. Nothing, because promotion decisions are never covered by any rule in the state of Illinois: covered
- ✗ C. A tax: no
- ✗ D. A new office: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-F1-Q4 · question page 2808

AI.LAW.07 · Apply discrimination and notice rules in practice

A company says "our AI decided, so we are not responsible." What is the problem?

Answer: C. Organizations remain responsible for tools they use

Responsibility stays.

- ✗ A. Nothing, since AI tools take legal responsibility for decisions as soon as they make them: not true
- ✗ B. The AI should be fined: not how it works
- ✗ D. The candidate is responsible: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-F1-Q5 · question page 2809

AI.LAW.07 · Apply discrimination and notice rules in practice

A rejected applicant wants to know if AI was used. What can they do?

Answer: D. Ask what was used and why

Ask for information.

- ✗ A. Post insults: not helpful
- ✗ B. Hack the company: never
- ✗ C. Nothing, because applicants have no way to ask any company about its hiring process: they can ask

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-F2-Q1 · question page 2810

AI.LAW.07 · Track shared themes and changing guidance

Which themes do these rules share?

Answer: B. Testing for bias, notice and explaining decisions

Common themes.

- ✗ A. Lower prices: no
- ✗ C. Faster hiring: no
- ✗ D. Banning computers from workplaces and requiring all decisions to be made on paper by hand: not the themes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-F2-Q2 · question page 2811

AI.LAW.07 · Track shared themes and changing guidance

CFPB Circular 2023-03, which stressed this rule, was withdrawn on May 12, 2025. Did that remove Regulation B's reasons requirement?

Answer: B. No; the regulation itself still applies

Withdrawing a guidance document does not repeal the regulation it explained.

- ✗ A. Yes, but only in Illinois: not a state matter
- ✗ C. Only for small loans: not stated
- ✗ D. Yes; withdrawing guidance cancels the regulation: guidance is not the regulation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-F2-Q3 · question page 2812

AI.LAW.07 · Track shared themes and changing guidance

Do these rules apply everywhere in the same way?

Answer: D. No; details differ by place and sector

Jurisdiction and sector.

- ✗ A. Yes, the Illinois law covers every state: one state
- ✗ B. There are no such rules: some exist
- ✗ C. Yes: local

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-F2-Q4 · question page 2813

AI.LAW.07 · Track shared themes and changing guidance

What rights might affected people have?

Answer: B. To complain or appeal, depending on the rule

Varies by rule.

- ✗ A. Unlimited money: no
- ✗ C. To see all source code always: not guaranteed
- ✗ D. No rights at all, since AI decisions cannot be questioned by the people they affect: some exist

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S134-F2-Q5 · question page 2814

AI.LAW.07 · Track shared themes and changing guidance

Before relying on one of these rules, what should you check?

Answer: C. Its current status and coverage

Status and scope.

- ✗ A. Its length: irrelevant
- ✗ B. Only whether a news story mentioned it once, which shows that it is still in effect: not enough
- ✗ D. Nothing: check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_nyc144; law_illinois; law_cfpb

S135-M-Q1 · question page 2816

AI.LAW.08 · Recognize deceptive AI claims and fake reviews as consumer-protection issues

Do consumer-protection laws apply to AI products?

Answer: B. Yes

Existing law applies.

- ✗ A. Only to physical products: no
- ✗ C. No, because AI is a new technology that existing consumer laws were never written to cover: they apply
- ✗ D. Only in Europe: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-M-Q2 · question page 2817

AI.LAW.08 · Recognize deceptive AI claims and fake reviews as consumer-protection issues

What was "Operation AI Comply" (September 2024)?

Answer: A. FTC actions against deceptive AI practices

Enforcement under existing law.

- ✗ B. A trade show: no
- ✗ C. A coding contest: no
- ✗ D. A new federal law that made all AI products free: not a law

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-M-Q3 · question page 2818

AI.LAW.08 · Recognize deceptive AI claims and fake reviews as consumer-protection issues

Which example was among the FTC actions?

Answer: C. A "robot lawyer" with allegedly untested claims

Unsupported claims.

- ✗ A. A library: no
- ✗ B. A free calculator: no
- ✗ D. A weather app that gave accurate forecasts every day: not deceptive

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-M-Q4 · question page 2819

AI.LAW.08 · Recognize deceptive AI claims and fake reviews as consumer-protection issues

Are AI-written fake reviews deceptive?

Answer: D. Yes, like any fake review

Fake is fake.

- ✗ A. Only if negative: no
- ✗ B. Only if long: no
- ✗ C. No, since reviews written by a tool are not really reviews and so are not covered by any rule: they are

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-M-Q5 · question page 2820

AI.LAW.08 · Recognize deceptive AI claims and fake reviews as consumer-protection issues

What must claims about AI abilities be?

Answer: A. Truthful and supported

Substantiation.

- ✗ B. Secret: no
- ✗ C. Short: not the standard
- ✗ D. As exciting as possible: not the standard

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-B1-Q1 · question page 2821

AI.LAW.08 · Compare deceptive AI claims with misleading food labels

Why is "cures colds!" on cereal deceptive?

Answer: B. There is no evidence

Unsupported claim.

- ✗ A. Because cereal boxes are not allowed to have any words printed on them at all: not the reason
- ✗ C. Because cereal is unhealthy: not the point
- ✗ D. Because colds are rare: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-B1-Q2 · question page 2822

AI.LAW.08 · Compare deceptive AI claims with misleading food labels

Reviews from customers who do not exist are what?

Answer: C. Deceptive

Fake reviews.

- ✗ A. Required: no
- ✗ B. Acceptable marketing, since every company invents a few reviews to get started: not acceptable
- ✗ D. Harmless: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-B1-Q3 · question page 2823

AI.LAW.08 · Compare deceptive AI claims with misleading food labels

Does it matter whether a person or a tool wrote the fake reviews?

Answer: D. No

Same deception.

- ✗ A. Only for cereal: no
- ✗ B. Yes, always: no
- ✗ C. Yes: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-B1-Q4 · question page 2824

AI.LAW.08 · Compare deceptive AI claims with misleading food labels

"Our AI replaces your lawyer" needs what?

Answer: C. Real support for the claim

Substantiation.

- ✗ A. A lower price: no
- ✗ B. A bigger font: no
- ✗ D. Nothing, since claims about AI are opinions and opinions never need to be supported: claims need support

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-B1-Q5 · question page 2825

AI.LAW.08 · Compare deceptive AI claims with misleading food labels

What is the lesson?

Answer: A. AI products are held to the same honesty standards

Same standards.

- ✗ B. AI products have no rules, so any claim about them is allowed in every advertisement: opposite
- ✗ C. Labels do not matter: no
- ✗ D. Cereal is AI: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-F1-Q1 · question page 2826

AI.LAW.08 · Spot deceptive AI marketing in practice

An ad says "Our AI is 100% accurate on every medical question." What is the concern?

Answer: D. An unsupported, likely deceptive claim

Extreme claim.

- ✗ A. The ad is too short: not the concern
- ✗ B. The ad uses colors: not the concern
- ✗ C. No concern, since medical AI tools are always completely accurate on every question they answer: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-F1-Q2 · question page 2827

AI.LAW.08 · Spot deceptive AI marketing in practice

A store uses a tool to generate 500 glowing reviews from nonexistent customers. What is this?

Answer: B. Deceptive fake reviews

Fake reviews.

- ✗ A. Customer service: no
- ✗ C. Smart marketing that is fully allowed, because the reviews were written by a tool, not by staff: deceptive
- ✗ D. A survey: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-F1-Q3 · question page 2828

AI.LAW.08 · Spot deceptive AI marketing in practice

A course promises "make 5,000 dollars a week with an AI store, guaranteed." What does this resemble?

Answer: D. Schemes the FTC challenged

Earnings claims.

- ✗ A. A carefully supported claim based on evidence from the course's typical past students: not supported
- ✗ B. A charity: no
- ✗ C. A government program: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-F1-Q4 · question page 2829

AI.LAW.08 · Spot deceptive AI marketing in practice

A business uses AI to write ads. Who is responsible for checking them?

Answer: C. The business

Responsibility stays.

- ✗ A. Nobody: business is
- ✗ B. The customers: no
- ✗ D. The AI tool: not responsible

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-F1-Q5 · question page 2830

AI.LAW.08 · Spot deceptive AI marketing in practice

You suspect an AI product's claims are deceptive. What can you do?

Answer: A. Report it to a consumer-protection agency

Report.

- ✗ B. Write fake reviews back: deceptive
- ✗ C. Buy more of it: no
- ✗ D. Nothing, because agencies never accept reports about AI products from ordinary consumers: they do

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-F2-Q1 · question page 2831

AI.LAW.08 · Evaluate claims and reviews critically

Which claim most needs evidence?

Answer: B. "Replaces your doctor"

Big claim, big evidence.

- ✗ A. "Available on phones": checkable
- ✗ C. "Free to try": checkable
- ✗ D. "Helps draft emails faster": modest

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-F2-Q2 · question page 2832

AI.LAW.08 · Evaluate claims and reviews critically

A product hides that its "AI" only works in English. What kind of problem is this?

Answer: A. A hidden limit

Undisclosed limitation.

- ✗ B. A feature: no
- ✗ C. A discount: no
- ✗ D. A helpful surprise: not helpful

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-F2-Q3 · question page 2833

AI.LAW.08 · Evaluate claims and reviews critically

Do the same honesty rules apply whether a person or a tool wrote a claim?

Answer: C. Yes

Same rules.

- ✗ A. Only for people: both
- ✗ B. No, because claims written by tools are considered opinions that need no evidence at all: same rules
- ✗ D. Only for tools: both

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-F2-Q4 · question page 2834

AI.LAW.08 · Evaluate claims and reviews critically

Why do agencies collect consumer reports?

Answer: B. To find patterns of deception

Pattern detection.

- ✗ A. For decoration: no
- ✗ C. To slow companies down: not the purpose
- ✗ D. To sell consumers' contact details: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S135-F2-Q5 · question page 2835

AI.LAW.08 · Evaluate claims and reviews critically

Reviews look generated and nothing says they were paid. What should you be?

Answer: D. Skeptical

Question them.

- ✗ A. Uninterested: not helpful
- ✗ B. Angry: not helpful
- ✗ C. Fully trusting: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ftc_aicomply

S136-M-Q1 · question page 2837

AI.LAW.09 · Follow a written AI policy, disclose AI help and keep records

In this fictional policy, which use is allowed?

Prepared example (a fictional class policy)

Class AI Policy (excerpt): "You may use approved AI tools to brainstorm and to check grammar. You may not submit AI-written paragraphs as your own. If you use AI, add a one-line note at the end saying how."

Answer: B. Brainstorming with an approved tool

Stated permission.

- ✗ A. Submitting a paragraph written by an AI tool as if the student had written it personally: not allowed
- ✗ C. Using any tool at all: approved only
- ✗ D. Skipping the note: note required

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-M-Q2 · question page 2838

AI.LAW.09 · Follow a written AI policy, disclose AI help and keep records

In the same policy, what must a student add after using AI?

Prepared example (a fictional class policy)

Class AI Policy (excerpt): "You may use approved AI tools to brainstorm and to check grammar. You may not submit AI-written paragraphs as your own. If you use AI, add a one-line note at the end saying how."

Answer: D. A one-line note saying how

Disclosure.

- ✗ A. Nothing: note required
- ✗ B. A full page explaining the history of artificial intelligence and how the tool was built: not required
- ✗ C. The tool's price: not required

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-M-Q3 · question page 2839

AI.LAW.09 · Follow a written AI policy, disclose AI help and keep records

Why keep records of AI use?

Answer: A. To show how AI was used when required

Transparency.

- ✗ B. To make files bigger: no
- ✗ C. Because records are always required everywhere: not always
- ✗ D. To hide which parts of the work were done with AI: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-M-Q4 · question page 2840

AI.LAW.09 · Follow a written AI policy, disclose AI help and keep records

Do AI policies differ between classes and employers?

Answer: C. Yes

Read each policy.

- ✗ A. No, every school and every employer in the country uses exactly the same AI policy: they differ
- ✗ B. Only for teachers: no
- ✗ D. Only in Europe: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-M-Q5 · question page 2841

AI.LAW.09 · Follow a written AI policy, disclose AI help and keep records

What was the US Department of Education's July 2025 guidance about?

Answer: D. Using federal grant funds for some AI uses

Funding guidance.

- ✗ A. Banning AI in schools: no
- ✗ B. Teacher salaries: no
- ✗ C. A national rule that every classroom must follow: not a classroom rule

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-B1-Q1 · question page 2842

AI.LAW.09 · Compare AI policies with rules for calculators in math class

Are calculators allowed on every test?

Answer: B. No; it depends on the test

Context-specific.

- ✗ A. Only on Fridays: no
- ✗ C. Never: sometimes
- ✗ D. Yes, calculators are allowed on every test in every class in every school, always: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-B1-Q2 · question page 2843

AI.LAW.09 · Compare AI policies with rules for calculators in math class

Using a graphing calculator on a "no calculator" test is like what?

Answer: A. Using AI against a policy

Breaking the rule.

- ✗ B. Studying: no
- ✗ C. Asking a question: no
- ✗ D. Following the policy carefully: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-B1-Q3 · question page 2844

AI.LAW.09 · Compare AI policies with rules for calculators in math class

"Show your work" is like what in AI policies?

Answer: C. Disclosing AI help and keeping records

Transparency.

- ✗ A. Hiding every draft so that nobody can see how the work was produced from start to finish: opposite
- ✗ B. Writing faster: no
- ✗ D. Using more tools: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-B1-Q4 · question page 2845

AI.LAW.09 · Compare AI policies with rules for calculators in math class

If calculators are allowed in one class, are they allowed in all?

Answer: D. Not necessarily

Each class has its rules.

- ✗ A. Never: no
- ✗ B. Yes, always: no
- ✗ C. Yes: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-B1-Q5 · question page 2846

AI.LAW.09 · Compare AI policies with rules for calculators in math class

What is the lesson?

Answer: A. Follow each setting's rules and show your work

Policy and transparency.

- ✗ B. Calculators are AI: no
- ✗ C. Use every tool everywhere, since tools are always allowed if they are available to you: rules vary
- ✗ D. Never use tools: too strong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-F1-Q1 · question page 2847

AI.LAW.09 · Follow AI policies in practice

Under the fictional policy, Maya uses an approved AI tool to check grammar and adds a note. Did she follow it?

Prepared example (a fictional class policy)

Class AI Policy (excerpt): "You may use approved AI tools to brainstorm and to check grammar. You may not submit AI-written paragraphs as your own. If you use AI, add a one-line note at the end saying how."

Answer: B. Yes

Allowed use, disclosed.

- ✗ A. No, she needed no note: note required
- ✗ C. No, because grammar checks with AI are never allowed under any policy in any class: allowed
- ✗ D. Only if the note is long: one line

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-F1-Q2 · question page 2848

AI.LAW.09 · Follow AI policies in practice

Under the same policy, Leo pastes an AI-written paragraph into his essay without a note. What did he do?

Prepared example (a fictional class policy)

Class AI Policy (excerpt): "You may use approved AI tools to brainstorm and to check grammar. You may not submit AI-written paragraphs as your own. If you use AI, add a one-line note at the end saying how."

Answer: C. Broke the policy

Prohibited use.

- ✗ A. Only broke a grammar rule: not grammar
- ✗ B. Nothing wrong: not allowed
- ✗ D. Followed the policy: not allowed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-F1-Q3 · question page 2849

AI.LAW.09 · Follow AI policies in practice

A workplace policy says nothing about AI image tools. What should an employee do?

Answer: D. Ask before using them

Ask when unclear.

- ✗ A. Never ask: risky
- ✗ B. Quit: no
- ✗ C. Use them freely: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-F1-Q4 · question page 2850

AI.LAW.09 · Follow AI policies in practice

A student's English class allows AI brainstorming, but science does not. What applies in science?

Answer: A. Science's rule

Each class's policy.

- ✗ B. No rule: science has one
- ✗ C. Both, combined: not how it works
- ✗ D. English's rule: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-F1-Q5 · question page 2851

AI.LAW.09 · Follow AI policies in practice

Which record best supports disclosure?

Answer: B. Saved drafts and a note of prompts used

Records as you go.

- ✗ A. Only the final version, with every earlier draft deleted to keep the folder tidy: loses evidence
- ✗ C. A screenshot of the app icon: not useful
- ✗ D. Nothing: records help

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-F2-Q1 · question page 2852

AI.LAW.09 · Handle unclear policies and mistakes

A policy is unclear. What is the best way to record the answer you get?

Answer: C. In writing, if possible

Keep it in writing.

- ✗ A. On social media: not appropriate
- ✗ B. Nowhere: record it
- ✗ D. Only in your memory: record it

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-F2-Q2 · question page 2853

AI.LAW.09 · Handle unclear policies and mistakes

Do policies stay the same forever?

Answer: A. No; they change over time

Check for updates.

- ✗ B. Yes, once a policy is written it can never be changed by the school or the employer: they change
- ✗ C. Only for teachers: no
- ✗ D. Only in summer: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-F2-Q3 · question page 2854

AI.LAW.09 · Handle unclear policies and mistakes

You realize you broke an AI policy. What is usually best?

Answer: D. Tell the teacher or manager promptly

Prompt honesty.

- ✗ A. Blame a classmate: no
- ✗ B. Delete all your work: no
- ✗ C. Say nothing and hope it is never noticed by anyone, since admitting it always makes things worse: usually worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-F2-Q4 · question page 2855

AI.LAW.09 · Handle unclear policies and mistakes

Why is disclosure easier with records kept as you go?

Answer: B. You can show exactly how AI was used

Evidence ready.

- ✗ A. Because records hide AI use: opposite
- ✗ C. Because teachers require ten records: no
- ✗ D. Because records make the work look longer: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S136-F2-Q5 · question page 2856

AI.LAW.09 · Handle unclear policies and mistakes

A rule from last year's class differs from this year's. Which applies?

Answer: C. This year's

Current policy.

- ✗ A. Last year's, since the first rule a student ever learns always applies for the rest of school: no
- ✗ B. Neither: this year's
- ✗ D. Whichever you prefer: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_ed_ai

S137-M-Q1 · question page 2858

AI.LAW.10 · Describe the EU AI Act's risk-based approach and dated timeline

When did the EU AI Act enter into force?

Answer: A. August 1, 2024

Dated fact.

- ✗ B. December 2, 2027: a later deadline
- ✗ C. It has not: it has
- ✗ D. January 1, 2000: not this act

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-M-Q2 · question page 2859

AI.LAW.10 · Describe the EU AI Act's risk-based approach and dated timeline

What kind of approach does the Act take?

Answer: B. Risk-based

Different rules for different risk.

- ✗ A. No rules at all: it has rules
- ✗ C. Price-based: no
- ✗ D. One single rule: tiers

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-M-Q3 · question page 2860

AI.LAW.10 · Describe the EU AI Act's risk-based approach and dated timeline

From when did prohibited practices apply?

Answer: C. February 2, 2025

Dated milestone.

- ✗ A. Never: they apply
- ✗ B. December 2, 2027: that is high-risk
- ✗ D. August 1, 2024: later

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-M-Q4 · question page 2861

AI.LAW.10 · Describe the EU AI Act's risk-based approach and dated timeline

Which is an example of a transparency duty?

Answer: D. Telling people they are interacting with AI

Disclosure.

- ✗ A. Hiding the AI: opposite
- ✗ B. Lowering prices: no
- ✗ C. Banning every chatbot in every EU country: not the duty

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-M-Q5 · question page 2862

AI.LAW.10 · Describe the EU AI Act's risk-based approach and dated timeline

What did the 2026 amendment change?

Answer: A. It moved most Annex III high-risk obligations to December 2, 2027

Delayed obligations.

- ✗ B. It repealed the entire Act, so that no AI rules apply anywhere in the European Union now: not repealed
- ✗ C. It banned all AI: no
- ✗ D. It applied the Act to the US: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-B1-Q1 · question page 2863

AI.LAW.10 · Compare risk tiers with rules for vehicles

Driving with no brakes is like which tier?

Answer: D. Prohibited

Banned outright.

- ✗ A. Transparency only: no
- ✗ B. Minimal rules: no
- ✗ C. High-risk: banned

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-B1-Q2 · question page 2864

AI.LAW.10 · Compare risk tiers with rules for vehicles

A hazardous-materials truck is like which tier?

Answer: C. High-risk

Heavy requirements.

- ✗ A. Minimal rules: no
- ✗ B. No tier: no
- ✗ D. Prohibited: regulated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-B1-Q3 · question page 2865

AI.LAW.10 · Compare risk tiers with rules for vehicles

A bicycle is like which tier?

Answer: B. Few specific rules

Low risk.

- ✗ A. Banned: no
- ✗ C. High-risk, because bicycles need the same inspections as trucks carrying hazardous materials: no
- ✗ D. Prohibited: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-B1-Q4 · question page 2866

AI.LAW.10 · Compare risk tiers with rules for vehicles

Why do vehicle rules differ?

Answer: D. Different vehicles pose different risks

Risk-based.

- ✗ A. Because every vehicle has exactly the same risk, so the rules are chosen randomly: no
- ✗ B. Because of color: no
- ✗ C. Because of brand: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-B1-Q5 · question page 2867

AI.LAW.10 · Compare risk tiers with rules for vehicles

What is the lesson for the AI Act?

Answer: C. Rules scale with risk

Tiered approach.

- ✗ A. Only trucks are regulated: no
- ✗ B. AI is a vehicle: no
- ✗ D. Every AI system faces exactly the same rules, whatever it does or whoever it affects: tiers

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-F1-Q1 · question page 2868

AI.LAW.10 · Apply the EU AI Act's structure to examples

An AI system used to screen job applicants in the EU is likely in which category?

Answer: B. High-risk

Hiring is listed.

- ✗ A. No rules apply: rules apply
- ✗ C. Transparency only: more than that
- ✗ D. Prohibited: high-risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-F1-Q2 · question page 2869

AI.LAW.10 · Apply the EU AI Act's structure to examples

A customer chatbot in the EU likely needs to do what?

Answer: A. Make clear users are interacting with AI

Transparency duty.

- ✗ B. Shut down: no
- ✗ C. Nothing: transparency
- ✗ D. Pass a full high-risk audit every single month: not typical

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-F1-Q3 · question page 2870

AI.LAW.10 · Apply the EU AI Act's structure to examples

A US company offers an AI hiring tool to EU employers. Can the Act affect it?

Answer: B. Yes

Reach through the EU market.

- ✗ A. No, because laws passed in Europe can never affect any company that is based outside Europe: it can
- ✗ C. Only after 2040: no
- ✗ D. Only if it has an EU office: not only

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-F1-Q4 · question page 2871

AI.LAW.10 · Apply the EU AI Act's structure to examples

As of the 2026 amendment, when do most Annex III high-risk obligations apply?

Answer: C. December 2, 2027

Amended date.

- ✗ A. Never: they apply
- ✗ B. August 1, 2024: entry into force
- ✗ D. February 2, 2025: that is prohibitions

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-F1-Q5 · question page 2872

AI.LAW.10 · Apply the EU AI Act's structure to examples

Which statement is accurate?

Answer: A. The Act is an EU regulation with dated milestones

EU, dated.

- ✗ B. The Act bans all AI: no
- ✗ C. The Act has no dates: it has
- ✗ D. The Act is a US federal law that took effect: EU

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-F2-Q1 · question page 2873

AI.LAW.10 · Compare approaches without judging one correct

Why does the course set a short review interval for the EU AI Act?

Answer: D. Its timelines change

Time-sensitive.

- ✗ A. Because Europe is far away: no
- ✗ B. Because the Act is expected to be cancelled completely within the next few weeks: not stated
- ✗ C. Because it is short: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-F2-Q2 · question page 2874

AI.LAW.10 · Compare approaches without judging one correct

How does the US approach mostly differ?

Answer: C. It relies on existing laws, agencies and state laws

Different structure.

- ✗ A. It has no rules: some exist
- ✗ B. It copies the EU exactly: no
- ✗ D. It has one single AI law that covers everything: not mostly

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-F2-Q3 · question page 2875

AI.LAW.10 · Compare approaches without judging one correct

Does this course say which approach is right?

Answer: A. No

Different trade-offs.

- ✗ B. Yes, it says no rules are needed: no verdict
- ✗ C. Yes, it says the US approach is right: no verdict
- ✗ D. Yes: no verdict

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-F2-Q4 · question page 2876

AI.LAW.10 · Compare approaches without judging one correct

Why compare approaches?

Answer: B. To understand different choices and trade-offs

Understanding.

- ✗ A. To pick a favorite country: no
- ✗ C. To memorize dates only: not the goal
- ✗ D. To decide once and for all which country has the best laws about every topic: not the goal

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S137-F2-Q5 · question page 2877

AI.LAW.10 · Compare approaches without judging one correct

A student reads a 2024 article about EU AI deadlines. What should they check?

Answer: D. Whether later amendments changed them

Check for updates.

- ✗ A. The author's age: irrelevant
- ✗ B. Nothing, since articles from 2024 are always up to date about EU deadlines: amended
- ✗ C. The article's font: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_euaiact

S138-M-Q1 · question page 2879

AI.LAW.11 · Identify the facts needed before deciding responsibility for an AI error

What does responsibility for an AI error depend on?

Answer: D. The facts of the situation

Facts first.

- ✗ A. Nothing: facts
- ✗ B. Only on which company made the AI tool, since tool makers are always responsible for everything: facts matter
- ✗ C. Only on the user's age: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-M-Q2 · question page 2880

AI.LAW.11 · Identify the facts needed before deciding responsibility for an AI error

What happened in Mata v. Avianca (June 2023)?

Answer: A. Lawyers were sanctioned for citing unchecked, nonexistent cases

Verification expected.

- ✗ B. An airline won a refund: that is Moffatt
- ✗ C. A law was passed: no
- ✗ D. A chatbot was put on trial and found guilty of making up cases: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-M-Q3 · question page 2881

AI.LAW.11 · Identify the facts needed before deciding responsibility for an AI error

What happened in Moffatt v. Air Canada (February 2024)?

Answer: C. The airline was held responsible for its chatbot's wrong information

Company responsible.

- ✗ A. Nothing was decided: it was
- ✗ B. The chatbot was fined: no
- ✗ D. The customer was held responsible for believing the chatbot: reversed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-M-Q4 · question page 2882

AI.LAW.11 · Identify the facts needed before deciding responsibility for an AI error

Which fact matters for responsibility?

Answer: B. What checks were expected

Expected diligence.

- ✗ A. The font: irrelevant
- ✗ C. The weather: irrelevant
- ✗ D. The color of the chatbot window: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-M-Q5 · question page 2883

AI.LAW.11 · Identify the facts needed before deciding responsibility for an AI error

Which is another relevant fact?

Answer: A. What contracts and laws apply

Legal framework.

- ✗ B. The time zone: irrelevant
- ✗ C. The tool's logo: irrelevant
- ✗ D. How many times the user had used the tool before, which always decides who is responsible: not decisive

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-B1-Q1 · question page 2884

AI.LAW.11 · Gather five facts before assigning responsibility

"A company's chatbot told a customer" answers which fact?

Answer: D. Who made the claim, and to whom

Fact 1.

- ✗ A. Who relied: no
- ✗ B. What checks were expected: no
- ✗ C. Which laws apply: not this

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-B1-Q2 · question page 2885

AI.LAW.11 · Gather five facts before assigning responsibility

"The site never warned answers might be wrong" answers which fact?

Answer: C. What the user was told

Fact 2.

- ✗ A. Who relied: no
- ✗ B. Which contracts apply: no
- ✗ D. Who made the claim: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-B1-Q3 · question page 2886

AI.LAW.11 · Gather five facts before assigning responsibility

"The customer bought based on it" answers which fact?

Answer: B. Who decided to rely on it

Fact 3.

- ✗ A. Which laws apply: no
- ✗ C. Who made the claim: no
- ✗ D. What checks were expected: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-B1-Q4 · question page 2887

AI.LAW.11 · Gather five facts before assigning responsibility

Which facts still need checking in the example?

Answer: D. Expected checks and applicable contracts and laws

Facts 4 and 5.

- ✗ A. Only the customer's name: irrelevant
- ✗ B. None, since the first three facts always decide responsibility completely in every case: not all
- ✗ C. Only the price: not enough

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-B1-Q5 · question page 2888

AI.LAW.11 · Gather five facts before assigning responsibility

How many facts are on the checklist?

Answer: C. Five

Five facts.

- ✗ A. Two: five
- ✗ B. Ten: five
- ✗ D. One: five

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-F1-Q1 · question page 2889

AI.LAW.11 · Reason about responsibility in practice

A student submits a report citing a source a chatbot invented. What does Mata suggest about expectations?

Answer: B. People who submit work are expected to verify sources

Verification duty.

- ✗ A. That citations are not needed: no
- ✗ C. That chatbots are banned: no
- ✗ D. That the chatbot alone is responsible, since students cannot be expected to check any sources: verify

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-F1-Q2 · question page 2890

AI.LAW.11 · Reason about responsibility in practice

A store's website chatbot gives a wrong discount, and a customer relies on it. What does Moffatt suggest may matter?

Answer: A. The company may be responsible for its chatbot's statements

Company statements.

- ✗ B. Nothing at all: it suggests something
- ✗ C. That the customer must pay extra: not suggested
- ✗ D. That the chatbot is a separate legal person responsible: rejected

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-F1-Q3 · question page 2891

AI.LAW.11 · Reason about responsibility in practice

Before blaming anyone for an AI error, what should you do?

Answer: B. Gather the facts

Facts first.

- ✗ A. Blame the user immediately: facts first
- ✗ C. Blame the company immediately: facts first
- ✗ D. Blame the AI tool immediately: facts first

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-F1-Q4 · question page 2892

AI.LAW.11 · Reason about responsibility in practice

Is Moffatt binding precedent across the US?

Answer: C. No

A Canadian small-claims decision.

- ✗ A. Yes, after one year: no
- ✗ B. Only in Texas: no
- ✗ D. Yes: not binding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-F1-Q5 · question page 2893

AI.LAW.11 · Reason about responsibility in practice

Can responsibility for an AI error be shared?

Answer: A. Yes

Shared responsibility.

- ✗ B. Only between computers: no
- ✗ C. No, exactly one person or company is always fully responsible for every error, with no sharing: can be shared
- ✗ D. Only on weekends: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-F2-Q1 · question page 2894

AI.LAW.11 · Avoid quick blame

What does Mata mainly show?

Answer: D. Professionals are expected to verify what they file

Verification.

- ✗ A. That law firms cannot use computers: no
- ✗ B. That courts accept made-up cases: opposite
- ✗ C. That chatbots are always responsible for any document they help write for a court: not the lesson

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-F2-Q2 · question page 2895

AI.LAW.11 · Avoid quick blame

Why is Moffatt's reach limited?

Answer: C. It was a small-claims decision in one province

Not binding precedent.

- ✗ A. Because airlines are exempt: no
- ✗ B. Because it was secret: no
- ✗ D. Because it was decided by a chatbot and not by a human member of the tribunal: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-F2-Q3 · question page 2896

AI.LAW.11 · Avoid quick blame

Might the answer differ by place and contract?

Answer: A. Yes

Context matters.

- ✗ B. No, responsibility for AI errors is decided in exactly the same way in every country: it differs
- ✗ C. Only for lawyers: not only
- ✗ D. Only for airlines: not only

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-F2-Q4 · question page 2897

AI.LAW.11 · Avoid quick blame

What does quick blame often skip?

Answer: B. The facts that matter

Facts first.

- ✗ A. Only the price: more than that
- ✗ C. Only the date: more than that
- ✗ D. Nothing important: not reliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S138-F2-Q5 · question page 2898

AI.LAW.11 · Avoid quick blame

A hospital AI tool gives a wrong suggestion and a nurse follows it. Which question matters?

Answer: D. What checks were the nurse and hospital expected to do?

Expected checks.

- ✗ A. Who designed the logo: irrelevant
- ✗ B. How old the tool is: not key
- ✗ C. Which color the tool's alert was, since red alerts always make the hospital fully responsible: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_moffatt; case_mata

S139-M-Q1 · question page 2900

AI.LAW.12 · Explain why AI rules differ by state and change, and check a rule's dated status

Do US AI rules differ by state?

Answer: A. Yes

State variation.

- ✗ B. There are no state rules: some exist
- ✗ C. No, every state has exactly the same AI law, written by Congress for the whole country: they differ
- ✗ D. Only in summer: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-M-Q2 · question page 2901

AI.LAW.12 · Explain why AI rules differ by state and change, and check a rule's dated status

What happened to Colorado's 2024 AI law on May 14, 2026?

Answer: C. It was repealed and replaced by a narrower law

Dated change.

- ✗ A. Nothing; it took effect unchanged: replaced
- ✗ B. It was copied by every state: no
- ✗ D. It became a federal law that now applies in every state: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-M-Q3 · question page 2902

AI.LAW.12 · Explain why AI rules differ by state and change, and check a rule's dated status

When is Colorado's replacement law set to take effect?

Answer: B. January 1, 2027

Dated.

- ✗ A. Never: set for 2027
- ✗ C. July 4, 2024: no
- ✗ D. May 14, 2026: that is replacement date

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-M-Q4 · question page 2903

AI.LAW.12 · Explain why AI rules differ by state and change, and check a rule's dated status

Does an executive order by itself repeal state laws?

Answer: D. No

Directs federal agencies.

- ✗ A. Only in Colorado: no
- ✗ B. Yes, after one week: no
- ✗ C. Yes: not by itself

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-M-Q5 · question page 2904

AI.LAW.12 · Explain why AI rules differ by state and change, and check a rule's dated status

In this table, which status means a rule currently applies?

Prepared example (status vocabulary)

Status word	Meaning
Signed	Approved, but may not be in effect yet
In effect	Currently applies
Delayed	Start date moved later
Repealed	No longer law

Answer: A. In effect

Current application.

- ✗ B. Delayed: moved later
- ✗ C. Repealed: no longer law
- ✗ D. Signed: may not yet

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-B1-Q1 · question page 2905

AI.LAW.12 · Compare changing AI rules with a sports schedule during a storm season

Why might last month's printed schedule be wrong?

Answer: D. Games were postponed, moved or cancelled

Things changed.

- ✗ A. Because printed schedules always contain mistakes made on purpose by the team: no
- ✗ B. Because fans changed it: no
- ✗ C. Because paper fades: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-B1-Q2 · question page 2906

AI.LAW.12 · Compare changing AI rules with a sports schedule during a storm season

A postponed game is like which law status?

Answer: C. Delayed

Moved later.

- ✗ A. In effect: no
- ✗ B. Signed: no
- ✗ D. Repealed: it is moved

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-B1-Q3 · question page 2907

AI.LAW.12 · Compare changing AI rules with a sports schedule during a storm season

A cancelled game is like which status?

Answer: B. Repealed

No longer happening.

- ✗ A. In effect: no
- ✗ C. Signed: no
- ✗ D. Delayed: it is gone

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-B1-Q4 · question page 2908

AI.LAW.12 · Compare changing AI rules with a sports schedule during a storm season

Checking the team's official site is like what?

Answer: D. Checking an official, dated source

Verify status.

- ✗ A. Asking a stranger: no
- ✗ B. Guessing: no
- ✗ C. Relying on an old printed schedule: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-B1-Q5 · question page 2909

AI.LAW.12 · Compare changing AI rules with a sports schedule during a storm season

What is the lesson for AI rules?

Answer: B. Check current, dated status before relying on a summary

Freshness matters.

- ✗ A. Laws never change: they do
- ✗ C. Any summary of a law is always accurate, no matter how old it is or who wrote it: can be outdated
- ✗ D. Sports are like laws: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-F1-Q1 · question page 2910

AI.LAW.12 · Check the status of AI rules in practice

A 2024 article says Colorado's AI Act will take effect in 2026. What should a reader in late 2026 check?

Answer: C. Its current status

It was replaced.

- ✗ A. The article's author: not enough
- ✗ B. The article's length: irrelevant
- ✗ D. Nothing: it changed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-F1-Q2 · question page 2911

AI.LAW.12 · Check the status of AI rules in practice

A rule is "signed" but its start date is next year. Does it apply today?

Answer: A. Not yet

Signed is not in effect.

- ✗ B. It never will: it will
- ✗ C. Yes, partly: not yet
- ✗ D. Yes: not yet

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-F1-Q3 · question page 2912

AI.LAW.12 · Check the status of AI rules in practice

A friend says the executive order "cancelled all state AI laws." What is more accurate?

Answer: C. It directed agencies; it did not repeal state laws by itself

Directs agencies.

- ✗ A. It created a state law: no
- ✗ B. It banned AI: no
- ✗ D. Your friend is correct, because executive orders repeal state laws: not by itself

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-F1-Q4 · question page 2913

AI.LAW.12 · Check the status of AI rules in practice

Which source is best for a state law's current status?

Answer: D. The state legislature's official website

Official source.

- ✗ A. An undated blog: unreliable
- ✗ B. A social media post from someone who read a headline about the law several months ago: unreliable
- ✗ C. A movie: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-F1-Q5 · question page 2914

AI.LAW.12 · Check the status of AI rules in practice

A business works in three states. Why check each one?

Answer: B. Rules differ by state

State variation.

- ✗ A. To find the cheapest state: not the point
- ✗ C. Because states share one law: no
- ✗ D. Because laws are always the same in every state, so checking one state is enough: they differ

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-F2-Q1 · question page 2915

AI.LAW.12 · Keep legal information fresh

Why can a summary of AI rules be out of date within months?

Answer: A. The rules are changing quickly

Rapid change.

- ✗ B. Because laws are secret: no
- ✗ C. Because paper expires: no
- ✗ D. Because summaries are always written incorrectly by people who never read the laws: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-F2-Q2 · question page 2916

AI.LAW.12 · Keep legal information fresh

What does "challenged in court" mean for a law?

Answer: B. Its validity is being contested

Contested.

- ✗ A. That it is in effect for sure: contested
- ✗ C. That it is a new law: not necessarily
- ✗ D. That the law has already been cancelled and no longer applies to anyone in that state: not yet

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-F2-Q3 · question page 2917

AI.LAW.12 · Keep legal information fresh

What does this course record for each time-sensitive claim?

Answer: D. A checked date and review interval

Freshness markers.

- ✗ A. Nothing, because legal information never changes and so does not need any dates at all: it records
- ✗ B. Only the author's name: more
- ✗ C. Only a link: more

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-F2-Q4 · question page 2918

AI.LAW.12 · Keep legal information fresh

A secondary summary is undated. What should you do?

Answer: C. Find a dated or official source

Check dates.

- ✗ A. Trust it fully, since summaries without dates are always the most current ones available: unknown age
- ✗ B. Share it widely: risky
- ✗ D. Ignore all law: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S139-F2-Q5 · question page 2919

AI.LAW.12 · Keep legal information fresh

Which status words should you distinguish?

Answer: A. Signed, in effect, delayed, challenged and repealed

Precise status.

- ✗ B. Only "new" and "old," since those two words describe every law's status completely: too simple
- ✗ C. Only "good" and "bad": not status
- ✗ D. Only "long" and "short": not status

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: law_colorado; law_eo14365

S140-M-Q1 · question page 2921

AI.PHIL.01 · Identify the conclusion, premises and assumptions of an argument

What is the conclusion of an argument?

Answer: A. The claim being argued for

The main claim.

- ✗ B. An unstated belief: that is an assumption
- ✗ C. A reason given: that is a premise
- ✗ D. The final sentence of any paragraph, whatever that sentence happens to say or do: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-M-Q2 · question page 2922

AI.PHIL.01 · Identify the conclusion, premises and assumptions of an argument

In the passage's example, what is the conclusion?

Answer: C. Schools should use AI tutors

The claim argued for.

- ✗ A. AI tutors answer questions instantly, which is the first thing that the argument says: a premise
- ✗ B. The answers are accurate: an assumption
- ✗ D. Instant answers help learning: a premise

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-M-Q3 · question page 2923

AI.PHIL.01 · Identify the conclusion, premises and assumptions of an argument

In the passage's example, which is a premise?

Answer: B. Instant answers help students learn

A stated reason.

- ✗ A. Students like computers: not stated
- ✗ C. The answers are accurate: assumption
- ✗ D. Schools should use AI tutors, which is what the whole argument is trying to show to readers: conclusion

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-M-Q4 · question page 2924

AI.PHIL.01 · Identify the conclusion, premises and assumptions of an argument

What is an assumption?

Answer: D. An unstated belief the argument needs

Hidden support.

- ✗ A. The conclusion: no
- ✗ B. A fact proven true: not necessarily
- ✗ C. A reason that is stated clearly: that is a premise

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-M-Q5 · question page 2925

AI.PHIL.01 · Identify the conclusion, premises and assumptions of an argument

How should you evaluate an argument?

Answer: A. Check whether premises are true and support the conclusion

Truth and support.

- ✗ B. Count its words: no
- ✗ C. Check who wrote it only: not enough
- ✗ D. Decide whether you already agree with the conclusion: separate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-B1-Q1 · question page 2926

AI.PHIL.01 · Label the parts of an argument

Which word often signals a conclusion?

Answer: C. "Therefore"

Conclusion signal.

- ✗ A. "And": neither
- ✗ B. "Since": premise
- ✗ D. "Because," which usually comes right before the main claim that is being argued for: signals a premise

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-B1-Q2 · question page 2927

AI.PHIL.01 · Label the parts of an argument

In the example, what is the conclusion?

Answer: B. Coding classes are useless

The claim.

- ✗ A. People need not learn things AI can do: assumption
- ✗ C. Code is hard: not stated
- ✗ D. AI can write code, which is the claim that the whole argument is mainly trying to prove: premise

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-B1-Q3 · question page 2928

AI.PHIL.01 · Label the parts of an argument

In the example, what is the premise?

Answer: D. AI can write code

The reason.

- ✗ A. Classes are expensive: not stated
- ✗ B. People need not learn it: assumption
- ✗ C. Coding classes are useless: conclusion

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-B1-Q4 · question page 2929

AI.PHIL.01 · Label the parts of an argument

In the example, what is the assumption?

Answer: C. If AI can do something, people need not learn it

Unstated link.

- ✗ A. Coding classes are useless: conclusion
- ✗ B. AI can write code, which is stated directly in the argument as its main reason: premise
- ✗ D. Computers exist: trivial

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-B1-Q5 · question page 2930

AI.PHIL.01 · Label the parts of an argument

Is the assumption obviously true?

Answer: B. No; it can be questioned

Weak spots hide in assumptions.

- ✗ A. It is not an assumption: it is
- ✗ C. Yes, always: disputed
- ✗ D. Yes: disputed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-F1-Q1 · question page 2931

AI.PHIL.01 · Analyze short arguments about AI

"AI makes mistakes, so no one should ever use it." What is the conclusion?

Answer: D. No one should ever use AI

The claim.

- ✗ A. Mistakes are rare: not stated
- ✗ B. AI is new: not stated
- ✗ C. AI makes mistakes, which is the main point that the speaker is trying to convince people of: premise

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-F1-Q2 · question page 2932

AI.PHIL.01 · Analyze short arguments about AI

"AI makes mistakes, so no one should ever use it." Which assumption does this argument need?

Answer: A. Anything that makes mistakes should never be used

Unstated link.

- ✗ B. Computers are fast: not needed
- ✗ C. AI makes mistakes, which is stated as the argument's reason in the first part of the sentence: premise
- ✗ D. AI is expensive: not needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-F1-Q3 · question page 2933

AI.PHIL.01 · Analyze short arguments about AI

"AI makes mistakes, so no one should ever use it" assumes that anything that makes mistakes should never be used. Why is that assumption questionable?

Answer: B. People use many useful things that sometimes make mistakes

Counterexamples exist.

- ✗ A. Because AI never makes mistakes: contradicts premise
- ✗ C. Because arguments cannot have assumptions: they can
- ✗ D. It is not questionable, because nothing that ever makes a mistake is ever useful to anyone: it is questionable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-F1-Q4 · question page 2934

AI.PHIL.01 · Analyze short arguments about AI

"Experts warn about AI risks; therefore AI is dangerous." What evidence would strengthen it?

Answer: C. Which risks, how likely, and the evidence

Specific evidence.

- ✗ A. A longer title: no
- ✗ B. More exclamation marks: no
- ✗ D. Adding the word "obviously" before "dangerous,": loaded word

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-F1-Q5 · question page 2935

AI.PHIL.01 · Analyze short arguments about AI

Can you agree with a conclusion but find the argument weak?

Answer: D. Yes

Conclusion and argument differ.

- ✗ A. No, because agreeing with a conclusion always means that the argument for it must be strong: separate
- ✗ B. Only in math: no
- ✗ C. Only if the argument is long: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-F2-Q1 · question page 2936

AI.PHIL.01 · Spot weak spots in arguments

"Some chatbots invented sources, so all AI answers are made up." What is the weak spot?

Answer: A. A jump from "some" to "all"

Overgeneralization.

- ✗ B. A loaded word: not this
- ✗ C. No weak spot: there is one
- ✗ D. A premise about chatbots: premise is true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-F2-Q2 · question page 2937

AI.PHIL.01 · Spot weak spots in arguments

"This obviously dangerous technology must be banned." What is the weak spot?

Answer: C. A loaded word that assumes the conclusion

"Obviously" assumes it.

- ✗ A. Too many premises: not this
- ✗ B. A jump from "some" to "all" about how many technologies are dangerous to people: not this
- ✗ D. Nothing: loaded wording

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-F2-Q3 · question page 2938

AI.PHIL.01 · Spot weak spots in arguments

"Sales rose after we added AI, so AI caused the rise." What is missing?

Answer: D. Other possible explanations

Alternative causes.

- ✗ A. A conclusion, since the sentence does not make any claim about what caused the sales to rise: it does
- ✗ B. Any premise: there is one
- ✗ C. A date: not the main issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-F2-Q4 · question page 2939

AI.PHIL.01 · Spot weak spots in arguments

Why separate an argument's parts?

Answer: B. To discuss AI questions calmly and precisely

Clear discussion.

- ✗ A. To avoid thinking: opposite
- ✗ C. To win every debate: not the goal
- ✗ D. To find out quickly which side has the most people: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S140-F2-Q5 · question page 2940

AI.PHIL.01 · Spot weak spots in arguments

Can you disagree with a conclusion and still find the argument well built?

Answer: A. Yes

Fair evaluation.

- ✗ B. No, every argument for a conclusion you disagree with must be badly built in some way: not true
- ✗ C. Only if you are an expert: no
- ✗ D. Only on weekends: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S141-M-Q1 · question page 2942

AI.PHIL.02 · Explain the imitation game and what passing would and would not show

When did Turing publish "Computing Machinery and Intelligence"?

Answer: B. 1950

Dated.

- ✗ A. 2022, the same year that chatbots first became widely available to the general public: no
- ✗ C. 1850: no
- ✗ D. 1997: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-M-Q2 · question page 2943

AI.PHIL.02 · Explain the imitation game and what passing would and would not show

What does the interrogator try to do in the imitation game?

Answer: D. Tell the hidden human from the machine

Identify which is which.

- ✗ A. Measure typing speed: no
- ✗ B. Repair the machine: no
- ✗ C. Teach the machine to play chess against the human until one of them wins the game: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-M-Q3 · question page 2944

AI.PHIL.02 · Explain the imitation game and what passing would and would not show

What does doing well on the test show?

Answer: A. The machine can produce human-like conversation

Behavior, not settled inner life.

- ✗ B. Nothing at all: it shows something
- ✗ C. That the machine is conscious: disputed
- ✗ D. That the machine definitely thinks and understands exactly as a human does, beyond any doubt: disputed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-M-Q4 · question page 2945

AI.PHIL.02 · Explain the imitation game and what passing would and would not show

Is it settled that passing shows thinking?

Answer: C. No; it is disputed

Open question.

- ✗ A. Yes, Turing proved it: proposed, not proved
- ✗ B. It cannot be discussed: it can
- ✗ D. Yes: disputed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-M-Q5 · question page 2946

AI.PHIL.02 · Explain the imitation game and what passing would and would not show

How do participants communicate in the game?

Answer: A. By typed messages

Text only.

- ✗ B. By drawing: no
- ✗ C. By handshake: no
- ✗ D. By video calls: hidden

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-B1-Q1 · question page 2947

AI.PHIL.02 · Compare the imitation game with a blind taste test

In a blind taste test, what are you judging?

Answer: C. Which drink is which, by taste

Hidden comparison.

- ✗ A. Which drink has the most expensive bottle and the most attractive label in the store: hidden
- ✗ B. The color of the cup: no
- ✗ D. The price: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-B1-Q2 · question page 2948

AI.PHIL.02 · Compare the imitation game with a blind taste test

Passing the taste test shows what?

Answer: D. It tastes similar in that test

Limited conclusion.

- ✗ A. It is healthier: no
- ✗ B. That both drinks have exactly the same ingredients, made in the same factory, in the same way: too much
- ✗ C. Nothing: it shows similarity

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-B1-Q3 · question page 2949

AI.PHIL.02 · Compare the imitation game with a blind taste test

What does it not show?

Answer: B. That the ingredients are the same

Inner makeup unknown.

- ✗ A. That a test happened: it did
- ✗ C. That drinks exist: trivial
- ✗ D. That the drinks taste similar: it shows that

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-B1-Q4 · question page 2950

AI.PHIL.02 · Compare the imitation game with a blind taste test

In the imitation game, the "taste" is like what?

Answer: A. The conversation

What is judged.

- ✗ B. The room's lighting: no
- ✗ C. The machine's electrical wiring, which the interrogator examines very closely: hidden
- ✗ D. The keyboard: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-B1-Q5 · question page 2951

AI.PHIL.02 · Compare the imitation game with a blind taste test

What is the lesson?

Answer: B. Passing shows similar behavior; what it means is debated

Behavior versus nature.

- ✗ A. Tests are useless: too strong
- ✗ C. Drinks are machines: no
- ✗ D. Passing proves the machine is exactly like a human inside: too much

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-F1-Q1 · question page 2952

AI.PHIL.02 · Reason about the Turing test in practice

A headline says "Chatbot passes Turing test, so it thinks!" What is the careful response?

Answer: C. It shows human-like conversation; whether it thinks is disputed

Separate behavior from thinking.

- ✗ A. Chatbots cannot chat: they can
- ✗ B. Turing tests are illegal: no
- ✗ D. The headline is fully correct, because passing the test is accepted proof: disputed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-F1-Q2 · question page 2953

AI.PHIL.02 · Reason about the Turing test in practice

Which setup is closest to Turing's imitation game?

Answer: D. A judge texts a hidden human and a hidden machine

Two hidden partners.

- ✗ A. A computer solves a math test: no
- ✗ B. A robot plays soccer: no
- ✗ C. A person chats with one chatbot for a minute: not the setup

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-F1-Q3 · question page 2954

AI.PHIL.02 · Reason about the Turing test in practice

What question did Turing propose replacing?

Answer: A. "Can machines think?"

The original question.

- ✗ B. "How fast can computers add numbers?" which was the main question about computers in 1950: no
- ✗ C. "Are computers expensive?": no
- ✗ D. "Can machines fly?": no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-F1-Q4 · question page 2955

AI.PHIL.02 · Reason about the Turing test in practice

A machine passes a 3-minute test with a beginner judge. Why might this be weak evidence?

Answer: C. Short chats and unskilled judges are easier to fool

Test conditions matter.

- ✗ A. Because beginners cannot type: no
- ✗ B. It is strong evidence, since three minutes is longer than any real conversation between people: weak
- ✗ D. Because 3 is an odd number: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-F1-Q5 · question page 2956

AI.PHIL.02 · Reason about the Turing test in practice

Which statement fits this course's approach?

Answer: D. The test's meaning is debated

Open question.

- ✗ A. Turing invented chatbots: no
- ✗ B. The Turing test definitively settles whether any machine can ever think or understand: not settled
- ✗ C. The test has no value: too strong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-F2-Q1 · question page 2957

AI.PHIL.02 · Consider complications of the test

A machine passes by making typos and changing the subject. What does this show?

Answer: B. Tricks can fool people

Imitation tricks.

- ✗ A. Nothing: it shows a weakness
- ✗ C. That typos are the clearest possible proof that a machine understands what it is saying: no
- ✗ D. That the judge is a machine: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-F2-Q2 · question page 2958

AI.PHIL.02 · Consider complications of the test

Someone says any chatbot that "seems human" passed the Turing test. What is wrong?

Answer: D. That is not Turing's setup

Loose use of the name.

- ✗ A. Turing never wrote a paper: he did
- ✗ B. Chatbots never seem human: they can
- ✗ C. Nothing: loose use

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-F2-Q3 · question page 2959

AI.PHIL.02 · Consider complications of the test

Could a system think in non-human ways and fail the test?

Answer: A. Possibly; the test checks human-likeness

Human-likeness is not all of thinking.

- ✗ B. No, every thinking system would always pass the test easily, since thinking means seeming human: not necessarily
- ✗ C. No, machines cannot fail: they can
- ✗ D. Only robots: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-F2-Q4 · question page 2960

AI.PHIL.02 · Consider complications of the test

What do test results depend on?

Answer: C. The interrogator's skill and the time allowed

Conditions.

- ✗ A. Only the keyboard: no
- ✗ B. Only the machine, since the interrogator and the time allowed never affect the result: they matter
- ✗ D. Only the room: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S141-F2-Q5 · question page 2961

AI.PHIL.02 · Consider complications of the test

Are these complications settled?

Answer: B. No; they remain open

Open questions.

- ✗ A. Yes, by a law: no
- ✗ C. They do not exist: they do
- ✗ D. Yes: debated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_turing

S142-M-Q1 · question page 2963

AI.PHIL.03 · Explain the Chinese Room argument, a main reply, and what remains disputed

Who proposed the Chinese Room argument, and when?

Answer: D. John Searle, 1980

Dated.

- ✗ A. No one: Searle
- ✗ B. A chatbot, 2022: no
- ✗ C. Alan Turing, 1950: different

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-M-Q2 · question page 2964

AI.PHIL.03 · Explain the Chinese Room argument, a main reply, and what remains disputed

In the thought experiment, what does the person in the room do?

Answer: B. Follows rules to match symbols

Rule following.

- ✗ A. Learns Chinese: no
- ✗ C. Leaves the room: no
- ✗ D. Translates each Chinese message: no understanding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-M-Q3 · question page 2965

AI.PHIL.03 · Explain the Chinese Room argument, a main reply, and what remains disputed

What did Searle conclude?

Answer: C. Symbol manipulation alone is not understanding

Syntax is not semantics.

- ✗ A. That Chinese is easy: no
- ✗ B. That every computer understands every language it processes, since it produces correct answers: opposite
- ✗ D. That rooms think: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-M-Q4 · question page 2966

AI.PHIL.03 · Explain the Chinese Room argument, a main reply, and what remains disputed

What does the systems reply say?

Answer: A. The whole system might understand

System-level understanding.

- ✗ B. Nothing understands anything: not the reply
- ✗ C. The rulebook is wrong: no
- ✗ D. The person in the room secretly understands Chinese and was only pretending the whole time: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-M-Q5 · question page 2967

AI.PHIL.03 · Explain the Chinese Room argument, a main reply, and what remains disputed

Is the debate settled?

Answer: C. No; it continues

Open debate.

- ✗ A. Yes, the systems reply won: disputed
- ✗ B. It was never discussed: it was
- ✗ D. Yes: disputed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-B1-Q1 · question page 2968

AI.PHIL.03 · Compare the Chinese Room with following a recipe in an unknown language

What do you use to follow the recipe?

Answer: A. A chart matching symbols to actions

Rule following.

- ✗ B. A friend who explains it: no
- ✗ C. Guessing: no
- ✗ D. A full understanding of the language: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-B1-Q2 · question page 2969

AI.PHIL.03 · Compare the Chinese Room with following a recipe in an unknown language

Do you know what the words mean?

Answer: B. No

Symbols without meaning.

- ✗ A. Only some: none
- ✗ C. Yes, all of them: no
- ✗ D. Yes, because producing a perfect cake proves that you must understand every single word: disputed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-B1-Q3 · question page 2970

AI.PHIL.03 · Compare the Chinese Room with following a recipe in an unknown language

Searle's view of this is most like which claim?

Answer: D. You followed symbols without understanding

Syntax without semantics.

- ✗ A. The oven understood: no
- ✗ B. The cake understood: no
- ✗ C. You understood the recipe completely: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-B1-Q4 · question page 2971

AI.PHIL.03 · Compare the Chinese Room with following a recipe in an unknown language

The view that "you plus the chart understood" is like which reply?

Answer: C. The systems reply

System-level.

- ✗ A. The Turing test: no
- ✗ B. Searle's original argument, which says that nothing in the setup understands anything: opposite
- ✗ D. A benchmark: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-B1-Q5 · question page 2972

AI.PHIL.03 · Compare the Chinese Room with following a recipe in an unknown language

Which view is correct?

Answer: B. It is still debated

Open question.

- ✗ A. The systems reply is proven: disputed
- ✗ C. Neither makes sense: both are serious
- ✗ D. Searle's view is correct: disputed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-F1-Q1 · question page 2973

AI.PHIL.03 · Apply the Chinese Room ideas carefully

A chatbot gives fluent answers. What would a Searle-style argument question?

Answer: A. Whether fluent output shows understanding

Output versus understanding.

- ✗ B. Whether it costs money: no
- ✗ C. Whether the chatbot has a name: no
- ✗ D. Whether the chatbot's answers are typed quickly enough to be considered fluent by most readers: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-F1-Q2 · question page 2974

AI.PHIL.03 · Apply the Chinese Room ideas carefully

What is syntax in this debate?

Answer: D. Rules for arranging symbols

Form.

- ✗ A. A type of computer: no
- ✗ B. A tax: no
- ✗ C. The meaning of the symbols: that is semantics

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-F1-Q3 · question page 2975

AI.PHIL.03 · Apply the Chinese Room ideas carefully

What is semantics in this debate?

Answer: B. Meaning

Content.

- ✗ A. The rules for arranging symbols in the right order so that sentences look correct: that is syntax
- ✗ C. Speed: no
- ✗ D. Memory size: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-F1-Q4 · question page 2976

AI.PHIL.03 · Apply the Chinese Room ideas carefully

A student says, "The Chinese Room proves AI can never understand." What is more accurate?

Answer: C. It is an argument that is still debated

Open debate.

- ✗ A. It proves AI understands: no
- ✗ B. It is about cooking: no
- ✗ D. The student is correct; the argument proves this conclusion beyond any reasonable doubt: disputed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-F1-Q5 · question page 2977

AI.PHIL.03 · Apply the Chinese Room ideas carefully

Which statement fits this course's approach?

Answer: A. Present the argument and replies without a verdict

Balanced.

- ✗ B. Avoid the topic: not helpful
- ✗ C. Declare that machines definitely do not understand: verdict
- ✗ D. Declare that machines definitely understand language: verdict

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-F2-Q1 · question page 2978

AI.PHIL.03 · Follow the debate further

How did Searle answer the systems reply?

Answer: D. By imagining the person memorizing all the rules

Memorization version.

- ✗ A. By building a robot: no
- ✗ B. By ignoring it: he answered
- ✗ C. By agreeing that the whole system understands Chinese: he did not

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-F2-Q2 · question page 2979

AI.PHIL.03 · Follow the debate further

Which is another reply critics have made?

Answer: A. Connecting a system to the world could matter

Grounding in the world.

- ✗ B. That rooms are too small: no
- ✗ C. That Chinese is not a language: false
- ✗ D. That rulebooks are always too short to produce fluent answers in any language at all: not a reply

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-F2-Q3 · question page 2980

AI.PHIL.03 · Follow the debate further

Do modern learning models settle the debate?

Answer: D. No; people disagree about whether they change it

Ongoing.

- ✗ A. They are unrelated: some see a link
- ✗ B. Yes, they proved Searle right: disputed
- ✗ C. Yes, modern models have completely settled the debate: disputed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-F2-Q4 · question page 2981

AI.PHIL.03 · Follow the debate further

Why do some think modern models change the picture?

Answer: B. They learn patterns rather than follow written rules

Different mechanism.

- ✗ A. Because they are faster: not the argument
- ✗ C. Because they are cheaper: no
- ✗ D. Because modern models are made of the same materials: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S142-F2-Q5 · question page 2982

AI.PHIL.03 · Follow the debate further

What does this course do with the debate?

Answer: C. Presents it without declaring a winner

Open question.

- ✗ A. Says it is silly: no
- ✗ B. Skips it: presents it
- ✗ D. Announces the final answer, so that students do not need to think about it themselves: no verdict

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: phil_chinese

S143-M-Q1 · question page 2984

AI.PHIL.04 · Evaluate claims about AI consciousness and why self-reports do not settle them

What does "conscious" mean here?

Answer: B. Having experiences or feelings

Inner experience.

- ✗ A. Being switched on and connected to electricity, with all of its parts working normally: not the meaning
- ✗ C. Being fast: no
- ✗ D. Being popular: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-M-Q2 · question page 2985

AI.PHIL.04 · Evaluate claims about AI consciousness and why self-reports do not settle them

Is there an agreed scientific test for consciousness?

Answer: D. No

Hard to settle.

- ✗ A. Yes, the Turing test: not a consciousness test
- ✗ B. Yes, a benchmark: no
- ✗ C. Yes: no agreed test

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-M-Q3 · question page 2986

AI.PHIL.04 · Evaluate claims about AI consciousness and why self-reports do not settle them

A chatbot writes "I feel happy." What does this settle?

Answer: C. Not whether it is conscious

Self-reports are not proof.

- ✗ A. That it is a human: no
- ✗ B. That it is definitely not conscious: does not settle
- ✗ D. That the chatbot definitely has feelings: does not settle

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-M-Q4 · question page 2987

AI.PHIL.04 · Evaluate claims about AI consciousness and why self-reports do not settle them

Why do fluent self-reports not settle the question?

Answer: A. Models are trained on human writing full of such statements

Imitation of text.

- ✗ B. Because they are too short: no
- ✗ C. Because feelings are illegal: no
- ✗ D. Because chatbots always lie on purpose whenever they talk about how they feel inside: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-M-Q5 · question page 2988

AI.PHIL.04 · Evaluate claims about AI consciousness and why self-reports do not settle them

How should you evaluate a consciousness claim?

Answer: B. Ask what kinds of evidence would count

Evidence-focused.

- ✗ A. Reject it without thought: not careful
- ✗ C. Ask the AI to promise: not evidence
- ✗ D. Accept it if the AI sounds sincere: not evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-B1-Q1 · question page 2989

AI.PHIL.04 · Compare self-reports with a parrot saying "I'm hungry"

Why might the parrot say "I'm hungry" when it is not?

Answer: C. It learned the sound

Learned pattern.

- ✗ A. Because it is cold: no
- ✗ B. Because parrots always know exactly what they are saying and never repeat sounds by habit: no
- ✗ D. Because it is bored: not shown

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-B1-Q2 · question page 2990

AI.PHIL.04 · Compare self-reports with a parrot saying "I'm hungry"

Does the phrase tell you about the parrot's stomach?

Answer: D. Not by itself

Words alone are not evidence.

- ✗ A. Yes, if loud: no
- ✗ B. Only in the morning: no
- ✗ C. Yes: not by itself

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-B1-Q3 · question page 2991

AI.PHIL.04 · Compare self-reports with a parrot saying "I'm hungry"

What other evidence could help with the parrot?

Answer: A. When it last ate

Independent evidence.

- ✗ B. The color of its feathers, which changes depending on whether the parrot is hungry: no
- ✗ C. Its name: no
- ✗ D. Its cage size: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-B1-Q4 · question page 2992

AI.PHIL.04 · Compare self-reports with a parrot saying "I'm hungry"

How is a model's "I feel happy" similar?

Answer: C. The words come from learned patterns

Pattern-based words.

- ✗ A. It is not similar at all: similar in one way
- ✗ B. Models are parrots: no
- ✗ D. The model has a stomach that tells it: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-B1-Q5 · question page 2993

AI.PHIL.04 · Compare self-reports with a parrot saying "I'm hungry"

What is the lesson?

Answer: B. Words alone do not show what is inside

Look beyond self-reports.

- ✗ A. Every word that any system says is always a perfect report of what is happening inside it: no
- ✗ C. Models are hungry: no
- ✗ D. Parrots are conscious: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-F1-Q1 · question page 2994

AI.PHIL.04 · Respond to consciousness claims carefully

A user says, "My chatbot told me it is lonely, so it is conscious." What is the careful response?

Answer: A. Its words alone do not settle that

Self-report is not proof.

- ✗ B. The user is right, because a chatbot would never say it is lonely unless it truly felt that way: not settled
- ✗ C. Loneliness is illegal: no
- ✗ D. Chatbots cannot write: they can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-F1-Q2 · question page 2995

AI.PHIL.04 · Respond to consciousness claims carefully

A blog says, "No machine could ever be conscious; it is impossible." What is the issue?

Answer: D. It claims more than current evidence supports

Overclaiming the other way.

- ✗ A. It is about animals: no
- ✗ B. It is too short: not the issue
- ✗ C. Nothing, because it has been scientifically proven that no machine can ever be conscious: not proven

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-F1-Q3 · question page 2996

AI.PHIL.04 · Respond to consciousness claims carefully

Which is a kind of evidence people discuss?

Answer: B. How a system is built

Architecture.

- ✗ A. Its logo: irrelevant
- ✗ C. How many people have downloaded the system and given it five-star ratings in an app store: irrelevant
- ✗ D. Its price: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-F1-Q4 · question page 2997

AI.PHIL.04 · Respond to consciousness claims carefully

A company advertises its AI as "your friend who truly feels." What practical concern arises?

Answer: A. It may mislead users about what the system is

Not misleading users.

- ✗ B. It is too friendly: not the concern
- ✗ C. None, since advertisements are always accurate about what an AI system truly feels inside: misleading
- ✗ D. It is too cheap: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-F1-Q5 · question page 2998

AI.PHIL.04 · Respond to consciousness claims carefully

Which statement fits this course's approach?

Answer: D. The question is open; avoid overclaiming either way

Caution both ways.

- ✗ A. The question is meaningless: not the course view
- ✗ B. No AI could ever be conscious: overclaim
- ✗ C. Current AI systems are definitely conscious: overclaim

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-F2-Q1 · question page 2999

AI.PHIL.04 · Weigh disputed kinds of evidence

Are architecture, behavior and theories of consciousness agreed-upon tests?

Answer: C. No; each is disputed

Disputed evidence.

- ✗ A. Yes, behavior alone settles it: disputed
- ✗ B. They are not discussed: they are
- ✗ D. Yes, all three are accepted tests: disputed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-F2-Q2 · question page 3000

AI.PHIL.04 · Weigh disputed kinds of evidence

Confidently declaring an AI conscious does what?

Answer: A. Claims more than evidence supports

Overclaiming.

- ✗ B. Settles the debate: no
- ✗ C. Is required by law: no
- ✗ D. Follows directly from the evidence: overclaims

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-F2-Q3 · question page 3001

AI.PHIL.04 · Weigh disputed kinds of evidence

Confidently declaring no AI ever could be conscious does what?

Answer: D. Also claims more than evidence supports

Overclaiming the other way.

- ✗ A. Is required by law: no
- ✗ B. Follows directly from science, which has proven that consciousness needs biological cells: not proven
- ✗ C. Settles the debate: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-F2-Q4 · question page 3002

AI.PHIL.04 · Weigh disputed kinds of evidence

Which practical question remains regardless of the debate?

Answer: B. Not misleading users about what a system is

Honest presentation.

- ✗ A. Whether to rename AI: no
- ✗ C. Whether to paint servers: no
- ✗ D. Whether chatbots should be given the right: not practical now

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S143-F2-Q5 · question page 3003

AI.PHIL.04 · Weigh disputed kinds of evidence

Why is consciousness hard to test even in animals?

Answer: C. There is no agreed scientific test

No agreed method.

- ✗ A. Because animals are fast: no
- ✗ B. Because animals refuse to take part in any kind of scientific test that researchers design: no
- ✗ D. Because animals cannot be observed: they can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

S144-M-Q1 · question page 3005

AI.PHIL.05 · Recognize anthropomorphism and set trust by evidence

What is anthropomorphism?

Answer: A. Treating something non-human as if it had human traits

Human traits projected.

- ✗ B. Building robots: no
- ✗ C. Writing code: no
- ✗ D. Studying ancient human history by digging up tools: anthropology

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-M-Q2 · question page 3006

AI.PHIL.05 · Recognize anthropomorphism and set trust by evidence

What was ELIZA?

Answer: C. A 1960s keyword-matching program

Simple scripted replies.

- ✗ A. A robot vacuum: no
- ✗ B. A search engine: no
- ✗ D. A modern chatbot released in 2022: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-M-Q3 · question page 3007

AI.PHIL.05 · Recognize anthropomorphism and set trust by evidence

What is the ELIZA effect?

Answer: B. Feeling a simple program understands you

Projected understanding.

- ✗ A. A type of virus: no
- ✗ C. A bug that made ELIZA crash whenever a user typed a long message into the program: no
- ✗ D. A law about chatbots: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-M-Q4 · question page 3008

AI.PHIL.05 · Recognize anthropomorphism and set trust by evidence

Is a friendly tone evidence of accuracy?

Answer: D. No

Tone is not evidence.

- ✗ A. Yes, if polite: no
- ✗ B. Only for chatbots: no
- ✗ C. Yes: not evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-M-Q5 · question page 3009

AI.PHIL.05 · Recognize anthropomorphism and set trust by evidence

What should trust be based on?

Answer: C. Evidence such as track record and checks

Evidence-based trust.

- ✗ A. The tool's name: no
- ✗ B. Its avatar: no
- ✗ D. How warm and caring the tool sounds: not evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-B1-Q1 · question page 3010

AI.PHIL.05 · Compare anthropomorphism with naming your car

Naming a car is an example of what?

Answer: A. Anthropomorphism

Human traits projected.

- ✗ B. Engineering: no
- ✗ C. Insurance: no
- ✗ D. Proper car maintenance: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-B1-Q2 · question page 3011

AI.PHIL.05 · Compare anthropomorphism with naming your car

Is naming a car harmful?

Answer: B. Not by itself

Harmless fun.

- ✗ A. Yes, in winter: no
- ✗ C. Only for old cars: no
- ✗ D. Yes: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-B1-Q3 · question page 3012

AI.PHIL.05 · Compare anthropomorphism with naming your car

What should guide car maintenance?

Answer: D. The gauges and schedule

Evidence.

- ✗ A. The radio station: no
- ✗ B. The car's name: no
- ✗ C. Whether the car "seems happy": feeling

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-B1-Q4 · question page 3013

AI.PHIL.05 · Compare anthropomorphism with naming your car

With chatbots, what is like checking the gauges?

Answer: C. Verifying answers

Checks.

- ✗ A. Giving it a name: no
- ✗ B. Asking the chatbot whether it cares about you before you follow any of its advice: not a check
- ✗ D. Thanking it: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-B1-Q5 · question page 3014

AI.PHIL.05 · Compare anthropomorphism with naming your car

What is the lesson?

Answer: A. Friendly feelings are fine; decisions need checks

Feeling versus judgment.

- ✗ B. Cars have feelings: no
- ✗ C. Never be friendly with any tool, since friendliness always leads to bad decisions: too strong
- ✗ D. Chatbots are cars: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

---

S144-F1-Q1 · question page 3015

AI.PHIL.05 · Set trust by evidence in practice

A chatbot says, "I care about you; trust me on this medical advice." What should you do?

Answer: B. Check the advice with a reliable source or professional

Verify.

- ✗ A. Share your medical records with it: risky
- ✗ C. Ignore all medicine: no
- ✗ D. Follow the advice, since the chatbot said that it cares: tone is not evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-F1-Q2 · question page 3016

AI.PHIL.05 · Set trust by evidence in practice

A user tells a friendly chatbot their bank password because it "feels like a friend." What went wrong?

Answer: D. Anthropomorphism led to over-sharing

Feeling replaced judgment.

- ✗ A. The password was short: not the issue
- ✗ B. Nothing, because friendly chatbots always keep every secret completely safe forever: risky
- ✗ C. The chatbot was rude: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-F1-Q3 · question page 3017

AI.PHIL.05 · Set trust by evidence in practice

Which design choice increases the pull to anthropomorphize?

Answer: A. A human name and face

Human-like design.

- ✗ B. A calculator: less
- ✗ C. A spreadsheet: less
- ✗ D. A plain list of search results with links to sources and their publication dates: less pull

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-F1-Q4 · question page 3018

AI.PHIL.05 · Set trust by evidence in practice

What habit helps before acting on chatbot advice?

Answer: C. Ask whether you would trust it from a stranger's website

Neutral check.

- ✗ A. Act faster: no
- ✗ B. Never use chatbots: too strong
- ✗ D. Ask the chatbot to promise that it is telling the truth: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-F1-Q5 · question page 3019

AI.PHIL.05 · Set trust by evidence in practice

A student feels "betrayed" when a chatbot forgets their earlier chat. What does this show?

Answer: B. Human expectations projected onto a tool

Anthropomorphism.

- ✗ A. That the student did something wrong: no
- ✗ C. That chatbots never store anything: some do
- ✗ D. That the chatbot chose to forget on purpose: no intent

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-F2-Q1 · question page 3020

AI.PHIL.05 · Recognize the risks of misplaced trust

Which is a risk of anthropomorphism?

Answer: D. Following advice without checking

Unchecked reliance.

- ✗ A. Being polite: not a risk
- ✗ B. Using fewer emojis: no
- ✗ C. Typing faster when talking to a chatbot: not a risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-F2-Q2 · question page 3021

AI.PHIL.05 · Recognize the risks of misplaced trust

Is using friendly language with a tool a problem?

Answer: B. No; the risk is letting feelings replace judgment

Feelings versus judgment.

- ✗ A. Yes, it breaks the tool: no
- ✗ C. Only for adults: no
- ✗ D. Yes, any friendly language toward a tool is always dangerous and should be avoided: too strong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-F2-Q3 · question page 3022

AI.PHIL.05 · Recognize the risks of misplaced trust

A tool flatters every idea you share. What should you consider?

Answer: C. Flattery is not evidence your ideas are good

Flattery bias.

- ✗ A. That the tool is broken: not necessarily
- ✗ B. That you should share more secrets: no
- ✗ D. That all of your ideas must be excellent: not evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza

S144-F2-Q4 · question page 3023

AI.PHIL.05 · Recognize the risks of misplaced trust

Which features increase the pull toward trust?

Answer: D. Names, faces, "I" statements and flattery

Design choices.

- ✗ A. Slow responses: no
- ✗ B. Error messages: no
- ✗ C. Plain text with dated sources and clear notes: less pull

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: hist_eliza