AI.LEARN.06 · Combine learning stages and question "taught itself" claims

When someone says a model "taught itself," what is the best follow-up question?

**Answer: C.** What signal did it actually learn from?

The learning signal explains what it learned.

- ✗ A. Is it smarter than its programmers?: vague
- ✗ B. How many computers did it use in total?: not the key question
- ✗ D. Does it have a name and a logo?: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S49-M-Q1 · question page 1010

AI.LEARN.07 · Explain learning from rewards and from human feedback

How does reinforcement learning teach a system?

**Answer: C.** Through rewards and penalties for its actions

Actions that earn reward become more likely.

- ✗ A. Through rules a programmer writes for every situation: that is rule-based
- ✗ B. Through an answer key attached to every training example: that is supervised learning
- ✗ D. Through copying a single human expert exactly: not the idea

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-M-Q2 · question page 1011

AI.LEARN.07 · Explain learning from rewards and from human feedback

Which everyday activity is most like reinforcement learning?

**Answer: A.** Training a dog with treats

Rewards shape behavior.

✗ B. Reading the answers at the back of a textbook: more like supervised learning

✗ C. Following a recipe word for word: more like rules

✗ D. Sorting socks into piles that look alike: more like unsupervised learning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-M-Q3 · question page 1012

AI.LEARN.07 · Explain learning from rewards and from human feedback

In RLHF, what do people do?

**Answer: B.** Rank or rate sample answers

Human ratings guide the adjustment.

✗ A. Give the model rewards in the form of money: not literally

✗ C. Delete the model and build a new one each day: not the process

✗ D. Write every answer the model will ever give: not possible

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-M-Q4 · question page 1013

AI.LEARN.07 · Explain learning from rewards and from human feedback

What does the "reward model" in RLHF do?

**Answer: D.** Predicts how people would rate an answer

It learns to predict human preferences.

✗ A. Checks every answer against official sources: it predicts ratings, not truth

✗ B. Pays the people who rate the answers: not its job

✗ C. Writes the final answers that users see: the language model does

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

## S49-M-Q5 · question page 1014

AI.LEARN.07 · Explain learning from rewards and from human feedback

What did 2022 research report about RLHF?

**Answer: C.** It made models better at following instructions

Instruction-following improved.

- ✗ A. It made models perfectly accurate: mistakes remained
- ✗ B. It made models refuse every question: not true
- ✗ D. It made models stop using any training data: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

## S49-B1-Q1 · question page 1015

AI.LEARN.07 · Picture training a puppy

How does the puppy learn to sit?

**Answer: D.** Sitting is rewarded with a treat

Rewards make the action more likely.

- ✗ A. It copies a video of another dog: not described
- ✗ B. It is told the answer in words: not how it learns
- ✗ C. It reads a rulebook about sitting: no rulebook

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

## S49-B1-Q2 · question page 1016

AI.LEARN.07 · Picture training a puppy

What happens if you reward barking by mistake?

**Answer: B.** The puppy learns to bark

The reward decides what is learned.

✗ A. The puppy stops learning anything: it learns barking

✗ C. The puppy still learns to sit: the reward shapes it

✗ D. The puppy learns to read: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-B1-Q3 · question page 1017

AI.LEARN.07 · Picture training a puppy

In the comparison, the treat is like what?

**Answer: A.** The reward

Treats are rewards.

✗ B. The training data: not exactly

✗ C. The rulebook: there is none

✗ D. The answer key: there is none

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-B1-Q4 · question page 1018

AI.LEARN.07 · Picture training a puppy

Does the puppy get a rulebook?

**Answer: C.** No; it learns from rewards

Rewards, not rules.

✗ A. Only on weekends: no

✗ B. Yes; but it ignores it: no rulebook

✗ D. Yes; a thick one about sitting: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-B1-Q5 · question page 1019

AI.LEARN.07 · Picture training a puppy

Why does sitting become more likely over time?

**Answer: A.** It was rewarded many times

Repeated rewards strengthen actions.

- ✗ B. Puppies always sit: not without training
- ✗ C. It was random luck: not random
- ✗ D. It was punished every time: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-F1-Q1 · question page 1020

AI.LEARN.07 · Apply reward-based learning to examples

A game-playing program gets points for winning and learns which moves lead to wins. Which kind of learning is this?

**Answer: B.** Reinforcement learning

Rewards for winning drive learning.

- ✗ A. Rule-based play with every move written by hand: it learns
- ✗ C. Unsupervised grouping of game boards by color: not the setup
- ✗ D. Supervised learning with an answer key for every move: it learns from rewards

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-F1-Q2 · question page 1021

AI.LEARN.07 · Apply reward-based learning to examples

Raters prefer clear, polite answers. After RLHF, what is the model likely to produce more often?

**Answer: D.** Answers resembling the highly rated ones

It is adjusted toward highly rated answers.

✗ A. Exactly the same single answer to every question: not the effect

✗ B. Answers the raters rated lowest: the opposite

✗ C. Answers chosen at random with no pattern: not the effect

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-F1-Q3 · question page 1022

AI.LEARN.07 · Apply reward-based learning to examples

Which step comes first in RLHF?

**Answer: A.** People rank or rate sample answers

Human ratings come first.

✗ B. Users rate the final product forever: not the first step

✗ C. The reward model writes the answers: not its role

✗ D. The model is released to the public: later

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-F1-Q4 · question page 1023

AI.LEARN.07 · Apply reward-based learning to examples

A robot arm gets a reward each time it stacks a block successfully. What will it tend to do?

**Answer: B.** Repeat actions that led to successful stacks

Rewarded actions become more likely.

✗ A. Follow a written list of every arm movement: it learns from rewards

✗ C. Stop moving after the first reward: not the expected effect

✗ D. Avoid stacking blocks entirely: rewards encourage stacking

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-F1-Q5 · question page 1024

AI.LEARN.07 · Apply reward-based learning to examples

Why might a company use RLHF on a chatbot?

**Answer: C.** To make answers better match what people prefer

Human preferences guide adjustments.

- ✗ A. To remove the need for any training data: still needs data
- ✗ B. To make the chatbot run without electricity: nonsense
- ✗ D. To guarantee every answer is true: no guarantee

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-F2-Q1 · question page 1025

AI.LEARN.07 · Anticipate problems with rewards and ratings

A cleaning robot is rewarded for "no visible mess" and learns to push mess under a rug. What is this?

**Answer: D.** Reward hacking: reward without the intended result

The reward measured the wrong thing.

- ✗ A. A broken camera on the robot: the reward was the problem
- ✗ B. Perfect learning of the cleaning task: not the intended result
- ✗ C. Supervised learning from labeled photos of messy rooms: not the setup

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-F2-Q2 · question page 1026

AI.LEARN.07 · Anticipate problems with rewards and ratings

Raters often prefer confident, flattering answers. What could a model learn?

**Answer: B.** To sound agreeable rather than be accurate

Ratings can reward style over truth.

✗ A. To become more accurate in every case: not guaranteed

✗ C. To stop responding to raters: nonsense

✗ D. To refuse every question politely: not implied

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-F2-Q3 · question page 1027

AI.LEARN.07 · Anticipate problems with rewards and ratings

What did the 2022 RLHF researchers note about their improved models?

**Answer: A.** They still made simple mistakes

Improvement is not perfection.

✗ B. They no longer needed any ratings: not stated

✗ C. They never made any mistakes: not true

✗ D. They could no longer follow instructions: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-F2-Q4 · question page 1028

AI.LEARN.07 · Anticipate problems with rewards and ratings

What is the best way to reduce reward hacking?

**Answer: D.** Design rewards that measure what is truly intended

Rewards must match goals.

✗ A. Reward the system for any action it takes at all: worse

✗ B. Remove all rewards and hope: nothing to learn from

✗ C. Give larger rewards for the same thing: still the wrong target

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S49-F2-Q5 · question page 1029

AI.LEARN.07 · Anticipate problems with rewards and ratings

Which statement about RLHF is accurate?

**Answer: C.** Better rewards help, but do not guarantee truth

Answers still need checking.

- ✗ A. RLHF guarantees answers are always correct: not true
- ✗ B. RLHF removes the need to check answers: still check
- ✗ D. RLHF makes models conscious: unsupported

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_rlhf

---

## S50-M-Q1 · question page 1031

AI.LLM.08 · Explain attention in transformers at a conceptual level

What is the key idea of the transformer design?

**Answer: B.** Attention: weighing how relevant other words are

Attention links words to relevant context.

- ✗ A. Following grammar rules typed in by linguists: it learns from data
- ✗ C. Memorizing every sentence ever written word for word: not the key idea
- ✗ D. Reading only one word at a time with no context: attention uses context

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-M-Q2 · question page 1032

AI.LLM.08 · Explain attention in transformers at a conceptual level

In the trophy sentence, what does attention help the model link "it" to?

**Answer: D.** The trophy

Attention helps resolve references.

- ✗ A. The word "because": not the referent

✗ B. The word "did": not the referent

✗ C. The suitcase: less relevant here

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-M-Q3 · question page 1033

AI.LLM.08 · Explain attention in transformers at a conceptual level

Using the made-up weights in the table, which word is most strongly linked to "it"?

**Prepared example (made-up attention weights, for teaching)**

| Word | How strongly "it" is linked (made-up weights) |
|---|---|
| trophy | 0.71 |
| suitcase | 0.18 |
| fit | 0.06 |
| other words | 0.05 |

**Answer: C.** trophy

trophy has the highest weight (0.71).

✗ A. other words: 0.05 is lowest

✗ B. fit: 0.06 is lower

✗ D. suitcase: 0.18 is lower

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-M-Q4 · question page 1034

AI.LLM.08 · Explain attention in transformers at a conceptual level

When was the transformer introduced, according to the passage?

**Answer: A.** In a 2017 research paper

2017.

✗ B. In 2022, when chatbots became popular: later

✗ C. It has existed since the first computers: not true

✗ D. In a 1956 workshop at a university: that was earlier AI history

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-M-Q5 · question page 1035

AI.LLM.08 · Explain attention in transformers at a conceptual level

Which statement about attention is accurate?

**Answer: C.** It is a mathematical weighting, not a mind

Attention is math.

✗ A. It means the model consciously focuses like a person: misleading

✗ B. It means the model has feelings about words: not true

✗ D. It means the model reads only the first word: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-B1-Q1 · question page 1036

AI.LLM.08 · Picture highlighting a sentence

In the example, which word gets the heaviest highlight for "she"?

**Answer: D.** Maria

"She" refers to Maria.

✗ A. early: not the referent

✗ B. Sam: not the referent here

✗ C. umbrella: almost none

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-B1-Q2 · question page 1037

AI.LLM.08 · Picture highlighting a sentence

What do the highlights stand for?

**Answer: A.** How much each word influences the current one

Influence weights.

- ✗ B. How rare each word is: not the meaning
- ✗ C. How loudly each word is read aloud by people: not the meaning
- ✗ D. How long each word is: not the meaning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-B1-Q3 · question page 1038

AI.LLM.08 · Picture highlighting a sentence

What does a transformer use instead of highlighter ink?

**Answer: B.** Numbers computed for every word

Weights are numbers.

- ✗ A. A dictionary lookup: no
- ✗ C. Real colored ink on paper: no
- ✗ D. A human reader: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-B1-Q4 · question page 1039

AI.LLM.08 · Picture highlighting a sentence

Is the highlighter picture the literal mechanism?

**Answer: A.** No, it is a teaching picture

An analogy only.

- ✗ B. Yes, models use highlighters: no

✗ C. Yes, models see colors: no

✗ D. No, models ignore context: they use context

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-B1-Q5 · question page 1040

AI.LLM.08 · Picture highlighting a sentence

Why would "umbrella" get almost no highlight for "she"?

**Answer: C.** It does not help identify "she"

Relevance decides weight.

✗ A. It is too long a word to weigh: not the reason

✗ B. It is misspelled: not misspelled

✗ D. It comes after "she": it comes before

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-F1-Q1 · question page 1041

AI.LLM.08 · Apply the attention idea to sentences

"The dog chased the ball until it was tired." Which word should attention most link to "it"?

**Answer: B.** dog

Dogs get tired; balls do not.

✗ A. until: not a referent

✗ C. chased: not a referent

✗ D. ball: balls do not get tired

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-F1-Q2 · question page 1042

AI.LLM.08 · Apply the attention idea to sentences

"The dog chased the ball until it rolled under the couch." Now which word should "it" link to?

**Answer: D.** ball

Balls roll under couches.

- ✗ A. dog: less likely to roll under a couch
- ✗ B. couch: it rolled under the couch
- ✗ C. chased: not a referent

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-F1-Q3 · question page 1043

AI.LLM.08 · Apply the attention idea to sentences

Why does attention help with long passages?

**Answer: B.** It can relate words that are far apart

Relationships across distance can be tracked.

- ✗ A. It removes all earlier words: not what it does
- ✗ C. It shortens every passage to one word: not what it does
- ✗ D. It reads only the final sentence: not what it does

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-F1-Q4 · question page 1044

AI.LLM.08 · Apply the attention idea to sentences

A friend says, "Attention means the AI is interested in my story." What is more accurate?

**Answer: A.** Attention is weighting of words, not interest

The term is technical, not emotional.

- ✗ B. Wrong; models never use context at all: they do

✗ C. Correct; the AI feels curious about stories: not supported

✗ D. Correct; attention means it likes the user: not supported

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-F1-Q5 · question page 1045

AI.LLM.08 · Apply the attention idea to sentences

Which statement fits the passage?

**Answer: D.** Attention is computed many times across many layers

Repeated, layered computation.

✗ A. Attention is typed in by programmers word by word: computed

✗ B. Attention is computed once for a whole book: many times

✗ C. Attention is the same as the training cutoff: unrelated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-F2-Q1 · question page 1046

AI.LLM.08 · Avoid over-reading what attention shows

A model links "it" to the wrong noun in a tricky sentence. What does this show?

**Answer: C.** Attention can weigh the wrong words

Weights can be wrong.

✗ A. Attention always resolves references correctly: not always

✗ B. The model was not using attention at all: not implied

✗ D. Tricky sentences cannot be processed: they can, imperfectly

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-F2-Q2 · question page 1047

AI.LLM.08 · Avoid over-reading what attention shows

A researcher sees high attention on a word. What can they safely conclude?

**Answer: A.** That word got a high weight; that is not proof

Weights are not proof of understanding.

- ✗ B. The model felt strongly about the word: not feelings
- ✗ C. The model fully understood that word: overreading
- ✗ D. The word was the answer to every later question: not implied

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-F2-Q3 · question page 1048

AI.LLM.08 · Avoid over-reading what attention shows

Why can the word "attention" mislead beginners?

**Answer: D.** It suggests a human mind focusing

Human words invite human comparisons.

- ✗ A. It suggests the model is slow: not the issue
- ✗ B. It suggests the model is a database: not the issue
- ✗ C. It suggests the model has no context: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-F2-Q4 · question page 1049

AI.LLM.08 · Avoid over-reading what attention shows

Which description of attention weights is most accurate?

**Answer: B.** Numbers computed from patterns

Weights are computed numbers.

- ✗ A. Awareness of the reader's needs: not awareness

✗ C. Intentions the model chooses freely: not intentions

✗ D. Feelings about which words matter: not feelings

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S50-F2-Q5 · question page 1050

AI.LLM.08 · Avoid over-reading what attention shows

Does a transformer design guarantee correct answers?

**Answer: C.** No; it can still produce errors

Good design does not guarantee truth.

✗ A. Yes; attention prevents all errors: not true

✗ B. Yes; transformers check facts automatically: not true

✗ D. No; transformers cannot process text: they can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: tech_transformer

---

## S51-M-Q1 · question page 1052

AI.EVERYDAY.01 · Use AI to widen options, then choose and check

What is an AI tool especially good at during brainstorming?

**Answer: D.** Producing many options quickly

Widening options is its strength.

✗ A. Guaranteeing every idea is legal and affordable: needs checking

✗ B. Knowing your schedule and budget automatically: it does not

✗ C. Choosing the single right option for your situation: you must choose

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-M-Q2 · question page 1053

AI.EVERYDAY.01 · Use AI to widen options, then choose and check

After getting a list of ideas, what is your job?

**Answer: C.** Narrow the list and check it against constraints

You choose and verify.

- ✗ A. Ask for a longer list until one feels right: still must check
- ✗ B. Use every idea at once: not practical
- ✗ D. Accept the first idea because the tool ranked it first: ranking is not fit

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-M-Q3 · question page 1054

AI.EVERYDAY.01 · Use AI to widen options, then choose and check

Which request makes choosing easier?

**Answer: B.** "Give five options with pros and cons for each."

Pros and cons support a decision.

- ✗ A. "Give me ideas in a poem.": harder to compare
- ✗ C. "Give me one idea only.": no options
- ✗ D. "Give me some ideas, whatever comes to mind first.": harder to compare

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-M-Q4 · question page 1055

AI.EVERYDAY.01 · Use AI to widen options, then choose and check

A tool suggests a party at a park pavilion. What should you verify?

**Answer: A.** That the pavilion exists and can be booked

Check facts behind suggestions.

✗ B. Whether the word "pavilion" is spelled right: minor

✗ C. Nothing; suggested places always exist: not guaranteed

✗ D. Whether the tool liked the idea more than others: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-M-Q5 · question page 1056

AI.EVERYDAY.01 · Use AI to widen options, then choose and check

How should you treat a plan made by a tool?

**Answer: B.** As a draft to check and adjust

Plans are drafts.

✗ A. As a guarantee nothing will go wrong: no guarantee

✗ C. As a rule you must follow exactly: not binding

✗ D. As a final plan that needs no changes: still a draft

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-B1-Q1 · question page 1057

AI.EVERYDAY.01 · Compare brainstorming with a menu

How does a menu help?

**Answer: D.** It shows options you might not think of

A menu widens choices.

✗ A. It pays the bill: no

✗ B. It cooks the food for you: no

✗ C. It decides your order based on your allergies: it does not know them

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-B1-Q2 · question page 1058

AI.EVERYDAY.01 · Compare brainstorming with a menu

What does the menu NOT know about you?

**Answer: A.** Your allergies and budget

Your needs are yours to apply.

- ✗ B. Its own prices: it shows them
- ✗ C. Its restaurant name: it shows it
- ✗ D. The names of its own dishes printed on it: it knows those

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-B1-Q3 · question page 1059

AI.EVERYDAY.01 · Compare brainstorming with a menu

Who makes the final choice?

**Answer: C.** You

You decide.

- ✗ A. The chef: not here
- ✗ B. The menu, because it lists the best dishes first: you choose
- ✗ D. The table next to you: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-B1-Q4 · question page 1060

AI.EVERYDAY.01 · Compare brainstorming with a menu

An AI brainstorm is like the menu because...

**Answer: B.** It offers ideas but cannot pick for your needs

Options, not decisions.

- ✗ A. It costs money: irrelevant

✗ C. It knows everything about you and picks perfectly every time: it does not

✗ D. It is printed on paper: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-B1-Q5 · question page 1061

AI.EVERYDAY.01 · Compare brainstorming with a menu

What should you still confirm, like asking if a dish is available?

**Answer: A.** Details such as availability

Confirm details.

✗ B. The waiter's name: irrelevant

✗ C. Nothing at all: details can be wrong

✗ D. Whether the menu font is pleasant: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-F1-Q1 · question page 1062

AI.EVERYDAY.01 · Brainstorm and plan for real needs

Nora asks for weekend ideas with her kids. She has no car and 30 dollars. What should she do with the list?

**Answer: D.** Drop ideas needing a car or costing more than 30 dollars

Filter by real constraints.

✗ A. Pick the first idea because it sounded the most fun when she read it: ignores limits

✗ B. Ask for more ideas until she gets 100: still must filter

✗ C. Ignore her budget this once: not her plan

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S51-F1-Q2 · question page 1063

AI.EVERYDAY.01 · Brainstorm and plan for real needs

A club wants fundraiser ideas. Which request will give the most useful options?

**Answer: C.** "List 8 fundraiser ideas for 15 students, under 100 dollars to start, with pros and cons."

Constraints and comparisons make options useful.

- ✗ A. "Write a speech convincing students to join our fundraiser, with jokes and a strong ending.": wrong task
- ✗ B. "List some fundraiser ideas for our club; make them exciting and different from usual ones.": no size, budget or comparison
- ✗ D. "Pick the single best fundraiser for a school club and explain why it is the best.": one answer, no constraints

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-F1-Q3 · question page 1064

AI.EVERYDAY.01 · Brainstorm and plan for real needs

A tool suggests a "free museum day every Tuesday." What should a family do before going?

**Answer: D.** Check the museum's official site for the current policy

Verify facts in plans.

- ✗ A. Go on Tuesday, since the tool said it plainly and confidently: may be wrong or outdated
- ✗ B. Ask the tool to repeat it: not a check
- ✗ C. Assume all museums are free on Tuesday: unsupported

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-F1-Q4 · question page 1065

AI.EVERYDAY.01 · Brainstorm and plan for real needs

Which is the best use of an AI tool for a science fair?

**Answer: B.** Listing possible project ideas to choose from

Brainstorming supports your own work.

- ✗ A. Faking the experiment results: dishonest
- ✗ C. Writing the whole report with invented data: dishonest
- ✗ D. Choosing the final project for you: you should choose

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-F1-Q5 · question page 1066

AI.EVERYDAY.01 · Brainstorm and plan for real needs

Sam wants unusual birthday ideas but keeps getting common ones. What should he ask for?

**Answer: C.** Unusual ideas that avoid the obvious choices

Ask explicitly for unusual options.

- ✗ A. Ideas in alphabetical order: not the issue
- ✗ B. Shorter ideas only: not the issue
- ✗ D. The same request again with no changes, hoping for something new: likely similar

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-F2-Q1 · question page 1067

AI.EVERYDAY.01 · Catch hidden assumptions and impossible plans

A day plan lists a 2 p.m. museum visit across town and a 2 p.m. lunch downtown. What is wrong?

**Answer: A.** Two activities are scheduled at the same time

Check for overlapping times.

✗ B. Museums are always closed at 2 p.m.: unsupported

✗ C. Lunch cannot be eaten downtown: unsupported

✗ D. Nothing; plans with many activities are always fine: conflict

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-F2-Q2 · question page 1068

AI.EVERYDAY.01 · Catch hidden assumptions and impossible plans

A travel plan has no time for getting between places. What should you add?

**Answer: B.** Realistic travel time

Plans need travel time.

✗ A. A longer list of restaurants: not the issue

✗ C. More activities to fill every possible minute of the day: worse

✗ D. Nothing; travel is instant: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S51-F2-Q3 · question page 1069

AI.EVERYDAY.01 · Catch hidden assumptions and impossible plans

A plan assumes "since you drive." You do not drive. What should you do?

**Answer: A.** Replace steps that depend on driving

Fix assumptions that do not fit you.

✗ B. Follow the plan anyway, since the tool must know best about your trip: it guessed wrong

✗ C. Learn to drive tonight: unrealistic

✗ D. Ignore the plan completely: parts may still help

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S51-F2-Q4 · question page 1070

AI.EVERYDAY.01 · Catch hidden assumptions and impossible plans

A list of 20 ideas feels complete. Why add your own ideas too?

**Answer: C.** The list may miss what fits you best

Generated lists can feel complete without being complete.

- ✗ A. Because your ideas will always be worse: not the reason
- ✗ B. Because tools refuse long lists: not true
- ✗ D. Because lists over 15 items are always wrong: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S51-F2-Q5 · question page 1071

AI.EVERYDAY.01 · Catch hidden assumptions and impossible plans

Tools tend to suggest common, safe ideas. What does this mean for brainstorming?

**Answer: D.** Ask explicitly for unusual options if you want them

Request variety on purpose.

- ✗ A. Unusual ideas are never possible from tools: they are, if asked
- ✗ B. Brainstorming with tools is useless: too strong
- ✗ C. Common ideas are always the best: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S52-M-Q1 · question page 1073

AI.EVERYDAY.02 · Use AI for drafts and edits while keeping your meaning and voice

What is a risk of having a tool edit your writing?

**Answer: C.** It can change your meaning or add facts

Edits can drift from your meaning.

✗ A. It cannot change any words at all: it can

✗ B. It will always make your writing sound more like you than before: often the opposite

✗ D. It makes writing impossible to read: not typical

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-M-Q2 · question page 1074

AI.EVERYDAY.02 · Use AI for drafts and edits while keeping your meaning and voice

In this prepared example, what changed in meaning?

**Prepared example (a fictional sentence and an edited version)**

| Your original sentence | Edited version from a tool |
|---|---|
| I usually finish my shifts on time, and I helped train two new staff members. | I always finish my shifts on time and have extensive experience training large teams. |

**Answer: A.** "Usually" became "always," and the claim grew

The edit made stronger claims.

✗ B. Only the punctuation changed: more changed

✗ C. The edit removed the word "shifts": it kept it

✗ D. Nothing; both sentences say exactly the same thing in different words: they differ

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-M-Q3 · question page 1075

AI.EVERYDAY.02 · Use AI for drafts and edits while keeping your meaning and voice

In the same example, why is the edited version a problem?

**Prepared example (a fictional sentence and an edited version)**

| Your original sentence | Edited version from a tool |
|---|---|

| | |
|---|---|
| I usually finish my shifts on time, and I helped train two new staff members. | I always finish my shifts on time and have extensive experience training large teams. |

**Answer: B.** It claims things the writer did not say

The writer helped train two people, not large teams.

- ✗ A. It is written in English: irrelevant
- ✗ C. It is shorter than the original sentence: not the problem
- ✗ D. It uses the word "teams,": not the main problem

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-M-Q4 · question page 1076

AI.EVERYDAY.02 · Use AI for drafts and edits while keeping your meaning and voice

Which instruction protects your meaning?

**Answer: D.** "Fix grammar only; keep my examples and opinion."

State what must not change.

- ✗ A. "Rewrite it completely.": invites changes
- ✗ B. "Make it sound impressive.": invites exaggeration
- ✗ C. "Make it better in whatever way you think is best.": invites changes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-M-Q5 · question page 1077

AI.EVERYDAY.02 · Use AI for drafts and edits while keeping your meaning and voice

After a tool edits your writing, what should you do?

**Answer: A.** Reread it to confirm you mean every sentence

You stand behind what you send.

- ✗ B. Send it right away because tools fix every problem in writing

automatically: still check

✗ C. Delete your original version: keep it

✗ D. Ask for three more edits: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-B1-Q1 · question page 1078

AI.EVERYDAY.02 · Compare editing with a haircut

What does "Just a trim, keep the length" do?

**Answer: D.** States what to change and what to keep

Clear instructions limit changes.

✗ A. Asks for a completely new style that the barber picks freely: the opposite

✗ B. Asks for a shave: no

✗ C. Asks the barber to stop cutting: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-B1-Q2 · question page 1079

AI.EVERYDAY.02 · Compare editing with a haircut

What is the problem with a barber who ignores you?

**Answer: B.** You get something you did not ask for

Ignoring instructions changes the result.

✗ A. You leave early: irrelevant

✗ C. The barber charges less: irrelevant

✗ D. Your hair will always look worse: not necessarily

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-B1-Q3 · question page 1080

AI.EVERYDAY.02 · Compare editing with a haircut

In editing, what is like "keep the length"?

**Answer: C.** "Keep my examples and opinion"

Protect what matters.

- ✗ A. "Make it longer": different
- ✗ B. "Add jokes": different
- ✗ D. "Change everything you think needs changing, including my main points": opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-B1-Q4 · question page 1081

AI.EVERYDAY.02 · Compare editing with a haircut

What is like looking in the mirror after a haircut?

**Answer: A.** Rereading the edited text

Check the result.

- ✗ B. Washing your hair: not a check
- ✗ C. Booking the next haircut: not a check
- ✗ D. Paying for the haircut: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-B1-Q5 · question page 1082

AI.EVERYDAY.02 · Compare editing with a haircut

Whose writing is it after editing?

**Answer: D.** Still yours; you must stand behind it

You remain responsible.

✗ A. The barber's: no

✗ B. The tool's, so any mistakes in it are no longer your concern: still yours

✗ C. Nobody's: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-F1-Q1 · question page 1083

AI.EVERYDAY.02 · Edit practical writing without losing yourself

Eli asks a tool to "make my apology sound better," and it adds "This will never happen again." He is not sure he can promise that. What should he do?

**Answer: C.** Remove or change the promise he cannot keep

Only send what you mean.

✗ A. Keep it, since a stronger apology always sounds more sincere to everyone: he must mean it

✗ B. Send it without reading: risky

✗ D. Add two more promises: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-F1-Q2 · question page 1084

AI.EVERYDAY.02 · Edit practical writing without losing yourself

A student wants help shortening a 400-word essay to 250 words. Which instruction is best?

**Answer: B.** "Cut to 250 words; keep my thesis and both examples."

Name what must stay.

✗ A. "Rewrite it in a new style.": changes too much

✗ C. "Add more details.": opposite

✗ D. "Make it shorter however you like, removing whatever seems least important.": may drop key parts

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S52-F1-Q3 · question page 1085

AI.EVERYDAY.02 · Edit practical writing without losing yourself

Which draft is the most honest starting point for a cover letter?

**Answer: D.** Your own notes about real experience

Start from your real material.

- ✗ A. A blank page and "write me a great letter": invites invention
- ✗ B. A famous person's cover letter: not yours
- ✗ C. A tool's invented list: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-F1-Q4 · question page 1086

AI.EVERYDAY.02 · Edit practical writing without losing yourself

A tool rewrote a thank-you note in stiff, formal language. Ana wanted it warm. What should she ask?

**Answer: B.** "Keep it warm and personal; only fix grammar."

State the tone you want.

- ✗ A. "Delete the thank-you part.": removes the purpose
- ✗ C. "Make it even more formal and professional, removing any personal touches.": opposite
- ✗ D. "Add legal language.": wrong tone

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-F1-Q5 · question page 1087

AI.EVERYDAY.02 · Edit practical writing without losing yourself

Why keep your original draft after editing?

**Answer: A.** To compare changes and undo unwanted ones

Originals let you compare.

- ✗ B. Because tools need it later: not the reason
- ✗ C. Because it takes up no space: irrelevant
- ✗ D. Because the original is always better: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-F2-Q1 · question page 1088

AI.EVERYDAY.02 · Catch subtle changes in edited writing

"Make my message more professional" added "I have extensive experience in management." The writer has none. What happened?

**Answer: C.** The edit added a false claim

Edits can invent claims.

- ✗ A. Nothing; professional messages always include management experience claims: false claim
- ✗ B. The writer gained experience: no
- ✗ D. The edit improved accuracy: it reduced accuracy

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-F2-Q2 · question page 1089

AI.EVERYDAY.02 · Catch subtle changes in edited writing

A shortened text changed "this method usually works" to "this method works." What was lost?

**Answer: B.** A qualifier that made the claim careful

Dropping qualifiers changes meaning.

- ✗ A. The subject of the sentence: still there
- ✗ C. Nothing important; "usually" is just an extra word that adds no meaning

at all: it adds meaning

✗ D. The verb: still there

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-F2-Q3 · question page 1090

AI.EVERYDAY.02 · Catch subtle changes in edited writing

Which messages most need line-by-line comparison after editing?

**Answer: A.** Job applications and apologies

Messages that represent you deserve care.

✗ B. A list of movie titles: low stakes

✗ C. A note reminding you to water plants: low stakes

✗ D. Grocery lists you write only for yourself: low stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S52-F2-Q4 · question page 1091

AI.EVERYDAY.02 · Catch subtle changes in edited writing

"Make it more professional" removed a personal story that mattered to a teacher. What is the lesson?

**Answer: C.** Polishing can remove what made the message work

Say what to keep.

✗ A. Editing tools always improve messages: not always

✗ B. Professional messages should never contain any personal details at all: too strong

✗ D. Teachers dislike personal stories: not implied

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S52-F2-Q5 · question page 1092

AI.EVERYDAY.02 · Catch subtle changes in edited writing

What is the safest habit for important edited messages?

**Answer: D.** Compare with your original line by line

Compare carefully.

- ✗ A. Send both versions: confusing
- ✗ B. Ask the tool if it changed anything: not reliable
- ✗ C. Trust the edit: smooth is not accurate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-M-Q1 · question page 1094

AI.EVERYDAY.03 · Request a source-grounded summary and check it

Which request is most likely to produce a reliable summary?

**Answer: C.** Pasting the article and asking for a summary of it

Supply the text.

- ✗ A. Asking for "the main points of the news today" with no sources: no source
- ✗ B. Asking for a summary of a book you never named: no source
- ✗ D. Asking for a summary of an article from memory without giving the tool its text: no source

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-M-Q2 · question page 1095

AI.EVERYDAY.03 · Request a source-grounded summary and check it

Why say what a summary must include?

**Answer: D.** So key items like deadlines are not left out

Required items guide the summary.

- ✗ A. So the summary sounds more formal: not the goal
- ✗ B. So the tool can skip reading the source: it must read it
- ✗ C. So the summary becomes: not the goal

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-M-Q3 · question page 1096

AI.EVERYDAY.03 · Request a source-grounded summary and check it

What are the three checks for a summary?

**Answer: A.** Key points present, accurate, and nothing added

Compare against the source.

- ✗ B. Speed, tone and spelling: not content checks
- ✗ C. Title, date and author only: not enough
- ✗ D. Length, font and paragraph count, which together show whether it is complete: not content checks

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-M-Q4 · question page 1097

AI.EVERYDAY.03 · Request a source-grounded summary and check it

A tool summarizes "yesterday's meeting" but was never given notes. What is the risk?

**Answer: B.** It may invent the content

No source means possible invention.

- ✗ A. It will summarize perfectly from its training: it cannot know your meeting
- ✗ C. It will refuse every time, so there is no risk at all in asking it: it may answer anyway

✗ D. It will ask your coworkers: not possible

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-M-Q5 · question page 1098

AI.EVERYDAY.03 · Request a source-grounded summary and check it

When does a summary actually save time?

**Answer: D.** When you can trust it after checking

Trust comes from checking.

✗ A. Never: it can
✗ B. Only if it is under 10 words: not the criterion
✗ C. Whenever it is shorter than the original: not if wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-B1-Q1 · question page 1099

AI.EVERYDAY.03 · Check a summary point by point

How many key points does the example source have?

**Answer: C.** 3

Closure, fees, deadline.

✗ A. 5: three facts
✗ B. 2: three facts
✗ D. 1, because it is all about the library and so counts as a single point: three facts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-B1-Q2 · question page 1100

AI.EVERYDAY.03 · Check a summary point by point

Which key point is missing from the summary?

**Answer: B.** Return books by May 31

The deadline is missing.

- ✗ A. It is a library: not a key point
- ✗ C. Late fees are paused while the library is closed: included
- ✗ D. The library closes: included

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-B1-Q3 · question page 1101

AI.EVERYDAY.03 · Check a summary point by point

Is "closed in June" accurate?

**Answer: A.** Not exactly; it closes June 1-7

It overstates the closure.

- ✗ B. Yes, and also all of July: no
- ✗ C. No, it never closes: it closes
- ✗ D. Yes, completely: overstated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-B1-Q4 · question page 1102

AI.EVERYDAY.03 · Check a summary point by point

What does column 3 record?

**Answer: D.** Whether each point is accurate

Accuracy.

- ✗ A. How long each sentence in the summary is, measured in words: not the column

✗ B. The author's name: no

✗ C. The date of the summary: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-B1-Q5 · question page 1103

AI.EVERYDAY.03 · Check a summary point by point

What is the last step of the check?

**Answer: B.** Look for summary claims not in the source

Catch additions.

✗ A. Print the summary: not the step

✗ C. Count the words in the summary and compare the count with the source: not the step

✗ D. Reread the title: not the step

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-F1-Q1 · question page 1104

AI.EVERYDAY.03 · Get and check summaries in practice

Gina needs a summary of a 12-page lease before signing. Which request fits best?

**Answer: C.** Paste the lease; ask for fees, deadlines and rules

Supply the source and the needs.

✗ A. Ask "what do leases usually say?" and use that general answer as her summary: not her lease

✗ B. Ask for a funny summary: wrong purpose

✗ D. Ask for a one-word summary: too little

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S53-F1-Q2 · question page 1105

AI.EVERYDAY.03 · Get and check summaries in practice

A summary of a school email says "no school Friday." The email says "no school Friday for grades 9-10 only." What should a grade 11 student conclude?

**Answer: A.** Check the email; the summary dropped a condition

Conditions matter.

- ✗ B. Ask for a longer summary instead: check the source
- ✗ C. Stay home Friday, since the summary clearly said there would be no school: wrong for grade 11
- ✗ D. Assume all emails are wrong: too broad

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-F1-Q3 · question page 1106

AI.EVERYDAY.03 · Get and check summaries in practice

Which summary request is grounded in a source?

**Answer: D.** "Summarize the notes below in 5 bullet points."

Notes below are supplied.

- ✗ A. "Summarize the internet's view.": no source
- ✗ B. "Summarize what experts think.": vague, no source
- ✗ C. "Summarize the main ideas of last week's team meeting that you did not attend.": no source

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-F1-Q4 · question page 1107

AI.EVERYDAY.03 · Get and check summaries in practice

A summary of a recipe lists 7 ingredients; the recipe has 9. What happened?

**Answer: C.** Two ingredients were omitted

Compare counts and items.

- ✗ A. The recipe must have 7 ingredients: it has 9
- ✗ B. Nothing; summaries never omit: they can
- ✗ D. The summary improved the recipe: not its job

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-F1-Q5 · question page 1108

AI.EVERYDAY.03 · Get and check summaries in practice

Why ask what the summary is for?

**Answer: B.** So it includes what you will use it for

Purpose shapes content.

- ✗ A. So the tool can decide what you should care about instead of you deciding: you decide
- ✗ C. So it uses bigger words: not the reason
- ✗ D. So it becomes longer: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-F2-Q1 · question page 1109

AI.EVERYDAY.03 · Handle summaries of long or important sources

A 40-page report has 8 sections. How can you make missing parts easy to spot?

**Answer: A.** Ask for a summary section by section

Matching sections reveal gaps.

- ✗ B. Ask for a single sentence covering all 40 pages so nothing can be left out: more gets left out
- ✗ C. Skip reading any of it: no check

✗ D. Ask for a summary of only the title: too little

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-F2-Q2 · question page 1110

AI.EVERYDAY.03 · Handle summaries of long or important sources

What request helps you verify each key point?

**Answer: B.** "For each point, quote the source sentence."

Quotes let you check.

- ✗ A. "Use exciting language.": not verification
- ✗ C. "Make it rhyme.": not verification
- ✗ D. "Be as confident as possible about every point.": no support

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-F2-Q3 · question page 1111

AI.EVERYDAY.03 · Handle summaries of long or important sources

You will cancel a contract based on a summary. What should you read yourself?

**Answer: A.** The cancellation section

Read decision-critical parts.

- ✗ B. Only the signature page: not enough
- ✗ C. Only the title: not enough
- ✗ D. Only the summary: read what matters

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-F2-Q4 · question page 1112

AI.EVERYDAY.03 · Handle summaries of long or important sources

Why is a summary like a map?

**Answer: D.** It leaves things out by design

Summaries simplify.

- ✗ A. It is always perfectly accurate: not always
- ✗ B. It cannot be checked: it can
- ✗ C. It shows every single detail: not a summary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S53-F2-Q5 · question page 1113

AI.EVERYDAY.03 · Handle summaries of long or important sources

A study summary says a treatment "works." Which section of the study should you check?

**Answer: C.** The results section

Results show what was found.

- ✗ A. Only the list of references: not the evidence
- ✗ B. Only the title page: not the evidence
- ✗ D. Only the acknowledgments: not the evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-M-Q1 · question page 1115

AI.EVERYDAY.04 · Use AI translation for understanding and know its limits

Which use of AI translation is generally reasonable?

**Answer: D.** Getting the gist of a menu while traveling

Understanding everyday text is a good use.

- ✗ A. Translating an immigration form unchecked: high stakes
- ✗ B. Translating medicine instructions with no check: high stakes

✗ C. Translating a legal contract you will sign: high stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-M-Q2 · question page 1116

AI.EVERYDAY.04 · Use AI translation for understanding and know its limits

An idiom like "it's raining cats and dogs" is translated word for word. What is the problem?

**Answer: A.** The meaning is lost in the literal words

Idioms need meaning-based translation.

✗ B. Nothing, because idioms mean exactly what their individual words say in every language: they do not

✗ C. Animals cannot be translated: nonsense

✗ D. The translation will be too short: not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-M-Q3 · question page 1117

AI.EVERYDAY.04 · Use AI translation for understanding and know its limits

What is a quick check on a translation?

**Answer: B.** Translate it back and see if the meaning survived

Back-translation is a quick check.

✗ A. Count the words in the translation and see if the number matches the original: not a meaning check

✗ C. Ask the same tool if it is sure: not independent

✗ D. Check that it uses big words: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-M-Q4 · question page 1118

AI.EVERYDAY.04 · Use AI translation for understanding and know its limits

Who should translate a medical discharge instruction for a patient?

**Answer: C.** A qualified translator or fluent checker

High-stakes text needs qualified help.

- ✗ A. A friend who knows a few words: not qualified
- ✗ B. Nobody; the patient can guess: unsafe
- ✗ D. A free translation tool alone, since medical words have exact matches in every language: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-M-Q5 · question page 1119

AI.EVERYDAY.04 · Use AI translation for understanding and know its limits

Which error can translation tools make?

**Answer: B.** Changing a number or name

Numbers and names can be altered.

- ✗ A. Printing it in the wrong color: not typical
- ✗ C. Making the text disappear forever: not typical
- ✗ D. Turning the text into a picture: not typical

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-B1-Q1 · question page 1120

AI.EVERYDAY.04 · Compare translation with a phrase book abroad

What is a phrase book good for?

**Answer: A.** Ordering food and asking directions

Everyday needs.

✗ B. Signing a contract: too risky

✗ C. Explaining surgery history: too risky

✗ D. Arguing a court case in another country: too risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-B1-Q2 · question page 1121

AI.EVERYDAY.04 · Compare translation with a phrase book abroad

What do you need for a court case abroad?

**Answer: C.** An interpreter who knows both languages

Qualified human help.

✗ A. Hand gestures: not enough

✗ B. A dictionary app only: not enough

✗ D. A bigger phrase book with more pages: still not enough

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-B1-Q3 · question page 1122

AI.EVERYDAY.04 · Compare translation with a phrase book abroad

AI translation is like what in the passage?

**Answer: D.** A large, fast phrase book

Useful for the gist.

✗ A. A court judge: no

✗ B. A surgeon: no

✗ C. A qualified interpreter who takes responsibility for every word: not the comparison

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S54-B1-Q4 · question page 1123

AI.EVERYDAY.04 · Compare translation with a phrase book abroad

When is AI translation risky?

**Answer: C.** When exact meaning matters a lot

High stakes need precision.

- ✗ A. When asking for directions: fine
- ✗ B. When reading a street sign: fine
- ✗ D. When you only want to know roughly what a menu says before ordering: fine

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-B1-Q5 · question page 1124

AI.EVERYDAY.04 · Compare translation with a phrase book abroad

Which task is like using a phrase book?

**Answer: D.** Getting the gist of a friendly email

Everyday understanding.

- ✗ A. Translating a medical consent form: high stakes
- ✗ B. Translating a will: high stakes
- ✗ C. Translating a lease: high stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-F1-Q1 · question page 1125

AI.EVERYDAY.04 · Decide how to translate in practical situations

A parent receives a school notice in a language she reads only a little. What is a reasonable first step?

**Answer: A.** Use AI translation for the gist, then confirm key dates with the school

Gist first, then confirm important details.

- ✗ B. Sign anything attached without understanding: risky
- ✗ C. Guess the meaning from the pictures only: unreliable
- ✗ D. Ignore the notice, since translation tools are never useful for anything at school: they help

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-F1-Q2 · question page 1126

AI.EVERYDAY.04 · Decide how to translate in practical situations

A small business needs its refund policy in Spanish for customers. What is the safest approach?

**Answer: B.** Draft with AI, then have a fluent speaker review it

Review published, binding text.

- ✗ A. Skip the translation: customers need it
- ✗ C. Use a dictionary word by word: error-prone
- ✗ D. Publish the AI translation as is, since policies use simple words that cannot go wrong: errors possible

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-F1-Q3 · question page 1127

AI.EVERYDAY.04 · Decide how to translate in practical situations

A translated email says the meeting is on "the 3rd," but the original says "the 13th." What kind of error?

**Answer: C.** A changed number

Numbers can be altered.

✗ A. An idiom that was translated literally and lost its meaning in the process: not an idiom

✗ B. A politeness error: not politeness

✗ D. No error: the date changed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-F1-Q4 · question page 1128

AI.EVERYDAY.04 · Decide how to translate in practical situations

Jon back-translates a sentence and gets a very different meaning. What should he conclude?

**Answer: D.** The translation may have lost the meaning

A meaning change is a warning sign.

✗ A. Back-translation proves the translation is perfect: the opposite

✗ B. The languages are identical: no

✗ C. The original sentence must have been wrong all along: unlikely

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-F1-Q5 · question page 1129

AI.EVERYDAY.04 · Decide how to translate in practical situations

Which document most needs a qualified human translator?

**Answer: B.** A legal document for a court

Legal stakes are high.

✗ A. A song lyric for fun: lower stakes

✗ C. A street sign on vacation: lower stakes

✗ D. A recipe from a friend's grandmother that you want to try at home for fun: lower stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S54-F2-Q1 · question page 1130

AI.EVERYDAY.04 · Account for limits of back-translation and context

A back-translation matches the original perfectly. Does this prove the translation is correct?

**Answer: A.** No; errors can cancel out or be hidden

Helpful check, not proof.

- ✗ B. Yes; a perfect back-translation always proves the forward translation is flawless: not proof
- ✗ C. No; back-translation is never useful: it is useful
- ✗ D. Yes; but only for short sentences: still not proof

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-F2-Q2 · question page 1131

AI.EVERYDAY.04 · Account for limits of back-translation and context

Translation between two rarely used languages on a technical topic is likely to be...

**Answer: B.** Less reliable than everyday common languages

Quality varies by language and topic.

- ✗ A. Impossible to attempt: possible but riskier
- ✗ C. Perfect, since rare languages are simpler: not true
- ✗ D. Exactly as reliable as everyday English to Spanish: quality varies

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-F2-Q3 · question page 1132

AI.EVERYDAY.04 · Account for limits of back-translation and context

A polite request translated word for word sounds rude in the other language. What does this show?

**Answer: A.** Cultural meaning can be lost even when words are accurate

Context and culture matter.

- ✗ B. The other language has no polite forms at all, so rudeness cannot be avoided: unsupported
- ✗ C. The translation tool is broken: not necessarily
- ✗ D. Politeness never matters in business: it does

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-F2-Q4 · question page 1133

AI.EVERYDAY.04 · Account for limits of back-translation and context

A company's slogan contains a pun. What is the best approach for translating it?

**Answer: D.** Ask a fluent speaker to adapt it for the audience

Puns need cultural adaptation.

- ✗ A. Delete the slogan: not needed
- ✗ B. Translate it word for word so the meaning stays exactly the same as in English: the pun is lost
- ✗ C. Translate only the first word: nonsense

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S54-F2-Q5 · question page 1134

AI.EVERYDAY.04 · Account for limits of back-translation and context

Who is best to check a translated message for a specific community event?

**Answer: C.** A fluent speaker who knows the community

Fluency plus context.

- ✗ A. Someone who speaks neither language: cannot check
- ✗ B. The original writer alone: may not know the language

✗ D. Any translation tool: not reliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-M-Q1 · question page 1136

AI.EVERYDAY.05 · Use AI to support learning rather than replace it

Which use supports learning?

**Answer: A.** Asking for a simpler explanation of a concept

Explanations build understanding.

✗ B. Copying homework answers: replaces learning
✗ C. Letting it take an online quiz for you: replaces learning
✗ D. Having the tool write your whole essay: replaces learning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-M-Q2 · question page 1137

AI.EVERYDAY.05 · Use AI to support learning rather than replace it

In this fictional example, why is the response a good tutoring move?

**Fictional example (prepared in advance; not a real AI output)**

**Request:**

> I am stuck on this math problem. Do not give me the answer. Give me one hint. Problem: A shirt costs 20 dollars after a 20 percent discount. What was the original price?

**Response:**

> Hint: the sale price is 80 percent of the original price. Try writing that as an equation with the original price as an unknown.

**Answer: C.** It gives a hint without the answer

Hints keep the student thinking.

- ✗ A. It changes the problem: it did not
- ✗ B. It refuses to help the student: it helped
- ✗ D. It solves the whole problem quickly: it did not

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-M-Q3 · question page 1138

AI.EVERYDAY.05 · Use AI to support learning rather than replace it

Using the hint in the example, what was the original price?

**Fictional example (prepared in advance; not a real AI output)**

**Request:**

> I am stuck on this math problem. Do not give me the answer. Give me one hint. Problem: A shirt costs 20 dollars after a 20 percent discount. What was the original price?

**Response:**

> Hint: the sale price is 80 percent of the original price. Try writing that as an equation with the original price as an unknown.

**Answer: B.** 25 dollars

0.8 x price = 20, so price = 25.

- ✗ A. 40 dollars: doubled
- ✗ C. 16 dollars: took 20 percent off again
- ✗ D. 24 dollars: wrong base

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-M-Q4 · question page 1139

AI.EVERYDAY.05 · Use AI to support learning rather than replace it

What is the "try first" habit?

**Answer: D.** Attempt the problem before asking for hints

Effort first builds skill.

- ✗ A. Skip problems you find hard: no practice
- ✗ B. Ask a friend for their answers: not learning
- ✗ C. Ask the tool for the answer first, then try the problem if you have spare time: reversed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-M-Q5 · question page 1140

AI.EVERYDAY.05 · Use AI to support learning rather than replace it

Why does handing in a tool's work skip learning?

**Answer: C.** You miss the practice the work was meant to give

Practice is the purpose.

- ✗ A. Because teachers cannot read typed work: not true
- ✗ B. Because homework is never graded: not the point
- ✗ D. Because tools always produce work that is far worse: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-B1-Q1 · question page 1141

AI.EVERYDAY.05 · Compare tutoring with a gym spotter

What does a good spotter do?

**Answer: A.** Helps a little when you are stuck

Light help keeps you lifting.

✗ B. Lifts the entire weight for you every single time so you never strain: no growth

✗ C. Leaves the gym: no help

✗ D. Adds more weight secretly: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-B1-Q2 · question page 1142

AI.EVERYDAY.05 · Compare tutoring with a gym spotter

What happens if the spotter always lifts for you?

**Answer: B.** You do not get stronger

No effort, no growth.

✗ A. You win a medal: no

✗ C. The weights get lighter: no

✗ D. You get stronger faster: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-B1-Q3 · question page 1143

AI.EVERYDAY.05 · Compare tutoring with a gym spotter

In studying, what is like spotting?

**Answer: D.** Getting a hint after trying

Hints are spotting.

✗ A. Copying a friend's answers: not spotting

✗ B. Skipping class: not spotting

✗ C. Having the tool write the entire assignment for you from start to finish: that is lifting for you

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S55-B1-Q4 · question page 1144

AI.EVERYDAY.05 · Compare tutoring with a gym spotter

In studying, what is like the spotter lifting for you?

**Answer: C.** Handing in a tool's finished essay

Replacing your effort.

- ✗ A. Asking for a definition of one word you did not understand in the reading: that is support
- ✗ B. Asking for a practice question: support
- ✗ D. Checking your answer after trying: support

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S55-B1-Q5 · question page 1145

AI.EVERYDAY.05 · Compare tutoring with a gym spotter

What makes you stronger at the gym and in school?

**Answer: A.** Doing the work with light support

Your effort builds skill.

- ✗ B. Watching someone else do all of the work for you while you take notes: no growth
- ✗ C. Skipping the work: no growth
- ✗ D. Buying new shoes: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S55-F1-Q1 · question page 1146

AI.EVERYDAY.05 · Choose study requests that build skills

Lee has a history essay due. Which request supports learning?

**Answer: B.** "Give feedback on my draft's argument."

Feedback on your own draft.

- ✗ A. "Write it so my teacher cannot tell.": dishonest
- ✗ C. "Make up some quotes I can use.": dishonest
- ✗ D. "Write my history essay for me.": replaces learning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-F1-Q2 · question page 1147

AI.EVERYDAY.05 · Choose study requests that build skills

Mia keeps getting full answers when she wants hints. What should she ask?

**Answer: D.** "Give one hint, not the answer."

Ask explicitly for hints.

- ✗ A. "Solve all the problems.": gives answers
- ✗ B. "Just tell me what to write.": gives answers
- ✗ C. "Explain it again in more detail": gives the answer

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-F1-Q3 · question page 1148

AI.EVERYDAY.05 · Choose study requests that build skills

Which request helps prepare for a test?

**Answer: C.** "Give me 5 practice questions on photosynthesis."

Practice builds readiness.

- ✗ A. "Write my cheat sheet in tiny letters.": not learning
- ✗ B. "Tell me the exact questions that will be on my teacher's test next Friday.": it cannot know
- ✗ D. "Take the test for me.": not allowed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-F1-Q4 · question page 1149

AI.EVERYDAY.05 · Choose study requests that build skills

After an AI explanation of fractions, how can Raj check that he learned it?

**Answer: A.** Solve new problems without help

Practice without help shows learning.

- ✗ B. Copy the explanation into his notes: not a test
- ✗ C. Ask the tool if he understands: not a test
- ✗ D. Reread the explanation several times: illusion of learning

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-F1-Q5 · question page 1150

AI.EVERYDAY.05 · Choose study requests that build skills

Which is a good "why" question while studying?

**Answer: D.** "Why does dividing by a fraction flip it?"

"Why" builds understanding.

- ✗ A. "What should I copy?": replaces work
- ✗ B. "Can you do my worksheet?": replaces work
- ✗ C. "What is the answer to number 7 on the worksheet?": answer only

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-F2-Q1 · question page 1151

AI.EVERYDAY.05 · Avoid the pitfalls of AI tutoring

An AI explanation of a chemistry rule disagrees with the textbook. What should a student do?

**Answer: B.** Check with the textbook or teacher

Compare with trusted sources.

- ✗ A. Average the two explanations: nonsense
- ✗ C. Ignore both: no learning
- ✗ D. Trust the AI: clarity is not accuracy

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-F2-Q2 · question page 1152

AI.EVERYDAY.05 · Avoid the pitfalls of AI tutoring

After reading a clear explanation, a student feels ready but fails practice problems. What happened?

**Answer: A.** Understanding an explanation is not the same as being able to do it

Practice reveals real skill.

- ✗ B. The practice problems must have been made unfair, since the explanation was clear: not the lesson
- ✗ C. Explanations are always wrong: too strong
- ✗ D. The student did not read the explanation: they did

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-F2-Q3 · question page 1153

AI.EVERYDAY.05 · Avoid the pitfalls of AI tutoring

Which plan avoids an illusion of learning?

**Answer: C.** Get help, then test yourself without help

Self-testing shows learning.

- ✗ A. Read explanations only: no test

✗ B. Memorize the tool's answers: not understanding

✗ D. Get help on every problem and never try any problem alone, to avoid mistakes: no self-test

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-F2-Q4 · question page 1154

AI.EVERYDAY.05 · Avoid the pitfalls of AI tutoring

A tool gave the final answer when the student asked for a hint. What should she do?

**Answer: B.** Try a similar problem herself to practice

Recover the practice.

✗ A. Report the tool to her teacher: not necessary

✗ C. Copy the answer and move on, since she now has what she needs for this question: no practice

✗ D. Stop studying for the day: no practice

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S55-F2-Q5 · question page 1155

AI.EVERYDAY.05 · Avoid the pitfalls of AI tutoring

Why are AI explanations riskier on advanced or obscure topics?

**Answer: D.** Errors are more likely there

Check advanced explanations carefully.

✗ A. Because obscure topics have no answers: not true

✗ B. Because advanced topics are always explained more clearly than basic ones by tools: not true

✗ C. Because tools refuse advanced topics: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S56-M-Q1 · question page 1157

AI.EVERYDAY.06 · Find and follow the AI rules that apply, including disclosure

Where should a student look first for AI rules on an assignment?

**Answer: A.** The assignment instructions and syllabus

The applicable rules come from your class.

- ✗ B. A friend's guess: not your rules
- ✗ C. The AI tool's advertising: not your rules
- ✗ D. A social media post from a student: not your rules

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-M-Q2 · question page 1158

AI.EVERYDAY.06 · Find and follow the AI rules that apply, including disclosure

What is disclosure of AI use?

**Answer: D.** Saying how you used AI in your work

Disclosure is being open about AI help.

- ✗ A. Deleting the AI tool afterward: not disclosure
- ✗ B. Paying a fee to use AI: not disclosure
- ✗ C. Hiding any AI use: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-M-Q3 · question page 1159

AI.EVERYDAY.06 · Find and follow the AI rules that apply, including disclosure

One class allows AI brainstorming; another bans all AI. What does this show?

**Answer: B.** Rules differ by class

Each setting has its own rules.

✗ A. AI is always banned everywhere: not true

✗ C. AI is always allowed everywhere: not true

✗ D. One of the two teachers must be breaking a law that applies to every school in the country: not implied

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-M-Q4 · question page 1160

AI.EVERYDAY.06 · Find and follow the AI rules that apply, including disclosure

A rule is unclear about using AI to check grammar. What should you do?

**Answer: C.** Ask the teacher before using it

Clarify unclear rules.

✗ A. Use it and decide later whether to mention it if anyone happens to ask: risky

✗ B. Assume it is allowed: risky

✗ D. Assume it is banned and say nothing: better to ask

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-M-Q5 · question page 1161

AI.EVERYDAY.06 · Find and follow the AI rules that apply, including disclosure

Which is an example of accurate disclosure?

**Answer: D.** "I used an AI tool to check grammar and spelling."

Specific and true.

✗ A. "No AI was used," when it was: dishonest

✗ B. "AI wrote this," when only grammar was checked: inaccurate

✗ C. "I may or may not have used some technology.": vague

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S56-B1-Q1 · question page 1162

AI.EVERYDAY.06 · Compare AI rules with rules for calculators

Why might calculators be banned on a mental math test?

**Answer: A.** The test measures mental arithmetic

Rules follow the purpose.

- ✗ B. Calculators are too slow: no
- ✗ C. Calculators are expensive: no
- ✗ D. Because calculators are always illegal: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-B1-Q2 · question page 1163

AI.EVERYDAY.06 · Compare AI rules with rules for calculators

Is the calculator different on the physics test?

**Answer: C.** No; the rule is different

Same tool, different rules.

- ✗ A. Yes, it gets new batteries: irrelevant
- ✗ B. No, and it is banned there too: may be allowed
- ✗ D. Yes: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-B1-Q3 · question page 1164

AI.EVERYDAY.06 · Compare AI rules with rules for calculators

What decides whether a tool is allowed?

**Answer: B.** What the task is meant to measure

Purpose.

✗ A. The day of the week: no

✗ C. The tool's color: no

✗ D. How expensive the tool was to buy: not the main reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-B1-Q4 · question page 1165

AI.EVERYDAY.06 · Compare AI rules with rules for calculators

Why might AI be banned on an essay?

**Answer: D.** The essay measures your writing

It would replace what is assessed.

✗ A. Because essays are short: no

✗ B. Because essays can never be improved by any outside help of any kind: too strong

✗ C. Because AI cannot write: it can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-B1-Q5 · question page 1166

AI.EVERYDAY.06 · Compare AI rules with rules for calculators

Where might AI be welcome?

**Answer: A.** Brainstorming research in another class

Depends on the rule and purpose.

✗ B. On a spelling quiz: probably not

✗ C. On a test that is specifically meant to measure your own writing skills: probably not

✗ D. On a mental math test: probably not

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S56-F1-Q1 · question page 1167

AI.EVERYDAY.06 · Apply AI rules and disclosure in practice

Ava's syllabus says, "AI may be used for brainstorming only; disclose any use." She used AI for ideas. What should she do?

**Answer: B.** Note in her work that she used AI for brainstorming

Follow the disclosure rule.

- ✗ A. Also let AI write the essay: not allowed
- ✗ C. Delete her ideas and start over: unnecessary
- ✗ D. Say nothing, since brainstorming does not really count as using AI on the essay: disclosure required

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-F1-Q2 · question page 1168

AI.EVERYDAY.06 · Apply AI rules and disclosure in practice

A workplace allows only approved AI tools. A new free tool is not approved. What should an employee do?

**Answer: C.** Use an approved tool or ask for approval

Follow the approved list.

- ✗ A. Use it on a personal phone for work files: still a violation
- ✗ B. Use it only for confidential files: worse
- ✗ D. Use the free tool anyway: still covered

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-F1-Q3 · question page 1169

AI.EVERYDAY.06 · Apply AI rules and disclosure in practice

A teacher's assignment says "no AI tools." Is using AI to fix grammar allowed?

**Answer: A.** No, unless the teacher says so

Follow the rule as written or ask.

- ✗ B. Yes, on weekends: nonsense
- ✗ C. Yes, if no one notices: dishonest
- ✗ D. Yes, because grammar checking is so minor that it does not count as using AI: it counts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-F1-Q4 · question page 1170

AI.EVERYDAY.06 · Apply AI rules and disclosure in practice

Which disclosure is most accurate for using AI to outline a report?

**Answer: C.** "I used an AI tool to suggest an outline, which I revised."

Specific and true.

- ✗ A. "Technology was involved.": vague
- ✗ B. "I did all of this entirely by myself with no outside help of any kind.": false
- ✗ D. "AI wrote the whole report.": inaccurate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-F1-Q5 · question page 1171

AI.EVERYDAY.06 · Apply AI rules and disclosure in practice

A student used AI in a class that bans it, but the same use is allowed in another class. Is it a problem?

**Answer: D.** Yes; the class's own rule applies

Each class sets its own rules.

- ✗ A. No, because AI is legal: school rules still apply
- ✗ B. No, if the grade is good: irrelevant

✗ C. No, because the other class allows it: rules differ

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-F2-Q1 · question page 1172

AI.EVERYDAY.06 · Handle layered rules and keep honest records

A school allows AI, but one teacher bans it for a specific essay. Which rule governs that essay?

**Answer: B.** The teacher's specific instruction

Specific instructions usually govern.

✗ A. Neither applies: both apply
✗ C. Whichever the student prefers: not how rules work
✗ D. The general school policy: the specific usually governs

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-F2-Q2 · question page 1173

AI.EVERYDAY.06 · Handle layered rules and keep honest records

A workplace allows AI for internal drafts but not for client messages. A draft becomes a client email. What should happen?

**Answer: A.** Rewrite or review it to meet the client-message rule

Rules apply to the final use.

✗ B. Send it without telling anyone: violation
✗ C. Delete the client: nonsense
✗ D. Send it as is, since it started out as an internal draft: rule applies at use

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-F2-Q3 · question page 1174

AI.EVERYDAY.06 · Handle layered rules and keep honest records

Why keep notes of how you used AI?

**Answer: C.** To make honest, specific disclosure easy

Records support honesty.

- ✗ A. To share with other students to copy: not the purpose
- ✗ B. To prove to your teacher that the AI did most of the hard work for you: not the purpose
- ✗ D. Because notes are always required by law: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-F2-Q4 · question page 1175

AI.EVERYDAY.06 · Handle layered rules and keep honest records

A teacher asks how a student used AI. Which answer is best?

**Answer: B.** A specific account of what was used and for what

Be specific and accurate.

- ✗ A. Blaming the tool: not an account
- ✗ C. Denying any use: dishonest if used
- ✗ D. A vague answer that avoids details, since the teacher probably will not check anyway: dishonest

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S56-F2-Q5 · question page 1176

AI.EVERYDAY.06 · Handle layered rules and keep honest records

What protects a student if questions come up about AI use later?

**Answer: D.** Notes of the requests made and how they were used

Records show honest use.

✗ A. Using a different tool each time: not protective

✗ B. Never mentioning anything: not protective

✗ C. Deleting every trace of the conversation so there is nothing anyone could question: not protective

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-M-Q1 · question page 1178

AI.EVERYDAY.07 · Use AI for household and travel plans while checking key facts

What is an AI tool most helpful for in trip planning?

**Answer: D.** Structure and ideas for the plan

Use it for structure; check facts.

✗ A. Knowing tomorrow's exact weather: needs a forecast source

✗ B. Guaranteeing that every price, time and rule in the plan is current and correct: facts need checking

✗ C. Booking flights without your approval: not appropriate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-M-Q2 · question page 1179

AI.EVERYDAY.07 · Use AI for household and travel plans while checking key facts

Which detail in a travel plan most needs checking?

**Answer: A.** A museum's opening hours

Hours change.

✗ B. The order of days in the plan: your choice

✗ C. The idea that visiting a museum on vacation can be an enjoyable way to spend time: opinion

✗ D. The plan's headings: formatting

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S57-M-Q3 · question page 1180

AI.EVERYDAY.07 · Use AI for household and travel plans while checking key facts

Where should you check a city's bus schedule?

**Answer: B.** The transit agency's current schedule

Official, current sources.

- ✗ A. A three-year-old blog: outdated
- ✗ C. A friend's memory: unreliable
- ✗ D. A travel plan written by a tool that does not show any source for its times: unverified

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-M-Q4 · question page 1181

AI.EVERYDAY.07 · Use AI for household and travel plans while checking key facts

A meal plan lists a dish with nuts for a family member with a nut allergy. What is the lesson?

**Answer: C.** Safety details must be checked by you

Check safety-critical details.

- ✗ A. Nuts are safe in small amounts for everyone: not true
- ✗ B. Allergies do not matter for planning: they do
- ✗ D. Meal plans from tools always remove allergens: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-M-Q5 · question page 1182

AI.EVERYDAY.07 · Use AI for household and travel plans while checking key facts

Which details can cost money, time or safety if wrong?

**Answer: A.** Prices, hours, rules and allergy information

Check consequential details.

- ✗ B. The plan's title: cosmetic
- ✗ C. The number of bullet points: cosmetic
- ✗ D. The colors and fonts used in the plan document: cosmetic

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-B1-Q1 · question page 1183

AI.EVERYDAY.07 · Pick which details in a plan need checking

In the example, which detail goes in the CHECK pile?

**Answer: B.** Ticket price of 15 dollars

Prices can be wrong.

- ✗ A. Going on Saturday: your choice
- ✗ C. Seeing animals: the purpose
- ✗ D. The idea of having a picnic: low risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-B1-Q2 · question page 1184

AI.EVERYDAY.07 · Pick which details in a plan need checking

Which detail is low-risk?

**Answer: D.** "Have pasta on Tuesday"

Preferences cost little if changed.

- ✗ A. "The park closes at 5": check
- ✗ B. "The ferry leaves at 7:15 a.m., and missing it means waiting until the next day": check
- ✗ C. "Entry costs 30 dollars": check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-B1-Q3 · question page 1185

AI.EVERYDAY.07 · Pick which details in a plan need checking

Why is "zoo opens 9 a.m." in the CHECK pile?

**Answer: C.** A wrong time could waste your trip

Time-sensitive facts need checking.

- ✗ A. Because 9 is an odd number: irrelevant
- ✗ B. Because zoos never open in the morning on weekends anywhere in the country: not true
- ✗ D. It is not in that pile: it is

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-B1-Q4 · question page 1186

AI.EVERYDAY.07 · Pick which details in a plan need checking

Which pile does "bring a sweater" go in?

**Answer: D.** Low-risk

A preference.

- ✗ A. Neither pile: it fits low-risk
- ✗ B. Both piles: one pile
- ✗ C. Check: not necessary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-B1-Q5 · question page 1187

AI.EVERYDAY.07 · Pick which details in a plan need checking

Which pile does "this beach allows dogs" go in?

**Answer: C.** Check

Local rules can be wrong.

- ✗ A. Low-risk, since rules about dogs are the same at every beach in every town: rules vary
- ✗ B. Neither pile: it is a rule
- ✗ D. It cannot be sorted: it can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-F1-Q1 · question page 1188

AI.EVERYDAY.07 · Check practical household and travel plans

A tool's weekend plan says a farmers market is "every Sunday 8-1." What should Kim do before going?

**Answer: B.** Check the market's current schedule

Confirm with the source.

- ✗ A. Assume all markets are open Sundays: unsupported
- ✗ C. Ask the tool to repeat the time: not a check
- ✗ D. Go at 8 on Sunday: may be wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-F1-Q2 · question page 1189

AI.EVERYDAY.07 · Check practical household and travel plans

A budget plan estimates rent at 900 dollars, but Kim pays 1,150. What should she do?

**Answer: A.** Replace the estimate with her real number

Use your real figures.

- ✗ B. Move to cheaper housing immediately: not the point
- ✗ C. Ignore rent in the budget: essential

✗ D. Keep the estimate: her number is real

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-F1-Q3 · question page 1190

AI.EVERYDAY.07 · Check practical household and travel plans

A packing list for a hiking trip is useful. What should still be checked?

**Answer: B.** Trail conditions and weather

Safety conditions need current sources.

✗ A. The number of items: not the key check

✗ C. The list's font: cosmetic

✗ D. Whether the packing list is arranged in alphabetical order for easy reading: cosmetic

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-F1-Q4 · question page 1191

AI.EVERYDAY.07 · Check practical household and travel plans

A plan says parking is free near a stadium on game days. Why check?

**Answer: A.** Parking rules vary and change

Local rules vary.

✗ B. Because stadiums have no parking: not true

✗ C. Because parking cannot be planned: it can

✗ D. Because parking near stadiums is always free on game days in every city: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-F1-Q5 · question page 1192

AI.EVERYDAY.07 · Check practical household and travel plans

Which part of a menu plan is fine to take straight from the tool?

**Answer: C.** Ideas for dinners to try

Ideas are low-risk.

- ✗ A. Medication timing with meals: check
- ✗ B. Exact prices at your store: check
- ✗ D. The safety of each dish for a family member with a serious food allergy: check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-F2-Q1 · question page 1193

AI.EVERYDAY.07 · Make plans robust and confirm bookings

A plan includes a popular museum that requires advance tickets. What could go wrong?

**Answer: D.** Arriving without tickets and being turned away

Check entry requirements.

- ✗ A. The museum will be too empty: not the risk
- ✗ B. The tickets will be free: not the risk
- ✗ C. Nothing, since museums always sell tickets at the door: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-F2-Q2 · question page 1194

AI.EVERYDAY.07 · Make plans robust and confirm bookings

A tool estimates a hike takes 2 hours, but the trail is steep. What makes the plan more robust?

**Answer: B.** Adding slack time and a backup option

Slack and backups absorb surprises.

✗ A. Hiking faster no matter what: unsafe

✗ C. Ignoring the steepness: risky

✗ D. Removing the hike and every other outdoor activity from the trip to avoid any risk: too extreme

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-F2-Q3 · question page 1195

AI.EVERYDAY.07 · Make plans robust and confirm bookings

Where should information about a trail's safety come from?

**Answer: D.** The park's official current conditions

Safety needs reliable sources.

✗ A. A guess based on photos: unreliable

✗ B. A general travel plan from a tool that did not cite any park source for the trail: unverified

✗ C. A movie set on a trail: not a source

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S57-F2-Q4 · question page 1196

AI.EVERYDAY.07 · Make plans robust and confirm bookings

A plan includes a hotel "booked for Friday." Kim never booked it. What should she do?

**Answer: A.** Confirm and book directly with the hotel

Bookings must be confirmed with the provider.

✗ B. Show up on Friday, since the plan said it was booked and plans are usually accurate: not booked

✗ C. Call a different hotel: not the point

✗ D. Assume the tool booked it for her: it did not

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S57-F2-Q5 · question page 1197

AI.EVERYDAY.07 · Make plans robust and confirm bookings

A recipe in the plan needs an ingredient that is hard to find locally. What is the best fix?

**Answer: C.** Plan a substitute or a backup recipe

Backups keep plans working.

- ✗ A. Ignore the ingredient and hope: risky
- ✗ B. Drive hours to find the exact ingredient no matter how far away the nearest store is: impractical
- ✗ D. Skip dinner: unnecessary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-M-Q1 · question page 1199

AI.EVERYDAY.08 · Use AI accessibility features and check their accuracy

Which is an AI accessibility feature?

**Answer: D.** Text-to-speech reading a screen aloud

Reading aloud supports access.

- ✗ A. A password manager that stores your logins safely in one place for later: not accessibility
- ✗ B. A screen saver: not accessibility
- ✗ C. A calendar reminder: not specific to accessibility

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-M-Q2 · question page 1200

AI.EVERYDAY.08 · Use AI accessibility features and check their accuracy

What mistake can automatic captions make?

**Answer: C.** Mishearing names or technical words

Speech recognition errors appear in captions.

- ✗ A. Muting the speaker: not a caption error
- ✗ B. Changing the video's colors: not a caption error
- ✗ D. Making the video play faster than normal: not a caption error

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-M-Q3 · question page 1201

AI.EVERYDAY.08 · Use AI accessibility features and check their accuracy

What risk comes with simplified text?

**Answer: B.** Important details may be dropped

Simplifying can lose details.

- ✗ A. It cannot be read aloud: not true
- ✗ C. It changes the language: not usually
- ✗ D. Simplified text always becomes longer: not the risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-M-Q4 · question page 1202

AI.EVERYDAY.08 · Use AI accessibility features and check their accuracy

A person who is blind uses an AI image description of a medicine label. What is wise?

**Answer: A.** Confirm critical details with a pharmacist or trusted person

High stakes need confirmation.

- ✗ B. Ignore the label: unsafe
- ✗ C. Trust the description fully, since image descriptions are always exact for printed labels: not always
- ✗ D. Guess the dose: unsafe

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-M-Q5 · question page 1203

AI.EVERYDAY.08 · Use AI accessibility features and check their accuracy

Which statement is accurate?

**Answer: C.** Accessibility features help but can make mistakes

Helpful, with checks for high stakes.

- ✗ A. Accessibility features are never useful: they are
- ✗ B. Only experts may use accessibility features: not true
- ✗ D. Accessibility features are perfect: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-B1-Q1 · question page 1204

AI.EVERYDAY.08 · Compare accessibility tools with a sign-language interpreter who is still learning

What does the volunteer interpreter provide?

**Answer: B.** Access to an event people could not follow otherwise

Valuable access.

- ✗ A. A recording only: not described
- ✗ C. Nothing useful: they help
- ✗ D. A perfect word-for-word record that never contains any mistakes or gaps: not perfect

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-B1-Q2 · question page 1205

AI.EVERYDAY.08 · Compare accessibility tools with a sign-language interpreter who is still learning

What mistakes might they make?

**Answer: A.** Missing a name or a technical term

Occasional misses.

- ✗ B. Changing the event time: no
- ✗ C. Speaking a different language entirely: no
- ✗ D. Leaving the event in the middle: not described

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-B1-Q3 · question page 1206

AI.EVERYDAY.08 · Compare accessibility tools with a sign-language interpreter who is still learning

When would you want a certified interpreter or written copy?

**Answer: D.** For a medical briefing

High stakes need precision.

- ✗ A. For a joke: low stakes
- ✗ B. For a movie trailer: low stakes
- ✗ C. For a casual chat: low stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-B1-Q4 · question page 1207

AI.EVERYDAY.08 · Compare accessibility tools with a sign-language interpreter who is still learning

AI captions are like the volunteer because they...

**Answer: B.** Usually help but sometimes err

Useful, imperfect.

- ✗ A. Only work on paper: no

✗ C. Always refuse to work: no

✗ D. Never make mistakes of any kind: they do

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-B1-Q5 · question page 1208

AI.EVERYDAY.08 · Compare accessibility tools with a sign-language interpreter who is still learning

Why do errors matter more at a medical briefing?

**Answer: D.** A missed detail could cause harm

Stakes raise the cost of errors.

✗ A. Because medical briefings are always much longer than casual talks at events: not the reason

✗ B. They do not matter more: they do

✗ C. Because doctors talk fast: not the main reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-F1-Q1 · question page 1209

AI.EVERYDAY.08 · Use accessibility features wisely

A student with dyslexia uses text-to-speech for a long reading. What is a good additional habit?

**Answer: C.** Check unfamiliar names or terms in the original text

Spot-check tricky words.

✗ A. Stop reading the original text forever, since the tool reads everything correctly: some words may be misread

✗ B. Turn the speed to maximum: not helpful

✗ D. Skip the hard parts: loses content

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S58-F1-Q2 · question page 1210

AI.EVERYDAY.08 · Use accessibility features wisely

Auto-captions in a class video show the teacher's name wrong. What should the student do?

**Answer: A.** Use the correct name from another source

Names are a common caption error.

- ✗ B. Assume the teacher changed names: no
- ✗ C. Stop watching the video: unnecessary
- ✗ D. Use the caption's version of the name: it is wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-F1-Q3 · question page 1211

AI.EVERYDAY.08 · Use accessibility features wisely

A simplified version of a lease drops the late-fee rule. What is the risk?

**Answer: D.** The reader misses an important cost

Simplification can drop key details.

- ✗ A. The simplified text becomes harder: not the issue
- ✗ B. The lease becomes invalid: not the issue
- ✗ C. No risk: they matter

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-F1-Q4 · question page 1212

AI.EVERYDAY.08 · Use accessibility features wisely

A person with low vision uses AI to describe a bar chart in a work report. What might go wrong?

**Answer: C.** The description may be vague or miss key values

Complex visuals are hard to describe.

✗ A. The chart will be deleted: no

✗ B. The report will be translated: no

✗ D. The description will always list every bar: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-F1-Q5 · question page 1213

AI.EVERYDAY.08 · Use accessibility features wisely

Which use of speech-to-text is lowest stakes?

**Answer: A.** Dictating a grocery list

Errors cost little.

✗ B. Dictating bank account numbers: high stakes

✗ C. Dictating a legal statement: high stakes

✗ D. Dictating exact dosage instructions: high stakes

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-F2-Q1 · question page 1214

AI.EVERYDAY.08 · Recognize uneven accuracy and the need for accessible design

A speech tool works well for one employee but poorly for a coworker with a strong accent. What does this show?

**Answer: B.** Accuracy can vary across speakers

Performance is uneven.

✗ A. Accents cannot be recognized at all: too strong

✗ C. The tool is perfect for everyone: not shown

✗ D. The coworker must be speaking incorrectly: not the lesson

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S58-F2-Q2 · question page 1215

AI.EVERYDAY.08 · Recognize uneven accuracy and the need for accessible design

An organization relies only on automatic captions for an important public safety video. What is the concern?

**Answer: A.** Errors may go uncorrected in important content

Important content deserves reviewed captions.

- ✗ B. Safety videos never have words: they do
- ✗ C. Captions are not needed for videos: they are
- ✗ D. Automatic captions are always more accurate: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-F2-Q3 · question page 1216

AI.EVERYDAY.08 · Recognize uneven accuracy and the need for accessible design

What should people who rely on accessibility tools be able to do?

**Answer: C.** Correct errors and choose settings

Control and correction matter.

- ✗ A. Only use them on weekends: nonsense
- ✗ B. Pay extra for every correction: not the point
- ✗ D. Nothing: users need control

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-F2-Q4 · question page 1217

AI.EVERYDAY.08 · Recognize uneven accuracy and the need for accessible design

Which is part of accessible design rather than relying only on automatic tools?

**Answer: D.** Written alt text for key images

Designed accessibility complements tools.

- ✗ A. Using smaller text: worse
- ✗ B. Using low contrast colors: worse
- ✗ C. Removing all images: too extreme

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S58-F2-Q5 · question page 1218

AI.EVERYDAY.08 · Recognize uneven accuracy and the need for accessible design

A noisy room makes captions inaccurate during a meeting. What helps?

**Answer: B.** Sharing a written summary or notes too

Backups support access.

- ✗ A. Turning off captions completely: removes access
- ✗ C. Ignoring the errors: leaves gaps
- ✗ D. Talking louder than everyone else: not reliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-M-Q1 · question page 1220

AI.EVERYDAY.09 · Choose a simpler tool when it fits better

Which tool is best for adding up 40 expenses exactly?

**Answer: A.** A spreadsheet or calculator

Exact computation.

- ✗ B. A generative chatbot asked to add the numbers in a single long paragraph: can make arithmetic errors
- ✗ C. A thesaurus: not for math
- ✗ D. A drawing app: not for math

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S59-M-Q2 · question page 1221

AI.EVERYDAY.09 · Choose a simpler tool when it fits better

Which tool is best for a store's holiday hours?

**Answer: D.** The store's official website

Go to the source.

- ✗ A. A calculator: not for facts
- ✗ B. A generative tool answering from its training data with no link to any source: may be outdated
- ✗ C. A thesaurus: not for facts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-M-Q3 · question page 1222

AI.EVERYDAY.09 · Choose a simpler tool when it fits better

Which task suits a generative tool best?

**Answer: B.** Rephrasing a paragraph to be friendlier

Rewording is a strength.

- ✗ A. Finding today's bus times: use the official source
- ✗ C. Setting a reminder for a deadline: use a calendar
- ✗ D. Calculating exact loan payments: use a calculator

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-M-Q4 · question page 1223

AI.EVERYDAY.09 · Choose a simpler tool when it fits better

Why might a calculator beat a chatbot for math?

**Answer: C.** It computes exactly every time

Exactness.

- ✗ A. Because calculators are newer: not true
- ✗ B. Because chatbots cannot display numbers: not true
- ✗ D. Because calculators can also explain the meaning of every number in clear sentences: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-M-Q5 · question page 1224

AI.EVERYDAY.09 · Choose a simpler tool when it fits better

A student needs the meaning of one word. Which is quickest and reliable?

**Answer: D.** A dictionary

Simple lookup.

- ✗ A. A calendar: not for meanings
- ✗ B. A spreadsheet: not for meanings
- ✗ C. A long conversation: more than needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-B1-Q1 · question page 1225

AI.EVERYDAY.09 · Compare tools in a toolbox

Why use a screwdriver for a screw?

**Answer: C.** It fits the job better than a hammer

Fit matters.

- ✗ A. Hammers are too light: not the point
- ✗ B. Screwdrivers are newer: irrelevant
- ✗ D. Because hammers are always dangerous: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-B1-Q2 · question page 1226

AI.EVERYDAY.09 · Compare tools in a toolbox

A generative AI tool is like what?

**Answer: A.** A flexible multi-tool

Handy, not always best.

- ✗ B. A toolbox lid: no
- ✗ C. A perfect tool that is always the best choice for every possible job: not always best
- ✗ D. A broken tool: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-B1-Q3 · question page 1227

AI.EVERYDAY.09 · Compare tools in a toolbox

In the comparison, a calculator is like what?

**Answer: B.** The tape measure

Exact measurement.

- ✗ A. The toolbox: no
- ✗ C. The hammer that is used to hit screws even though it works badly for that job: not the comparison
- ✗ D. The multi-tool: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-B1-Q4 · question page 1228

AI.EVERYDAY.09 · Compare tools in a toolbox

What should you use for something official?

**Answer: D.** The right directory, like an official site

Official sources for official facts.

- ✗ A. The multi-tool, because it can do everything at least a little bit by guessing: not the source
- ✗ B. A guess: no
- ✗ C. A hammer: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-B1-Q5 · question page 1229

AI.EVERYDAY.09 · Compare tools in a toolbox

What is the main lesson?

**Answer: A.** Pick the tool that fits the task

Fit over habit.

- ✗ B. Never use tools: no
- ✗ C. Use only hammers: no
- ✗ D. Always use the newest and most flexible tool for every job, no matter what: not the lesson

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-F1-Q1 · question page 1230

AI.EVERYDAY.09 · Pick the right tool for practical tasks

Dev needs to split a 187-dollar dinner bill among 7 friends. Which tool fits best?

**Answer: B.** A calculator

187 / 7 = about 26.71.

✗ A. A chatbot asked to estimate a fair share for everyone based on what each person ordered: more than needed

✗ C. A thesaurus: no

✗ D. A photo editor: no

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-F1-Q2 · question page 1231

AI.EVERYDAY.09 · Pick the right tool for practical tasks

Rita must know the last day to return a jacket. Which source is best?

**Answer: C.** The store's return policy page

Lookups need the actual policy.

✗ A. A calculator: no

✗ B. A dictionary: no

✗ D. A generative tool's general answer about how long stores usually allow returns: not this store

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-F1-Q3 · question page 1232

AI.EVERYDAY.09 · Pick the right tool for practical tasks

Which task is a good fit for a generative tool?

**Answer: A.** Brainstorming a club's event names

Ideas suit generative tools.

✗ B. Finding the post office's hours: official source

✗ C. Remembering a dentist appointment: calendar

✗ D. Tracking a monthly budget: use a spreadsheet

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S59-F1-Q4 · question page 1233

AI.EVERYDAY.09 · Pick the right tool for practical tasks

Tom wants reminders for three assignment deadlines. What fits best?

**Answer: D.** A calendar with reminders

Calendars handle deadlines.

- ✗ A. A thesaurus: no
- ✗ B. A chatbot conversation where he mentions the deadlines once and hopes it reminds him: not reliable
- ✗ C. A calculator: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-F1-Q5 · question page 1234

AI.EVERYDAY.09 · Pick the right tool for practical tasks

Which question is really a lookup?

**Answer: C.** "What time does the pharmacy close today?"

Lookups need sources.

- ✗ A. "Help me write a polite note to my neighbor about the noise from their late parties": writing task
- ✗ B. "Give me ideas for a poem": creative
- ✗ D. "Rephrase this sentence": writing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-F2-Q1 · question page 1235

AI.EVERYDAY.09 · Combine tools and spot disguised tasks

An email to a landlord includes a total of past payments. What is the best workflow?

**Answer: B.** Draft with AI; compute the total in a spreadsheet

Combine tools by strength.

- ✗ A. Skip the total: it is needed
- ✗ C. Guess the total: unreliable
- ✗ D. Let the AI tool compute the total inside the email: arithmetic risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-F2-Q2 · question page 1236

AI.EVERYDAY.09 · Combine tools and spot disguised tasks

"How much do I owe after these three purchases?" is really what kind of task?

**Answer: A.** A calculation

It needs exact math.

- ✗ B. A brainstorming task: no
- ✗ C. A translation task: no
- ✗ D. A creative writing task: it needs math

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-F2-Q3 · question page 1237

AI.EVERYDAY.09 · Combine tools and spot disguised tasks

Why might a simple offline tool be better for a sensitive budget?

**Answer: C.** It may avoid sharing data at all

Privacy can favor simple tools.

- ✗ A. Because offline tools write better emails: not the reason
- ✗ B. Because budgets cannot be online: not true
- ✗ D. Because offline tools always calculate faster: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-F2-Q4 · question page 1238

AI.EVERYDAY.09 · Combine tools and spot disguised tasks

Which question best decides the right tool?

**Answer: B.** Does this need exact math, a source, or new wording?

Match the need.

- ✗ A. Which tool is the newest and most talked about online this month by other people?: not fit
- ✗ C. Which tool has the nicest colors?: irrelevant
- ✗ D. Which tool did I use last time?: habit

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S59-F2-Q5 · question page 1239

AI.EVERYDAY.09 · Combine tools and spot disguised tasks

An invitation email must include the venue's exact address and hours. Which workflow fits?

**Answer: D.** Copy details from the venue's site; let AI help with wording

Facts from sources, wording from AI.

- ✗ A. Guess the hours: unreliable
- ✗ B. Leave out the address: needed
- ✗ C. Ask the AI tool to supply the address and hours from memory: may be wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-M-Q1 · question page 1241

AI.EVERYDAY.10 · Tell requests for facts from requests for invention, and label fiction

Which request asks for invention?

**Answer: D.** "Write a story about a dragon who runs a bakery."

Stories are invention.

- ✗ A. "What year was the first public library opened in our town, according to records?": a fact request
- ✗ B. "What is the capital of Peru?": a fact request
- ✗ C. "What are the museum's hours?": a fact request

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-M-Q2 · question page 1242

AI.EVERYDAY.10 · Tell requests for facts from requests for invention, and label fiction

Which request asks for facts?

**Answer: B.** "What is the boiling point of water at sea level?"

A factual question.

- ✗ A. "Write a poem about a lonely lighthouse on a stormy night near the sea": invention
- ✗ C. "Invent a new board game": invention
- ✗ D. "Imagine a city on Mars": invention

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-M-Q3 · question page 1243

AI.EVERYDAY.10 · Tell requests for facts from requests for invention, and label fiction

When should invented content be labeled as fiction?

**Answer: C.** When others might mistake it for fact

Labels prevent confusion.

✗ A. Never, because readers always know automatically which parts of a text are made up: not always

✗ B. Only if it is longer than 1,000 words: not the rule

✗ D. Only in schoolwork: not the rule

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-M-Q4 · question page 1244

AI.EVERYDAY.10 · Tell requests for facts from requests for invention, and label fiction

How can the line between fact and invention blur?

**Answer: A.** A "fact" answer may include invented details

Mixing can happen silently.

✗ B. Stories can never mention real places: they can

✗ C. Facts and inventions always look completely different, so they never get mixed together: they can mix

✗ D. Tools refuse to write fiction: they write it

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-M-Q5 · question page 1245

AI.EVERYDAY.10 · Tell requests for facts from requests for invention, and label fiction

When you need facts from a tool, what should you ask for?

**Answer: B.** Sources you can check

Sources support facts.

✗ A. A more creative and exciting version of the facts so they are easier to remember: invites invention

✗ C. A rhyming answer: not verification

✗ D. A longer answer: not verification

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S60-B1-Q1 · question page 1246

AI.EVERYDAY.10 · Compare a history book with a historical novel

What does a history book try to do?

**Answer: A.** Report what really happened, with sources

Facts with sources.

- ✗ B. Sell maps: no
- ✗ C. Predict the future: no
- ✗ D. Invent new characters and conversations: that is the novel

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-B1-Q2 · question page 1247

AI.EVERYDAY.10 · Compare a history book with a historical novel

What does a historical novel do?

**Answer: C.** Invents characters and events in a real setting

Fiction in a real setting.

- ✗ A. Translates documents: no
- ✗ B. Lists dates only: no
- ✗ D. Reports only verified events from the past: that is the history book

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-B1-Q3 · question page 1248

AI.EVERYDAY.10 · Compare a history book with a historical novel

What tells you which kind of book you are reading?

**Answer: D.** The cover and labels

Labels guide readers.

- ✗ A. The paper color: no
- ✗ B. The page count: no
- ✗ C. Nothing: labels tell

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-B1-Q4 · question page 1249

AI.EVERYDAY.10 · Compare a history book with a historical novel

Why is AI output different?

**Answer: A.** It has no automatic label telling fact from invention

You must know and label.

- ✗ B. It is always fact: no
- ✗ C. It is always fiction: no
- ✗ D. Because AI always marks every invented sentence: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-B1-Q5 · question page 1250

AI.EVERYDAY.10 · Compare a history book with a historical novel

What should you do with invented material you share?

**Answer: B.** Label it so readers know

Label fiction.

- ✗ A. Delete it: not necessary
- ✗ C. Translate it: irrelevant
- ✗ D. Share it as if it were a true report, since readers enjoy realistic stories more: misleading

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S60-F1-Q1 · question page 1251

AI.EVERYDAY.10 · Handle fact and invention in practical work

A student asks for "a sample interview with the mayor" for a class demo, and the tool invents quotes. What should she do?

**Answer: C.** Label it as fictional and not attribute quotes to the real mayor

Do not put invented words in real people's mouths.

- ✗ A. Post it online as news: misleading
- ✗ B. Send it to the local newspaper: misleading
- ✗ D. Present it as a real interview, since it is only a class demo: misleading

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-F1-Q2 · question page 1252

AI.EVERYDAY.10 · Handle fact and invention in practical work

A tool writes a story set in a real city and mentions a real restaurant. Is that a problem?

**Answer: D.** Not if it is clearly fiction and fair to the real place

Fiction can use real settings, clearly labeled.

- ✗ A. Yes, all stories are illegal: no
- ✗ B. Yes, stories must never mention any real places, streets or businesses at all: too strict
- ✗ C. No, and it can say anything about the restaurant as fact: not as fact

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-F1-Q3 · question page 1253

AI.EVERYDAY.10 · Handle fact and invention in practical work

Which request is clearly for facts?

**Answer: A.** "List three verified facts about bees with sources."

Facts with sources.

- ✗ B. "Write a bee poem": invention
- ✗ C. "Invent a bee character": invention
- ✗ D. "Imagine what bees might say to each other if they could talk": invention

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-F1-Q4 · question page 1254

AI.EVERYDAY.10 · Handle fact and invention in practical work

A tool adds a made-up statistic to a persuasive essay "to sound convincing." What should the student do?

**Answer: C.** Remove it or replace it with a real, sourced figure

Never present invented data as real.

- ✗ A. Keep it, since persuasive essays are allowed to use made-up numbers to make a point: misleading
- ✗ B. Round it to look official: still made up
- ✗ D. Make it bigger: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-F1-Q5 · question page 1255

AI.EVERYDAY.10 · Handle fact and invention in practical work

A family newsletter includes an AI-written funny "news story" about the dog. How should it appear?

**Answer: D.** Marked as a joke or fictional story

Labels keep context.

- ✗ A. Hidden at the end: not a label

✗ B. Translated into another language: irrelevant

✗ C. Presented as real news: context can be lost

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-F2-Q1 · question page 1256

AI.EVERYDAY.10 · Avoid realistic fiction that misleads

Someone creates a fake but realistic quote from a real scientist "as a joke." What is the risk?

**Answer: B.** It can spread without its context and mislead people

Realistic fakes spread.

✗ A. Quotes cannot be shared: they can

✗ C. The scientist will enjoy it: not the point

✗ D. No risk, because jokes are always understood as jokes: context gets lost

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-F2-Q2 · question page 1257

AI.EVERYDAY.10 · Avoid realistic fiction that misleads

Which practice keeps sample content from misleading?

**Answer: D.** Marking it "fictional" or "sample"

Labels prevent confusion.

✗ A. Making the sample look as realistic as possible so it feels authentic to readers: increases risk

✗ B. Adding real names to it: increases risk

✗ C. Removing all labels: increases risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S60-F2-Q3 · question page 1258

AI.EVERYDAY.10 · Avoid realistic fiction that misleads

A school project includes an AI-invented survey result presented as real. What is the problem?

**Answer: B.** Invented data is presented as a real finding

Never present invented data as real.

- ✗ A. The numbers were not rounded: not the problem
- ✗ C. Nothing, because survey results in school projects do not need to be real at all: dishonest
- ✗ D. The survey was too short: not the problem

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-F2-Q4 · question page 1259

AI.EVERYDAY.10 · Avoid realistic fiction that misleads

A business wants AI-written "customer reviews" for its website. What is wrong?

**Answer: A.** Invented reviews mislead customers

Fake reviews deceive.

- ✗ B. Only five reviews are allowed: irrelevant
- ✗ C. Reviews must be under 50 words: irrelevant
- ✗ D. Nothing: still fake

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S60-F2-Q5 · question page 1260

AI.EVERYDAY.10 · Avoid realistic fiction that misleads

Which is acceptable?

**Answer: C.** A clearly labeled fictional dialogue for a lesson

Labeled fiction is fine.

- ✗ A. Made-up statistics presented as research: misleading
- ✗ B. An invented quote attributed to a real official: misleading
- ✗ D. A fake news article about a real person: misleading

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-M-Q1 · question page 1262

AI.RETRIEVAL.01 · Tell searching from generating, and explain retrieval-augmented generation

What does searching do?

**Answer: A.** Finds existing sources and shows them

Search finds; it does not write.

- ✗ B. Retrains the model on the web: not what search does
- ✗ C. Writes brand-new text from patterns: that is generating
- ✗ D. Guarantees every result is true: results vary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-M-Q2 · question page 1263

AI.RETRIEVAL.01 · Tell searching from generating, and explain retrieval-augmented generation

What does RAG stand for?

**Answer: D.** Retrieval-augmented generation

Retrieval-augmented generation.

- ✗ A. Random answer generator: not the term
- ✗ B. Rapid AI grammar: not the term
- ✗ C. Reviewed and approved generation: not the term

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S61-M-Q3 · question page 1264

AI.RETRIEVAL.01 · Tell searching from generating, and explain retrieval-augmented generation

In RAG, what happens first?

**Answer: B.** Relevant passages are retrieved and added to the context

Retrieve, then generate.

- ✗ A. The model is retrained on the passages: no retraining
- ✗ C. The answer is written before anything is looked up: reversed
- ✗ D. The user approves each source by hand, one at a time: not how it works

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S61-M-Q4 · question page 1265

AI.RETRIEVAL.01 · Tell searching from generating, and explain retrieval-augmented generation

Why can a RAG answer still be wrong?

**Answer: C.** It is generated and can misread the sources

Generation can drift from sources.

- ✗ A. Citations prevent any error: not true
- ✗ B. Retrieval always finds perfect sources: not always
- ✗ D. RAG answers are copied word for word: they are generated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S61-M-Q5 · question page 1266

AI.RETRIEVAL.01 · Tell searching from generating, and explain retrieval-augmented generation

What is a benefit of retrieval?

**Answer: D.** Answers can be more current and specific

Fresh, specific material.

✗ A. The model learns permanently from each search: no retraining

✗ B. Answers become shorter: not the benefit

✗ C. Answers never need checking again: still check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-B1-Q1 · question page 1267

AI.RETRIEVAL.01 · Compare a librarian with a storyteller

The librarian who hands you books is like what?

**Answer: A.** Searching

Finding existing sources.

✗ B. Training a model: no

✗ C. Translating: no

✗ D. Generating: that is the storyteller

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-B1-Q2 · question page 1268

AI.RETRIEVAL.01 · Compare a librarian with a storyteller

The storyteller from memory is like what?

**Answer: C.** Generating

New text from memory.

✗ A. An official record: no

✗ B. Retrieval: no sources

✗ D. Searching: no sources

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-B1-Q3 · question page 1269

AI.RETRIEVAL.01 · Compare a librarian with a storyteller

The librarian who reads three books and summarizes is like what?

**Answer: B.** Retrieval-augmented generation

Retrieve, then generate.

- ✗ A. Retraining a model: no
- ✗ C. Pure searching with no summary: she summarized
- ✗ D. Pure storytelling with no books: she used books

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-B1-Q4 · question page 1270

AI.RETRIEVAL.01 · Compare a librarian with a storyteller

Why might her summary still be wrong?

**Answer: A.** She could mix things up while summarizing

Generation can err.

- ✗ B. Summaries cannot be wrong: they can
- ✗ C. Because she never read the books: she did
- ✗ D. Because books always contain errors: not the point

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-B1-Q5 · question page 1271

AI.RETRIEVAL.01 · Compare a librarian with a storyteller

What can you check?

**Answer: C.** The pages she named

Citations let you verify.

- ✗ A. Nothing: pages can be checked

✗ B. The library's address: irrelevant

✗ D. Her favorite color: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-F1-Q1 · question page 1272

AI.RETRIEVAL.01 · Choose between search, generation and RAG

Ana needs the official text of her city's noise ordinance. Which approach fits best?

**Answer: D.** Search for the city's official ordinance page

Official text comes from a source.

✗ A. Guess from a neighbor's summary: unreliable

✗ B. Ask for a poem about noise: irrelevant

✗ C. Ask a generative tool to write out the ordinance: may be wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-F1-Q2 · question page 1273

AI.RETRIEVAL.01 · Choose between search, generation and RAG

A tool answers a question about this week's news with links to articles. What is it most likely doing?

**Answer: B.** Retrieving articles and generating an answer from them

Links signal retrieval.

✗ A. Copying one article exactly: it generated

✗ C. Answering only from training data that ended years ago: links suggest retrieval

✗ D. Retraining itself every morning: not implied

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S61-F1-Q3 · question page 1274

AI.RETRIEVAL.01 · Choose between search, generation and RAG

Which task suits pure generation without retrieval?

**Answer: D.** Writing a birthday poem

Creative tasks need no sources.

- ✗ A. Listing current store prices: needs current data
- ✗ B. Finding today's flight status: needs retrieval
- ✗ C. Quoting a new law exactly: needs the source

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S61-F1-Q4 · question page 1275

AI.RETRIEVAL.01 · Choose between search, generation and RAG

A RAG answer cites a document. What should you do if the claim matters?

**Answer: B.** Open the cited passage and check it

Verify cited passages.

- ✗ A. Ask for more citations without reading any: not a check
- ✗ C. Delete the citation: removes evidence
- ✗ D. Trust it: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S61-F1-Q5 · question page 1276

AI.RETRIEVAL.01 · Choose between search, generation and RAG

Why might a company use RAG for its help desk?

**Answer: A.** To ground answers in its current help articles

Grounding in current material.

✗ B. To make answers random: not the goal

✗ C. To permanently retrain its model every time a customer asks a new question: no retraining

✗ D. To avoid having any help articles: needs articles

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-F2-Q1 · question page 1277

AI.RETRIEVAL.01 · Find where retrieval can go wrong

A RAG tool retrieved last year's policy instead of this year's. What went wrong?

**Answer: C.** The search step found an outdated version

Retrieval can pick the wrong version.

✗ A. Nothing; last year's policy is always the same: policies change

✗ B. The generation step invented a policy from nothing: it used a real, old document

✗ D. The user typed too fast: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S61-F2-Q2 · question page 1278

AI.RETRIEVAL.01 · Find where retrieval can go wrong

An answer cites Article A for a claim that Article A never makes. Which step failed?

**Answer: B.** Generation went beyond the source

The claim was not in the source.

✗ A. Neither; citations are always accurate: not true

✗ C. Retrieval, because Article A does not exist: it exists

✗ D. The user, for reading Article A: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S61-F2-Q3 · question page 1279

AI.RETRIEVAL.01 · Find where retrieval can go wrong

How does a search results page differ from a RAG answer?

**Answer: A.** Search shows sources for you to judge directly

RAG packages sources; search shows them.

- ✗ B. They are identical: they differ
- ✗ C. RAG answers never use sources: they do
- ✗ D. Search results are always written by AI: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S61-F2-Q4 · question page 1280

AI.RETRIEVAL.01 · Find where retrieval can go wrong

A RAG answer is missing part of the information you needed. What might explain this?

**Answer: D.** Retrieval found only some of the relevant documents

Incomplete retrieval leads to gaps.

- ✗ A. The documents were in bold: irrelevant
- ✗ B. The answer was too polite: irrelevant
- ✗ C. RAG always retrieves every relevant document: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S61-F2-Q5 · question page 1281

AI.RETRIEVAL.01 · Find where retrieval can go wrong

What is the best habit when a RAG answer will guide a decision?

**Answer: C.** Confirm key claims in the cited sources

Open and confirm.

✗ A. Ask the tool to sound surer: not a check

✗ B. Ignore the citations: they are the evidence

✗ D. Accept it, since retrieval makes generated answers fully reliable for decisions: still check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-M-Q1 · question page 1283

AI.RETRIEVAL.02 · Check that a source-grounded answer stays within its sources

What should a source-grounded answer do?

**Answer: C.** Stay within what its sources say

Grounded means supported by the sources.

✗ A. Use as many sources as possible: quantity is not grounding

✗ B. Ignore its sources when it disagrees: not grounded

✗ D. Add any background facts the tool believes are probably true, even without a source: that breaks grounding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-M-Q2 · question page 1284

AI.RETRIEVAL.02 · Check that a source-grounded answer stays within its sources

In this prepared example, which claim is NOT supported by its quoted sentence?

**Prepared example (a fictional answer checked against a warranty document)**

| Answer claim | Quoted source sentence |
|---|---|
| The warranty lasts 2 years. | "This product is covered for 24 months from purchase." |
| Water damage is covered. | "The warranty does not cover water or fire damage." |
| Repairs are free. | "Covered repairs are made at no charge." |

**Answer: D.** Water damage is covered

The source says water damage is not covered.

- ✗ A. Repairs are free: covered repairs at no charge
- ✗ B. All three are supported: one contradicts its source
- ✗ C. The warranty lasts 2 years: 24 months supports it

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-M-Q3 · question page 1285

AI.RETRIEVAL.02 · Check that a source-grounded answer stays within its sources

Which is a grounding failure?

**Answer: A.** Combining two sources into a conclusion neither makes

Unsupported synthesis.

- ✗ B. Reporting a disagreement between sources: good practice
- ✗ C. Quoting the exact sentence that supports each claim: good practice
- ✗ D. Saying "not found" when sources are silent: good practice

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-M-Q4 · question page 1286

AI.RETRIEVAL.02 · Check that a source-grounded answer stays within its sources

Which request best encourages grounded answers?

**Answer: B.** "Answer only from these documents; quote each source."

Restrict and require quotes.

- ✗ A. "Answer using these documents plus anything else you happen to know about the topic.": invites ungrounded claims
- ✗ C. "Keep it short.": not grounding
- ✗ D. "Answer as confidently as possible.": not grounding

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S62-M-Q5 · question page 1287

AI.RETRIEVAL.02 · Check that a source-grounded answer stays within its sources

A claim is in the source but stated more strongly in the answer. Which check catches this?

**Answer: A.** Does the source say it in that strength?

Compare strength as well as content.

- ✗ B. Is the answer longer than the source?: not about strength
- ✗ C. Does the answer have a title?: not about strength
- ✗ D. Is the answer formatted with bullet points?: not about strength

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-B1-Q1 · question page 1288

AI.RETRIEVAL.02 · Match each claim to a quoted sentence

"Doors open at 6" is...

**Answer: D.** Supported

Same meaning.

- ✗ A. Both supported and contradicted: only supported
- ✗ B. Contradicted: the source says 6 p.m.
- ✗ C. Not found: it is there

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-B1-Q2 · question page 1289

AI.RETRIEVAL.02 · Match each claim to a quoted sentence

"Seats are reserved" is...

**Answer: B.** Contradicted

The source says the opposite.

- ✗ A. Not found: the source addresses seating
- ✗ C. Supported: first come means not reserved
- ✗ D. Neither: it is contradicted

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-B1-Q3 · question page 1290

AI.RETRIEVAL.02 · Match each claim to a quoted sentence

"Parking is free" is...

**Answer: C.** Not found

No sentence covers it.

- ✗ A. Supported: no sentence about parking
- ✗ B. Proven: no
- ✗ D. Contradicted: the source does not mention parking

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-B1-Q4 · question page 1291

AI.RETRIEVAL.02 · Match each claim to a quoted sentence

What are the two columns?

**Answer: B.** Claim and source sentence

Claim matched to sentence.

- ✗ A. Font and size: no
- ✗ C. Title and date: no
- ✗ D. Author name and page price: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S62-B1-Q5 · question page 1292

AI.RETRIEVAL.02 · Match each claim to a quoted sentence

"Doors open at 7 p.m." would be...

**Answer: D.** Contradicted

A different time conflicts.

- ✗ A. Supported: the source says 6
- ✗ B. Not found: the source gives a time
- ✗ C. Neither: it conflicts

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-F1-Q1 · question page 1293

AI.RETRIEVAL.02 · Check grounded answers in practice

A tool summarizes a store's policy: "Refunds within 60 days." The policy says 30 days. What is this?

**Answer: C.** A claim contradicted by its source

Contradiction.

- ✗ A. A claim not found in the source: the source covers it
- ✗ B. A correct rounding: not rounding
- ✗ D. A supported claim: they differ

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-F1-Q2 · question page 1294

AI.RETRIEVAL.02 · Check grounded answers in practice

An answer about a lease says "pets allowed," citing page 3. Page 3 is about parking. What happened?

**Answer: A.** It cited the wrong page

Check the cited location.

- ✗ B. Nothing; page numbers never matter: they matter
- ✗ C. Parking and pets are the same topic: no
- ✗ D. The lease must allow pets somewhere: unverified

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-F1-Q3 · question page 1295

AI.RETRIEVAL.02 · Check grounded answers in practice

Which request asks for grounding?

**Answer: D.** "Use only the handbook; say 'not found' if it is not covered."

Restrict and allow "not found."

- ✗ A. "Guess if unsure.": not grounded
- ✗ B. "Be creative with the rules.": not grounded
- ✗ C. "Tell me everything you know about workplace rules in general.": mixes sources

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-F1-Q4 · question page 1296

AI.RETRIEVAL.02 · Check grounded answers in practice

An answer includes "most companies do this," which no supplied document says. What is it?

**Answer: B.** An ungrounded claim from outside the sources

Unsupported background claims.

- ✗ A. A grounded claim, since it sounds like common knowledge that any document would support: no source
- ✗ C. A formatting error: not formatting
- ✗ D. A quote from the handbook: not in it

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-F1-Q5 · question page 1297

AI.RETRIEVAL.02 · Check grounded answers in practice

Why ask the tool to quote the sentence for each claim?

**Answer: A.** So you can quickly check support

Quotes make checking fast.

- ✗ B. So you never read the document: you still check
- ✗ C. So the tool learns permanently: no
- ✗ D. So the answer becomes longer: not the purpose

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-F2-Q1 · question page 1298

AI.RETRIEVAL.02 · Handle "not found," disagreements and weak sources

A tool says the manual does not mention battery life, but the manual is a blurry scan. What should you do?

**Answer: C.** Search the manual yourself to confirm

Confirm "not found" in poor scans.

- ✗ A. Assume battery life is unlimited: unsupported
- ✗ B. Ask for a longer answer: not a check
- ✗ D. Accept "not found" as proof: may be missed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-F2-Q2 · question page 1299

AI.RETRIEVAL.02 · Handle "not found," disagreements and weak sources

Two supplied documents give different deadlines. What should a grounded answer do?

**Answer: D.** Report the disagreement

Show the conflict.

- ✗ A. Pick the earlier deadline silently, since that one is probably the correct one to use: hides conflict
- ✗ B. Ignore both deadlines: drops information
- ✗ C. Average the two dates: nonsense

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-F2-Q3 · question page 1300

AI.RETRIEVAL.02 · Handle "not found," disagreements and weak sources

A faithful summary of an unreliable website is...

**Answer: B.** Still unreliable

Grounding moves the problem.

- ✗ A. More reliable than the website: no
- ✗ C. Fully reliable, because the summary matched the website perfectly in every detail: source is weak
- ✗ D. Impossible to make: possible

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-F2-Q4 · question page 1301

AI.RETRIEVAL.02 · Handle "not found," disagreements and weak sources

Why might a tool say "not found" incorrectly in a long document?

**Answer: C.** It may have missed the relevant passage

Long inputs can be missed.

- ✗ A. Because the tool reads only titles: not necessarily
- ✗ B. Because long documents never contain any useful information at all for

readers: not true

✗ D. Because "not found" is always correct: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S62-F2-Q5 · question page 1302

AI.RETRIEVAL.02 · Handle "not found," disagreements and weak sources

What makes a grounded answer trustworthy?

**Answer: A.** Faithful use of reliable, relevant sources

Faithful use plus reliable sources.

✗ B. A long list of links: quantity is not quality

✗ C. Any citation at all, even to a page that does not discuss the topic of the claim: not enough

✗ D. A confident tone: not evidence

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-M-Q1 · question page 1304

AI.RETRIEVAL.03 · Tell extracting from interpreting and check each

Which request is extraction?

**Answer: A.** "List every date mentioned in this contract."

Pulling out stated facts.

✗ B. "Is this a good deal?": interpretation

✗ C. "What does this clause really mean for me?": interpretation

✗ D. "Is this contract fair to me?": interpretation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-M-Q2 · question page 1305

AI.RETRIEVAL.03 · Tell extracting from interpreting and check each

Which request is interpretation?

**Answer: B.** "Should I sign this lease?"

A judgment about meaning.

- ✗ A. "What is the start date?": extraction
- ✗ C. "What is the monthly rent listed on page one of the lease?": extraction
- ✗ D. "List the names of the tenants.": extraction

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-M-Q3 · question page 1306

AI.RETRIEVAL.03 · Tell extracting from interpreting and check each

How can extraction be checked?

**Answer: C.** Directly against the document

Compare with the source.

- ✗ A. It cannot be checked: it can
- ✗ B. By counting the words in the answer: not a check
- ✗ D. By asking the tool: not independent

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-M-Q4 · question page 1307

AI.RETRIEVAL.03 · Tell extracting from interpreting and check each

Why is interpretation riskier?

**Answer: D.** It needs judgment and context the tool may lack

Judgment and expertise.

- ✗ A. Because documents cannot be interpreted: they can

✗ B. Because interpretation is always shorter than extraction: not the reason

✗ C. Because tools refuse interpretation: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-M-Q5 · question page 1308

AI.RETRIEVAL.03 · Tell extracting from interpreting and check each

How should you treat a tool's interpretation of a medical report?

**Answer: B.** As a starting point for a qualified person

Interpretation needs expertise.

✗ A. As a legal document: no

✗ C. As meaningless: it can help prepare

✗ D. As a final diagnosis that can be acted on immediately without asking anyone: unsafe

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-B1-Q1 · question page 1309

AI.RETRIEVAL.03 · Compare reading a thermometer with deciding if you are sick

Reading the number on a thermometer is...

**Answer: D.** Extraction

A checkable value.

✗ A. Guessing: no

✗ B. Interpretation: it is a stated value

✗ C. Translation: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-B1-Q2 · question page 1310

AI.RETRIEVAL.03 · Compare reading a thermometer with deciding if you are sick

Deciding whether to see a doctor is...

**Answer: C.** Interpretation

Judgment about meaning.

- ✗ A. Counting: no
- ✗ B. Extraction: it needs judgment
- ✗ D. Reading: more than reading

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-B1-Q3 · question page 1311

AI.RETRIEVAL.03 · Compare reading a thermometer with deciding if you are sick

Which can anyone check easily?

**Answer: A.** The thermometer reading

Values are checkable.

- ✗ B. A diagnosis: needs expertise
- ✗ C. Your future health: no
- ✗ D. Whether you are sick enough: needs judgment

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-B1-Q4 · question page 1312

AI.RETRIEVAL.03 · Compare reading a thermometer with deciding if you are sick

What does interpretation depend on?

**Answer: C.** Other information, history and judgment

Context matters.

- ✗ A. The thermometer's color: no

✗ B. The time of day only: no

✗ D. Only the number shown on the thermometer: more is needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-B1-Q5 · question page 1313

AI.RETRIEVAL.03 · Compare reading a thermometer with deciding if you are sick

A tool pulling the due date from a bill is like...

**Answer: B.** Reading the thermometer

Extraction.

✗ A. Guessing the weather: no

✗ C. Writing a story: no

✗ D. Deciding whether you are sick: that is interpretation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-F1-Q1 · question page 1314

AI.RETRIEVAL.03 · Extract and interpret documents in practice

Kai uploads a phone bill and asks for the total due and due date. What should he do with the answer?

**Answer: D.** Check both values against the bill

Verify extracted values.

✗ A. Ask the tool if the bill is fair: different task

✗ B. Pay whatever amount the tool says without looking at the bill, since extraction is simple: check

✗ C. Ignore the due date: needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S63-F1-Q2 · question page 1315

AI.RETRIEVAL.03 · Extract and interpret documents in practice

A tool says a contract is "standard and safe to sign." What kind of statement is this?

**Answer: A.** An interpretation

A judgment that needs review.

- ✗ B. A quote from the contract: not a quote
- ✗ C. A calculation: no
- ✗ D. An extraction of a sentence: it is a judgment

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-F1-Q3 · question page 1316

AI.RETRIEVAL.03 · Extract and interpret documents in practice

Which use is best for a long benefits document?

**Answer: B.** Extract all deadlines and costs into a table

Organize stated facts.

- ✗ A. Ask for a poem about benefits: irrelevant
- ✗ C. Ask it to sign up for you: not appropriate
- ✗ D. Ask whether you should choose the benefits plan: interpretation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-F1-Q4 · question page 1317

AI.RETRIEVAL.03 · Extract and interpret documents in practice

A student uploads a scholarship notice. Which request can be checked directly?

**Answer: C.** "What documents does it require?"

Stated requirements are checkable.

✗ A. "Will I definitely win this scholarship if I apply before the deadline?": unknowable

✗ B. "Is this the best scholarship?": judgment

✗ D. "Will my essay be good enough?": judgment

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-F1-Q5 · question page 1318

AI.RETRIEVAL.03 · Extract and interpret documents in practice

After extracting dates from a lease, what is the best next step?

**Answer: A.** Spot-check the dates in the lease

Check extractions.

✗ B. Delete the lease: keep it

✗ C. Ask for an interpretation instead: different task

✗ D. Move on immediately: can be misread

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-F2-Q1 · question page 1319

AI.RETRIEVAL.03 · Catch hidden extraction errors and disguised interpretation

A table of "all payments" from a 3-page statement skips one row that crossed a page break. What kind of error?

**Answer: D.** An extraction omission

Rows across pages can be missed.

✗ A. An interpretation error, because the tool decided that row did not matter to the reader: it simply missed it

✗ B. A spelling error: no

✗ C. No error; page breaks never matter: they can

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S63-F2-Q2 · question page 1320

AI.RETRIEVAL.03 · Catch hidden extraction errors and disguised interpretation

An extraction lists "due date: March 3," but March 3 is the invoice date. What happened?

**Answer: A.** Similar fields were confused

Check field labels.

- ✗ B. Nothing; both dates are the same: they differ
- ✗ C. The invoice has no dates: it does
- ✗ D. The tool interpreted the invoice: not interpretation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-F2-Q3 · question page 1321

AI.RETRIEVAL.03 · Catch hidden extraction errors and disguised interpretation

"List the risks in this contract" mixes extraction with what?

**Answer: B.** Interpretation of what counts as a risk

Deciding risk is judgment.

- ✗ A. Arithmetic on the contract totals: no
- ✗ C. Formatting the contract: no
- ✗ D. Translation into another language: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-F2-Q4 · question page 1322

AI.RETRIEVAL.03 · Catch hidden extraction errors and disguised interpretation

Which extracted items most deserve spot-checks?

**Answer: D.** Numbers, names and dates

High-value details.

- ✗ A. The page margins: irrelevant
- ✗ B. The document title only: not enough
- ✗ C. Words like "the" and "and,": low risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S63-F2-Q5 · question page 1323

AI.RETRIEVAL.03 · Catch hidden extraction errors and disguised interpretation

A tidy extraction table looks complete. Why still check?

**Answer: C.** Tidy output can hide misread values

Appearance is not accuracy.

- ✗ A. Because the font may be small: irrelevant
- ✗ B. Because tables cannot be checked: they can
- ✗ D. Because tidy tables are always wrong: too strong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-M-Q1 · question page 1325

AI.RETRIEVAL.04 · Recognize when a document may be misread or incomplete

Which document is most likely to be misread by a tool?

**Answer: D.** A blurry, tilted phone photo of a receipt

Poor quality causes misreading.

- ✗ A. A clean typed page with plain, simple text: easier to read
- ✗ B. A short typed note: easier to read
- ✗ C. A typed list of names: easier to read

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S64-M-Q2 · question page 1326

AI.RETRIEVAL.04 · Recognize when a document may be misread or incomplete

What is a warning sign that a document was misread?

**Answer: B.** Numbers that do not add up

Inconsistencies signal misreading.

- ✗ A. An answer with headings: not a warning sign
- ✗ C. An answer in English: not a warning sign
- ✗ D. An answer that is polite: not a warning sign

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S64-M-Q3 · question page 1327

AI.RETRIEVAL.04 · Recognize when a document may be misread or incomplete

An answer ignores a section you know is in the document. What might have happened?

**Answer: A.** Part of the document was not read

Incomplete reading.

- ✗ B. The tool chose to hide it on purpose: not likely
- ✗ C. Sections are never read by tools: too strong
- ✗ D. The section must not really exist: you know it exists

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S64-M-Q4 · question page 1328

AI.RETRIEVAL.04 · Recognize when a document may be misread or incomplete

Which fix helps with a complex table?

**Answer: C.** Split it or type the key numbers yourself

Simplify the input.

✗ A. Add more columns: worse

✗ B. Upload it at a lower quality so the file is smaller and easier for the tool to handle: worse

✗ D. Remove the headings: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-M-Q5 · question page 1329

AI.RETRIEVAL.04 · Recognize when a document may be misread or incomplete

Does a confident answer mean the document was read correctly?

**Answer: A.** No; confidence does not show accuracy

Confidence is not evidence.

✗ B. Yes, if the answer is long: length is not accuracy

✗ C. Only for scanned files: not true

✗ D. Yes; tools only sound confident: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-B1-Q1 · question page 1330

AI.RETRIEVAL.04 · Spot signs of a misread document

Items 12 + 8 + 5, stated total 30. Which sign appears?

**Answer: C.** Math that does not add up

12 + 8 + 5 = 25, not 30.

✗ A. Mixed-up order: not shown

✗ B. Missing parts: not shown

✗ D. Garbled words in the item names: not shown

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

## S64-B1-Q2 · question page 1331

AI.RETRIEVAL.04 · Spot signs of a misread document

"Tota1 Arnount" is which sign?

**Answer: B.** Garbled words

Misread characters.

- ✗ A. Math that does not add up because the total is listed incorrectly: not math
- ✗ C. Mixed-up order: not order
- ✗ D. Missing parts: not missing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-B1-Q3 · question page 1332

AI.RETRIEVAL.04 · Spot signs of a misread document

An answer never mentions the "Fees" section you can see. Which sign?

**Answer: D.** Missing parts

A section was skipped.

- ✗ A. Mixed-up order: not order
- ✗ B. Garbled words that appear in the name of the fees section of the document: not garbled
- ✗ C. Math that does not add up: not math

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-B1-Q4 · question page 1333

AI.RETRIEVAL.04 · Spot signs of a misread document

Sentences from two newspaper columns are stitched together. Which sign?

**Answer: C.** Mixed-up order

Columns merged.

- ✗ A. Missing parts, because some sentences were left out of the answer entirely: not missing
- ✗ B. Garbled words: not garbled
- ✗ D. Math that does not add up: not math

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-B1-Q5 · question page 1334

AI.RETRIEVAL.04 · Spot signs of a misread document

What should you do if any sign appears?

**Answer: B.** Check the original document

Go back to the source.

- ✗ A. Delete the document: no
- ✗ C. Ask for a longer answer: not a check
- ✗ D. Trust the answer anyway: check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-F1-Q1 · question page 1335

AI.RETRIEVAL.04 · Handle poor and incomplete documents in practice

Eva photographs a faded receipt and the tool reads the total as 81.00 instead of 31.00. What should she do?

**Answer: A.** Upload a clearer photo or type the total herself

Better input or manual entry.

- ✗ B. Use 81.00, since the tool read the receipt and tools read numbers more carefully than people: misread

✗ C. Ask the tool to round it: not a fix

✗ D. Throw the receipt away: needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-F1-Q2 · question page 1336

AI.RETRIEVAL.04 · Handle poor and incomplete documents in practice

A 10-page PDF upload produces an answer about only the first 3 pages. What should you check?

**Answer: D.** Whether all pages uploaded and were read

Confirm completeness.

✗ A. Whether the PDF is colorful: irrelevant

✗ B. Whether page 1 has a title: irrelevant

✗ C. Whether the tool prefers short documents: not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-F1-Q3 · question page 1337

AI.RETRIEVAL.04 · Handle poor and incomplete documents in practice

A handwritten form is read with several wrong names. What is the best approach?

**Answer: A.** Type the key information yourself

Manual entry for key details.

✗ B. Accept the wrong names: wrong

✗ C. Ask for a poem about the form: irrelevant

✗ D. Upload the same handwritten form again: unreliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-F1-Q4 · question page 1338

AI.RETRIEVAL.04 · Handle poor and incomplete documents in practice

A spreadsheet image with many columns comes back with values in the wrong columns. What helps?

**Answer: C.** Share the data as a real spreadsheet file or smaller tables

Structured data reads better than images.

- ✗ A. Remove the column headings: worse
- ✗ B. Add more colors: worse
- ✗ D. Take an even smaller screenshot of the spreadsheet so there is less to read: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-F1-Q5 · question page 1339

AI.RETRIEVAL.04 · Handle poor and incomplete documents in practice

A photo of a contract cuts off the bottom lines of page 2. What is the risk?

**Answer: D.** Missing terms in the answer

Incomplete input, incomplete answer.

- ✗ A. The contract becomes invalid: not the issue
- ✗ B. The tool will guess correctly: not reliable
- ✗ C. No risk: they might

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-F2-Q1 · question page 1340

AI.RETRIEVAL.04 · Detect silent reading failures

What question helps reveal how much of a file a tool read?

**Answer: B.** "How many pages did you read?"

Ask what it can see.

✗ A. "Can you make it shorter?": not revealing

✗ C. "Is this file important?": not revealing

✗ D. "Are you confident?": not revealing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-F2-Q2 · question page 1341

AI.RETRIEVAL.04 · Detect silent reading failures

A two-column newsletter is read as one column, mixing sentences. What can result?

**Answer: A.** Jumbled, incorrect content

Layout can scramble meaning.

✗ B. A shorter file size: irrelevant

✗ C. A translated newsletter: no

✗ D. A perfect summary: not likely

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-F2-Q3 · question page 1342

AI.RETRIEVAL.04 · Detect silent reading failures

Some pages in a file are scanned images, not text. What might the tool do?

**Answer: D.** Skip those pages without saying so

Silent skips can happen.

✗ A. Delete the file: no

✗ B. Refuse to answer anything: not necessarily

✗ C. Always read image pages perfectly: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-F2-Q4 · question page 1343

AI.RETRIEVAL.04 · Detect silent reading failures

How can you compare what the tool saw with the document?

**Answer: B.** Ask it to list the section headings it found

Headings reveal coverage.

- ✗ A. Ask it to describe the document's font, color and paper size in great detail: not useful
- ✗ C. Ask it for a longer answer: not a comparison
- ✗ D. Ask it to guess the author: not useful

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S64-F2-Q5 · question page 1344

AI.RETRIEVAL.04 · Detect silent reading failures

For an important value from a long document, what should you rely on?

**Answer: C.** The original document

Confirm key values in the source.

- ✗ A. The file name: no
- ✗ B. A guess: no
- ✗ D. The tool's reading of it: confirm

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-M-Q1 · question page 1346

AI.RETRIEVAL.05 · Explain that a supplied document does not retrain the model

What happens when you upload a document to a chat?

**Answer: B.** It is placed in the context for that request

Context, not training.

✗ A. Every user immediately learns its contents: not shared

✗ C. The document is published online: not what uploading does

✗ D. The underlying model is retrained on it right away: no retraining

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-M-Q2 · question page 1347

AI.RETRIEVAL.05 · Explain that a supplied document does not retrain the model

Does another user gain knowledge of your uploaded file?

**Answer: C.** No; it was in your request's context

Your context is yours.

✗ A. Only if the file is long: no

✗ B. Yes, but only on weekends: nonsense

✗ D. Yes; every upload is added to the model: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-M-Q3 · question page 1348

AI.RETRIEVAL.05 · Explain that a supplied document does not retrain the model

In a new conversation, will the model know your earlier file?

**Answer: A.** Usually not, unless saved or supplied again

New chats start fresh unless a feature saves it.

✗ B. Only if you ask politely: no

✗ C. Never, under any product settings: some products save files

✗ D. Always, because the model permanently learned the file during the first chat: not training

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S65-M-Q4 · question page 1349

AI.RETRIEVAL.05 · Explain that a supplied document does not retrain the model

What does changing the model itself require?

**Answer: D.** Training or fine-tuning

A separate process.

- ✗ A. Restarting the app: not training
- ✗ B. Typing a longer message: not training
- ✗ C. Uploading any document: that is context

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-M-Q5 · question page 1350

AI.RETRIEVAL.05 · Explain that a supplied document does not retrain the model

Whether a provider may later use uploads for training depends on what?

**Answer: A.** Its policy and your settings

Policy and settings decide.

- ✗ B. The time of day: no
- ✗ C. The file's font: no
- ✗ D. Nothing, because uploads can never be stored or used by any provider at all: they may

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-B1-Q1 · question page 1351

AI.RETRIEVAL.05 · Compare uploading a file with showing a photo to a friend

Showing a friend a photo lets them...

**Answer: B.** Talk about it with you right now

Like context.

- ✗ A. Instantly change everything they ever learned at school about every subject: no
- ✗ C. Own the photo: no
- ✗ D. Tell all their friends automatically: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-B1-Q2 · question page 1352

AI.RETRIEVAL.05 · Compare uploading a file with showing a photo to a friend

Do the friend's other friends now know about your trip?

**Answer: D.** No

Context is not shared.

- ✗ A. Yes, after a week: no
- ✗ B. Yes, because your friend's memory is shared with everyone they know automatically: no
- ✗ C. Only if it was a long trip: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-B1-Q3 · question page 1353

AI.RETRIEVAL.05 · Compare uploading a file with showing a photo to a friend

Later, will the friend remember all the details?

**Answer: C.** Not unless shown again or a copy was kept

Like a new chat without saved files.

- ✗ A. Yes, if the photo was blurry: no
- ✗ B. Only in summer: no
- ✗ D. Yes, every detail forever, because looking at a photo once changes

memory permanently: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-B1-Q4 · question page 1354

AI.RETRIEVAL.05 · Compare uploading a file with showing a photo to a friend

In AI terms, showing the photo is like what?

**Answer: A.** Uploading a file to a chat

Supplying context.

- ✗ B. Deleting a model: no
- ✗ C. Building a new model: no
- ✗ D. Fine-tuning the model: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-B1-Q5 · question page 1355

AI.RETRIEVAL.05 · Compare uploading a file with showing a photo to a friend

What is like "kept a copy"?

**Answer: D.** A product saving the file

Saved features carry it over.

- ✗ A. Showing it to strangers: no
- ✗ B. Forgetting the photo: opposite
- ✗ C. The model's original training on data collected years before you ever used it: not the same

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-F1-Q1 · question page 1356

AI.RETRIEVAL.05 · Apply the context-versus-retraining idea

Tia uploads her club's rules and asks questions. Tomorrow a friend asks the same tool about the club. Will it know Tia's rules?

**Answer: B.** No; the rules were only in Tia's request

Context belongs to that request.

- ✗ A. Only if the club is famous: no
- ✗ C. Yes, if the friend is in the same club: no
- ✗ D. Yes; uploading the rules retrained the model: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-F1-Q2 · question page 1357

AI.RETRIEVAL.05 · Apply the context-versus-retraining idea

A manager says, "Upload our handbook once and the AI will know it forever." What is more accurate?

**Answer: C.** It is used in that context; saving depends on product features

Context, plus product-specific saving.

- ✗ A. Correct, but only for PDFs: no
- ✗ B. Wrong; tools cannot read handbooks at all: they can
- ✗ D. Correct; uploads permanently teach the model everything in them: not training

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-F1-Q3 · question page 1358

AI.RETRIEVAL.05 · Apply the context-versus-retraining idea

Raj wants a model permanently changed to know his company's style. What is required?

**Answer: A.** Fine-tuning or training

A separate process.

✗ B. Typing "learn this" in capitals: not training

✗ C. Starting many new chats: not training

✗ D. Uploading one style guide: not permanent training

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-F1-Q4 · question page 1359

AI.RETRIEVAL.05 · Apply the context-versus-retraining idea

A student uploads notes, then starts a new chat and the tool does not know them. What explains this?

**Answer: D.** The new chat does not have the earlier context

Context does not carry over automatically.

✗ A. The notes were too short: not the reason

✗ B. The tool forgot its training: no

✗ C. The tool deleted the notes from the internet: not what happened

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-F1-Q5 · question page 1360

AI.RETRIEVAL.05 · Apply the context-versus-retraining idea

Which statement is accurate?

**Answer: C.** Uploads affect the conversation, not the model's training

Context, not retraining.

✗ A. Uploads change the model's cutoff date: no

✗ B. Uploads are never stored by any product: some store them

✗ D. Uploads instantly retrain the model so that it improves for every single user: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S65-F2-Q1 · question page 1361

AI.RETRIEVAL.05 · Avoid both mistaken beliefs about uploads

Someone says uploads "teach the AI instantly for everyone." What is wrong?

**Answer: B.** Uploads do not retrain the model in the moment

No instant retraining.

- ✗ A. Uploads cannot be read at all: they can
- ✗ C. Uploads are always deleted first: not necessarily
- ✗ D. Nothing; uploads are added to the model: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S65-F2-Q2 · question page 1362

AI.RETRIEVAL.05 · Avoid both mistaken beliefs about uploads

Someone else says, "Since uploads don't retrain it, they are never stored." What is wrong?

**Answer: A.** Products may store uploads under their policy

Storage depends on the product.

- ✗ B. Uploads always retrain the model: not true
- ✗ C. Uploads always become public: not true
- ✗ D. Nothing; no product anywhere ever keeps a copy: some do

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S65-F2-Q3 · question page 1363

AI.RETRIEVAL.05 · Avoid both mistaken beliefs about uploads

What determines whether stored uploads may be used to train future models?

**Answer: D.** The provider's terms and your settings

Terms and settings.

✗ A. Whether the file has images: not the rule

✗ B. The size of the file, since large files are always used for training automatically: not the rule

✗ C. The user's age only: not the rule

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-F2-Q4 · question page 1364

AI.RETRIEVAL.05 · Avoid both mistaken beliefs about uploads

A worker uploads a confidential client file to a tool not approved by her employer. What is the main issue?

**Answer: B.** She may not be permitted to share it

Permission matters regardless of training.

✗ A. The file will improve the model: not the issue

✗ C. The upload will be slower: irrelevant

✗ D. None: still sharing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S65-F2-Q5 · question page 1365

AI.RETRIEVAL.05 · Avoid both mistaken beliefs about uploads

What is the most accurate summary?

**Answer: C.** Uploads are used in context; storage and training depend on policy

The accurate picture.

✗ A. Uploads vanish instantly and can never be stored: not accurate

✗ B. Uploads always retrain the model and are shared with every other user immediately: not accurate

✗ D. Uploads change the model's parameters: not accurate

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S66-M-Q1 · question page 1367

AI.PITFALL.01 · Notice overloaded requests and missing attachments

What is context overload?

**Answer: D.** So much loosely related material that the key part gets lost

Too much, poorly focused material.

- ✗ A. A password that is too long: not the meaning
- ✗ B. A tool that is too slow: not the meaning
- ✗ C. A request that is short and focused on exactly one clear question: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-M-Q2 · question page 1368

AI.PITFALL.01 · Notice overloaded requests and missing attachments

You wrote "see the attached schedule," but the upload failed. What might the tool do?

**Answer: B.** Answer anyway and invent what the file says

Missing files can lead to invented answers.

- ✗ A. Find the file on your computer: no
- ✗ C. Email you the file: no
- ✗ D. Always stop and clearly say that no file was received before doing anything else: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-M-Q3 · question page 1369

AI.PITFALL.01 · Notice overloaded requests and missing attachments

How can you confirm a tool can see your file?

**Answer: A.** Ask it to state the file's title or first heading

A specific detail proves it was read.

- ✗ B. Make the file name longer: not a check
- ✗ C. Upload it in a different color: nonsense
- ✗ D. Ask whether it is happy to help with the file: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-M-Q4 · question page 1370

AI.PITFALL.01 · Notice overloaded requests and missing attachments

Which is a fix for overload?

**Answer: C.** Include only the relevant material and point to what matters

Focus the input.

- ✗ A. Remove your question: not a fix
- ✗ B. Paste every document you have so the tool has the most information possible to use: worsens overload
- ✗ D. Repeat the same document three times: worsens overload

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-M-Q5 · question page 1371

AI.PITFALL.01 · Notice overloaded requests and missing attachments

Which can cause a missing attachment?

**Answer: B.** An unsupported file format

Formats, sizes and failed uploads.

- ✗ A. A common file type: usually supported
- ✗ C. A short, clear question typed directly into the message box with good grammar: not a cause

✗ D. A polite greeting: not a cause

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-B1-Q1 · question page 1372

AI.PITFALL.01 · Compare overload with packing a suitcase

Why is an overstuffed suitcase a problem?

**Answer: A.** The thing you need is hard to find

Overload buries what matters.

✗ B. It is the wrong color: no

✗ C. Because every single item in it will always be damaged by the extra weight inside: not the point

✗ D. It is too light: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-B1-Q2 · question page 1373

AI.PITFALL.01 · Compare overload with packing a suitcase

Saying "my passport is packed" when it is not is like what?

**Answer: C.** Mentioning an attachment that never uploaded

Mentioning is not attaching.

✗ A. Going on vacation: no

✗ B. Packing the passport carefully in an easy-to-reach front pocket of the bag: opposite

✗ D. Buying a new suitcase: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-B1-Q3 · question page 1374

AI.PITFALL.01 · Compare overload with packing a suitcase

What helps you find the passport quickly?

**Answer: D.** Packing only what you need

Less, focused content.

- ✗ A. Using a smaller tag: no
- ✗ B. Packing even more things on top of the passport to protect it: worse
- ✗ C. Locking the suitcase: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-B1-Q4 · question page 1375

AI.PITFALL.01 · Compare overload with packing a suitcase

In a request, what is like the passport?

**Answer: B.** The part of the material that matters

The key content.

- ✗ A. The app's logo: no
- ✗ C. The tool's settings: no
- ✗ D. The decorative cover page of a long document: not the key part

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-B1-Q5 · question page 1376

AI.PITFALL.01 · Compare overload with packing a suitcase

How do you know the passport is really packed?

**Answer: C.** Check inside the suitcase

Confirm attachments arrived.

- ✗ A. Weigh the suitcase: not reliable

✗ B. Hope: no

✗ D. Say out loud, several times: saying is not checking

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-F1-Q1 · question page 1377

AI.PITFALL.01 · Fix overload and attachment problems in practice

Jo pastes a 30-page report to ask about one budget table. What is a better approach?

**Answer: A.** Paste the budget table and its heading

Supply the relevant part.

✗ B. Paste only the cover page: wrong part

✗ C. Paste nothing and describe it vaguely: too little

✗ D. Paste the full report twice: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-F1-Q2 · question page 1378

AI.PITFALL.01 · Fix overload and attachment problems in practice

A tool answers about "your attached invoice" with general advice and no specific numbers. What should you suspect?

**Answer: D.** The file may not have been read

Vague answers can signal a missing file.

✗ A. General advice is always better: not the point

✗ B. The tool is protecting your privacy: not implied

✗ C. The invoice must have no numbers on it: unlikely

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-F1-Q3 · question page 1379

AI.PITFALL.01 · Fix overload and attachment problems in practice

An upload shows "file too large." What should you do?

**Answer: A.** Split or shrink the file, then re-upload

Fix the upload first.

- ✗ B. Rename the file: not a fix
- ✗ C. Give up on the task: not necessary
- ✗ D. Ignore the message and trust the answer that the tool writes next about the file: may be based on nothing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-F1-Q4 · question page 1380

AI.PITFALL.01 · Fix overload and attachment problems in practice

Which request avoids overload?

**Answer: D.** "In the notes below, check only the dates in section 2."

Focused scope.

- ✗ A. "Look at all of these files at once.": overloaded
- ✗ B. "Read everything and answer everything.": overloaded
- ✗ C. "Here are all my notes from the whole year; tell me what you think about them overall.": overloaded

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-F1-Q5 · question page 1381

AI.PITFALL.01 · Fix overload and attachment problems in practice

Before relying on an answer about a PDF, what quick check helps?

**Answer: B.** Ask for a specific detail you can verify

Verify it read the file.

✗ A. Ask for bold text: not a check

✗ C. Ask for a longer answer: not a check

✗ D. Ask the tool whether it enjoyed reading the PDF: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-F2-Q1 · question page 1382

AI.PITFALL.01 · Recover from overloaded conversations and failed uploads

A long conversation covers five topics, and the tool now mixes up instructions. What often works better?

**Answer: C.** Start fresh with a short summary of what matters

A clean context helps.

✗ A. Switch topics again: worse

✗ B. Keep going in the same conversation and add another ten messages of new instructions: worse

✗ D. Repeat every old message: worse

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-F2-Q2 · question page 1383

AI.PITFALL.01 · Recover from overloaded conversations and failed uploads

After a "file too large" error, the tool gives a detailed answer about the file. What is the risk?

**Answer: D.** The answer may be based on nothing

Errors before answers matter.

✗ A. The file was read twice: not likely

✗ B. No risk, because detailed answers always prove the file was read in full: not proof

✗ C. The answer is official: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S66-F2-Q3 · question page 1384

AI.PITFALL.01 · Recover from overloaded conversations and failed uploads

Why do earlier instructions get lost in long conversations?

**Answer: A.** Newer messages compete with them

Competing and dropped context.

- ✗ B. Because long chats are illegal: no
- ✗ C. Because instructions expire at midnight: nonsense
- ✗ D. Because tools delete every earlier instruction: not how it works

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-F2-Q4 · question page 1385

AI.PITFALL.01 · Recover from overloaded conversations and failed uploads

What should a fresh-start summary include?

**Answer: C.** The key instructions and facts still needed

Carry forward what matters.

- ✗ A. A full copy of every single message from the old conversation, word for word: that is overload
- ✗ B. Only the first message: may miss later decisions
- ✗ D. Nothing at all: loses needed context

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S66-F2-Q5 · question page 1386

AI.PITFALL.01 · Recover from overloaded conversations and failed uploads

A tool says, "Based on your attached file..." but you attached nothing. What does this show?

**Answer: B.** It may invent content for a file that does not exist

Watch for invented file content.

- ✗ A. That the tool read your mind: no
- ✗ C. That attachments are never needed: not the point
- ✗ D. That a file must have been attached by accident: unlikely

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-M-Q1 · question page 1388

AI.PITFALL.02 · Spot truncated output and formatting errors

In this fictional example, what problem does the response show?

**Fictional example (prepared in advance; not a real AI output)**

**Request:**

List the 10 steps for setting up the class fundraiser.

**Response:**

1. Choose a date.
2. Get approval from the principal.
3. Set a goal amount.
4. Pick a theme.
5. Make a sign-up sheet.
6. Order supplies.
7. Create flyers and post them in the

**Answer: B.** It was cut off before finishing

It stops mid-sentence at step 7.

- ✗ A. It refused the request: it answered
- ✗ C. It used too many steps: it used fewer
- ✗ D. It was formatted as a numbered list: lists are fine

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-M-Q2 · question page 1389

AI.PITFALL.02 · Spot truncated output and formatting errors

In the same example, how many promised steps are missing?

**Fictional example (prepared in advance; not a real AI output)**

**Request:**

List the 10 steps for setting up the class fundraiser.

**Response:**

1. Choose a date.
2. Get approval from the principal.
3. Set a goal amount.
4. Pick a theme.
5. Make a sign-up sheet.
6. Order supplies.
7. Create flyers and post them in the

**Answer: C.** 3 (or more, counting step 7)

10 promised, 7 started.

✗ A. 10: it gave some

✗ B. 7: it gave 7 partial steps

✗ D. None, since the list already covers the most important parts of planning a fundraiser: it promised 10

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-M-Q3 · question page 1390

AI.PITFALL.02 · Spot truncated output and formatting errors

What is a sign of truncation?

**Answer: D.** A sentence that ends abruptly

Abrupt endings.

- ✗ A. A numbered list that reaches its stated count: complete
- ✗ B. A polite greeting: not a sign
- ✗ C. A conclusion paragraph that wraps up the answer neatly: a sign of completion

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-M-Q4 · question page 1391

AI.PITFALL.02 · Spot truncated output and formatting errors

Which is a formatting error?

**Answer: A.** Numbering that restarts at 1 halfway through

Broken numbering.

- ✗ B. A table with labeled columns: good formatting
- ✗ C. Consistent bullet points: good formatting
- ✗ D. A clear heading at the top of the answer that names the topic of the list below: good formatting

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-M-Q5 · question page 1392

AI.PITFALL.02 · Spot truncated output and formatting errors

Before using output, what two things should you check?

**Answer: C.** That it is complete and its format survived

Completeness and format.

✗ A. That it is colorful and short: not the checks

✗ B. That it has emojis and links: not the checks

✗ D. That it is long and that it sounds confident: not the checks

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-B1-Q1 · question page 1393

AI.PITFALL.02 · Count what was promised versus what arrived

You asked for 12 monthly rows and see 9. What is wrong?

**Answer: D.** 3 rows are missing

12 - 9 = 3.

✗ A. 9 rows are extra: reversed

✗ B. Nothing, because 9 rows is close enough to a full year for most purposes: incomplete

✗ C. The months are in the wrong order: not shown

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-B1-Q2 · question page 1394

AI.PITFALL.02 · Count what was promised versus what arrived

Which last line suggests truncation?

**Answer: B.** "Then, after you finish the"

An unfinished sentence.

✗ A. "Good luck with your project!": complete

✗ C. "Step 10: Celebrate.": complete

✗ D. "That completes the list.": complete

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S67-B1-Q3 · question page 1395

AI.PITFALL.02 · Count what was promised versus what arrived

An outline promised 5 sections; you find 5 with a final summary. What does the count show?

**Answer: A.** It appears complete

Count and ending both pass.

- ✗ B. It cannot be checked: it can
- ✗ C. It is missing 2 sections: count matches
- ✗ D. It is truncated: count matches

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S67-B1-Q4 · question page 1396

AI.PITFALL.02 · Count what was promised versus what arrived

You asked for 8 tips and got 6, ending mid-sentence. How many checks fail?

**Answer: B.** Both: count and last line

6 of 8, and the ending is cut off.

- ✗ A. Only the last line: the count also fails
- ✗ C. Only the count: the last line also fails
- ✗ D. Neither, because six tips is enough for most readers to get the main ideas: both fail

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S67-B1-Q5 · question page 1397

AI.PITFALL.02 · Count what was promised versus what arrived

What is the first step of the check?

**Answer: A.** Count the items you asked for

Count first.

- ✗ B. Change the font: irrelevant
- ✗ C. Copy it elsewhere: not a check
- ✗ D. Read the answer out loud: not a count

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-F1-Q1 · question page 1398

AI.PITFALL.02 · Catch truncation and formatting problems in practice

Ana asked for a 7-day meal plan and the table ends at Friday. What should she do?

**Answer: D.** Ask for Saturday and Sunday separately

Request the missing part.

- ✗ A. Start a new topic: not a fix
- ✗ B. Use the plan as is: missing days
- ✗ C. Assume weekend meals are not needed: incomplete

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-F1-Q2 · question page 1399

AI.PITFALL.02 · Catch truncation and formatting problems in practice

A pasted table became one long line in a word processor. What happened?

**Answer: C.** The format broke when pasting

Pasting can break formatting.

- ✗ A. The tool refused to make a table: it made one
- ✗ B. Tables cannot be pasted: they can
- ✗ D. The table's contents changed into a completely different set of numbers and words: format, not content

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S67-F1-Q3 · question page 1400

AI.PITFALL.02 · Catch truncation and formatting problems in practice

A code answer ends in the middle of a line. What should you do before using it?

**Answer: D.** Get the complete code

Incomplete code is unreliable.

- ✗ A. Add random characters: no
- ✗ B. Delete the last line: still incomplete
- ✗ C. Run it anyway: incomplete

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-F1-Q4 · question page 1401

AI.PITFALL.02 · Catch truncation and formatting problems in practice

A numbered list goes 1, 2, 3, 1, 2. What kind of problem is this?

**Answer: A.** A formatting error

Numbering restarted.

- ✗ B. A grounding error: no
- ✗ C. A spelling error: no
- ✗ D. Truncation: not truncation

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-F1-Q5 · question page 1402

AI.PITFALL.02 · Catch truncation and formatting problems in practice

Which request reduces truncation risk for a long report?

**Answer: B.** "Write sections 1-3 now; I will ask for 4-6 next."

Ask in parts.

- ✗ A. "Use small words.": not related
- ✗ C. "Make it as long as possible.": more likely to truncate
- ✗ D. "Write the entire 40-page report in one single response.": more likely to truncate

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-F2-Q1 · question page 1403

AI.PITFALL.02 · Handle quiet truncation and broken formats

A summary of a 6-section report ends after section 5 but sounds finished. What is the risk?

**Answer: C.** Quiet truncation that looks complete

Check coverage, not tone.

- ✗ A. Section 6 is never important: unsupported
- ✗ B. The report has only 5 sections: it has 6
- ✗ D. No risk: not proof

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-F2-Q2 · question page 1404

AI.PITFALL.02 · Handle quiet truncation and broken formats

Cut-off code still runs without an error. Why might it be a problem?

**Answer: D.** It may skip the final steps

Running is not finishing.

- ✗ A. Because code that runs without an error is always completely correct and complete: not true
- ✗ B. It cannot be read: not the issue
- ✗ C. It runs too fast: not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-F2-Q3 · question page 1405

AI.PITFALL.02 · Handle quiet truncation and broken formats

Bullet symbols turned into odd characters after pasting into an email. Where should you check formatting?

**Answer: C.** In the final destination before sending

Check where it will be used.

- ✗ A. Nowhere; formatting never matters: it matters
- ✗ B. Only on a printed copy: not the email
- ✗ D. Only in the chat window: not where it is used

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-F2-Q4 · question page 1406

AI.PITFALL.02 · Handle quiet truncation and broken formats

You asked for 20 interview questions in parts of 5. What should you do after each part?

**Answer: B.** Count to confirm 5 arrived

Count each part.

- ✗ A. Trust that each part was complete, since asking in parts already prevents every problem: still check
- ✗ C. Skip counting: misses gaps
- ✗ D. Ask for all 20 again: unnecessary

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S67-F2-Q5 · question page 1407

AI.PITFALL.02 · Handle quiet truncation and broken formats

A schedule table lost its last column when copied into a spreadsheet. What should you do?

**Answer: A.** Fix or re-export the table and recheck all columns

Recheck structure after moving data.

- ✗ B. Ignore the missing column, since the last column in a schedule is usually the least important: may be key
- ✗ C. Delete the whole schedule: unnecessary
- ✗ D. Rename the file: not a fix

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-M-Q1 · question page 1409

AI.PITFALL.03 · Check links and dated facts before sharing them

What should you do before sharing a link from an AI answer?

**Answer: C.** Open it and confirm it shows what was claimed

Verify links.

- ✗ A. Shorten it first: not a check
- ✗ B. Share it right away, since links in answers are always checked by the tool before writing: not guaranteed
- ✗ D. Add more links: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-M-Q2 · question page 1410

AI.PITFALL.03 · Check links and dated facts before sharing them

Which is a way a link can fail?

**Answer: B.** It can be made up

Invented, broken or wrong links.

✗ A. It can be blue: not a failure

✗ C. It can have a period: not a failure

✗ D. It can be too short: not a failure

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-M-Q3 · question page 1411

AI.PITFALL.03 · Check links and dated facts before sharing them

Why are phone numbers in answers especially risky?

**Answer: D.** A wrong one can reach the wrong group or a scammer

Wrong contacts can be harmful.

✗ A. Because phone numbers cannot be checked: they can

✗ B. Because phones cannot call companies: no

✗ C. Because phone numbers are always much longer: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-M-Q4 · question page 1412

AI.PITFALL.03 · Check links and dated facts before sharing them

What is a stale fact?

**Answer: A.** One that was true but has changed

Outdated information.

✗ B. A fact about food: not the meaning

✗ C. A very short fact: not the meaning

✗ D. A fact that has always been false: that is just wrong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-M-Q5 · question page 1413

AI.PITFALL.03 · Check links and dated facts before sharing them

Before relying on a price in an answer, what should you find?

**Answer: D.** A current source

Current, dated sources.

- ✗ A. A longer answer: not a source
- ✗ B. A friend's guess: not reliable
- ✗ C. An older source: not current

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-B1-Q1 · question page 1414

AI.PITFALL.03 · Compare links with directions to a shop

Why might old directions be wrong?

**Answer: C.** The shop may have moved or closed

Things change.

- ✗ A. Directions are always wrong: no
- ✗ B. Shops never change: they do
- ✗ D. Because streets in every city are renamed every single year without any notice: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-B1-Q2 · question page 1415

AI.PITFALL.03 · Compare links with directions to a shop

What is like calling ahead?

**Answer: B.** Opening a link to check it

Verification before relying.

✗ A. Ignoring the directions: not the comparison

✗ C. Asking for more directions: not the comparison

✗ D. Driving across town immediately: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-B1-Q3 · question page 1416

AI.PITFALL.03 · Compare links with directions to a shop

Links in AI answers are like what?

**Answer: A.** Directions that may be out of date

Possibly stale.

✗ B. A shopping list: no

✗ C. A receipt: no

✗ D. A guaranteed map that is automatically updated every second with any changes: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-B1-Q4 · question page 1417

AI.PITFALL.03 · Compare links with directions to a shop

What could change about the shop?

**Answer: D.** Its location or hours

Practical details change.

✗ A. Only its logo: not the concern

✗ B. Only its paint color: not the concern

✗ C. Nothing at all, because shops always stay exactly the same for many decades: they change

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S68-B1-Q5 · question page 1418

AI.PITFALL.03 · Compare links with directions to a shop

What is the lesson?

**Answer: A.** Check before relying on old information

Verify first.

- ✗ B. Only shop online: no
- ✗ C. Always drive faster: no
- ✗ D. Never use directions from friends again: too strong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-F1-Q1 · question page 1419

AI.PITFALL.03 · Check links and facts in practice

A tool gives a link to a scholarship application. It opens to a "page not found" error. What should you do?

**Answer: B.** Find the scholarship on the organization's main site

Find the current page from a trusted source.

- ✗ A. Assume the scholarship ended, since a broken link proves that the program no longer exists: not proof
- ✗ C. Try the same broken link every hour: not useful
- ✗ D. Share the link with friends anyway: broken

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-F1-Q2 · question page 1420

AI.PITFALL.03 · Check links and facts in practice

An answer lists a customer service number for a bank. What is the safest check?

**Answer: C.** Compare it with the number on your card or the bank's site

Use trusted contact details.

- ✗ A. Text it your account number: unsafe
- ✗ B. Call it right away, since phone numbers in answers are taken directly from bank records: not guaranteed
- ✗ D. Post it online: not a check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-F1-Q3 · question page 1421

AI.PITFALL.03 · Check links and facts in practice

A link opens a real page, but about a different topic. What is this?

**Answer: B.** A link to the wrong page

Check what the page says.

- ✗ A. A broken link: it opened
- ✗ C. A made-up link: it exists
- ✗ D. A working link that proves the claim, since the page loaded without any errors: wrong content

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-F1-Q4 · question page 1422

AI.PITFALL.03 · Check links and facts in practice

An answer says a museum costs "12 dollars, as of 2021." What should you do?

**Answer: C.** Check the current price

Dated facts may be stale.

- ✗ A. Assume it is free now: unsupported
- ✗ B. Ignore the price: it matters

✗ D. Pay 12 dollars at the door: may have changed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-F1-Q5 · question page 1423

AI.PITFALL.03 · Check links and facts in practice

Which item from an answer most needs checking before sharing with a group?

**Answer: D.** A link to a sign-up form

Links can be broken or wrong.

✗ A. A joke: low risk
✗ B. A list of snack ideas: low risk
✗ C. A friendly sentence: low risk

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-F2-Q1 · question page 1424

AI.PITFALL.03 · Avoid look-alike links and stale cached pages

An answer links to "paypa1-support.example." What should you notice?

**Answer: A.** It is a misspelled look-alike address

Look-alikes can belong to others.

✗ B. It must be the official site: not shown
✗ C. All support sites look like this: no
✗ D. Nothing: it can

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-F2-Q2 · question page 1425

AI.PITFALL.03 · Avoid look-alike links and stale cached pages

What is the safest way to reach an organization's page?

**Answer: C.** Type its known address or search for it

Trusted routes.

- ✗ A. Use a link in a surprise text: risky
- ✗ B. Use a link from a pop-up ad: risky
- ✗ D. Click any link that a tool provides: not guaranteed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-F2-Q3 · question page 1426

AI.PITFALL.03 · Avoid look-alike links and stale cached pages

A page looks current but shows "archived copy from 2019." What should you conclude?

**Answer: A.** It may be stale

Archives show old versions.

- ✗ B. It cannot contain errors: it can
- ✗ C. It is the official page: not necessarily
- ✗ D. It must be current: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-F2-Q4 · question page 1427

AI.PITFALL.03 · Avoid look-alike links and stale cached pages

For an official matter like a tax form, which source should you use?

**Answer: B.** The agency's main site

Go to the official source.

- ✗ A. A cached copy: possibly stale
- ✗ C. A screenshot from social media: possibly altered

✗ D. A link from a forum post: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S68-F2-Q5 · question page 1428

AI.PITFALL.03 · Avoid look-alike links and stale cached pages

What should you look for on a page to judge freshness?

**Answer: D.** Its date or "last updated" note

Dates indicate freshness.

- ✗ A. The font size: not a sign
- ✗ B. The background color: not a sign
- ✗ C. The number of pictures on the page: not a sign

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-M-Q1 · question page 1430

AI.PITFALL.04 · Keep originals and version drafts

Why keep your original before AI editing?

**Answer: D.** To see what changed and go back if needed

Originals allow comparison and undo.

- ✗ A. Because originals print faster: irrelevant
- ✗ B. Because tools require you to keep it: not the reason
- ✗ C. Because the original will always be better: not always

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-M-Q2 · question page 1431

AI.PITFALL.04 · Keep originals and version drafts

Which file name best shows a version?

**Answer: A.** "essay_v2_ai_edit"

Clear version labels.

- ✗ B. "stuff": unclear
- ✗ C. "new new new": unclear
- ✗ D. "essay," the same name used for every draft from the first one to the last one: unclear

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-M-Q3 · question page 1432

AI.PITFALL.04 · Keep originals and version drafts

What is the rule in the passage?

**Answer: B.** Never overwrite your only copy

Keep copies.

- ✗ A. Only save on Fridays: nonsense
- ✗ C. Use one file for everything: risky
- ✗ D. Always delete old drafts right away: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-M-Q4 · question page 1433

AI.PITFALL.04 · Keep originals and version drafts

How does versioning help with honesty?

**Answer: C.** It shows how your work developed

A visible history.

- ✗ A. It makes work look longer: not the reason

✗ B. It removes the need to disclose AI use: not true

✗ D. It hides: the opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-M-Q5 · question page 1434

AI.PITFALL.04 · Keep originals and version drafts

Before accepting a big AI change, what should you do?

**Answer: D.** Compare it with the previous version

Compare before accepting.

✗ A. Print both and throw them away: nonsense

✗ B. Delete the previous version: loses comparison

✗ C. Accept it right away: check

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-B1-Q1 · question page 1435

AI.PITFALL.04 · Compare versions with photos of a room before you redecorate

Why take a photo before redecorating?

**Answer: C.** To put things back if you dislike the change

Like keeping an original.

✗ A. Photos make paint dry: no

✗ B. To sell the room: no

✗ D. Because photos of rooms are needed to buy new paint: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-B1-Q2 · question page 1436

AI.PITFALL.04 · Compare versions with photos of a room before you redecorate

A photo after each step is like what?

**Answer: A.** Saving a version after each edit

Step-by-step versions.

- ✗ B. Deleting the old version each time a change is made so only the newest remains: opposite
- ✗ C. Buying furniture: no
- ✗ D. Painting faster: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-B1-Q3 · question page 1437

AI.PITFALL.04 · Compare versions with photos of a room before you redecorate

What can step-by-step photos show?

**Answer: B.** Which change made it better or worse

Comparison across versions.

- ✗ A. The weather outside: no
- ✗ C. The room's address: no
- ✗ D. The exact price of every item of furniture: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-B1-Q4 · question page 1438

AI.PITFALL.04 · Compare versions with photos of a room before you redecorate

In documents, what is a "photo" of your work?

**Answer: C.** A saved copy at that moment

A version.

✗ A. The file's size: no

✗ B. A screenshot of the app icon: no

✗ D. The final printed copy only, made after all of the changes are completely finished: not each moment

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-B1-Q5 · question page 1439

AI.PITFALL.04 · Compare versions with photos of a room before you redecorate

Without a before photo, what is hard?

**Answer: A.** Putting things back the way they were

No original, no undo.

✗ B. Opening the door: no

✗ C. Turning on the light: no

✗ D. Buying paint in a new color for the walls: unrelated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-F1-Q1 · question page 1440

AI.PITFALL.04 · Version drafts in practical work

Ben pastes his essay into a tool for edits and replaces his file with the result. He dislikes some changes. What would have helped?

**Answer: D.** Saving his original as a separate file first

Keep the original.

✗ A. Printing the edited version: too late

✗ B. Making the essay shorter first: irrelevant

✗ C. Asking the tool to remember what the essay said: not reliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S69-F1-Q2 · question page 1441

AI.PITFALL.04 · Version drafts in practical work

Which set of names is clearest?

**Answer: B.** "report_v1_draft," "report_v2_ai_edit," "report_v3_final"

Clear, ordered names.

- ✗ A. "final," "final2," "final_final": confusing
- ✗ C. "a," "b," "c": unclear
- ✗ D. "report," "report," "report," each saved in a different folder on the desktop: confusing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-F1-Q3 · question page 1442

AI.PITFALL.04 · Version drafts in practical work

A teacher asks how a student's essay changed with AI help. What helps the student answer?

**Answer: C.** Saved versions of each draft

Versions show development.

- ✗ A. Deleting old drafts: loses history
- ✗ B. A memory of what changed: unreliable
- ✗ D. Only the final version: loses history

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-F1-Q4 · question page 1443

AI.PITFALL.04 · Version drafts in practical work

A document app offers version history. When is it most useful?

**Answer: A.** Before and after accepting big changes

Use it around big edits.

- ✗ B. Only when printing: not the main use
- ✗ C. Never, because version history only matters for very large companies with many staff: useful for all
- ✗ D. Only for spreadsheets: not only

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-F1-Q5 · question page 1444

AI.PITFALL.04 · Version drafts in practical work

After an AI edit, what should you compare?

**Answer: B.** The edited draft with the previous version

Compare versions.

- ✗ A. The file sizes only: not content
- ✗ C. The fonts only: not content
- ✗ D. The edited draft with a completely different essay: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-F2-Q1 · question page 1445

AI.PITFALL.04 · Keep versions clear and collaborative

A folder has "final," "final2" and "really_final." What is the problem?

**Answer: D.** It is unclear which is which

Use dates and descriptions.

- ✗ A. The files are too small: irrelevant
- ✗ B. Three versions are illegal: no
- ✗ C. Nothing: not reliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S69-F2-Q2 · question page 1446

AI.PITFALL.04 · Keep versions clear and collaborative

Which name is clearest?

**Answer: C.** "2026-03-14_after_peer_review"

Date plus description.

- ✗ A. "final_new_new," which shows that it is newer than the other final versions: unclear
- ✗ B. "untitled": unclear
- ✗ D. "doc": unclear

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-F2-Q3 · question page 1447

AI.PITFALL.04 · Keep versions clear and collaborative

Three classmates edit a group report separately. What prevents lost changes?

**Answer: B.** Agreeing on one master copy

One master copy.

- ✗ A. Emailing random versions: confusing
- ✗ C. Deleting everyone else's edits: loses work
- ✗ D. Each person keeping their own separate version and never combining any of them: changes get lost

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-F2-Q4 · question page 1448

AI.PITFALL.04 · Keep versions clear and collaborative

Does pasting your text into a chat save a version for you?

**Answer: A.** No; save your own file

Chats are not your backup.

- ✗ B. Only if the chat is long: no
- ✗ C. Yes, but only for essays: no
- ✗ D. Yes: not reliable

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S69-F2-Q5 · question page 1449

AI.PITFALL.04 · Keep versions clear and collaborative

Why track which version you submitted?

**Answer: D.** So you know exactly what was graded or sent

Clear records.

- ✗ A. So you can delete the others: not the reason
- ✗ B. So the file gets bigger: irrelevant
- ✗ C. So that you can change the submitted version later: not honest

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-M-Q1 · question page 1451

AI.PITFALL.05 · Check files after moving them between tools

What can happen with an unsupported file type?

**Answer: B.** It may not open or may lose features

Compatibility problems.

- ✗ A. It always opens perfectly and keeps every feature, image and formula exactly the same: not guaranteed
- ✗ C. It becomes a better file: no
- ✗ D. It deletes your computer: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-M-Q2 · question page 1452

AI.PITFALL.05 · Check files after moving them between tools

A chat says "here is your presentation" but shows only text. What is true?

**Answer: C.** Writing text is separate from creating a real file

File creation is a separate feature.

- ✗ A. Presentations cannot be made: they can
- ✗ B. Text and slide files are the same: they differ
- ✗ D. A real slide file must already be saved on your computer: not necessarily

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-M-Q3 · question page 1453

AI.PITFALL.05 · Check files after moving them between tools

After exporting a file, where should you check it?

**Answer: A.** In the program where it will be used

Check at the destination.

- ✗ B. In a different, unrelated program: not the target
- ✗ C. Nowhere: must check
- ✗ D. Only in the chat window: not where it is used

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-M-Q4 · question page 1454

AI.PITFALL.05 · Check files after moving them between tools

What might an export drop?

**Answer: D.** Images, fonts or formulas

Features can be lost.

- ✗ A. Nothing, because exports always copy every single part of a file without any changes: they can drop parts
- ✗ B. Only blank lines: more can be lost
- ✗ C. Only the file name: more can be lost

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-M-Q5 · question page 1455

AI.PITFALL.05 · Check files after moving them between tools

Which items must you test after moving work?

**Answer: C.** Anything that must work, like links or formulas

Test functional parts.

- ✗ A. Only the color scheme: not enough
- ✗ B. Nothing: must test
- ✗ D. Only the title, since it is the first thing people see when they open any file: not enough

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-B1-Q1 · question page 1456

AI.PITFALL.05 · Compare moving files with moving house

What can happen to a lamp in a move?

**Answer: D.** It can arrive without its shade

Parts get lost.

- ✗ A. It gets lighter: no
- ✗ B. It becomes a table: no

✗ C. It always arrives in better condition: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-B1-Q2 · question page 1457

AI.PITFALL.05 · Compare moving files with moving house

A table that does not fit the new door is like what?

**Answer: A.** A file type the new program cannot handle

Compatibility.

✗ B. A new font: no
✗ C. A faster computer: no
✗ D. A file that opens perfectly in every program: opposite

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-B1-Q3 · question page 1458

AI.PITFALL.05 · Compare moving files with moving house

Why unpack and check before the party?

**Answer: B.** To find problems before they matter

Check before relying.

✗ A. To make the house smaller: no
✗ C. To change the address: no
✗ D. Because boxes must legally be unpacked within one hour of arriving at the new house: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-B1-Q4 · question page 1459

AI.PITFALL.05 · Compare moving files with moving house

A "kitchen" box holding books is like what?

**Answer: D.** Content that ended up in the wrong place

Misplaced content.

- ✗ A. A new kitchen: no
- ✗ B. A perfectly organized move where every box contains exactly what its label says: opposite
- ✗ C. A heavier box: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-B1-Q5 · question page 1460

AI.PITFALL.05 · Compare moving files with moving house

What is the lesson for files?

**Answer: B.** Open and check work in its new program

Check at the destination.

- ✗ A. Rename every file: no
- ✗ C. Delete originals: risky
- ✗ D. Never move files between tools, no matter what the task requires or needs: too strong

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-F1-Q1 · question page 1461

AI.PITFALL.05 · Move and export work safely in practice

Lia copies an AI-made table into a spreadsheet, and the totals stop updating. What happened?

**Answer: A.** It was pasted as text, so formulas were lost

Text has no formulas.

✗ B. The numbers are too large: not the cause

✗ C. The spreadsheet program is broken and needs to be replaced with a different program entirely: not the cause

✗ D. Totals never update in spreadsheets: they do

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-F1-Q2 · question page 1462

AI.PITFALL.05 · Move and export work safely in practice

A tool offers to "export your slides," but your product only produces text. What should you do?

**Answer: C.** Use a presentation app to build the file from the text

Text draft and file creation are separate.

✗ A. Email the text as slides: not slides

✗ B. Give up on presenting: unnecessary

✗ D. Wait for a slide file to appear on your computer: may not exist

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-F1-Q3 · question page 1463

AI.PITFALL.05 · Move and export work safely in practice

A document with accented names shows odd symbols after export. What should you do?

**Answer: A.** Check and fix the names before sharing

Special characters can break.

✗ B. Delete the names: needed

✗ C. Ignore it, since readers will understand the names even with strange symbols in them: may confuse

✗ D. Change everyone's name: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

## S70-F1-Q4 · question page 1464

AI.PITFALL.05 · Move and export work safely in practice

Ravi will present on the school's computer. When should he check his exported file?

**Answer: B.** Early, on that computer

Test on the target device.

- ✗ A. After the presentation: too late
- ✗ C. Only on his own laptop the night before, since files look the same on every computer: may differ
- ✗ D. Never: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-F1-Q5 · question page 1465

AI.PITFALL.05 · Move and export work safely in practice

Which file should you keep in case an export fails?

**Answer: D.** The original in its native format

Keep the original.

- ✗ A. Neither: risky
- ✗ B. A screenshot of the file name: not useful
- ✗ C. Only the exported copy: may be broken

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-F2-Q1 · question page 1466

AI.PITFALL.05 · Catch silent export failures

A converted document looks fine but page 3's table is split across two pages. What kind of problem is this?

**Answer: C.** A layout shift from conversion

Conversions shift layouts.

- ✗ A. A spelling error that was added to the table by the conversion program on purpose: not spelling
- ✗ B. A missing file: it exists
- ✗ D. A grounding error: not grounding

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-F2-Q2 · question page 1467

AI.PITFALL.05 · Catch silent export failures

A deadline is tomorrow morning. When should you export?

**Answer: B.** Early, leaving time to fix problems

Leave time to check.

- ✗ A. Never; send the chat link: may not work
- ✗ C. After the deadline: too late
- ✗ D. One minute before the deadline: risky

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-F2-Q3 · question page 1468

AI.PITFALL.05 · Catch silent export failures

Why check on the audience's device and software?

**Answer: A.** Files can look different there

Test where it will be used.

- ✗ B. Because fonts never change: they can
- ✗ C. Because every device and every program display files in exactly the same way: they differ

✗ D. Because audiences prefer printed copies: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-F2-Q4 · question page 1469

AI.PITFALL.05 · Catch silent export failures

A spreadsheet export lost a column of formulas but kept the numbers. What risk follows?

**Answer: C.** Numbers will not update if inputs change

Static numbers go stale.

✗ A. The file becomes larger: irrelevant

✗ B. No risk, because numbers without formulas will still update whenever the inputs change: they will not

✗ D. The colors change: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S70-F2-Q5 · question page 1470

AI.PITFALL.05 · Catch silent export failures

What should you do if an export breaks formatting badly?

**Answer: D.** Return to the original and try again

The original lets you retry.

✗ A. Send it anyway: poor result

✗ B. Fix every problem by hand in the broken copy and delete the original file to save space: risky

✗ C. Change the file name only: not a fix

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-M-Q1 · question page 1472

AI.PITFALL.06 · Tell interface and account limits from model abilities

A free plan stops you after 20 messages a day. Is this a model limit or an account limit?

**Answer: A.** An account limit

Plans set usage limits.

- ✗ B. A model limit, because the model itself gets tired and cannot answer more than twenty messages: not a model limit
- ✗ C. A law that limits all users: not a law
- ✗ D. A network limit: not stated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-M-Q2 · question page 1473

AI.PITFALL.06 · Tell interface and account limits from model abilities

A school network blocks an AI website. What does that mean?

**Answer: D.** The network does not allow it here

Network rules, not model ability.

- ✗ A. The model behind the website cannot answer questions for any user anywhere in the world: not the model
- ✗ B. The website is broken for everyone: not necessarily
- ✗ C. The student did something wrong: not necessarily

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-M-Q3 · question page 1474

AI.PITFALL.06 · Tell interface and account limits from model abilities

A feature exists on the company's website but not in its phone app. What is the likely reason?

**Answer: B.** The interfaces offer different features

Interfaces differ.

✗ A. The model is a completely different and much weaker model inside the phone app every time: not necessarily

✗ C. Phones cannot run any apps: not true

✗ D. The feature was never real: it exists on the site

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-M-Q4 · question page 1475

AI.PITFALL.06 · Tell interface and account limits from model abilities

Before deciding a task is impossible, what should you check?

**Answer: C.** The plan, settings and help pages

Look for product-level limits.

✗ A. Only the app's icon: no

✗ B. Only your internet speed: not enough

✗ D. Nothing, because if one product cannot do something then no AI product could ever do it: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-M-Q5 · question page 1476

AI.PITFALL.06 · Tell interface and account limits from model abilities

What should you know about a paid AI plan?

**Answer: B.** How to get support and cancel, including renewal dates

Know support and cancellation.

✗ A. Only the name of the plan, since the other details never matter after you have signed up: details matter

✗ C. Only the logo color: no

✗ D. Nothing; plans cancel themselves: often they renew

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S71-B1-Q1 · question page 1477

AI.PITFALL.06 · Compare plan limits with a gym membership

Why can a basic member not use the pool?

**Answer: A.** The membership does not include it

Plan limits.

- ✗ B. The member cannot swim: not stated
- ✗ C. Pools are illegal: no
- ✗ D. Because the pool cannot hold water: not the reason

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-B1-Q2 · question page 1478

AI.PITFALL.06 · Compare plan limits with a gym membership

The pool working fine for premium members shows what?

**Answer: D.** The limit is the plan, not the pool

Access, not ability.

- ✗ A. That pools are broken: no
- ✗ B. That premium members are better swimmers: irrelevant
- ✗ C. That the pool only works on certain days: not shown

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-B1-Q3 · question page 1479

AI.PITFALL.06 · Compare plan limits with a gym membership

Booking a class on the website but not the app is like what?

**Answer: C.** Interfaces offering different features

Different interfaces.

- ✗ A. A broken treadmill: no
- ✗ B. A new gym: no
- ✗ D. The class being cancelled for every member: not the comparison

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-B1-Q4 · question page 1480

AI.PITFALL.06 · Compare plan limits with a gym membership

In AI terms, the pool is like what?

**Answer: B.** A feature your plan does not include

Plan-gated features.

- ✗ A. A password: no
- ✗ C. The model's total ability to do anything at all, which is the same for every single plan: not the comparison
- ✗ D. A bug: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-B1-Q5 · question page 1481

AI.PITFALL.06 · Compare plan limits with a gym membership

What should a member check before saying "this gym has no pool"?

**Answer: A.** What the membership plan includes

Check the plan.

- ✗ B. The weather: no
- ✗ C. Nothing, because a member can always tell what a gym has just by looking at the lobby: not reliable
- ✗ D. The gym's logo: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-F1-Q1 · question page 1482

AI.PITFALL.06 · Handle account limits, support and cancellation in practice

Omar's app cannot read PDFs, but a friend says the same company's website can. What should he do?

**Answer: D.** Check the website or help pages for the feature

Interfaces differ.

- ✗ A. Give up on the task: premature
- ✗ B. Buy a new phone: unnecessary
- ✗ C. Conclude that no AI tool anywhere can read PDFs: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-F1-Q2 · question page 1483

AI.PITFALL.06 · Handle account limits, support and cancellation in practice

A student's AI tool is blocked on the school Wi-Fi. What is the right step?

**Answer: C.** Follow school rules or ask about approved tools

Respect network rules.

- ✗ A. Assume the tool is broken: it is blocked
- ✗ B. Report the tool as unsafe: not the issue
- ✗ D. Find a way around the school network's block: breaks rules

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-F1-Q3 · question page 1484

AI.PITFALL.06 · Handle account limits, support and cancellation in practice

Mia signed up for a 7-day free trial on March 1. When should she decide whether to cancel?

**Answer: D.** Before March 8

March 1 + 7 days = March 8.

- ✗ A. Only if charged: too late
- ✗ B. Never: it may renew
- ✗ C. After March 15: not guaranteed

Arithmetic checked by code: yes. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-F1-Q4 · question page 1485

AI.PITFALL.06 · Handle account limits, support and cancellation in practice

A long answer is cut off on a free plan with a length limit. What does this suggest?

**Answer: A.** A plan limit, not a model failure

Plans can cap length.

- ✗ B. That the model does not know how to finish answers and should not be used for long tasks: not the cause
- ✗ C. That the question was illegal: no
- ✗ D. That the internet failed: not stated

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-F1-Q5 · question page 1486

AI.PITFALL.06 · Handle account limits, support and cancellation in practice

Where should you look to cancel a paid AI plan?

**Answer: B.** The account or billing settings and help pages

Use official settings.

- ✗ A. A friend's account: not yours
- ✗ C. A social media post: not reliable
- ✗ D. The chat window, by typing "please cancel me": may not cancel

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-F2-Q1 · question page 1487

AI.PITFALL.06 · Avoid account surprises

A free trial turned into a paid plan without Jo noticing. What habit would have prevented this?

**Answer: C.** Noting the renewal date and how to cancel

Track renewals.

- ✗ A. Ignoring emails from the company: worse
- ✗ B. Signing up for more trials: worse
- ✗ D. Using the trial as much as possible every day: not prevention

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-F2-Q2 · question page 1488

AI.PITFALL.06 · Avoid account surprises

A graduating student will lose access to the school's AI account. What should she do first?

**Answer: D.** Save important work outside the tool

Keep copies outside.

- ✗ A. Delete all her work: loses it
- ✗ B. Share her login with younger students: not allowed
- ✗ C. Nothing: access ends

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-F2-Q3 · question page 1489

AI.PITFALL.06 · Avoid account surprises

A feature suddenly disappears. What should you check before assuming your work is lost?

**Answer: B.** The provider's help or status page

Check official status.

- ✗ A. Your shoe size: no
- ✗ C. Nothing, because a missing feature always means every bit of your work was deleted forever: not necessarily
- ✗ D. A random forum only: not first

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-F2-Q4 · question page 1490

AI.PITFALL.06 · Avoid account surprises

Two family members share one paid login. What problem can follow?

**Answer: C.** Mixed histories and usage limits

Shared logins cause conflicts.

- ✗ A. Faster answers: no
- ✗ B. Better privacy: worse privacy
- ✗ D. Twice as many messages for free: not how plans work

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S71-F2-Q5 · question page 1491

AI.PITFALL.06 · Avoid account surprises

Which record helps most with a subscription?

**Answer: A.** What you signed up for, the price, renewal date and cancel steps

Keep a simple record.

- ✗ B. Only the name of the app, since the app will remind you of everything else automatically: not reliable
- ✗ C. Nothing; memory is enough: easy to forget

✗ D. Only the first message you sent: irrelevant

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-M-Q1 · question page 1493

AI.IMAGE.01 · Write an image request with subject, setting, style and composition

What does an image generator do?

**Answer: B.** Turns a text description into a picture

Text to new image.

✗ A. Searches the internet and returns an existing photo that matches the words you typed: that is image search

✗ C. Prints pictures on paper: no

✗ D. Edits only photos you took: not the definition

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-M-Q2 · question page 1494

AI.IMAGE.01 · Write an image request with subject, setting, style and composition

In "a brown puppy holding a red ball," which part is this?

**Answer: A.** Subject

What is shown.

✗ B. Setting: that is where

✗ C. Style: that is how it looks

✗ D. Composition: that is framing

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-M-Q3 · question page 1495

AI.IMAGE.01 · Write an image request with subject, setting, style and composition

"Watercolor" describes which part?

**Answer: C.** Style

How it looks.

- ✗ A. Composition: not framing
- ✗ B. Setting: not where
- ✗ D. Subject: it is how it looks

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-M-Q4 · question page 1496

AI.IMAGE.01 · Write an image request with subject, setting, style and composition

"Puppy on the left, empty space on the right for a title" describes which part?

**Answer: D.** Composition

Framing and layout.

- ✗ A. Setting: not where
- ✗ B. Style: not how it is painted
- ✗ C. Subject: not what is shown

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-M-Q5 · question page 1497

AI.IMAGE.01 · Write an image request with subject, setting, style and composition

Why add "square poster for a school bake sale"?

**Answer: B.** So the result fits where it will be used

Purpose and shape.

- ✗ A. To make the image load faster: not the reason
- ✗ C. Because every request must name a school: no

✗ D. So the tool knows: not how it works

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-B1-Q1 · question page 1498

AI.IMAGE.01 · Compare an image request with ordering a custom cake

"A soccer ball" on the cake is like which part of an image request?

**Answer: A.** Subject

What is shown.

✗ B. Style: not the look
✗ C. Composition: not layout
✗ D. Setting: not the theme

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-B1-Q2 · question page 1499

AI.IMAGE.01 · Compare an image request with ordering a custom cake

"Bright and simple, not realistic" is like which part?

**Answer: D.** Style

How it looks.

✗ A. Composition: not layout
✗ B. Setting: not the theme
✗ C. Subject: not what is shown

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-B1-Q3 · question page 1500

AI.IMAGE.01 · Compare an image request with ordering a custom cake

"Ball in the middle, words along the bottom" is like which part?

**Answer: C.** Composition

Layout.

- ✗ A. Subject: not what
- ✗ B. Style: not the look
- ✗ D. Setting: not the theme

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-B1-Q4 · question page 1501

AI.IMAGE.01 · Compare an image request with ordering a custom cake

What happens if you only say "a cake"?

**Answer: D.** You get whatever the baker imagines

Vague requests, random results.

- ✗ A. You get exactly the cake you were picturing in your head, every detail included: not likely
- ✗ B. No cake is made: not stated
- ✗ C. The cake is free: no

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-B1-Q5 · question page 1502

AI.IMAGE.01 · Compare an image request with ordering a custom cake

Saying the size and occasion is like what in an image request?

**Answer: C.** Stating the purpose and shape

Fit for use.

- ✗ A. Picking a font: no

✗ B. Paying the baker: no

✗ D. Naming the exact brand of paint: not the comparison

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-F1-Q1 · question page 1503

AI.IMAGE.01 · Write useful image requests in practice

Which request is most useful for a library flyer?

**Answer: A.** "Flat cartoon of kids reading under a tree, wide view, space at top for a title, portrait page."

All four parts plus purpose.

✗ B. "Kids reading under a tree, in every possible style, any shape, with lots and lots of details.": no clear style or layout

✗ C. "Books.": too vague

✗ D. "Make a really nice picture about reading that people will like and that looks good on a flyer.": vague

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-F1-Q2 · question page 1504

AI.IMAGE.01 · Write useful image requests in practice

Lee asks for "a dragon" and gets a dark, scary image for a toddler book. What was missing?

**Answer: B.** Style and purpose

Say "friendly cartoon for a toddler book."

✗ A. Nothing; dragons are always drawn dark and scary, so no request could have changed it: style is choosable

✗ C. A longer file name: irrelevant

✗ D. The word "please": not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not

applicable. Sources: none (stable)

---

## S72-F1-Q3 · question page 1505

AI.IMAGE.01 · Write useful image requests in practice

Which detail adds the setting?

**Answer: C.** "On a busy city street at night"

Where and when.

- ✗ A. "In bright, flat colors with thick, bold black outlines around every shape": that is style
- ✗ B. "Close-up": composition
- ✗ D. "A smiling chef": subject

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-F1-Q4 · question page 1506

AI.IMAGE.01 · Write useful image requests in practice

A request for a banner gets a square image. What should have been added?

**Answer: D.** The shape, such as "wide banner"

State the shape.

- ✗ A. More colors: not shape
- ✗ B. A longer description of the main subject, so the tool understands the picture better: shape was missing
- ✗ C. A different subject: not the issue

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-F1-Q5 · question page 1507

AI.IMAGE.01 · Write useful image requests in practice

Which detail could be left out of a request for a simple class logo?

**Answer: B.** The color of a background cloud

Drop details that do not matter.

- ✗ A. The style: useful
- ✗ C. The shape: useful
- ✗ D. The main subject of the logo: needed

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-F2-Q1 · question page 1508

AI.IMAGE.01 · Avoid conflicting, ambiguous and unfair image requests

"A minimalist poster packed with decorations" has what problem?

**Answer: A.** Conflicting details

Minimalist and packed clash.

- ✗ B. It is too short: not the issue
- ✗ C. It names no colors: not the main issue
- ✗ D. No problem: they conflict

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-F2-Q2 · question page 1509

AI.IMAGE.01 · Avoid conflicting, ambiguous and unfair image requests

"A bat on a table" could confuse a tool. Why?

**Answer: D.** "Bat" has two meanings

Say "a baseball bat" or "a fruit bat."

- ✗ A. Because animals cannot be drawn: not true
- ✗ B. Because the request is too long: it is short
- ✗ C. Because tables can never appear: not true

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-F2-Q3 · question page 1510

AI.IMAGE.01 · Avoid conflicting, ambiguous and unfair image requests

Instead of naming a living artist as the style, what is a better approach?

**Answer: A.** Describe the qualities you want

Describe the look in your own words.

- ✗ B. Leave out style entirely: loses control
- ✗ C. Upload the artist's work and ask for a copy: worse
- ✗ D. Name several living artists at once so that no single artist is copied too closely: still uses names

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-F2-Q4 · question page 1511

AI.IMAGE.01 · Avoid conflicting, ambiguous and unfair image requests

Which request should never be made?

**Answer: B.** A realistic image of a real person doing something they did not do

This misleads and can harm.

- ✗ A. A cartoon of an invented robot character waving hello on a bright and sunny school playground: fine
- ✗ C. A watercolor of a lake: fine
- ✗ D. A diagram of a plant cell: fine

Arithmetic checked by code: not applicable. Code example run and its output checked: not applicable. Sources: none (stable)

---

## S72-F2-Q5 · question page 1512

AI.IMAGE.01 · Avoid conflicting, ambiguous and unfair image requests