

GRADE 5 COMMON CORE MATH

Answer Key

[Main](#) • [Backward Branches](#) • [Forward 1 \(Grade 6\)](#) • [Forward 2 \(Grade 7\)](#)

[57 question sets](#) • [1580 questions](#)

Page numbers match the Question Collection.

Every page shows its question ID (for example S40-F2-Q3).

CONTENTS

Set 1	5.OA.A.1	Evaluate expressions that use parentheses	6
Set 2	5.OA.A.1	Evaluate expressions with brackets and braces	43
Set 3	5.OA.A.1	Place grouping symbols to make an equation true	80
Set 4	5.OA.A.2	Write numerical expressions from words	117
Set 5	5.OA.A.2	Interpret numerical expressions without evaluating them	154
Set 6	5.OA.B.3	Generate two numerical patterns and compare their terms	191
Set 7	5.OA.B.3	Form ordered pairs from two patterns and graph them	222
Set 8	5.NBT.A.1	A digit is worth 10 times as much as the same digit one place to its right	259
Set 9	5.NBT.A.1	A digit is worth 1/10 of the same digit one place to its left	296
Set 10	5.NBT.A.2	Multiply and divide whole numbers by powers of 10; write powers of 10 with expon	333
Set 11	5.NBT.A.2	Place the decimal point when multiplying or dividing a decimal by a power of 10	364
Set 12	5.NBT.A.3.a	Read and write decimals to thousandths using numerals and words	395
Set 13	5.NBT.A.3.a	Write decimals to thousandths in expanded form	432
Set 14	5.NBT.A.3.b	Compare decimals to thousandths	463
Set 15	5.NBT.A.4	Round decimals to any place	494
Set 16	5.NBT.B.5	Multiply multi-digit whole numbers using the standard algorithm	525
Set 17	5.NBT.B.6	Divide with up to four-digit dividends and two-digit divisors	562

CONTENTS (continued)

Set 18	5.NBT.B.6	Explain division using area models and equations	599
Set 19	5.NBT.B.7	Add and subtract decimals to hundredths	636
Set 20	5.NBT.B.7	Multiply decimals to hundredths	673
Set 21	5.NBT.B.7	Divide decimals to hundredths	710
Set 22	5.NBT.B.7	Solve real-world problems with decimal operations	747
Set 23	5.NF.A.1	Add fractions with unlike denominators	778
Set 24	5.NF.A.1	Subtract fractions with unlike denominators	815
Set 25	5.NF.A.1	Add and subtract mixed numbers with unlike denominators	852
Set 26	5.NF.A.2	Solve word problems by adding and subtracting fractions	889
Set 27	5.NF.A.2	Use benchmark fractions to estimate and to check answers	926
Set 28	5.NF.B.3	Interpret a fraction as division of the numerator by the denominator	957
Set 29	5.NF.B.3	Solve sharing problems whose answers are fractions or mixed numbers	994
Set 30	5.NF.B.4.a	Multiply a fraction by a whole number	1025
Set 31	5.NF.B.4.a	Multiply a fraction by a fraction	1062
Set 32	5.NF.B.4.b	Find the area of a rectangle with fractional side lengths	1093
Set 33	5.NF.B.5.a	Compare the size of a product to the size of one factor without multiplying	1130
Set 34	5.NF.B.5.b	Explain the effect of multiplying by a fraction greater than, less than, or equal to 1	1161

CONTENTS (continued)

Set 35	5.NF.B.6	Solve real-world problems by multiplying fractions and mixed numbers	1192
Set 36	5.NF.B.6	Multiply mixed numbers	1229
Set 37	5.NF.B.7.a	Divide a unit fraction by a whole number	1266
Set 38	5.NF.B.7.b	Divide a whole number by a unit fraction	1303
Set 39	5.NF.B.7.c	Solve word problems that divide unit fractions and whole numbers	1334
Set 40	5.MD.A.1	Convert from a larger unit to a smaller unit	1365
Set 41	5.MD.A.1	Convert from a smaller unit to a larger unit	1402
Set 42	5.MD.A.1	Solve multistep problems that involve converting units	1439
Set 43	5.MD.B.2	Make a line plot of measurements in fractions of a unit	1470
Set 44	5.MD.B.2	Use operations on fractions to solve problems with line plot data	1507
Set 45	5.MD.C.3.a	Understand a unit cube and a cubic unit of volume	1544
Set 46	5.MD.C.3.b	A solid packed with n unit cubes has a volume of n cubic units	1575
Set 47	5.MD.C.4	Measure volume by counting unit cubes	1606
Set 48	5.MD.C.5.a	Relate packing with unit cubes to the formulas $V = l \times w \times h$ and $V = b \times h$	1637
Set 49	5.MD.C.5.b	Apply $V = l \times w \times h$ and $V = b \times h$ to solve real-world problems	1668
Set 50	5.MD.C.5.b	Find a missing dimension when the volume is known	1699
Set 51	5.MD.C.5.c	Find the volume of a figure made of two rectangular prisms	1730

CONTENTS (continued)

Set 52	5.G.A.1	Understand the coordinate plane: axes, origin, and coordinates	1761
Set 53	5.G.A.2	Graph points in the first quadrant	1792
Set 54	5.G.A.2	Solve real-world problems by graphing points and interpreting coordinates	1823
Set 55	5.G.B.3	Attributes of a category belong to all of its subcategories	1854
Set 56	5.G.B.4	Classify quadrilaterals in a hierarchy based on their properties	1891
Set 57	5.G.B.4	Classify triangles by their sides and angles	1922

Evaluate expressions that use parentheses

MAIN	Grade 5 main question	5.OA.A.1
BACKWARD 1	Do the work in parentheses first	3.OA.D.8
BACKWARD 2	Multiplication and division facts	3.OA.C.7
BACKWARD 3	Adding and subtracting multi-digit numbers	4.NBT.B.4
FORWARD 1	Evaluate expressions with variables	6.EE.A.2.c
FORWARD 2	Evaluate expressions with negative numbers	7.NS.A.3

SET 1 • 5.OA.A.1

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1

Evaluate.

$$6 \times (8 + 5)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q1/5

8

QUESTION ID

S1-M-Q1

TYPE

Short answer

CORRECT ANSWER

78

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q1/5

Evaluate.

$$(35 - 11) \div 4$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q2/5

9

QUESTION ID

S1-M-Q2

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q2/5

Evaluate.

$$50 - (6 \times 7)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q3/5

10

QUESTION ID

S1-M-Q3

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q3/5

Evaluate.

$$3 + (24 \div 6) \times 5$$

- A.** 35
- B.** 135
- C.** 27
- D.** 23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q4/5

11

QUESTION ID

S1-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q4/5

Evaluate.

$$(9 + 3) \times (10 - 4)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q5/5

12

QUESTION ID

S1-M-Q5

TYPE

Short answer

CORRECT ANSWER

72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q5/5

SET 1 • 5.OA.A.1

BACKWARD 1

Do the work in parentheses first • Grade 3 • Operations & Algebraic Thinking •
3.OA.D.8

True or false?

In $4 \times (2 + 5)$, you add $2 + 5$ first.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q1/5

14

QUESTION ID

S1-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q1/5

Evaluate.

$$(6 + 4) \times 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q2/5

15

QUESTION ID

S1-B1-Q2

TYPE

Short answer

CORRECT ANSWER

20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q2/5

Which step comes first in $18 - (3 \times 4)$?

- A.** Subtract $18 - 4$
- B.** Multiply 3×4
- C.** Subtract $18 - 3$
- D.** Add $3 + 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q3/5

16

QUESTION ID

S1-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. Multiply 3×4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q3/5

Evaluate.

$$20 - (5 + 5)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q4/5

17

QUESTION ID

S1-B1-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q4/5

True or false?

$$(10 - 4) + 3 = 10 - 7$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q5/5

18

QUESTION ID

S1-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q5/5

SET 1 • 5.OA.A.1

BACKWARD 2

Multiplication and division facts • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$7 \times 8$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q1/5

20

QUESTION ID

S1-B2-Q1

TYPE

Short answer

CORRECT ANSWER

56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q1/5

Divide.

$$24 \div 6$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q2/5

21

QUESTION ID

S1-B2-Q2

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q2/5

True or false?

$$9 \times 7 = 56$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q3/5

22

QUESTION ID

S1-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q3/5

$$48 \div 8 = ?$$

- A.** 8
- B.** 5
- C.** 7
- D.** 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q4/5

23

QUESTION ID

S1-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$3 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q5/5

24

QUESTION ID

S1-B2-Q5

TYPE

Short answer

CORRECT ANSWER

27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q5/5

SET 1 • 5.OA.A.1

BACKWARD 3

Adding and subtracting multi-digit numbers • Grade 4 • Number & Operations
in Base Ten • 4.NBT.B.4

Add.

$$348 + 275$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q1/5

26

QUESTION ID

S1-B3-Q1

TYPE

Short answer

CORRECT ANSWER

623

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$502 - 168$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q2/5

27

QUESTION ID

S1-B3-Q2

TYPE

Short answer

CORRECT ANSWER

334

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q2/5

True or false?

$$1,250 - 375 = 985$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q3/5

28

QUESTION ID

S1-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q3/5

$$609 + 194 = ?$$

- A.** 793
- B.** 703
- C.** 813
- D.** 803

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q4/5

29

QUESTION ID

S1-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 803

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$1,000 - 432$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q5/5

30

QUESTION ID

S1-B3-Q5

TYPE

Short answer

CORRECT ANSWER

568

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q5/5

SET 1 • 5.OA.A.1

FORWARD 1

Evaluate expressions with variables • Grade 6 • Expressions & Equations •
6.EE.A.2.c

Evaluate $4(x + 3)$ when $x = 5$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q1/5

32

QUESTION ID

S1-F1-Q1

TYPE

Short answer

CORRECT ANSWER

32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q1/5

Evaluate $20 - 2y$ when $y = 6$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q2/5

33

QUESTION ID

S1-F1-Q2

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q2/5

Evaluate $(a + b) \div 3$ when $a = 10$ and $b = 8$.

- A. 4
- B. 9
- C. 54
- D. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q3/5

34

QUESTION ID

S1-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q3/5

Evaluate $3m + 2$ when $m = 7$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q4/5

35

QUESTION ID

S1-F1-Q4

TYPE

Short answer

CORRECT ANSWER

23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q4/5

True or false?

When $n = 4$, the value of $5(n - 1)$ is 19.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q5/5

36

QUESTION ID

S1-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q5/5

SET 1 • 5.OA.A.1

FORWARD 2

Evaluate expressions with negative numbers • Grade 7 • The Number System •
7.NS.A.3

Find the value.

$$-3 \times (4 - 9)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q1/5

38

QUESTION ID

S1-F2-Q1

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q1/5

Find the value.

$$(-12 + 4) \div 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q2/5

39

QUESTION ID

S1-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q2/5

Find the value.

$$6 - (2 - 10)$$

- A.** -2
- B.** 2
- C.** 14
- D.** 18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q3/5

40

QUESTION ID

S1-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q3/5

Find the value.

$$(-5) \times (-2) + (-7)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q4/5

41

QUESTION ID

S1-F2-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q4/5

True or false?

$$(-20) \div (3 + 2) = 4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q5/5

42

QUESTION ID

S1-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q5/5

Evaluate expressions with brackets and braces

MAIN	Grade 5 main question	5.OA.A.1
BACKWARD 1	Do the work in parentheses first	3.OA.D.8
BACKWARD 2	Multiplication and division facts	3.OA.C.7
BACKWARD 3	Adding and subtracting within 100	2.NBT.B.5
FORWARD 1	Evaluate expressions with whole-number exponents	6.EE.A.1
FORWARD 2	Grouping symbols with negative numbers	7.NS.A.3

SET 2 • 5.OA.A.1

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1

Evaluate.

$$2 \times [5 + (3 \times 4)]$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q1/5

45

QUESTION ID

S2-M-Q1

TYPE

Short answer

CORRECT ANSWER

34

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q1/5

Evaluate.

$$[20 - (2 + 6)] \div 3$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q2/5

46

QUESTION ID

S2-M-Q2

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q2/5

Evaluate.

$$4 \times \{3 + [10 - (2 \times 4)]\}$$

- A.** 36
- B.** 20
- C.** 44
- D.** 26

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q3/5

47

QUESTION ID

S2-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q3/5

Evaluate.

$$60 \div [3 \times (7 - 5)]$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q4/5

48

QUESTION ID

S2-M-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q4/5

Evaluate.

$$\{18 - [2 \times (4 + 1)]\} + 9$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q5/5

49

QUESTION ID

S2-M-Q5

TYPE

Short answer

CORRECT ANSWER

17

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q5/5

SET 2 • 5.OA.A.1

BACKWARD 1

Do the work in parentheses first • Grade 3 • Operations & Algebraic Thinking •
3.OA.D.8

Evaluate.

$$(12 - 5) \times 3$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q1/5

51

QUESTION ID

S2-B1-Q1

TYPE

Short answer

CORRECT ANSWER

21

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q1/5

True or false?

In $(8 + 2) \div 5$, you divide $2 \div 5$ first.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q2/5

52

QUESTION ID

S2-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q2/5

Evaluate.

$$4 \times (9 - 6)$$

- A.** 33
- B.** 10
- C.** 30
- D.** 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q3/5

53

QUESTION ID

S2-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q3/5

Evaluate.

$$30 \div (2 + 4)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q4/5

54

QUESTION ID

S2-B1-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q4/5

True or false?

$$(3 + 5) \times 2 = 16$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q5/5

55

QUESTION ID

S2-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q5/5

SET 2 • 5.OA.A.1

BACKWARD 2

Multiplication and division facts • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

Multiply.

$$8 \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q1/5

57

QUESTION ID

S2-B2-Q1

TYPE

Short answer

CORRECT ANSWER

48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q1/5

Divide.

$$56 \div 7$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q2/5

58

QUESTION ID

S2-B2-Q2

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q2/5

True or false?

$$36 \div 4 = 8$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q3/5

59

QUESTION ID

S2-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q3/5

$$7 \times 9 = ?$$

- A.** 63
- B.** 56
- C.** 72
- D.** 49

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q4/5

60

QUESTION ID

S2-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. 63

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q4/5

Divide.

$$81 \div 9$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q5/5

61

QUESTION ID

S2-B2-Q5

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q5/5

SET 2 • 5.OA.A.1

BACKWARD 3

Adding and subtracting within 100 • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$46 + 37$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q1/5

63

QUESTION ID

S2-B3-Q1

TYPE

Short answer

CORRECT ANSWER

83

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q1/5

63

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$72 - 28$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q2/5

64

QUESTION ID

S2-B3-Q2

TYPE

Short answer

CORRECT ANSWER

44

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q2/5

True or false?

$$55 + 29 = 74$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q3/5

65

QUESTION ID

S2-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q3/5

$$90 - 47 = ?$$

- A.** 47
- B.** 43
- C.** 53
- D.** 33

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q4/5

66

QUESTION ID

S2-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 43

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$38 + 54$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q5/5

67

QUESTION ID

S2-B3-Q5

TYPE

Short answer

CORRECT ANSWER

92

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q5/5

67

SET 2 • 5.OA.A.1

FORWARD 1

Evaluate expressions with whole-number exponents • Grade 6 • Expressions & Equations • 6.EE.A.1

Evaluate.

$$2 \times (3 + 1)^2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q1/5

69

QUESTION ID

S2-F1-Q1

TYPE

Short answer

CORRECT ANSWER

32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q1/5

Evaluate.

$$[10 - 2^3] \times 5$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q2/5

70

QUESTION ID

S2-F1-Q2

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q2/5

Evaluate.

$$4^2 - (6 + 2)$$

- A.** 8
- B.** 2
- C.** 0
- D.** 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q3/5

71

QUESTION ID

S2-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q3/5

Evaluate.

$$(5^2 - 1) \div 6$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q4/5

72

QUESTION ID

S2-F1-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q4/5

True or false?

$$3 \times 2^2 = 36$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q5/5

73

QUESTION ID

S2-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q5/5

SET 2 • 5.OA.A.1

FORWARD 2

Grouping symbols with negative numbers • Grade 7 • The Number System •
7.NS.A.3

Find the value.

$$2 \times [-3 + (8 \div (-4))]$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q1/5

75

QUESTION ID

S2-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q1/5

Find the value.

$$[(-6) + 15] \div (-3)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q2/5

76

QUESTION ID

S2-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q2/5

Find the value.

$$-4 \times [5 - (-1)]$$

- A.** 16
- B.** -16
- C.** -24
- D.** 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q3/5

77

QUESTION ID

S2-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. -24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q3/5

Find the value.

$$\{10 - [2 \times (-3)]\} \div 4$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q4/5

78

QUESTION ID

S2-F2-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q4/5

True or false?

$$[-8 - (-2)] \times 3 = -30$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q5/5

79

QUESTION ID

S2-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q5/5

Place grouping symbols to make an equation true

MAIN	Grade 5 main question	5.OA.A.1
BACKWARD 1	Do the work in parentheses first	3.OA.D.8
BACKWARD 2	When regrouping keeps the same value	3.OA.B.5
BACKWARD 3	Multiplication and division facts	3.OA.C.7
FORWARD 1	Use parentheses to write equivalent expressions	6.EE.A.3
FORWARD 2	Expand and factor expressions with rational coefficients	7.EE.A.1

SET 3 • 5.OA.A.1

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1

Insert parentheses to make the equation true.

$$4 + 6 \times 3 = 30$$

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q1/5

82

QUESTION ID

S3-M-Q1

TYPE

Short answer

CORRECT ANSWER

$$(4 + 6) \times 3 = 30$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q1/5

Insert parentheses to make the equation true.

$$20 - 8 - 2 = 14$$

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q2/5

83

QUESTION ID

S3-M-Q2

TYPE

Short answer

CORRECT ANSWER

$$20 - (8 - 2) = 14$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q2/5

Which placement of parentheses makes the equation true?

$$2 \times 5 + 3 \times 4 = 52$$

A. $2 \times (5 + 3) \times 4 = 52$ **B.** $(2 \times 5 + 3) \times 4 = 52$

C. $2 \times (5 + 3 \times 4) = 52$ **D.** $2 \times 5 + (3 \times 4) = 52$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q3/5

84

QUESTION ID

S3-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B.

$$(2 \times 5 + 3) \times 4 = 52$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q3/5

Insert parentheses to make the equation true.

$$36 \div 6 - 2 = 9$$

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q4/5

85

QUESTION ID

S3-M-Q4

TYPE

Short answer

CORRECT ANSWER

$$36 \div (6 - 2) = 9$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q4/5

Insert brackets and parentheses to make the equation true.

$$2 \times 9 - 3 + 1 = 10$$

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q5/5

86

QUESTION ID

S3-M-Q5

TYPE

Short answer

CORRECT ANSWER

$$2 \times [9 - (3 + 1)] = 10$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q5/5

SET 3 • 5.OA.A.1

BACKWARD 1

Do the work in parentheses first • Grade 3 • Operations & Algebraic Thinking •
3.OA.D.8

Evaluate.

$$(4 + 6) \times 3$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q1/5

88

QUESTION ID

S3-B1-Q1

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q1/5

Evaluate.

$$4 + (6 \times 3)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q2/5

89

QUESTION ID

S3-B1-Q2

TYPE

Short answer

CORRECT ANSWER

22

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q2/5

True or false?

$$(20 - 8) - 2 = 20 - (8 - 2)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q3/5

90

QUESTION ID

S3-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q3/5

Evaluate.

$$36 \div (6 - 2)$$

- A.** 4
- B.** 34
- C.** 9
- D.** 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q4/5

91

QUESTION ID

S3-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q4/5

Evaluate.

$$(36 \div 6) - 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q5/5

92

QUESTION ID

S3-B1-Q5

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q5/5

SET 3 • 5.OA.A.1

BACKWARD 2

When regrouping keeps the same value • Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5

True or false?

$$(2 \times 3) \times 4 = 2 \times (3 \times 4)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q1/5

94

QUESTION ID

S3-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q1/5

True or false?

$$(12 \div 6) \div 2 = 12 \div (6 \div 2)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q2/5

95

QUESTION ID

S3-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q2/5

Which equation is true?

- A. $(5 + 2) + 3 = 5 + (2 + 3)$
- B. $(9 - 4) - 1 = 9 - (4 - 1)$
- C. $(16 \div 4) \div 2 = 16 \div (4 \div 2)$
- D. $(7 - 3) - 2 = 7 - (3 - 2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q3/5

96

QUESTION ID

S3-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A.

$(5 + 2) + 3 = 5 + (2 + 3)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q3/5

True or false?

$$4 \times (5 \times 2) = (4 \times 5) \times 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q4/5

97

QUESTION ID

S3-B2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q4/5

Fill in the blank.

$$(6 \times 2) \times 5 = 6 \times (2 \times \underline{\quad})$$

Blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q5/5

98

QUESTION ID

S3-B2-Q5

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q5/5

SET 3 • 5.OA.A.1

BACKWARD 3

Multiplication and division facts • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$9 \times 4$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q1/5

100

QUESTION ID

S3-B3-Q1

TYPE

Short answer

CORRECT ANSWER

36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q1/5

Divide.

$$42 \div 6$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q2/5

101

QUESTION ID

S3-B3-Q2

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q2/5

True or false?

$$8 \times 7 = 54$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q3/5

102

QUESTION ID

S3-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q3/5

$$64 \div 8 = ?$$

- A.** 6
- B.** 7
- C.** 8
- D.** 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q4/5

103

QUESTION ID

S3-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$6 \times 7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q5/5

104

QUESTION ID

S3-B3-Q5

TYPE

Short answer

CORRECT ANSWER

42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q5/5

104

SET 3 • 5.OA.A.1

FORWARD 1

Use parentheses to write equivalent expressions • Grade 6 • Expressions & Equations • 6.EE.A.3

Expand.

$$3(x + 5)$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q1/5

106

QUESTION ID

S3-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$3x + 15$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q1/5

Expand.

$$4(2y - 1)$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q2/5

107

QUESTION ID

S3-F1-Q2

TYPE

Short answer

CORRECT ANSWER

$8y - 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q2/5

Which expression is equivalent to $6(a + 2)$?

- A. $6a + 2$
- B. $a + 12$
- C. $6a + 12$
- D. $8a$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q3/5

108

QUESTION ID

S3-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $6a + 12$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Factor.

$$5m + 20$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q4/5

109

QUESTION ID

S3-F1-Q4

TYPE

Short answer

CORRECT ANSWER

5(m + 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q4/5

109

True or false?

$$2(x + 7) = 2x + 7$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q5/5

110

QUESTION ID

S3-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q5/5

SET 3 • 5.OA.A.1

FORWARD 2

Expand and factor expressions with rational coefficients • Grade 7 •
Expressions & Equations • 7.EE.A.1

ANSWER KEY

Reduced copy of the question page, with its answer

Expand.

$$-2(3x - 4)$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q1/5

112

QUESTION ID

S3-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$$-6x + 8$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q1/5

112

Expand.

$$\frac{1}{2}(6y + 10)$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q2/5

113

QUESTION ID

S3-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$3y + 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q2/5

Which expression is equivalent to $-5(n + 2)$?

- A. $-5n + 2$
- B. $-5n - 10$
- C. $-5n + 10$
- D. $5n - 10$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q3/5

114

QUESTION ID

S3-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $-5n - 10$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q3/5

Factor out 3.

$$3x - 12$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q4/5

115

QUESTION ID

S3-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$3(x - 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q4/5

True or false?

$$0.5(4a - 8) = 2a - 8$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q5/5

116

QUESTION ID

S3-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q5/5

Write numerical expressions from words

MAIN	Grade 5 main question	5.OA.A.2
BACKWARD 1	Products as equal groups	3.OA.A.1
BACKWARD 2	Quotients as equal shares	3.OA.A.2
BACKWARD 3	Sums and differences	2.OA.A.1
FORWARD 1	Write expressions with variables	6.EE.A.2.a
FORWARD 2	Write and solve equations from words	7.EE.B.4.a

SET 4 • 5.OA.A.2

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2

Write an expression for "add 9 and 6, then multiply by 4."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q1/5

119

QUESTION ID

S4-M-Q1

TYPE

Short answer

CORRECT ANSWER

$(9 + 6) \times 4$

GRADING NOTE $4 \times (9 + 6)$ is also correct. Parentheses are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q1/5

Write an expression for "subtract 5 from 30, then divide by 5."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q2/5

120

QUESTION ID

S4-M-Q2

TYPE

Short answer

CORRECT ANSWER

$(30 - 5) \div 5$

GRADING NOTE Parentheses are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q2/5

Which expression shows "triple the sum of 12 and 8"?

- A. $12 + 8 \times 3$
- B. $3 \times 12 + 8$
- C. $3 \times (12 + 8)$
- D. $(3 + 12) \times 8$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q3/5

121

QUESTION ID

S4-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $3 \times (12 + 8)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q3/5

Write an expression for "divide 40 by 8, then add 7."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q4/5

122

QUESTION ID

S4-M-Q4

TYPE

Short answer

CORRECT ANSWER

$(40 \div 8) + 7$

GRADING NOTE $40 \div 8 + 7$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q4/5

Write an expression for "the product of 6 and the difference of 15 and 9."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q5/5

123

QUESTION ID

S4-M-Q5

TYPE

Short answer

CORRECT ANSWER

$6 \times (15 - 9)$

GRADING NOTE $(15 - 9) \times 6$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q5/5

SET 4 • 5.OA.A.2

BACKWARD 1

Products as equal groups • Grade 3 • Operations & Algebraic Thinking •
3.OA.A.1

True or false?

5×7 can mean 5 groups of 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q1/5

125

QUESTION ID

S4-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q1/5

Which expression shows 4 groups of 6?

- A. 46
- B. $6 - 4$
- C. $4 + 6$
- D. 4×6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q2/5

126

QUESTION ID

S4-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 4×6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q2/5

Write a multiplication expression for 8 groups of 3.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q3/5

127

QUESTION ID

S4-B1-Q3

TYPE

Short answer

CORRECT ANSWER

8 × 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q3/5

True or false?

$$3 + 3 + 3 + 3 = 3 \times 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q4/5

128

QUESTION ID

S4-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q4/5

What is the product of 7 and 5?

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q5/5

129

QUESTION ID

S4-B1-Q5

TYPE

Short answer

CORRECT ANSWER

35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q5/5

SET 4 • 5.OA.A.2

BACKWARD 2

Quotients as equal shares • Grade 3 • Operations & Algebraic Thinking •
3.OA.A.2

True or false?

15 ÷ 3 can mean 15 shared equally into 3 groups.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q1/5

131

QUESTION ID

S4-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q1/5

Which expression shows 20 apples shared equally among 4 bags?

- A. 20×4
- B. $4 \div 20$
- C. $20 \div 4$
- D. $20 - 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q2/5

132

QUESTION ID

S4-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. $20 \div 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q2/5

What is the quotient of 18 and 6?

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q3/5

133

QUESTION ID

S4-B2-Q3

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q3/5

Write a division expression for 32 split into groups of 8.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q4/5

134

QUESTION ID

S4-B2-Q4

TYPE

Short answer

CORRECT ANSWER

32 ÷ 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q4/5

True or false?

The quotient of 12 and 2 is 24.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q5/5

135

QUESTION ID

S4-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q5/5

SET 4 • 5.OA.A.2

BACKWARD 3

Sums and differences • Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1

What is the sum of 14 and 9?

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q1/5

137

QUESTION ID

S4-B3-Q1

TYPE

Short answer

CORRECT ANSWER

23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q1/5

What is the difference of 20 and 7?

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q2/5

138

QUESTION ID

S4-B3-Q2

TYPE

Short answer

CORRECT ANSWER

13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q2/5

True or false?

The difference of 15 and 6 is 21.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q3/5

139

QUESTION ID

S4-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q3/5

Which word names the answer to an addition problem?

- A.** Difference
- B.** Quotient
- C.** Product
- D.** Sum

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q4/5

140

QUESTION ID

S4-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. Sum

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q4/5

Write an expression for "7 more than 25."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q5/5

141

QUESTION ID

S4-B3-Q5

TYPE

Short answer

CORRECT ANSWER

25 + 7

GRADING NOTE 7 + 25 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q5/5

SET 4 • 5.OA.A.2

FORWARD 1

Write expressions with variables • Grade 6 • Expressions & Equations •
6.EE.A.2.a

Write an expression for "the sum of n and 8, times 3."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q1/5

143

QUESTION ID

S4-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$3(n + 8)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q1/5

Write an expression for "y divided by 5, then minus 2."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q2/5

144

QUESTION ID

S4-F1-Q2

TYPE

Short answer

CORRECT ANSWER

$y \div 5 - 2$

GRADING NOTE $y/5 - 2$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q2/5

Which expression means "4 less than the product of 2 and x "?

- A. $4 - 2x$
- B. $2x - 4$
- C. $2(x - 4)$
- D. $2 + x - 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q3/5

145

QUESTION ID

S4-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $2x - 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q3/5

Write an expression for "twice the difference of m and 6."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q4/5

146

QUESTION ID

S4-F1-Q4

TYPE

Short answer

CORRECT ANSWER

$2(m - 6)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q4/5

True or false?

"9 more than k " can be written as $k + 9$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q5/5

147

QUESTION ID

S4-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q5/5

SET 4 • 5.OA.A.2

FORWARD 2

Write and solve equations from words • Grade 7 • Expressions & Equations •
7.EE.B.4.a

Three times the sum of a number and 4 is 27.
Write and solve an equation to find the number.

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q1/5

149

QUESTION ID

S4-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$3(n + 4) = 27; n = 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q1/5

Half of a number, minus 6, is 10.

Write and solve an equation to find the number.

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q2/5

150

QUESTION ID

S4-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$$(1/2)n - 6 = 10;$$
$$n = 32$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q2/5

Which equation represents "2 less than 5 times a number is 33"?

- A. $5n + 2 = 33$
- B. $5n - 2 = 33$
- C. $2 - 5n = 33$
- D. $5(n - 2) = 33$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q3/5

151

QUESTION ID

S4-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $5n - 2 = 33$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q3/5

A number divided by 4, plus 3, is 9.

Write and solve an equation to find the number.

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q4/5

152

QUESTION ID

S4-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$$n \div 4 + 3 = 9; n = 24$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q4/5

True or false?

The solution of $2(x + 3) = 18$ is $x = 7$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q5/5

153

QUESTION ID

S4-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q5/5

Interpret numerical expressions without evaluating them

MAIN	Grade 5 main question	5.OA.A.2
BACKWARD 1	Multiplicative comparison	4.OA.A.1
BACKWARD 2	Groups of a sum	3.OA.A.1
BACKWARD 3	Equal shares	3.OA.A.2
FORWARD 1	Identify parts of an expression	6.EE.A.2.b
FORWARD 2	Rewrite expressions to show how quantities are related	7.EE.A.2

SET 5 • 5.OA.A.2

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2

How does $4 \times (563 + 218)$ compare to $563 + 218$?

- A. It is 4 more.
- B. It is 4 times as large.
- C. It is 4 less.
- D. It is one-fourth as large.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q1/5

156

QUESTION ID

S5-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. It is 4 times as large.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q1/5

True or false?

$(7,215 - 1,005) \div 5$ is one-fifth as large as $7,215 - 1,005$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q2/5

157

QUESTION ID

S5-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q2/5

Without calculating, how many times as large is
 $9 \times (48 + 27)$ as $48 + 27$?

Times as large: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q3/5

158

QUESTION ID

S5-M-Q3

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q3/5

Which expression is twice as large as 356×12 ?

- A. $(356 + 2) \times 12$
- B. $356 \times 12 + 2$
- C. 356×14
- D. $2 \times (356 \times 12)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q4/5

159

QUESTION ID

S5-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. $2 \times (356 \times 12)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q4/5

True or false?

$6 \times 25 + 4$ is 6 times as large as $25 + 4$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q5/5

160

QUESTION ID

S5-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q5/5

SET 5 • 5.OA.A.2

BACKWARD 1

Multiplicative comparison • Grade 4 • Operations & Algebraic Thinking •
4.OA.A.1

True or false?

35 is 5 times as many as 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q1/5

162

QUESTION ID

S5-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q1/5

Fill in the blank.

48 is ____ times as many as 6.

Blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q2/5

163

QUESTION ID

S5-B1-Q2

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q2/5

Which equation shows "36 is 4 times as many as 9"?

- A. $9 = 4 \times 36$
- B. $36 = 4 + 9$
- C. $36 - 9 = 4$
- D. $36 = 4 \times 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q3/5

164

QUESTION ID

S5-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $36 = 4 \times 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q3/5

True or false?

30 is 3 times as many as 27.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q4/5

165

QUESTION ID

S5-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q4/5

Tom has 6 cards. Ana has 3 times as many cards.

How many cards does Ana have?

Cards: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q5/5

166

QUESTION ID

S5-B1-Q5

TYPE

Short answer

CORRECT ANSWER

18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q5/5

SET 5 • 5.OA.A.2

BACKWARD 2

Groups of a sum • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1

True or false?

$3 \times (4 + 1)$ means 3 groups of $(4 + 1)$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q1/5

168

QUESTION ID

S5-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q1/5

Which expression means 6 groups of $(10 + 2)$?

- A. $6 \times (10 + 2)$
- B. $(6 + 10) \times 2$
- C. $6 \times 10 + 2$
- D. $6 + (10 + 2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q2/5

169

QUESTION ID

S5-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. $6 \times (10 + 2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q2/5

How many groups of $(5 + 4)$ are in $7 \times (5 + 4)$?

Groups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q3/5

170

QUESTION ID

S5-B2-Q3

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q3/5

True or false?

$$2 \times (8 + 1) = (8 + 1) + 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q4/5

171

QUESTION ID

S5-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q4/5

Write 4 groups of 9 as a multiplication expression.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q5/5

172

QUESTION ID

S5-B2-Q5

TYPE

Short answer

CORRECT ANSWER

4 × 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q5/5

SET 5 • 5.OA.A.2

BACKWARD 3

Equal shares • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2

True or false?

12 shared equally among 3 people is 4 each.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q1/5

174

QUESTION ID

S5-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q1/5

A 20-inch ribbon is cut into 5 equal pieces.

How long is each piece?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q2/5

175

QUESTION ID

S5-B3-Q2

TYPE

Short answer

CORRECT ANSWER

4 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q2/5

Which expression finds one of 4 equal shares of 28?

- A. $28 - 4$
- B. $28 \div 4$
- C. 28×4
- D. $4 \div 28$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q3/5

176

QUESTION ID

S5-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $28 \div 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q3/5

True or false?

Dividing a number by 2 splits it into 2 equal shares.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q4/5

177

QUESTION ID

S5-B3-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q4/5

30 crayons are shared equally among 6 children.

How many crayons does each child get?

Crayons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q5/5

178

QUESTION ID

S5-B3-Q5

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q5/5

SET 5 • 5.OA.A.2

FORWARD 1

Identify parts of an expression • Grade 6 • Expressions & Equations •
6.EE.A.2.b

In $5(x + 2)$, what is 5?

- A.** A term of $x + 2$
- B.** A quotient
- C.** A sum
- D.** A factor

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q1/5

180

QUESTION ID

S5-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

D. A factor

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q1/5

How many terms are in $4a + 7b - 1$?

Terms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q2/5

181

QUESTION ID

S5-F1-Q2

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q2/5

What is the coefficient of m in $9m + 4$?

Coefficient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q3/5

182

QUESTION ID

S5-F1-Q3

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q3/5

True or false?

In $3(y + 6)$, the quantity $(y + 6)$ is a sum of two terms.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q4/5

183

QUESTION ID

S5-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q4/5

What is the expression $12 \div (n + 1)$ called?

- A.** A coefficient
- B.** A quotient
- C.** A sum
- D.** A product

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q5/5

184

QUESTION ID

S5-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

B. A quotient

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q5/5

SET 5 • 5.OA.A.2

FORWARD 2

Rewrite expressions to show how quantities are related • Grade 7 •
Expressions & Equations • 7.EE.A.2

A price p is increased by 5%.

Which expression shows the new price?

- A. $0.05p$
- B. $1.05p$
- C. $5p$
- D. $p + 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q1/5

186

QUESTION ID

S5-F2-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. $1.05p$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q1/5

True or false?

$$x + 0.3x = 0.4x$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q2/5

187

QUESTION ID

S5-F2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q2/5

Write $n - 0.4n$ as one term.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q3/5

188

QUESTION ID

S5-F2-Q3

TYPE

Short answer

CORRECT ANSWER

0.6n

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q3/5

Which expression is equivalent to $2(3t)$?

- A. $5t$
- B. $2t + 3t$
- C. $6t$
- D. $3t + 2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q4/5

189

QUESTION ID

S5-F2-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. $6t$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q4/5

A sale price is $0.75p$, where p is the original price.

What percent of the original price is taken off?

Percent: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q5/5

190

QUESTION ID

S5-F2-Q5

TYPE

Short answer

CORRECT ANSWER

25%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q5/5

Generate two numerical patterns and compare their terms

MAIN	Grade 5 main question	5.OA.B.3
BACKWARD 1	Patterns that follow a rule	4.OA.C.5
BACKWARD 2	Multiplication facts	3.OA.C.7
FORWARD 1	Equations relating dependent and independent variables	6.EE.C.9
FORWARD 2	Equations for proportional relationships	7.RP.A.2.c

SET 6 • 5.OA.B.3

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3

Pattern A starts at 0 and adds 3.

Pattern B starts at 0 and adds 6.

Write the first 5 terms of each pattern.

Pattern A: _____

Pattern B: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q1/5

193

QUESTION ID

S6-M-Q1

TYPE

Short answer

CORRECT ANSWER

Pattern A: 0, 3, 6, 9, 12; Pattern B: 0, 6, 12, 18, 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q1/5

Pattern A: 0, 4, 8, 12, 16

Pattern B: 0, 12, 24, 36, 48

How does each term in Pattern B compare to the matching term in Pattern A?

- A.** 8 more **B.** 12 more
C. 4 times as large **D.** 3 times as large

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q2/5

194

QUESTION ID

S6-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 3 times as large

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q2/5

Pattern A starts at 0 and adds 5. Pattern B starts at 0 and adds 10.

What is the 6th term of each pattern?

Pattern A: _____

Pattern B: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q3/5

195

QUESTION ID

S6-M-Q3

TYPE

Short answer

CORRECT ANSWER

**Pattern A: 25;
Pattern B: 50**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q3/5

True or false?

Pattern A starts at 0 and adds 2. Pattern B starts at 0 and adds 8. Each term in Pattern B is 4 times the matching term in Pattern A.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q4/5

196

QUESTION ID

S6-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q4/5

Pattern A starts at 0 and adds 7. Pattern B starts at 0 and adds 21.

When Pattern A is 28, what is the matching term in Pattern B?

Term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q5/5

197

QUESTION ID

S6-M-Q5

TYPE

Short answer

CORRECT ANSWER

84

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q5/5

SET 6 • 5.OA.B.3

BACKWARD 1

Patterns that follow a rule • Grade 4 • Operations & Algebraic Thinking •
4.OA.C.5

The rule is "add 6." The pattern starts at 0.

Write the first five terms.

Terms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q1/5

199

QUESTION ID

S6-B1-Q1

TYPE

Short answer

CORRECT ANSWER

0, 6, 12, 18, 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q1/5

True or false?

The rule "add 4," starting at 0, gives 0, 4, 8, 16.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q2/5

200

QUESTION ID

S6-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q2/5

What is the rule for the pattern?

0, 9, 18, 27, 36

- A. Add 9
- B. Add 18
- C. Multiply by 9
- D. Add 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q3/5

201

QUESTION ID

S6-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. Add 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q3/5

The rule is "add 11." The pattern starts at 0.

What is the 4th term?

Term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q4/5

202

QUESTION ID

S6-B1-Q4

TYPE

Short answer

CORRECT ANSWER

33

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q4/5

What comes next?

0, 15, 30, 45, ____

Next term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q5/5

203

QUESTION ID

S6-B1-Q5

TYPE

Short answer

CORRECT ANSWER

60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q5/5

SET 6 • 5.OA.B.3

BACKWARD 2

Multiplication facts • Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7

Multiply.

$$4 \times 7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q1/5

205

QUESTION ID

S6-B2-Q1

TYPE

Short answer

CORRECT ANSWER

28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q1/5

True or false?

$$6 \times 8 = 42$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q2/5

206

QUESTION ID

S6-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q2/5

What number times 3 equals 24?

- A.** 8
- B.** 7
- C.** 21
- D.** 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q3/5

207

QUESTION ID

S6-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$5 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q4/5

208

QUESTION ID

S6-B2-Q4

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q4/5

What number times 6 equals 42?

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q5/5

209

QUESTION ID

S6-B2-Q5

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q5/5

SET 6 • 5.OA.B.3

FORWARD 1

Equations relating dependent and independent variables • Grade 6 •
Expressions & Equations • 6.EE.C.9

Each box holds 6 cans.

Write an equation for the number of cans c in b boxes.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q1/5

211

QUESTION ID

S6-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$c = 6b$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q1/5

In $c = 6b$, which variable is the dependent variable?

- A.** b
- B.** c
- C.** 6
- D.** Neither

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q2/5

212

QUESTION ID

S6-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. c

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q2/5

Write an equation for y in terms of x .

x	1	2	3	4
y	5	10	15	20

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q3/5

213

QUESTION ID

S6-F1-Q3

TYPE

Short answer

CORRECT ANSWER

$y = 5x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q3/5

True or false?

In $y = x + 4$, y is the independent variable.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q4/5

214

QUESTION ID

S6-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q4/5

A plant grows 2 cm each week.

Write an equation for its growth g after w weeks.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q5/5

215

QUESTION ID

S6-F1-Q5

TYPE

Short answer

CORRECT ANSWER

$g = 2w$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q5/5

SET 6 • 5.OA.B.3

FORWARD 2

Equations for proportional relationships • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c

Pencils cost \$0.35 each.

Write an equation for the cost c of n pencils.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q1/5

217

QUESTION ID

S6-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$c = 0.35n$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q1/5

The table shows a proportional relationship.

Write an equation for y in terms of x .

x	4	6	10
y	10	15	25

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q2/5

218

QUESTION ID

S6-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$$y = 2.5x$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q2/5

Which equation represents a proportional relationship?

- A. $y = 1.5$
- B. $y = x + 1.5$
- C. $y = 1.5x + 2$
- D. $y = 1.5x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q3/5

219

QUESTION ID

S6-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $y = 1.5x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q3/5

A train travels 150 miles in 2 hours at a constant speed.

Write an equation for the distance d after t hours.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q4/5

220

QUESTION ID

S6-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$d = 75t$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q4/5

True or false?

$y = \frac{3}{4}x$ represents a proportional relationship.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q5/5

221

QUESTION ID

S6-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q5/5

Form ordered pairs from two patterns and graph them

MAIN	Grade 5 main question	5.OA.B.3
BACKWARD 1	Patterns that follow a rule	4.OA.C.5
BACKWARD 2	Ordered pairs and the coordinate plane	5.G.A.1
BACKWARD 3	Reading the scale on an axis	3.MD.B.3
FORWARD 1	Plot pairs of values from a ratio table	6.RP.A.3.a
FORWARD 2	Use a graph to decide whether a relationship is proportional	7.RP.A.2.a

SET 7 • 5.OA.B.3


MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3

Pattern A (x): start at 0 and add 1.

Pattern B (y): start at 0 and add 2.

Graph the ordered pairs for the first 5 terms.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q1/5

224

QUESTION ID

S7-M-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (0, 0), (1, 2), (2, 4), (3, 6), (4, 8)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q1/5

Graph the ordered pairs from the two patterns.

Pattern A	0	2	4	6
Pattern B	0	3	6	9



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q2/5

225

QUESTION ID

S7-M-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (0, 0), (2, 3), (4, 6), (6, 9)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q2/5

Pattern A starts at 0 and adds 3. Pattern B starts at 0 and adds 9.

Write the first four ordered pairs (A, B).

Ordered pairs: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q3/5

226

QUESTION ID

S7-M-Q3

TYPE

Short answer

CORRECT ANSWER

**(0, 0), (3, 9), (6, 18),
(9, 27)**


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q3/5

The points come from two patterns.
Which statement is true?

- A.** The y-values increase by 1 each time. **B.** Each y-value is 4 times its x-value.
- C.** Each x-value is 4 times its y-value. **D.** Each y-value is 4 more than its x-value.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q4/5

227

QUESTION ID

S7-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. Each y-value is 4 times its x-value.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S7-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q4/5

Pattern A (x): start at 0 and add 2.

Pattern B (y): start at 0 and add 1.

Graph the ordered pairs for the first 4 terms.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q5/5

228

QUESTION ID

S7-M-Q5

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (0, 0), (2, 1), (4, 2), (6, 3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q5/5

SET 7 • 5.OA.B.3

BACKWARD 1

Patterns that follow a rule • Grade 4 • Operations & Algebraic Thinking •
4.OA.C.5

The rule is "add 3." The pattern starts at 0.

What is the 5th term?

Term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q1/5

230

QUESTION ID

S7-B1-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q1/5

True or false?

The pattern 0, 5, 10, 15 follows the rule "add 5."

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q2/5

231

QUESTION ID

S7-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q2/5

Which pattern follows the rule "add 2," starting at 0?

- A.** 0, 2, 4, 6
- B.** 2, 4, 6, 8
- C.** 0, 1, 2, 3
- D.** 0, 2, 4, 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q3/5

232

QUESTION ID

S7-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 0, 2, 4, 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q3/5

What is the rule for the pattern?

0, 8, 16, 24

Rule: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q4/5

233

QUESTION ID

S7-B1-Q4

TYPE

Short answer

CORRECT ANSWER

Add 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q4/5

The rule is "add 10." The pattern starts at 0.

What is the 6th term?

Term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q5/5

234

QUESTION ID

S7-B1-Q5

TYPE

Short answer

CORRECT ANSWER

50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q5/5

SET 7 • 5.OA.B.3

BACKWARD 2

Ordered pairs and the coordinate plane • Grade 5 • Geometry • 5.G.A.1

True or false?

In (3, 6), the 3 tells how far to move along the x-axis.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q1

Grade 5 • Geometry • 5.G.A.1 • Set 7 • BACKWARD 2 • Q1/5

236

QUESTION ID

S7-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q1

Grade 5 • Geometry • 5.G.A.1 • Set 7 • BACKWARD 2 • Q1/5

In the ordered pair (4, 9), which number is the y-coordinate?

- A.** 9
- B.** 4
- C.** 13
- D.** 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q2

Grade 5 • Geometry • 5.G.A.1 • Set 7 • BACKWARD 2 • Q2/5

237

QUESTION ID

S7-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q2

Grade 5 • Geometry • 5.G.A.1 • Set 7 • BACKWARD 2 • Q2/5

Which ordered pair names the origin?

Ordered pair: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q3

Grade 5 • Geometry • 5.G.A.1 • Set 7 • BACKWARD 2 • Q3/5

238

QUESTION ID

S7-B2-Q3

TYPE

Short answer

CORRECT ANSWER

(0, 0)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q3

Grade 5 • Geometry • 5.G.A.1 • Set 7 • BACKWARD 2 • Q3/5

True or false?

(2, 5) and (5, 2) name the same point.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q4

Grade 5 • Geometry • 5.G.A.1 • Set 7 • BACKWARD 2 • Q4/5

239

QUESTION ID

S7-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q4

Grade 5 • Geometry • 5.G.A.1 • Set 7 • BACKWARD 2 • Q4/5

What are the coordinates of point P?

P = _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q5

Grade 5 • Geometry • 5.G.A.1 • Set 7 • BACKWARD 2 • Q5/5

240

QUESTION ID

S7-B2-Q5

TYPE

Short answer

CORRECT ANSWER

(6, 3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q5

Grade 5 • Geometry • 5.G.A.1 • Set 7 • BACKWARD 2 • Q5/5

SET 7 • 5.OA.B.3

BACKWARD 3

Reading the scale on an axis • Grade 3 • Measurement & Data • 3.MD.B.3

An axis is numbered 0, 2, 4, 6, 8.

How much does each grid line stand for?

- A.** 4
- B.** 1
- C.** 8
- D.** 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q1/5

242

QUESTION ID

S7-B3-Q1

TYPE

Multiple choice

CORRECT ANSWER

D. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q1/5

True or false?

On an axis numbered 0, 4, 8, 12, the value 10 is halfway between 4 and 8.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q2/5

243

QUESTION ID

S7-B3-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q2/5

An axis is numbered 0, 5, 10, 15.

Where does 20 go?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q3/5

244

QUESTION ID

S7-B3-Q3

TYPE

Short answer

CORRECT ANSWER

**One grid line above
15**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q3/5

On an axis numbered by 3s, which value is two grid lines above 0?

- A.** 6
- B.** 3
- C.** 9
- D.** 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q4/5

245

QUESTION ID

S7-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q4/5

True or false?

On an axis numbered by 10s, the value 25 is on a grid line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q5/5

246

QUESTION ID

S7-B3-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q5/5


SET 7 • 5.OA.B.3

FORWARD 1

Plot pairs of values from a ratio table • Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a

Plot the pairs of values from the ratio table on the coordinate plane.

Cups of rice	1	2	3
Cups of water	2	4	6



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q1/5

248

QUESTION ID

S7-F1-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (1, 2), (2, 4), (3, 6)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q1/5

The table shows equivalent ratios.

Find the missing value.

Laps	2	4	6	8
Minutes	5	10	?	20

Missing value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q2/5

249

QUESTION ID

S7-F1-Q2

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q2/5

Which point comes from the ratio table?

Boxes	1	2	3
Pens	6	12	18

- A. (2, 6) B. (12, 2)
C. (2, 12) D. (3, 12)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q3/5

250

QUESTION ID

S7-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. (2, 12)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q3/5

Plot the pairs of values from the ratio table on the coordinate plane.

Hours	1	2	3	4
Dollars	8	16	24	32



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q4/5

251

QUESTION ID

S7-F1-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (1, 8), (2, 16), (3, 24), (4, 32)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q4/5

True or false?

The points (1, 3), (2, 6), and (3, 9) come from a ratio table with the ratio 1 : 3.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q5/5

252

QUESTION ID

S7-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q5/5

SET 7 • 5.OA.B.3


FORWARD 2

Use a graph to decide whether a relationship is proportional • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a

True or false?

The points lie on a straight line through the origin, so the relationship is proportional.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q1/5

254

QUESTION ID

S7-F2-Q1

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q1/5

Which statement about the graph is true?

- A. It is not proportional because the line does not pass through $(0, 0)$.
- B. It is not proportional because the points are not on a line.
- C. It is proportional because the points are on a line.
- D. It is proportional because y increases by 2.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q2/5

255

QUESTION ID

S7-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. It is not proportional because the line does not pass through $(0, 0)$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S7-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q2/5

Graph the pairs (1, 4), (2, 8),
and (3, 12).

Is the relationship
proportional?

Answer: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q3/5

256

QUESTION ID

S7-F2-Q3

TYPE

Short answer

CORRECT ANSWER

Yes

GRADING NOTE The points lie on a straight line through (0, 0).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q3/5

True or false?

The points (1, 2), (2, 5), and (3, 8) show a proportional relationship.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q4/5

257

QUESTION ID

S7-F2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q4/5

Which set of points shows a proportional relationship?

- A. (1, 1), (2, 4), (3, 9)
- B. (1, 2), (2, 3), (3, 4)
- C. (0, 3), (1, 6), (2, 9)
- D. (2, 5), (4, 10), (6, 15)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q5/5

258

QUESTION ID

S7-F2-Q5

TYPE

Multiple choice

CORRECT ANSWER

D. (2, 5), (4, 10), (6, 15)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q5/5

A digit is worth 10 times as much as the same digit one place to its right

MAIN	Grade 5 main question	5.NBT.A.1
BACKWARD 1	Each place is worth 10 times the place to its right	4.NBT.A.1
BACKWARD 2	Tenths and hundredths as decimals	4.NF.C.6
BACKWARD 3	Tenths as hundredths	4.NF.C.5
FORWARD 1	Compute with multi-digit decimals	6.NS.B.3
FORWARD 2	Real-world problems with rational numbers	7.NS.A.3

SET 8 • 5.NBT.A.1

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.1

In 5,550, how does the value of the 5 in the hundreds place compare to the value of the 5 in the tens place?

- A. It is 100 times as much.
- B. It is 10 times as much.
- C. It is the same.
- D. It is $\frac{1}{10}$ as much.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q1/5

261

QUESTION ID

S8-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. It is 10 times as much.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q1/5

In 3.33, the first 3 is in the ones place and the second 3 is in the tenths place.

How many times as much is the first 3 worth as the second 3?

Times as much: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q2/5

262

QUESTION ID

S8-M-Q2

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q2/5

True or false?

In 0.77, the 7 in the tenths place is worth 10 times as much as the 7 in the hundredths place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q3/5

263

QUESTION ID

S8-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q3/5

Find the value of the 4 in 642.18 and the value of the 4 in 6,421.8.

How many times as much is the second 4 worth?

4 in 642.18: _____

4 in 6,421.8: _____

Times as much: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q4/5

264

QUESTION ID

S8-M-Q4

TYPE

Short answer

CORRECT ANSWER

40; 400; 10 times as much

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q4/5

In which number is the 6 worth 10 times as much as the 6 in 3.6?

- A. 0.36
- B. 3.06
- C. 46.1
- D. 60.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q5/5

265

QUESTION ID

S8-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. 46.1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q5/5

SET 8 • 5.NBT.A.1

BACKWARD 1

Each place is worth 10 times the place to its right • Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1

True or false?

In 880, the 8 in the hundreds place is worth 10 times as much as the 8 in the tens place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q1/5

267

QUESTION ID

S8-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q1/5

What is the value of the 7 in 2,740?

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q2/5

268

QUESTION ID

S8-B1-Q2

TYPE

Short answer

CORRECT ANSWER

700

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q2/5

Which number is 10 times as much as 60?

- A.** 600
- B.** 6,000
- C.** 70
- D.** 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q3/5

269

QUESTION ID

S8-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 600

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q3/5

How many tens are in 1 hundred?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q4/5

270

QUESTION ID

S8-B1-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q4/5

True or false?

70 is 10 times as much as 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q5/5

271

QUESTION ID

S8-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q5/5

SET 8 • 5.NBT.A.1

BACKWARD 2

Tenths and hundredths as decimals • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

Write $\frac{3}{10}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q1/5

273

QUESTION ID

S8-B2-Q1

TYPE

Short answer

CORRECT ANSWER

0.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q1/5

Write $\frac{47}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q2/5

274

QUESTION ID

S8-B2-Q2

TYPE

Short answer

CORRECT ANSWER

0.47

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q2/5

True or false?

$$0.6 = \frac{6}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q3/5

275

QUESTION ID

S8-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q3/5

Which decimal shows 5 hundredths?

- A.** 0.5
- B.** 0.05
- C.** 0.005
- D.** 5.0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q4/5

276

QUESTION ID

S8-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 0.05


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q4/5

What decimal does the shaded part of the grid show?

Decimal: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q5/5

277

QUESTION ID

S8-B2-Q5

TYPE

Short answer

CORRECT ANSWER

0.23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q5/5

SET 8 • 5.NBT.A.1

BACKWARD 3

Tenths as hundredths • Grade 4 • Number & Operations–Fractions • 4.NF.C.5

True or false?

$$\frac{1}{10} = \frac{10}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q1/5

279

QUESTION ID

S8-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q1/5

How many hundredths are in 1 tenth?

Hundredths: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q2/5

280

QUESTION ID

S8-B3-Q2

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q2/5

Which fraction is equal to $\frac{4}{10}$?

A. $\frac{4}{100}$

B. $\frac{400}{100}$

C. $\frac{14}{100}$

D. $\frac{40}{100}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q3/5

281

QUESTION ID

S8-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 40/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q3/5

Find the missing number.

$$\frac{7}{10} = \frac{?}{100}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q4/5

282

QUESTION ID

S8-B3-Q4

TYPE

Short answer

CORRECT ANSWER

70

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q4/5

True or false?

$$\frac{3}{10} + \frac{5}{100} = \frac{35}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q5/5

283

QUESTION ID

S8-B3-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q5/5

SET 8 • 5.NBT.A.1

FORWARD 1

Compute with multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$27.6 + 4.38$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q1/5

285

QUESTION ID

S8-F1-Q1

TYPE

Short answer

CORRECT ANSWER

31.98

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q1/5

285

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$50.2 - 7.65$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q2/5

286

QUESTION ID

S8-F1-Q2

TYPE

Short answer

CORRECT ANSWER

42.55

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q2/5

286

Multiply.

$$1.2 \times 0.4$$

- A.** 4.8
- B.** 0.48
- C.** 0.048
- D.** 1.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q3/5

287

QUESTION ID

S8-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 0.48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$7.5 \div 2.5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q4/5

288

QUESTION ID

S8-F1-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q4/5

288

True or false?

$$0.3 \times 0.3 = 0.9$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q5/5

289

QUESTION ID

S8-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q5/5

SET 8 • 5.NBT.A.1

FORWARD 2

Real-world problems with rational numbers • Grade 7 • The Number System •
7.NS.A.3

A diver at -4.5 m descends 2.25 m.

What is the diver's new position?

Position: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q1/5

291

QUESTION ID

S8-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-6.75 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q1/5

The temperature was 3.5°F . It fell 6.2°F .

What is the new temperature?

Temperature: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q2/5

292

QUESTION ID

S8-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-2.7°F

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q2/5

A stock's value changed by $-\$0.75$ each day for 4 days.

What was the total change?

- A. $-\$0.30$
- B. $-\$4.75$
- C. $\$3.00$
- D. $-\$3.00$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q3/5

293

QUESTION ID

S8-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $-\$3.00$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q3/5

A bank balance of $-\$12.40$ increases by $\$20.00$.

What is the new balance?

Balance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q4/5

294

QUESTION ID

S8-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$\$7.60$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q4/5

True or false?

$$-1.5 \times 4 = 6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q5/5

295

QUESTION ID

S8-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q5/5

A digit is worth $\frac{1}{10}$ of the same digit one place to its left

MAIN	Grade 5 main question	5.NBT.A.1
BACKWARD 1	One place to the right is worth $\frac{1}{10}$ as much	4.NBT.A.1
BACKWARD 2	The unit fraction $\frac{1}{10}$	3.NF.A.1
BACKWARD 3	Decimals for tenths and hundredths	4.NF.C.6
FORWARD 1	Divide multi-digit decimals	6.NS.B.3
FORWARD 2	Write fractions as decimals using long division	7.NS.A.2.d

SET 9 • 5.NBT.A.1

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.1

True or false?

In 44.4, the 4 in the tenths place is worth $\frac{1}{10}$ of the 4 in the ones place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q1/5

298

QUESTION ID

S9-M-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q1/5

In 2.22, the 2 in the hundredths place is worth what part of the 2 in the tenths place?

- A. 10 times as much
- B. $\frac{1}{10}$
- C. The same amount
- D. $\frac{1}{100}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q2/5

299

QUESTION ID

S9-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 1/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q2/5

ANSWER KEY

Reduced copy of the question page, with its answer

What is $\frac{1}{10}$ of 50?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q3/5

300

QUESTION ID

S9-M-Q3

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

What is $\frac{1}{10}$ of 0.8?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q4/5

301

QUESTION ID

S9-M-Q4

TYPE

Short answer

CORRECT ANSWER

0.08

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q4/5

301

In which number is the 9 worth $\frac{1}{10}$ of the 9 in 19.4?

- A. 5.92
- B. 3.009
- C. 9.01
- D. 90.1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q5/5

302

QUESTION ID

S9-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. 5.92

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q5/5

SET 9 • 5.NBT.A.1

BACKWARD 1

One place to the right is worth $\frac{1}{10}$ as much • Grade 4 • Number & Operations
in Base Ten • 4.NBT.A.1

True or false?

In 330, the 3 in the tens place is worth $\frac{1}{10}$ of the 3 in the hundreds place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q1/5

304

QUESTION ID

S9-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$400 \div 10$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q2/5

305

QUESTION ID

S9-B1-Q2

TYPE

Short answer

CORRECT ANSWER

40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q2/5

305

Which number is $\frac{1}{10}$ of 3,000?

- A.** 3
- B.** 300
- C.** 30,000
- D.** 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q3/5

306

QUESTION ID

S9-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 300

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q3/5

How many hundreds are in 1 thousand?

Hundreds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q4/5

307

QUESTION ID

S9-B1-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q4/5

True or false?

$$60 \div 10 = 600$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q5/5

308

QUESTION ID

S9-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q5/5

SET 9 • 5.NBT.A.1

BACKWARD 2

The unit fraction $\frac{1}{10}$ • Grade 3 • Number & Operations–Fractions • 3.NF.A.1

True or false?

$\frac{1}{10}$ means 1 of 10 equal parts.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q1/5

310

QUESTION ID

S9-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q1/5

A bar is cut into 10 equal parts.

What fraction of the bar is one part?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q2/5

311

QUESTION ID

S9-B2-Q2

TYPE

Short answer

CORRECT ANSWER

1/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q2/5

Which fraction is greater?

A. $\frac{1}{10}$

B. $\frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q3/5

312

QUESTION ID

S9-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q3/5

True or false?

A whole cut into 10 equal parts has parts that are each $\frac{1}{10}$ of the whole.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q4/5

313

QUESTION ID

S9-B2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q4/5

What fraction of the bar is shaded?



Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q5/5

314

QUESTION ID

S9-B2-Q5

TYPE

Short answer

CORRECT ANSWER

1/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q5/5

SET 9 • 5.NBT.A.1

BACKWARD 3

Decimals for tenths and hundredths • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

Write $\frac{9}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q1/5

316

QUESTION ID

S9-B3-Q1

TYPE

Short answer

CORRECT ANSWER

0.09

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q1/5

Write 0.8 as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q2/5

317

QUESTION ID

S9-B3-Q2

TYPE

Short answer

CORRECT ANSWER

8/10

GRADING NOTE 4/5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q2/5

True or false?

0.4 and 0.04 have the same value.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q3/5

318

QUESTION ID

S9-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q3/5

Which decimal is equal to $\frac{6}{10}$?

- A. 6.0
- B. 0.06
- C. 6.10
- D. 0.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q4/5

319

QUESTION ID

S9-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 0.6


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q4/5

What decimal does the shaded part of the grid show?

Decimal: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q5/5

320

QUESTION ID

S9-B3-Q5

TYPE

Short answer

CORRECT ANSWER

0.70

GRADING NOTE 0.7 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q5/5

SET 9 • 5.NBT.A.1

FORWARD 1

Divide multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$4.8 \div 0.4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q1/5

322

QUESTION ID

S9-F1-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q1/5

322

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$9.36 \div 3$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q2/5

323

QUESTION ID

S9-F1-Q2

TYPE

Short answer

CORRECT ANSWER

3.12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q2/5

323

Divide.

$$0.56 \div 0.7$$

- A.** 80
- B.** 0.08
- C.** 8
- D.** 0.8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q3/5

324

QUESTION ID

S9-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 0.8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$15 \div 0.25$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q4/5

325

QUESTION ID

S9-F1-Q4

TYPE

Short answer

CORRECT ANSWER

60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q4/5

325

True or false?

$$6.3 \div 0.9 = 0.7$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q5/5

326

QUESTION ID

S9-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q5/5

SET 9 • 5.NBT.A.1

FORWARD 2

Write fractions as decimals using long division • Grade 7 • The Number System
• 7.NS.A.2.d

Use long division to write $\frac{7}{8}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q1/5

328

QUESTION ID

S9-F2-Q1

TYPE

Short answer

CORRECT ANSWER

0.875

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q1/5

Use long division to write $\frac{2}{9}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q2/5

329

QUESTION ID

S9-F2-Q2

TYPE

Short answer

CORRECT ANSWER

0.222... (the 2 repeats)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q2/5

Which fraction has a terminating decimal?

A. $\frac{5}{6}$

B. $\frac{4}{7}$

C. $\frac{1}{3}$

D. $\frac{3}{20}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q3/5

330

QUESTION ID

S9-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 3/20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q3/5

Use long division to write $\frac{9}{20}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q4/5

331

QUESTION ID

S9-F2-Q4

TYPE

Short answer

CORRECT ANSWER

0.45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q4/5

True or false?

The decimal form of $\frac{1}{11}$ repeats.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q5/5

332

QUESTION ID

S9-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q5/5

Multiply and divide whole numbers by powers of 10; write powers of 10 with exponents

MAIN	Grade 5 main question	5.NBT.A.2
BACKWARD 1	Multiplying and dividing by 10	4.NBT.A.1
BACKWARD 2	Multiplying by multiples of 10	3.NBT.A.3
FORWARD 1	Write and evaluate whole-number exponents	6.EE.A.1
FORWARD 2	Multiply and divide negative numbers by powers of 10 — nearest...	7.NS.A.2.c

SET 10 • 5.NBT.A.2

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.2

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$37 \times 1,000$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q1/5

335

QUESTION ID

S10-M-Q1

TYPE

Short answer

CORRECT ANSWER

37,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q1/5

335

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$45,000 \div 100$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q2/5

336

QUESTION ID

S10-M-Q2

TYPE

Short answer

CORRECT ANSWER

450

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q2/5

336

Write $10 \times 10 \times 10 \times 10$ as a power of 10.

Power of 10: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q3/5

337

QUESTION ID

S10-M-Q3

TYPE

Short answer

CORRECT ANSWER

10^4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q3/5

$$6 \times 10^3 = ?$$

- A.** 60,000
- B.** 6,000
- C.** 18
- D.** 600

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q4/5

338

QUESTION ID

S10-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 6,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q4/5

True or false?

$$820 \div 10^2 = 82$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q5/5

339

QUESTION ID

S10-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q5/5

SET 10 • 5.NBT.A.2

BACKWARD 1

Multiplying and dividing by 10 • Grade 4 • Number & Operations in Base Ten •
4.NBT.A.1

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$25 \times 10$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q1/5

341

QUESTION ID

S10-B1-Q1

TYPE

Short answer

CORRECT ANSWER

250

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q1/5

True or false?

300 is 10 times as much as 30.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q2/5

342

QUESTION ID

S10-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q2/5

Which number is 10 times as much as 450?

- A.** 4,500
- B.** 45,000
- C.** 460
- D.** 45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q3/5

343

QUESTION ID

S10-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 4,500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q3/5

How many tens are in 800?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q4/5

344

QUESTION ID

S10-B1-Q4

TYPE

Short answer

CORRECT ANSWER

80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$7,000 \div 10$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q5/5

345

QUESTION ID

S10-B1-Q5

TYPE

Short answer

CORRECT ANSWER

700

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q5/5

345

SET 10 • 5.NBT.A.2

BACKWARD 2

Multiplying by multiples of 10 • Grade 3 • Number & Operations in Base Ten •
3.NBT.A.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$4 \times 60$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q1/5

347

QUESTION ID

S10-B2-Q1

TYPE

Short answer

CORRECT ANSWER

240

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q1/5

347

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$9 \times 80$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q2/5

348

QUESTION ID

S10-B2-Q2

TYPE

Short answer

CORRECT ANSWER

720

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q2/5

348

True or false?

$$7 \times 30 = 2,100$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q3/5

349

QUESTION ID

S10-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q3/5

$$5 \times 90 = ?$$

- A.** 4,500
- B.** 450
- C.** 45
- D.** 95

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q4/5

350

QUESTION ID

S10-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 450

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$8 \times 70$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q5/5

351

QUESTION ID

S10-B2-Q5

TYPE

Short answer

CORRECT ANSWER

560

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q5/5

SET 10 • 5.NBT.A.2

FORWARD 1

Write and evaluate whole-number exponents • Grade 6 • Expressions & Equations • 6.EE.A.1

Evaluate.

3^4

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q1/5

353

QUESTION ID

S10-F1-Q1

TYPE

Short answer

CORRECT ANSWER

81

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q1/5

Write $5 \times 5 \times 5$ using an exponent.

Exponent form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q2/5

354

QUESTION ID

S10-F1-Q2

TYPE

Short answer

CORRECT ANSWER

5^3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q2/5

$$2^5 = ?$$

- A.** 25
- B.** 10
- C.** 64
- D.** 32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q3/5

355

QUESTION ID

S10-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q3/5

Evaluate.

$$10^3 + 2^2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q4/5

356

QUESTION ID

S10-F1-Q4

TYPE

Short answer

CORRECT ANSWER

1,004

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q4/5

True or false?

$$4^3 = 12$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q5/5

357

QUESTION ID

S10-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q5/5

FORWARD 2

Multiply and divide negative numbers by powers of 10 • Grade 7 • The Number System • 7.NS.A.2.c

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$-3.5 \times 100$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q1/5 • NEAREST RELATED

359

QUESTION ID

S10-F2-Q1

TYPE

Short answer

CORRECT ANSWER

−350

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q1/5 • NEAREST RELATED

359

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$-420 \div 10$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q2/5 • NEAREST RELATED

360

QUESTION ID

S10-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q2/5 • NEAREST RELATED

360

$$-0.06 \times 1,000 = ?$$

- A. -60
- B. -0.006
- C. -6
- D. 60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q3/5 • NEAREST RELATED

361

QUESTION ID

S10-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. -60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q3/5 • NEAREST RELATED

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$7.2 \div (-10)$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q4/5 • NEAREST RELATED

362

QUESTION ID

S10-F2-Q4

TYPE

Short answer

CORRECT ANSWER

−0.72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q4/5 • NEAREST RELATED

362

True or false?

$$(-10) \times (-10) \times (-10) = -1,000$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q5/5 • NEAREST RELATED

363

QUESTION ID

S10-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q5/5 • NEAREST RELATED

Place the decimal point when multiplying or dividing a decimal by a power of 10

MAIN	Grade 5 main question	5.NBT.A.2
BACKWARD 1	Decimal notation for fractions	4.NF.C.6
BACKWARD 2	Place value when multiplying by 10 or 100	4.NBT.A.1
FORWARD 1	Compute fluently with multi-digit decimals	6.NS.B.3
FORWARD 2	Powers of 10 with negative rational numbers — nearest related (n...	7.NS.A.2.c

SET 11 • 5.NBT.A.2

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.2

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$3.82 \times 100$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q1/5

366

QUESTION ID

S11-M-Q1

TYPE

Short answer

CORRECT ANSWER

382

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q1/5

366

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$56.4 \div 10$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q2/5

367

QUESTION ID

S11-M-Q2

TYPE

Short answer

CORRECT ANSWER

5.64

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q2/5

367

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$0.075 \times 10^2$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q3/5

368

QUESTION ID

S11-M-Q3

TYPE

Short answer

CORRECT ANSWER

7.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q3/5

368

Divide.

$$2.9 \div 10^3$$

- A. 0.029
- B. 0.29
- C. 0.0029
- D. 2,900

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q4/5

369

QUESTION ID

S11-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 0.0029

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q4/5

True or false?

When you multiply a number by 1,000, each digit moves 3 places to the left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q5/5

370

QUESTION ID

S11-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q5/5

SET 11 • 5.NBT.A.2

BACKWARD 1

Decimal notation for fractions • Grade 4 • Number & Operations–Fractions •
4.NF.C.6

Write $\frac{35}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q1/5

372

QUESTION ID

S11-B1-Q1

TYPE

Short answer

CORRECT ANSWER

0.35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q1/5

True or false?

$$0.7 = \frac{7}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q2/5

373

QUESTION ID

S11-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q2/5

Which decimal is $2\frac{4}{10}$?

- A. 24
- B. 2.4
- C. 0.24
- D. 2.04

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q3/5

374

QUESTION ID

S11-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 2.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q3/5

Write 0.09 as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q4/5

375

QUESTION ID

S11-B1-Q4

TYPE

Short answer

CORRECT ANSWER

9/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q4/5

True or false?

$$1.5 = 1\frac{5}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q5/5

376

QUESTION ID

S11-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q5/5

SET 11 • 5.NBT.A.2

BACKWARD 2

Place value when multiplying by 10 or 100 • Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1

True or false?

When a whole number is multiplied by 10, each digit moves one place to the left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q1/5

378

QUESTION ID

S11-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$64 \times 100$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q2/5

379

QUESTION ID

S11-B2-Q2

TYPE

Short answer

CORRECT ANSWER

6,400

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q2/5

$$3,500 \div 10 = ?$$

- A.** 350
- B.** 3,510
- C.** 35
- D.** 35,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q3/5

380

QUESTION ID

S11-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 350

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$9,000 \div 100$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q4/5

381

QUESTION ID

S11-B2-Q4

TYPE

Short answer

CORRECT ANSWER

90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q4/5

381

True or false?

$$500 \div 10 = 5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q5/5

382

QUESTION ID

S11-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q5/5

SET 11 • 5.NBT.A.2

FORWARD 1

Compute fluently with multi-digit decimals • Grade 6 • The Number System •
6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$2.4 \times 0.35$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q1/5

384

QUESTION ID

S11-F1-Q1

TYPE

Short answer

CORRECT ANSWER

0.84

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q1/5

Divide.

$$1.44 \div 0.12$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q2/5

385

QUESTION ID

S11-F1-Q2

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q2/5

Multiply.

$$12.5 \times 0.8$$

- A.** 100
- B.** 10
- C.** 0.1
- D.** 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q3/5

386

QUESTION ID

S11-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q3/5

Add.

$$0.875 + 12.4$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q4/5

387

QUESTION ID

S11-F1-Q4

TYPE

Short answer

CORRECT ANSWER

13.275

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q4/5

True or false?

$$4.5 \div 0.05 = 9$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q5/5

388

QUESTION ID

S11-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q5/5

FORWARD 2

Powers of 10 with negative rational numbers • Grade 7 • The Number System •
7.NS.A.2.c

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

Find the value.

$$-0.45 \times 100$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q1/5 • NEAREST RELATED

390

QUESTION ID

S11-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q1/5 • NEAREST RELATED

ANSWER KEY

Reduced copy of the question page, with its answer

Find the value.

$$-63.5 \div 1,000$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q2/5 • NEAREST RELATED

391

QUESTION ID

S11-F2-Q2

TYPE

Short answer

CORRECT ANSWER

−0.0635

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q2/5 • NEAREST RELATED

391

Find the value.

$$(-2.7) \times (-10)$$

- A. -0.27
- B. -27
- C. 0.27
- D. 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q3/5 • NEAREST RELATED

392

QUESTION ID

S11-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q3/5 • NEAREST RELATED

Find the value.

$$0.8 \times (-100)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q4/5 • NEAREST RELATED

393

QUESTION ID

S11-F2-Q4

TYPE

Short answer

CORRECT ANSWER

−80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

$$-5.2 \div 100 = -0.052$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q5/5 • NEAREST RELATED

394

QUESTION ID

S11-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q5/5 • NEAREST RELATED

Read and write decimals to thousandths using numerals and words

MAIN	Grade 5 main question	5.NBT.A.3.a
BACKWARD 1	Decimals for tenths and hundredths	4.NF.C.6
BACKWARD 2	Reading and writing whole numbers	4.NBT.A.2
BACKWARD 3	Naming tenths and hundredths	4.NF.C.5
FORWARD 1	Find and position rational numbers on a number line	6.NS.C.6.c
FORWARD 2	Write fractions as decimals	7.NS.A.2.d

SET 12 • 5.NBT.A.3.a

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.3.a

Write the number in standard form.

four and twenty-six hundredths

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q1/5

397

QUESTION ID

S12-M-Q1

TYPE

Short answer

CORRECT ANSWER

4.26

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q1/5

Write 3.508 in words.

Words: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q2/5

398

QUESTION ID

S12-M-Q2

TYPE

Short answer

CORRECT ANSWER

**three and five
hundred eight
thousandths**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q2/5

Which number is nine and forty-one thousandths?

- A. 9.410
- B. 9.41
- C. 9.0041
- D. 9.041

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q3/5

399

QUESTION ID

S12-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 9.041

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q3/5

Write the number in standard form.

seventeen and three tenths

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q4/5

400

QUESTION ID

S12-M-Q4

TYPE

Short answer

CORRECT ANSWER

17.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q4/5

True or false?

0.072 is read "seventy-two hundredths."

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q5/5

401

QUESTION ID

S12-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q5/5

SET 12 • 5.NBT.A.3.a

BACKWARD 1

Decimals for tenths and hundredths • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

Write $\frac{6}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q1/5

403

QUESTION ID

S12-B1-Q1

TYPE

Short answer

CORRECT ANSWER

0.06

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q1/5

True or false?

$$0.5 = \frac{5}{10}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q2/5

404

QUESTION ID

S12-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q2/5

Which decimal is equal to $\frac{12}{100}$?

- A. 1.2
- B. 12.0
- C. 0.12
- D. 0.012

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q3/5

405

QUESTION ID

S12-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 0.12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q3/5

Write $3\frac{7}{10}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q4/5

406

QUESTION ID

S12-B1-Q4

TYPE

Short answer

CORRECT ANSWER

3.7


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q4/5

What decimal does the shaded part of the grid show?

Decimal: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q5/5

407

QUESTION ID

S12-B1-Q5

TYPE

Short answer

CORRECT ANSWER

0.58

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q5/5

SET 12 • 5.NBT.A.3.a

BACKWARD 2

Reading and writing whole numbers • Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2

Write the number in standard form.

two thousand, four hundred six

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q1/5

409

QUESTION ID

S12-B2-Q1

TYPE

Short answer

CORRECT ANSWER

2,406

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q1/5

True or false?

5,030 is read "five thousand three hundred."

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q2/5

410

QUESTION ID

S12-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q2/5

Which number is eighty thousand, nine hundred?

- A.** 80,900
- B.** 8,900
- C.** 89,000
- D.** 80,090

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q3/5

411

QUESTION ID

S12-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 80,900

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q3/5

Write 607 in words.

Words: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q4/5

412

QUESTION ID

S12-B2-Q4

TYPE

Short answer

CORRECT ANSWER

six hundred seven

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q4/5

Write the number in standard form.

twelve thousand, fifty

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q5/5

413

QUESTION ID

S12-B2-Q5

TYPE

Short answer

CORRECT ANSWER

12,050

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q5/5

SET 12 • 5.NBT.A.3.a

BACKWARD 3

Naming tenths and hundredths • Grade 4 • Number & Operations–Fractions •
4.NF.C.5

True or false?

Three tenths is equal to thirty hundredths.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q1/5

415

QUESTION ID

S12-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q1/5

How many hundredths are in 4 tenths?

Hundredths: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q2/5

416

QUESTION ID

S12-B3-Q2

TYPE

Short answer

CORRECT ANSWER

40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q2/5

Which fraction is "five hundredths"?

A. $\frac{100}{5}$

B. $\frac{5}{10}$

C. $\frac{50}{100}$

D. $\frac{5}{100}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q3/5

417

QUESTION ID

S12-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 5/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q3/5

Write "nine tenths" as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q4/5

418

QUESTION ID

S12-B3-Q4

TYPE

Short answer

CORRECT ANSWER

9/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q4/5

True or false?

$$\frac{60}{100} = \frac{6}{10}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q5/5

419

QUESTION ID

S12-B3-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q5


Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q5/5

SET 12 • 5.NBT.A.3.a

FORWARD 1

Find and position rational numbers on a number line • Grade 6 • The Number System • 6.NS.C.6.c

What number does point P represent?



P = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q1

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q1/5

421

QUESTION ID

S12-F1-Q1

TYPE

Short answer

CORRECT ANSWER

-0.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q1

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q1/5

Plot and label point Q at 0.45 on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q2

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q2/5

422

QUESTION ID

S12-F1-Q2

TYPE

Drawing / plotting

CORRECT ANSWER


Point Q plotted at 0.45, the fifth tick after 0.4 (halfway between 0.4 and 0.5), and labeled

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q2

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q2/5

Which point is at -1.25 ?



A. Point A

B. Point B

C. Point C

D. Point D

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q3

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q3/5

423

QUESTION ID

S12-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER


C. Point C

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q3

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q3/5

What number does point R represent?



R = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q4

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q4/5

424

QUESTION ID

S12-F1-Q4

TYPE

Short answer

CORRECT ANSWER

2.7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q4

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q4/5

True or false?

On a number line, -0.6 is to the left of -0.5 .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q5

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q5/5

425

QUESTION ID

S12-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q5

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q5/5

SET 12 • 5.NBT.A.3.a

FORWARD 2

Write fractions as decimals • Grade 7 • The Number System • 7.NS.A.2.d

Use long division to write $\frac{3}{8}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q1/5

427

QUESTION ID

S12-F2-Q1

TYPE

Short answer

CORRECT ANSWER

0.375

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q1/5

Use long division to write $\frac{5}{12}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q2/5

428

QUESTION ID

S12-F2-Q2

TYPE

Short answer

CORRECT ANSWER

0.41666... (the 6 repeats)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q2/5

$$\frac{11}{20} = ?$$

- A.** 0.55
- B.** 5.5
- C.** 0.2
- D.** 0.11

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q3/5

429

QUESTION ID

S12-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 0.55

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q3/5

Use long division to write $\frac{4}{9}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q4/5

430

QUESTION ID

S12-F2-Q4

TYPE

Short answer

CORRECT ANSWER

0.444... (the 4 repeats)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q4/5

True or false?

$$\frac{7}{25} = 0.32$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q5/5

431

QUESTION ID

S12-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q5/5

Write decimals to thousandths in expanded form

MAIN	Grade 5 main question	5.NBT.A.3.a
BACKWARD 1	Expanded form of whole numbers	4.NBT.A.2
BACKWARD 2	Decimals and fractions with denominators 10 and 100	4.NF.C.6
FORWARD 1	Write expanded form with exponents	6.EE.A.1
FORWARD 2	Decimal expansions of fractions — nearest related (no direct Gra...	7.NS.A.2.d

SET 13 • 5.NBT.A.3.a

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.3.a

Write 352.68 in expanded form.

Expanded form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q1/5

434

QUESTION ID

S13-M-Q1

TYPE

Short answer

CORRECT ANSWER

$3 \times 100 + 5 \times 10 + 2 \times 1 + 6 \times 0.1 + 8 \times 0.01$

GRADING NOTE $300 + 50 + 2 + 0.6 + 0.08$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q1/5

Write the number in standard form.

$$4 \times 10 + 7 \times 1 + 3 \times \frac{1}{10} + 9 \times \frac{1}{1000}$$

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q2/5

435

QUESTION ID

S13-M-Q2

TYPE

Short answer

CORRECT ANSWER

47.309

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q2/5

Which is the expanded form of 6.045?

- A. $6 + 45$
- B. $6 \times 10 + 4 \times \frac{1}{100} + 5 \times \frac{1}{1000}$
- C. $6 \times 1 + 4 \times \frac{1}{100} + 5 \times \frac{1}{1000}$
- D. $6 \times 1 + 4 \times \frac{1}{10} + 5 \times \frac{1}{100}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q3/5

436

QUESTION ID

S13-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C.

$6 \times 1 + 4 \times \frac{1}{100} + 5 \times \frac{1}{1000}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q3/5

Write the number in standard form.

$$8 \times 100 + 2 \times \frac{1}{10} + 6 \times \frac{1}{100}$$

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q4/5

437

QUESTION ID

S13-M-Q4

TYPE

Short answer

CORRECT ANSWER

800.26

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q4/5

True or false?

$$0.908 = 9 \times \frac{1}{10} + 8 \times \frac{1}{1000}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q5/5

438

QUESTION ID

S13-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q5/5

SET 13 • 5.NBT.A.3.a

BACKWARD 1

Expanded form of whole numbers • Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2

Write 4,371 in expanded form.

Expanded form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q1/5

440

QUESTION ID

S13-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4,000 + 300 + 70 + 1

GRADING NOTE $4 \times 1,000 + 3 \times 100 + 7 \times 10 + 1 \times 1$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q1/5

True or false?

$$6,052 = 6,000 + 500 + 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q2/5

441

QUESTION ID

S13-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q2/5

Which number is $7,000 + 400 + 9$?

- A.** 7,409
- B.** 7,490
- C.** 74,009
- D.** 7,049

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q3/5

442

QUESTION ID

S13-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 7,409

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q3/5

Write $3 \times 1,000 + 8 \times 100 + 5 \times 1$ in standard form.

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q4/5

443

QUESTION ID

S13-B1-Q4

TYPE

Short answer

CORRECT ANSWER

3,805

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q4/5

True or false?

$$900 + 20 + 4 = 9,024$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q5/5

444

QUESTION ID

S13-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q5/5

SET 13 • 5.NBT.A.3.a

BACKWARD 2

Decimals and fractions with denominators 10 and 100 • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

Write 0.6 as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q1/5

446

QUESTION ID

S13-B2-Q1

TYPE

Short answer

CORRECT ANSWER

6/10

GRADING NOTE 3/5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q1/5

True or false?

$$\frac{4}{100} = 0.4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q2/5

447

QUESTION ID

S13-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q2/5

Which fraction is equal to 0.25?

A. $\frac{1}{25}$

B. $\frac{25}{100}$

C. $\frac{25}{10}$

D. $\frac{2}{5}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q3/5

448

QUESTION ID

S13-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 25/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q3/5

Write $2 + \frac{3}{10} + \frac{7}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q4/5

449

QUESTION ID

S13-B2-Q4

TYPE

Short answer

CORRECT ANSWER

2.37

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q4/5

True or false?

$$\frac{9}{10} = 0.09$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q5/5

450

QUESTION ID

S13-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q5/5

SET 13 • 5.NBT.A.3.a

FORWARD 1

Write expanded form with exponents • Grade 6 • Expressions & Equations •
6.EE.A.1

Write $5,000 + 300 + 20 + 7$ using powers of 10.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q1/5

452

QUESTION ID

S13-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$5 \times 10^3 + 3 \times 10^2 + 2 \times 10^1 + 7$

GRADING NOTE Writing the last term as 7×10^0 or 7×1 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q1/5

Evaluate.

$$4 \times 10^3 + 6 \times 10^1$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q2/5

453

QUESTION ID

S13-F1-Q2

TYPE

Short answer

CORRECT ANSWER

4,060

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q2/5

Which number is equal to 10^4 ?

- A.** 40
- B.** 100,000
- C.** 1,000
- D.** 10,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q3/5

454

QUESTION ID

S13-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 10,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q3/5

Write $600 + 90 + 1$ using powers of 10.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q4/5

455

QUESTION ID

S13-F1-Q4

TYPE

Short answer

CORRECT ANSWER

$6 \times 10^2 + 9 \times 10^1 + 1$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q4/5

True or false?

$$2 \times 10^2 + 5 = 250$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q5/5

456

QUESTION ID

S13-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q5/5

FORWARD 2

Decimal expansions of fractions • Grade 7 • The Number System • 7.NS.A.2.d

► No Grade 8 standard directly continues this skill. This branch uses the nearest related Grade 8 standard.

Write $\frac{3}{4}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q1/5 • NEAREST RELATED

458

QUESTION ID

S13-F2-Q1

TYPE

Short answer

CORRECT ANSWER

0.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q1/5 • NEAREST RELATED

Use long division to write $\frac{1}{6}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q2/5 • NEAREST RELATED

459

QUESTION ID

S13-F2-Q2

TYPE

Short answer

CORRECT ANSWER

0.1666... (the 6 repeats)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q2/5 • NEAREST RELATED

Which fraction is equal to 0.666... (the 6 repeats)?

A. $\frac{3}{5}$

B. $\frac{6}{10}$

C. $\frac{2}{3}$

D. $\frac{1}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q3/5 • NEAREST RELATED

460

QUESTION ID

S13-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q3/5 • NEAREST RELATED

Use long division to write $\frac{5}{8}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q4/5 • NEAREST RELATED

461

QUESTION ID

S13-F2-Q4

TYPE

Short answer

CORRECT ANSWER

0.625

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

$$\frac{2}{5} = 0.4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q5/5 • NEAREST RELATED

462

QUESTION ID

S13-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q5/5 • NEAREST RELATED

Compare decimals to thousandths

MAIN	Grade 5 main question	5.NBT.A.3.b
BACKWARD 1	Comparing decimals to hundredths	4.NF.C.7
BACKWARD 2	The symbols $>$, $<$, and $=$	1.NBT.B.3
FORWARD 1	Order rational numbers	6.NS.C.7.b
FORWARD 2	Compare fractions and decimals using decimal expansions	7.NS.A.2.d

SET 14 • 5.NBT.A.3.b

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.3.b

Write $>$, $<$, or $=$ to compare.

0.47 ____ 0.405

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q1/5

465

QUESTION ID

S14-M-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q1/5

Write $>$, $<$, or $=$ to compare.

3.06 ____ 3.060

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q2/5

466

QUESTION ID

S14-M-Q2

TYPE

Short answer

CORRECT ANSWER

=

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q2/5

Which number is greatest?

- A.** 5.2
- B.** 5.19
- C.** 5.093
- D.** 5.199

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q3/5

467

QUESTION ID

S14-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 5.2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q3/5

Order from least to greatest.

2.31, 2.301, 2.13, 2.3

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q4/5

468

QUESTION ID

S14-M-Q4

TYPE

Short answer

CORRECT ANSWER

**2.13, 2.3, 2.301,
2.31**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q4/5

True or false?

$$0.8 < 0.79$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q5/5

469

QUESTION ID

S14-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q5/5

SET 14 • 5.NBT.A.3.b

BACKWARD 1

Comparing decimals to hundredths • Grade 4 • Number & Operations–Fractions
• 4.NF.C.7

Write $>$, $<$, or $=$ to compare.

0.6 ____ 0.58

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q1/5

471

QUESTION ID

S14-B1-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q1/5

True or false?

$$0.3 = 0.03$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q2/5

472

QUESTION ID

S14-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q2/5

Which number is less?

A. 0.09

B. 0.1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q3/5

473

QUESTION ID

S14-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 0.09

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q3/5

Write $>$, $<$, or $=$ to compare.

0.75 ____ 0.8

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q4/5

474

QUESTION ID

S14-B1-Q4

TYPE

Short answer

CORRECT ANSWER

$<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q4/5

True or false?

$0.42 > 0.5$

A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q5/5

475

QUESTION ID

S14-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q5/5

SET 14 • 5.NBT.A.3.b

BACKWARD 2

The symbols $>$, $<$, and $=$ • Grade 1 • Number & Operations in Base Ten •
1.NBT.B.3

Which symbol means "is less than"?

A. $<$

B. $>$

C. $=$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q1

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q1/5

477

QUESTION ID

S14-B2-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. $<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q1

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q1/5

True or false?

$$9 > 6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q2

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q2/5

478

QUESTION ID

S14-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q2

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q2/5

Write $>$, $<$, or $=$ to compare.

52 ____ 25

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q3

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q3/5

479

QUESTION ID

S14-B2-Q3

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q3

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q3/5

True or false?

The symbol $>$ means "is less than."

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q4

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q4/5

480

QUESTION ID

S14-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q4

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q4/5

Which statement is true?

- A.** $14 < 41$
- B.** $14 = 41$
- C.** $14 > 41$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q5

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q5/5

481

QUESTION ID

S14-B2-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. $14 < 41$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q5

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q5/5

SET 14 • 5.NBT.A.3.b

FORWARD 1

Order rational numbers • Grade 6 • The Number System • 6.NS.C.7.b

Write $>$, $<$, or $=$ to compare.

-0.4 ____ -0.45

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q1

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q1/5

483

QUESTION ID

S14-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q1

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q1/5

Which number is least?

- A.** -2
- B.** -2.5
- C.** 0.5
- D.** -2.05

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q2

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q2/5

484

QUESTION ID

S14-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. -2.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q2

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q2/5

Order from least to greatest.

-1.2 , 0.3 , -1.25 , 0

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q3

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q3/5

485

QUESTION ID

S14-F1-Q3

TYPE

Short answer

CORRECT ANSWER

-1.25 , -1.2 , 0 , 0.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q3

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q3/5

True or false?

$$-3.7 > -3.6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q4

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q4/5

486

QUESTION ID

S14-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q4

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q4/5

A temperature of -2.5°C is colder than a temperature of -1.8°C .

Write an inequality to show this.

Inequality: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q5

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q5/5

487

QUESTION ID

S14-F1-Q5

TYPE

Short answer

CORRECT ANSWER

$-2.5 < -1.8$

GRADING NOTE $-1.8 > -2.5$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q5

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q5/5

SET 14 • 5.NBT.A.3.b

FORWARD 2

Compare fractions and decimals using decimal expansions • Grade 7 • The Number System • 7.NS.A.2.d

Write $\frac{5}{8}$ as a decimal.

Is $\frac{5}{8}$ greater than or less than 0.6?

Decimal: _____

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q1/5

489

QUESTION ID

S14-F2-Q1

TYPE

Short answer

CORRECT ANSWER

**0.625; greater than
0.6**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q1/5

Which number is greatest?

- A. $\frac{4}{5}$
- B. 0.7
- C. $\frac{3}{4}$
- D. 0.78

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q2/5

490

QUESTION ID

S14-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 4/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q2/5

Order from least to greatest.

$\frac{2}{3}$, 0.6, $\frac{5}{8}$

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q3/5

491

QUESTION ID

S14-F2-Q3

TYPE

Short answer

CORRECT ANSWER

0.6, 5/8, 2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q3/5

True or false?

$$\frac{1}{3} > 0.33$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q4/5

492

QUESTION ID

S14-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q4/5

Write $>$, $<$, or $=$ to compare.

$$\frac{7}{20} \text{ ____ } 0.4$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q5/5

493

QUESTION ID

S14-F2-Q5

TYPE

Short answer

CORRECT ANSWER

$<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q5/5

Round decimals to any place

MAIN

Grade 5 main question

5.NBT.A.4

BACKWARD 1

Rounding whole numbers

4.NBT.A.3

BACKWARD 2

Decimals on a number line

4.NF.C.6

FORWARD 1

Estimate to check computations with decimals

6.NS.B.3

FORWARD 2

Use estimation to judge whether an answer is reasonable

7.EE.B.3

SET 15 • 5.NBT.A.4

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.4

Round 6.483 to the nearest tenth.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q1/5

496

QUESTION ID

S15-M-Q1

TYPE

Short answer

CORRECT ANSWER

6.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q1/5

Round 12.749 to the nearest hundredth.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q2/5

497

QUESTION ID

S15-M-Q2

TYPE

Short answer

CORRECT ANSWER

12.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q2/5

Round 0.865 to the nearest whole number.

- A.** 0.9
- B.** 1
- C.** 0
- D.** 0.87

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q3/5

498

QUESTION ID

S15-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q3/5

Round 39.96 to the nearest tenth.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q4/5

499

QUESTION ID

S15-M-Q4

TYPE

Short answer

CORRECT ANSWER

40.0

GRADING NOTE 40 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q4/5

True or false?

4.351 rounded to the nearest hundredth is 4.36.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q5/5

500

QUESTION ID

S15-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q5/5

SET 15 • 5.NBT.A.4

BACKWARD 1

Rounding whole numbers • Grade 4 • Number & Operations in Base Ten •
4.NBT.A.3

Round 4,682 to the nearest hundred.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q1/5

502

QUESTION ID

S15-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4,700

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q1/5

True or false?

350 rounded to the nearest hundred is 300.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q2/5

503

QUESTION ID

S15-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q2/5

Round 7,249 to the nearest thousand.

- A.** 7,200
- B.** 7,000
- C.** 7,250
- D.** 8,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q3/5

504

QUESTION ID

S15-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 7,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q3/5

Round 85 to the nearest ten.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q4/5

505

QUESTION ID

S15-B1-Q4

TYPE

Short answer

CORRECT ANSWER

90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q4/5

True or false?

1,349 rounded to the nearest hundred is 1,400.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q5/5

506

QUESTION ID

S15-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q5


Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q5/5

SET 15 • 5.NBT.A.4

BACKWARD 2

Decimals on a number line • Grade 4 • Number & Operations–Fractions •
4.NF.C.6

What decimal is at point A?



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q1/5

508

QUESTION ID

S15-B2-Q1

TYPE

Short answer

CORRECT ANSWER

0.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q1/5

True or false?

0.7 is closer to 1 than to 0.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q2/5

509

QUESTION ID

S15-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q2/5

Is 0.43 closer to 0.4 or to 0.5?

A. 0.4

B. 0.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q3/5

510

QUESTION ID

S15-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER


A. 0.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q3/5

What decimal is at point B?



B = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q4/5

511

QUESTION ID

S15-B2-Q4

TYPE

Short answer

CORRECT ANSWER

3.2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q4/5

True or false?

2.5 is halfway between 2 and 3.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q5/5

512

QUESTION ID

S15-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q5/5

SET 15 • 5.NBT.A.4

FORWARD 1

Estimate to check computations with decimals • Grade 6 • The Number System
• 6.NS.B.3

Round each number to the nearest whole number. Then add to estimate.

$$18.7 + 6.25$$

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q1/5

514

QUESTION ID

S15-F1-Q1

TYPE

Short answer

CORRECT ANSWER

25

GRADING NOTE $19 + 6 = 25$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q1/5

Which is the best estimate of 4.9×6.1 ?

- A.** 36
- B.** 30
- C.** 24
- D.** 11

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q2/5

515

QUESTION ID

S15-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q2/5

Estimate $31.8 \div 7.9$ by rounding each number to the nearest whole number.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q3/5

516

QUESTION ID

S15-F1-Q3

TYPE

Short answer

CORRECT ANSWER

4

GRADING NOTE $32 \div 8 = 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q3/5

True or false?

29.6 – 10.2 is about 40.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q4/5

517

QUESTION ID

S15-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q4/5

Kim says $3.9 \times 2.1 = 81.9$.

Use an estimate to decide whether her answer is reasonable. Write yes or no.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q5/5

518

QUESTION ID

S15-F1-Q5

TYPE

Short answer

CORRECT ANSWER

No

GRADING NOTE 3.9×2.1 is about $4 \times 2 = 8$, so 81.9 is far too large (the exact product is 8.19).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q5/5

SET 15 • 5.NBT.A.4

FORWARD 2

Use estimation to judge whether an answer is reasonable • Grade 7 •
Expressions & Equations • 7.EE.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

A \$24.75 shirt is 20% off.

Estimate the sale price.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q1/5

520

QUESTION ID

S15-F2-Q1

TYPE

Short answer

CORRECT ANSWER

About \$20

GRADING NOTE The exact sale price is \$19.80; any estimate from \$19 to \$21 is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q1/5

A worker earns \$19.85 per hour for 9.75 hours.

Which is the best estimate of her pay?

- A. \$20
- B. \$2,000
- C. \$200
- D. \$100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q2/5

521

QUESTION ID

S15-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. \$200

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q2/5

True or false?

A 6.2% tax on \$49.50 is about \$3.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q3/5

522

QUESTION ID

S15-F2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q3/5

Nina says $\frac{3}{4} \times 39.8$ is about 40.

Is her estimate reasonable? Give a better estimate.

Reasonable? _____

Better estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q4/5

523

QUESTION ID

S15-F2-Q4

TYPE

Short answer

CORRECT ANSWER

No; about 30

GRADING NOTE $\frac{3}{4}$ of 40 is 30. The exact value is 29.85.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q4/5

A board is $8\frac{1}{4}$ feet long. It is cut into pieces that are $1\frac{7}{8}$ feet long.

Estimate how many whole pieces can be cut.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q5/5

524

QUESTION ID

S15-F2-Q5

TYPE

Short answer

CORRECT ANSWER

4 pieces

GRADING NOTE About $8 \div 2 = 4$; the exact quotient is 4.4, so 4 whole pieces.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q5/5

Multiply multi-digit whole numbers using the standard algorithm

MAIN	Grade 5 main question	5.NBT.B.5
BACKWARD 1	Multiplying by a one-digit or two-digit number	4.NBT.B.5
BACKWARD 2	Multiplication facts	3.OA.C.7
BACKWARD 3	Adding partial products	4.NBT.B.4
FORWARD 1	Multiply multi-digit decimals	6.NS.B.3
FORWARD 2	Multiply integers	7.NS.A.2.c

SET 16 • 5.NBT.B.5

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$246 \times 37$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q1/5

527

QUESTION ID

S16-M-Q1

TYPE

Short answer

CORRECT ANSWER

9,102

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q1/5

527

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$1,385 \times 24$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q2/5

528

QUESTION ID

S16-M-Q2

TYPE

Short answer

CORRECT ANSWER

33,240

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q2/5

528

Multiply.

$$508 \times 63$$

- A. 3,556
- B. 32,104
- C. 32,004
- D. 31,904

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q3/5

529

QUESTION ID

S16-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 32,004

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$79 \times 86$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q4/5

530

QUESTION ID

S16-M-Q4

TYPE

Short answer

CORRECT ANSWER

6,794

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q4/5

530

A theater has 48 rows with 125 seats in each row.

How many seats are in the theater?

Seats: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q5/5

531

QUESTION ID

S16-M-Q5

TYPE

Short answer

CORRECT ANSWER

6,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q5/5

SET 16 • 5.NBT.B.5

BACKWARD 1

Multiplying by a one-digit or two-digit number • Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$346 \times 7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q1/5

533

QUESTION ID

S16-B1-Q1

TYPE

Short answer

CORRECT ANSWER

2,422

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$23 \times 45$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q2/5

534

QUESTION ID

S16-B1-Q2

TYPE

Short answer

CORRECT ANSWER

1,035

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q2/5

True or false?

$$1,203 \times 4 = 4,082$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q3/5

535

QUESTION ID

S16-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q3/5

$$62 \times 18 = ?$$

- A.** 1,126
- B.** 496
- C.** 1,116
- D.** 1,006

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q4/5

536

QUESTION ID

S16-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 1,116

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$58 \times 30$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q5/5

537

QUESTION ID

S16-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1,740

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q5/5

537

SET 16 • 5.NBT.B.5

BACKWARD 2

Multiplication facts • Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7

Multiply.

$$7 \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q1/5

539

QUESTION ID

S16-B2-Q1

TYPE

Short answer

CORRECT ANSWER

42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$8 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q2/5

540

QUESTION ID

S16-B2-Q2

TYPE

Short answer

CORRECT ANSWER

72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q2/5

540

True or false?

$$6 \times 9 = 56$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q3/5

541

QUESTION ID

S16-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q3/5

$$4 \times 8 = ?$$

- A.** 24
- B.** 36
- C.** 32
- D.** 28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q4/5

542

QUESTION ID

S16-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$9 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q5/5

543

QUESTION ID

S16-B2-Q5

TYPE

Short answer

CORRECT ANSWER

81

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q5/5

543

SET 16 • 5.NBT.B.5

BACKWARD 3

Adding partial products • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.4

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$7,380 + 1,722$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q1/5

545

QUESTION ID

S16-B3-Q1

TYPE

Short answer

CORRECT ANSWER

9,102

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q1/5

545

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$27,700 + 5,540$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q2/5

546

QUESTION ID

S16-B3-Q2

TYPE

Short answer

CORRECT ANSWER

33,240

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q2/5

546

True or false?

$$30,480 + 1,524 = 31,904$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q3/5

547

QUESTION ID

S16-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q3/5

$$6,400 + 394 = ?$$

- A.** 6,784
- B.** 6,794
- C.** 7,794
- D.** 6,694

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q4/5

548

QUESTION ID

S16-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 6,794

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$4,800 + 1,200$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q5/5

549

QUESTION ID

S16-B3-Q5

TYPE

Short answer

CORRECT ANSWER

6,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q5/5

SET 16 • 5.NBT.B.5

FORWARD 1

Multiply multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

Multiply.

$$2.46 \times 3.7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q1/5

551

QUESTION ID

S16-F1-Q1

TYPE

Short answer

CORRECT ANSWER

9.102

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$13.85 \times 2.4$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q2/5

552

QUESTION ID

S16-F1-Q2

TYPE

Short answer

CORRECT ANSWER

33.24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q2/5

552

Multiply.

$$5.08 \times 6.3$$

- A.** 31.904
- B.** 320.04
- C.** 3.2004
- D.** 32.004

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q3/5

553

QUESTION ID

S16-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 32.004

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$0.79 \times 8.6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q4/5

554

QUESTION ID

S16-F1-Q4

TYPE

Short answer

CORRECT ANSWER

6.794

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q4/5

554

True or false?

$$1.25 \times 4.8 = 60$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q5/5

555

QUESTION ID

S16-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q5/5

SET 16 • 5.NBT.B.5

FORWARD 2

Multiply integers • Grade 7 • The Number System • 7.NS.A.2.c

Find the product.

$$(-24) \times 15$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q1/5

557

QUESTION ID

S16-F2-Q1

TYPE

Short answer

CORRECT ANSWER

−360

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q1/5

Find the product.

$$(-12) \times (-35)$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q2/5

558

QUESTION ID

S16-F2-Q2

TYPE

Short answer

CORRECT ANSWER

420

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q2/5

Find the product.

$$18 \times (-21)$$

- A. 378
- B. -378
- C. -39
- D. -388

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q3/5

559

QUESTION ID

S16-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. -378

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q3/5

Find the product.

$$(-3) \times (-4) \times (-25)$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q4/5

560

QUESTION ID

S16-F2-Q4

TYPE

Short answer

CORRECT ANSWER

−300

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q4/5

True or false?

$$(-6)(-7) = -42$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q5/5

561

QUESTION ID

S16-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q5/5

Divide with up to four-digit dividends and two-digit divisors

MAIN	Grade 5 main question	5.NBT.B.6
BACKWARD 1	Dividing by a one-digit number	4.NBT.B.6
BACKWARD 2	Multiplying to check a quotient	4.NBT.B.5
BACKWARD 3	Division facts	3.OA.C.7
FORWARD 1	Divide multi-digit numbers using the standard algorithm	6.NS.B.2
FORWARD 2	Divide integers	7.NS.A.2.b

SET 17 • 5.NBT.B.6

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.6

Divide.

$$2,016 \div 24$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q1/5

564

QUESTION ID

S17-M-Q1

TYPE

Short answer

CORRECT ANSWER

84

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$7,830 \div 45$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q2/5

565

QUESTION ID

S17-M-Q2

TYPE

Short answer

CORRECT ANSWER

174

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q2/5

565

Divide.

$$952 \div 17$$

- A.** 54
- B.** 46
- C.** 56
- D.** 57

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q3/5

566

QUESTION ID

S17-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$3,724 \div 38$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q4/5

567

QUESTION ID

S17-M-Q4

TYPE

Short answer

CORRECT ANSWER

98

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q4/5

567

Divide. Write the quotient and the remainder.

$$1,000 \div 32$$

Quotient and remainder: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q5/5

568

QUESTION ID

S17-M-Q5

TYPE

Short answer

CORRECT ANSWER

31 R 8

GRADING NOTE 31 $\frac{8}{32}$ = 31 $\frac{1}{4}$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q5/5

SET 17 • 5.NBT.B.6

BACKWARD 1

Dividing by a one-digit number • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.6

Divide.

$$852 \div 6$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q1/5

570

QUESTION ID

S17-B1-Q1

TYPE

Short answer

CORRECT ANSWER

142

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$1,935 \div 5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q2/5

571

QUESTION ID

S17-B1-Q2

TYPE

Short answer

CORRECT ANSWER

387

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q2/5

571

True or false?

$$728 \div 8 = 901$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q3/5

572

QUESTION ID

S17-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q3/5

$$504 \div 7 = ?$$

- A.** 82
- B.** 71
- C.** 62
- D.** 72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q4/5

573

QUESTION ID

S17-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q4/5

Divide. Write the quotient and the remainder.

$$95 \div 4$$

Quotient and remainder: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q5/5

574

QUESTION ID

S17-B1-Q5

TYPE

Short answer

CORRECT ANSWER

23 R 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q5/5

SET 17 • 5.NBT.B.6

BACKWARD 2

Multiplying to check a quotient • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.5

True or false?

To check $2,016 \div 24 = 84$, you can multiply 24×84 .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q1/5

576

QUESTION ID

S17-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$45 \times 174$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q2/5

577

QUESTION ID

S17-B2-Q2

TYPE

Short answer

CORRECT ANSWER

7,830

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q2/5

577

Which product checks $952 \div 17 = 56$?

- A.** $17 + 56$
- B.** 17×56
- C.** $56 - 17$
- D.** 952×17

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q3/5

578

QUESTION ID

S17-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 17×56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$38 \times 98$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q4/5

579

QUESTION ID

S17-B2-Q4

TYPE

Short answer

CORRECT ANSWER

3,724

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q4/5

579

True or false?

$$32 \times 31 + 8 = 1,000$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q5/5

580

QUESTION ID

S17-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q5/5

SET 17 • 5.NBT.B.6

BACKWARD 3

Division facts • Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7

Divide.

$$72 \div 8$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q1/5

582

QUESTION ID

S17-B3-Q1

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q1/5

Divide.

$$54 \div 9$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q2/5

583

QUESTION ID

S17-B3-Q2

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q2/5

True or false?

$$63 \div 7 = 8$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q3/5

584

QUESTION ID

S17-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q3/5

$$40 \div 5 = ?$$

- A.** 6
- B.** 7
- C.** 8
- D.** 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q4/5

585

QUESTION ID

S17-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q4/5

Divide.

$$35 \div 7$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q5/5

586

QUESTION ID

S17-B3-Q5

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q5/5

SET 17 • 5.NBT.B.6

FORWARD 1

Divide multi-digit numbers using the standard algorithm • Grade 6 • The Number System • 6.NS.B.2

Use the standard algorithm to divide.

$$6,432 \div 48$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q1/5

588

QUESTION ID

S17-F1-Q1

TYPE

Short answer

CORRECT ANSWER

134

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q1/5

Use the standard algorithm to divide.

$$25,875 \div 69$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q2/5

589

QUESTION ID

S17-F1-Q2

TYPE

Short answer

CORRECT ANSWER

375

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q2/5

Use the standard algorithm to divide.

$$14,040 \div 52$$

- A.** 207
- B.** 2,700
- C.** 270
- D.** 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q3/5

590

QUESTION ID

S17-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 270

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q3/5

Use the standard algorithm to divide.

$$9,594 \div 41$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q4/5

591

QUESTION ID

S17-F1-Q4

TYPE

Short answer

CORRECT ANSWER

234

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q4/5

True or false?

$$11,700 \div 45 = 2,600$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q5/5

592

QUESTION ID

S17-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q5/5

SET 17 • 5.NBT.B.6

FORWARD 2

Divide integers • Grade 7 • The Number System • 7.NS.A.2.b

Find the quotient.

$$-2,016 \div 24$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q1/5

594

QUESTION ID

S17-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-84

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q1/5

Find the quotient.

$$(-952) \div (-17)$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q2/5

595

QUESTION ID

S17-F2-Q2

TYPE

Short answer

CORRECT ANSWER

56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q2/5

Find the quotient.

$$780 \div (-15)$$

- A.** -52
- B.** -53
- C.** -765
- D.** 52

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q3/5

596

QUESTION ID

S17-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. -52

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q3/5

Find the quotient.

$$-(144 \div 12)$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q4/5

597

QUESTION ID

S17-F2-Q4

TYPE

Short answer

CORRECT ANSWER

-12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q4/5

True or false?

$$(-90) \div 18 = 90 \div (-18)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q5/5

598

QUESTION ID

S17-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q5/5

Explain division using area models and equations

MAIN	Grade 5 main question	5.NBT.B.6
BACKWARD 1	Area models for dividing by a one-digit number	4.NBT.B.6
BACKWARD 2	Area as length times width	3.MD.C.7.b
BACKWARD 3	Splitting a rectangle to find its area	3.MD.C.7.c
FORWARD 1	Use the distributive property with the greatest common factor	6.NS.B.4
FORWARD 2	Factor and expand linear expressions	7.EE.A.1


SET 18 • 5.NBT.B.6

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.6

The area model shows
 $1,248 \div 24$.

What is the quotient?



Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q1/5

601

QUESTION ID

S18-M-Q1

TYPE

Short answer

CORRECT ANSWER

52

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S18-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q1/5

The area model shows

$$1,692 \div 36.$$

What is the quotient?



Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q2/5

602

QUESTION ID

S18-M-Q2

TYPE

Short answer

CORRECT ANSWER

47


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q2/5

Which equation matches the area model?

- A. $1,332 \div 74 = 20$
- B. $1,332 \div 18 = 74$
- C. $18 \times 50 = 1,332$
- D. $900 \div 18 = 74$



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q3/5

603

QUESTION ID

S18-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $1,332 \div 18 = 74$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q3/5

Use an area model or equations to divide.

$$2,184 \div 28$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q4/5

604

QUESTION ID

S18-M-Q4

TYPE

Short answer

CORRECT ANSWER

78

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q4/5

True or false?

$$1,248 \div 24 = (960 \div 24) + (288 \div 24)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q5/5

605

QUESTION ID

S18-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q5/5

SET 18 • 5.NBT.B.6


BACKWARD 1

Area models for dividing by a one-digit number • Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6

The area model shows

$$576 \div 4.$$

What is the quotient?



Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q1/5

607

QUESTION ID

S18-B1-Q1

TYPE

Short answer

CORRECT ANSWER

144

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q1/5

True or false?

$$468 \div 3 = (300 \div 3) + (150 \div 3) + (18 \div 3)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q2/5

608

QUESTION ID

S18-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q2/5

Which shows $245 \div 5$ split into easier parts?

- A. $(200 \div 5) + (45 \div 5)$
- B. $(245 \div 2) + (245 \div 3)$
- C. $200 \div (5 + 45)$
- D. $(200 \div 5) \times (45 \div 5)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q3/5

609

QUESTION ID

S18-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A.

$(200 \div 5) + (45 \div 5)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q3/5

Divide.

$$735 \div 7$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q4/5

610

QUESTION ID

S18-B1-Q4

TYPE

Short answer

CORRECT ANSWER

105

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q4/5

A rectangle has an area of 312 square units and a width of 6 units.

What is its length?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q5/5

611

QUESTION ID

S18-B1-Q5

TYPE

Short answer

CORRECT ANSWER

52 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q5/5

SET 18 • 5.NBT.B.6

BACKWARD 2

Area as length times width • Grade 3 • Measurement & Data • 3.MD.C.7.b

A rectangle is 9 units long and 7 units wide.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q1/5

613

QUESTION ID

S18-B2-Q1

TYPE

Short answer

CORRECT ANSWER

63 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q1/5

True or false?

A rectangle with an area of 40 square units and a side of 5 units has another side of 8 units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q2/5

614

QUESTION ID

S18-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q2/5

Which equation gives the area of a 6-by-8 rectangle?

- A. $8 - 6 = 2$
- B. $6 + 8 = 14$
- C. $6 \times 8 = 48$
- D. $2 \times (6 + 8) = 28$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q3/5

615

QUESTION ID

S18-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $6 \times 8 = 48$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q3/5

A rectangle has an area of 36 square units. One side is 4 units long.

How long is the other side?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q4/5

616

QUESTION ID

S18-B2-Q4

TYPE

Short answer

CORRECT ANSWER

9 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q4/5

Find the area of the rectangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q5/5

617

QUESTION ID

S18-B2-Q5

TYPE

Short answer

CORRECT ANSWER

30 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q5/5

SET 18 • 5.NBT.B.6

BACKWARD 3

Splitting a rectangle to find its area • Grade 3 • Measurement & Data •
3.MD.C.7.c

True or false?

The area of a rectangle that is 4 by $(10 + 3)$ equals $4 \times 10 + 4 \times 3$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q1/5

619

QUESTION ID

S18-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q1/5

A 5-by-12 rectangle is split into a 5-by-10 rectangle and a 5-by-2 rectangle.

What is the total area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q2/5

620

QUESTION ID

S18-B3-Q2

TYPE

Short answer

CORRECT ANSWER

60 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q2/5

A 7-by-13 rectangle is split into a 7-by-10 part and a 7-by-3 part.

Which expression gives its area?

A. $7 \times 10 + 7 \times 3$

B. $7 \times 10 + 3$

C. $7 + 10 + 3$

D. $7 \times 10 \times 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q3/5

621

QUESTION ID

S18-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $7 \times 10 + 7 \times 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q3/5

$$6 \times 14 = 6 \times 10 + 6 \times \underline{\quad}$$

Blank: _____

ID S18-B3-Q4

622

S18-B3-Q4

Short answer

4

ID S18-B3-Q4

622

True or false?

$$8 \times 12 = 8 \times 10 + 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q5/5

623

QUESTION ID

S18-B3-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q5/5

SET 18 • 5.NBT.B.6

FORWARD 1

Use the distributive property with the greatest common factor • Grade 6 • The Number System • 6.NS.B.4

Use the greatest common factor to write $36 + 48$ as a product.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q1/5

625

QUESTION ID

S18-F1-Q1

TYPE

Short answer

CORRECT ANSWER

12(3 + 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q1/5

Find the greatest common factor of 32 and 56.

GCF: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q2/5

626

QUESTION ID

S18-F1-Q2

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q2/5

Which expression is equal to $45 + 60$ and uses the greatest common factor?

- A. $15(3 + 6)$
- B. $15(3 + 4)$
- C. $3(15 + 20)$
- D. $5(9 + 12)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q3/5

627

QUESTION ID

S18-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $15(3 + 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q3/5

Complete the equation.

$$24 + 40 = 8(\underline{\quad} + \underline{\quad})$$

First blank: _____

Second blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q4/5

628

QUESTION ID

S18-F1-Q4

TYPE

Short answer

CORRECT ANSWER

3 and 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q4/5

True or false?

$$18 + 27 = 9(2 + 3)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q5/5

629

QUESTION ID

S18-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q5/5

SET 18 • 5.NBT.B.6

FORWARD 2

Factor and expand linear expressions • Grade 7 • Expressions & Equations •
7.EE.A.1

Factor using the greatest common factor.

$$12x + 30$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q1/5

631

QUESTION ID

S18-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$6(2x + 5)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q1/5

Expand.

$$7(4y - 3)$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q2/5

632

QUESTION ID

S18-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$28y - 21$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q2/5

Which expression is equivalent to $18a - 24$?

- A. $3(6a - 4)$
- B. $6(3a - 24)$
- C. $18(a - 6)$
- D. $6(3a - 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q3/5

633

QUESTION ID

S18-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $6(3a - 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q3/5

Factor out -4 .

$$-8n - 20$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q4/5

634

QUESTION ID

S18-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$-4(2n + 5)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q4/5

True or false?

$$4(2.5x + 3) = 10x + 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q5/5

635

QUESTION ID

S18-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q5/5

Add and subtract decimals to hundredths

MAIN

Grade 5 main question

5.NBT.B.7

BACKWARD 1

Adding and subtracting multi-digit whole numbers

4.NBT.B.4

BACKWARD 2

Adding tenths and hundredths

4.NF.C.5

BACKWARD 3

Writing decimals with the same number of places

4.NF.C.6

FORWARD 1

Add and subtract multi-digit decimals

6.NS.B.3

FORWARD 2

Add and subtract rational numbers

7.NS.A.1.d

SET 19 • 5.NBT.B.7

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.7

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$23.45 + 8.7$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q1/5

638

QUESTION ID

S19-M-Q1

TYPE

Short answer

CORRECT ANSWER

32.15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q1/5

638

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$15.3 - 6.48$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q2/5

639

QUESTION ID

S19-M-Q2

TYPE

Short answer

CORRECT ANSWER

8.82

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q2/5

639

Add.

$$4.06 + 12.9$$

- A. 16.15
- B. 16.069
- C. 5.35
- D. 16.96

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q3/5

640

QUESTION ID

S19-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 16.96

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$20 - 7.35$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q4/5

641

QUESTION ID

S19-M-Q4

TYPE

Short answer

CORRECT ANSWER

12.65

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q4/5

641

Maya had \$18.50. She spent \$6.75.

How much money does she have left?

Money left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q5/5

642

QUESTION ID

S19-M-Q5

TYPE

Short answer

CORRECT ANSWER

\$11.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q5/5

SET 19 • 5.NBT.B.7

BACKWARD 1

Adding and subtracting multi-digit whole numbers • Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4

Add.

$$2,345 + 870$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q1/5

644

QUESTION ID

S19-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3,215

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$1,530 - 648$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q2/5

645

QUESTION ID

S19-B1-Q2

TYPE

Short answer

CORRECT ANSWER

882

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q2/5

True or false?

$$406 + 1,290 = 1,596$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q3/5

646

QUESTION ID

S19-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q3/5

$$2,000 - 735 = ?$$

- A.** 2,735
- B.** 1,265
- C.** 1,275
- D.** 1,365

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q4/5

647

QUESTION ID

S19-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 1,265

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q4/5

Subtract.

$$1,850 - 675$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q5/5

648

QUESTION ID

S19-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1,175

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q5/5

SET 19 • 5.NBT.B.7

BACKWARD 2

Adding tenths and hundredths • Grade 4 • Number & Operations–Fractions •
4.NF.C.5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$\frac{3}{10} + \frac{45}{100}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q1/5

650

QUESTION ID

S19-B2-Q1

TYPE

Short answer

CORRECT ANSWER

75/100**GRADING NOTE** 3/4 or 0.75 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q1/5

True or false?

$$\frac{6}{10} + \frac{2}{100} = \frac{8}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q2/5

651

QUESTION ID

S19-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q2/5

$$\frac{7}{10} + \frac{15}{100} = ?$$

A. $\frac{85}{100}$

B. $\frac{22}{100}$

C. $\frac{22}{110}$

D. $\frac{85}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q3/5

652

QUESTION ID

S19-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 85/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q3/5

Write $\frac{4}{10}$ as hundredths.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q4/5

653

QUESTION ID

S19-B2-Q4

TYPE

Short answer

CORRECT ANSWER

40/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q4/5

True or false?

$$\frac{5}{10} + \frac{5}{100} = \frac{10}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q5/5

654

QUESTION ID

S19-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q5/5

SET 19 • 5.NBT.B.7

BACKWARD 3

Writing decimals with the same number of places • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

True or false?

$$8.7 = 8.70$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q1/5

656

QUESTION ID

S19-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q1/5

Write 15.3 with two decimal places.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q2/5

657

QUESTION ID

S19-B3-Q2

TYPE

Short answer

CORRECT ANSWER

15.30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q2/5

Which decimal is equal to 20?

- A.** 20.00
- B.** 0.20
- C.** 2.00
- D.** 200.0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q3/5

658

QUESTION ID

S19-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 20.00

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q3/5

True or false?

$$6.4 = 6.04$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q4/5

659

QUESTION ID

S19-B3-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q4/5

Write 12.9 with a digit in the hundredths place, without changing its value.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q5/5

660

QUESTION ID

S19-B3-Q5

TYPE

Short answer

CORRECT ANSWER

12.90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q5/5

SET 19 • 5.NBT.B.7

FORWARD 1

Add and subtract multi-digit decimals • Grade 6 • The Number System •
6.NS.B.3

Add.

$$128.47 + 9.605$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q1/5

662

QUESTION ID

S19-F1-Q1

TYPE

Short answer

CORRECT ANSWER

138.075

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$54.2 - 18.376$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q2/5

663

QUESTION ID

S19-F1-Q2

TYPE

Short answer

CORRECT ANSWER

35.824

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q2/5

663

Add.

$$0.952 + 3.48 + 11.6$$

- A. 16.132
- B. 4.53
- C. 15.032
- D. 16.032

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q3/5

664

QUESTION ID

S19-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 16.032

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$100 - 0.485$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q4/5

665

QUESTION ID

S19-F1-Q4

TYPE

Short answer

CORRECT ANSWER

99.515

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q4/5

665

True or false?

$$7.3 - 2.145 = 5.245$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q5/5

666

QUESTION ID

S19-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q5/5

SET 19 • 5.NBT.B.7

FORWARD 2

Add and subtract rational numbers • Grade 7 • The Number System •
7.NS.A.1.d

Find the value.

$$-12.5 + 4.75$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q1

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q1/5

668

QUESTION ID

S19-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-7.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q1

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q1/5

Find the value.

$$3.2 - 8.45$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q2

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q2/5

669

QUESTION ID

S19-F2-Q2

TYPE

Short answer

CORRECT ANSWER

−5.25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q2

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q2/5

Find the value.

$$-6.3 + (-2.85)$$

- A. 9.15
- B. -9.15
- C. -3.45
- D. 3.45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q3

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q3/5

670

QUESTION ID

S19-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. -9.15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q3

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q3/5

Find the value.

$$-4.6 - (-10.25)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q4

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q4/5

671

QUESTION ID

S19-F2-Q4

TYPE

Short answer

CORRECT ANSWER

5.65

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q4

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q4/5

True or false?

$$-1.5 + 1.5 = 0$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q5

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q5/5

672

QUESTION ID

S19-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q5

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q5/5

Multiply decimals to hundredths

MAIN	Grade 5 main question	5.NBT.B.7
BACKWARD 1	Multiplying whole numbers	4.NBT.B.5
BACKWARD 2	Decimals as tenths and hundredths	4.NF.C.6
BACKWARD 3	Dividing by 10 and 100 to place the decimal point	5.NBT.A.2
FORWARD 1	Multiply multi-digit decimals	6.NS.B.3
FORWARD 2	Multiply rational numbers	7.NS.A.2.c

SET 20 • 5.NBT.B.7

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.7

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$3.4 \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • MAIN • Q1/5

675

QUESTION ID

S20-M-Q1

TYPE

Short answer

CORRECT ANSWER

20.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • MAIN • Q1/5

675

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$0.7 \times 0.5$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • MAIN • Q2/5

676

QUESTION ID

S20-M-Q2

TYPE

Short answer

CORRECT ANSWER

0.35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • MAIN • Q2/5

676

Multiply.

$$2.5 \times 1.2$$

- A.** 3
- B.** 30
- C.** 3.7
- D.** 0.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • MAIN • Q3/5

677

QUESTION ID

S20-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$0.06 \times 8$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • MAIN • Q4/5

678

QUESTION ID

S20-M-Q4

TYPE

Short answer

CORRECT ANSWER

0.48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • MAIN • Q4/5

678

A pen costs \$1.25.

How much do 7 pens cost?

Cost: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • MAIN • Q5/5

679

QUESTION ID

S20-M-Q5

TYPE

Short answer

CORRECT ANSWER

\$8.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • MAIN • Q5/5

SET 20 • 5.NBT.B.7

BACKWARD 1

Multiplying whole numbers • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.5

Multiply.

$$34 \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 20 • BACKWARD 1 • Q1/5

681

QUESTION ID

S20-B1-Q1

TYPE

Short answer

CORRECT ANSWER

204

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 20 • BACKWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$25 \times 12$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 20 • BACKWARD 1 • Q2/5

682

QUESTION ID

S20-B1-Q2

TYPE

Short answer

CORRECT ANSWER

300

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 20 • BACKWARD 1 • Q2/5

True or false?

$$125 \times 7 = 785$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 20 • BACKWARD 1 • Q3/5

683

QUESTION ID

S20-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 20 • BACKWARD 1 • Q3/5

$$18 \times 4 = ?$$

- A.** 72
- B.** 82
- C.** 48
- D.** 64

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 20 • BACKWARD 1 • Q4/5

684

QUESTION ID

S20-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. 72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 20 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$106 \times 8$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 20 • BACKWARD 1 • Q5/5

685

QUESTION ID

S20-B1-Q5

TYPE

Short answer

CORRECT ANSWER

848

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 20 • BACKWARD 1 • Q5/5

685

SET 20 • 5.NBT.B.7

BACKWARD 2

Decimals as tenths and hundredths • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

Write 35 hundredths as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 20 • BACKWARD 2 • Q1/5

687

QUESTION ID

S20-B2-Q1

TYPE

Short answer

CORRECT ANSWER

0.35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 20 • BACKWARD 2 • Q1/5

True or false?

0.4 is 4 tenths.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 20 • BACKWARD 2 • Q2/5

688

QUESTION ID

S20-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 20 • BACKWARD 2 • Q2/5

Which decimal is 204 tenths?

- A.** 204
- B.** 20.4
- C.** 2.04
- D.** 0.204

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 20 • BACKWARD 2 • Q3/5

689

QUESTION ID

S20-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 20.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 20 • BACKWARD 2 • Q3/5

How many hundredths are in 0.48?

Hundredths: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 20 • BACKWARD 2 • Q4/5

690

QUESTION ID

S20-B2-Q4

TYPE

Short answer

CORRECT ANSWER

48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 20 • BACKWARD 2 • Q4/5

True or false?

0.06 is 6 tenths.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 20 • BACKWARD 2 • Q5/5

691

QUESTION ID

S20-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 20 • BACKWARD 2 • Q5/5

SET 20 • 5.NBT.B.7

BACKWARD 3

Dividing by 10 and 100 to place the decimal point • Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2

Divide.

$$204 \div 10$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B3-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 20 • BACKWARD 3 • Q1/5

693

QUESTION ID

S20-B3-Q1

TYPE

Short answer

CORRECT ANSWER

20.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B3-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 20 • BACKWARD 3 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$35 \div 100$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B3-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 20 • BACKWARD 3 • Q2/5

694

QUESTION ID

S20-B3-Q2

TYPE

Short answer

CORRECT ANSWER

0.35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B3-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 20 • BACKWARD 3 • Q2/5

True or false?

$$300 \div 100 = 30$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B3-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 20 • BACKWARD 3 • Q3/5

695

QUESTION ID

S20-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B3-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 20 • BACKWARD 3 • Q3/5

$$875 \div 100 = ?$$

- A.** 875
- B.** 8.75
- C.** 0.875
- D.** 87.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B3-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 20 • BACKWARD 3 • Q4/5

696

QUESTION ID

S20-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 8.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B3-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 20 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$48 \div 100$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B3-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 20 • BACKWARD 3 • Q5/5

697

QUESTION ID

S20-B3-Q5

TYPE

Short answer

CORRECT ANSWER

0.48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B3-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 20 • BACKWARD 3 • Q5/5

697

SET 20 • 5.NBT.B.7

FORWARD 1

Multiply multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$3.45 \times 0.6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 1 • Q1/5

699

QUESTION ID

S20-F1-Q1

TYPE

Short answer

CORRECT ANSWER

2.07

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$12.08 \times 2.5$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 1 • Q2/5

700

QUESTION ID

S20-F1-Q2

TYPE

Short answer

CORRECT ANSWER

30.2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 1 • Q2/5

700

Multiply.

$$0.125 \times 0.4$$

- A.** 0.5
- B.** 0.05
- C.** 5
- D.** 0.005

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 1 • Q3/5

701

QUESTION ID

S20-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 0.05

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$7.2 \times 1.15$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 1 • Q4/5

702

QUESTION ID

S20-F1-Q4

TYPE

Short answer

CORRECT ANSWER

8.28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 1 • Q4/5

702

True or false?

$$0.03 \times 0.03 = 0.09$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 1 • Q5/5

703

QUESTION ID

S20-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 1 • Q5/5

SET 20 • 5.NBT.B.7

FORWARD 2

Multiply rational numbers • Grade 7 • The Number System • 7.NS.A.2.c

Find the product.

$$-3.4 \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 20 • FORWARD 2 • Q1/5

705

QUESTION ID

S20-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-20.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 20 • FORWARD 2 • Q1/5

Find the product.

$$(-0.7) \times (-0.5)$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 20 • FORWARD 2 • Q2/5

706

QUESTION ID

S20-F2-Q2

TYPE

Short answer

CORRECT ANSWER

0.35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 20 • FORWARD 2 • Q2/5

Find the product.

$$2.5 \times (-1.2)$$

- A. -0.3
- B. -30
- C. 3
- D. -3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 20 • FORWARD 2 • Q3/5

707

QUESTION ID

S20-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. -3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 20 • FORWARD 2 • Q3/5

Find the product.

$$(-0.06) \times 8$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 20 • FORWARD 2 • Q4/5

708

QUESTION ID

S20-F2-Q4

TYPE

Short answer

CORRECT ANSWER

-0.48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 20 • FORWARD 2 • Q4/5

True or false?

$$(-1.25) \times (-4) = -5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 20 • FORWARD 2 • Q5/5

709

QUESTION ID

S20-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 20 • FORWARD 2 • Q5/5

Divide decimals to hundredths

MAIN	Grade 5 main question	5.NBT.B.7
BACKWARD 1	Dividing whole numbers	4.NBT.B.6
BACKWARD 2	Division as an unknown-factor problem	3.OA.B.6
BACKWARD 3	Multiplying both numbers by a power of 10 keeps the quotient	5.NBT.A.2
FORWARD 1	Divide multi-digit decimals	6.NS.B.3
FORWARD 2	Divide rational numbers	7.NS.A.2.b

SET 21 • 5.NBT.B.7

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.7

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$8.4 \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • MAIN • Q1/5

712

QUESTION ID

S21-M-Q1

TYPE

Short answer

CORRECT ANSWER

2.1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • MAIN • Q1/5

712

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$3.6 \div 0.6$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • MAIN • Q2/5

713

QUESTION ID

S21-M-Q2

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • MAIN • Q2/5

713

Divide.

$$0.45 \div 0.05$$

- A.** 0.09
- B.** 0.9
- C.** 90
- D.** 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • MAIN • Q3/5

714

QUESTION ID

S21-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$7.5 \div 0.3$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • MAIN • Q4/5

715

QUESTION ID

S21-M-Q4

TYPE

Short answer

CORRECT ANSWER

25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • MAIN • Q4/5

715

A rope is 4.8 meters long. It is cut into pieces that are each 0.6 meter long.

How many pieces are there?

Pieces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • MAIN • Q5/5

716

QUESTION ID

S21-M-Q5

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • MAIN • Q5/5

SET 21 • 5.NBT.B.7

BACKWARD 1

Dividing whole numbers • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.6

Divide.

$$84 \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 21 • BACKWARD 1 • Q1/5

718

QUESTION ID

S21-B1-Q1

TYPE

Short answer

CORRECT ANSWER

21

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 21 • BACKWARD 1 • Q1/5

Divide.

$$360 \div 6$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 21 • BACKWARD 1 • Q2/5

719

QUESTION ID

S21-B1-Q2

TYPE

Short answer

CORRECT ANSWER

60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 21 • BACKWARD 1 • Q2/5

True or false?

$$450 \div 5 = 9$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 21 • BACKWARD 1 • Q3/5

720

QUESTION ID

S21-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 21 • BACKWARD 1 • Q3/5

$$750 \div 3 = ?$$

- A.** 25
- B.** 250
- C.** 2,500
- D.** 260

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 21 • BACKWARD 1 • Q4/5

721

QUESTION ID

S21-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 250

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 21 • BACKWARD 1 • Q4/5

Divide.

$$48 \div 6$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 21 • BACKWARD 1 • Q5/5

722

QUESTION ID

S21-B1-Q5

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 21 • BACKWARD 1 • Q5/5

SET 21 • 5.NBT.B.7

BACKWARD 2

Division as an unknown-factor problem • Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6

Find $36 \div 6$ by thinking $6 \times \square = 36$.

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 21 • BACKWARD 2 • Q1/5

724

QUESTION ID

S21-B2-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 21 • BACKWARD 2 • Q1/5

True or false?

$7 \times 9 = 63$, so $63 \div 7 = 9$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 21 • BACKWARD 2 • Q2/5

725

QUESTION ID

S21-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 21 • BACKWARD 2 • Q2/5

Which fact helps you find $56 \div 8$?

- A. $56 \times 8 = 448$
- B. $8 \times 7 = 56$
- C. $8 + 48 = 56$
- D. $8 - 7 = 1$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 21 • BACKWARD 2 • Q3/5

726

QUESTION ID

S21-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $8 \times 7 = 56$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 21 • BACKWARD 2 • Q3/5

What number goes in the box?

$$\square \times 5 = 45$$

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 21 • BACKWARD 2 • Q4/5

727

QUESTION ID

S21-B2-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 21 • BACKWARD 2 • Q4/5

True or false?

$24 \div 3 = 6$ because $3 \times 6 = 24$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 21 • BACKWARD 2 • Q5/5

728

QUESTION ID

S21-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 21 • BACKWARD 2 • Q5/5

SET 21 • 5.NBT.B.7

BACKWARD 3

Multiplying both numbers by a power of 10 keeps the quotient • Grade 5 •
Number & Operations in Base Ten • 5.NBT.A.2

True or false?

$3.6 \div 0.6$ has the same quotient as $36 \div 6$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B3-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 21 • BACKWARD 3 • Q1/5

730

QUESTION ID

S21-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B3-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 21 • BACKWARD 3 • Q1/5

Which has the same quotient as $0.45 \div 0.05$?

- A. $4.5 \div 5$
- B. $0.45 \div 5$
- C. $45 \div 5$
- D. $45 \div 0.5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B3-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 21 • BACKWARD 3 • Q2/5

731

QUESTION ID

S21-B3-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. $45 \div 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B3-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 21 • BACKWARD 3 • Q2/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$0.6 \times 10$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B3-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 21 • BACKWARD 3 • Q3/5

732

QUESTION ID

S21-B3-Q3

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B3-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 21 • BACKWARD 3 • Q3/5

732

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$0.05 \times 100$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B3-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 21 • BACKWARD 3 • Q4/5

733

QUESTION ID

S21-B3-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B3-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 21 • BACKWARD 3 • Q4/5

733

True or false?

$7.5 \div 0.3$ has the same quotient as $75 \div 30$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B3-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 21 • BACKWARD 3 • Q5/5

734

QUESTION ID

S21-B3-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B3-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 21 • BACKWARD 3 • Q5/5

SET 21 • 5.NBT.B.7

FORWARD 1

Divide multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

Divide.

$$13.65 \div 0.35$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 1 • Q1/5

736

QUESTION ID

S21-F1-Q1

TYPE

Short answer

CORRECT ANSWER

39

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 1 • Q1/5

Divide.

$$9.072 \div 2.4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 1 • Q2/5

737

QUESTION ID

S21-F1-Q2

TYPE

Short answer

CORRECT ANSWER

3.78

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 1 • Q2/5

Divide.

$$0.081 \div 0.09$$

- A.** 90
- B.** 0.09
- C.** 0.9
- D.** 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 1 • Q3/5

738

QUESTION ID

S21-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 0.9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$52.5 \div 1.25$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 1 • Q4/5

739

QUESTION ID

S21-F1-Q4

TYPE

Short answer

CORRECT ANSWER

42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 1 • Q4/5

739

True or false?

$$1.8 \div 0.006 = 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 1 • Q5/5

740

QUESTION ID

S21-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 1 • Q5/5

SET 21 • 5.NBT.B.7

FORWARD 2

Divide rational numbers • Grade 7 • The Number System • 7.NS.A.2.b

Find the quotient.

$$-8.4 \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.b • Set 21 • FORWARD 2 • Q1/5

742

QUESTION ID

S21-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-2.1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.b • Set 21 • FORWARD 2 • Q1/5

Find the quotient.

$$(-3.6) \div (-0.6)$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.b • Set 21 • FORWARD 2 • Q2/5

743

QUESTION ID

S21-F2-Q2

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.b • Set 21 • FORWARD 2 • Q2/5

Find the quotient.

$$0.45 \div (-0.05)$$

- A.** -9
- B.** -0.9
- C.** 0.9
- D.** 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.b • Set 21 • FORWARD 2 • Q3/5

744

QUESTION ID

S21-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. -9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.b • Set 21 • FORWARD 2 • Q3/5

Find the quotient.

$$-7.5 \div 0.3$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.b • Set 21 • FORWARD 2 • Q4/5

745

QUESTION ID

S21-F2-Q4

TYPE

Short answer

CORRECT ANSWER

-25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.b • Set 21 • FORWARD 2 • Q4/5

True or false?

$$-(4.8 \div 0.6) = (-4.8) \div 0.6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.b • Set 21 • FORWARD 2 • Q5/5

746

QUESTION ID

S21-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.b • Set 21 • FORWARD 2 • Q5/5

Solve real-world problems with decimal operations

MAIN	Grade 5 main question	5.NBT.B.7
BACKWARD 1	Word problems with money and measurement	4.MD.A.2
BACKWARD 2	Hundredths on a grid	4.NF.C.6
FORWARD 1	Real-world problems with multi-digit decimals	6.NS.B.3
FORWARD 2	Real-world problems with rational numbers	7.NS.A.3

SET 22 • 5.NBT.B.7


MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.7

The grid shows 0.36 shaded.

How much more must be shaded to show 0.5?

Amount: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 22 • MAIN • Q1/5

749

QUESTION ID

S22-M-Q1

TYPE

Short answer

CORRECT ANSWER

0.14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 22 • MAIN • Q1/5

Juice costs \$2.35 a bottle. Ben buys 4 bottles and pays with a \$20 bill.

How much change does he get?

Change: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 22 • MAIN • Q2/5

750

QUESTION ID

S22-M-Q2

TYPE

Short answer

CORRECT ANSWER

\$10.60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 22 • MAIN • Q2/5

A 2.5-pound bag of nuts is shared equally among 5 friends.

How many pounds does each friend get?

- A.** 0.05 pound **B.** 0.5 pound
C. 2 pounds **D.** 12.5 pounds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 22 • MAIN • Q3/5

751

QUESTION ID

S22-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 0.5 pound

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 22 • MAIN • Q3/5

A runner ran 3.75 km on Monday and 4.6 km on Tuesday.

How much farther did she run on Tuesday?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 22 • MAIN • Q4/5

752

QUESTION ID

S22-M-Q4

TYPE

Short answer

CORRECT ANSWER

0.85 km

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 22 • MAIN • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Tiles cost \$0.45 each.

How much do 12 tiles cost?

Cost: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 22 • MAIN • Q5/5

753

QUESTION ID

S22-M-Q5

TYPE

Short answer

CORRECT ANSWER

\$5.40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 22 • MAIN • Q5/5

753

SET 22 • 5.NBT.B.7

BACKWARD 1

Word problems with money and measurement • Grade 4 • Measurement & Data • 4.MD.A.2

Pens cost 75 cents each.

How much do 4 pens cost, in dollars?

Cost: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 22 • BACKWARD 1 • Q1/5

755

QUESTION ID

S22-B1-Q1

TYPE

Short answer

CORRECT ANSWER

\$3.00

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 22 • BACKWARD 1 • Q1/5

A board is 120 cm long. It is cut into 4 equal pieces.

How long is each piece?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 22 • BACKWARD 1 • Q2/5

756

QUESTION ID

S22-B1-Q2

TYPE

Short answer

CORRECT ANSWER

30 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 22 • BACKWARD 1 • Q2/5

True or false?

Two quarters and three dimes are worth 65 cents.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 22 • BACKWARD 1 • Q3/5

757

QUESTION ID

S22-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 22 • BACKWARD 1 • Q3/5

Ann has \$5. She spends \$2.25.

How much money is left?

- A. \$7.25
- B. \$3.25
- C. \$2.75
- D. \$2.25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 22 • BACKWARD 1 • Q4/5

758

QUESTION ID

S22-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. \$2.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 22 • BACKWARD 1 • Q4/5

A jug holds 2 liters.

How many milliliters is that?

Milliliters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 22 • BACKWARD 1 • Q5/5

759

QUESTION ID

S22-B1-Q5

TYPE

Short answer

CORRECT ANSWER

2,000 mL

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 22 • BACKWARD 1 • Q5/5


SET 22 • 5.NBT.B.7

BACKWARD 2

Hundredths on a grid • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

What decimal does the shaded part of the grid show?

Decimal: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 22 • BACKWARD 2 • Q1/5

761

QUESTION ID

S22-B2-Q1

TYPE

Short answer

CORRECT ANSWER

0.45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S22-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 22 • BACKWARD 2 • Q1/5

True or false?

The shaded part of the grid shows 0.8.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 22 • BACKWARD 2 • Q2/5

762

QUESTION ID

S22-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 22 • BACKWARD 2 • Q2/5

Which decimal does the shaded part of the grid show?

- A. 0.9
- B. 9
- C. 0.009
- D. 0.09



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 22 • BACKWARD 2 • Q3/5

763

QUESTION ID

S22-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 0.09


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 22 • BACKWARD 2 • Q3/5

How many more squares must be shaded to fill the whole grid?

Squares: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 22 • BACKWARD 2 • Q4/5

764

QUESTION ID

S22-B2-Q4

TYPE

Short answer

CORRECT ANSWER

36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 22 • BACKWARD 2 • Q4/5

True or false?

0.5 of a hundredths grid is 5 squares.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 22 • BACKWARD 2 • Q5/5

765

QUESTION ID

S22-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 22 • BACKWARD 2 • Q5/5

SET 22 • 5.NBT.B.7

FORWARD 1

Real-world problems with multi-digit decimals • Grade 6 • The Number System
• 6.NS.B.3

Gas costs \$3.85 per gallon.

How much do 12 gallons cost?

Cost: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 1 • Q1/5

767

QUESTION ID

S22-F1-Q1

TYPE

Short answer

CORRECT ANSWER

\$46.20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 1 • Q1/5

A board is 6.75 m long. It is cut into pieces that are 0.45 m long.

How many pieces are there?

Pieces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 1 • Q2/5

768

QUESTION ID

S22-F1-Q2

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 1 • Q2/5

Rice costs \$1.20 per pound.

How much do 2.5 pounds cost?

- A. \$3.00
- B. \$30.00
- C. \$2.70
- D. \$3.70

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 1 • Q3/5

769

QUESTION ID

S22-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. \$3.00

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 1 • Q3/5

Lee buys items that cost \$12.49, \$3.05, and \$7.60.

What is the total cost?

Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 1 • Q4/5

770

QUESTION ID

S22-F1-Q4

TYPE

Short answer

CORRECT ANSWER

\$23.14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 1 • Q4/5

True or false?

A 2.4-pound bag split into 0.3-pound portions makes 8 portions.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 1 • Q5/5

771

QUESTION ID

S22-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 1 • Q5/5

SET 22 • 5.NBT.B.7

FORWARD 2

Real-world problems with rational numbers • Grade 7 • The Number System •
7.NS.A.3

A submarine at -45.5 m rises 12.75 m and then dives 20 m.

What is its final position?

Position: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 22 • FORWARD 2 • Q1/5

773

QUESTION ID

S22-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-52.75 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 22 • FORWARD 2 • Q1/5

A store's profit was $-\$125.40$ in May and $\$310.15$ in June.

What was the total profit for the two months?

Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 22 • FORWARD 2 • Q2/5

774

QUESTION ID

S22-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$\$184.75$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 22 • FORWARD 2 • Q2/5

The temperature was 4°F . It dropped 1.5°F each hour for 6 hours.

What was the final temperature?

- A.** -5°F **B.** 13°F
C. 5°F **D.** -9°F

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 22 • FORWARD 2 • Q3/5

775

QUESTION ID

S22-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. -5°F

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 22 • FORWARD 2 • Q3/5

An account changes by $-\$2.40$ each week for 5 weeks.

What is the total change?

Total change: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 22 • FORWARD 2 • Q4/5

776

QUESTION ID

S22-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$-\$12.00$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 22 • FORWARD 2 • Q4/5

True or false?

$$-3.6 \div 0.4 = -0.9$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 22 • FORWARD 2 • Q5/5

777

QUESTION ID

S22-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 22 • FORWARD 2 • Q5/5

Add fractions with unlike denominators

MAIN	Grade 5 main question	5.NF.A.1
BACKWARD 1	Equivalent fractions	4.NF.A.1
BACKWARD 2	Adding fractions with like denominators	4.NF.B.3.a
BACKWARD 3	Common multiples	4.OA.B.4
FORWARD 1	Find the least common multiple	6.NS.B.4
FORWARD 2	Add rational numbers	7.NS.A.1.d

SET 23 • 5.NF.A.1

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions • 5.NF.A.1

Add.

$$\frac{2}{3} + \frac{1}{4}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 23 • MAIN • Q1/5

780

QUESTION ID

S23-M-Q1

TYPE

Short answer

CORRECT ANSWER

11/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 23 • MAIN • Q1/5

Add.

$$\frac{3}{5} + \frac{1}{10}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 23 • MAIN • Q2/5

781

QUESTION ID

S23-M-Q2

TYPE

Short answer

CORRECT ANSWER

7/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 23 • MAIN • Q2/5

Add.

$$\frac{5}{6} + \frac{3}{8}$$

A. $1\frac{5}{24}$

B. $1\frac{1}{24}$

C. $\frac{8}{24}$

D. $\frac{8}{14}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 23 • MAIN • Q3/5

782

QUESTION ID

S23-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 1 5/24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 23 • MAIN • Q3/5

Add.

$$\frac{1}{2} + \frac{2}{7}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 23 • MAIN • Q4/5

783

QUESTION ID

S23-M-Q4

TYPE

Short answer

CORRECT ANSWER

11/14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 23 • MAIN • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$\frac{3}{4} + \frac{5}{12} + \frac{1}{6}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 23 • MAIN • Q5/5

784

QUESTION ID

S23-M-Q5

TYPE

Short answer

CORRECT ANSWER

1 1/3**GRADING NOTE** 16/12 or 4/3 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 23 • MAIN • Q5/5

784

SET 23 • 5.NF.A.1

BACKWARD 1

Equivalent fractions • Grade 4 • Number & Operations–Fractions • 4.NF.A.1

Find the missing number.

$$\frac{2}{3} = \frac{?}{12}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 23 • BACKWARD 1 • Q1/5

786

QUESTION ID

S23-B1-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 23 • BACKWARD 1 • Q1/5

True or false?

$$\frac{1}{4} = \frac{4}{12}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 23 • BACKWARD 1 • Q2/5

787

QUESTION ID

S23-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 23 • BACKWARD 1 • Q2/5

Which fraction is equivalent to $\frac{3}{5}$?

A. $\frac{6}{5}$

B. $\frac{5}{3}$

C. $\frac{3}{10}$

D. $\frac{6}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 23 • BACKWARD 1 • Q3/5

788

QUESTION ID

S23-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 6/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 23 • BACKWARD 1 • Q3/5

Find the missing number.

$$\frac{5}{6} = \frac{20}{?}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 23 • BACKWARD 1 • Q4/5

789

QUESTION ID

S23-B1-Q4

TYPE

Short answer

CORRECT ANSWER

24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 23 • BACKWARD 1 • Q4/5

True or false?

$$\frac{2}{7} = \frac{4}{21}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 23 • BACKWARD 1 • Q5/5

790

QUESTION ID

S23-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 23 • BACKWARD 1 • Q5/5

SET 23 • 5.NF.A.1

BACKWARD 2

Adding fractions with like denominators • Grade 4 • Number & Operations–Fractions • 4.NF.B.3.a

Add.

$$\frac{3}{8} + \frac{2}{8}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 23 • BACKWARD 2 • Q1/5

792

QUESTION ID

S23-B2-Q1

TYPE

Short answer

CORRECT ANSWER

5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 23 • BACKWARD 2 • Q1/5

True or false?

$$\frac{4}{12} + \frac{5}{12} = \frac{9}{24}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 23 • BACKWARD 2 • Q2/5

793

QUESTION ID

S23-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 23 • BACKWARD 2 • Q2/5

$$\frac{7}{10} + \frac{6}{10} = ?$$

A. $1\frac{6}{10}$

B. $1\frac{3}{10}$

C. $\frac{13}{20}$

D. $\frac{1}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 23 • BACKWARD 2 • Q3/5

794

QUESTION ID

S23-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 1 3/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 23 • BACKWARD 2 • Q3/5

Add.

$$\frac{1}{6} + \frac{4}{6}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 23 • BACKWARD 2 • Q4/5

795

QUESTION ID

S23-B2-Q4

TYPE

Short answer

CORRECT ANSWER

5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 23 • BACKWARD 2 • Q4/5

True or false?

$$\frac{2}{5} + \frac{3}{5} = 1$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 23 • BACKWARD 2 • Q5/5

796

QUESTION ID

S23-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 23 • BACKWARD 2 • Q5/5

SET 23 • 5.NF.A.1

BACKWARD 3

Common multiples • Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4

List the first five multiples of 4.

Multiples: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B3-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 23 • BACKWARD 3 • Q1/5

798

QUESTION ID

S23-B3-Q1

TYPE

Short answer

CORRECT ANSWER

4, 8, 12, 16, 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B3-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 23 • BACKWARD 3 • Q1/5

True or false?

10 is a multiple of both 3 and 4.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B3-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 23 • BACKWARD 3 • Q2/5

799

QUESTION ID

S23-B3-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B3-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 23 • BACKWARD 3 • Q2/5

Which number is a multiple of both 6 and 8?

- A.** 16
- B.** 30
- C.** 24
- D.** 14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B3-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 23 • BACKWARD 3 • Q3/5

800

QUESTION ID

S23-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B3-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 23 • BACKWARD 3 • Q3/5

Name a number that is a multiple of both 5 and 10.

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B3-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 23 • BACKWARD 3 • Q4/5

801

QUESTION ID

S23-B3-Q4

TYPE

Short answer

CORRECT ANSWER

10

GRADING NOTE Any multiple of 10 (10, 20, 30, ...) is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B3-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 23 • BACKWARD 3 • Q4/5

True or false?

18 is a multiple of both 4 and 6.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B3-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 23 • BACKWARD 3 • Q5/5

802

QUESTION ID

S23-B3-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B3-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 23 • BACKWARD 3 • Q5/5

SET 23 • 5.NF.A.1

FORWARD 1

Find the least common multiple • Grade 6 • The Number System • 6.NS.B.4

Find the least common multiple of 6 and 10.

LCM: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 23 • FORWARD 1 • Q1/5

804

QUESTION ID

S23-F1-Q1

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 23 • FORWARD 1 • Q1/5

Find the least common multiple of 8 and 12.

LCM: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 23 • FORWARD 1 • Q2/5

805

QUESTION ID

S23-F1-Q2

TYPE

Short answer

CORRECT ANSWER

24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 23 • FORWARD 1 • Q2/5

What is the least common multiple of 4 and 9?

- A.** 72
- B.** 13
- C.** 18
- D.** 36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 23 • FORWARD 1 • Q3/5

806

QUESTION ID

S23-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 23 • FORWARD 1 • Q3/5

Find the least common multiple of 5 and 15.

LCM: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 23 • FORWARD 1 • Q4/5

807

QUESTION ID

S23-F1-Q4

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 23 • FORWARD 1 • Q4/5

True or false?

The least common multiple of 6 and 9 is 54.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 23 • FORWARD 1 • Q5/5

808

QUESTION ID

S23-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 23 • FORWARD 1 • Q5/5

SET 23 • 5.NF.A.1

FORWARD 2

Add rational numbers • Grade 7 • The Number System • 7.NS.A.1.d

Find the value.

$$-\frac{2}{3} + \frac{1}{4}$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q1

Grade 7 • The Number System • 7.NS.A.1.d • Set 23 • FORWARD 2 • Q1/5

810

QUESTION ID

S23-F2-Q1

TYPE

Short answer

CORRECT ANSWER

−5/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q1

Grade 7 • The Number System • 7.NS.A.1.d • Set 23 • FORWARD 2 • Q1/5

Find the value.

$$\frac{3}{5} + \left(-\frac{7}{10}\right)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q2

Grade 7 • The Number System • 7.NS.A.1.d • Set 23 • FORWARD 2 • Q2/5

811

QUESTION ID

S23-F2-Q2

TYPE

Short answer

CORRECT ANSWER

−1/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q2

Grade 7 • The Number System • 7.NS.A.1.d • Set 23 • FORWARD 2 • Q2/5

Find the value.

$$-\frac{1}{2} + (-\frac{3}{8})$$

A. $-\frac{7}{8}$

B. $-\frac{4}{10}$

C. $\frac{1}{8}$

D. $-\frac{1}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q3

Grade 7 • The Number System • 7.NS.A.1.d • Set 23 • FORWARD 2 • Q3/5

812

QUESTION ID

S23-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $-\frac{7}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q3

Grade 7 • The Number System • 7.NS.A.1.d • Set 23 • FORWARD 2 • Q3/5

Find the value.

$$-1\frac{1}{3} + \frac{5}{6}$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q4

Grade 7 • The Number System • 7.NS.A.1.d • Set 23 • FORWARD 2 • Q4/5

813

QUESTION ID

S23-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$-1/2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q4

Grade 7 • The Number System • 7.NS.A.1.d • Set 23 • FORWARD 2 • Q4/5

True or false?

$$-\frac{3}{4} + \frac{3}{4} = 0$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q5

Grade 7 • The Number System • 7.NS.A.1.d • Set 23 • FORWARD 2 • Q5/5

814

QUESTION ID

S23-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q5

Grade 7 • The Number System • 7.NS.A.1.d • Set 23 • FORWARD 2 • Q5/5

Subtract fractions with unlike denominators

MAIN	Grade 5 main question	5.NF.A.1
BACKWARD 1	Equivalent fractions	4.NF.A.1
BACKWARD 2	Subtracting fractions with like denominators	4.NF.B.3.a
BACKWARD 3	Common multiples	4.OA.B.4
FORWARD 1	Solve equations of the form $x + p = q$ with fractions	6.EE.B.7
FORWARD 2	Subtract rational numbers	7.NS.A.1.c

SET 24 • 5.NF.A.1

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions • 5.NF.A.1

Subtract.

$$\frac{5}{6} - \frac{1}{4}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 24 • MAIN • Q1/5

817

QUESTION ID

S24-M-Q1

TYPE

Short answer

CORRECT ANSWER

7/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 24 • MAIN • Q1/5

Subtract.

$$\frac{7}{8} - \frac{1}{2}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 24 • MAIN • Q2/5

818

QUESTION ID

S24-M-Q2

TYPE

Short answer

CORRECT ANSWER

3/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 24 • MAIN • Q2/5

Subtract.

$$\frac{4}{5} - \frac{2}{3}$$

A. $\frac{2}{2}$

B. $\frac{1}{5}$

C. $\frac{6}{15}$

D. $\frac{2}{15}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 24 • MAIN • Q3/5

819

QUESTION ID

S24-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 2/15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 24 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$\frac{9}{10} - \frac{2}{5}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 24 • MAIN • Q4/5

820

QUESTION ID

S24-M-Q4

TYPE

Short answer

CORRECT ANSWER

1/2**GRADING NOTE** 5/10 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 24 • MAIN • Q4/5

Subtract.

$$1 - \frac{3}{7}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 24 • MAIN • Q5/5

821

QUESTION ID

S24-M-Q5

TYPE

Short answer

CORRECT ANSWER

4/7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 24 • MAIN • Q5/5

SET 24 • 5.NF.A.1

BACKWARD 1

Equivalent fractions • Grade 4 • Number & Operations–Fractions • 4.NF.A.1

Find the missing number.

$$\frac{1}{4} = \frac{?}{12}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 24 • BACKWARD 1 • Q1/5

823

QUESTION ID

S24-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 24 • BACKWARD 1 • Q1/5

True or false?

$$\frac{1}{2} = \frac{4}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 24 • BACKWARD 1 • Q2/5

824

QUESTION ID

S24-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 24 • BACKWARD 1 • Q2/5

Which fraction is equivalent to $\frac{2}{3}$?

A. $\frac{10}{15}$

B. $\frac{4}{9}$

C. $\frac{3}{4}$

D. $\frac{2}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 24 • BACKWARD 1 • Q3/5

825

QUESTION ID

S24-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 10/15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 24 • BACKWARD 1 • Q3/5

Find the missing number.

$$\frac{4}{5} = \frac{?}{15}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 24 • BACKWARD 1 • Q4/5

826

QUESTION ID

S24-B1-Q4

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 24 • BACKWARD 1 • Q4/5

True or false?

$$\frac{3}{4} = \frac{9}{16}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 24 • BACKWARD 1 • Q5/5

827

QUESTION ID

S24-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 24 • BACKWARD 1 • Q5/5

SET 24 • 5.NF.A.1

BACKWARD 2

Subtracting fractions with like denominators • Grade 4 • Number & Operations–Fractions • 4.NF.B.3.a

Subtract.

$$\frac{7}{9} - \frac{2}{9}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 24 • BACKWARD 2 • Q1/5

829

QUESTION ID

S24-B2-Q1

TYPE

Short answer

CORRECT ANSWER

5/9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 24 • BACKWARD 2 • Q1/5

True or false?

$$\frac{5}{8} - \frac{3}{8} = \frac{2}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 24 • BACKWARD 2 • Q2/5

830

QUESTION ID

S24-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 24 • BACKWARD 2 • Q2/5

$$\frac{11}{12} - \frac{4}{12} = ?$$

A. $\frac{7}{24}$

B. $\frac{7}{12}$

C. $\frac{15}{12}$

D. $\frac{4}{12}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 24 • BACKWARD 2 • Q3/5

831

QUESTION ID

S24-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 7/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 24 • BACKWARD 2 • Q3/5

Subtract.

$$1 - \frac{3}{5}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 24 • BACKWARD 2 • Q4/5

832

QUESTION ID

S24-B2-Q4

TYPE

Short answer

CORRECT ANSWER

2/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 24 • BACKWARD 2 • Q4/5

True or false?

$$\frac{9}{10} - \frac{4}{10} = \frac{5}{20}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 24 • BACKWARD 2 • Q5/5

833

QUESTION ID

S24-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 24 • BACKWARD 2 • Q5/5

SET 24 • 5.NF.A.1

BACKWARD 3

Common multiples • Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4

List the first four multiples of 6.

Multiples: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B3-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 24 • BACKWARD 3 • Q1/5

835

QUESTION ID

S24-B3-Q1

TYPE

Short answer

CORRECT ANSWER

6, 12, 18, 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B3-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 24 • BACKWARD 3 • Q1/5

True or false?

15 is a multiple of both 3 and 5.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B3-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 24 • BACKWARD 3 • Q2/5

836

QUESTION ID

S24-B3-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B3-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 24 • BACKWARD 3 • Q2/5

Which number is a multiple of both 4 and 5?

- A.** 15
- B.** 20
- C.** 9
- D.** 25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B3-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 24 • BACKWARD 3 • Q3/5

837

QUESTION ID

S24-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B3-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 24 • BACKWARD 3 • Q3/5

Name a number that is a multiple of both 3 and 8.

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B3-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 24 • BACKWARD 3 • Q4/5

838

QUESTION ID

S24-B3-Q4

TYPE

Short answer

CORRECT ANSWER

24

GRADING NOTE Any multiple of 24 (24, 48, 72, ...) is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B3-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 24 • BACKWARD 3 • Q4/5

True or false?

16 is a multiple of both 4 and 6.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B3-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 24 • BACKWARD 3 • Q5/5

839

QUESTION ID

S24-B3-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B3-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 24 • BACKWARD 3 • Q5/5

SET 24 • 5.NF.A.1

FORWARD 1

Solve equations of the form $x + p = q$ with fractions • Grade 6 • Expressions & Equations • 6.EE.B.7

Solve for x.

$$x + \frac{1}{3} = \frac{5}{6}$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 24 • FORWARD 1 • Q1/5

841

QUESTION ID

S24-F1-Q1

TYPE

Short answer

CORRECT ANSWER

1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 24 • FORWARD 1 • Q1/5

Solve for y.

$$y - \frac{2}{5} = \frac{3}{10}$$

y = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 24 • FORWARD 1 • Q2/5

842

QUESTION ID

S24-F1-Q2

TYPE

Short answer

CORRECT ANSWER

7/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 24 • FORWARD 1 • Q2/5

Solve for n.

$$\frac{3}{4} + n = 1\frac{1}{2}$$

A. $1\frac{1}{4}$

B. $\frac{3}{4}$

C. $2\frac{1}{4}$

D. $\frac{1}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 24 • FORWARD 1 • Q3/5

843

QUESTION ID

S24-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 24 • FORWARD 1 • Q3/5

Solve for m.

$$m + \frac{5}{8} = 2$$

m = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 24 • FORWARD 1 • Q4/5

844

QUESTION ID

S24-F1-Q4

TYPE

Short answer

CORRECT ANSWER

1 3/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 24 • FORWARD 1 • Q4/5

True or false?

The solution of $x - \frac{1}{6} = \frac{2}{3}$ is $x = \frac{5}{6}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 24 • FORWARD 1 • Q5/5

845

QUESTION ID

S24-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 24 • FORWARD 1 • Q5/5

SET 24 • 5.NF.A.1

FORWARD 2

Subtract rational numbers • Grade 7 • The Number System • 7.NS.A.1.c

Find the value.

$$\frac{1}{4} - \frac{5}{6}$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q1

Grade 7 • The Number System • 7.NS.A.1.c • Set 24 • FORWARD 2 • Q1/5

847

QUESTION ID

S24-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-7/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q1

Grade 7 • The Number System • 7.NS.A.1.c • Set 24 • FORWARD 2 • Q1/5

Find the value.

$$-\frac{2}{3} - \frac{1}{6}$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q2

Grade 7 • The Number System • 7.NS.A.1.c • Set 24 • FORWARD 2 • Q2/5

848

QUESTION ID

S24-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$-\frac{5}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q2

Grade 7 • The Number System • 7.NS.A.1.c • Set 24 • FORWARD 2 • Q2/5

Find the value.

$$\frac{1}{2} - (-\frac{3}{4})$$

A. $-\frac{1}{4}$

B. $\frac{1}{4}$

C. $1\frac{1}{4}$

D. $-1\frac{1}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q3

Grade 7 • The Number System • 7.NS.A.1.c • Set 24 • FORWARD 2 • Q3/5

849

QUESTION ID

S24-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 1 1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q3

Grade 7 • The Number System • 7.NS.A.1.c • Set 24 • FORWARD 2 • Q3/5

Find the value.

$$-\frac{3}{5} - (-\frac{1}{2})$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q4

Grade 7 • The Number System • 7.NS.A.1.c • Set 24 • FORWARD 2 • Q4/5

850

QUESTION ID

S24-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$-\frac{1}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q4

Grade 7 • The Number System • 7.NS.A.1.c • Set 24 • FORWARD 2 • Q4/5

True or false?

$$\frac{2}{9} - \frac{5}{9} = \frac{1}{3}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q5

Grade 7 • The Number System • 7.NS.A.1.c • Set 24 • FORWARD 2 • Q5/5

851

QUESTION ID

S24-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q5

Grade 7 • The Number System • 7.NS.A.1.c • Set 24 • FORWARD 2 • Q5/5

Add and subtract mixed numbers with unlike denominators

MAIN	Grade 5 main question	5.NF.A.1
BACKWARD 1	Adding and subtracting mixed numbers with like denominators	4.NF.B.3.c
BACKWARD 2	Mixed numbers and fractions greater than 1	4.NF.B.3.b
BACKWARD 3	Equivalent fractions	4.NF.A.1
FORWARD 1	Solve equations of the form $x + p = q$ with mixed numbers	6.EE.B.7
FORWARD 2	Solve equations of the form $px + q = r$ with fractions	7.EE.B.4.a

SET 25 • 5.NF.A.1

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions • 5.NF.A.1

Add.

$$2\frac{1}{3} + 1\frac{1}{2}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 25 • MAIN • Q1/5

854

QUESTION ID

S25-M-Q1

TYPE

Short answer

CORRECT ANSWER

3 5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 25 • MAIN • Q1/5

Subtract.

$$5\frac{3}{4} - 2\frac{1}{6}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 25 • MAIN • Q2/5

855

QUESTION ID

S25-M-Q2

TYPE

Short answer

CORRECT ANSWER

3 7/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 25 • MAIN • Q2/5

Subtract.

$$4\frac{1}{5} - 1\frac{1}{2}$$

A. $3\frac{3}{10}$

B. $2\frac{3}{10}$

C. $3\frac{7}{10}$

D. $2\frac{7}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 25 • MAIN • Q3/5

856

QUESTION ID

S25-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 2 7/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 25 • MAIN • Q3/5

Add.

$$3\frac{5}{8} + 2\frac{3}{4}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 25 • MAIN • Q4/5

857

QUESTION ID

S25-M-Q4

TYPE

Short answer

CORRECT ANSWER

6 3/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 25 • MAIN • Q4/5

Subtract.

$$6 - 2\frac{2}{3}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 25 • MAIN • Q5/5

858

QUESTION ID

S25-M-Q5

TYPE

Short answer

CORRECT ANSWER

3 1/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 25 • MAIN • Q5/5

SET 25 • 5.NF.A.1

BACKWARD 1

Adding and subtracting mixed numbers with like denominators • Grade 4 •
Number & Operations–Fractions • 4.NF.B.3.c

Add.

$$1\frac{2}{5} + 2\frac{1}{5}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 25 • BACKWARD 1 • Q1/5

860

QUESTION ID

S25-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3 3/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 25 • BACKWARD 1 • Q1/5

Subtract.

$$4\frac{5}{6} - 1\frac{4}{6}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 25 • BACKWARD 1 • Q2/5

861

QUESTION ID

S25-B1-Q2

TYPE

Short answer

CORRECT ANSWER

3 1/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 25 • BACKWARD 1 • Q2/5

True or false?

$$2\frac{3}{4} + 1\frac{3}{4} = 3\frac{6}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 25 • BACKWARD 1 • Q3/5

862

QUESTION ID

S25-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 25 • BACKWARD 1 • Q3/5

$$5\frac{1}{3} - 2\frac{2}{3} = ?$$

A. $3\frac{1}{3}$

B. $2\frac{1}{3}$

C. $2\frac{2}{3}$

D. $3\frac{2}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 25 • BACKWARD 1 • Q4/5

863

QUESTION ID

S25-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 2 2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 25 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$3\frac{7}{8} + \frac{3}{8}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 25 • BACKWARD 1 • Q5/5

864

QUESTION ID

S25-B1-Q5

TYPE

Short answer

CORRECT ANSWER

4 2/8**GRADING NOTE** 4 1/4 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 25 • BACKWARD 1 • Q5/5

SET 25 • 5.NF.A.1

BACKWARD 2

Mixed numbers and fractions greater than 1 • Grade 4 • Number & Operations–Fractions • 4.NF.B.3.b

Write $2\frac{3}{4}$ as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 25 • BACKWARD 2 • Q1/5

866

QUESTION ID

S25-B2-Q1

TYPE

Short answer

CORRECT ANSWER

11/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 25 • BACKWARD 2 • Q1/5

Write $\frac{17}{5}$ as a mixed number.

Mixed number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 25 • BACKWARD 2 • Q2/5

867

QUESTION ID

S25-B2-Q2

TYPE

Short answer

CORRECT ANSWER

3 2/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 25 • BACKWARD 2 • Q2/5

True or false?

$$1\frac{1}{3} = \frac{4}{3}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 25 • BACKWARD 2 • Q3/5

868

QUESTION ID

S25-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 25 • BACKWARD 2 • Q3/5

Which fraction is equal to $3\frac{1}{2}$?

A. $\frac{31}{2}$

B. $\frac{7}{2}$

C. $\frac{5}{2}$

D. $\frac{6}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 25 • BACKWARD 2 • Q4/5

869

QUESTION ID

S25-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 7/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 25 • BACKWARD 2 • Q4/5

True or false?

$$5\frac{2}{3} = 4\frac{5}{3}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 25 • BACKWARD 2 • Q5/5

870

QUESTION ID

S25-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 25 • BACKWARD 2 • Q5/5

SET 25 • 5.NF.A.1

BACKWARD 3

Equivalent fractions • Grade 4 • Number & Operations–Fractions • 4.NF.A.1

Find the missing number.

$$\frac{3}{4} = \frac{?}{8}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 25 • BACKWARD 3 • Q1/5

872

QUESTION ID

S25-B3-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 25 • BACKWARD 3 • Q1/5

True or false?

$$\frac{1}{6} = \frac{2}{12}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 25 • BACKWARD 3 • Q2/5

873

QUESTION ID

S25-B3-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 25 • BACKWARD 3 • Q2/5

Which fraction is equivalent to $\frac{1}{2}$?

A. $\frac{5}{10}$

B. $\frac{2}{3}$

C. $\frac{2}{2}$

D. $\frac{1}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 25 • BACKWARD 3 • Q3/5

874

QUESTION ID

S25-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 5/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 25 • BACKWARD 3 • Q3/5

Find the missing number.

$$\frac{2}{5} = \frac{?}{10}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 25 • BACKWARD 3 • Q4/5

875

QUESTION ID

S25-B3-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 25 • BACKWARD 3 • Q4/5

True or false?

$$\frac{5}{6} = \frac{10}{18}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 25 • BACKWARD 3 • Q5/5

876

QUESTION ID

S25-B3-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 25 • BACKWARD 3 • Q5/5

SET 25 • 5.NF.A.1

FORWARD 1

Solve equations of the form $x + p = q$ with mixed numbers • Grade 6 •
Expressions & Equations • 6.EE.B.7

Solve for x.

$$x + 2\frac{1}{2} = 6\frac{1}{4}$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 25 • FORWARD 1 • Q1/5

878

QUESTION ID

S25-F1-Q1

TYPE

Short answer

CORRECT ANSWER

3 3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 25 • FORWARD 1 • Q1/5

Solve for y.

$$y - 1\frac{2}{3} = 3\frac{1}{6}$$

y = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 25 • FORWARD 1 • Q2/5

879

QUESTION ID

S25-F1-Q2

TYPE

Short answer

CORRECT ANSWER

4 5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 25 • FORWARD 1 • Q2/5

Solve for n.

$$n + 4\frac{3}{8} = 7$$

A. $3\frac{5}{8}$

B. $2\frac{3}{8}$

C. $11\frac{3}{8}$

D. $2\frac{5}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 25 • FORWARD 1 • Q3/5

880

QUESTION ID

S25-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 2 5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 25 • FORWARD 1 • Q3/5

A board was $8\frac{1}{2}$ feet long. After a piece was cut off, it was $5\frac{3}{4}$ feet long.

Write and solve an equation to find the length p of the piece.

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 25 • FORWARD 1 • Q4/5

881

QUESTION ID

S25-F1-Q4

TYPE

Short answer

CORRECT ANSWER

$$8\frac{1}{2} - p = 5\frac{3}{4};$$

$$p = 2\frac{3}{4} \text{ feet}$$

GRADING NOTE Any equivalent equation is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 25 • FORWARD 1 • Q4/5

True or false?

The solution of $x - 1\frac{1}{4} = 2\frac{1}{2}$ is $x = 1\frac{1}{4}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 25 • FORWARD 1 • Q5/5

882

QUESTION ID

S25-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 25 • FORWARD 1 • Q5/5

SET 25 • 5.NF.A.1

FORWARD 2

Solve equations of the form $px + q = r$ with fractions • Grade 7 • Expressions & Equations • 7.EE.B.4.a

Solve for x.

$$2x + \frac{1}{2} = 3\frac{1}{2}$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 25 • FORWARD 2 • Q1/5

884

QUESTION ID

S25-F2-Q1

TYPE

Short answer

CORRECT ANSWER

1 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 25 • FORWARD 2 • Q1/5

Solve for x.

$$\frac{1}{3}x - 1\frac{1}{4} = 2\frac{3}{4}$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 25 • FORWARD 2 • Q2/5

885

QUESTION ID

S25-F2-Q2

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 25 • FORWARD 2 • Q2/5

Solve for x.

$$4x - 2\frac{1}{3} = 1$$

A. $1\frac{1}{12}$

B. $\frac{1}{6}$

C. $\frac{5}{6}$

D. $\frac{1}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 25 • FORWARD 2 • Q3/5

886

QUESTION ID

S25-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 25 • FORWARD 2 • Q3/5

Jo bought 3 bags of flour that weigh the same and one $1\frac{1}{2}$ -pound bag of sugar. The total weight was $9\frac{3}{4}$ pounds.

How much does each bag of flour weigh?

Weight: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 25 • FORWARD 2 • Q4/5

887

GRADING NOTE $3f + 1\frac{1}{2} = 9\frac{3}{4}$

QUESTION ID

S25-F2-Q4

TYPE

Short answer

CORRECT ANSWER

2 $\frac{3}{4}$ pounds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 25 • FORWARD 2 • Q4/5

True or false?

The solution of $\frac{1}{2}(x + 3) = 4$ is $x = 5$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 25 • FORWARD 2 • Q5/5

888

QUESTION ID

S25-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 25 • FORWARD 2 • Q5/5

Solve word problems by adding and subtracting fractions

MAIN	Grade 5 main question	5.NF.A.2
BACKWARD 1	Word problems with like denominators	4.NF.B.3.d
BACKWARD 2	Choosing addition or subtraction	2.OA.A.1
BACKWARD 3	Adding and subtracting fractions with unlike denominators	5.NF.A.1
FORWARD 1	Write and solve equations of the form $x + p = q$	6.EE.B.7
FORWARD 2	Write and solve equations of the form $px + q = r$	7.EE.B.4.a

SET 26 • 5.NF.A.2

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions • 5.NF.A.2

Mia walked $\frac{3}{4}$ mile to school and then $\frac{2}{3}$ mile to the park.

How far did she walk in all?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 26 • MAIN • Q1/5

891

QUESTION ID

S26-M-Q1

TYPE

Short answer

CORRECT ANSWER

1 $\frac{5}{12}$ miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 26 • MAIN • Q1/5

A jug had $\frac{7}{8}$ gallon of milk. Ben drank $\frac{1}{3}$ gallon.

How much milk is left?

Milk left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 26 • MAIN • Q2/5

892

QUESTION ID

S26-M-Q2

TYPE

Short answer

CORRECT ANSWER

$\frac{13}{24}$ gallon

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 26 • MAIN • Q2/5

Ana used $2\frac{1}{2}$ cups of flour and $1\frac{3}{4}$ cups of sugar.

How many cups did she use in all?

A. $4\frac{1}{4}$ cups

B. $3\frac{3}{4}$ cups

C. $4\frac{3}{4}$ cups

D. $3\frac{1}{4}$ cups

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 26 • MAIN • Q3/5

893

QUESTION ID

S26-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 4 1/4 cups

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 26 • MAIN • Q3/5

A ribbon is $5\frac{1}{6}$ feet long. Lea cuts off $2\frac{1}{2}$ feet.

How long is the ribbon now?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 26 • MAIN • Q4/5

894

QUESTION ID

S26-M-Q4

TYPE

Short answer

CORRECT ANSWER

2 $\frac{2}{3}$ feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 26 • MAIN • Q4/5

Tom read $\frac{1}{4}$ of a book on Monday and $\frac{3}{8}$ of the book on Tuesday.

What fraction of the book does he still have to read?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 26 • MAIN • Q5/5

895

QUESTION ID

S26-M-Q5

TYPE

Short answer

CORRECT ANSWER

$\frac{3}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 26 • MAIN • Q5/5

SET 26 • 5.NF.A.2

BACKWARD 1

Word problems with like denominators • Grade 4 • Number & Operations–Fractions • 4.NF.B.3.d

Kim ate $\frac{3}{8}$ of a pizza and Joe ate $\frac{2}{8}$ of the pizza.

What fraction of the pizza did they eat in all?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 26 • BACKWARD 1 • Q1/5

897

QUESTION ID

S26-B1-Q1

TYPE

Short answer

CORRECT ANSWER

5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 26 • BACKWARD 1 • Q1/5

A rope is $\frac{9}{10}$ meter long. $\frac{4}{10}$ meter is cut off.

How much rope is left?

Rope left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 26 • BACKWARD 1 • Q2/5

898

QUESTION ID

S26-B1-Q2

TYPE

Short answer

CORRECT ANSWER

5/10 meter

GRADING NOTE 1/2 meter is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 26 • BACKWARD 1 • Q2/5

True or false?

$\frac{2}{6}$ of a garden is corn and $\frac{3}{6}$ is beans. Corn and beans cover $\frac{5}{6}$ of the garden.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 26 • BACKWARD 1 • Q3/5

899

QUESTION ID

S26-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 26 • BACKWARD 1 • Q3/5

Lu had $\frac{7}{12}$ of a cake. She gave away $\frac{5}{12}$ of the cake.

How much of the cake is left?

A. $\frac{12}{12}$

B. $\frac{2}{12}$

C. $\frac{35}{12}$

D. $\frac{2}{24}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 26 • BACKWARD 1 • Q4/5

900

QUESTION ID

S26-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 2/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 26 • BACKWARD 1 • Q4/5

A tank is $\frac{3}{5}$ full. Water is added to fill another $\frac{1}{5}$ of the tank.

How full is the tank now?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 26 • BACKWARD 1 • Q5/5

901

QUESTION ID

S26-B1-Q5

TYPE

Short answer

CORRECT ANSWER

4/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 26 • BACKWARD 1 • Q5/5

SET 26 • 5.NF.A.2

BACKWARD 2

Choosing addition or subtraction • Grade 2 • Operations & Algebraic Thinking •
2.OA.A.1

A class has 14 boys and 13 girls.

Which operation finds the number of students in all?

- A.** Subtraction
- B.** Division
- C.** Addition
- D.** Multiplication

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 26 • BACKWARD 2 • Q1/5

903

QUESTION ID

S26-B2-Q1

TYPE

Multiple choice

CORRECT ANSWER

C. Addition

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 26 • BACKWARD 2 • Q1/5

True or false?

To find how much is left after some is used, you subtract.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 26 • BACKWARD 2 • Q2/5

904

QUESTION ID

S26-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 26 • BACKWARD 2 • Q2/5

Sam had 42 marbles. He lost 15 marbles.

How many marbles are left?

Marbles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 26 • BACKWARD 2 • Q3/5

905

QUESTION ID

S26-B2-Q3

TYPE

Short answer

CORRECT ANSWER

27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 26 • BACKWARD 2 • Q3/5

A shelf holds 35 books. 18 books are on it now.
Which equation finds how many more books fit?

- A. $35 - 18 = \square$
- B. $18 - 35 = \square$
- C. $35 \times 18 = \square$
- D. $35 + 18 = \square$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 26 • BACKWARD 2 • Q4/5

906

QUESTION ID

S26-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. $35 - 18 = \square$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 26 • BACKWARD 2 • Q4/5

Liz has 26 stickers. She gets 17 more.
How many stickers does she have now?

Stickers: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 26 • BACKWARD 2 • Q5/5

907

QUESTION ID

S26-B2-Q5

TYPE

Short answer

CORRECT ANSWER

43

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 26 • BACKWARD 2 • Q5/5

SET 26 • 5.NF.A.2

BACKWARD 3

Adding and subtracting fractions with unlike denominators • Grade 5 • Number & Operations–Fractions • 5.NF.A.1

Add.

$$\frac{1}{3} + \frac{1}{2}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B3-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 26 • BACKWARD 3 • Q1/5

909

QUESTION ID

S26-B3-Q1

TYPE

Short answer

CORRECT ANSWER

5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B3-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 26 • BACKWARD 3 • Q1/5

Subtract.

$$\frac{3}{4} - \frac{1}{3}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B3-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 26 • BACKWARD 3 • Q2/5

910

QUESTION ID

S26-B3-Q2

TYPE

Short answer

CORRECT ANSWER

5/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B3-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 26 • BACKWARD 3 • Q2/5

True or false?

$$\frac{1}{2} + \frac{1}{4} = \frac{2}{6}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B3-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 26 • BACKWARD 3 • Q3/5

911

QUESTION ID

S26-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B3-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 26 • BACKWARD 3 • Q3/5

$$\frac{5}{6} - \frac{1}{2} = ?$$

A. $\frac{2}{3}$

B. $\frac{1}{3}$

C. $\frac{4}{4}$

D. $\frac{1}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B3-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 26 • BACKWARD 3 • Q4/5

912

QUESTION ID

S26-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 1/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B3-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 26 • BACKWARD 3 • Q4/5

Add.

$$\frac{2}{5} + \frac{1}{2}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B3-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 26 • BACKWARD 3 • Q5/5

913

QUESTION ID

S26-B3-Q5

TYPE

Short answer

CORRECT ANSWER

9/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B3-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 26 • BACKWARD 3 • Q5/5

SET 26 • 5.NF.A.2

FORWARD 1

Write and solve equations of the form $x + p = q$ • Grade 6 • Expressions & Equations • 6.EE.B.7

After using $\frac{2}{3}$ cup of oil, Ray has $\frac{3}{4}$ cup left.

Write and solve an equation to find how much oil c he started with.

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 26 • FORWARD 1 • Q1/5

915

QUESTION ID

S26-F1-Q1

TYPE

Short answer

CORRECT ANSWER

**$c - \frac{2}{3} = \frac{3}{4}; c = 1$
 $\frac{5}{12}$ cups**

GRADING NOTE Any equivalent equation is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 26 • FORWARD 1 • Q1/5

A plant grew $\frac{5}{8}$ inch and is now $4\frac{1}{4}$ inches tall.

Write and solve an equation to find its starting height h .

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 26 • FORWARD 1 • Q2/5

916

QUESTION ID

S26-F1-Q2

TYPE

Short answer

CORRECT ANSWER

$$h + 5/8 = 4 \frac{1}{4};$$

$$h = 3 \frac{5}{8} \text{ inches}$$

GRADING NOTE Any equivalent equation is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 26 • FORWARD 1 • Q2/5

$\frac{3}{10}$ inch of rain fell on day 1. In all, $\frac{9}{10}$ inch fell on days 1 and 2.

Which equation finds the rain r on day 2?

A. $\frac{3}{10}r = \frac{9}{10}$

B. $r + \frac{9}{10} = \frac{3}{10}$

C. $\frac{3}{10} + r = \frac{9}{10}$

D. $r - \frac{3}{10} = \frac{9}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 26 • FORWARD 1 • Q3/5

917

QUESTION ID

S26-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $\frac{3}{10} + r = \frac{9}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 26 • FORWARD 1 • Q3/5

Solve for x.

$$x + \frac{2}{9} = \frac{2}{3}$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 26 • FORWARD 1 • Q4/5

918

QUESTION ID

S26-F1-Q4

TYPE

Short answer

CORRECT ANSWER

4/9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 26 • FORWARD 1 • Q4/5

True or false?

If $n - \frac{1}{4} = \frac{5}{8}$, then $n = \frac{7}{8}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 26 • FORWARD 1 • Q5/5

919

QUESTION ID

S26-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 26 • FORWARD 1 • Q5/5

SET 26 • 5.NF.A.2

FORWARD 2

Write and solve equations of the form $px + q = r$ • Grade 7 • Expressions & Equations • 7.EE.B.4.a

A recipe uses $\frac{3}{4}$ cup of sugar per batch, plus $\frac{1}{2}$ cup for frosting. Ali used $2\frac{3}{4}$ cups of sugar in all.

How many batches did he make?

Batches: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 26 • FORWARD 2 • Q1/5

921

QUESTION ID

S26-F2-Q1

TYPE

Short answer

CORRECT ANSWER

3

GRADING NOTE $(\frac{3}{4})b + \frac{1}{2} = 2\frac{3}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 26 • FORWARD 2 • Q1/5

Solve for x.

$$\frac{2}{3}x + \frac{1}{6} = \frac{5}{6}$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 26 • FORWARD 2 • Q2/5

922

QUESTION ID

S26-F2-Q2

TYPE

Short answer

CORRECT ANSWER

1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 26 • FORWARD 2 • Q2/5

A 6-foot board is cut into 4 equal pieces, with $\frac{1}{2}$ foot left over.

How long is each piece?

- A. $1\frac{1}{2}$ feet B. $1\frac{5}{8}$ feet
C. $1\frac{3}{8}$ feet D. $5\frac{1}{2}$ feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 26 • FORWARD 2 • Q3/5

923

QUESTION ID

S26-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $1\frac{3}{8}$ feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 26 • FORWARD 2 • Q3/5

Solve for x.

$$5x - \frac{3}{4} = 4\frac{1}{4}$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 26 • FORWARD 2 • Q4/5

924

QUESTION ID

S26-F2-Q4

TYPE

Short answer

CORRECT ANSWER

1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 26 • FORWARD 2 • Q4/5

True or false?

The solution of $2x + \frac{1}{3} = 1$ is $x = \frac{2}{3}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 26 • FORWARD 2 • Q5/5

925

QUESTION ID

S26-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 26 • FORWARD 2 • Q5/5

Use benchmark fractions to estimate and to check answers

MAIN	Grade 5 main question	5.NF.A.2
BACKWARD 1	Comparing fractions to $\frac{1}{2}$ and 1	4.NF.A.2
BACKWARD 2	Fractions on a number line	3.NF.A.2
FORWARD 1	Reason about the size of a quotient of fractions	6.NS.A.1
FORWARD 2	Use estimation to judge whether an answer is reasonable	7.EE.B.3

SET 27 • 5.NF.A.2

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions • 5.NF.A.2

True or false?

$\frac{2}{5} + \frac{1}{2} = \frac{3}{7}$ must be wrong, because $\frac{3}{7}$ is less than $\frac{1}{2}$.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 27 • MAIN • Q1/5

928

QUESTION ID

S27-M-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 27 • MAIN • Q1/5

Which is the best estimate of $\frac{7}{8} + \frac{5}{12}$?

- A. About $\frac{1}{2}$
- B. About $2\frac{1}{2}$
- C. About $1\frac{1}{2}$
- D. About 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 27 • MAIN • Q2/5

929

QUESTION ID

S27-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. About 1 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 27 • MAIN • Q2/5

Is $\frac{3}{5} + \frac{4}{9}$ more or less than 1?

Use benchmark fractions to explain.

Answer: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 27 • MAIN • Q3/5

930

QUESTION ID

S27-M-Q3

TYPE

Short answer

CORRECT ANSWER

More than 1

GRADING NOTE $\frac{3}{5}$ is more than $\frac{1}{2}$ by $\frac{1}{10}$, and $\frac{4}{9}$ is less than $\frac{1}{2}$ by only $\frac{1}{18}$, so the sum is a little more than $\frac{1}{2} + \frac{1}{2} = 1$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 27 • MAIN • Q3/5

Jen ran $\frac{9}{10}$ mile and walked $\frac{1}{8}$ mile.

Estimate the total distance to the nearest whole mile.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 27 • MAIN • Q4/5

931

QUESTION ID

S27-M-Q4

TYPE

Short answer

CORRECT ANSWER

1 mile

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 27 • MAIN • Q4/5

Leo says $\frac{5}{6} - \frac{1}{3} = \frac{4}{3}$.

Which statement explains why his answer is not reasonable?

- A.** The answer is greater than $\frac{5}{6}$, but subtracting should give less than $\frac{5}{6}$.
- B.** The denominators are different.
- C.** $\frac{4}{3}$ is less than 1.
- D.** The answer should be 0.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 27 • MAIN • Q5/5

932

QUESTION ID

S27-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. The answer is greater than $\frac{5}{6}$, but subtracting should give less than $\frac{5}{6}$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 27 • MAIN • Q5/5

SET 27 • 5.NF.A.2

BACKWARD 1

Comparing fractions to $\frac{1}{2}$ and 1 • Grade 4 • Number & Operations–Fractions •
4.NF.A.2

True or false?

$\frac{5}{8}$ is less than $\frac{1}{2}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 27 • BACKWARD 1 • Q1/5

934

QUESTION ID

S27-B1-Q1

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 27 • BACKWARD 1 • Q1/5

Which fraction is greater than $\frac{1}{2}$?

A. $\frac{1}{3}$

B. $\frac{3}{8}$

C. $\frac{2}{5}$

D. $\frac{4}{7}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 27 • BACKWARD 1 • Q2/5

935

QUESTION ID

S27-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 4/7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 27 • BACKWARD 1 • Q2/5

ANSWER KEY

Reduced copy of the question page, with its answer

Is $\frac{5}{9}$ closest to 0, $\frac{1}{2}$, or 1?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 27 • BACKWARD 1 • Q3/5

936

QUESTION ID

S27-B1-Q3

TYPE

Short answer

CORRECT ANSWER

 $\frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 27 • BACKWARD 1 • Q3/5

True or false?

$\frac{6}{10}$ is less than $\frac{1}{2}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 27 • BACKWARD 1 • Q4/5

937

QUESTION ID

S27-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 27 • BACKWARD 1 • Q4/5

Is $\frac{11}{12}$ closer to $\frac{1}{2}$ or to 1?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 27 • BACKWARD 1 • Q5/5

938

QUESTION ID

S27-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q5


Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 27 • BACKWARD 1 • Q5/5

SET 27 • 5.NF.A.2

BACKWARD 2

Fractions on a number line • Grade 3 • Number & Operations–Fractions •
3.NF.A.2

What fraction is at point A?



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 27 • BACKWARD 2 • Q1/5

940

QUESTION ID

S27-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 27 • BACKWARD 2 • Q1/5

True or false?

On a number line, $\frac{1}{2}$ is halfway between 0 and 1.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 27 • BACKWARD 2 • Q2/5

941

QUESTION ID

S27-B2-Q2

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 27 • BACKWARD 2 • Q2/5

Which point is at $\frac{1}{3}$?



A. Point A

B. Point B

C. Point C

D. Point D

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 27 • BACKWARD 2 • Q3/5

942

QUESTION ID

S27-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. Point B

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 27 • BACKWARD 2 • Q3/5

What fraction is at point B?



B = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 27 • BACKWARD 2 • Q4/5

943

QUESTION ID

S27-B2-Q4

TYPE

Short answer

CORRECT ANSWER

5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 27 • BACKWARD 2 • Q4/5

True or false?

$\frac{7}{8}$ is closer to 1 than to $\frac{1}{2}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 27 • BACKWARD 2 • Q5/5

944

QUESTION ID

S27-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 27 • BACKWARD 2 • Q5/5

SET 27 • 5.NF.A.2

FORWARD 1

Reason about the size of a quotient of fractions • Grade 6 • The Number System • 6.NS.A.1

True or false?

$\frac{3}{4} \div \frac{1}{8}$ is greater than 1.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 27 • FORWARD 1 • Q1/5

946

QUESTION ID

S27-F1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 27 • FORWARD 1 • Q1/5

Without dividing, which quotient is less than 1?

A. $\frac{3}{4} \div \frac{1}{2}$

B. $\frac{1}{3} \div \frac{1}{2}$

C. $2 \div \frac{1}{2}$

D. $\frac{5}{6} \div \frac{1}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 27 • FORWARD 1 • Q2/5

947

QUESTION ID

S27-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. $\frac{1}{3} \div \frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 27 • FORWARD 1 • Q2/5

Divide.

$$\frac{5}{6} \div \frac{5}{12}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 27 • FORWARD 1 • Q3/5

948

QUESTION ID

S27-F1-Q3

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 27 • FORWARD 1 • Q3/5

Estimate $2\frac{7}{8} \div \frac{1}{2}$ by first rounding $2\frac{7}{8}$ to the nearest whole number.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 27 • FORWARD 1 • Q4/5

949

QUESTION ID

S27-F1-Q4

TYPE

Short answer

CORRECT ANSWER

6

GRADING NOTE $3 \div 1/2 = 6$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 27 • FORWARD 1 • Q4/5

True or false?

$\frac{1}{2} \div 4$ is greater than $\frac{1}{2}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 27 • FORWARD 1 • Q5/5

950

QUESTION ID

S27-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 27 • FORWARD 1 • Q5/5

SET 27 • 5.NF.A.2

FORWARD 2

Use estimation to judge whether an answer is reasonable • Grade 7 •
Expressions & Equations • 7.EE.B.3

A board $9\frac{7}{8}$ feet long is cut into 3 equal pieces.

Estimate the length of each piece.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 27 • FORWARD 2 • Q1/5

952

QUESTION ID

S27-F2-Q1

TYPE

Short answer

CORRECT ANSWER

About 3 $\frac{1}{3}$ feet

GRADING NOTE About $10 \div 3$; any estimate from 3 to $3\frac{1}{2}$ feet is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 27 • FORWARD 2 • Q1/5

Ann earns \$11.85 per hour and works $7\frac{3}{4}$ hours.

Which is the best estimate of her pay?

- A. \$96
- B. \$84
- C. \$120
- D. \$77

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 27 • FORWARD 2 • Q2/5

953

QUESTION ID

S27-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. \$96

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 27 • FORWARD 2 • Q2/5

True or false?

$\frac{3}{4}$ of \$79.95 is about \$60.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 27 • FORWARD 2 • Q3/5

954

QUESTION ID

S27-F2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 27 • FORWARD 2 • Q3/5

Kai says $4\frac{5}{6} + 3\frac{1}{8}$ is about 9.

Is this reasonable? Give a better estimate.

Reasonable? _____

Better estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 27 • FORWARD 2 • Q4/5

955

QUESTION ID

S27-F2-Q4

TYPE

Short answer

CORRECT ANSWER

No; about 8

GRADING NOTE $5 + 3 = 8$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 27 • FORWARD 2 • Q4/5

A recipe needs $2\frac{1}{3}$ cups of flour per batch.

Estimate the flour needed for 4 batches.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 27 • FORWARD 2 • Q5/5

956

QUESTION ID

S27-F2-Q5

TYPE

Short answer

CORRECT ANSWER

About 9 cups

GRADING NOTE The exact amount is $9\frac{1}{3}$ cups; any estimate from 8 to 10 cups is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 27 • FORWARD 2 • Q5/5

Interpret a fraction as division of the numerator by the denominator

MAIN	Grade 5 main question	5.NF.B.3
BACKWARD 1	Unit fractions	3.NF.A.1
BACKWARD 2	Division with remainders	4.NBT.B.6
BACKWARD 3	Mixed numbers and fractions greater than 1	4.NF.B.3.b
FORWARD 1	Unit rates written as fractions	6.RP.A.2
FORWARD 2	Write fractions as decimals using division	7.NS.A.2.d

SET 28 • 5.NF.B.3

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions • 5.NF.B.3

Write $3 \div 5$ as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 28 • MAIN • Q1/5

959

QUESTION ID

S28-M-Q1

TYPE

Short answer

CORRECT ANSWER

3/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 28 • MAIN • Q1/5

4 friends share 3 pizzas equally.

How much pizza does each friend get?

Each friend gets: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 28 • MAIN • Q2/5

960

QUESTION ID

S28-M-Q2

TYPE

Short answer

CORRECT ANSWER

3/4 pizza

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 28 • MAIN • Q2/5

Which division expression is equal to $\frac{7}{4}$?

- A. $7 \div 4$
- B. $7 - 4$
- C. $4 \div 7$
- D. 7×4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 28 • MAIN • Q3/5

961

QUESTION ID

S28-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $7 \div 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 28 • MAIN • Q3/5

Write $\frac{13}{6}$ as a division expression. Then write the quotient as a mixed number.

Division: _____

Mixed number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 28 • MAIN • Q4/5

962

QUESTION ID

S28-M-Q4

TYPE

Short answer

CORRECT ANSWER

13 ÷ 6; 2 1/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 28 • MAIN • Q4/5

True or false?

When 2 pounds of rice are shared equally among 3 bags, each bag gets $\frac{2}{3}$ pound.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 28 • MAIN • Q5/5

963

QUESTION ID

S28-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 28 • MAIN • Q5/5

SET 28 • 5.NF.B.3

BACKWARD 1

Unit fractions • Grade 3 • Number & Operations–Fractions • 3.NF.A.1

True or false?

$\frac{1}{4}$ is one of 4 equal parts of a whole.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 28 • BACKWARD 1 • Q1/5

965

QUESTION ID

S28-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 28 • BACKWARD 1 • Q1/5

A sandwich is cut into 3 equal parts.

What fraction of the sandwich is one part?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 28 • BACKWARD 1 • Q2/5

966

QUESTION ID

S28-B1-Q2

TYPE

Short answer

CORRECT ANSWER

1/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 28 • BACKWARD 1 • Q2/5

What fraction of the bar is shaded?



A. $\frac{5}{3}$

B. $\frac{3}{5}$

C. $\frac{2}{5}$

D. $\frac{3}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 28 • BACKWARD 1 • Q3/5

967

QUESTION ID

S28-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 3/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 28 • BACKWARD 1 • Q3/5

How many $\frac{1}{6}$ s make $\frac{5}{6}$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 28 • BACKWARD 1 • Q4/5

968

QUESTION ID

S28-B1-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 28 • BACKWARD 1 • Q4/5

True or false?

$\frac{3}{8}$ is 3 parts of size $\frac{1}{8}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 28 • BACKWARD 1 • Q5/5

969

QUESTION ID

S28-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 28 • BACKWARD 1 • Q5/5

SET 28 • 5.NF.B.3

BACKWARD 2

Division with remainders • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.6

Divide. Write the quotient and the remainder.

$$17 \div 5$$

Quotient and remainder: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 28 • BACKWARD 2 • Q1/5

971

QUESTION ID

S28-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3 R 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 28 • BACKWARD 2 • Q1/5

True or false?

$$23 \div 4 = 6 \text{ R } 1$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 28 • BACKWARD 2 • Q2/5

972

QUESTION ID

S28-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 28 • BACKWARD 2 • Q2/5

$$29 \div 6 = ?$$

- A.** 5 R 5
- B.** 5 R 1
- C.** 4 R 3
- D.** 4 R 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 28 • BACKWARD 2 • Q3/5

973

QUESTION ID

S28-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 4 R 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 28 • BACKWARD 2 • Q3/5

Divide. Write the quotient and the remainder.

$$50 \div 8$$

Quotient and remainder: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 28 • BACKWARD 2 • Q4/5

974

QUESTION ID

S28-B2-Q4

TYPE

Short answer

CORRECT ANSWER

6 R 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 28 • BACKWARD 2 • Q4/5

True or false?

$$15 \div 2 = 7 \text{ R } 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 28 • BACKWARD 2 • Q5/5

975

QUESTION ID

S28-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 28 • BACKWARD 2 • Q5/5

SET 28 • 5.NF.B.3

BACKWARD 3

Mixed numbers and fractions greater than 1 • Grade 4 • Number & Operations–Fractions • 4.NF.B.3.b

Write $\frac{9}{4}$ as a mixed number.

Mixed number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 28 • BACKWARD 3 • Q1/5

977

QUESTION ID

S28-B3-Q1

TYPE

Short answer

CORRECT ANSWER

2 1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 28 • BACKWARD 3 • Q1/5

Write $1\frac{2}{3}$ as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 28 • BACKWARD 3 • Q2/5

978

QUESTION ID

S28-B3-Q2

TYPE

Short answer

CORRECT ANSWER

5/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 28 • BACKWARD 3 • Q2/5

True or false?

$$\frac{11}{5} = 1\frac{1}{5}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 28 • BACKWARD 3 • Q3/5

979

QUESTION ID

S28-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 28 • BACKWARD 3 • Q3/5

Which mixed number is equal to $\frac{7}{3}$?

A. $2\frac{2}{3}$

B. $3\frac{1}{3}$

C. $2\frac{1}{3}$

D. $1\frac{1}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 28 • BACKWARD 3 • Q4/5

980

QUESTION ID

S28-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 2 1/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 28 • BACKWARD 3 • Q4/5

Write $\frac{15}{4}$ as a mixed number.

Mixed number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 28 • BACKWARD 3 • Q5/5

981

QUESTION ID

S28-B3-Q5

TYPE

Short answer

CORRECT ANSWER

3 3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 28 • BACKWARD 3 • Q5/5

SET 28 • 5.NF.B.3

FORWARD 1

Unit rates written as fractions • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.2

A recipe uses 3 cups of flour for every 4 cups of water.

How many cups of flour are used per cup of water?

Cups of flour: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.2 • Set 28 • FORWARD 1 • Q1/5

983

QUESTION ID

S28-F1-Q1

TYPE

Short answer

CORRECT ANSWER

3/4 cup

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.2 • Set 28 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

8 apples cost \$6.

What is the cost per apple?

Cost per apple: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.2 • Set 28 • FORWARD 1 • Q2/5

984

QUESTION ID

S28-F1-Q2

TYPE

Short answer

CORRECT ANSWER

\$0.75**GRADING NOTE** 3/4 dollar is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.2 • Set 28 • FORWARD 1 • Q2/5

A car goes 150 miles on 4 gallons of gas.

What is the rate in miles per gallon?

- A. $\frac{4}{150}$
- B. 600
- C. 154
- D. 37.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.2 • Set 28 • FORWARD 1 • Q3/5

985

QUESTION ID

S28-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 37.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.2 • Set 28 • FORWARD 1 • Q3/5

There are 5 cups of juice for every 2 pitchers.
How many cups of juice are there per pitcher?

Cups per pitcher: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.2 • Set 28 • FORWARD 1 • Q4/5

986

QUESTION ID

S28-F1-Q4

TYPE

Short answer

CORRECT ANSWER

2 1/2 cups

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.2 • Set 28 • FORWARD 1 • Q4/5

True or false?

The ratio 3 : 8 has the unit rate $\frac{3}{8}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.2 • Set 28 • FORWARD 1 • Q5/5

987

QUESTION ID

S28-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.2 • Set 28 • FORWARD 1 • Q5/5

SET 28 • 5.NF.B.3

FORWARD 2

Write fractions as decimals using division • Grade 7 • The Number System •
7.NS.A.2.d

Write $5 \div 8$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 28 • FORWARD 2 • Q1/5

989

QUESTION ID

S28-F2-Q1

TYPE

Short answer

CORRECT ANSWER

0.625

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 28 • FORWARD 2 • Q1/5

Use long division to write $\frac{7}{12}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 28 • FORWARD 2 • Q2/5

990

QUESTION ID

S28-F2-Q2

TYPE

Short answer

CORRECT ANSWER

0.58333... (the 3 repeats)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 28 • FORWARD 2 • Q2/5

Which fraction has a decimal form that repeats?

A. $\frac{7}{20}$

B. $\frac{5}{6}$

C. $\frac{9}{25}$

D. $\frac{3}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 28 • FORWARD 2 • Q3/5

991

QUESTION ID

S28-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 28 • FORWARD 2 • Q3/5

Write $11 \div 4$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 28 • FORWARD 2 • Q4/5

992

QUESTION ID

S28-F2-Q4

TYPE

Short answer

CORRECT ANSWER

2.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 28 • FORWARD 2 • Q4/5

True or false?

$$\frac{1}{3} = 0.3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 28 • FORWARD 2 • Q5/5

993

QUESTION ID

S28-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 28 • FORWARD 2 • Q5/5

Solve sharing problems whose answers are fractions or mixed numbers

MAIN	Grade 5 main question	5.NF.B.3
BACKWARD 1	Division word problems	3.OA.A.3
BACKWARD 2	Whole numbers as fractions	3.NF.A.3.c
FORWARD 1	Solve unit rate problems	6.RP.A.3.b
FORWARD 2	Unit rates with fractional quantities	7.RP.A.1

SET 29 • 5.NF.B.3

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions • 5.NF.B.3

6 friends share 10 granola bars equally.

How many bars does each friend get? Write a mixed number.

Bars: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 29 • MAIN • Q1/5

996

QUESTION ID

S29-M-Q1

TYPE

Short answer

CORRECT ANSWER

1 $\frac{2}{3}$ bars

GRADING NOTE 1 $\frac{4}{6}$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 29 • MAIN • Q1/5

A 50-pound bag of rice is shared equally among 8 families.

How many pounds does each family get?

Pounds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 29 • MAIN • Q2/5

997

QUESTION ID

S29-M-Q2

TYPE

Short answer

CORRECT ANSWER

6 1/4 pounds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 29 • MAIN • Q2/5

9 yards of ribbon are cut into 4 equal pieces.

How long is each piece?

A. $4\frac{1}{2}$ yards

B. $\frac{4}{9}$ yard

C. $2\frac{1}{9}$ yards

D. $2\frac{1}{4}$ yards

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 29 • MAIN • Q3/5

998

QUESTION ID

S29-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 2 $\frac{1}{4}$ yards

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 29 • MAIN • Q3/5

7 liters of juice are poured equally into 3 jugs.

How many liters are in each jug? Between which two whole numbers is your answer?

Liters: _____

Between: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 29 • MAIN • Q4/5

999

QUESTION ID

S29-M-Q4

TYPE

Short answer

CORRECT ANSWER

**2 1/3 liters; between
2 and 3**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 29 • MAIN • Q4/5

True or false?

When 5 cookies are shared equally by 2 children, each child gets $2\frac{1}{2}$ cookies.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 29 • MAIN • Q5/5

1000

QUESTION ID

S29-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 29 • MAIN • Q5/5

SET 29 • 5.NF.B.3

BACKWARD 1

Division word problems • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3

24 stickers are shared equally by 6 friends.

How many stickers does each friend get?

Stickers: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 29 • BACKWARD 1 • Q1/5

1002

QUESTION ID

S29-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 29 • BACKWARD 1 • Q1/5

35 chairs are set out in 5 equal rows.

How many chairs are in each row?

- A. 30
- B. 6
- C. 40
- D. 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 29 • BACKWARD 1 • Q2/5

1003

QUESTION ID

S29-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 29 • BACKWARD 1 • Q2/5

True or false?

If 4 boxes hold 28 toys, with the same number in each box, each box holds 7 toys.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 29 • BACKWARD 1 • Q3/5

1004

QUESTION ID

S29-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 29 • BACKWARD 1 • Q3/5

A baker puts 45 muffins into bags of 9.

How many bags does she fill?

Bags: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 29 • BACKWARD 1 • Q4/5

1005

QUESTION ID

S29-B1-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 29 • BACKWARD 1 • Q4/5

18 pencils are shared equally by 3 students.

How many pencils does each student get?

Pencils: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 29 • BACKWARD 1 • Q5/5

1006

QUESTION ID

S29-B1-Q5

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 29 • BACKWARD 1 • Q5/5

SET 29 • 5.NF.B.3

BACKWARD 2

Whole numbers as fractions • Grade 3 • Number & Operations–Fractions •
3.NF.A.3.c

True or false?

$$\frac{6}{3} = 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 29 • BACKWARD 2 • Q1/5

1008

QUESTION ID

S29-B2-Q1

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 29 • BACKWARD 2 • Q1/5

Write 4 as a fraction with a denominator of 1.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 29 • BACKWARD 2 • Q2/5

1009

QUESTION ID

S29-B2-Q2

TYPE

Short answer

CORRECT ANSWER

4/1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 29 • BACKWARD 2 • Q2/5

Which fraction is equal to 3?

A. $\frac{3}{3}$

B. $\frac{3}{4}$

C. $\frac{4}{12}$

D. $\frac{12}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 29 • BACKWARD 2 • Q3/5

1010

QUESTION ID

S29-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 12/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 29 • BACKWARD 2 • Q3/5

How many halves are in 5 wholes?

Halves: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 29 • BACKWARD 2 • Q4/5

1011

QUESTION ID

S29-B2-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 29 • BACKWARD 2 • Q4/5

True or false?

$$\frac{8}{8} = 8$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 29 • BACKWARD 2 • Q5/5

1012

QUESTION ID

S29-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 29 • BACKWARD 2 • Q5/5

SET 29 • 5.NF.B.3

FORWARD 1

Solve unit rate problems • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.3.b

ANSWER KEY

Reduced copy of the question page, with its answer

3 pounds of grapes cost \$7.

What is the cost per pound?

Cost per pound: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 29 • FORWARD 1 • Q1/5

1014

QUESTION ID

S29-F1-Q1

TYPE

Short answer

CORRECT ANSWER

\$2 1/3**GRADING NOTE** About \$2.33 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 29 • FORWARD 1 • Q1/5

A car travels 100 miles in 3 hours at a constant speed.

At this rate, how far does it travel in 6 hours?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 29 • FORWARD 1 • Q2/5

1015

QUESTION ID

S29-F1-Q2

TYPE

Short answer

CORRECT ANSWER

200 miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 29 • FORWARD 1 • Q2/5

8 cans of soup cost \$6.

At this rate, how much do 12 cans cost?

- A. \$16
- B. \$8
- C. \$9
- D. \$4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 29 • FORWARD 1 • Q3/5

1016

QUESTION ID

S29-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. \$9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 29 • FORWARD 1 • Q3/5

A runner runs 5 miles in 40 minutes at a constant pace.
At this pace, how long does she take to run 8 miles?

Time: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 29 • FORWARD 1 • Q4/5

1017

QUESTION ID

S29-F1-Q4

TYPE

Short answer

CORRECT ANSWER

64 minutes

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 29 • FORWARD 1 • Q4/5

True or false?

If 4 pens cost \$3, then 10 pens cost \$7.00.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 29 • FORWARD 1 • Q5/5

1018

QUESTION ID

S29-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 29 • FORWARD 1 • Q5/5

SET 29 • 5.NF.B.3

FORWARD 2

Unit rates with fractional quantities • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1

A snail crawls $\frac{2}{3}$ foot in $\frac{1}{4}$ hour.

What is its speed in feet per hour?

Speed: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 29 • FORWARD 2 • Q1/5

1020

QUESTION ID

S29-F2-Q1

TYPE

Short answer

CORRECT ANSWER

2 $\frac{2}{3}$ feet per hour

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 29 • FORWARD 2 • Q1/5

A recipe uses $\frac{3}{4}$ cup of sugar for every $\frac{1}{2}$ cup of milk.

How many cups of sugar are used per cup of milk?

Cups of sugar: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 29 • FORWARD 2 • Q2/5

1021

QUESTION ID

S29-F2-Q2

TYPE

Short answer

CORRECT ANSWER

1 1/2 cups

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 29 • FORWARD 2 • Q2/5

Jo walks $\frac{1}{2}$ mile in $\frac{1}{6}$ hour.

What is her speed?

- A.** 2 miles per hour **B.** 3 miles per hour
C. $\frac{1}{3}$ mile per hour **D.** $\frac{1}{12}$ mile per hour

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 29 • FORWARD 2 • Q3/5

1022

QUESTION ID

S29-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 3 miles per hour

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 29 • FORWARD 2 • Q3/5

A pump fills $\frac{5}{8}$ of a tank in $\frac{1}{2}$ hour.

How much of the tank does it fill per hour?

Tanks per hour: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 29 • FORWARD 2 • Q4/5

1023

QUESTION ID

S29-F2-Q4

TYPE

Short answer

CORRECT ANSWER

1 $\frac{1}{4}$ tanks

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 29 • FORWARD 2 • Q4/5

True or false?

$\frac{1}{2}$ cup of juice for every $\frac{1}{4}$ cup of water is a rate of 2 cups of juice per cup of water.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 29 • FORWARD 2 • Q5/5

1024

QUESTION ID

S29-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 29 • FORWARD 2 • Q5/5

Multiply a fraction by a whole number

MAIN	Grade 5 main question	5.NF.B.4.a
BACKWARD 1	A fraction times a whole number as repeated unit fractions	4.NF.B.4.b
BACKWARD 2	Parts of a whole	3.NF.A.1
BACKWARD 3	Splitting a number into equal parts	3.OA.A.2
FORWARD 1	Find a percent of a quantity	6.RP.A.3.c
FORWARD 2	Multistep percent problems	7.RP.A.3

SET 30 • 5.NF.B.4.a

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions •
5.NF.B.4.a

Multiply.

$$\frac{3}{4} \times 12$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 30 • MAIN • Q1/5

1027

QUESTION ID

S30-M-Q1

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 30 • MAIN • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$5 \times \frac{2}{3}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 30 • MAIN • Q2/5

1028

QUESTION ID

S30-M-Q2

TYPE

Short answer

CORRECT ANSWER

3 1/3**GRADING NOTE** 10/3 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 30 • MAIN • Q2/5

1028

What is $\frac{2}{5}$ of 20?

- A. 10
- B. 8
- C. 4
- D. 50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 30 • MAIN • Q3/5

1029

QUESTION ID

S30-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 30 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$\frac{5}{8} \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 30 • MAIN • Q4/5

1030

QUESTION ID

S30-M-Q4

TYPE

Short answer

CORRECT ANSWER

3 3/4**GRADING NOTE** 30/8 or 15/4 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 30 • MAIN • Q4/5

1030

True or false?

$\frac{1}{3} \times 15$ means 15 split into 3 equal parts, with 1 of the parts taken.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 30 • MAIN • Q5/5

1031

QUESTION ID

S30-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 30 • MAIN • Q5/5

SET 30 • 5.NF.B.4.a

BACKWARD 1

A fraction times a whole number as repeated unit fractions • Grade 4 • Number & Operations–Fractions • 4.NF.B.4.b

Write $\frac{4}{5}$ as a whole number times $\frac{1}{5}$.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 30 • BACKWARD 1 • Q1/5

1033

QUESTION ID

S30-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4 × 1/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 30 • BACKWARD 1 • Q1/5

True or false?

$$3 \times \frac{2}{7} = \frac{6}{21}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 30 • BACKWARD 1 • Q2/5

1034

QUESTION ID

S30-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 30 • BACKWARD 1 • Q2/5

$$3 \times \frac{3}{8} = ?$$

A. $3\frac{3}{8}$

B. $\frac{6}{8}$

C. $\frac{9}{8}$

D. $\frac{9}{24}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 30 • BACKWARD 1 • Q3/5

1035

QUESTION ID

S30-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 9/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 30 • BACKWARD 1 • Q3/5

Multiply.

$$4 \times \frac{2}{9}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 30 • BACKWARD 1 • Q4/5

1036

QUESTION ID

S30-B1-Q4

TYPE

Short answer

CORRECT ANSWER

8/9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 30 • BACKWARD 1 • Q4/5

True or false?

$$2 \times \frac{3}{5} = \frac{6}{10}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 30 • BACKWARD 1 • Q5/5

1037

QUESTION ID

S30-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 30 • BACKWARD 1 • Q5/5

SET 30 • 5.NF.B.4.a

BACKWARD 2

Parts of a whole • Grade 3 • Number & Operations–Fractions • 3.NF.A.1

True or false?

$\frac{1}{4}$ of a bar means 1 of 4 equal parts.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 30 • BACKWARD 2 • Q1/5

1039

QUESTION ID

S30-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 30 • BACKWARD 2 • Q1/5

What fraction of the bar is shaded?



Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 30 • BACKWARD 2 • Q2/5

1040

QUESTION ID

S30-B2-Q2

TYPE

Short answer

CORRECT ANSWER

3/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 30 • BACKWARD 2 • Q2/5

What fraction is 2 parts of size $\frac{1}{3}$?

A. $\frac{2}{3}$

B. $\frac{1}{6}$

C. $\frac{1}{3}$

D. $\frac{3}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 30 • BACKWARD 2 • Q3/5

1041

QUESTION ID

S30-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 30 • BACKWARD 2 • Q3/5

How many $\frac{1}{8}$ s are in $\frac{5}{8}$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 30 • BACKWARD 2 • Q4/5

1042

QUESTION ID

S30-B2-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 30 • BACKWARD 2 • Q4/5

True or false?

$\frac{3}{5}$ means 3 parts of size $\frac{1}{5}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 30 • BACKWARD 2 • Q5/5

1043

QUESTION ID

S30-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 30 • BACKWARD 2 • Q5/5

SET 30 • 5.NF.B.4.a

BACKWARD 3

Splitting a number into equal parts • Grade 3 • Operations & Algebraic Thinking
• 3.OA.A.2

12 is split into 4 equal parts.

How much is in each part?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 30 • BACKWARD 3 • Q1/5

1045

QUESTION ID

S30-B3-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 30 • BACKWARD 3 • Q1/5

True or false?

20 split into 5 equal parts gives 4 in each part.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 30 • BACKWARD 3 • Q2/5

1046

QUESTION ID

S30-B3-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 30 • BACKWARD 3 • Q2/5

Which expression shows 18 split into 3 equal parts?

- A. $3 \div 18$
- B. $18 - 3$
- C. $18 \div 3$
- D. 18×3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 30 • BACKWARD 3 • Q3/5

1047

QUESTION ID

S30-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $18 \div 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 30 • BACKWARD 3 • Q3/5

Divide.

$$24 \div 8$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 30 • BACKWARD 3 • Q4/5

1048

QUESTION ID

S30-B3-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 30 • BACKWARD 3 • Q4/5

30 is split into 6 equal parts.

How much is in each part?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 30 • BACKWARD 3 • Q5/5

1049

QUESTION ID

S30-B3-Q5

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 30 • BACKWARD 3 • Q5/5

SET 30 • 5.NF.B.4.a

FORWARD 1

Find a percent of a quantity • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.3.c

What is 25% of 48?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 30 • FORWARD 1 • Q1/5

1051

QUESTION ID

S30-F1-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 30 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

What is 60% of 35?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 30 • FORWARD 1 • Q2/5

1052

QUESTION ID

S30-F1-Q2

TYPE

Short answer

CORRECT ANSWER

21

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 30 • FORWARD 1 • Q2/5

A \$40 game is 15% off.

How many dollars are taken off the price?

- A. \$6
- B. \$15
- C. \$4
- D. \$34

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 30 • FORWARD 1 • Q3/5

1053

QUESTION ID

S30-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. \$6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 30 • FORWARD 1 • Q3/5

A class has 30 students. 70% of them ride the bus.

How many students ride the bus?

Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 30 • FORWARD 1 • Q4/5

1054

QUESTION ID

S30-F1-Q4

TYPE

Short answer

CORRECT ANSWER

21

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 30 • FORWARD 1 • Q4/5

True or false?

50% of 18 is 36.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 30 • FORWARD 1 • Q5/5

1055

QUESTION ID

S30-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 30 • FORWARD 1 • Q5/5

SET 30 • 5.NF.B.4.a

FORWARD 2

Multistep percent problems • Grade 7 • Ratios & Proportional Relationships •
7.RP.A.3

ANSWER KEY

Reduced copy of the question page, with its answer

A \$60 coat is 30% off.

What is the sale price?

Sale price: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 30 • FORWARD 2 • Q1/5

1057

QUESTION ID

S30-F2-Q1

TYPE

Short answer

CORRECT ANSWER

\$42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 30 • FORWARD 2 • Q1/5

1057

A meal costs \$25. A 20% tip is added.

What is the total cost?

Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 30 • FORWARD 2 • Q2/5

1058

QUESTION ID

S30-F2-Q2

TYPE

Short answer

CORRECT ANSWER

\$30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 30 • FORWARD 2 • Q2/5

A \$80 bike has a 6% sales tax added.

What is the total cost?

- A. \$86.00
- B. \$4.80
- C. \$85.60
- D. \$84.80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 30 • FORWARD 2 • Q3/5

1059

QUESTION ID

S30-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. \$84.80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 30 • FORWARD 2 • Q3/5

A town of 500 people grew by 12%.

What is the new population?

Population: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 30 • FORWARD 2 • Q4/5

1060

QUESTION ID

S30-F2-Q4

TYPE

Short answer

CORRECT ANSWER

560

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 30 • FORWARD 2 • Q4/5

True or false?

A 25% markup on a \$40 item makes the price \$50.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 30 • FORWARD 2 • Q5/5

1061

QUESTION ID

S30-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 30 • FORWARD 2 • Q5/5

Multiply a fraction by a fraction

MAIN

Grade 5 main question

5.NF.B.4.a

BACKWARD 1

A whole number times a fraction

4.NF.B.4.b

BACKWARD 2

Equivalent fractions and simplest form

4.NF.A.1

FORWARD 1

Divide fractions by fractions

6.NS.A.1

FORWARD 2

Multiply rational numbers

7.NS.A.2.c

SET 31 • 5.NF.B.4.a

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions •
5.NF.B.4.a

Multiply.

$$\frac{2}{3} \times \frac{4}{5}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 31 • MAIN • Q1/5

1064

QUESTION ID

S31-M-Q1

TYPE

Short answer

CORRECT ANSWER

8/15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 31 • MAIN • Q1/5

Multiply.

$$\frac{3}{4} \times \frac{1}{6}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 31 • MAIN • Q2/5

1065

QUESTION ID

S31-M-Q2

TYPE

Short answer

CORRECT ANSWER

1/8

GRADING NOTE 3/24 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 31 • MAIN • Q2/5

Multiply.

$$\frac{5}{6} \times \frac{3}{10}$$

A. $\frac{15}{6}$

B. $\frac{1}{2}$

C. $\frac{1}{4}$

D. $\frac{8}{16}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 31 • MAIN • Q3/5

1066

QUESTION ID

S31-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 31 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

What is $\frac{1}{2}$ of $\frac{3}{8}$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 31 • MAIN • Q4/5

1067

QUESTION ID

S31-M-Q4

TYPE

Short answer

CORRECT ANSWER

3/16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 31 • MAIN • Q4/5

1067

True or false?

$$\frac{2}{5} \times \frac{2}{3} = \frac{4}{15}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 31 • MAIN • Q5/5

1068

QUESTION ID

S31-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 31 • MAIN • Q5/5

SET 31 • 5.NF.B.4.a

BACKWARD 1

A whole number times a fraction • Grade 4 • Number & Operations–Fractions •
4.NF.B.4.b

Multiply.

$$2 \times \frac{3}{10}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 31 • BACKWARD 1 • Q1/5

1070

QUESTION ID

S31-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6/10

GRADING NOTE 3/5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 31 • BACKWARD 1 • Q1/5

True or false?

$$5 \times \frac{1}{4} = \frac{5}{20}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 31 • BACKWARD 1 • Q2/5

1071

QUESTION ID

S31-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 31 • BACKWARD 1 • Q2/5

$$4 \times \frac{2}{3} = ?$$

A. $\frac{8}{12}$

B. $\frac{8}{3}$

C. $\frac{6}{3}$

D. $\frac{2}{12}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 31 • BACKWARD 1 • Q3/5

1072

QUESTION ID

S31-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 8/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 31 • BACKWARD 1 • Q3/5

Multiply.

$$3 \times \frac{5}{12}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 31 • BACKWARD 1 • Q4/5

1073

QUESTION ID

S31-B1-Q4

TYPE

Short answer

CORRECT ANSWER

15/12

GRADING NOTE 1 1/4 or 5/4 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 31 • BACKWARD 1 • Q4/5

True or false?

$$6 \times \frac{1}{6} = 1$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 31 • BACKWARD 1 • Q5/5

1074

QUESTION ID

S31-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 31 • BACKWARD 1 • Q5/5

SET 31 • 5.NF.B.4.a

BACKWARD 2

Equivalent fractions and simplest form • Grade 4 • Number & Operations–Fractions • 4.NF.A.1

Write $\frac{6}{8}$ as an equivalent fraction with a denominator of 4.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 31 • BACKWARD 2 • Q1/5

1076

QUESTION ID

S31-B2-Q1

TYPE

Short answer

CORRECT ANSWER

$\frac{3}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 31 • BACKWARD 2 • Q1/5

True or false?

$$\frac{10}{15} = \frac{3}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 31 • BACKWARD 2 • Q2/5

1077

QUESTION ID

S31-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 31 • BACKWARD 2 • Q2/5

Which fraction is equivalent to $\frac{4}{12}$?

A. $\frac{4}{3}$

B. $\frac{1}{4}$

C. $\frac{2}{4}$

D. $\frac{1}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 31 • BACKWARD 2 • Q3/5

1078

QUESTION ID

S31-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 1/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 31 • BACKWARD 2 • Q3/5

Find the missing number.

$$\frac{9}{12} = \frac{?}{4}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 31 • BACKWARD 2 • Q4/5

1079

QUESTION ID

S31-B2-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 31 • BACKWARD 2 • Q4/5

True or false?

$$\frac{5}{20} = \frac{1}{5}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 31 • BACKWARD 2 • Q5/5

1080

QUESTION ID

S31-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 31 • BACKWARD 2 • Q5/5

SET 31 • 5.NF.B.4.a

FORWARD 1

Divide fractions by fractions • Grade 6 • The Number System • 6.NS.A.1

Divide.

$$\frac{2}{3} \div \frac{4}{5}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 31 • FORWARD 1 • Q1/5

1082

QUESTION ID

S31-F1-Q1

TYPE

Short answer

CORRECT ANSWER

5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 31 • FORWARD 1 • Q1/5

Divide.

$$\frac{3}{4} \div \frac{1}{6}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 31 • FORWARD 1 • Q2/5

1083

QUESTION ID

S31-F1-Q2

TYPE

Short answer

CORRECT ANSWER

4 1/2

GRADING NOTE 9/2 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 31 • FORWARD 1 • Q2/5

Divide.

$$\frac{5}{8} \div \frac{1}{4}$$

A. $\frac{5}{32}$

B. $\frac{1}{2}$

C. $2\frac{1}{2}$

D. $1\frac{1}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 31 • FORWARD 1 • Q3/5

1084

QUESTION ID

S31-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 2 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 31 • FORWARD 1 • Q3/5

How many $\frac{3}{8}$ -cup servings are in $\frac{3}{4}$ cup?

Servings: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 31 • FORWARD 1 • Q4/5

1085

QUESTION ID

S31-F1-Q4

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 31 • FORWARD 1 • Q4/5

True or false?

$$\frac{1}{2} \div \frac{1}{4} = \frac{1}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 31 • FORWARD 1 • Q5/5

1086

QUESTION ID

S31-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 31 • FORWARD 1 • Q5/5

SET 31 • 5.NF.B.4.a

FORWARD 2

Multiply rational numbers • Grade 7 • The Number System • 7.NS.A.2.c

Find the product.

$$-\frac{2}{3} \times \frac{3}{4}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 31 • FORWARD 2 • Q1/5

1088

QUESTION ID

S31-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$-\frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 31 • FORWARD 2 • Q1/5

Find the product.

$$\left(-\frac{4}{5}\right) \times \left(-\frac{5}{6}\right)$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 31 • FORWARD 2 • Q2/5

1089

QUESTION ID

S31-F2-Q2

TYPE

Short answer

CORRECT ANSWER

2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 31 • FORWARD 2 • Q2/5

Find the product.

$$\frac{3}{7} \times \left(-\frac{7}{9}\right)$$

A. $-\frac{3}{7}$

B. $\frac{1}{3}$

C. $-\frac{1}{3}$

D. $\frac{10}{16}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 31 • FORWARD 2 • Q3/5

1090

QUESTION ID

S31-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $-\frac{1}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 31 • FORWARD 2 • Q3/5

Find the product.

$$\left(-\frac{1}{2}\right) \times \left(-\frac{1}{2}\right) \times \left(-\frac{1}{2}\right)$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 31 • FORWARD 2 • Q4/5

1091

QUESTION ID

S31-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$-\frac{1}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 31 • FORWARD 2 • Q4/5

True or false?

$$\left(-\frac{2}{5}\right) \times \frac{5}{2} = 1$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 31 • FORWARD 2 • Q5/5

1092

QUESTION ID

S31-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 31 • FORWARD 2 • Q5/5

Find the area of a rectangle with fractional side lengths

MAIN

Grade 5 main question

5.NF.B.4.b

BACKWARD 1

Area by tiling with unit squares

3.MD.C.7.a

BACKWARD 2

The area formula for rectangles

4.MD.A.3

BACKWARD 3

Multiplying fractions

5.NF.B.4.a

FORWARD 1

Area of triangles and other polygons with fractional measures

6.G.A.1

FORWARD 2

Area of composite figures

7.G.B.6

SET 32 • 5.NF.B.4.b

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions •
5.NF.B.4.b

Find the area of the rectangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 32 • MAIN • Q1/5

1095

QUESTION ID

S32-M-Q1

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{2}$ square foot

GRADING NOTE 15/30 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 32 • MAIN • Q1/5

A rectangle is $2\frac{1}{2}$ inches long and $\frac{4}{5}$ inch wide.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 32 • MAIN • Q2/5

1096

QUESTION ID

S32-M-Q2

TYPE

Short answer

CORRECT ANSWER

2 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 32 • MAIN • Q2/5

A rectangle that is $\frac{2}{3}$ unit by $\frac{3}{4}$ unit is tiled with small rectangles that are each $\frac{1}{3}$ unit by $\frac{1}{4}$ unit.

What is the area of the large rectangle?

- A.** $\frac{6}{12}$ square unit **B.** $\frac{6}{7}$ square unit
C. $\frac{5}{7}$ square unit **D.** $1\frac{5}{12}$ square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 32 • MAIN • Q3/5

1097

QUESTION ID

S32-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 6/12 square unit


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 32 • MAIN • Q3/5

Find the area of the rectangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 32 • MAIN • Q4/5

1098

QUESTION ID

S32-M-Q4

TYPE

Short answer

CORRECT ANSWER

1 5/16 square yards

GRADING NOTE 21/16 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 32 • MAIN • Q4/5

True or false?

A rectangle that is $\frac{1}{2}$ foot by $\frac{1}{2}$ foot has an area of 1 square foot.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 32 • MAIN • Q5/5

1099

QUESTION ID

S32-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 32 • MAIN • Q5/5

SET 32 • 5.NF.B.4.b

BACKWARD 1

Area by tiling with unit squares • Grade 3 • Measurement & Data • 3.MD.C.7.a

A rectangle is covered by 4 rows of 6 unit squares, with no gaps.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 32 • BACKWARD 1 • Q1/5

1101

QUESTION ID

S32-B1-Q1

TYPE

Short answer

CORRECT ANSWER

24 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 32 • BACKWARD 1 • Q1/5

True or false?

Tiling a 3-by-5 rectangle takes 8 unit squares.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 32 • BACKWARD 1 • Q2/5

1102

QUESTION ID

S32-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 32 • BACKWARD 1 • Q2/5

How many unit squares cover a 7-by-2 rectangle?

- A. 72
- B. 9
- C. 14
- D. 18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 32 • BACKWARD 1 • Q3/5

1103

QUESTION ID

S32-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 32 • BACKWARD 1 • Q3/5

A rectangle has 5 rows of unit squares with 8 squares in each row.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 32 • BACKWARD 1 • Q4/5

1104

QUESTION ID

S32-B1-Q4

TYPE

Short answer

CORRECT ANSWER

40 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 32 • BACKWARD 1 • Q4/5

True or false?

The number of unit squares that cover a rectangle equals its length times its width.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 32 • BACKWARD 1 • Q5/5

1105

QUESTION ID

S32-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 32 • BACKWARD 1 • Q5/5

SET 32 • 5.NF.B.4.b

BACKWARD 2

The area formula for rectangles • Grade 4 • Measurement & Data • 4.MD.A.3

A rectangle is 12 m long and 5 m wide.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q1

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 32 • BACKWARD 2 • Q1/5

1107

QUESTION ID

S32-B2-Q1

TYPE

Short answer

CORRECT ANSWER

60 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q1

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 32 • BACKWARD 2 • Q1/5

A rectangle has an area of 54 square feet and a length of 9 feet.

What is its width?

Width: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q2

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 32 • BACKWARD 2 • Q2/5

1108

QUESTION ID

S32-B2-Q2

TYPE

Short answer

CORRECT ANSWER

6 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q2

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 32 • BACKWARD 2 • Q2/5

True or false?

The formula $A = l \times w$ gives the area of a rectangle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q3

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 32 • BACKWARD 2 • Q3/5

1109

QUESTION ID

S32-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q3

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 32 • BACKWARD 2 • Q3/5

A rectangle is 15 cm long and 4 cm wide.

What is its area?

- A. 60 square cm
- B. 45 square cm
- C. 38 square cm
- D. 19 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q4

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 32 • BACKWARD 2 • Q4/5

1110

QUESTION ID

S32-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. 60 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q4

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 32 • BACKWARD 2 • Q4/5

Find the area of the rectangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q5

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 32 • BACKWARD 2 • Q5/5

1111

QUESTION ID

S32-B2-Q5

TYPE

Short answer

CORRECT ANSWER

40 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q5

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 32 • BACKWARD 2 • Q5/5

SET 32 • 5.NF.B.4.b

BACKWARD 3

Multiplying fractions • Grade 5 • Number & Operations–Fractions • 5.NF.B.4.a

Multiply.

$$\frac{5}{6} \times \frac{3}{5}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B3-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 32 • BACKWARD 3 • Q1/5

1113

QUESTION ID

S32-B3-Q1

TYPE

Short answer

CORRECT ANSWER

1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B3-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 32 • BACKWARD 3 • Q1/5

Multiply.

$$\frac{5}{2} \times \frac{4}{5}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B3-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 32 • BACKWARD 3 • Q2/5

1114

QUESTION ID

S32-B3-Q2

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B3-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 32 • BACKWARD 3 • Q2/5

True or false?

$$\frac{2}{3} \times \frac{3}{4} = \frac{6}{12}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B3-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 32 • BACKWARD 3 • Q3/5

1115

QUESTION ID

S32-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B3-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 32 • BACKWARD 3 • Q3/5

$$\frac{3}{2} \times \frac{7}{8} = ?$$

A. $\frac{10}{10}$

B. $\frac{21}{16}$

C. $\frac{21}{8}$

D. $\frac{3}{7}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B3-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 32 • BACKWARD 3 • Q4/5

1116

QUESTION ID

S32-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 21/16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B3-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 32 • BACKWARD 3 • Q4/5

Multiply.

$$\frac{1}{2} \times \frac{1}{2}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B3-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 32 • BACKWARD 3 • Q5/5

1117

QUESTION ID

S32-B3-Q5

TYPE

Short answer

CORRECT ANSWER

1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B3-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 32 • BACKWARD 3 • Q5/5

SET 32 • 5.NF.B.4.b

FORWARD 1

Area of triangles and other polygons with fractional measures • Grade 6 •
Geometry • 6.G.A.1

A triangle has a base of $4\frac{1}{2}$ inches and a height of 2 inches.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 32 • FORWARD 1 • Q1/5

1119

QUESTION ID

S32-F1-Q1

TYPE

Short answer

CORRECT ANSWER

4 1/2 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 32 • FORWARD 1 • Q1/5

A parallelogram has a base of $3\frac{1}{4}$ feet and a height of 4 feet.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 32 • FORWARD 1 • Q2/5

1120

QUESTION ID

S32-F1-Q2

TYPE

Short answer

CORRECT ANSWER

13 square feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 32 • FORWARD 1 • Q2/5

A triangle has a base of $\frac{3}{4}$ m and a height of $\frac{2}{3}$ m.

What is its area?

- A. $\frac{1}{2}$ square meter B. $\frac{5}{7}$ square meter
C. $\frac{1}{4}$ square meter D. $\frac{6}{7}$ square meter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 32 • FORWARD 1 • Q3/5

1121

QUESTION ID

S32-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 1/4 square meter


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 32 • FORWARD 1 • Q3/5

Find the area of the triangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 32 • FORWARD 1 • Q4/5

1122

QUESTION ID

S32-F1-Q4

TYPE

Short answer

CORRECT ANSWER

7 1/2 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 32 • FORWARD 1 • Q4/5

True or false?

A trapezoid with bases of $2\frac{1}{2}$ m and $3\frac{1}{2}$ m and a height of 2 m has an area of 6 square meters.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 32 • FORWARD 1 • Q5/5

1123

QUESTION ID

S32-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 32 • FORWARD 1 • Q5/5

SET 32 • 5.NF.B.4.b

FORWARD 2

Area of composite figures • Grade 7 • Geometry • 7.G.B.6

A figure is made of a rectangle that is $6\frac{1}{2}$ ft by 4 ft and a triangle with a base of 4 ft and a height of 3 ft.

What is the total area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 32 • FORWARD 2 • Q1/5

1125

QUESTION ID

S32-F2-Q1

TYPE

Short answer

CORRECT ANSWER

32 square feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 32 • FORWARD 2 • Q1/5

A rectangular garden is 10 m by $7\frac{1}{2}$ m. A square patio with $2\frac{1}{2}$ -m sides is inside the garden.

What is the area of the garden that is not patio?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 32 • FORWARD 2 • Q2/5

1126

QUESTION ID

S32-F2-Q2

TYPE

Short answer

CORRECT ANSWER

**68 $\frac{3}{4}$ square
meters**

GRADING NOTE 68.75 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 32 • FORWARD 2 • Q2/5

A $\frac{1}{2}$ -by-2 rectangle is cut out of a 5-by-4 rectangle.

What is the area of the part that is left?

- A. 21 square units
- B. 18 square units
- C. 19 square units
- D. 20 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 32 • FORWARD 2 • Q3/5

1127

QUESTION ID

S32-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 19 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 32 • FORWARD 2 • Q3/5

A kite is made of two triangles. Each triangle has a base of 8 in. and a height of $3\frac{1}{2}$ in.

What is the area of the kite?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 32 • FORWARD 2 • Q4/5

1128

QUESTION ID

S32-F2-Q4

TYPE

Short answer

CORRECT ANSWER

28 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 32 • FORWARD 2 • Q4/5

True or false?

A figure made of two $\frac{1}{2}$ -by-3 rectangles that do not overlap has an area of 6 square units.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 32 • FORWARD 2 • Q5/5

1129

QUESTION ID

S32-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 32 • FORWARD 2 • Q5/5

Compare the size of a product to the size of one factor without multiplying

MAIN	Grade 5 main question	5.NF.B.5.a
BACKWARD 1	Multiplicative comparison	4.OA.A.2
BACKWARD 2	Comparing fractions to 1	4.NF.A.2
FORWARD 1	Scale quantities in ratio tables	6.RP.A.3.a
FORWARD 2	Use a scale to find lengths in scale drawings	7.G.A.1

SET 33 • 5.NF.B.5.a

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions •
5.NF.B.5.a

Without multiplying, how does $\frac{3}{4} \times 20$ compare to 20?

- A. It is less than 20.
- B. It is equal to 20.
- C. It is 4 times 20.
- D. It is greater than 20.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 33 • MAIN • Q1/5

1132

QUESTION ID

S33-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. It is less than 20.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 33 • MAIN • Q1/5

True or false?

$5 \times 3\frac{1}{2}$ is greater than 5.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 33 • MAIN • Q2/5

1133

QUESTION ID

S33-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 33 • MAIN • Q2/5

Without multiplying, is $\frac{2}{3} \times 15$ greater than, less than, or equal to 15?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 33 • MAIN • Q3/5

1134

QUESTION ID

S33-M-Q3

TYPE

Short answer

CORRECT ANSWER

Less than 15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 33 • MAIN • Q3/5

Which product is greater than 8?

A. $\frac{9}{8} \times 8$

B. $\frac{1}{2} \times 8$

C. $\frac{7}{8} \times 8$

D. $\frac{8}{8} \times 8$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 33 • MAIN • Q4/5

1135

QUESTION ID

S33-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. $9/8 \times 8$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 33 • MAIN • Q4/5

A photo is 6 inches wide. It is resized to $\frac{5}{4}$ of its width.

Is the new width greater than or less than 6 inches?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 33 • MAIN • Q5/5

1136

QUESTION ID

S33-M-Q5

TYPE

Short answer

CORRECT ANSWER

**Greater than 6
inches**

GRADING NOTE $\frac{5}{4}$ is greater than 1. The new width is $7\frac{1}{2}$ inches.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 33 • MAIN • Q5/5

SET 33 • 5.NF.B.5.a

BACKWARD 1

Multiplicative comparison • Grade 4 • Operations & Algebraic Thinking •
4.OA.A.2

True or false?

3×12 is 3 more than 12.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 33 • BACKWARD 1 • Q1/5

1138

QUESTION ID

S33-B1-Q1

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 33 • BACKWARD 1 • Q1/5

A dog weighs 4 times as much as a 6-pound cat.

How much does the dog weigh?

Weight: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 33 • BACKWARD 1 • Q2/5

1139

QUESTION ID

S33-B1-Q2

TYPE

Short answer

CORRECT ANSWER

24 pounds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 33 • BACKWARD 1 • Q2/5

Which number is 5 times as much as 7?

- A.** 57
- B.** 12
- C.** 2
- D.** 35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 33 • BACKWARD 1 • Q3/5

1140

QUESTION ID

S33-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 33 • BACKWARD 1 • Q3/5

True or false?

2×9 is less than 9.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 33 • BACKWARD 1 • Q4/5

1141

QUESTION ID

S33-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 33 • BACKWARD 1 • Q4/5

Fill in the blank.

42 is ____ times as much as 7.

Blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 33 • BACKWARD 1 • Q5/5

1142

QUESTION ID

S33-B1-Q5

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 33 • BACKWARD 1 • Q5/5

SET 33 • 5.NF.B.5.a

BACKWARD 2

Comparing fractions to 1 • Grade 4 • Number & Operations–Fractions •
4.NF.A.2

True or false?

$\frac{4}{5}$ is greater than 1.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 33 • BACKWARD 2 • Q1/5

1144

QUESTION ID

S33-B2-Q1

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 33 • BACKWARD 2 • Q1/5

Which fraction is less than 1?

A. $\frac{6}{7}$

B. $\frac{9}{9}$

C. $\frac{7}{6}$

D. $\frac{3}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 33 • BACKWARD 2 • Q2/5

1145

QUESTION ID

S33-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 6/7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 33 • BACKWARD 2 • Q2/5

Write $>$, $<$, or $=$ to compare.

$$\frac{8}{8} \text{ ___ } 1$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 33 • BACKWARD 2 • Q3/5

1146

QUESTION ID

S33-B2-Q3

TYPE

Short answer

CORRECT ANSWER

=

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 33 • BACKWARD 2 • Q3/5

True or false?

$$\frac{3}{5} > 1$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 33 • BACKWARD 2 • Q4/5

1147

QUESTION ID

S33-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 33 • BACKWARD 2 • Q4/5

Is $\frac{11}{10}$ greater than, less than, or equal to 1?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 33 • BACKWARD 2 • Q5/5

1148

QUESTION ID

S33-B2-Q5

TYPE

Short answer

CORRECT ANSWER

Greater than 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 33 • BACKWARD 2 • Q5/5

SET 33 • 5.NF.B.5.a

FORWARD 1

Scale quantities in ratio tables • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.3.a

A recipe uses 2 cups of rice for every 3 cups of water.
How many cups of water are needed for 8 cups of rice?

Cups of water: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 33 • FORWARD 1 • Q1/5

1150

QUESTION ID

S33-F1-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 33 • FORWARD 1 • Q1/5

A ratio table starts with 4 : 10.

Which ratio could also be in the table?

- A. 4 : 5
- B. 2 : 5
- C. 8 : 15
- D. 10 : 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 33 • FORWARD 1 • Q2/5

1151

QUESTION ID

S33-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 2 : 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 33 • FORWARD 1 • Q2/5

The table shows equivalent ratios.

Find the missing value.

Red	3	6	?
Blue	5	10	25

Missing value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 33 • FORWARD 1 • Q3/5

1152

QUESTION ID

S33-F1-Q3

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 33 • FORWARD 1 • Q3/5

True or false?

Multiplying both numbers in $6 : 9$ by $\frac{1}{3}$ gives $2 : 3$,
an equivalent ratio.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 33 • FORWARD 1 • Q4/5

1153

QUESTION ID

S33-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 33 • FORWARD 1 • Q4/5

A map shows 5 km for every 2 cm.
How many kilometers do 7 cm show?

Kilometers: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 33 • FORWARD 1 • Q5/5

1154

QUESTION ID

S33-F1-Q5

TYPE

Short answer

CORRECT ANSWER

17.5 km

GRADING NOTE 17 1/2 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 33 • FORWARD 1 • Q5/5

SET 33 • 5.NF.B.5.a

FORWARD 2

Use a scale to find lengths in scale drawings • Grade 7 • Geometry • 7.G.A.1

A scale drawing uses 1 inch = 4 feet. A wall is $3\frac{1}{2}$ inches long in the drawing.

How long is the real wall?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q1

Grade 7 • Geometry • 7.G.A.1 • Set 33 • FORWARD 2 • Q1/5

1156

QUESTION ID

S33-F2-Q1

TYPE

Short answer

CORRECT ANSWER

14 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q1

Grade 7 • Geometry • 7.G.A.1 • Set 33 • FORWARD 2 • Q1/5

A room is 15 feet long.

How long is it on a drawing with a scale of 1 inch = 3 feet?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q2

Grade 7 • Geometry • 7.G.A.1 • Set 33 • FORWARD 2 • Q2/5

1157

QUESTION ID

S33-F2-Q2

TYPE

Short answer

CORRECT ANSWER

5 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q2

Grade 7 • Geometry • 7.G.A.1 • Set 33 • FORWARD 2 • Q2/5

A drawing is reduced to $\frac{1}{2}$ of its size.

A 10-cm side becomes how long?

- A.** 2 cm
- B.** 20 cm
- C.** 10 cm
- D.** 5 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q3

Grade 7 • Geometry • 7.G.A.1 • Set 33 • FORWARD 2 • Q3/5

1158

QUESTION ID

S33-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 5 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q3

Grade 7 • Geometry • 7.G.A.1 • Set 33 • FORWARD 2 • Q3/5

A drawing that is 4 cm by 6 cm is enlarged by a scale factor of $\frac{3}{2}$.

What are the new dimensions?

Dimensions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q4

Grade 7 • Geometry • 7.G.A.1 • Set 33 • FORWARD 2 • Q4/5

1159

QUESTION ID

S33-F2-Q4

TYPE

Short answer

CORRECT ANSWER

6 cm by 9 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q4

Grade 7 • Geometry • 7.G.A.1 • Set 33 • FORWARD 2 • Q4/5

True or false?

Using a scale factor less than 1 makes a drawing smaller.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q5

Grade 7 • Geometry • 7.G.A.1 • Set 33 • FORWARD 2 • Q5/5

1160

QUESTION ID

S33-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q5

Grade 7 • Geometry • 7.G.A.1 • Set 33 • FORWARD 2 • Q5/5

Explain the effect of multiplying by a fraction greater than, less than, or equal to 1

MAIN	Grade 5 main question	5.NF.B.5.b
BACKWARD 1	Equivalent fractions	4.NF.A.1
BACKWARD 2	Fractions equal to 1	3.NF.A.3.c
FORWARD 1	Percents greater than and less than 100%	6.RP.A.3.c
FORWARD 2	Use a multiplier for percent increase and decrease	7.RP.A.3

SET 34 • 5.NF.B.5.b

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions •
5.NF.B.5.b

True or false?

Multiplying 12 by $\frac{7}{6}$ gives a product greater than 12.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 34 • MAIN • Q1/5

1163

QUESTION ID

S34-M-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 34 • MAIN • Q1/5

Which statement explains why $\frac{4}{5} \times 30$ is less than 30?

- A. $\frac{4}{5}$ is less than 1.
- B. $\frac{4}{5}$ is greater than 1.
- C. 30 is greater than 1.
- D. The product is a fraction.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 34 • MAIN • Q2/5

1164

QUESTION ID

S34-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 4/5 is less than 1.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 34 • MAIN • Q2/5

Use the fact that $\frac{4}{4} = 1$ to explain why $\frac{2}{3} = \frac{8}{12}$.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 34 • MAIN • Q3/5

1165

QUESTION ID

S34-M-Q3

TYPE

Short answer

CORRECT ANSWER

**$\frac{2}{3} \times \frac{4}{4} = \frac{8}{12}$, and
 $\frac{4}{4} = 1$, so
multiplying by $\frac{4}{4}$
does not change the
value.**

GRADING NOTE The response must connect the equivalent fraction to multiplying by a fraction equal to 1.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 34 • MAIN • Q3/5

Which expression has a value equal to 9?

A. $\frac{6}{5} \times 9$

B. $\frac{5}{6} \times 9$

C. $\frac{1}{5} \times 9$

D. $\frac{5}{5} \times 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 34 • MAIN • Q4/5

1166

QUESTION ID

S34-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. $\frac{5}{5} \times 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 34 • MAIN • Q4/5

Without multiplying, order the products from least to greatest.

$$\frac{3}{4} \times 10, \frac{4}{3} \times 10, \frac{4}{4} \times 10$$

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 34 • MAIN • Q5/5

1167

QUESTION ID

S34-M-Q5

TYPE

Short answer

CORRECT ANSWER

**$\frac{3}{4} \times 10, \frac{4}{4} \times 10,$
 $\frac{4}{3} \times 10$**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 34 • MAIN • Q5/5

SET 34 • 5.NF.B.5.b

BACKWARD 1

Equivalent fractions • Grade 4 • Number & Operations–Fractions • 4.NF.A.1

True or false?

To write a fraction equal to $\frac{3}{5}$, you can multiply its numerator and denominator by the same number.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 34 • BACKWARD 1 • Q1/5

1169

QUESTION ID

S34-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 34 • BACKWARD 1 • Q1/5

Find the missing number.

$$\frac{3}{5} = \frac{?}{20}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 34 • BACKWARD 1 • Q2/5

1170

QUESTION ID

S34-B1-Q2

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 34 • BACKWARD 1 • Q2/5

Which fraction is equivalent to $\frac{7}{8}$?

A. $\frac{14}{24}$

B. $\frac{21}{24}$

C. $\frac{7}{16}$

D. $\frac{8}{7}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 34 • BACKWARD 1 • Q3/5

1171

QUESTION ID

S34-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 21/24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 34 • BACKWARD 1 • Q3/5

Find the missing number.

$$\frac{1}{3} = \frac{4}{?}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 34 • BACKWARD 1 • Q4/5

1172

QUESTION ID

S34-B1-Q4

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 34 • BACKWARD 1 • Q4/5

True or false?

$$\frac{2}{9} = \frac{4}{27}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 34 • BACKWARD 1 • Q5/5

1173

QUESTION ID

S34-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 34 • BACKWARD 1 • Q5/5

SET 34 • 5.NF.B.5.b

BACKWARD 2

Fractions equal to 1 • Grade 3 • Number & Operations–Fractions • 3.NF.A.3.c

True or false?

$$\frac{4}{4} = 4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 2 • Q1/5

1175

QUESTION ID

S34-B2-Q1

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 2 • Q1/5

Write 1 as a fraction with a denominator of 6.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 2 • Q2/5

1176

QUESTION ID

S34-B2-Q2

TYPE

Short answer

CORRECT ANSWER

6/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 2 • Q2/5

Which fraction is equal to 1?

A. $\frac{0}{9}$

B. $\frac{9}{1}$

C. $\frac{1}{9}$

D. $\frac{9}{9}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 2 • Q3/5

1177

QUESTION ID

S34-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 9/9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 2 • Q3/5

True or false?

$\frac{5}{5}$ is greater than 1.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 2 • Q4/5

1178

QUESTION ID

S34-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 2 • Q4/5

How many eighths make 1 whole?

Eighths: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 2 • Q5/5

1179

QUESTION ID

S34-B2-Q5

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 2 • Q5/5

SET 34 • 5.NF.B.5.b

FORWARD 1

Percents greater than and less than 100% • Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c

True or false?

150% of 40 is less than 40.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 34 • FORWARD 1 • Q1/5

1181

QUESTION ID

S34-F1-Q1

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 34 • FORWARD 1 • Q1/5

What is 120% of 50?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 34 • FORWARD 1 • Q2/5

1182

QUESTION ID

S34-F1-Q2

TYPE

Short answer

CORRECT ANSWER

60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 34 • FORWARD 1 • Q2/5

Which value is less than 80?

- A.** 200% of 80
- B.** 125% of 80
- C.** 75% of 80
- D.** 100% of 80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 34 • FORWARD 1 • Q3/5

1183

QUESTION ID

S34-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 75% of 80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 34 • FORWARD 1 • Q3/5

What is 100% of 37?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 34 • FORWARD 1 • Q4/5

1184

QUESTION ID

S34-F1-Q4

TYPE

Short answer

CORRECT ANSWER

37

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 34 • FORWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

What is 250% of 12?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 34 • FORWARD 1 • Q5/5

1185

QUESTION ID

S34-F1-Q5

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 34 • FORWARD 1 • Q5/5

1185

SET 34 • 5.NF.B.5.b

FORWARD 2

Use a multiplier for percent increase and decrease • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3

A \$60 price increases by 15%.

Which expression gives the new price?

- A. 1.15×60
- B. $60 + 15$
- C. 0.85×60
- D. 0.15×60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 34 • FORWARD 2 • Q1/5

1187

QUESTION ID

S34-F2-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. 1.15×60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 34 • FORWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

A \$90 jacket is 20% off.

Multiply by a decimal to find the sale price.

Sale price: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 34 • FORWARD 2 • Q2/5

1188

QUESTION ID

S34-F2-Q2

TYPE

Short answer

CORRECT ANSWER

\$72**GRADING NOTE** $0.8 \times 90 = 72$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 34 • FORWARD 2 • Q2/5

1188

True or false?

Multiplying a price by 0.7 decreases it by 30%.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 34 • FORWARD 2 • Q3/5

1189

QUESTION ID

S34-F2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 34 • FORWARD 2 • Q3/5

A population of 2,000 grows by 5%.

What is the new population?

Population: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 34 • FORWARD 2 • Q4/5

1190

QUESTION ID

S34-F2-Q4

TYPE

Short answer

CORRECT ANSWER

2,100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 34 • FORWARD 2 • Q4/5

Which multiplier shows a 40% decrease?

- A.** 0.6
- B.** 0.4
- C.** 1.4
- D.** 1.04

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 34 • FORWARD 2 • Q5/5

1191

QUESTION ID

S34-F2-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. 0.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 34 • FORWARD 2 • Q5/5

Solve real-world problems by multiplying fractions and mixed numbers

MAIN	Grade 5 main question	5.NF.B.6
BACKWARD 1	Word problems: a whole number times a fraction	4.NF.B.4.c
BACKWARD 2	Mixed numbers as fractions	4.NF.B.3.b
BACKWARD 3	Multiplying fractions	5.NF.B.4.a
FORWARD 1	Word problems with division of fractions	6.NS.A.1
FORWARD 2	Real-world problems with rational numbers	7.NS.A.3

SET 35 • 5.NF.B.6

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions • 5.NF.B.6

A recipe uses $\frac{3}{4}$ cup of oats per batch.

How many cups of oats are in $2\frac{1}{2}$ batches?

Cups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 35 • MAIN • Q1/5

1194

QUESTION ID

S35-M-Q1

TYPE

Short answer

CORRECT ANSWER

1 $\frac{7}{8}$ cups

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 35 • MAIN • Q1/5

A garden is 6 m long. $\frac{2}{3}$ of its length is planted with beans.

How many meters are planted with beans?

Meters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 35 • MAIN • Q2/5

1195

QUESTION ID

S35-M-Q2

TYPE

Short answer

CORRECT ANSWER

4 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 35 • MAIN • Q2/5

Sam walks $\frac{5}{8}$ mile each day.

How far does he walk in 4 days?

- A. $\frac{5}{32}$ mile B. $\frac{9}{8}$ miles
C. $2\frac{1}{2}$ miles D. $4\frac{5}{8}$ miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 35 • MAIN • Q3/5

1196

QUESTION ID

S35-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 2 1/2 miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 35 • MAIN • Q3/5

A board is $3\frac{1}{3}$ feet long. Jo uses $\frac{3}{5}$ of the board.

How many feet does she use?

Feet: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 35 • MAIN • Q4/5

1197

QUESTION ID

S35-M-Q4

TYPE

Short answer

CORRECT ANSWER

2 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 35 • MAIN • Q4/5

A pitcher holds $1\frac{1}{2}$ liters. It is $\frac{2}{3}$ full.

How many liters are in the pitcher?

Liters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 35 • MAIN • Q5/5

1198

QUESTION ID

S35-M-Q5

TYPE

Short answer

CORRECT ANSWER

1 liter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 35 • MAIN • Q5/5

SET 35 • 5.NF.B.6

BACKWARD 1

Word problems: a whole number times a fraction • Grade 4 • Number & Operations–Fractions • 4.NF.B.4.c

Each serving is $\frac{2}{3}$ cup.

How many cups are in 5 servings?

Cups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 35 • BACKWARD 1 • Q1/5

1200

QUESTION ID

S35-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3 $\frac{1}{3}$ cups

GRADING NOTE 10/3 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 35 • BACKWARD 1 • Q1/5

True or false?

4 children each drink $\frac{3}{8}$ liter of milk. They drink $1\frac{1}{2}$ liters in all.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 35 • BACKWARD 1 • Q2/5

1201

QUESTION ID

S35-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 35 • BACKWARD 1 • Q2/5

Each piece of ribbon is $\frac{5}{6}$ yard long.

How long are 3 pieces in all?

- A. $\frac{5}{18}$ yard B. $2\frac{1}{2}$ yards
C. $3\frac{5}{6}$ yards D. $\frac{15}{18}$ yard

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 35 • BACKWARD 1 • Q3/5

1202

QUESTION ID

S35-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 2 1/2 yards

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 35 • BACKWARD 1 • Q3/5

A bug crawls $\frac{3}{10}$ meter each minute.

How far does it crawl in 7 minutes?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 35 • BACKWARD 1 • Q4/5

1203

QUESTION ID

S35-B1-Q4

TYPE

Short answer

CORRECT ANSWER

2 $\frac{1}{10}$ meters

GRADING NOTE 21/10 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 35 • BACKWARD 1 • Q4/5

Each bag holds $\frac{1}{4}$ pound of nuts.

How many pounds are in 6 bags?

Pounds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 35 • BACKWARD 1 • Q5/5

1204

QUESTION ID

S35-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1 1/2 pounds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 35 • BACKWARD 1 • Q5/5

SET 35 • 5.NF.B.6

BACKWARD 2

Mixed numbers as fractions • Grade 4 • Number & Operations–Fractions •
4.NF.B.3.b

Write $2\frac{1}{2}$ as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 35 • BACKWARD 2 • Q1/5

1206

QUESTION ID

S35-B2-Q1

TYPE

Short answer

CORRECT ANSWER

5/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 35 • BACKWARD 2 • Q1/5

Write $3\frac{1}{3}$ as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 35 • BACKWARD 2 • Q2/5

1207

QUESTION ID

S35-B2-Q2

TYPE

Short answer

CORRECT ANSWER

10/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 35 • BACKWARD 2 • Q2/5

True or false?

$$1\frac{1}{2} = \frac{11}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 35 • BACKWARD 2 • Q3/5

1208

QUESTION ID

S35-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 35 • BACKWARD 2 • Q3/5

Which fraction is equal to $4\frac{2}{5}$?

A. $\frac{22}{5}$

B. $\frac{42}{5}$

C. $\frac{11}{5}$

D. $\frac{24}{5}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 35 • BACKWARD 2 • Q4/5

1209

QUESTION ID

S35-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. 22/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 35 • BACKWARD 2 • Q4/5

Write $\frac{15}{8}$ as a mixed number.

Mixed number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 35 • BACKWARD 2 • Q5/5

1210

QUESTION ID

S35-B2-Q5

TYPE

Short answer

CORRECT ANSWER

1 7/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 35 • BACKWARD 2 • Q5/5

SET 35 • 5.NF.B.6

BACKWARD 3

Multiplying fractions • Grade 5 • Number & Operations–Fractions • 5.NF.B.4.a

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$\frac{3}{4} \times \frac{5}{2}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B3-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 35 • BACKWARD 3 • Q1/5

1212

QUESTION ID

S35-B3-Q1

TYPE

Short answer

CORRECT ANSWER

15/8**GRADING NOTE** 1 7/8 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B3-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 35 • BACKWARD 3 • Q1/5

1212

Multiply.

$$\frac{2}{3} \times \frac{3}{2}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B3-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 35 • BACKWARD 3 • Q2/5

1213

QUESTION ID

S35-B3-Q2

TYPE

Short answer

CORRECT ANSWER

1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B3-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 35 • BACKWARD 3 • Q2/5

True or false?

$$\frac{10}{3} \times \frac{3}{5} = 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B3-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 35 • BACKWARD 3 • Q3/5

1214

QUESTION ID

S35-B3-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B3-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 35 • BACKWARD 3 • Q3/5

$$\frac{3}{2} \times \frac{2}{3} = ?$$

A. $\frac{5}{6}$

B. 1

C. $\frac{6}{5}$

D. $\frac{9}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B3-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 35 • BACKWARD 3 • Q4/5

1215

QUESTION ID

S35-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B3-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 35 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$\frac{5}{8} \times 4$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B3-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 35 • BACKWARD 3 • Q5/5

1216

QUESTION ID

S35-B3-Q5

TYPE

Short answer

CORRECT ANSWER

2 1/2**GRADING NOTE** 20/8 or 5/2 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B3-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 35 • BACKWARD 3 • Q5/5

1216

SET 35 • 5.NF.B.6

FORWARD 1

Word problems with division of fractions • Grade 6 • The Number System •
6.NS.A.1

How many $\frac{3}{4}$ -cup servings are in 6 cups of soup?

Servings: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 1 • Q1/5

1218

QUESTION ID

S35-F1-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 1 • Q1/5

A $\frac{7}{8}$ -mile trail is split into $\frac{1}{8}$ -mile sections.

How many sections are there?

Sections: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 1 • Q2/5

1219

QUESTION ID

S35-F1-Q2

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 1 • Q2/5

A rectangle has an area of $\frac{3}{4}$ square foot and a width of $\frac{1}{2}$ foot.

What is its length?

- A. $\frac{3}{8}$ foot B. $1\frac{1}{4}$ feet
C. $1\frac{1}{2}$ feet D. $\frac{2}{3}$ foot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 1 • Q3/5

1220

QUESTION ID

S35-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 1 1/2 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 1 • Q3/5

Ann has $2\frac{1}{2}$ pounds of clay. Each pot uses $\frac{5}{8}$ pound.

How many pots can she make?

Pots: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 1 • Q4/5

1221

QUESTION ID

S35-F1-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 1 • Q4/5

True or false?

$$\frac{2}{3} \div \frac{1}{6} = \frac{1}{9}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 1 • Q5/5

1222

QUESTION ID

S35-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 1 • Q5/5

SET 35 • 5.NF.B.6

FORWARD 2

Real-world problems with rational numbers • Grade 7 • The Number System •
7.NS.A.3

A diver descends $\frac{3}{4}$ foot per second for $6\frac{1}{2}$ seconds.

What is the diver's change in depth?

Change: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 35 • FORWARD 2 • Q1/5

1224

QUESTION ID

S35-F2-Q1

TYPE

Short answer

CORRECT ANSWER

−4 $\frac{7}{8}$ feet

GRADING NOTE "4 $\frac{7}{8}$ feet down" is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 35 • FORWARD 2 • Q1/5

The temperature was 2°F . It dropped $\frac{1}{2}^{\circ}\text{F}$ each hour for 9 hours.

What was the final temperature?

Temperature: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 35 • FORWARD 2 • Q2/5

1225

QUESTION ID

S35-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$-2 \frac{1}{2}^{\circ}\text{F}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 35 • FORWARD 2 • Q2/5

A stock loses $\frac{3}{8}$ dollar each day for 4 days.

What is the total change in value?

- A.** $-4\frac{3}{8}$ dollars **B.** $-\frac{3}{32}$ dollar
C. $-1\frac{1}{2}$ dollars **D.** $1\frac{1}{2}$ dollars

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 35 • FORWARD 2 • Q3/5

1226

QUESTION ID

S35-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $-1\frac{1}{2}$ dollars

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 35 • FORWARD 2 • Q3/5

A tank holds $12\frac{1}{2}$ gallons. $\frac{2}{5}$ of the water drains out.

How many gallons drain out?

Gallons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 35 • FORWARD 2 • Q4/5

1227

QUESTION ID

S35-F2-Q4

TYPE

Short answer

CORRECT ANSWER

5 gallons

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 35 • FORWARD 2 • Q4/5

True or false?

$$-\frac{2}{3} \times 4\frac{1}{2} = -3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 35 • FORWARD 2 • Q5/5

1228

QUESTION ID

S35-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 35 • FORWARD 2 • Q5/5

Multiply mixed numbers

MAIN

Grade 5 main question

5.NF.B.6

BACKWARD 1

Mixed numbers and fractions greater than 1

4.NF.B.3.b

BACKWARD 2

Multiplying fractions

5.NF.B.4.a

BACKWARD 3

Breaking apart a factor to multiply

3.OA.B.5

FORWARD 1

Volume of prisms with fractional edge lengths

6.G.A.2

FORWARD 2

Surface area and volume of prisms

7.G.B.6

SET 36 • 5.NF.B.6

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions • 5.NF.B.6

Multiply.

$$2\frac{1}{2} \times 3$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 36 • MAIN • Q1/5

1231

QUESTION ID

S36-M-Q1

TYPE

Short answer

CORRECT ANSWER

7 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 36 • MAIN • Q1/5

Multiply.

$$1\frac{1}{3} \times 1\frac{1}{2}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 36 • MAIN • Q2/5

1232

QUESTION ID

S36-M-Q2

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 36 • MAIN • Q2/5

Multiply.

$$2\frac{1}{4} \times 1\frac{2}{3}$$

A. $3\frac{1}{6}$

B. $4\frac{1}{2}$

C. $2\frac{2}{12}$

D. $3\frac{3}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 36 • MAIN • Q3/5

1233

QUESTION ID

S36-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 3 3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 36 • MAIN • Q3/5

Multiply.

$$3\frac{1}{5} \times 2\frac{1}{2}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 36 • MAIN • Q4/5

1234

QUESTION ID

S36-M-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 36 • MAIN • Q4/5

True or false?

$$1\frac{1}{2} \times 1\frac{1}{2} = 1\frac{1}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 36 • MAIN • Q5/5

1235

QUESTION ID

S36-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 36 • MAIN • Q5/5

SET 36 • 5.NF.B.6

BACKWARD 1

Mixed numbers and fractions greater than 1 • Grade 4 • Number & Operations–Fractions • 4.NF.B.3.b

Write $1\frac{3}{4}$ as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 36 • BACKWARD 1 • Q1/5

1237

QUESTION ID

S36-B1-Q1

TYPE

Short answer

CORRECT ANSWER

7/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 36 • BACKWARD 1 • Q1/5

Write $\frac{13}{3}$ as a mixed number.

Mixed number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 36 • BACKWARD 1 • Q2/5

1238

QUESTION ID

S36-B1-Q2

TYPE

Short answer

CORRECT ANSWER

4 $\frac{1}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 36 • BACKWARD 1 • Q2/5

True or false?

$$2\frac{2}{3} = \frac{22}{3}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 36 • BACKWARD 1 • Q3/5

1239

QUESTION ID

S36-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 36 • BACKWARD 1 • Q3/5

Which mixed number is equal to $\frac{9}{2}$?

A. $2\frac{1}{9}$

B. $4\frac{1}{9}$

C. $9\frac{1}{2}$

D. $4\frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 36 • BACKWARD 1 • Q4/5

1240

QUESTION ID

S36-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 4 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 36 • BACKWARD 1 • Q4/5

Write $5\frac{1}{2}$ as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 36 • BACKWARD 1 • Q5/5

1241

QUESTION ID

S36-B1-Q5

TYPE

Short answer

CORRECT ANSWER

11/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 36 • BACKWARD 1 • Q5/5

SET 36 • 5.NF.B.6

BACKWARD 2

Multiplying fractions • Grade 5 • Number & Operations–Fractions • 5.NF.B.4.a

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$\frac{7}{4} \times \frac{2}{3}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • BACKWARD 2 • Q1/5

1243

QUESTION ID

S36-B2-Q1

TYPE

Short answer

CORRECT ANSWER

7/6**GRADING NOTE** 14/12 or 1 1/6 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • BACKWARD 2 • Q1/5

1243

True or false?

$$\frac{5}{2} \times \frac{3}{2} = \frac{15}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • BACKWARD 2 • Q2/5

1244

QUESTION ID

S36-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • BACKWARD 2 • Q2/5

$$\frac{4}{3} \times \frac{9}{4} = ?$$

A. 3

B. 2

C. $\frac{36}{7}$

D. $\frac{13}{7}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • BACKWARD 2 • Q3/5

1245

QUESTION ID

S36-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • BACKWARD 2 • Q3/5

Multiply.

$$\frac{5}{3} \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • BACKWARD 2 • Q4/5

1246

QUESTION ID

S36-B2-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • BACKWARD 2 • Q4/5

Multiply.

$$\frac{3}{2} \times \frac{3}{2}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • BACKWARD 2 • Q5/5

1247

QUESTION ID

S36-B2-Q5

TYPE

Short answer

CORRECT ANSWER

9/4

GRADING NOTE 2 1/4 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • BACKWARD 2 • Q5/5

SET 36 • 5.NF.B.6

BACKWARD 3

Breaking apart a factor to multiply • Grade 3 • Operations & Algebraic Thinking
• 3.OA.B.5

True or false?

$$4 \times (5 + 2) = 4 \times 5 + 4 \times 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 36 • BACKWARD 3 • Q1/5

1249

QUESTION ID

S36-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 36 • BACKWARD 3 • Q1/5

$$6 \times 12 = 6 \times 10 + 6 \times \underline{\quad}$$

Blank: _____

ID S36-B3-Q2

1250

S36-B3-Q2

Short answer

2

ID S36-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 36 • BACKWARD 3 • Q2/5

Which expression is equal to 3×15 ?

- A. $3 \times 10 + 5$
- B. $3 + 10 \times 5$
- C. $3 \times 10 \times 5$
- D. $3 \times 10 + 3 \times 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 36 • BACKWARD 3 • Q3/5

1251

QUESTION ID

S36-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $3 \times 10 + 3 \times 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 36 • BACKWARD 3 • Q3/5

True or false?

$$7 \times 13 = 7 \times 10 + 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 36 • BACKWARD 3 • Q4/5

1252

QUESTION ID

S36-B3-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 36 • BACKWARD 3 • Q4/5

$$8 \times (4 + 1) = 8 \times 4 + 8 \times \underline{\quad}$$

Blank: _____

ID S36-B3-Q5

1253

S36-B3-Q5

Short answer

1

ID S36-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 36 • BACKWARD 3 • Q5/5

SET 36 • 5.NF.B.6

FORWARD 1

Volume of prisms with fractional edge lengths • Grade 6 • Geometry • 6.G.A.2

A box is $2\frac{1}{2}$ ft by 2 ft by $1\frac{1}{2}$ ft.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 36 • FORWARD 1 • Q1/5

1255

QUESTION ID

S36-F1-Q1

TYPE

Short answer

CORRECT ANSWER

7 1/2 cubic feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 36 • FORWARD 1 • Q1/5

A cube has edges that are $2\frac{1}{2}$ inches long.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 36 • FORWARD 1 • Q2/5

1256

QUESTION ID

S36-F1-Q2

TYPE

Short answer

CORRECT ANSWER

15 $\frac{5}{8}$ cubic inches

GRADING NOTE 125/8 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 36 • FORWARD 1 • Q2/5

A prism has a base area of $3\frac{1}{3}$ square cm and a height of $1\frac{1}{2}$ cm.

What is its volume?

- A.** $3\frac{1}{2}$ cubic cm **B.** 10 cubic cm
C. $4\frac{5}{6}$ cubic cm **D.** 5 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 36 • FORWARD 1 • Q3/5

1257

QUESTION ID

S36-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 5 cubic cm


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 36 • FORWARD 1 • Q3/5

Find the volume of the prism.

Volume: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 36 • FORWARD 1 • Q4/5

1258

QUESTION ID

S36-F1-Q4

TYPE

Short answer

CORRECT ANSWER

3 cubic feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 36 • FORWARD 1 • Q4/5

True or false?

A box that is $\frac{1}{2}$ m by $\frac{1}{2}$ m by $\frac{1}{2}$ m has a volume of $\frac{1}{8}$ cubic meter.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 36 • FORWARD 1 • Q5/5

1259

QUESTION ID

S36-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 36 • FORWARD 1 • Q5/5

SET 36 • 5.NF.B.6

FORWARD 2

Surface area and volume of prisms • Grade 7 • Geometry • 7.G.B.6

A rectangular prism is 4 cm by 3 cm by $2\frac{1}{2}$ cm.

What is its surface area?

Surface area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 36 • FORWARD 2 • Q1/5

1261

QUESTION ID

S36-F2-Q1

TYPE

Short answer

CORRECT ANSWER

59 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 36 • FORWARD 2 • Q1/5

A triangular prism has triangle bases with a base of 3 in. and a height of $2\frac{1}{2}$ in. The prism is 6 in. long.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 36 • FORWARD 2 • Q2/5

1262

QUESTION ID

S36-F2-Q2

TYPE

Short answer

CORRECT ANSWER

22 1/2 cubic inches

GRADING NOTE 22.5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 36 • FORWARD 2 • Q2/5

A box is 5 in. by 4 in. by $1\frac{1}{2}$ in.

What is its volume?

- A. 20 cubic inches
- B. $10\frac{1}{2}$ cubic inches
- C. 30 cubic inches
- D. 300 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 36 • FORWARD 2 • Q3/5

1263

QUESTION ID

S36-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 30 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 36 • FORWARD 2 • Q3/5

A cube has edges that are $1\frac{1}{2}$ m long.

What is its surface area?

Surface area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 36 • FORWARD 2 • Q4/5

1264

QUESTION ID

S36-F2-Q4

TYPE

Short answer

CORRECT ANSWER

**13 1/2 square
meters**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 36 • FORWARD 2 • Q4/5

True or false?

A prism with a base area of $7\frac{1}{2}$ square feet and a height of 4 feet has a volume of $11\frac{1}{2}$ cubic feet.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 36 • FORWARD 2 • Q5/5

1265

QUESTION ID

S36-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 36 • FORWARD 2 • Q5/5

Divide a unit fraction by a whole number

MAIN	Grade 5 main question	5.NF.B.7.a
BACKWARD 1	Unit fractions get smaller as the number of parts grows	3.NF.A.1
BACKWARD 2	Sharing equally	3.OA.A.2
BACKWARD 3	Multiplying unit fractions	5.NF.B.4.a
FORWARD 1	Divide fractions	6.NS.A.1
FORWARD 2	Divide rational numbers	7.NS.A.2.b

SET 37 • 5.NF.B.7.a

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions •
5.NF.B.7.a

Divide.

$$\frac{1}{3} \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.a • Set 37 • MAIN • Q1/5

1268

QUESTION ID

S37-M-Q1

TYPE

Short answer

CORRECT ANSWER

1/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.a • Set 37 • MAIN • Q1/5

Divide.

$$\frac{1}{2} \div 5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.a • Set 37 • MAIN • Q2/5

1269

QUESTION ID

S37-M-Q2

TYPE

Short answer

CORRECT ANSWER

1/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.a • Set 37 • MAIN • Q2/5

$$\frac{1}{4} \div 2 = ?$$

A. $\frac{1}{2}$

B. $\frac{2}{4}$

C. $\frac{1}{8}$

D. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.a • Set 37 • MAIN • Q3/5

1270

QUESTION ID

S37-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 1/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.a • Set 37 • MAIN • Q3/5

$\frac{1}{5}$ of a pan of brownies is shared equally by 3 friends.

What fraction of the whole pan does each friend get?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.a • Set 37 • MAIN • Q4/5

1271

QUESTION ID

S37-M-Q4

TYPE

Short answer

CORRECT ANSWER

1/15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.a • Set 37 • MAIN • Q4/5

True or false?

$$\frac{1}{6} \div 3 = \frac{1}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.a • Set 37 • MAIN • Q5/5

1272

QUESTION ID

S37-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.a • Set 37 • MAIN • Q5/5

SET 37 • 5.NF.B.7.a

BACKWARD 1

Unit fractions get smaller as the number of parts grows • Grade 3 • Number & Operations–Fractions • 3.NF.A.1

True or false?

When a whole is cut into more equal parts, each part is smaller.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 1 • Q1/5

1274

QUESTION ID

S37-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 1 • Q1/5

Which unit fraction is the smallest?

A. $\frac{1}{8}$

B. $\frac{1}{12}$

C. $\frac{1}{2}$

D. $\frac{1}{5}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 1 • Q2/5

1275

QUESTION ID

S37-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 1/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 1 • Q2/5

A bar is cut into 6 equal parts.

What fraction of the bar is one part?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 1 • Q3/5

1276

QUESTION ID

S37-B1-Q3

TYPE

Short answer

CORRECT ANSWER

1/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 1 • Q3/5

True or false?

$$\frac{1}{3} < \frac{1}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 1 • Q4/5

1277

QUESTION ID

S37-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 1 • Q4/5

What fraction of the bar is shaded?



Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 1 • Q5/5

1278

QUESTION ID

S37-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 1 • Q5/5

SET 37 • 5.NF.B.7.a

BACKWARD 2

Sharing equally • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2

15 is shared equally among 5 groups.

How much is in each group?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 37 • BACKWARD 2 • Q1/5

1280

QUESTION ID

S37-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 37 • BACKWARD 2 • Q1/5

True or false?

Sharing 8 equally between 2 groups gives 4 in each group.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 37 • BACKWARD 2 • Q2/5

1281

QUESTION ID

S37-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 37 • BACKWARD 2 • Q2/5

Which expression shows 21 shared equally among 7 people?

- A. $21 \div 7$
- B. $21 - 7$
- C. $7 \div 21$
- D. 21×7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 37 • BACKWARD 2 • Q3/5

1282

QUESTION ID

S37-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $21 \div 7$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 37 • BACKWARD 2 • Q3/5

Divide.

$$16 \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 37 • BACKWARD 2 • Q4/5

1283

QUESTION ID

S37-B2-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 37 • BACKWARD 2 • Q4/5

36 is shared equally among 6 people.

How much does each person get?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 37 • BACKWARD 2 • Q5/5

1284

QUESTION ID

S37-B2-Q5

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 37 • BACKWARD 2 • Q5/5

SET 37 • 5.NF.B.7.a

BACKWARD 3

Multiplying unit fractions • Grade 5 • Number & Operations–Fractions •
5.NF.B.4.a

Multiply.

$$\frac{1}{3} \times \frac{1}{4}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B3-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • BACKWARD 3 • Q1/5

1286

QUESTION ID

S37-B3-Q1

TYPE

Short answer

CORRECT ANSWER

1/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B3-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • BACKWARD 3 • Q1/5

True or false?

$$\frac{1}{2} \times \frac{1}{5} = \frac{1}{10}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B3-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • BACKWARD 3 • Q2/5

1287

QUESTION ID

S37-B3-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B3-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • BACKWARD 3 • Q2/5

$$\frac{1}{6} \times \frac{1}{2} = ?$$

A. $\frac{1}{8}$

B. $\frac{1}{3}$

C. $\frac{2}{6}$

D. $\frac{1}{12}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B3-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • BACKWARD 3 • Q3/5

1288

QUESTION ID

S37-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 1/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B3-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • BACKWARD 3 • Q3/5

Multiply.

$$\frac{1}{4} \times \frac{1}{4}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B3-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • BACKWARD 3 • Q4/5

1289

QUESTION ID

S37-B3-Q4

TYPE

Short answer

CORRECT ANSWER

1/16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B3-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • BACKWARD 3 • Q4/5

True or false?

$$\frac{1}{2} \times \frac{1}{3} = \frac{2}{5}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B3-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • BACKWARD 3 • Q5/5

1290

QUESTION ID

S37-B3-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B3-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • BACKWARD 3 • Q5/5

SET 37 • 5.NF.B.7.a

FORWARD 1

Divide fractions • Grade 6 • The Number System • 6.NS.A.1

Divide.

$$\frac{3}{4} \div 3$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 1 • Q1/5

1292

QUESTION ID

S37-F1-Q1

TYPE

Short answer

CORRECT ANSWER

1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 1 • Q1/5

Divide.

$$\frac{2}{5} \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 1 • Q2/5

1293

QUESTION ID

S37-F1-Q2

TYPE

Short answer

CORRECT ANSWER

1/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 1 • Q2/5

Divide.

$$\frac{5}{6} \div \frac{1}{3}$$

A. $\frac{5}{18}$

B. $2\frac{1}{2}$

C. $\frac{6}{9}$

D. $\frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 1 • Q3/5

1294

QUESTION ID

S37-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 2 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 1 • Q3/5

$\frac{3}{4}$ pound of trail mix is shared equally among 6 bags.

How much trail mix is in each bag?

Pounds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 1 • Q4/5

1295

QUESTION ID

S37-F1-Q4

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{8}$ pound

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 1 • Q4/5

True or false?

$$\frac{2}{3} \div 2 = 1\frac{1}{3}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 1 • Q5/5

1296

QUESTION ID

S37-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 1 • Q5/5

SET 37 • 5.NF.B.7.a

FORWARD 2

Divide rational numbers • Grade 7 • The Number System • 7.NS.A.2.b

Find the quotient.

$$-\frac{1}{3} \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.b • Set 37 • FORWARD 2 • Q1/5

1298

QUESTION ID

S37-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$-\frac{1}{12}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.b • Set 37 • FORWARD 2 • Q1/5

Find the quotient.

$$\frac{3}{5} \div \left(-\frac{3}{10}\right)$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.b • Set 37 • FORWARD 2 • Q2/5

1299

QUESTION ID

S37-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.b • Set 37 • FORWARD 2 • Q2/5

Find the quotient.

$$\left(-\frac{1}{2}\right) \div \left(-\frac{1}{4}\right)$$

A. $\frac{1}{8}$

B. $-\frac{1}{8}$

C. -2

D. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.b • Set 37 • FORWARD 2 • Q3/5

1300

QUESTION ID

S37-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.b • Set 37 • FORWARD 2 • Q3/5

Find the quotient.

$$-\frac{4}{9} \div \frac{2}{3}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.b • Set 37 • FORWARD 2 • Q4/5

1301

QUESTION ID

S37-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$-\frac{2}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.b • Set 37 • FORWARD 2 • Q4/5

True or false?

$$-(\frac{1}{2} \div 5) = (-\frac{1}{2}) \div 5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.b • Set 37 • FORWARD 2 • Q5/5

1302

QUESTION ID

S37-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.b • Set 37 • FORWARD 2 • Q5/5

Divide a whole number by a unit fraction

MAIN

Grade 5 main question

5.NF.B.7.b

BACKWARD 1

Division as "how many groups?"

3.OA.A.2

BACKWARD 2

Unit fractions that make a whole

3.NF.A.1

FORWARD 1

Divide whole numbers by fractions

6.NS.A.1

FORWARD 2

Unit rates from quantities measured in fractions

7.RP.A.1

SET 38 • 5.NF.B.7.b

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions •
5.NF.B.7.b

Divide.

$$4 \div \frac{1}{5}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.b • Set 38 • MAIN • Q1/5

1305

QUESTION ID

S38-M-Q1

TYPE

Short answer

CORRECT ANSWER

20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.b • Set 38 • MAIN • Q1/5

Divide.

$$3 \div \frac{1}{6}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.b • Set 38 • MAIN • Q2/5

1306

QUESTION ID

S38-M-Q2

TYPE

Short answer

CORRECT ANSWER

18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.b • Set 38 • MAIN • Q2/5

How many $\frac{1}{3}$ s are in 7?

A. 10

B. 21

C. $\frac{7}{3}$

D. $\frac{1}{21}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.b • Set 38 • MAIN • Q3/5

1307

QUESTION ID

S38-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 21

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.b • Set 38 • MAIN • Q3/5

Divide.

$$9 \div \frac{1}{4}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.b • Set 38 • MAIN • Q4/5

1308

QUESTION ID

S38-M-Q4

TYPE

Short answer

CORRECT ANSWER

36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.b • Set 38 • MAIN • Q4/5

True or false?

$$5 \div \frac{1}{2} = 2\frac{1}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.b • Set 38 • MAIN • Q5/5

1309

QUESTION ID

S38-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.b • Set 38 • MAIN • Q5/5

SET 38 • 5.NF.B.7.b

BACKWARD 1

Division as "how many groups?" • Grade 3 • Operations & Algebraic Thinking •
3.OA.A.2

How many groups of 3 are in 18?

Groups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 38 • BACKWARD 1 • Q1/5

1311

QUESTION ID

S38-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 38 • BACKWARD 1 • Q1/5

True or false?

$20 \div 5$ can mean "How many 5s are in 20?"

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 38 • BACKWARD 1 • Q2/5

1312

QUESTION ID

S38-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 38 • BACKWARD 1 • Q2/5

Pam puts 24 eggs into cartons of 6.

Which equation finds the number of cartons?

A. $6 \div 24 = \square$

B. $24 - 6 = \square$

C. $24 \times 6 = \square$

D. $24 \div 6 = \square$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 38 • BACKWARD 1 • Q3/5

1313

QUESTION ID

S38-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $24 \div 6 = \square$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 38 • BACKWARD 1 • Q3/5

How many 4s are in 32?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 38 • BACKWARD 1 • Q4/5

1314

QUESTION ID

S38-B1-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 38 • BACKWARD 1 • Q4/5

A 30-inch ribbon is cut into 5-inch pieces.

How many pieces are there?

Pieces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 38 • BACKWARD 1 • Q5/5

1315

QUESTION ID

S38-B1-Q5

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 38 • BACKWARD 1 • Q5/5

SET 38 • 5.NF.B.7.b

BACKWARD 2

Unit fractions that make a whole • Grade 3 • Number & Operations–Fractions •
3.NF.A.1

How many $\frac{1}{4}$ s make 1 whole?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 38 • BACKWARD 2 • Q1/5

1317

QUESTION ID

S38-B2-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 38 • BACKWARD 2 • Q1/5

True or false?

There are 3 thirds in 2 wholes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 38 • BACKWARD 2 • Q2/5

1318

QUESTION ID

S38-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 38 • BACKWARD 2 • Q2/5

How many $\frac{1}{5}$ s make 2 wholes?

- A.** 2
- B.** 7
- C.** 10
- D.** 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 38 • BACKWARD 2 • Q3/5

1319

QUESTION ID

S38-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 38 • BACKWARD 2 • Q3/5

How many $\frac{1}{8}$ s make 1 whole?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 38 • BACKWARD 2 • Q4/5

1320

QUESTION ID

S38-B2-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 38 • BACKWARD 2 • Q4/5

True or false?

There are 2 halves in 2 wholes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 38 • BACKWARD 2 • Q5/5

1321

QUESTION ID

S38-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 38 • BACKWARD 2 • Q5/5

SET 38 • 5.NF.B.7.b

FORWARD 1

Divide whole numbers by fractions • Grade 6 • The Number System • 6.NS.A.1

Divide.

$$6 \div \frac{3}{4}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 38 • FORWARD 1 • Q1/5

1323

QUESTION ID

S38-F1-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 38 • FORWARD 1 • Q1/5

Divide.

$$4 \div \frac{2}{5}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 38 • FORWARD 1 • Q2/5

1324

QUESTION ID

S38-F1-Q2

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 38 • FORWARD 1 • Q2/5

How many $\frac{2}{3}$ -cup servings are in 8 cups?

- A. 6
- B. $\frac{1}{12}$
- C. $\frac{16}{3}$
- D. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 38 • FORWARD 1 • Q3/5

1325

QUESTION ID

S38-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 38 • FORWARD 1 • Q3/5

Divide.

$$5 \div \frac{5}{6}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 38 • FORWARD 1 • Q4/5

1326

QUESTION ID

S38-F1-Q4

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 38 • FORWARD 1 • Q4/5

True or false?

$$3 \div \frac{3}{8} = \frac{9}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 38 • FORWARD 1 • Q5/5

1327

QUESTION ID

S38-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 38 • FORWARD 1 • Q5/5

SET 38 • 5.NF.B.7.b

FORWARD 2

Unit rates from quantities measured in fractions • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1

A car uses $\frac{1}{4}$ gallon of gas to go 6 miles.

How many miles does it go per gallon?

Miles per gallon: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 38 • FORWARD 2 • Q1/5

1329

QUESTION ID

S38-F2-Q1

TYPE

Short answer

CORRECT ANSWER

24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 38 • FORWARD 2 • Q1/5

A machine makes 5 parts every $\frac{1}{3}$ minute.

How many parts does it make per minute?

Parts per minute: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 38 • FORWARD 2 • Q2/5

1330

QUESTION ID

S38-F2-Q2

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 38 • FORWARD 2 • Q2/5

Lee runs 2 miles in $\frac{1}{6}$ hour.

What is his speed?

- A. $\frac{1}{12}$ mile per hour
- B. 3 miles per hour
- C. 8 miles per hour
- D. 12 miles per hour

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 38 • FORWARD 2 • Q3/5

1331

QUESTION ID

S38-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 12 miles per hour

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 38 • FORWARD 2 • Q3/5

A hose fills 10 liters in $\frac{1}{2}$ minute.

How many liters does it fill per minute?

Liters per minute: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 38 • FORWARD 2 • Q4/5

1332

QUESTION ID

S38-F2-Q4

TYPE

Short answer

CORRECT ANSWER

20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 38 • FORWARD 2 • Q4/5

True or false?

Walking 3 miles in $\frac{3}{4}$ hour is a speed of 4 miles per hour.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 38 • FORWARD 2 • Q5/5

1333

QUESTION ID

S38-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 38 • FORWARD 2 • Q5/5

Solve word problems that divide unit fractions and whole numbers

MAIN	Grade 5 main question	5.NF.B.7.c
BACKWARD 1	Division word problems	3.OA.A.3
BACKWARD 2	A fraction as division	5.NF.B.3
FORWARD 1	Word problems that divide fractions by fractions	6.NS.A.1
FORWARD 2	Real-world problems that divide rational numbers	7.NS.A.3

SET 39 • 5.NF.B.7.c

MAIN

Grade 5 main question • Grade 5 • Number & Operations–Fractions •
5.NF.B.7.c

How many $\frac{1}{3}$ -cup servings of raisins are in 2 cups?

Servings: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.c • Set 39 • MAIN • Q1/5

1336

QUESTION ID

S39-M-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.c • Set 39 • MAIN • Q1/5

3 friends share $\frac{1}{2}$ pound of chocolate equally.

How much chocolate does each friend get?

Pounds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.c • Set 39 • MAIN • Q2/5

1337

QUESTION ID

S39-M-Q2

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{6}$ pound

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.c • Set 39 • MAIN • Q2/5

A 5-meter rope is cut into pieces that are $\frac{1}{4}$ meter long.

How many pieces are there?

A. 20

B. $\frac{1}{20}$

C. $\frac{5}{4}$

D. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.c • Set 39 • MAIN • Q3/5

1338

QUESTION ID

S39-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.c • Set 39 • MAIN • Q3/5

$\frac{1}{8}$ of a pizza is shared equally by 2 people.

What fraction of the whole pizza does each person get?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.c • Set 39 • MAIN • Q4/5

1339

QUESTION ID

S39-M-Q4

TYPE

Short answer

CORRECT ANSWER

1/16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.c • Set 39 • MAIN • Q4/5

True or false?

A 6-mile trail is split into $\frac{1}{2}$ -mile sections. There are 12 sections.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.c • Set 39 • MAIN • Q5/5

1340

QUESTION ID

S39-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.7.c • Set 39 • MAIN • Q5/5

SET 39 • 5.NF.B.7.c

BACKWARD 1

Division word problems • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3

Kim has 28 beads. Each bracelet uses 7 beads.

How many bracelets can she make?

Bracelets: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 39 • BACKWARD 1 • Q1/5

1342

QUESTION ID

S39-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 39 • BACKWARD 1 • Q1/5

True or false?

If 32 students sit 4 at each table, there are 6 tables.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 39 • BACKWARD 1 • Q2/5

1343

QUESTION ID

S39-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 39 • BACKWARD 1 • Q2/5

Raj shares 40 cards equally among 5 friends.

How many cards does each friend get?

- A.** 8
- B.** 200
- C.** 35
- D.** 45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 39 • BACKWARD 1 • Q3/5

1344

QUESTION ID

S39-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 39 • BACKWARD 1 • Q3/5

A 27-foot fence is split into 9 equal sections.

How long is each section?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 39 • BACKWARD 1 • Q4/5

1345

QUESTION ID

S39-B1-Q4

TYPE

Short answer

CORRECT ANSWER

3 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 39 • BACKWARD 1 • Q4/5

48 eggs are packed 6 to a carton.

How many cartons are filled?

Cartons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 39 • BACKWARD 1 • Q5/5

1346

QUESTION ID

S39-B1-Q5

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 39 • BACKWARD 1 • Q5/5

SET 39 • 5.NF.B.7.c

BACKWARD 2

A fraction as division • Grade 5 • Number & Operations–Fractions • 5.NF.B.3

Write $1 \div 4$ as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 39 • BACKWARD 2 • Q1/5

1348

QUESTION ID

S39-B2-Q1

TYPE

Short answer

CORRECT ANSWER

1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 39 • BACKWARD 2 • Q1/5

True or false?

$$2 \div 3 = \frac{2}{3}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 39 • BACKWARD 2 • Q2/5

1349

QUESTION ID

S39-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 39 • BACKWARD 2 • Q2/5

4 people share 1 pie equally.

How much pie does each person get?

A. $\frac{1}{4}$ pie

B. $\frac{4}{1}$ pies

C. $\frac{3}{4}$ pie

D. 4 pies

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 39 • BACKWARD 2 • Q3/5

1350

QUESTION ID

S39-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 1/4 pie

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 39 • BACKWARD 2 • Q3/5

Write $\frac{1}{6}$ as a division expression.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 39 • BACKWARD 2 • Q4/5

1351

QUESTION ID

S39-B2-Q4

TYPE

Short answer

CORRECT ANSWER

1 ÷ 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 39 • BACKWARD 2 • Q4/5

True or false?

5 people share 2 sandwiches equally, so each person gets $\frac{5}{2}$ sandwiches.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 39 • BACKWARD 2 • Q5/5

1352

QUESTION ID

S39-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 39 • BACKWARD 2 • Q5/5

SET 39 • 5.NF.B.7.c

FORWARD 1

Word problems that divide fractions by fractions • Grade 6 • The Number System • 6.NS.A.1

How many $\frac{3}{8}$ -pound bags can be filled from 3 pounds of rice?

Bags: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 39 • FORWARD 1 • Q1/5

1354

QUESTION ID

S39-F1-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 39 • FORWARD 1 • Q1/5

$\frac{2}{3}$ of a cake is shared equally by 4 people.

What fraction of the whole cake does each person get?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 39 • FORWARD 1 • Q2/5

1355

QUESTION ID

S39-F1-Q2

TYPE

Short answer

CORRECT ANSWER

1/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 39 • FORWARD 1 • Q2/5

A path is $\frac{9}{10}$ mile long. It is split into sections that are $\frac{3}{10}$ mile long.

How many sections are there?

A. $\frac{27}{100}$

B. 6

C. $\frac{1}{3}$

D. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 39 • FORWARD 1 • Q3/5

1356

QUESTION ID

S39-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 39 • FORWARD 1 • Q3/5

A rectangle has an area of 2 square yards and a length of $2\frac{1}{2}$ yards.

What is its width?

Width: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 39 • FORWARD 1 • Q4/5

1357

QUESTION ID

S39-F1-Q4

TYPE

Short answer

CORRECT ANSWER

$\frac{4}{5}$ yard

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 39 • FORWARD 1 • Q4/5

True or false?

$\frac{3}{4}$ cup of oil fills exactly 3 bottles that hold $\frac{1}{4}$ cup each.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 39 • FORWARD 1 • Q5/5

1358

QUESTION ID

S39-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 39 • FORWARD 1 • Q5/5

SET 39 • 5.NF.B.7.c

FORWARD 2

Real-world problems that divide rational numbers • Grade 7 • The Number System • 7.NS.A.3

A diver descends 18 feet in $\frac{1}{2}$ minute at a constant rate.

What is the change in depth per minute?

Change per minute: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 39 • FORWARD 2 • Q1/5

1360

QUESTION ID

S39-F2-Q1

TYPE

Short answer

CORRECT ANSWER

–36 feet per minute

GRADING NOTE "36 feet down per minute" is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 39 • FORWARD 2 • Q1/5

The temperature fell 5°F in $\frac{1}{4}$ hour.

At this rate, what is the change in temperature per hour?

Change per hour: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 39 • FORWARD 2 • Q2/5

1361

QUESTION ID

S39-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-20°F per hour

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 39 • FORWARD 2 • Q2/5

A bank account changes by $-\$45$ in $\frac{1}{3}$ month at a steady rate.

What is the change per month?

- A.** \$135 **B.** $-\$45$
C. $-\$15$ **D.** $-\$135$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 39 • FORWARD 2 • Q3/5

1362

QUESTION ID

S39-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $-\$135$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 39 • FORWARD 2 • Q3/5

Find the value.

$$-6 \div \frac{1}{3}$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 39 • FORWARD 2 • Q4/5

1363

QUESTION ID

S39-F2-Q4

TYPE

Short answer

CORRECT ANSWER

-18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 39 • FORWARD 2 • Q4/5

True or false?

$$-2 \div \frac{1}{4} = -\frac{1}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 39 • FORWARD 2 • Q5/5

1364

QUESTION ID

S39-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 39 • FORWARD 2 • Q5/5

Convert from a larger unit to a smaller unit

MAIN	Grade 5 main question	5.MD.A.1
BACKWARD 1	Relative sizes of measurement units	4.MD.A.1
BACKWARD 2	Multiplying whole numbers	4.NBT.B.5
BACKWARD 3	Multiplying decimals by powers of 10	5.NBT.A.2
FORWARD 1	Use ratio reasoning to convert measurement units	6.RP.A.3.d
FORWARD 2	Unit rates with fractional quantities and different units	7.RP.A.1

SET 40 • 5.MD.A.1

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.A.1

How many inches are in $4\frac{1}{2}$ feet?

Inches: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 40 • MAIN • Q1/5

1367

QUESTION ID

S40-M-Q1

TYPE

Short answer

CORRECT ANSWER

54

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 40 • MAIN • Q1/5

How many ounces are in 3 pounds?

Ounces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 40 • MAIN • Q2/5

1368

QUESTION ID

S40-M-Q2

TYPE

Short answer

CORRECT ANSWER

48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 40 • MAIN • Q2/5

A track is 2.5 kilometers long.

How many meters is that?

- A.** 250 m
- B.** 25,000 m
- C.** 2,500 m
- D.** 25 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 40 • MAIN • Q3/5

1369

QUESTION ID

S40-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 2,500 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 40 • MAIN • Q3/5

Convert.

6 yards = ____ feet

Feet: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 40 • MAIN • Q4/5

1370

QUESTION ID

S40-M-Q4

TYPE

Short answer

CORRECT ANSWER

18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 40 • MAIN • Q4/5

A jug holds 3 gallons.

How many quarts is that?

Quarts: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 40 • MAIN • Q5/5

1371

QUESTION ID

S40-M-Q5

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 40 • MAIN • Q5/5

SET 40 • 5.MD.A.1

BACKWARD 1

Relative sizes of measurement units • Grade 4 • Measurement & Data •
4.MD.A.1

How many inches are in 1 foot?

Inches: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 40 • BACKWARD 1 • Q1/5

1373

QUESTION ID

S40-B1-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 40 • BACKWARD 1 • Q1/5

True or false?

1 pound = 16 ounces

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 40 • BACKWARD 1 • Q2/5

1374

QUESTION ID

S40-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 40 • BACKWARD 1 • Q2/5

How many quarts are in 1 gallon?

- A.** 2
- B.** 16
- C.** 8
- D.** 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 40 • BACKWARD 1 • Q3/5

1375

QUESTION ID

S40-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 40 • BACKWARD 1 • Q3/5

How many meters are in 1 kilometer?

Meters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 40 • BACKWARD 1 • Q4/5

1376

QUESTION ID

S40-B1-Q4

TYPE

Short answer

CORRECT ANSWER

1,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 40 • BACKWARD 1 • Q4/5

True or false?

1 yard = 12 inches

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 40 • BACKWARD 1 • Q5/5

1377

QUESTION ID

S40-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 40 • BACKWARD 1 • Q5/5

SET 40 • 5.MD.A.1

BACKWARD 2

Multiplying whole numbers • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$16 \times 3$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 40 • BACKWARD 2 • Q1/5

1379

QUESTION ID

S40-B2-Q1

TYPE

Short answer

CORRECT ANSWER

48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 40 • BACKWARD 2 • Q1/5

1379

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$1,000 \times 7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 40 • BACKWARD 2 • Q2/5

1380

QUESTION ID

S40-B2-Q2

TYPE

Short answer

CORRECT ANSWER

7,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 40 • BACKWARD 2 • Q2/5

1380

True or false?

$$3 \times 36 = 98$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 40 • BACKWARD 2 • Q3/5

1381

QUESTION ID

S40-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 40 • BACKWARD 2 • Q3/5

$$12 \times 9 = ?$$

- A. 96
- B. 118
- C. 21
- D. 108

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 40 • BACKWARD 2 • Q4/5

1382

QUESTION ID

S40-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 108

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 40 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$60 \times 5$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 40 • BACKWARD 2 • Q5/5

1383

QUESTION ID

S40-B2-Q5

TYPE

Short answer

CORRECT ANSWER

300

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 40 • BACKWARD 2 • Q5/5

1383

SET 40 • 5.MD.A.1

BACKWARD 3

Multiplying decimals by powers of 10 • Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$2.5 \times 1,000$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B3-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 40 • BACKWARD 3 • Q1/5

1385

QUESTION ID

S40-B3-Q1

TYPE

Short answer

CORRECT ANSWER

2,500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B3-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 40 • BACKWARD 3 • Q1/5

1385

True or false?

$$0.75 \times 100 = 7.5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B3-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 40 • BACKWARD 3 • Q2/5

1386

QUESTION ID

S40-B3-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B3-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 40 • BACKWARD 3 • Q2/5

$$4.2 \times 10 = ?$$

- A.** 0.42
- B.** 420
- C.** 42
- D.** 4.12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B3-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 40 • BACKWARD 3 • Q3/5

1387

QUESTION ID

S40-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B3-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 40 • BACKWARD 3 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$1.6 \times 1,000$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B3-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 40 • BACKWARD 3 • Q4/5

1388

QUESTION ID

S40-B3-Q4

TYPE

Short answer

CORRECT ANSWER

1,600

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B3-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 40 • BACKWARD 3 • Q4/5

1388

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$0.3 \times 100$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B3-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 40 • BACKWARD 3 • Q5/5

1389

QUESTION ID

S40-B3-Q5

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B3-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 40 • BACKWARD 3 • Q5/5

1389

SET 40 • 5.MD.A.1

FORWARD 1

Use ratio reasoning to convert measurement units • Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d

There are 2.54 centimeters in 1 inch.
How many centimeters are in 5 inches?

Centimeters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 40 • FORWARD 1 • Q1/5

1391

QUESTION ID

S40-F1-Q1

TYPE

Short answer

CORRECT ANSWER

12.7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 40 • FORWARD 1 • Q1/5

A car travels 3 miles every 4 minutes.

At this rate, how many miles does it travel in 1 hour?

Miles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 40 • FORWARD 1 • Q2/5

1392

QUESTION ID

S40-F1-Q2

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 40 • FORWARD 1 • Q2/5

There are 3 feet in 1 yard.

How many yards are in 27 feet?

- A.** 81
- B.** 30
- C.** 9
- D.** 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 40 • FORWARD 1 • Q3/5

1393

QUESTION ID

S40-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 40 • FORWARD 1 • Q3/5

1 kilogram is about 2.2 pounds.

About how many pounds are in 15 kilograms?

Pounds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 40 • FORWARD 1 • Q4/5

1394

QUESTION ID

S40-F1-Q4

TYPE

Short answer

CORRECT ANSWER

33

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 40 • FORWARD 1 • Q4/5

True or false?

If 1 cup = 8 fluid ounces, then 5 cups = 13 fluid ounces.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 40 • FORWARD 1 • Q5/5

1395

QUESTION ID

S40-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 40 • FORWARD 1 • Q5/5

SET 40 • 5.MD.A.1

FORWARD 2

Unit rates with fractional quantities and different units • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1

A snail moves 6 feet in $\frac{1}{2}$ hour.

What is its speed in feet per minute?

Speed: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • FORWARD 2 • Q1/5

1397

QUESTION ID

S40-F2-Q1

TYPE

Short answer

CORRECT ANSWER

1/5 foot per minute

GRADING NOTE 0.2 foot per minute is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • FORWARD 2 • Q1/5

A cyclist rides $\frac{3}{4}$ mile in 3 minutes.

What is the speed in miles per hour?

Speed: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • FORWARD 2 • Q2/5

1398

QUESTION ID

S40-F2-Q2

TYPE

Short answer

CORRECT ANSWER

15 miles per hour

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • FORWARD 2 • Q2/5

A faucet drips $\frac{1}{2}$ cup every 5 minutes.

How many cups does it drip per hour?

A. $2\frac{1}{2}$

B. $\frac{1}{10}$

C. 6

D. 10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • FORWARD 2 • Q3/5

1399

QUESTION ID

S40-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • FORWARD 2 • Q3/5

A plant grows $\frac{1}{4}$ inch per week.

How many inches does it grow in 52 weeks?

Inches: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • FORWARD 2 • Q4/5

1400

QUESTION ID

S40-F2-Q4

TYPE

Short answer

CORRECT ANSWER

13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • FORWARD 2 • Q4/5

True or false?

Running $1\frac{1}{2}$ miles in 15 minutes is a speed of 6 miles per hour.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • FORWARD 2 • Q5/5

1401

QUESTION ID

S40-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.1 • Set 40 • FORWARD 2 • Q5/5

Convert from a smaller unit to a larger unit

MAIN	Grade 5 main question	5.MD.A.1
BACKWARD 1	Relative sizes of measurement units	4.MD.A.1
BACKWARD 2	Dividing by a one-digit number	4.NBT.B.6
BACKWARD 3	Dividing by powers of 10	5.NBT.A.2
FORWARD 1	Use ratio reasoning to convert measurement units	6.RP.A.3.d
FORWARD 2	Equations for unit conversions	7.RP.A.2.c

SET 41 • 5.MD.A.1

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.A.1

Convert.

30 inches = ____ feet

Feet: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 41 • MAIN • Q1/5

1404

QUESTION ID

S41-M-Q1

TYPE

Short answer

CORRECT ANSWER

2 1/2

GRADING NOTE 2.5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 41 • MAIN • Q1/5

Convert.

750 milliliters = ____ liters

Liters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 41 • MAIN • Q2/5

1405

QUESTION ID

S41-M-Q2

TYPE

Short answer

CORRECT ANSWER

0.75

GRADING NOTE 3/4 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 41 • MAIN • Q2/5

A rope is 45 feet long.

How many yards is that?

- A.** 15
- B.** 5
- C.** 135
- D.** 42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 41 • MAIN • Q3/5

1406

QUESTION ID

S41-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 41 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Convert.

40 ounces = ____ pounds

Pounds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 41 • MAIN • Q4/5

1407

QUESTION ID

S41-M-Q4

TYPE

Short answer

CORRECT ANSWER

2 1/2**GRADING NOTE** 2.5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 41 • MAIN • Q4/5

1407

Convert.

1,350 grams = ____ kilograms

Kilograms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 41 • MAIN • Q5/5

1408

QUESTION ID

S41-M-Q5

TYPE

Short answer

CORRECT ANSWER

1.35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 41 • MAIN • Q5/5

SET 41 • 5.MD.A.1

BACKWARD 1

Relative sizes of measurement units • Grade 4 • Measurement & Data •
4.MD.A.1

How many milliliters are in 1 liter?

Milliliters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 41 • BACKWARD 1 • Q1/5

1410

QUESTION ID

S41-B1-Q1

TYPE

Short answer

CORRECT ANSWER

1,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 41 • BACKWARD 1 • Q1/5

True or false?

1 kilogram = 1,000 grams

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 41 • BACKWARD 1 • Q2/5

1411

QUESTION ID

S41-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 41 • BACKWARD 1 • Q2/5

How many feet are in 1 yard?

- A.** 10
- B.** 3
- C.** 36
- D.** 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 41 • BACKWARD 1 • Q3/5

1412

QUESTION ID

S41-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 41 • BACKWARD 1 • Q3/5

How many cups are in 1 pint?

Cups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 41 • BACKWARD 1 • Q4/5

1413

QUESTION ID

S41-B1-Q4

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 41 • BACKWARD 1 • Q4/5

True or false?

1 foot = 10 inches

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 41 • BACKWARD 1 • Q5/5

1414

QUESTION ID

S41-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 41 • BACKWARD 1 • Q5/5

SET 41 • 5.MD.A.1

BACKWARD 2

Dividing by a one-digit number • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.6

Divide.

$$36 \div 3$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 41 • BACKWARD 2 • Q1/5

1416

QUESTION ID

S41-B2-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 41 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$64 \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 41 • BACKWARD 2 • Q2/5

1417

QUESTION ID

S41-B2-Q2

TYPE

Short answer

CORRECT ANSWER

16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 41 • BACKWARD 2 • Q2/5

1417

True or false?

$$84 \div 7 = 14$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 41 • BACKWARD 2 • Q3/5

1418

QUESTION ID

S41-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 41 • BACKWARD 2 • Q3/5

$$90 \div 3 = ?$$

- A.** 33
- B.** 300
- C.** 27
- D.** 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 41 • BACKWARD 2 • Q4/5

1419

QUESTION ID

S41-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 41 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$5,000 \div 5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 41 • BACKWARD 2 • Q5/5

1420

QUESTION ID

S41-B2-Q5

TYPE

Short answer

CORRECT ANSWER

1,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 41 • BACKWARD 2 • Q5/5

1420

SET 41 • 5.MD.A.1

BACKWARD 3

Dividing by powers of 10 • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.2

Divide.

$$750 \div 1,000$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B3-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 41 • BACKWARD 3 • Q1/5

1422

QUESTION ID

S41-B3-Q1

TYPE

Short answer

CORRECT ANSWER

0.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B3-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 41 • BACKWARD 3 • Q1/5

True or false?

$$1,350 \div 1,000 = 13.5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B3-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 41 • BACKWARD 3 • Q2/5

1423

QUESTION ID

S41-B3-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B3-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 41 • BACKWARD 3 • Q2/5

$$45 \div 100 = ?$$

- A.** 0.45
- B.** 4.5
- C.** 0.045
- D.** 4,500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B3-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 41 • BACKWARD 3 • Q3/5

1424

QUESTION ID

S41-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 0.45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B3-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 41 • BACKWARD 3 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$2,600 \div 1,000$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B3-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 41 • BACKWARD 3 • Q4/5

1425

QUESTION ID

S41-B3-Q4

TYPE

Short answer

CORRECT ANSWER

2.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B3-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 41 • BACKWARD 3 • Q4/5

1425

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$80 \div 100$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B3-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 41 • BACKWARD 3 • Q5/5

1426

QUESTION ID

S41-B3-Q5

TYPE

Short answer

CORRECT ANSWER

0.8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B3-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 41 • BACKWARD 3 • Q5/5

1426

SET 41 • 5.MD.A.1

FORWARD 1

Use ratio reasoning to convert measurement units • Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d

There are 12 inches in 1 foot.

How many feet are in 102 inches?

Feet: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 41 • FORWARD 1 • Q1/5

1428

QUESTION ID

S41-F1-Q1

TYPE

Short answer

CORRECT ANSWER

8.5

GRADING NOTE 8 1/2 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 41 • FORWARD 1 • Q1/5

There are 1,000 meters in 1 kilometer.

How many kilometers are in 4,200 meters?

Kilometers: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 41 • FORWARD 1 • Q2/5

1429

QUESTION ID

S41-F1-Q2

TYPE

Short answer

CORRECT ANSWER

4.2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 41 • FORWARD 1 • Q2/5

A recipe needs 10 cups of milk. There are 4 cups in 1 quart.

How many quarts of milk are needed?

A. 40

B. 6

C. $2\frac{1}{2}$

D. 14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 41 • FORWARD 1 • Q3/5

1430

QUESTION ID

S41-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $2\frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 41 • FORWARD 1 • Q3/5

A trail is 5 kilometers long. 1 kilometer is about 0.62 mile.

About how many miles long is the trail?

Miles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 41 • FORWARD 1 • Q4/5

1431

QUESTION ID

S41-F1-Q4

TYPE

Short answer

CORRECT ANSWER

3.1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 41 • FORWARD 1 • Q4/5

True or false?

There are 60 minutes in 1 hour, so 150 minutes = $1\frac{1}{2}$ hours.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 41 • FORWARD 1 • Q5/5

1432

QUESTION ID

S41-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 41 • FORWARD 1 • Q5/5

SET 41 • 5.MD.A.1

FORWARD 2

Equations for unit conversions • Grade 7 • Ratios & Proportional Relationships •
7.RP.A.2.c

There are 2.54 centimeters in 1 inch.

Write an equation for the number of centimeters c in i inches.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 41 • FORWARD 2 • Q1/5

1434

QUESTION ID

S41-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$c = 2.54i$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 41 • FORWARD 2 • Q1/5

Write an equation for the number of feet f in y yards.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 41 • FORWARD 2 • Q2/5

1435

QUESTION ID

S41-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$f = 3y$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 41 • FORWARD 2 • Q2/5

Which equation converts k kilograms to g grams?

- A. $k = 1,000g$
- B. $g = 1,000k$
- C. $g = k \div 1,000$
- D. $g = k + 1,000$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 41 • FORWARD 2 • Q3/5

1436

QUESTION ID

S41-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $g = 1,000k$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 41 • FORWARD 2 • Q3/5

Write an equation for the number of pounds p in z ounces.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 41 • FORWARD 2 • Q4/5

1437

QUESTION ID

S41-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$p = z/16$

GRADING NOTE $p = z \div 16$ or $p = (1/16)z$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 41 • FORWARD 2 • Q4/5

True or false?

The equation $m = 60h$ gives the number of minutes m in h hours.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 41 • FORWARD 2 • Q5/5

1438

QUESTION ID

S41-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 41 • FORWARD 2 • Q5/5

Solve multistep problems that involve converting units

MAIN	Grade 5 main question	5.MD.A.1
BACKWARD 1	Word problems with measurement	4.MD.A.2
BACKWARD 2	Relative sizes of measurement units	4.MD.A.1
FORWARD 1	Convert units to compare rates	6.RP.A.3.d
FORWARD 2	Multistep ratio problems	7.RP.A.3

SET 42 • 5.MD.A.1

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.A.1

Ana has a 3-yard ribbon. She cuts off 4 feet.

How many feet of ribbon are left?

Feet: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 42 • MAIN • Q1/5

1441

QUESTION ID

S42-M-Q1

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 42 • MAIN • Q1/5

A recipe needs 2 pounds of flour. Jo has 20 ounces.

How many more ounces does she need?

Ounces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 42 • MAIN • Q2/5

1442

QUESTION ID

S42-M-Q2

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 42 • MAIN • Q2/5

A runner ran 1.2 km and then 850 m.

How many meters did she run in all?

- A.** 1,050 m
- B.** 2,050 m
- C.** 9,700 m
- D.** 862 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 42 • MAIN • Q3/5

1443

QUESTION ID

S42-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 2,050 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 42 • MAIN • Q3/5

A jug holds 2 liters of water. Six glasses of 250 milliliters each are poured from it.

How many milliliters are left in the jug?

Milliliters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 42 • MAIN • Q4/5

1444

QUESTION ID

S42-M-Q4

TYPE

Short answer

CORRECT ANSWER

500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 42 • MAIN • Q4/5

A board is 8 feet long. It is cut into pieces that are 16 inches long.

How many pieces are there?

Pieces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 42 • MAIN • Q5/5

1445

QUESTION ID

S42-M-Q5

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 42 • MAIN • Q5/5

1445

SET 42 • 5.MD.A.1

BACKWARD 1

Word problems with measurement • Grade 4 • Measurement & Data •
4.MD.A.2

A movie starts at 2:15 and lasts 1 hour 40 minutes.

What time does it end?

Time: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 42 • BACKWARD 1 • Q1/5

1447

QUESTION ID

S42-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3:55

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 42 • BACKWARD 1 • Q1/5

True or false?

3 quarters and 2 dimes make 85 cents.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 42 • BACKWARD 1 • Q2/5

1448

QUESTION ID

S42-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 42 • BACKWARD 1 • Q2/5

Jake has 2 meters of string. He uses 75 cm.

How many centimeters are left?

- A. 1.25 cm
- B. 75 cm
- C. 125 cm
- D. 275 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 42 • BACKWARD 1 • Q3/5

1449

QUESTION ID

S42-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 125 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 42 • BACKWARD 1 • Q3/5

A bag holds 3 kilograms of apples.

How many grams is that?

Grams: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 42 • BACKWARD 1 • Q4/5

1450

QUESTION ID

S42-B1-Q4

TYPE

Short answer

CORRECT ANSWER

3,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 42 • BACKWARD 1 • Q4/5

Liz runs 400 meters four times.

How many meters does she run in all?

Meters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 42 • BACKWARD 1 • Q5/5

1451

QUESTION ID

S42-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1,600

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 42 • BACKWARD 1 • Q5/5

SET 42 • 5.MD.A.1

BACKWARD 2

Relative sizes of measurement units • Grade 4 • Measurement & Data •
4.MD.A.1

How many ounces are in 2 pounds?

Ounces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 42 • BACKWARD 2 • Q1/5

1453

QUESTION ID

S42-B2-Q1

TYPE

Short answer

CORRECT ANSWER

32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 42 • BACKWARD 2 • Q1/5

True or false?

1 gallon = 4 quarts

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 42 • BACKWARD 2 • Q2/5

1454

QUESTION ID

S42-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 42 • BACKWARD 2 • Q2/5

How many centimeters are in 1 meter?

- A.** 1,000
- B.** 100
- C.** 10
- D.** 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 42 • BACKWARD 2 • Q3/5

1455

QUESTION ID

S42-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 42 • BACKWARD 2 • Q3/5

How many feet are in 3 yards?

Feet: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 42 • BACKWARD 2 • Q4/5

1456

QUESTION ID

S42-B2-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 42 • BACKWARD 2 • Q4/5

True or false?

1 liter = 100 milliliters

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 42 • BACKWARD 2 • Q5/5

1457

QUESTION ID

S42-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 42 • BACKWARD 2 • Q5/5

SET 42 • 5.MD.A.1

FORWARD 1

Convert units to compare rates • Grade 6 • Ratios & Proportional Relationships
• 6.RP.A.3.d

A car uses 2 gallons of gas to drive 64 miles. There are 4 quarts in 1 gallon.

How many miles does the car drive per quart?

Miles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 42 • FORWARD 1 • Q1/5

1459

QUESTION ID

S42-F1-Q1

TYPE

Short answer

CORRECT ANSWER

8 miles per quart

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 42 • FORWARD 1 • Q1/5

Mo walks 3 kilometers in 40 minutes.

At this rate, how many meters does he walk per minute?

Meters per minute: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 42 • FORWARD 1 • Q2/5

1460

QUESTION ID

S42-F1-Q2

TYPE

Short answer

CORRECT ANSWER

75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 42 • FORWARD 1 • Q2/5

Fabric costs \$6 per yard.

How much do 12 feet of fabric cost?

- A. \$72
- B. \$18
- C. \$24
- D. \$2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 42 • FORWARD 1 • Q3/5

1461

QUESTION ID

S42-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. \$24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 42 • FORWARD 1 • Q3/5

A 24-ounce jar of juice costs \$3. There are 16 ounces in 1 pound.

What is the cost per pound?

Cost per pound: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 42 • FORWARD 1 • Q4/5

1462

QUESTION ID

S42-F1-Q4

TYPE

Short answer

CORRECT ANSWER

\$2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 42 • FORWARD 1 • Q4/5

True or false?

60 miles per hour is the same speed as 1 mile per minute.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 42 • FORWARD 1 • Q5/5

1463

QUESTION ID

S42-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 42 • FORWARD 1 • Q5/5

SET 42 • 5.MD.A.1

FORWARD 2

Multistep ratio problems • Grade 7 • Ratios & Proportional Relationships •
7.RP.A.3

A 2-liter bottle of soda costs \$1.80. A 500-milliliter can costs \$0.60.

Which is the better buy per liter?

Better buy: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 42 • FORWARD 2 • Q1/5

1465

QUESTION ID

S42-F2-Q1

TYPE

Short answer

CORRECT ANSWER

The 2-liter bottle

GRADING NOTE Bottle: \$0.90 per liter; can: \$1.20 per liter.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 42 • FORWARD 2 • Q1/5

A map scale is 1 cm : 2 km. Two towns are 7.5 cm apart on the map. A car drives 60 km per hour.

How many minutes does the drive take?

Minutes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 42 • FORWARD 2 • Q2/5

1466

QUESTION ID

S42-F2-Q2

TYPE

Short answer

CORRECT ANSWER

15 minutes

GRADING NOTE 7.5 cm = 15 km; 15 km at 60 km per hour takes 1/4 hour.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 42 • FORWARD 2 • Q2/5

One gallon of paint covers 350 square feet.

How many gallons are needed to cover 1,400 square feet?

A. 1,050

B. 3

C. 4

D. 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 42 • FORWARD 2 • Q3/5

1467

QUESTION ID

S42-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 42 • FORWARD 2 • Q3/5

A recipe for 4 people uses 600 grams of pasta.
How many kilograms are needed for 10 people?

Kilograms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 42 • FORWARD 2 • Q4/5

1468

QUESTION ID

S42-F2-Q4

TYPE

Short answer

CORRECT ANSWER

1.5 kg

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 42 • FORWARD 2 • Q4/5

True or false?

At 5 miles per hour, a 2.5-mile walk takes 50 minutes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 42 • FORWARD 2 • Q5/5

1469

QUESTION ID

S42-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.3 • Set 42 • FORWARD 2 • Q5/5

Make a line plot of measurements in fractions of a unit

MAIN	Grade 5 main question	5.MD.B.2
BACKWARD 1	Reading a line plot with fractions	4.MD.B.4
BACKWARD 2	Fractions on a number line	3.NF.A.2
BACKWARD 3	Line plots of whole-number measurements	2.MD.D.9
FORWARD 1	Display numerical data in a dot plot	6.SP.B.4
FORWARD 2	Compare two distributions shown in dot plots	7.SP.B.3


SET 43 • 5.MD.B.2

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.B.2

Pencil lengths (inches): $4\frac{1}{2}$, 5, $4\frac{1}{2}$, $5\frac{1}{4}$, $4\frac{3}{4}$, 5, $4\frac{1}{2}$

Make a line plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 43 • MAIN • Q1/5

1472

QUESTION ID

S43-M-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

Line plot: 3 X's at $4\frac{1}{2}$, 1 X at $4\frac{3}{4}$, 2 X's at 5, 1 X at $5\frac{1}{4}$


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 43 • MAIN • Q1/5

Rainfall (inches): $\frac{1}{4}$, $\frac{1}{2}$, $\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{4}$, $\frac{1}{2}$

Make a line plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 43 • MAIN • Q2/5

1473

QUESTION ID

S43-M-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

**Line plot: 1 X at 1/8,
3 X's at 1/4, 1 X at
3/8, 2 X's at 1/2**


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 43 • MAIN • Q2/5

Apple weights (pounds): $\frac{3}{4}$, $\frac{1}{2}$, $\frac{3}{4}$, 1, $\frac{1}{2}$, $\frac{3}{4}$, $\frac{1}{4}$

Make a line plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 43 • MAIN • Q3/5

1474

QUESTION ID

S43-M-Q3

TYPE

Drawing / plotting

CORRECT ANSWER

**Line plot: 1 X at $\frac{1}{4}$,
2 X's at $\frac{1}{2}$, 3 X's at
 $\frac{3}{4}$, 1 X at 1**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 43 • MAIN • Q3/5

Lengths (inches): $\frac{1}{8}$, $\frac{3}{8}$, $\frac{3}{8}$, $\frac{5}{8}$, $\frac{3}{8}$

In a line plot, how many X's are drawn at $\frac{3}{8}$?

X's: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 43 • MAIN • Q4/5

1475

QUESTION ID

S43-M-Q4

TYPE

Short answer

CORRECT ANSWER

3


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 43 • MAIN • Q4/5

Water in each bottle (liters): $1\frac{1}{2}$, 2, $1\frac{1}{4}$, $1\frac{1}{2}$, $1\frac{3}{4}$, 2, $1\frac{1}{2}$

Make a line plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 43 • MAIN • Q5/5

1476

QUESTION ID

S43-M-Q5

TYPE

Drawing / plotting

CORRECT ANSWER

Line plot: 1 X at $1\frac{1}{4}$, 3 X's at $1\frac{1}{2}$, 1 X at $1\frac{3}{4}$, 2 X's at 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 43 • MAIN • Q5/5


SET 43 • 5.MD.B.2

BACKWARD 1

Reading a line plot with fractions • Grade 4 • Measurement & Data • 4.MD.B.4

The line plot shows ribbon lengths.

How many ribbons are $\frac{3}{4}$ yard long?



Ribbons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 43 • BACKWARD 1 • Q1/5

1478

QUESTION ID

S43-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 43 • BACKWARD 1 • Q1/5

True or false?

Two ribbons are $\frac{1}{4}$ yard long.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 43 • BACKWARD 1 • Q2/5

1479

QUESTION ID

S43-B1-Q2

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 43 • BACKWARD 1 • Q2/5

Which ribbon length is the most common?



- A. 1 yard B. $\frac{1}{2}$ yard C. $\frac{1}{4}$ yard D. $\frac{3}{4}$ yard

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 43 • BACKWARD 1 • Q3/5

1480

QUESTION ID

S43-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER


D. $\frac{3}{4}$ yard

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 43 • BACKWARD 1 • Q3/5

How many ribbons were measured?



Ribbons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 43 • BACKWARD 1 • Q4/5

1481

QUESTION ID

S43-B1-Q4

TYPE

Short answer

CORRECT ANSWER


8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 43 • BACKWARD 1 • Q4/5

What is the difference between the longest and the shortest ribbon?



Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 43 • BACKWARD 1 • Q5/5

1482

QUESTION ID

S43-B1-Q5

TYPE

Short answer

CORRECT ANSWER

$\frac{3}{4}$ yard

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 43 • BACKWARD 1 • Q5/5

SET 43 • 5.MD.B.2

BACKWARD 2

Fractions on a number line • Grade 3 • Number & Operations–Fractions •
3.NF.A.2

What fraction is at point P?



P = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 43 • BACKWARD 2 • Q1/5

1484

QUESTION ID

S43-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 43 • BACKWARD 2 • Q1/5

True or false?

$\frac{2}{4}$ and $\frac{1}{2}$ are at the same point on a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 43 • BACKWARD 2 • Q2/5

1485

QUESTION ID

S43-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 43 • BACKWARD 2 • Q2/5

Into how many equal parts is the space from 0 to 1 divided?



A. 5

B. 7

C. 6

D. 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 43 • BACKWARD 2 • Q3/5

1486

QUESTION ID

S43-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER


C. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 43 • BACKWARD 2 • Q3/5

What number is at point Q?



Q = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 43 • BACKWARD 2 • Q4/5

1487

QUESTION ID

S43-B2-Q4

TYPE

Short answer

CORRECT ANSWER

1 1/4

GRADING NOTE 5/4 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 43 • BACKWARD 2 • Q4/5

True or false?

On a number line from 0 to 1 marked in eighths,
 $\frac{6}{8}$ is one mark to the left of 1.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 43 • BACKWARD 2 • Q5/5

1488

QUESTION ID

S43-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 43 • BACKWARD 2 • Q5/5

SET 43 • 5.MD.B.2

BACKWARD 3

Line plots of whole-number measurements • Grade 2 • Measurement & Data •
2.MD.D.9

Lengths (inches): 5, 6, 6, 8, 6

In a line plot, how many X's are drawn at 6?

X's: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B3-Q1

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 43 • BACKWARD 3 • Q1/5

1490

QUESTION ID

S43-B3-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B3-Q1

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 43 • BACKWARD 3 • Q1/5

True or false?

A line plot shows each measurement as a mark above a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B3-Q2

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 43 • BACKWARD 3 • Q2/5

1491

QUESTION ID

S43-B3-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B3-Q2

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 43 • BACKWARD 3 • Q2/5

Which number line would you use for a line plot of 3, 4, 4, 7?

- A. A number line from 0 to 8
- B. A number line from 0 to 3
- C. A number line from 5 to 6
- D. A number line from 10 to 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B3-Q3

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 43 • BACKWARD 3 • Q3/5

1492

QUESTION ID

S43-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

**A. A number line
from 0 to 8**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B3-Q3

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 43 • BACKWARD 3 • Q3/5

Lengths (cm): 2, 4, 4, 5

Make a line plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B3-Q4

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 43 • BACKWARD 3 • Q4/5

1493

QUESTION ID

S43-B3-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

**Line plot: 1 X at 2, 2
X's at 4, 1 X at 5**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B3-Q4

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 43 • BACKWARD 3 • Q4/5

Lengths (feet): 9, 10, 10, 10, 12

Which length gets the most X's?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B3-Q5

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 43 • BACKWARD 3 • Q5/5

1494

QUESTION ID

S43-B3-Q5

TYPE

Short answer

CORRECT ANSWER

10 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B3-Q5

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 43 • BACKWARD 3 • Q5/5

SET 43 • 5.MD.B.2

FORWARD 1

Display numerical data in a dot plot • Grade 6 • Statistics & Probability •
6.SP.B.4

Hours of sleep: 8, 9, 9, 10, 8, 9, 7

Make a dot plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q1

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 43 • FORWARD 1 • Q1/5

1496

QUESTION ID

S43-F1-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

**Dot plot: 1 dot at 7,
2 dots at 8, 3 dots at
9, 1 dot at 10**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q1

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 43 • FORWARD 1 • Q1/5

Number of siblings: 0, 1, 1, 2, 3, 1, 0, 2

Make a dot plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q2

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 43 • FORWARD 1 • Q2/5

1497

QUESTION ID

S43-F1-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

**Dot plot: 2 dots at 0,
3 dots at 1, 2 dots at
2, 1 dot at 3**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q2

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 43 • FORWARD 1 • Q2/5

Which number line fits a dot plot of 12, 15, 15, 18, 20?

- A. A number line from 0 to 5
- B. A number line from 20 to 40
- C. A number line from 10 to 20
- D. A number line from 15 to 18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q3

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 43 • FORWARD 1 • Q3/5

1498

QUESTION ID

S43-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

**C. A number line
from 10 to 20**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q3

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 43 • FORWARD 1 • Q3/5

Data: 4, 6, 6, 6, 7, 9

In a dot plot, how many dots go at 6?

Dots: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q4

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 43 • FORWARD 1 • Q4/5

1499

QUESTION ID

S43-F1-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q4

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 43 • FORWARD 1 • Q4/5

True or false?

A dot plot shows every value in a data set.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q5

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 43 • FORWARD 1 • Q5/5

1500

QUESTION ID

S43-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q5

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 43 • FORWARD 1 • Q5/5


1500

SET 43 • 5.MD.B.2

FORWARD 2

Compare two distributions shown in dot plots • Grade 7 • Statistics & Probability • 7.SP.B.3

About how many inches greater is the center of Plot B than the center of Plot A?



Inches: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 43 • FORWARD 2 • Q1/5

1502

QUESTION ID

S43-F2-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q1

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 43 • FORWARD 2 • Q1/5

True or false?

The two plots have about the same spread.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 43 • FORWARD 2 • Q2/5

1503

QUESTION ID

S43-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q2

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 43 • FORWARD 2 • Q2/5

Which statement is true?



Plot A: plant heights (inches)



Plot B: plant heights (inches)

- A.** Plants in Plot A are typically taller. **B.** Plot A has much more spread.
C. The centers are equal. **D.** Plants in Plot B are typically taller.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 43 • FORWARD 2 • Q3/5

1504

QUESTION ID

S43-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. Plants in Plot B are typically taller.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q3

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 43 • FORWARD 2 • Q3/5

What is the range of the heights in Plot A?



Plot A: plant heights (inches)



Plot B: plant heights (inches)

Range: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 43 • FORWARD 2 • Q4/5

1505

QUESTION ID

S43-F2-Q4

TYPE

Short answer

CORRECT ANSWER

4 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q4

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 43 • FORWARD 2 • Q4/5

True or false?

The two dot plots overlap.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 43 • FORWARD 2 • Q5/5

1506

QUESTION ID

S43-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q5

Grade 7 • Statistics & Probability • 7.SP.B.3 • Set 43 • FORWARD 2 • Q5/5

Use operations on fractions to solve problems with line plot data

MAIN	Grade 5 main question	5.MD.B.2
BACKWARD 1	Solving problems from a line plot with like denominators	4.MD.B.4
BACKWARD 2	Adding and subtracting fractions with unlike denominators	5.NF.A.1
BACKWARD 3	Sharing a total equally	5.NF.B.3
FORWARD 1	Find the mean of a data set	6.SP.B.5.c
FORWARD 2	Compare two populations using means	7.SP.B.4

SET 44 • 5.MD.B.2

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.B.2

The line plot shows the water in some beakers.

What is the total amount of water?



Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 44 • MAIN • Q1/5

1509

QUESTION ID

S44-M-Q1

TYPE

Short answer

CORRECT ANSWER

2 $\frac{3}{8}$ liters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 44 • MAIN • Q1/5

If all of the water were shared equally among the beakers, how much would each beaker hold?



Liters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 44 • MAIN • Q2/5

1510

QUESTION ID

S44-M-Q2

TYPE

Short answer

CORRECT ANSWER

19/64 liter

GRADING NOTE Total $2\frac{3}{8}$ liters $\div$ 8 beakers.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 44 • MAIN • Q2/5

How much more water is in the fullest beaker than in the least full beaker?



- A. $\frac{1}{2}$ liter B. $\frac{1}{8}$ liter C. $\frac{5}{8}$ liter D. $\frac{3}{8}$ liter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 44 • MAIN • Q3/5

1511

QUESTION ID

S44-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $\frac{3}{8}$ liter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 44 • MAIN • Q3/5

What is the total amount of water in the beakers that hold $\frac{1}{4}$ liter each?



Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 44 • MAIN • Q4/5

1512

QUESTION ID

S44-M-Q4

TYPE

Short answer

CORRECT ANSWER

$\frac{3}{4}$ liter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 44 • MAIN • Q4/5

True or false?

The beakers that hold $\frac{1}{2}$ liter each contain 1 liter in all.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 44 • MAIN • Q5/5

1513

QUESTION ID

S44-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q5


Grade 5 • Measurement & Data • 5.MD.B.2 • Set 44 • MAIN • Q5/5

SET 44 • 5.MD.B.2

BACKWARD 1

Solving problems from a line plot with like denominators • Grade 4 •
Measurement & Data • 4.MD.B.4

How many insects are $\frac{1}{2}$ inch long?



Insects: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 44 • BACKWARD 1 • Q1/5

1515

QUESTION ID

S44-B1-Q1

TYPE

Short answer

CORRECT ANSWER


3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 44 • BACKWARD 1 • Q1/5

What is the difference between the longest and the shortest insect?



Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 44 • BACKWARD 1 • Q2/5

1516

QUESTION ID

S44-B1-Q2

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{2}$ inch


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 44 • BACKWARD 1 • Q2/5

True or false?

The total length of the $\frac{3}{4}$ -inch insects is $1\frac{1}{2}$ inches.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 44 • BACKWARD 1 • Q3/5

1517

QUESTION ID

S44-B1-Q3

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 44 • BACKWARD 1 • Q3/5

How many insects were measured?



A. 4

B. 3

C. 5

D. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 44 • BACKWARD 1 • Q4/5

1518

QUESTION ID

S44-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER


D. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 44 • BACKWARD 1 • Q4/5

What is the total length of the $\frac{1}{2}$ -inch insects?



Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 44 • BACKWARD 1 • Q5/5

1519

QUESTION ID

S44-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1 1/2 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 44 • BACKWARD 1 • Q5/5

SET 44 • 5.MD.B.2

BACKWARD 2

Adding and subtracting fractions with unlike denominators • Grade 5 • Number & Operations–Fractions • 5.NF.A.1

Add.

$$\frac{1}{8} + \frac{1}{4}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 44 • BACKWARD 2 • Q1/5

1521

QUESTION ID

S44-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 44 • BACKWARD 2 • Q1/5

Add.

$$\frac{3}{8} + \frac{1}{2}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 44 • BACKWARD 2 • Q2/5

1522

QUESTION ID

S44-B2-Q2

TYPE

Short answer

CORRECT ANSWER

7/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 44 • BACKWARD 2 • Q2/5

True or false?

$$\frac{1}{4} + \frac{1}{4} + \frac{1}{8} = \frac{3}{16}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 44 • BACKWARD 2 • Q3/5

1523

QUESTION ID

S44-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 44 • BACKWARD 2 • Q3/5

$$\frac{1}{2} + \frac{3}{8} + \frac{1}{4} = ?$$

A. $1\frac{3}{8}$

B. $\frac{7}{8}$

C. $1\frac{1}{8}$

D. $\frac{5}{14}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 44 • BACKWARD 2 • Q4/5

1524

QUESTION ID

S44-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 1 1/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 44 • BACKWARD 2 • Q4/5

Subtract.

$$\frac{1}{2} - \frac{1}{8}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 44 • BACKWARD 2 • Q5/5

1525

QUESTION ID

S44-B2-Q5

TYPE

Short answer

CORRECT ANSWER

3/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 44 • BACKWARD 2 • Q5/5

SET 44 • 5.MD.B.2

BACKWARD 3

Sharing a total equally • Grade 5 • Number & Operations–Fractions • 5.NF.B.3

3 liters of water are shared equally among 8 beakers.

How much water does each beaker get?

Liters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B3-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 44 • BACKWARD 3 • Q1/5

1527

QUESTION ID

S44-B3-Q1

TYPE

Short answer

CORRECT ANSWER

3/8 liter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B3-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 44 • BACKWARD 3 • Q1/5

True or false?

5 cups shared equally among 4 jars gives $\frac{4}{5}$ cup per jar.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B3-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 44 • BACKWARD 3 • Q2/5

1528

QUESTION ID

S44-B3-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B3-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 44 • BACKWARD 3 • Q2/5

2 pounds of clay are shared equally by 6 students.

How much clay does each student get?

- A. $\frac{1}{3}$ pound B. $\frac{1}{6}$ pound
C. 3 pounds D. $\frac{2}{3}$ pound

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B3-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 44 • BACKWARD 3 • Q3/5

1529

QUESTION ID

S44-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 1/3 pound

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B3-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 44 • BACKWARD 3 • Q3/5

7 meters of rope are cut into 4 equal pieces.

How long is each piece?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B3-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 44 • BACKWARD 3 • Q4/5

1530

QUESTION ID

S44-B3-Q4

TYPE

Short answer

CORRECT ANSWER

1 $\frac{3}{4}$ meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B3-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 44 • BACKWARD 3 • Q4/5

Write $9 \div 4$ as a mixed number.

Mixed number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B3-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 44 • BACKWARD 3 • Q5/5

1531

QUESTION ID

S44-B3-Q5

TYPE

Short answer

CORRECT ANSWER

2 1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B3-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 44 • BACKWARD 3 • Q5/5

SET 44 • 5.MD.B.2

FORWARD 1

Find the mean of a data set • Grade 6 • Statistics & Probability • 6.SP.B.5.c

Find the mean.

3, 5, 6, 8, 8

Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 44 • FORWARD 1 • Q1/5

1533

QUESTION ID

S44-F1-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 44 • FORWARD 1 • Q1/5

Find the mean.

12, 15, 21

Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 44 • FORWARD 1 • Q2/5

1534

QUESTION ID

S44-F1-Q2

TYPE

Short answer

CORRECT ANSWER

16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 44 • FORWARD 1 • Q2/5

Four friends have 2, 4, 5, and 9 marbles. They share the marbles equally.

How many marbles does each friend get?

A. 4.5

B. 5

C. 20

D. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 44 • FORWARD 1 • Q3/5

1535

QUESTION ID

S44-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 44 • FORWARD 1 • Q3/5

The dot plot shows the goals scored in 6 games.

What is the mean number of goals?



Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 44 • FORWARD 1 • Q4/5

1536

QUESTION ID

S44-F1-Q4

TYPE

Short answer

CORRECT ANSWER

2.5

GRADING NOTE 2 1/2 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 44 • FORWARD 1 • Q4/5

True or false?

The mean of 4, 4, and 10 is 4.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 44 • FORWARD 1 • Q5/5

1537

QUESTION ID

S44-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 44 • FORWARD 1 • Q5/5

SET 44 • 5.MD.B.2

FORWARD 2

Compare two populations using means • Grade 7 • Statistics & Probability •
7.SP.B.4

Random samples: Sample A has a mean of 15 minutes.
Sample B has a mean of 22 minutes.

How much greater is the mean of Sample B?

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 44 • FORWARD 2 • Q1/5

1539

QUESTION ID

S44-F2-Q1

TYPE

Short answer

CORRECT ANSWER

7 minutes

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q1

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 44 • FORWARD 2 • Q1/5

Two random samples of plant heights have means of 18 cm and 24 cm. Both samples have similar variability.

Which conclusion is best?

- A. The populations are the same.
- B. Plants in the second population tend to be taller.
- C. Plants in the first population tend to be taller.
- D. No conclusion is possible.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 44 • FORWARD 2 • Q2/5

1540

QUESTION ID

S44-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. Plants in the second population tend to be taller.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q2

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 44 • FORWARD 2 • Q2/5

True or false?

Comparing the means of random samples is one way to compare two populations.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 44 • FORWARD 2 • Q3/5

1541

QUESTION ID

S44-F2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q3

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 44 • FORWARD 2 • Q3/5

In random samples, Class X sleeps a mean of 7.5 hours and Class Y sleeps a mean of 8.25 hours.

Which class probably sleeps more?

Class: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 44 • FORWARD 2 • Q4/5

1542

QUESTION ID

S44-F2-Q4

TYPE

Short answer

CORRECT ANSWER

Class Y

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q4

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 44 • FORWARD 2 • Q4/5

Sample A has a mean of 40 and a MAD of 5. Sample B has a mean of 50 and a MAD of 5.

The difference in means is how many times the MAD?

Times the MAD: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 44 • FORWARD 2 • Q5/5

1543

QUESTION ID

S44-F2-Q5

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q5

Grade 7 • Statistics & Probability • 7.SP.B.4 • Set 44 • FORWARD 2 • Q5/5

Understand a unit cube and a cubic unit of volume

MAIN	Grade 5 main question	5.MD.C.3.a
BACKWARD 1	Unit squares and square units	3.MD.C.5.a
BACKWARD 2	Faces, edges, and vertices of a cube	2.G.A.1
FORWARD 1	Volume of cubes with fractional edge lengths	6.G.A.2
FORWARD 2	Volume of right prisms	7.G.B.6

SET 45 • 5.MD.C.3.a

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.C.3.a

True or false?

A cube with edges that are 1 unit long is called a unit cube.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.3.a • Set 45 • MAIN • Q1/5

1546

QUESTION ID

S45-M-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.3.a • Set 45 • MAIN • Q1/5

What is the volume of a unit cube?

- A.** 1 square unit
- B.** 6 square units
- C.** 1 cubic unit
- D.** 3 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.3.a • Set 45 • MAIN • Q2/5

1547

QUESTION ID

S45-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. 1 cubic unit

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.3.a • Set 45 • MAIN • Q2/5

What is the volume of a cube with edges that are 1 cm long?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.3.a • Set 45 • MAIN • Q3/5

1548

QUESTION ID

S45-M-Q3

TYPE

Short answer

CORRECT ANSWER

1 cubic centimeter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.3.a • Set 45 • MAIN • Q3/5

Which object has a volume closest to 1 cubic inch?

- A.** A shoebox
- B.** A sugar cube
- C.** A bathtub
- D.** A school bus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.3.a • Set 45 • MAIN • Q4/5

1549

QUESTION ID

S45-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. A sugar cube

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.3.a • Set 45 • MAIN • Q4/5

True or false?

Volume measures the amount of space inside a solid figure.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.3.a • Set 45 • MAIN • Q5/5

1550

QUESTION ID

S45-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.3.a • Set 45 • MAIN • Q5/5

SET 45 • 5.MD.C.3.a

BACKWARD 1

Unit squares and square units • Grade 3 • Measurement & Data • 3.MD.C.5.a

True or false?

A square with sides that are 1 unit long is called a unit square.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.5.a • Set 45 • BACKWARD 1 • Q1/5

1552

QUESTION ID

S45-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.5.a • Set 45 • BACKWARD 1 • Q1/5

What is the area of a unit square?

- A.** 1 square unit
- B.** 1 cubic unit
- C.** 2 square units
- D.** 4 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.5.a • Set 45 • BACKWARD 1 • Q2/5

1553

QUESTION ID

S45-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 1 square unit

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.5.a • Set 45 • BACKWARD 1 • Q2/5

How many unit squares cover a 3-by-3 square?

Unit squares: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.5.a • Set 45 • BACKWARD 1 • Q3/5

1554

QUESTION ID

S45-B1-Q3

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.5.a • Set 45 • BACKWARD 1 • Q3/5

True or false?

Area is measured in cubic units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.5.a • Set 45 • BACKWARD 1 • Q4/5

1555

QUESTION ID

S45-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.5.a • Set 45 • BACKWARD 1 • Q4/5

A square has sides that are 1 inch long.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.5.a • Set 45 • BACKWARD 1 • Q5/5

1556

QUESTION ID

S45-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1 square inch

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.5.a • Set 45 • BACKWARD 1 • Q5/5

SET 45 • 5.MD.C.3.a

BACKWARD 2

Faces, edges, and vertices of a cube • Grade 2 • Geometry • 2.G.A.1

How many faces does a cube have?

Faces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 45 • BACKWARD 2 • Q1/5

1558

QUESTION ID

S45-B2-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 45 • BACKWARD 2 • Q1/5

True or false?

All the faces of a cube are squares.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 45 • BACKWARD 2 • Q2/5

1559

QUESTION ID

S45-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 45 • BACKWARD 2 • Q2/5

How many edges does a cube have?

- A.** 6
- B.** 12
- C.** 4
- D.** 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 45 • BACKWARD 2 • Q3/5

1560

QUESTION ID

S45-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 45 • BACKWARD 2 • Q3/5

How many vertices (corners) does a cube have?

Vertices: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 45 • BACKWARD 2 • Q4/5

1561

QUESTION ID

S45-B2-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 45 • BACKWARD 2 • Q4/5

True or false?

All the edges of a cube are the same length.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 45 • BACKWARD 2 • Q5/5

1562

QUESTION ID

S45-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 45 • BACKWARD 2 • Q5/5

SET 45 • 5.MD.C.3.a

FORWARD 1

Volume of cubes with fractional edge lengths • Grade 6 • Geometry • 6.G.A.2

What is the volume of a cube with edges that are $\frac{1}{2}$ inch long?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 45 • FORWARD 1 • Q1/5

1564

QUESTION ID

S45-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{8}$ cubic inch

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 45 • FORWARD 1 • Q1/5

How many cubes with $\frac{1}{2}$ -inch edges fit in a cube with 1-inch edges?

Cubes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 45 • FORWARD 1 • Q2/5

1565

QUESTION ID

S45-F1-Q2

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 45 • FORWARD 1 • Q2/5

A cube has edges that are $\frac{1}{3}$ foot long.

What is its volume?

- A. $\frac{1}{3}$ cubic foot B. $\frac{1}{9}$ cubic foot
C. $\frac{1}{27}$ cubic foot D. 1 cubic foot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 45 • FORWARD 1 • Q3/5

1566

QUESTION ID

S45-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $\frac{1}{27}$ cubic foot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 45 • FORWARD 1 • Q3/5

A box is packed with 16 cubes that each have $\frac{1}{2}$ -cm edges.

What is the volume of the box?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 45 • FORWARD 1 • Q4/5

1567

QUESTION ID

S45-F1-Q4

TYPE

Short answer

CORRECT ANSWER

2 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 45 • FORWARD 1 • Q4/5

True or false?

Four cubes with $\frac{1}{2}$ -unit edges have a total volume of 1 cubic unit.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 45 • FORWARD 1 • Q5/5

1568

QUESTION ID

S45-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 45 • FORWARD 1 • Q5/5

SET 45 • 5.MD.C.3.a

FORWARD 2

Volume of right prisms • Grade 7 • Geometry • 7.G.B.6

A prism has a base area of 24 square cm and a height of 5 cm.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 45 • FORWARD 2 • Q1/5

1570

QUESTION ID

S45-F2-Q1

TYPE

Short answer

CORRECT ANSWER

120 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 45 • FORWARD 2 • Q1/5

A cube has edges that are 3 m long.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 45 • FORWARD 2 • Q2/5

1571

QUESTION ID

S45-F2-Q2

TYPE

Short answer

CORRECT ANSWER

27 cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 45 • FORWARD 2 • Q2/5

A triangular prism has a triangle base with an area of 6 square inches. The prism is 10 inches long.

What is its volume?

- A.** 60 cubic inches
- B.** 30 cubic inches
- C.** 16 cubic inches
- D.** 600 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 45 • FORWARD 2 • Q3/5

1572

QUESTION ID

S45-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 60 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 45 • FORWARD 2 • Q3/5

A box is 2.5 cm by 4 cm by 6 cm.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 45 • FORWARD 2 • Q4/5

1573

QUESTION ID

S45-F2-Q4

TYPE

Short answer

CORRECT ANSWER

60 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 45 • FORWARD 2 • Q4/5

True or false?

Volume is measured in cubic units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 45 • FORWARD 2 • Q5/5

1574

QUESTION ID

S45-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 45 • FORWARD 2 • Q5/5

A solid packed with n unit cubes has a volume of n cubic units

MAIN

Grade 5 main question

5.MD.C.3.b

BACKWARD 1

Measuring area by counting unit squares

3.MD.C.6

BACKWARD 2

Arrays and repeated addition

2.OA.C.4

FORWARD 1

Pack prisms with fractional unit cubes

6.G.A.2

FORWARD 2

Solve real-world volume problems

7.G.B.6

SET 46 • 5.MD.C.3.b

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.C.3.b

A box is filled with 30 unit cubes with no gaps or overlaps.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 46 • MAIN • Q1/5

1577

QUESTION ID

S46-M-Q1

TYPE

Short answer

CORRECT ANSWER

30 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 46 • MAIN • Q1/5

True or false?

If unit cubes fill a box but leave gaps, the number of cubes is less than the volume of the box.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 46 • MAIN • Q2/5

1578

QUESTION ID

S46-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 46 • MAIN • Q2/5

A solid is built from 18 unit cubes with no gaps or overlaps.

What is its volume?

- A.** 18 square units **B.** 18 cubic units
C. 54 cubic units **D.** 6 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 46 • MAIN • Q3/5

1579

QUESTION ID

S46-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 18 cubic units


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 46 • MAIN • Q3/5

Each cube is 1 cubic unit.

What is the volume of the solid?



Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 46 • MAIN • Q4/5

1580

QUESTION ID

S46-M-Q4

TYPE

Short answer

CORRECT ANSWER

12 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 46 • MAIN • Q4/5

A tower is made of 9 cubes stacked with no gaps. Each cube is 1 cubic inch.

What is the volume of the tower?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 46 • MAIN • Q5/5

1581

QUESTION ID

S46-M-Q5

TYPE

Short answer

CORRECT ANSWER

9 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 46 • MAIN • Q5/5

SET 46 • 5.MD.C.3.b

BACKWARD 1

Measuring area by counting unit squares • Grade 3 • Measurement & Data •
3.MD.C.6

A shape is covered by 12 unit squares with no gaps or overlaps.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.6 • Set 46 • BACKWARD 1 • Q1/5

1583

QUESTION ID

S46-B1-Q1

TYPE

Short answer

CORRECT ANSWER

12 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.6 • Set 46 • BACKWARD 1 • Q1/5

True or false?

Overlapping squares give a wrong count for area.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.6 • Set 46 • BACKWARD 1 • Q2/5

1584

QUESTION ID

S46-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.6 • Set 46 • BACKWARD 1 • Q2/5

A rectangle is covered by 20 unit squares.

What is its area?

- A. 10 square units
- B. 40 square units
- C. 20 cubic units
- D. 20 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.6 • Set 46 • BACKWARD 1 • Q3/5

1585

QUESTION ID

S46-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 20 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.6 • Set 46 • BACKWARD 1 • Q3/5

Each square is 1 square cm. A rectangle is covered by 15 of these squares.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.6 • Set 46 • BACKWARD 1 • Q4/5

1586

QUESTION ID

S46-B1-Q4

TYPE

Short answer

CORRECT ANSWER

15 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.6 • Set 46 • BACKWARD 1 • Q4/5

True or false?

Area can be found by counting the unit squares that cover a shape.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.6 • Set 46 • BACKWARD 1 • Q5/5

1587

QUESTION ID

S46-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.6 • Set 46 • BACKWARD 1 • Q5/5

SET 46 • 5.MD.C.3.b

BACKWARD 2

Arrays and repeated addition • Grade 2 • Operations & Algebraic Thinking •
2.OA.C.4

An array has 4 rows with 5 in each row.

How many are there in all?

Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 46 • BACKWARD 2 • Q1/5

1589

QUESTION ID

S46-B2-Q1

TYPE

Short answer

CORRECT ANSWER

20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 46 • BACKWARD 2 • Q1/5

True or false?

3 rows of 6 make 9.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 46 • BACKWARD 2 • Q2/5

1590

QUESTION ID

S46-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 46 • BACKWARD 2 • Q2/5

Which equation matches an array with 2 rows of 7?

- A. $2 + 7 = 9$
- B. $7 + 7 = 14$
- C. $7 - 2 = 5$
- D. $2 + 2 = 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 46 • BACKWARD 2 • Q3/5

1591

QUESTION ID

S46-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $7 + 7 = 14$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 46 • BACKWARD 2 • Q3/5

An array has 5 rows with 3 in each row.

How many are there in all?

Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 46 • BACKWARD 2 • Q4/5

1592

QUESTION ID

S46-B2-Q4

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 46 • BACKWARD 2 • Q4/5

Write an addition equation for 3 rows of 4.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 46 • BACKWARD 2 • Q5/5

1593

QUESTION ID

S46-B2-Q5

TYPE

Short answer

CORRECT ANSWER

4 + 4 + 4 = 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 46 • BACKWARD 2 • Q5/5

SET 46 • 5.MD.C.3.b

FORWARD 1

Pack prisms with fractional unit cubes • Grade 6 • Geometry • 6.G.A.2

A box is packed with cubes that have $\frac{1}{2}$ -inch edges. It is 4 cubes long, 2 cubes wide, and 2 cubes tall.

What is the volume of the box?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 46 • FORWARD 1 • Q1/5

1595

QUESTION ID

S46-F1-Q1

TYPE

Short answer

CORRECT ANSWER

2 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 46 • FORWARD 1 • Q1/5

How many cubes with $\frac{1}{4}$ -inch edges fill a cube with 1-inch edges?

Cubes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 46 • FORWARD 1 • Q2/5

1596

QUESTION ID

S46-F1-Q2

TYPE

Short answer

CORRECT ANSWER

64

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 46 • FORWARD 1 • Q2/5

A prism is packed with 27 cubes that each have $\frac{1}{3}$ -foot edges.

What is its volume?

- A.** 27 cubic feet **B.** 9 cubic feet
C. 1 cubic foot **D.** 3 cubic feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 46 • FORWARD 1 • Q3/5

1597

QUESTION ID

S46-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 1 cubic foot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 46 • FORWARD 1 • Q3/5

A box is $1\frac{1}{2}$ in. by 1 in. by $\frac{1}{2}$ in.

How many cubes with $\frac{1}{2}$ -inch edges fill it?

Cubes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 46 • FORWARD 1 • Q4/5

1598

QUESTION ID

S46-F1-Q4

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 46 • FORWARD 1 • Q4/5

True or false?

40 cubes with $\frac{1}{2}$ -unit edges have a total volume of 20 cubic units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 46 • FORWARD 1 • Q5/5

1599

QUESTION ID

S46-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 46 • FORWARD 1 • Q5/5

SET 46 • 5.MD.C.3.b

FORWARD 2

Solve real-world volume problems • Grade 7 • Geometry • 7.G.B.6

A fish tank is 30 cm by 20 cm by 25 cm.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 46 • FORWARD 2 • Q1/5

1601

QUESTION ID

S46-F2-Q1

TYPE

Short answer

CORRECT ANSWER

15,000 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 46 • FORWARD 2 • Q1/5

A prism has a volume of 96 cubic inches and a base area of 12 square inches.

What is its height?

Height: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 46 • FORWARD 2 • Q2/5

1602

QUESTION ID

S46-F2-Q2

TYPE

Short answer

CORRECT ANSWER

8 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 46 • FORWARD 2 • Q2/5

A triangular prism has a triangle base with a base of 4 m and a height of 3 m. The prism is 7 m long.

What is its volume?

- A.** 84 cubic meters **B.** 42 cubic meters
C. 21 cubic meters **D.** 14 cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 46 • FORWARD 2 • Q3/5

1603

QUESTION ID

S46-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 42 cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 46 • FORWARD 2 • Q3/5

A storage box is 1.5 m by 1 m by 0.8 m.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 46 • FORWARD 2 • Q4/5

1604

QUESTION ID

S46-F2-Q4

TYPE

Short answer

CORRECT ANSWER

1.2 cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 46 • FORWARD 2 • Q4/5

True or false?

Two prisms with the same base area and the same height have the same volume.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 46 • FORWARD 2 • Q5/5

1605

QUESTION ID

S46-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 46 • FORWARD 2 • Q5/5

Measure volume by counting unit cubes

MAIN	Grade 5 main question	5.MD.C.4
BACKWARD 1	Counting the squares in one layer	3.MD.C.7.a
BACKWARD 2	Equal groups	3.OA.A.1
FORWARD 1	Volume with fractional edge lengths	6.G.A.2
FORWARD 2	Volume of right prisms	7.G.B.6


SET 47 • 5.MD.C.4

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.C.4

Each cube is 1 cubic cm.

What is the volume of the prism?



Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.4 • Set 47 • MAIN • Q1/5

1608

QUESTION ID

S47-M-Q1

TYPE

Short answer

CORRECT ANSWER

24 cubic cm


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.4 • Set 47 • MAIN • Q1/5

Each cube is 1 cubic inch.

What is the volume of the prism?



Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.4 • Set 47 • MAIN • Q2/5

1609

QUESTION ID

S47-M-Q2

TYPE

Short answer

CORRECT ANSWER

30 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S47-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.4 • Set 47 • MAIN • Q2/5

Each cube is 1 cubic foot.

What is the volume of the prism?

- A.** 18 cubic feet **B.** 54 cubic feet
C. 27 cubic feet **D.** 9 cubic feet



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.4 • Set 47 • MAIN • Q3/5

1610

QUESTION ID

S47-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 27 cubic feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.4 • Set 47 • MAIN • Q3/5

A box is filled with number cubes. The bottom layer has 6 rows of 4 cubes, and there are 3 layers.

What is the volume of the box, measured in number cubes?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.4 • Set 47 • MAIN • Q4/5

1611

QUESTION ID

S47-M-Q4

TYPE

Short answer

CORRECT ANSWER

72 number cubes


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.4 • Set 47 • MAIN • Q4/5

True or false?

Each cube is 1 cubic cm.
The volume of the prism is
16 cubic cm.



- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.4 • Set 47 • MAIN • Q5/5

1612

QUESTION ID

S47-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.4 • Set 47 • MAIN • Q5/5

SET 47 • 5.MD.C.4

BACKWARD 1

Counting the squares in one layer • Grade 3 • Measurement & Data •
3.MD.C.7.a

The bottom layer of a box has 5 rows of 4 cubes.

How many cubes are in the layer?

Cubes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 47 • BACKWARD 1 • Q1/5

1614

QUESTION ID

S47-B1-Q1

TYPE

Short answer

CORRECT ANSWER

20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 47 • BACKWARD 1 • Q1/5

True or false?

A layer with 3 rows of 6 cubes has 18 cubes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 47 • BACKWARD 1 • Q2/5

1615

QUESTION ID

S47-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 47 • BACKWARD 1 • Q2/5

How many unit squares cover a 4-by-6 rectangle?

- A.** 10
- B.** 46
- C.** 24
- D.** 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 47 • BACKWARD 1 • Q3/5

1616

QUESTION ID

S47-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 47 • BACKWARD 1 • Q3/5

A rectangle is tiled with 7 rows of 3 unit squares.

How many squares are there?

Squares: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 47 • BACKWARD 1 • Q4/5

1617

QUESTION ID

S47-B1-Q4

TYPE

Short answer

CORRECT ANSWER

21

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 47 • BACKWARD 1 • Q4/5

True or false?

The number of unit squares that tile a rectangle is its length times its width.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 47 • BACKWARD 1 • Q5/5

1618

QUESTION ID

S47-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 47 • BACKWARD 1 • Q5/5

SET 47 • 5.MD.C.4

BACKWARD 2

Equal groups • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1

There are 3 layers with 12 cubes in each layer.

How many cubes are there in all?

Cubes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 47 • BACKWARD 2 • Q1/5

1620

QUESTION ID

S47-B2-Q1

TYPE

Short answer

CORRECT ANSWER

36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 47 • BACKWARD 2 • Q1/5

True or false?

4 layers of 10 cubes is 14 cubes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 47 • BACKWARD 2 • Q2/5

1621

QUESTION ID

S47-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 47 • BACKWARD 2 • Q2/5

Which expression shows 5 layers of 8 cubes?

- A.** $8 - 5$
- B.** 5×8
- C.** $5 + 8$
- D.** 58

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 47 • BACKWARD 2 • Q3/5

1622

QUESTION ID

S47-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 5×8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 47 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$6 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 47 • BACKWARD 2 • Q4/5

1623

QUESTION ID

S47-B2-Q4

TYPE

Short answer

CORRECT ANSWER

54

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 47 • BACKWARD 2 • Q4/5

1623

There are 2 layers with 15 cubes in each layer.

How many cubes are there in all?

Cubes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 47 • BACKWARD 2 • Q5/5

1624

QUESTION ID

S47-B2-Q5

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 47 • BACKWARD 2 • Q5/5

SET 47 • 5.MD.C.4

FORWARD 1

Volume with fractional edge lengths • Grade 6 • Geometry • 6.G.A.2

A prism is 3 cubes long, 2 cubes wide, and 2 cubes tall.
Each cube has $\frac{1}{2}$ -inch edges.

What is the volume of the prism?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 47 • FORWARD 1 • Q1/5

1626

QUESTION ID

S47-F1-Q1

TYPE

Short answer

CORRECT ANSWER

1 1/2 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 47 • FORWARD 1 • Q1/5

A box is $2\frac{1}{2}$ cm by 2 cm by 1 cm.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 47 • FORWARD 1 • Q2/5

1627

QUESTION ID

S47-F1-Q2

TYPE

Short answer

CORRECT ANSWER

5 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 47 • FORWARD 1 • Q2/5

How many cubes with $\frac{1}{2}$ -foot edges fill a box that is 2 ft by 1 ft by 1 ft?

- A. 4
- B. 8
- C. 16
- D. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 47 • FORWARD 1 • Q3/5

1628

QUESTION ID

S47-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 16


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 47 • FORWARD 1 • Q3/5

Find the volume of the prism.

Volume: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 6 • Geometry • 6.G.A.2 • Set 47 • FORWARD 1 • Q4/5

ID S47-F1-Q4

1629

QUESTION ID

S47-F1-Q4

TYPE

Short answer

CORRECT ANSWER

9 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 6 • Geometry • 6.G.A.2 • Set 47 • FORWARD 1 • Q4/5

ID S47-F1-Q4

True or false?

A cube with edges of $1\frac{1}{2}$ feet has a volume of $2\frac{1}{4}$ cubic feet.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 47 • FORWARD 1 • Q5/5

1630

QUESTION ID

S47-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 47 • FORWARD 1 • Q5/5

SET 47 • 5.MD.C.4

FORWARD 2

Volume of right prisms • Grade 7 • Geometry • 7.G.B.6

A prism has a rectangular base that is 5 units by 4 units.
It is 6 units tall.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 47 • FORWARD 2 • Q1/5

1632

QUESTION ID

S47-F2-Q1

TYPE

Short answer

CORRECT ANSWER

120 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 47 • FORWARD 2 • Q1/5

A box has a volume of 120 cubic cm. Its base is 6 cm by 5 cm.

What is its height?

Height: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 47 • FORWARD 2 • Q2/5

1633

QUESTION ID

S47-F2-Q2

TYPE

Short answer

CORRECT ANSWER

4 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 47 • FORWARD 2 • Q2/5

A prism has a base area of 15 square feet and a height of 4 feet.

What is its volume?

- A.** 60 cubic feet **B.** 30 cubic feet
C. 120 cubic feet **D.** 19 cubic feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 47 • FORWARD 2 • Q3/5

1634

QUESTION ID

S47-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 60 cubic feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 47 • FORWARD 2 • Q3/5

A triangular prism has a base area of 9 square cm and a length of 12 cm.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 47 • FORWARD 2 • Q4/5

1635

QUESTION ID

S47-F2-Q4

TYPE

Short answer

CORRECT ANSWER

108 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 47 • FORWARD 2 • Q4/5

True or false?

A box that is 10 in. by 2 in. by 3 in. has a volume of 15 cubic inches.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 47 • FORWARD 2 • Q5/5

1636

QUESTION ID

S47-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 47 • FORWARD 2 • Q5/5

Relate packing with unit cubes to the formulas $V = l \times w \times h$ and $V = b \times h$

MAIN	Grade 5 main question	5.MD.C.5.a
BACKWARD 1	Area by tiling	3.MD.C.7.a
BACKWARD 2	Multiplying three numbers in any grouping	3.OA.B.5
FORWARD 1	Apply the volume formulas with fractional edge lengths	6.G.A.2
FORWARD 2	Volume of right prisms using $V = b \times h$	7.G.B.6

SET 48 • 5.MD.C.5.a

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.C.5.a

A prism is packed with unit cubes. It is 5 cubes long, 3 cubes wide, and 4 layers tall.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.a • Set 48 • MAIN • Q1/5

1639

QUESTION ID

S48-M-Q1

TYPE

Short answer

CORRECT ANSWER

60 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.a • Set 48 • MAIN • Q1/5

The bottom layer of a prism has 12 unit cubes. There are 5 layers.

Which expression gives the volume?

A. $12 \times 12 \times 5$

B. 12×5

C. 5×5

D. $12 + 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.a • Set 48 • MAIN • Q2/5

1640

QUESTION ID

S48-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 12×5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.a • Set 48 • MAIN • Q2/5

True or false?

For a prism that is 4 by 3 by 2, $(4 \times 3) \times 2$ and $4 \times (3 \times 2)$ give the same volume.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.a • Set 48 • MAIN • Q3/5

1641

QUESTION ID

S48-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.a • Set 48 • MAIN • Q3/5

Each cube is 1 cubic unit.

Find the volume by
multiplying the area of the
base by the height.



Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.a • Set 48 • MAIN • Q4/5

1642

QUESTION ID

S48-M-Q4

TYPE

Short answer

CORRECT ANSWER

36 cubic units

GRADING NOTE Base area $4 \times 3 = 12$; $12 \times 3 = 36$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.a • Set 48 • MAIN • Q4/5

A prism has a base area of 18 square units and a height of 4 units.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.a • Set 48 • MAIN • Q5/5

1643

QUESTION ID

S48-M-Q5

TYPE

Short answer

CORRECT ANSWER

72 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.a • Set 48 • MAIN • Q5/5

SET 48 • 5.MD.C.5.a

BACKWARD 1

Area by tiling • Grade 3 • Measurement & Data • 3.MD.C.7.a

A rectangle is tiled with unit squares in 3 rows of 4.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 48 • BACKWARD 1 • Q1/5

1645

QUESTION ID

S48-B1-Q1

TYPE

Short answer

CORRECT ANSWER

12 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 48 • BACKWARD 1 • Q1/5

True or false?

The area of a 5-by-2 rectangle is 10 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 48 • BACKWARD 1 • Q2/5

1646

QUESTION ID

S48-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 48 • BACKWARD 1 • Q2/5

Which expression gives the area of a 6-by-3 rectangle?

- A. $6 - 3$
- B. $6 + 3$
- C. 6×3
- D. $2 \times (6 + 3)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 48 • BACKWARD 1 • Q3/5

1647

QUESTION ID

S48-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 6×3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 48 • BACKWARD 1 • Q3/5

How many unit squares tile a 9-by-2 rectangle?

Squares: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 48 • BACKWARD 1 • Q4/5

1648

QUESTION ID

S48-B1-Q4

TYPE

Short answer

CORRECT ANSWER

18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 48 • BACKWARD 1 • Q4/5

True or false?

Tiling a rectangle and multiplying its side lengths give the same area.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 48 • BACKWARD 1 • Q5/5

1649

QUESTION ID

S48-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.a • Set 48 • BACKWARD 1 • Q5/5

SET 48 • 5.MD.C.5.a

BACKWARD 2

Multiplying three numbers in any grouping • Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5

True or false?

$$(2 \times 3) \times 4 = 2 \times 3 + 4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 48 • BACKWARD 2 • Q1/5

1651

QUESTION ID

S48-B2-Q1

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 48 • BACKWARD 2 • Q1/5

Fill in the blank.

$$(5 \times 2) \times 3 = 5 \times (2 \times \underline{\quad})$$

Blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 48 • BACKWARD 2 • Q2/5

1652

QUESTION ID

S48-B2-Q2

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 48 • BACKWARD 2 • Q2/5

Which expression is equal to $4 \times 5 \times 2$?

- A. 9×2
- B. $20 + 2$
- C. $4 + 5 + 2$
- D. 4×10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 48 • BACKWARD 2 • Q3/5

1653

QUESTION ID

S48-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 4×10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 48 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$3 \times 2 \times 5$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 48 • BACKWARD 2 • Q4/5

1654

QUESTION ID

S48-B2-Q4

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 48 • BACKWARD 2 • Q4/5

1654

True or false?

$$6 \times (2 \times 3) = 6 + 6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 48 • BACKWARD 2 • Q5/5

1655

QUESTION ID

S48-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 48 • BACKWARD 2 • Q5/5

SET 48 • 5.MD.C.5.a

FORWARD 1

Apply the volume formulas with fractional edge lengths • Grade 6 • Geometry •
6.G.A.2

Use $V = l \times w \times h$ to find V when $l = 3\frac{1}{2}$ in., $w = 2$ in.,
and $h = 1\frac{1}{2}$ in.

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 48 • FORWARD 1 • Q1/5

1657

QUESTION ID

S48-F1-Q1

TYPE

Short answer

CORRECT ANSWER

10 1/2 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 48 • FORWARD 1 • Q1/5

Use $V = b \times h$ to find the volume of a prism with $b = 6\frac{1}{4}$ square cm and $h = 4$ cm.

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 48 • FORWARD 1 • Q2/5

1658

QUESTION ID

S48-F1-Q2

TYPE

Short answer

CORRECT ANSWER

25 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 48 • FORWARD 1 • Q2/5

A prism is packed with $\frac{1}{2}$ -unit cubes: 6 cubes long, 4 cubes wide, and 2 cubes tall.

Which shows its volume?

- A.** $6 + 4 + 2 = 12$ cubic units
- B.** $3 \times 2 \times 1 = 6$ cubic units
- C.** $6 \times 4 \times 2 = 48$ cubic units
- D.** $\frac{1}{2} \times 48 = 24$ cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 48 • FORWARD 1 • Q3/5

1659

QUESTION ID

S48-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

**B. $3 \times 2 \times 1 = 6$
cubic units**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 48 • FORWARD 1 • Q3/5

A cube has edges that are $\frac{3}{4}$ foot long.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 48 • FORWARD 1 • Q4/5

1660

QUESTION ID

S48-F1-Q4

TYPE

Short answer

CORRECT ANSWER

27/64 cubic foot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 48 • FORWARD 1 • Q4/5

True or false?

For a rectangular prism, $V = l \times w \times h$ and $V = b \times h$ give the same volume.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 48 • FORWARD 1 • Q5/5

1661

QUESTION ID

S48-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 48 • FORWARD 1 • Q5/5

SET 48 • 5.MD.C.5.a

FORWARD 2

Volume of right prisms using $V = b \times h$ • Grade 7 • Geometry • 7.G.B.6

A triangular prism has a triangle base with a base of 6 cm and a height of 4 cm. The prism is 10 cm long.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 48 • FORWARD 2 • Q1/5

1663

QUESTION ID

S48-F2-Q1

TYPE

Short answer

CORRECT ANSWER

120 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 48 • FORWARD 2 • Q1/5

A prism has a trapezoid base with an area of 14 square inches. The prism is 5 inches tall.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 48 • FORWARD 2 • Q2/5

1664

QUESTION ID

S48-F2-Q2

TYPE

Short answer

CORRECT ANSWER

70 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 48 • FORWARD 2 • Q2/5

A prism has a volume of 84 cubic meters and a base area of 12 square meters.

What is its height?

- A.** 1,008 m **B.** 7 m
C. 72 m **D.** 96 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 48 • FORWARD 2 • Q3/5

1665

QUESTION ID

S48-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 7 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 48 • FORWARD 2 • Q3/5

A rectangular prism is 8 by 5 by 2.5.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 48 • FORWARD 2 • Q4/5

1666

QUESTION ID

S48-F2-Q4

TYPE

Short answer

CORRECT ANSWER

100 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 48 • FORWARD 2 • Q4/5

True or false?

$V = b \times h$ works for triangular prisms as well as rectangular prisms.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 48 • FORWARD 2 • Q5/5

1667

QUESTION ID

S48-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 48 • FORWARD 2 • Q5/5

Apply $V = l \times w \times h$ and $V = b \times h$ to solve real-world problems

MAIN

Grade 5 main question

5.MD.C.5.b

BACKWARD 1

Multiplying multi-digit numbers

4.NBT.B.5

BACKWARD 2

The area of the base

4.MD.A.3

FORWARD 1

Real-world volume with fractional edge lengths

6.G.A.2

FORWARD 2

Real-world problems with volume and surface area

7.G.B.6

SET 49 • 5.MD.C.5.b

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.C.5.b

A fish tank is 24 inches long, 12 inches wide, and 15 inches tall.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • MAIN • Q1/5

1670

QUESTION ID

S49-M-Q1

TYPE

Short answer

CORRECT ANSWER

4,320 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • MAIN • Q1/5

A sandbox has a base area of 30 square feet. It is filled with sand to a depth of 2 feet.

How much sand does it hold?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • MAIN • Q2/5

1671

QUESTION ID

S49-M-Q2

TYPE

Short answer

CORRECT ANSWER

60 cubic feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • MAIN • Q2/5

A box is 9 cm long, 4 cm wide, and 5 cm tall.

What is its volume?

- A.** 90 cubic cm
- B.** 36 cubic cm
- C.** 180 cubic cm
- D.** 18 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • MAIN • Q3/5

1672

QUESTION ID

S49-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 180 cubic cm


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • MAIN • Q3/5

Find the volume of the prism.

Volume: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • MAIN • Q4/5

1673

QUESTION ID

S49-M-Q4

TYPE

Short answer

CORRECT ANSWER

120 cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • MAIN • Q4/5

A cube-shaped box has edges that are 7 inches long.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • MAIN • Q5/5

1674

QUESTION ID

S49-M-Q5

TYPE

Short answer

CORRECT ANSWER

343 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • MAIN • Q5/5

SET 49 • 5.MD.C.5.b

BACKWARD 1

Multiplying multi-digit numbers • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$24 \times 12$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 49 • BACKWARD 1 • Q1/5

1676

QUESTION ID

S49-B1-Q1

TYPE

Short answer

CORRECT ANSWER

288

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 49 • BACKWARD 1 • Q1/5

1676

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$288 \times 5$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 49 • BACKWARD 1 • Q2/5

1677

QUESTION ID

S49-B1-Q2

TYPE

Short answer

CORRECT ANSWER

1,440

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 49 • BACKWARD 1 • Q2/5

1677

True or false?

$$36 \times 5 = 150$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 49 • BACKWARD 1 • Q3/5

1678

QUESTION ID

S49-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 49 • BACKWARD 1 • Q3/5

$$49 \times 7 = ?$$

- A.** 56
- B.** 343
- C.** 283
- D.** 353

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 49 • BACKWARD 1 • Q4/5

1679

QUESTION ID

S49-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 343

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 49 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$15 \times 24$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 49 • BACKWARD 1 • Q5/5

1680

QUESTION ID

S49-B1-Q5

TYPE

Short answer

CORRECT ANSWER

360

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 49 • BACKWARD 1 • Q5/5

1680

SET 49 • 5.MD.C.5.b

BACKWARD 2

The area of the base • Grade 4 • Measurement & Data • 4.MD.A.3

A rectangle is 24 in. by 12 in.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q1

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • BACKWARD 2 • Q1/5

1682

QUESTION ID

S49-B2-Q1

TYPE

Short answer

CORRECT ANSWER

288 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q1

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • BACKWARD 2 • Q1/5

True or false?

A 9-by-4 rectangle has an area of 36 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q2

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • BACKWARD 2 • Q2/5

1683

QUESTION ID

S49-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q2

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • BACKWARD 2 • Q2/5

The base of a box is 8 m by 3 m.

What is the area of the base?

- A.** 11 square meters
- B.** 24 square meters
- C.** 22 square meters
- D.** 48 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q3

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • BACKWARD 2 • Q3/5

1684

QUESTION ID

S49-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 24 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q3

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • BACKWARD 2 • Q3/5

A square has sides that are 7 inches long.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q4

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • BACKWARD 2 • Q4/5

1685

QUESTION ID

S49-B2-Q4

TYPE

Short answer

CORRECT ANSWER

49 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q4

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • BACKWARD 2 • Q4/5

A rectangle has an area of 30 square feet and a length of 6 feet.

What is its width?

Width: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q5

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • BACKWARD 2 • Q5/5

1686

QUESTION ID

S49-B2-Q5

TYPE

Short answer

CORRECT ANSWER

5 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q5

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • BACKWARD 2 • Q5/5

SET 49 • 5.MD.C.5.b

FORWARD 1

Real-world volume with fractional edge lengths • Grade 6 • Geometry • 6.G.A.2

A box is $1\frac{1}{2}$ ft by 1 ft by $\frac{3}{4}$ ft.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 49 • FORWARD 1 • Q1/5

1688

QUESTION ID

S49-F1-Q1

TYPE

Short answer

CORRECT ANSWER

1 $\frac{1}{8}$ cubic feet

GRADING NOTE $\frac{9}{8}$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 49 • FORWARD 1 • Q1/5

A prism has a base area of $12\frac{1}{2}$ square inches and a height of 3 inches.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 49 • FORWARD 1 • Q2/5

1689

QUESTION ID

S49-F1-Q2

TYPE

Short answer

CORRECT ANSWER

37 1/2 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 49 • FORWARD 1 • Q2/5

A cube has edges that are $2\frac{1}{2}$ cm long.

What is its volume?

- A.** $6\frac{1}{4}$ cubic cm **B.** 15 cubic cm
C. $7\frac{1}{2}$ cubic cm **D.** $15\frac{5}{8}$ cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 49 • FORWARD 1 • Q3/5

1690

QUESTION ID

S49-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 15 $\frac{5}{8}$ cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 49 • FORWARD 1 • Q3/5

A drawer is 2 ft by $1\frac{1}{2}$ ft by $\frac{1}{2}$ ft.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 49 • FORWARD 1 • Q4/5

1691

QUESTION ID

S49-F1-Q4

TYPE

Short answer

CORRECT ANSWER

1 1/2 cubic feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 49 • FORWARD 1 • Q4/5

True or false?

A box that is 3 by $\frac{1}{2}$ by 4 has a volume of 12 cubic units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 49 • FORWARD 1 • Q5/5

1692

QUESTION ID

S49-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 49 • FORWARD 1 • Q5/5

SET 49 • 5.MD.C.5.b

FORWARD 2

Real-world problems with volume and surface area • Grade 7 • Geometry •
7.G.B.6

A tent is a triangular prism. Its triangle has a base of 2 m and a height of 1.5 m. The tent is 3 m long.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 49 • FORWARD 2 • Q1/5

1694

QUESTION ID

S49-F2-Q1

TYPE

Short answer

CORRECT ANSWER

4.5 cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 49 • FORWARD 2 • Q1/5

A pool is 10 m long, 5 m wide, and 2 m deep. It is filled to $\frac{3}{4}$ of its depth.

How much water is in the pool?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 49 • FORWARD 2 • Q2/5

1695

QUESTION ID

S49-F2-Q2

TYPE

Short answer

CORRECT ANSWER

75 cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 49 • FORWARD 2 • Q2/5

A box has a volume of 360 cubic inches. Its base is 12 in. by 6 in.

What is its height?

- A.** 3 inches
- B.** 30 inches
- C.** 5 inches
- D.** 60 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 49 • FORWARD 2 • Q3/5

1696

QUESTION ID

S49-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 5 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 49 • FORWARD 2 • Q3/5

A rectangular prism is 4.5 cm by 2 cm by 3 cm.

What is its surface area?

Surface area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 49 • FORWARD 2 • Q4/5

1697

QUESTION ID

S49-F2-Q4

TYPE

Short answer

CORRECT ANSWER

57 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 49 • FORWARD 2 • Q4/5

True or false?

A triangular prism with a base area of 8 square feet and a length of 5 feet holds 40 cubic feet.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 49 • FORWARD 2 • Q5/5

1698

QUESTION ID

S49-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 49 • FORWARD 2 • Q5/5

Find a missing dimension when the volume is known

MAIN	Grade 5 main question	5.MD.C.5.b
BACKWARD 1	Dividing by a one-digit number	4.NBT.B.6
BACKWARD 2	Finding an unknown factor	3.OA.A.4
FORWARD 1	Solve one-step equations of the form $px = q$	6.EE.B.7
FORWARD 2	Solve two-step equations	7.EE.B.4.a

SET 50 • 5.MD.C.5.b

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.C.5.b

A box has a volume of 96 cubic inches. It is 6 inches long and 4 inches wide.

How tall is it?

Height: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 50 • MAIN • Q1/5

1701

QUESTION ID

S50-M-Q1

TYPE

Short answer

CORRECT ANSWER

4 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 50 • MAIN • Q1/5

A prism has a volume of 150 cubic cm and a height of 6 cm.

What is the area of its base?

Base area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 50 • MAIN • Q2/5

1702

QUESTION ID

S50-M-Q2

TYPE

Short answer

CORRECT ANSWER

25 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 50 • MAIN • Q2/5

A tank holds 240 cubic feet. Its base is 8 feet by 5 feet.

How deep is the tank?

- A.** 6 feet
- B.** 30 feet
- C.** 40 feet
- D.** 227 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 50 • MAIN • Q3/5

1703

QUESTION ID

S50-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 6 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 50 • MAIN • Q3/5

A rectangular prism has a volume of 84 cubic meters. It is 7 m long and 4 m tall.

How wide is it?

Width: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 50 • MAIN • Q4/5

1704

QUESTION ID

S50-M-Q4

TYPE

Short answer

CORRECT ANSWER

3 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 50 • MAIN • Q4/5

True or false?

A box with a volume of 60 cubic units and a base area of 12 square units is 5 units tall.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 50 • MAIN • Q5/5

1705

QUESTION ID

S50-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 50 • MAIN • Q5/5

SET 50 • 5.MD.C.5.b

BACKWARD 1

Dividing by a one-digit number • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.6

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$96 \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 50 • BACKWARD 1 • Q1/5

1707

QUESTION ID

S50-B1-Q1

TYPE

Short answer

CORRECT ANSWER

24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 50 • BACKWARD 1 • Q1/5

1707

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$150 \div 6$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 50 • BACKWARD 1 • Q2/5

1708

QUESTION ID

S50-B1-Q2

TYPE

Short answer

CORRECT ANSWER

25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 50 • BACKWARD 1 • Q2/5

1708

True or false?

$$240 \div 8 = 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 50 • BACKWARD 1 • Q3/5

1709

QUESTION ID

S50-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 50 • BACKWARD 1 • Q3/5

$$84 \div 7 = ?$$

- A.** 12
- B.** 77
- C.** 11
- D.** 13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 50 • BACKWARD 1 • Q4/5

1710

QUESTION ID

S50-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 50 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$60 \div 5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 50 • BACKWARD 1 • Q5/5

1711

QUESTION ID

S50-B1-Q5

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 50 • BACKWARD 1 • Q5/5

1711

SET 50 • 5.MD.C.5.b

BACKWARD 2

Finding an unknown factor • Grade 3 • Operations & Algebraic Thinking •
3.OA.A.4

What number goes in the box?

$$6 \times \square = 48$$

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 50 • BACKWARD 2 • Q1/5

1713

QUESTION ID

S50-B2-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 50 • BACKWARD 2 • Q1/5

True or false?

If $\square \times 5 = 35$, then $\square = 7$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 50 • BACKWARD 2 • Q2/5

1714

QUESTION ID

S50-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 50 • BACKWARD 2 • Q2/5

What number goes in the box?

$$4 \times \square = 36$$

- A. 9
- B. 8
- C. 32
- D. 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 50 • BACKWARD 2 • Q3/5

1715

QUESTION ID

S50-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 50 • BACKWARD 2 • Q3/5

What number goes in the box?

$$\square \times 7 = 63$$

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 50 • BACKWARD 2 • Q4/5

1716

QUESTION ID

S50-B2-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 50 • BACKWARD 2 • Q4/5

True or false?

If $8 \times \square = 56$, then $\square = 6$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 50 • BACKWARD 2 • Q5/5

1717

QUESTION ID

S50-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 50 • BACKWARD 2 • Q5/5

SET 50 • 5.MD.C.5.b

FORWARD 1

Solve one-step equations of the form $px = q$ • Grade 6 • Expressions & Equations • 6.EE.B.7

Solve for h.

$$24h = 96$$

h = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 50 • FORWARD 1 • Q1/5

1719

QUESTION ID

S50-F1-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 50 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Solve for b.

$$6b = 150$$

$$b = \underline{\hspace{2cm}}$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 50 • FORWARD 1 • Q2/5

1720

QUESTION ID

S50-F1-Q2

TYPE

Short answer

CORRECT ANSWER

25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 50 • FORWARD 1 • Q2/5

1720

Solve for w .

$$28w = 84$$

- A.** 56
- B.** 2,352
- C.** 112
- D.** 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 50 • FORWARD 1 • Q3/5

1721

QUESTION ID

S50-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 50 • FORWARD 1 • Q3/5

A prism has a volume of 52.5 cubic cm and a base area of 15 square cm.

Write and solve an equation to find its height h .

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 50 • FORWARD 1 • Q4/5

1722

QUESTION ID

S50-F1-Q4

TYPE

Short answer

CORRECT ANSWER

**$15h = 52.5; h = 3.5$
cm**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 50 • FORWARD 1 • Q4/5

True or false?

The solution of $\frac{3}{4}x = 12$ is $x = 9$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 50 • FORWARD 1 • Q5/5

1723

QUESTION ID

S50-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 50 • FORWARD 1 • Q5/5

SET 50 • 5.MD.C.5.b

FORWARD 2

Solve two-step equations • Grade 7 • Expressions & Equations • 7.EE.B.4.a

A box is 4 in. wide, 5 in. tall, and $(x + 2)$ in. long. Its volume is 120 cubic inches.

Find x .

$x =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 50 • FORWARD 2 • Q1/5

1725

QUESTION ID

S50-F2-Q1

TYPE

Short answer

CORRECT ANSWER

4

GRADING NOTE $20(x + 2) = 120$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 50 • FORWARD 2 • Q1/5

Solve for x.

$$6(x + 3) = 54$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 50 • FORWARD 2 • Q2/5

1726

QUESTION ID

S50-F2-Q2

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 50 • FORWARD 2 • Q2/5

Solve for h.

$$12h + 8 = 68$$

- A.** 5
- B.** 6.3
- C.** 60
- D.** 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 50 • FORWARD 2 • Q3/5

1727

QUESTION ID

S50-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 50 • FORWARD 2 • Q3/5

Two boxes have a total volume of 100 cubic feet. One box holds 40 cubic feet. The other has a base area of 12 square feet.

Write and solve an equation to find the height h of the other box.

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 50 • FORWARD 2 • Q4/5

1728

QUESTION ID

S50-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$$12h + 40 = 100;$$

$$h = 5 \text{ feet}$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 50 • FORWARD 2 • Q4/5

True or false?

The solution of $3(x - 2) = 21$ is $x = 9$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 50 • FORWARD 2 • Q5/5

1729

QUESTION ID

S50-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 50 • FORWARD 2 • Q5/5

Find the volume of a figure made of two rectangular prisms

MAIN	Grade 5 main question	5.MD.C.5.c
BACKWARD 1	Area of figures made of rectangles	3.MD.C.7.d
BACKWARD 2	Volume of one rectangular prism	5.MD.C.5.b
FORWARD 1	Volume of composite figures with fractional edge lengths	6.G.A.2
FORWARD 2	Volume of composite solids	7.G.B.6

SET 51 • 5.MD.C.5.c

MAIN

Grade 5 main question • Grade 5 • Measurement & Data • 5.MD.C.5.c

A figure is made of two rectangular prisms that do not overlap. One is 6 ft by 4 ft by 3 ft. The other is 2 ft by 4 ft by 5 ft.

What is the total volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 51 • MAIN • Q1/5

1732

QUESTION ID

S51-M-Q1

TYPE

Short answer

CORRECT ANSWER

112 cubic feet



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 51 • MAIN • Q1/5

A figure is made of the two prisms shown, which do not overlap.

What is the total volume?



Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 51 • MAIN • Q2/5

1733

QUESTION ID

S51-M-Q2

TYPE

Short answer

CORRECT ANSWER

66 cubic cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 51 • MAIN • Q2/5

An L-shaped step is made of a 4-by-2-by-1 prism with a 2-by-2-by-1 prism on top.

What is its volume?

- A.** 12 cubic units **B.** 8 cubic units
C. 10 cubic units **D.** 16 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 51 • MAIN • Q3/5

1734

QUESTION ID

S51-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 12 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 51 • MAIN • Q3/5

A building is a 10 m by 8 m by 6 m prism with a 4 m by 8 m by 3 m prism attached to one side.

What is the total volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 51 • MAIN • Q4/5

1735

QUESTION ID

S51-M-Q4

TYPE

Short answer

CORRECT ANSWER

576 cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 51 • MAIN • Q4/5

True or false?

The volume of a figure made of two prisms that do not overlap is the sum of their volumes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 51 • MAIN • Q5/5

1736

QUESTION ID

S51-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 51 • MAIN • Q5/5

SET 51 • 5.MD.C.5.c

BACKWARD 1

Area of figures made of rectangles • Grade 3 • Measurement & Data •
3.MD.C.7.d

A figure is made of a 5-by-3 rectangle and a 2-by-4 rectangle that do not overlap.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 51 • BACKWARD 1 • Q1/5

1738

QUESTION ID

S51-B1-Q1

TYPE

Short answer

CORRECT ANSWER

23 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 51 • BACKWARD 1 • Q1/5

True or false?

The area of a figure made of two non-overlapping parts is the sum of the areas of the parts.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 51 • BACKWARD 1 • Q2/5

1739

QUESTION ID

S51-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 51 • BACKWARD 1 • Q2/5

What is the area of the figure?

- A. 18 square units
- B. 22 square units
- C. 12 square units
- D. 30 square units



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 51 • BACKWARD 1 • Q3/5

1740

QUESTION ID

S51-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 18 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 51 • BACKWARD 1 • Q3/5

A figure is made of two squares that do not overlap.
Their sides are 3 units and 5 units long.

What is the total area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 51 • BACKWARD 1 • Q4/5

1741

QUESTION ID

S51-B1-Q4

TYPE

Short answer

CORRECT ANSWER

34 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 51 • BACKWARD 1 • Q4/5

A 2-by-2 square is cut out of an 8-by-6 rectangle.

What is the area of the part that is left?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 51 • BACKWARD 1 • Q5/5

1742

QUESTION ID

S51-B1-Q5

TYPE

Short answer

CORRECT ANSWER

44 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 51 • BACKWARD 1 • Q5/5

SET 51 • 5.MD.C.5.c

BACKWARD 2

Volume of one rectangular prism • Grade 5 • Measurement & Data •
5.MD.C.5.b

What is the volume of a prism that is 6 by 4 by 3?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 51 • BACKWARD 2 • Q1/5

1744

QUESTION ID

S51-B2-Q1

TYPE

Short answer

CORRECT ANSWER

72 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 51 • BACKWARD 2 • Q1/5

What is the volume of a prism that is 2 by 4 by 5?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 51 • BACKWARD 2 • Q2/5

1745

QUESTION ID

S51-B2-Q2

TYPE

Short answer

CORRECT ANSWER

40 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 51 • BACKWARD 2 • Q2/5

True or false?

A prism with a base area of 32 square units and a height of 3 units has a volume of 35 cubic units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 51 • BACKWARD 2 • Q3/5

1746

QUESTION ID

S51-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 51 • BACKWARD 2 • Q3/5

What is the volume of a prism that is 4 by 8 by 3?

- A. 96 cubic units
- B. 15 cubic units
- C. 120 cubic units
- D. 32 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 51 • BACKWARD 2 • Q4/5

1747

QUESTION ID

S51-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. 96 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 51 • BACKWARD 2 • Q4/5

A cube has edges that are 5 units long.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 51 • BACKWARD 2 • Q5/5

1748

QUESTION ID

S51-B2-Q5

TYPE

Short answer

CORRECT ANSWER

125 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 51 • BACKWARD 2 • Q5/5

SET 51 • 5.MD.C.5.c

FORWARD 1

Volume of composite figures with fractional edge lengths • Grade 6 • Geometry
• 6.G.A.2

A figure is made of two prisms that do not overlap: $2\frac{1}{2}$ ft by 2 ft by 1 ft, and 1 ft by 2 ft by $\frac{1}{2}$ ft.

What is the total volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 51 • FORWARD 1 • Q1/5

1750

QUESTION ID

S51-F1-Q1

TYPE

Short answer

CORRECT ANSWER

6 cubic feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 51 • FORWARD 1 • Q1/5

Two prisms are joined. One has a volume of $4\frac{1}{2}$ cubic inches. The other is 3 in. by 1 in. by $\frac{1}{2}$ in.

What is the total volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 51 • FORWARD 1 • Q2/5

1751

QUESTION ID

S51-F1-Q2

TYPE

Short answer

CORRECT ANSWER

6 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 51 • FORWARD 1 • Q2/5

A step is made of a 3-by-1-by- $\frac{1}{2}$ prism and a 1-by-1-by- $\frac{1}{2}$ prism that do not overlap.

What is its volume?

- A.** 2 cubic units **B.** $\frac{1}{2}$ cubic unit
- C.** 4 cubic units **D.** $1\frac{1}{2}$ cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 51 • FORWARD 1 • Q3/5

1752

QUESTION ID

S51-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 2 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 51 • FORWARD 1 • Q3/5

A block that is 1 in. by 1 in. by $2\frac{1}{2}$ in. is cut out of a box that is 4 in. by 3 in. by $2\frac{1}{2}$ in.

What volume is left?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 51 • FORWARD 1 • Q4/5

1753

QUESTION ID

S51-F1-Q4

TYPE

Short answer

CORRECT ANSWER

27 1/2 cubic inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 51 • FORWARD 1 • Q4/5

True or false?

A figure made of two cubes with $\frac{1}{2}$ -foot edges has a volume of 1 cubic foot.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 51 • FORWARD 1 • Q5/5

1754

QUESTION ID

S51-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 51 • FORWARD 1 • Q5/5

SET 51 • 5.MD.C.5.c

FORWARD 2

Volume of composite solids • Grade 7 • Geometry • 7.G.B.6

A figure is a 6-by-4-by-3 rectangular prism with a triangular prism on top. The triangle has a base of 4 and a height of 2, and the triangular prism is 6 long.

What is the total volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 51 • FORWARD 2 • Q1/5

1756

QUESTION ID

S51-F2-Q1

TYPE

Short answer

CORRECT ANSWER

96 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q1

Grade 7 • Geometry • 7.G.B.6 • Set 51 • FORWARD 2 • Q1/5

A concrete step is made of two prisms: 1.5 m by 0.5 m by 0.2 m and 1.5 m by 0.25 m by 0.4 m.

What is the total volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 51 • FORWARD 2 • Q2/5

1757

QUESTION ID

S51-F2-Q2

TYPE

Short answer

CORRECT ANSWER

0.3 cubic meter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q2

Grade 7 • Geometry • 7.G.B.6 • Set 51 • FORWARD 2 • Q2/5

A 10-by-10-by-10 cube has a 2-by-2-by-10 hole cut all the way through it.

What volume remains?

- A.** 960 cubic units **B.** 800 cubic units
C. 1,000 cubic units **D.** 40 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 51 • FORWARD 2 • Q3/5

1758

QUESTION ID

S51-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 960 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q3

Grade 7 • Geometry • 7.G.B.6 • Set 51 • FORWARD 2 • Q3/5

A shed is a 3 m by 4 m by 2.5 m prism with a roof shaped like a triangular prism. The triangle has a base of 3 m and a height of 1 m, and the roof is 4 m long.

What is the total volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 51 • FORWARD 2 • Q4/5

1759

QUESTION ID

S51-F2-Q4

TYPE

Short answer

CORRECT ANSWER

36 cubic meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q4

Grade 7 • Geometry • 7.G.B.6 • Set 51 • FORWARD 2 • Q4/5

True or false?

The volume of a composite solid can be found by adding the volumes of its parts.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 51 • FORWARD 2 • Q5/5

1760

QUESTION ID

S51-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q5

Grade 7 • Geometry • 7.G.B.6 • Set 51 • FORWARD 2 • Q5/5

Understand the coordinate plane: axes, origin, and coordinates

MAIN	Grade 5 main question	5.G.A.1
BACKWARD 1	Whole numbers on a number line	2.MD.B.6
BACKWARD 2	Perpendicular lines	4.G.A.1
FORWARD 1	Name the coordinates of points in all four quadrants	6.NS.C.6.c
FORWARD 2	Interpret a point on the graph of a proportional relationship	7.RP.A.2.d

SET 52 • 5.G.A.1

MAIN

Grade 5 main question • Grade 5 • Geometry • 5.G.A.1

What is the point where the x-axis and the y-axis meet called?

- A.** The y-axis
- B.** The origin
- C.** The x-coordinate
- D.** A quadrant

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q1

Grade 5 • Geometry • 5.G.A.1 • Set 52 • MAIN • Q1/5

1763

QUESTION ID

S52-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. The origin

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q1

Grade 5 • Geometry • 5.G.A.1 • Set 52 • MAIN • Q1/5

In the ordered pair (7, 2), what does the 7 tell you?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q2

Grade 5 • Geometry • 5.G.A.1 • Set 52 • MAIN • Q2/5

1764

QUESTION ID

S52-M-Q2

TYPE

Short answer

CORRECT ANSWER

**Start at the origin
and move 7 units
along the x-axis (to
the right).**


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q2

Grade 5 • Geometry • 5.G.A.1 • Set 52 • MAIN • Q2/5

What are the coordinates of point A?

A = _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q3

Grade 5 • Geometry • 5.G.A.1 • Set 52 • MAIN • Q3/5

1765

QUESTION ID

S52-M-Q3

TYPE

Short answer

CORRECT ANSWER

(3, 5)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q3

Grade 5 • Geometry • 5.G.A.1 • Set 52 • MAIN • Q3/5

True or false?

To reach (0, 6), you start at the origin and move 6 units to the right along the x-axis.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q4

Grade 5 • Geometry • 5.G.A.1 • Set 52 • MAIN • Q4/5

1766

QUESTION ID

S52-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q4

Grade 5 • Geometry • 5.G.A.1 • Set 52 • MAIN • Q4/5

Which point is at (5, 1)?

- A. Point A
- B. Point B
- C. Point C
- D. Point D



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q5

Grade 5 • Geometry • 5.G.A.1 • Set 52 • MAIN • Q5/5

1767

QUESTION ID

S52-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. Point A

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q5

Grade 5 • Geometry • 5.G.A.1 • Set 52 • MAIN • Q5/5

SET 52 • 5.G.A.1

BACKWARD 1

Whole numbers on a number line • Grade 2 • Measurement & Data • 2.MD.B.6

What number is at point P?



P = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 52 • BACKWARD 1 • Q1/5

1769

QUESTION ID

S52-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 52 • BACKWARD 1 • Q1/5

True or false?

On a number line, numbers increase from left to right.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 52 • BACKWARD 1 • Q2/5

1770

QUESTION ID

S52-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 52 • BACKWARD 1 • Q2/5

Which number is 4 units to the right of 0?

- A.** 4
- B.** 8
- C.** 40
- D.** 0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 52 • BACKWARD 1 • Q3/5

1771

QUESTION ID

S52-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 52 • BACKWARD 1 • Q3/5

How many units is it from 0 to 9 on a number line?

Units: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 52 • BACKWARD 1 • Q4/5

1772

QUESTION ID

S52-B1-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 52 • BACKWARD 1 • Q4/5

True or false?

On a number line, 3 is farther from 0 than 7 is.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 52 • BACKWARD 1 • Q5/5

1773

QUESTION ID

S52-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 52 • BACKWARD 1 • Q5/5

SET 52 • 5.G.A.1

BACKWARD 2

Perpendicular lines • Grade 4 • Geometry • 4.G.A.1

True or false?

Perpendicular lines meet to form right angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 52 • BACKWARD 2 • Q1/5

1775

QUESTION ID

S52-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 52 • BACKWARD 2 • Q1/5

The x-axis and the y-axis are ____.

- A.** perpendicular
- B.** parallel
- C.** curved
- D.** the same line

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 52 • BACKWARD 2 • Q2/5

1776

QUESTION ID

S52-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. perpendicular

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 52 • BACKWARD 2 • Q2/5

How many degrees are in a right angle?

Degrees: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 52 • BACKWARD 2 • Q3/5

1777

QUESTION ID

S52-B2-Q3

TYPE

Short answer

CORRECT ANSWER

90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 52 • BACKWARD 2 • Q3/5

True or false?

Parallel lines never meet.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q4

Grade 4 • Geometry • 4.G.A.1 • Set 52 • BACKWARD 2 • Q4/5

1778

QUESTION ID

S52-B2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q4

Grade 4 • Geometry • 4.G.A.1 • Set 52 • BACKWARD 2 • Q4/5

Which letter is made of two perpendicular line segments?

- A. S
- B. L
- C. O
- D. C

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 52 • BACKWARD 2 • Q5/5

1779

QUESTION ID

S52-B2-Q5

TYPE

Multiple choice

CORRECT ANSWER

B. L

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 52 • BACKWARD 2 • Q5/5


SET 52 • 5.G.A.1

FORWARD 1

Name the coordinates of points in all four quadrants • Grade 6 • The Number System • 6.NS.C.6.c

What are the coordinates of point A?

A = _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q1

Grade 6 • The Number System • 6.NS.C.6.c • Set 52 • FORWARD 1 • Q1/5

1781

QUESTION ID

S52-F1-Q1

TYPE

Short answer

CORRECT ANSWER

(-3, 4)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q1

Grade 6 • The Number System • 6.NS.C.6.c • Set 52 • FORWARD 1 • Q1/5

What are the coordinates of point B?

B = _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q2

Grade 6 • The Number System • 6.NS.C.6.c • Set 52 • FORWARD 1 • Q2/5

1782

QUESTION ID

S52-F1-Q2

TYPE

Short answer

CORRECT ANSWER

(2, -5)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q2

Grade 6 • The Number System • 6.NS.C.6.c • Set 52 • FORWARD 1 • Q2/5

Which ordered pair names point C?

- A. $(-4, -2)$
- B. $(-2, -4)$
- C. $(4, 2)$
- D. $(-4, 2)$



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q3

Grade 6 • The Number System • 6.NS.C.6.c • Set 52 • FORWARD 1 • Q3/5

1783

QUESTION ID

S52-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $(-4, -2)$


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q3

Grade 6 • The Number System • 6.NS.C.6.c • Set 52 • FORWARD 1 • Q3/5

What are the coordinates of point D?

D = _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q4

Grade 6 • The Number System • 6.NS.C.6.c • Set 52 • FORWARD 1 • Q4/5

1784

QUESTION ID

S52-F1-Q4

TYPE

Short answer

CORRECT ANSWER

(0, -3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S52-F1-Q4

Grade 6 • The Number System • 6.NS.C.6.c • Set 52 • FORWARD 1 • Q4/5

True or false?

Point E is located at $(5, -1)$.

- A.** True
B. False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q5

Grade 6 • The Number System • 6.NS.C.6.c • Set 52 • FORWARD 1 • Q5/5

1785

QUESTION ID

S52-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q5

Grade 6 • The Number System • 6.NS.C.6.c • Set 52 • FORWARD 1 • Q5/5

SET 52 • 5.G.A.1


FORWARD 2

Interpret a point on the graph of a proportional relationship • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d

The graph shows the cost of pears.

What does the point (3, 6) represent?

Meaning: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d • Set 52 • FORWARD 2 • Q1/5

1787

QUESTION ID

S52-F2-Q1

TYPE

Short answer

CORRECT ANSWER

**3 pounds of pears
cost \$6.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S52-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d • Set 52 • FORWARD 2 • Q1/5

The graph shows the cost of pears.

What does the point (1, 2) represent?

- A. The cost starts at \$2.
- B. 2 pounds cost \$1.
- C. \$1 buys 2 pounds.
- D. 1 pound costs \$2.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d • Set 52 • FORWARD 2 • Q2/5

1788

QUESTION ID

S52-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 1 pound costs \$2.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d • Set 52 • FORWARD 2 • Q2/5

True or false?

On the graph of a proportional relationship between pounds and cost, the point (0, 0) means 0 pounds cost \$0.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d • Set 52 • FORWARD 2 • Q3/5

1789

QUESTION ID

S52-F2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d • Set 52 • FORWARD 2 • Q3/5

The graph of a proportional relationship passes through (1, r) and (4, 20).

What is r ?

$r =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d • Set 52 • FORWARD 2 • Q4/5

1790

QUESTION ID

S52-F2-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d • Set 52 • FORWARD 2 • Q4/5

A graph shows the distance y in miles after x hours. It passes through $(2, 90)$.

What does this point mean?

- A.** The speed is 2 miles per hour. **B.** In 90 hours, the distance is 2 miles.
- C.** The speed is 90 miles per hour. **D.** In 2 hours, the distance is 90 miles.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d • Set 52 • FORWARD 2 • Q5/5

1791

QUESTION ID

S52-F2-Q5

TYPE

Multiple choice

CORRECT ANSWER

D. In 2 hours, the distance is 90 miles.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.d • Set 52 • FORWARD 2 • Q5/5

Graph points in the first quadrant


MAIN	Grade 5 main question	5.G.A.2
BACKWARD 1	Reading coordinates	5.G.A.1
BACKWARD 2	Reading the scale on an axis	3.MD.B.3
FORWARD 1	Plot and reflect points in all four quadrants	6.NS.C.6.b
FORWARD 2	Graph pairs to decide whether a relationship is proportional	7.RP.A.2.a

SET 53 • 5.G.A.2

MAIN

Grade 5 main question • Grade 5 • Geometry • 5.G.A.2

Plot and label the points A(2, 7), B(6, 3), and C(0, 5).



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q1

Grade 5 • Geometry • 5.G.A.2 • Set 53 • MAIN • Q1/5

1794

QUESTION ID

S53-M-Q1

TYPE

Drawing / plotting

CORRECT ANSWER


A plotted at (2, 7), B at (6, 3), and C at (0, 5) on the y-axis, each labeled

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q1

Grade 5 • Geometry • 5.G.A.2 • Set 53 • MAIN • Q1/5

Plot and label the points D(4, 4), E(7, 0), and F(1, 6).



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q2

Grade 5 • Geometry • 5.G.A.2 • Set 53 • MAIN • Q2/5

1795

QUESTION ID

S53-M-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

D plotted at (4, 4), E at (7, 0) on the x-axis, and F at (1, 6), each labeled


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q2

Grade 5 • Geometry • 5.G.A.2 • Set 53 • MAIN • Q2/5

Plot the points from the table.

Hours	1	2	3	4
Miles	3	6	9	12



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q3

Grade 5 • Geometry • 5.G.A.2 • Set 53 • MAIN • Q3/5

1796

QUESTION ID

S53-M-Q3

TYPE

Drawing / plotting

CORRECT ANSWER


Points plotted at (1, 3), (2, 6), (3, 9), (4, 12)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q3

Grade 5 • Geometry • 5.G.A.2 • Set 53 • MAIN • Q3/5

Plot and label the points G(3, $2\frac{1}{2}$) and H($5\frac{1}{2}$, 4).



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q4

Grade 5 • Geometry • 5.G.A.2 • Set 53 • MAIN • Q4/5

1797

QUESTION ID

S53-M-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

G plotted at (3, $2\frac{1}{2}$), halfway between 2 and 3 on the y-axis scale; H plotted at ($5\frac{1}{2}$, 4); each labeled

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S53-M-Q4

Grade 5 • Geometry • 5.G.A.2 • Set 53 • MAIN • Q4/5

Plot P(2, 3) and Q(2, 7).

How far apart are the two points?

Distance: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 5 • Geometry • 5.G.A.2 • Set 53 • MAIN • Q5/5

ID S53-M-Q5

1798

QUESTION ID

S53-M-Q5

TYPE

Short answer

CORRECT ANSWER

4 units

GRADING NOTE Points plotted at (2, 3) and (2, 7).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 5 • Geometry • 5.G.A.2 • Set 53 • MAIN • Q5/5

ID S53-M-Q5


SET 53 • 5.G.A.2

BACKWARD 1

Reading coordinates • Grade 5 • Geometry • 5.G.A.1

What are the coordinates of point K?

K = _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q1

Grade 5 • Geometry • 5.G.A.1 • Set 53 • BACKWARD 1 • Q1/5

1800

QUESTION ID

S53-B1-Q1

TYPE

Short answer

CORRECT ANSWER

(4, 6)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q1

Grade 5 • Geometry • 5.G.A.1 • Set 53 • BACKWARD 1 • Q1/5

True or false?

To plot (3, 8), you move up 3 units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q2

Grade 5 • Geometry • 5.G.A.1 • Set 53 • BACKWARD 1 • Q2/5

1801

QUESTION ID

S53-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q2

Grade 5 • Geometry • 5.G.A.1 • Set 53 • BACKWARD 1 • Q2/5

Which point is at (6, 2)?

- A. Point A
- B. Point B
- C. Point C
- D. Point D



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q3

Grade 5 • Geometry • 5.G.A.1 • Set 53 • BACKWARD 1 • Q3/5

1802

QUESTION ID

S53-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. Point C


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q3

Grade 5 • Geometry • 5.G.A.1 • Set 53 • BACKWARD 1 • Q3/5

What are the coordinates of point M?

M = _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q4

Grade 5 • Geometry • 5.G.A.1 • Set 53 • BACKWARD 1 • Q4/5

1803

QUESTION ID

S53-B1-Q4

TYPE

Short answer

CORRECT ANSWER

(0, 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q4

Grade 5 • Geometry • 5.G.A.1 • Set 53 • BACKWARD 1 • Q4/5

True or false?

The point (5, 0) is on the y-axis.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q5

Grade 5 • Geometry • 5.G.A.1 • Set 53 • BACKWARD 1 • Q5/5

1804

QUESTION ID

S53-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q5

Grade 5 • Geometry • 5.G.A.1 • Set 53 • BACKWARD 1 • Q5/5

SET 53 • 5.G.A.2

BACKWARD 2

Reading the scale on an axis • Grade 3 • Measurement & Data • 3.MD.B.3

An axis is numbered by 5s: 0, 5, 10, 15, ...

What value is 4 grid lines above 0?

- A.** 15
- B.** 25
- C.** 20
- D.** 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 53 • BACKWARD 2 • Q1/5

1806

QUESTION ID

S53-B2-Q1

TYPE

Multiple choice

CORRECT ANSWER

C. 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 53 • BACKWARD 2 • Q1/5

True or false?

On an axis numbered by 2s, the value 7 is halfway between 6 and 8.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 53 • BACKWARD 2 • Q2/5

1807

QUESTION ID

S53-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 53 • BACKWARD 2 • Q2/5

An axis is numbered by 10s.

What value is at the 3rd grid line above 0?

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 53 • BACKWARD 2 • Q3/5

1808

QUESTION ID

S53-B2-Q3

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 53 • BACKWARD 2 • Q3/5

An axis is numbered by 3s.

Where is the value 12?

- A.** At the 4th grid line
- B.** At the 3rd grid line
- C.** Between the 3rd and 4th grid lines
- D.** At the 12th grid line

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 53 • BACKWARD 2 • Q4/5

1809

QUESTION ID

S53-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. At the 4th grid line

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 53 • BACKWARD 2 • Q4/5

True or false?

On an axis numbered by 5s, the value 12 is on a grid line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 53 • BACKWARD 2 • Q5/5

1810

QUESTION ID

S53-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q5


Grade 3 • Measurement & Data • 3.MD.B.3 • Set 53 • BACKWARD 2 • Q5/5

SET 53 • 5.G.A.2

FORWARD 1

Plot and reflect points in all four quadrants • Grade 6 • The Number System •
6.NS.C.6.b

Plot and label the points
 $P(-3, 4)$ and $Q(3, -4)$.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q1

Grade 6 • The Number System • 6.NS.C.6.b • Set 53 • FORWARD 1 • Q1/5

1812

QUESTION ID

S53-F1-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

**P plotted at $(-3, 4)$
and Q at $(3, -4)$,
each labeled**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q1

Grade 6 • The Number System • 6.NS.C.6.b • Set 53 • FORWARD 1 • Q1/5

The point $(5, 2)$ is reflected across the x-axis.

What are the coordinates of its image?

Image: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q2

Grade 6 • The Number System • 6.NS.C.6.b • Set 53 • FORWARD 1 • Q2/5

1813

QUESTION ID

S53-F1-Q2

TYPE

Short answer

CORRECT ANSWER

$(5, -2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q2

Grade 6 • The Number System • 6.NS.C.6.b • Set 53 • FORWARD 1 • Q2/5

In which quadrant is the point $(-2, -6)$?

- A.** Quadrant I
- B.** Quadrant II
- C.** Quadrant III
- D.** Quadrant IV

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q3

Grade 6 • The Number System • 6.NS.C.6.b • Set 53 • FORWARD 1 • Q3/5

1814

QUESTION ID

S53-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. Quadrant III

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q3

Grade 6 • The Number System • 6.NS.C.6.b • Set 53 • FORWARD 1 • Q3/5

The point $(-4, 1)$ is reflected across the y -axis.

What are the coordinates of its image?

Image: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q4

Grade 6 • The Number System • 6.NS.C.6.b • Set 53 • FORWARD 1 • Q4/5

1815

QUESTION ID

S53-F1-Q4

TYPE

Short answer

CORRECT ANSWER

(4, 1)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q4

Grade 6 • The Number System • 6.NS.C.6.b • Set 53 • FORWARD 1 • Q4/5

True or false?

The points $(3, 5)$ and $(-3, 5)$ are reflections of each other across the x-axis.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q5

Grade 6 • The Number System • 6.NS.C.6.b • Set 53 • FORWARD 1 • Q5/5

1816

QUESTION ID

S53-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q5

Grade 6 • The Number System • 6.NS.C.6.b • Set 53 • FORWARD 1 • Q5/5

1816

SET 53 • 5.G.A.2


FORWARD 2

Graph pairs to decide whether a relationship is proportional • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a

Graph the pairs (1, 3), (2, 6),
and (4, 12).

Is the relationship
proportional?

Answer: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 53 • FORWARD 2 • Q1/5

1818

QUESTION ID

S53-F2-Q1

TYPE

Short answer

CORRECT ANSWER

Yes

GRADING NOTE The points lie on a straight line through (0, 0).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S53-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 53 • FORWARD 2 • Q1/5

Graph the pairs $(0, 2)$, $(1, 4)$, and $(2, 6)$.

Is the relationship proportional?

Answer: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 53 • FORWARD 2 • Q2/5

1819

QUESTION ID

S53-F2-Q2

TYPE

Short answer

CORRECT ANSWER

No

GRADING NOTE The points are on a line, but the line does not pass through $(0, 0)$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 53 • FORWARD 2 • Q2/5

Which graph shows a proportional relationship?

- A. A curve through $(0, 0)$
- B. Points that are not on a line
- C. A straight line through $(0, 3)$
- D. A straight line through $(0, 0)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 53 • FORWARD 2 • Q3/5

1820

QUESTION ID

S53-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

**D. A straight line
through $(0, 0)$**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 53 • FORWARD 2 • Q3/5

True or false?

The points (2, 1), (4, 2), and (6, 3) show a proportional relationship.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 53 • FORWARD 2 • Q4/5

1821

QUESTION ID

S53-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S53-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 53 • FORWARD 2 • Q4/5

Graph the pairs from the table.

Is the relationship proportional?

x	1	2	3
y	4	8	12



Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 53 • FORWARD 2 • Q5/5

1822

QUESTION ID

S53-F2-Q5

TYPE

Short answer

CORRECT ANSWER

Yes

GRADING NOTE Points (1, 4), (2, 8), (3, 12) lie on a line through (0, 0).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 53 • FORWARD 2 • Q5/5

Solve real-world problems by graphing points and interpreting coordinates

MAIN	Grade 5 main question	5.G.A.2
BACKWARD 1	The coordinate system	5.G.A.1
BACKWARD 2	Distance between whole numbers on a number line	2.MD.B.6
FORWARD 1	Find distances in all four quadrants	6.NS.C.8
FORWARD 2	Use a scale on a map grid	7.G.A.1

SET 54 • 5.G.A.2


MAIN

Grade 5 main question • Grade 5 • Geometry • 5.G.A.2

The grid is a map. Each unit is 1 block.

How many blocks is it from the school S to the library L?

Blocks: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q1

Grade 5 • Geometry • 5.G.A.2 • Set 54 • MAIN • Q1/5

1825

QUESTION ID

S54-M-Q1

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S54-M-Q1

Grade 5 • Geometry • 5.G.A.2 • Set 54 • MAIN • Q1/5

The graph shows the height of a plant.

How tall was the plant after 4 weeks?

Height: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q2

Grade 5 • Geometry • 5.G.A.2 • Set 54 • MAIN • Q2/5

1826

QUESTION ID

S54-M-Q2

TYPE

Short answer

CORRECT ANSWER

8 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q2

Grade 5 • Geometry • 5.G.A.2 • Set 54 • MAIN • Q2/5

The point (3, 12) is on a graph of hours worked (x) and dollars earned (y).

What does the point mean?

- A.** Working 3 hours earns \$12. **B.** Working 12 hours earns \$3.
C. The pay starts at \$12. **D.** Each hour earns \$3.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q3

Grade 5 • Geometry • 5.G.A.2 • Set 54 • MAIN • Q3/5

1827

QUESTION ID

S54-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

**A. Working 3 hours
earns \$12.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S54-M-Q3

Grade 5 • Geometry • 5.G.A.2 • Set 54 • MAIN • Q3/5

The table shows the cost of a taxi ride.

Graph the points.

Miles	1	2	3	4
Cost (\$)	5	7	9	11



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q4

Grade 5 • Geometry • 5.G.A.2 • Set 54 • MAIN • Q4/5

1828

QUESTION ID

S54-M-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (1, 5), (2, 7), (3, 9), (4, 11)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q4

Grade 5 • Geometry • 5.G.A.2 • Set 54 • MAIN • Q4/5

On a map grid, the park is at (1, 6) and the pool is at (7, 6). Each unit is 100 meters.

How far apart are the park and the pool?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q5

Grade 5 • Geometry • 5.G.A.2 • Set 54 • MAIN • Q5/5

1829

QUESTION ID

S54-M-Q5

TYPE

Short answer

CORRECT ANSWER

600 meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q5

Grade 5 • Geometry • 5.G.A.2 • Set 54 • MAIN • Q5/5

SET 54 • 5.G.A.2

BACKWARD 1

The coordinate system • Grade 5 • Geometry • 5.G.A.1

What are the coordinates of the origin?

Origin: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q1

Grade 5 • Geometry • 5.G.A.1 • Set 54 • BACKWARD 1 • Q1/5

1831

QUESTION ID

S54-B1-Q1

TYPE

Short answer

CORRECT ANSWER

(0, 0)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q1

Grade 5 • Geometry • 5.G.A.1 • Set 54 • BACKWARD 1 • Q1/5

True or false?

The first number in an ordered pair tells how far to move along the x-axis.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q2

Grade 5 • Geometry • 5.G.A.1 • Set 54 • BACKWARD 1 • Q2/5

1832

QUESTION ID

S54-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q2

Grade 5 • Geometry • 5.G.A.1 • Set 54 • BACKWARD 1 • Q2/5

Point R is 4 units to the right of the origin and 1 unit up.

What are its coordinates?

- A. (5, 0)
- B. (1, 4)
- C. (4, 4)
- D. (4, 1)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q3

Grade 5 • Geometry • 5.G.A.1 • Set 54 • BACKWARD 1 • Q3/5

1833

QUESTION ID

S54-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. (4, 1)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q3

Grade 5 • Geometry • 5.G.A.1 • Set 54 • BACKWARD 1 • Q3/5

What are the coordinates of point T?

T = _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q4

Grade 5 • Geometry • 5.G.A.1 • Set 54 • BACKWARD 1 • Q4/5

1834

QUESTION ID

S54-B1-Q4

TYPE

Short answer

CORRECT ANSWER

(7, 3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q4

Grade 5 • Geometry • 5.G.A.1 • Set 54 • BACKWARD 1 • Q4/5

True or false?

$(0, 2)$ and $(2, 0)$ name the same point.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q5

Grade 5 • Geometry • 5.G.A.1 • Set 54 • BACKWARD 1 • Q5/5

1835

QUESTION ID

S54-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q5

Grade 5 • Geometry • 5.G.A.1 • Set 54 • BACKWARD 1 • Q5/5

SET 54 • 5.G.A.2

BACKWARD 2

Distance between whole numbers on a number line • Grade 2 • Measurement & Data • 2.MD.B.6

What is the distance from 2 to 7 on a number line?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 54 • BACKWARD 2 • Q1/5

1837

QUESTION ID

S54-B2-Q1

TYPE

Short answer

CORRECT ANSWER

5 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 54 • BACKWARD 2 • Q1/5

True or false?

The distance from 3 to 10 is 13 units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 54 • BACKWARD 2 • Q2/5

1838

QUESTION ID

S54-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 54 • BACKWARD 2 • Q2/5

How many units apart are 1 and 8 on a number line?

- A.** 9
- B.** 8
- C.** 1
- D.** 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 54 • BACKWARD 2 • Q3/5

1839

QUESTION ID

S54-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 54 • BACKWARD 2 • Q3/5

What is the distance from 6 to 6 on a number line?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 54 • BACKWARD 2 • Q4/5

1840

QUESTION ID

S54-B2-Q4

TYPE

Short answer

CORRECT ANSWER

0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 54 • BACKWARD 2 • Q4/5

How many units apart are points A and B?



Units: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 54 • BACKWARD 2 • Q5/5

1841

QUESTION ID

S54-B2-Q5

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 54 • BACKWARD 2 • Q5/5

SET 54 • 5.G.A.2

FORWARD 1

Find distances in all four quadrants • Grade 6 • The Number System • 6.NS.C.8

Find the distance between $(-4, 2)$ and $(5, 2)$.

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q1

Grade 6 • The Number System • 6.NS.C.8 • Set 54 • FORWARD 1 • Q1/5

1843

QUESTION ID

S54-F1-Q1

TYPE

Short answer

CORRECT ANSWER

9 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q1

Grade 6 • The Number System • 6.NS.C.8 • Set 54 • FORWARD 1 • Q1/5

Find the distance between $(3, -6)$ and $(3, 1)$.

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q2

Grade 6 • The Number System • 6.NS.C.8 • Set 54 • FORWARD 1 • Q2/5

1844

QUESTION ID

S54-F1-Q2

TYPE

Short answer

CORRECT ANSWER

7 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q2

Grade 6 • The Number System • 6.NS.C.8 • Set 54 • FORWARD 1 • Q2/5

On a map, the store is at $(-2, -3)$ and the bank is at $(-2, 4)$. Each unit is 1 block.

How far apart are they?

- A.** 7 blocks **B.** 1 block
C. 4 blocks **D.** 6 blocks

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q3

Grade 6 • The Number System • 6.NS.C.8 • Set 54 • FORWARD 1 • Q3/5

1845

QUESTION ID

S54-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 7 blocks

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q3

Grade 6 • The Number System • 6.NS.C.8 • Set 54 • FORWARD 1 • Q3/5

A rectangle has vertices at $(-3, 1)$, $(2, 1)$, $(2, -2)$, and $(-3, -2)$.

What is its perimeter?

Perimeter: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q4

Grade 6 • The Number System • 6.NS.C.8 • Set 54 • FORWARD 1 • Q4/5

1846

QUESTION ID

S54-F1-Q4

TYPE

Short answer

CORRECT ANSWER

16 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q4

Grade 6 • The Number System • 6.NS.C.8 • Set 54 • FORWARD 1 • Q4/5

True or false?

The distance between $(-5, 0)$ and $(5, 0)$ is 0.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q5

Grade 6 • The Number System • 6.NS.C.8 • Set 54 • FORWARD 1 • Q5/5

1847

QUESTION ID

S54-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q5

Grade 6 • The Number System • 6.NS.C.8 • Set 54 • FORWARD 1 • Q5/5

SET 54 • 5.G.A.2

FORWARD 2

Use a scale on a map grid • Grade 7 • Geometry • 7.G.A.1

On a map grid, each unit is 2 miles. Two towns are at (1, 3) and (6, 3).

What is the actual distance between them?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q1

Grade 7 • Geometry • 7.G.A.1 • Set 54 • FORWARD 2 • Q1/5

1849

QUESTION ID

S54-F2-Q1

TYPE

Short answer

CORRECT ANSWER

10 miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q1

Grade 7 • Geometry • 7.G.A.1 • Set 54 • FORWARD 2 • Q1/5

On a floor plan, each unit is $1\frac{1}{2}$ feet. A wall goes from (0, 0) to (0, 8).

How long is the real wall?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q2

Grade 7 • Geometry • 7.G.A.1 • Set 54 • FORWARD 2 • Q2/5

1850

QUESTION ID

S54-F2-Q2

TYPE

Short answer

CORRECT ANSWER

12 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q2

Grade 7 • Geometry • 7.G.A.1 • Set 54 • FORWARD 2 • Q2/5

A scale drawing uses 1 grid unit = 5 m. A path on the grid is 7 units long.

How long is the real path?

- A.** 12 m **B.** 35 m
C. 2 m **D.** 7 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q3

Grade 7 • Geometry • 7.G.A.1 • Set 54 • FORWARD 2 • Q3/5

1851

QUESTION ID

S54-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 35 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q3

Grade 7 • Geometry • 7.G.A.1 • Set 54 • FORWARD 2 • Q3/5

A garden plan has corners at (0, 0), (6, 0), (6, 4), and (0, 4). Each unit is 3 feet.

What are the real length and width?

Length and width: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q4

Grade 7 • Geometry • 7.G.A.1 • Set 54 • FORWARD 2 • Q4/5

1852

QUESTION ID

S54-F2-Q4

TYPE

Short answer

CORRECT ANSWER

18 feet by 12 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q4

Grade 7 • Geometry • 7.G.A.1 • Set 54 • FORWARD 2 • Q4/5

True or false?

If each grid unit is 10 km, the points (2, 5) and (2, 9) are 4 km apart.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q5

Grade 7 • Geometry • 7.G.A.1 • Set 54 • FORWARD 2 • Q5/5

1853

QUESTION ID

S54-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q5

Grade 7 • Geometry • 7.G.A.1 • Set 54 • FORWARD 2 • Q5/5

Attributes of a category belong to all of its subcategories

MAIN	Grade 5 main question	5.G.B.3
BACKWARD 1	Quadrilaterals and their attributes	3.G.A.1
BACKWARD 2	Parallel lines, perpendicular lines, and angles	4.G.A.1
BACKWARD 3	Classifying shapes by sides and angles	4.G.A.2
FORWARD 1	Draw polygons in the coordinate plane	6.G.A.3
FORWARD 2	Decide whether shapes with given conditions are possible	7.G.A.2

SET 55 • 5.G.B.3

MAIN

Grade 5 main question • Grade 5 • Geometry • 5.G.B.3

True or false?

All rectangles have four right angles. Squares are rectangles, so all squares have four right angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q1

Grade 5 • Geometry • 5.G.B.3 • Set 55 • MAIN • Q1/5

1856

QUESTION ID

S55-M-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q1

Grade 5 • Geometry • 5.G.B.3 • Set 55 • MAIN • Q1/5

All parallelograms have two pairs of parallel sides.

Which shape must also have two pairs of parallel sides?

- A. Kite
- B. Pentagon
- C. Triangle
- D. Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q2

Grade 5 • Geometry • 5.G.B.3 • Set 55 • MAIN • Q2/5

1857

QUESTION ID

S55-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q2

Grade 5 • Geometry • 5.G.B.3 • Set 55 • MAIN • Q2/5

A rhombus is a quadrilateral with 4 sides of equal length.

Is every square a rhombus? Explain.

Answer: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q3

Grade 5 • Geometry • 5.G.B.3 • Set 55 • MAIN • Q3/5

1858

QUESTION ID

S55-M-Q3

TYPE

Short answer

CORRECT ANSWER

Yes

GRADING NOTE A square is a quadrilateral with 4 sides of equal length, so it has every attribute of a rhombus.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q3

Grade 5 • Geometry • 5.G.B.3 • Set 55 • MAIN • Q3/5

True or false?

All quadrilaterals have 4 right angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q4

Grade 5 • Geometry • 5.G.B.3 • Set 55 • MAIN • Q4/5

1859

QUESTION ID

S55-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q4

Grade 5 • Geometry • 5.G.B.3 • Set 55 • MAIN • Q4/5

Which statement is true?

- A.** Every parallelogram is a square.
- B.** Every square is a rectangle.
- C.** Every quadrilateral is a rectangle.
- D.** Every rectangle is a square.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q5

Grade 5 • Geometry • 5.G.B.3 • Set 55 • MAIN • Q5/5

1860

QUESTION ID

S55-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

B. Every square is a rectangle.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q5

Grade 5 • Geometry • 5.G.B.3 • Set 55 • MAIN • Q5/5

SET 55 • 5.G.B.3

BACKWARD 1

Quadrilaterals and their attributes • Grade 3 • Geometry • 3.G.A.1

How many sides does every quadrilateral have?

Sides: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 55 • BACKWARD 1 • Q1/5

1862

QUESTION ID

S55-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 55 • BACKWARD 1 • Q1/5

True or false?

Triangles, rectangles, and squares are all quadrilaterals.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 55 • BACKWARD 1 • Q2/5

1863

QUESTION ID

S55-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 55 • BACKWARD 1 • Q2/5

Which shape is NOT a quadrilateral?

- A.** Rectangle
- B.** Square
- C.** Rhombus
- D.** Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 55 • BACKWARD 1 • Q3/5

1864

QUESTION ID

S55-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 55 • BACKWARD 1 • Q3/5

True or false?

A square has 4 sides of equal length.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 55 • BACKWARD 1 • Q4/5

1865

QUESTION ID

S55-B1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 55 • BACKWARD 1 • Q4/5

Name a quadrilateral that always has 4 right angles.

Shape: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 55 • BACKWARD 1 • Q5/5

1866

QUESTION ID

S55-B1-Q5

TYPE

Short answer

CORRECT ANSWER

Rectangle

GRADING NOTE Square is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 55 • BACKWARD 1 • Q5/5

SET 55 • 5.G.B.3

BACKWARD 2

Parallel lines, perpendicular lines, and angles • Grade 4 • Geometry • 4.G.A.1

True or false?

Parallel lines are always the same distance apart.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 55 • BACKWARD 2 • Q1/5

1868

QUESTION ID

S55-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 55 • BACKWARD 2 • Q1/5

Which angle measure is a right angle?

- A.** 90°
- B.** 180°
- C.** 45°
- D.** 120°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 55 • BACKWARD 2 • Q2/5

1869

QUESTION ID

S55-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 90°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 55 • BACKWARD 2 • Q2/5

What do we call two lines that meet to form right angles?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 55 • BACKWARD 2 • Q3/5

1870

QUESTION ID

S55-B2-Q3

TYPE

Short answer

CORRECT ANSWER

Perpendicular lines

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 55 • BACKWARD 2 • Q3/5

True or false?

An obtuse angle is smaller than a right angle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q4

Grade 4 • Geometry • 4.G.A.1 • Set 55 • BACKWARD 2 • Q4/5

1871

QUESTION ID

S55-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q4

Grade 4 • Geometry • 4.G.A.1 • Set 55 • BACKWARD 2 • Q4/5

How many pairs of parallel sides does a rectangle have?

- A.** 4
- B.** 0
- C.** 2
- D.** 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 55 • BACKWARD 2 • Q5/5

1872

QUESTION ID

S55-B2-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 55 • BACKWARD 2 • Q5/5

SET 55 • 5.G.B.3

BACKWARD 3

Classifying shapes by sides and angles • Grade 4 • Geometry • 4.G.A.2

True or false?

A shape with no parallel sides can still be a quadrilateral.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B3-Q1

Grade 4 • Geometry • 4.G.A.2 • Set 55 • BACKWARD 3 • Q1/5

1874

QUESTION ID

S55-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B3-Q1

Grade 4 • Geometry • 4.G.A.2 • Set 55 • BACKWARD 3 • Q1/5

Which kind of triangle has a right angle?

- A.** An equilateral triangle
- B.** An acute triangle
- C.** A right triangle
- D.** An obtuse triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B3-Q2

Grade 4 • Geometry • 4.G.A.2 • Set 55 • BACKWARD 3 • Q2/5

1875

QUESTION ID

S55-B3-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. A right triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B3-Q2

Grade 4 • Geometry • 4.G.A.2 • Set 55 • BACKWARD 3 • Q2/5

How many right angles does a square have?

Right angles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B3-Q3

Grade 4 • Geometry • 4.G.A.2 • Set 55 • BACKWARD 3 • Q3/5

1876

QUESTION ID

S55-B3-Q3

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B3-Q3

Grade 4 • Geometry • 4.G.A.2 • Set 55 • BACKWARD 3 • Q3/5

True or false?

A rhombus always has 4 right angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B3-Q4

Grade 4 • Geometry • 4.G.A.2 • Set 55 • BACKWARD 3 • Q4/5

1877

QUESTION ID

S55-B3-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B3-Q4

Grade 4 • Geometry • 4.G.A.2 • Set 55 • BACKWARD 3 • Q4/5

Which shape always has two pairs of parallel sides?

- A.** Rectangle
- B.** Kite
- C.** Triangle
- D.** Pentagon

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B3-Q5

Grade 4 • Geometry • 4.G.A.2 • Set 55 • BACKWARD 3 • Q5/5

1878

QUESTION ID

S55-B3-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. Rectangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B3-Q5

Grade 4 • Geometry • 4.G.A.2 • Set 55 • BACKWARD 3 • Q5/5

SET 55 • 5.G.B.3


FORWARD 1

Draw polygons in the coordinate plane • Grade 6 • Geometry • 6.G.A.3

Plot A(−2, 1), B(3, 1), C(3, −3), and D(−2, −3). Connect them in order.

What polygon did you draw?

Polygon: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q1

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 1 • Q1/5

1880

QUESTION ID

S55-F1-Q1

TYPE

Short answer

CORRECT ANSWER

A rectangle

GRADING NOTE The sides are 5 units and 4 units long.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S55-F1-Q1

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 1 • Q1/5

Plot $E(0, 3)$, $F(3, 0)$, $G(0, -3)$, and $H(-3, 0)$. Connect them in order.

What polygon did you draw?

Polygon: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q2

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 1 • Q2/5

1881

QUESTION ID

S55-F1-Q2

TYPE

Short answer

CORRECT ANSWER

A square

GRADING NOTE "Rhombus" is also correct, since a square is a rhombus.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q2

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 1 • Q2/5

The points $(-1, 2)$, $(4, 2)$, and $(4, -1)$ are three vertices of a rectangle.

What is the fourth vertex?

- A.** $(1, -1)$ **B.** $(-1, -1)$
C. $(-1, 4)$ **D.** $(4, 2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q3

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 1 • Q3/5

1882

QUESTION ID

S55-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $(-1, -1)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q3

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 1 • Q3/5

What is the length of the side from $(-2, 5)$ to $(4, 5)$?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q4

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 1 • Q4/5

1883

QUESTION ID

S55-F1-Q4

TYPE

Short answer

CORRECT ANSWER

6 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q4

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 1 • Q4/5

True or false?

The points $(0, 0)$, $(4, 0)$, $(4, 2)$, and $(0, 2)$ are the vertices of a square.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q5

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 1 • Q5/5

1884

QUESTION ID

S55-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q5

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 1 • Q5/5

SET 55 • 5.G.B.3

FORWARD 2

Decide whether shapes with given conditions are possible • Grade 7 •
Geometry • 7.G.A.2

True or false?

A triangle can have side lengths of 3 cm, 4 cm, and 5 cm.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q1

Grade 7 • Geometry • 7.G.A.2 • Set 55 • FORWARD 2 • Q1/5

1886

QUESTION ID

S55-F2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q1

Grade 7 • Geometry • 7.G.A.2 • Set 55 • FORWARD 2 • Q1/5

Which three lengths can form a triangle?

- A.** 4, 5, 7
- B.** 5, 5, 10
- C.** 1, 1, 3
- D.** 2, 3, 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q2

Grade 7 • Geometry • 7.G.A.2 • Set 55 • FORWARD 2 • Q2/5

1887

QUESTION ID

S55-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 4, 5, 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q2

Grade 7 • Geometry • 7.G.A.2 • Set 55 • FORWARD 2 • Q2/5

Can a triangle have side lengths of 2 cm, 2 cm, and 5 cm? Write yes or no.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q3

Grade 7 • Geometry • 7.G.A.2 • Set 55 • FORWARD 2 • Q3/5

1888

QUESTION ID

S55-F2-Q3

TYPE

Short answer

CORRECT ANSWER

No

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q3

Grade 7 • Geometry • 7.G.A.2 • Set 55 • FORWARD 2 • Q3/5

True or false?

A triangle can have two right angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q4

Grade 7 • Geometry • 7.G.A.2 • Set 55 • FORWARD 2 • Q4/5

1889

QUESTION ID

S55-F2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q4

Grade 7 • Geometry • 7.G.A.2 • Set 55 • FORWARD 2 • Q4/5

Can a quadrilateral have exactly 3 right angles? Write yes or no.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q5

Grade 7 • Geometry • 7.G.A.2 • Set 55 • FORWARD 2 • Q5/5

1890

QUESTION ID

S55-F2-Q5

TYPE

Short answer

CORRECT ANSWER

No

GRADING NOTE If 3 angles are right angles, the 4th must be a right angle too.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q5

Grade 7 • Geometry • 7.G.A.2 • Set 55 • FORWARD 2 • Q5/5

Classify quadrilaterals in a hierarchy based on their properties

MAIN	Grade 5 main question	5.G.B.4
BACKWARD 1	Quadrilaterals	3.G.A.1
BACKWARD 2	Classifying by parallel sides and right angles	4.G.A.2
FORWARD 1	Area of parallelograms, rhombuses, and trapezoids	6.G.A.1
FORWARD 2	Shapes with given conditions	7.G.A.2

SET 56 • 5.G.B.4

MAIN

Grade 5 main question • Grade 5 • Geometry • 5.G.B.4

Which list goes from the most general category to the most specific?

- A. Square, rectangle, parallelogram, quadrilateral
- B. Rectangle, square, quadrilateral, parallelogram
- C. Quadrilateral, parallelogram, rectangle, square
- D. Parallelogram, quadrilateral, square, rectangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q1

Grade 5 • Geometry • 5.G.B.4 • Set 56 • MAIN • Q1/5

1893

QUESTION ID

S56-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

**C. Quadrilateral,
parallelogram,
rectangle, square**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q1

Grade 5 • Geometry • 5.G.B.4 • Set 56 • MAIN • Q1/5

True or false?

A square is a rectangle, a rhombus, and a parallelogram.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q2

Grade 5 • Geometry • 5.G.B.4 • Set 56 • MAIN • Q2/5

1894

QUESTION ID

S56-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q2

Grade 5 • Geometry • 5.G.B.4 • Set 56 • MAIN • Q2/5

Which of these categories does every rhombus belong to?

quadrilateral, parallelogram, rectangle, square

Categories: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q3

Grade 5 • Geometry • 5.G.B.4 • Set 56 • MAIN • Q3/5

1895

QUESTION ID

S56-M-Q3

TYPE

Short answer

CORRECT ANSWER

**Quadrilateral and
parallelogram**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q3

Grade 5 • Geometry • 5.G.B.4 • Set 56 • MAIN • Q3/5

A shape has 4 sides of equal length and 4 right angles.

What is the most specific name for it?

- A. Rectangle
- B. Rhombus
- C. Square
- D. Quadrilateral

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q4

Grade 5 • Geometry • 5.G.B.4 • Set 56 • MAIN • Q4/5

1896

QUESTION ID

S56-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. Square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q4

Grade 5 • Geometry • 5.G.B.4 • Set 56 • MAIN • Q4/5

True or false?

Every parallelogram is a rhombus.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q5

Grade 5 • Geometry • 5.G.B.4 • Set 56 • MAIN • Q5/5

1897

QUESTION ID

S56-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q5

Grade 5 • Geometry • 5.G.B.4 • Set 56 • MAIN • Q5/5

SET 56 • 5.G.B.4

BACKWARD 1

Quadrilaterals • Grade 3 • Geometry • 3.G.A.1

True or false?

A rectangle is a quadrilateral.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 56 • BACKWARD 1 • Q1/5

1899

QUESTION ID

S56-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 56 • BACKWARD 1 • Q1/5

Which shape always has 4 sides of equal length?

- A.** Triangle
- B.** Rectangle
- C.** Rhombus
- D.** Kite

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 56 • BACKWARD 1 • Q2/5

1900

QUESTION ID

S56-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 56 • BACKWARD 1 • Q2/5

How many angles does a quadrilateral have?

Angles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 56 • BACKWARD 1 • Q3/5

1901

QUESTION ID

S56-B1-Q3

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 56 • BACKWARD 1 • Q3/5

True or false?

Every quadrilateral is a square.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 56 • BACKWARD 1 • Q4/5

1902

QUESTION ID

S56-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 56 • BACKWARD 1 • Q4/5

Name a shape that is a quadrilateral but is not a parallelogram.

Shape: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 56 • BACKWARD 1 • Q5/5

1903

QUESTION ID

S56-B1-Q5

TYPE

Short answer

CORRECT ANSWER

A kite

GRADING NOTE Any quadrilateral without two pairs of parallel sides is correct, such as a kite or a trapezoid with one pair of parallel sides.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 56 • BACKWARD 1 • Q5/5

SET 56 • 5.G.B.4

BACKWARD 2

Classifying by parallel sides and right angles • Grade 4 • Geometry • 4.G.A.2

True or false?

A quadrilateral with 2 pairs of parallel sides is a parallelogram.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q1

Grade 4 • Geometry • 4.G.A.2 • Set 56 • BACKWARD 2 • Q1/5

1905

QUESTION ID

S56-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q1

Grade 4 • Geometry • 4.G.A.2 • Set 56 • BACKWARD 2 • Q1/5

Which shape always has 4 right angles?

- A.** Rectangle
- B.** Parallelogram
- C.** Kite
- D.** Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q2

Grade 4 • Geometry • 4.G.A.2 • Set 56 • BACKWARD 2 • Q2/5

1906

QUESTION ID

S56-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. Rectangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q2

Grade 4 • Geometry • 4.G.A.2 • Set 56 • BACKWARD 2 • Q2/5

How many pairs of parallel sides does a parallelogram have?

Pairs: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q3

Grade 4 • Geometry • 4.G.A.2 • Set 56 • BACKWARD 2 • Q3/5

1907

QUESTION ID

S56-B2-Q3

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q3

Grade 4 • Geometry • 4.G.A.2 • Set 56 • BACKWARD 2 • Q3/5

True or false?

The sides of a square that meet at a corner are perpendicular.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q4

Grade 4 • Geometry • 4.G.A.2 • Set 56 • BACKWARD 2 • Q4/5

1908

QUESTION ID

S56-B2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q4

Grade 4 • Geometry • 4.G.A.2 • Set 56 • BACKWARD 2 • Q4/5

Which description fits every rhombus?

- A.** No parallel sides
- B.** 3 sides
- C.** 4 sides of equal length
- D.** 4 right angles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q5

Grade 4 • Geometry • 4.G.A.2 • Set 56 • BACKWARD 2 • Q5/5

1909

QUESTION ID

S56-B2-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. 4 sides of equal length

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q5

Grade 4 • Geometry • 4.G.A.2 • Set 56 • BACKWARD 2 • Q5/5

SET 56 • 5.G.B.4

FORWARD 1

Area of parallelograms, rhombuses, and trapezoids • Grade 6 • Geometry •
6.G.A.1

A parallelogram has a base of 10 cm and a height of 6 cm.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 56 • FORWARD 1 • Q1/5

1911

QUESTION ID

S56-F1-Q1

TYPE

Short answer

CORRECT ANSWER

60 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 56 • FORWARD 1 • Q1/5

A rhombus has a base of 7 in. and a height of 5 in.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 56 • FORWARD 1 • Q2/5

1912

QUESTION ID

S56-F1-Q2

TYPE

Short answer

CORRECT ANSWER

35 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 56 • FORWARD 1 • Q2/5

A square has sides that are 9 m long.

What is its area?

- A. 36 square meters
- B. 81 square meters
- C. 90 square meters
- D. 18 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 56 • FORWARD 1 • Q3/5

1913

QUESTION ID

S56-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 81 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 56 • FORWARD 1 • Q3/5

A trapezoid has bases of 6 ft and 10 ft and a height of 4 ft.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 56 • FORWARD 1 • Q4/5

1914

QUESTION ID

S56-F1-Q4

TYPE

Short answer

CORRECT ANSWER

32 square feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 56 • FORWARD 1 • Q4/5

True or false?

A parallelogram has a greater area than a rectangle with the same base and the same height.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 56 • FORWARD 1 • Q5/5

1915

QUESTION ID

S56-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 56 • FORWARD 1 • Q5/5

SET 56 • 5.G.B.4

FORWARD 2

Shapes with given conditions • Grade 7 • Geometry • 7.G.A.2

Can you draw a rectangle that is not a square? Write yes or no.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q1

Grade 7 • Geometry • 7.G.A.2 • Set 56 • FORWARD 2 • Q1/5

1917

QUESTION ID

S56-F2-Q1

TYPE

Short answer

CORRECT ANSWER

Yes

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q1

Grade 7 • Geometry • 7.G.A.2 • Set 56 • FORWARD 2 • Q1/5

A quadrilateral has 4 sides of equal length but no right angles.

What is it?

- A.** A rhombus that is not a square **B.** A trapezoid
C. A rectangle **D.** A square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q2

Grade 7 • Geometry • 7.G.A.2 • Set 56 • FORWARD 2 • Q2/5

1918

QUESTION ID

S56-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. A rhombus that is not a square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q2

Grade 7 • Geometry • 7.G.A.2 • Set 56 • FORWARD 2 • Q2/5

True or false?

Only one triangle can be drawn with angles of 40° , 60° , and 80° .

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q3

Grade 7 • Geometry • 7.G.A.2 • Set 56 • FORWARD 2 • Q3/5

1919

QUESTION ID

S56-F2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q3

Grade 7 • Geometry • 7.G.A.2 • Set 56 • FORWARD 2 • Q3/5

Is there more than one triangle shape with sides of 6 cm, 6 cm, and 6 cm? Write yes or no.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q4

Grade 7 • Geometry • 7.G.A.2 • Set 56 • FORWARD 2 • Q4/5

1920

QUESTION ID

S56-F2-Q4

TYPE

Short answer

CORRECT ANSWER

No

GRADING NOTE Three side lengths determine one unique triangle.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q4

Grade 7 • Geometry • 7.G.A.2 • Set 56 • FORWARD 2 • Q4/5

True or false?

A triangle with three sides of 5 cm also has three equal angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q5

Grade 7 • Geometry • 7.G.A.2 • Set 56 • FORWARD 2 • Q5/5

1921

QUESTION ID

S56-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q5

Grade 7 • Geometry • 7.G.A.2 • Set 56 • FORWARD 2 • Q5/5

Classify triangles by their sides and angles

MAIN	Grade 5 main question	5.G.B.4
BACKWARD 1	Right, acute, and obtuse triangles	4.G.A.2
BACKWARD 2	Kinds of angles	4.G.A.1
BACKWARD 3	Triangles	2.G.A.1
FORWARD 1	Area of triangles	6.G.A.1
FORWARD 2	Complementary, supplementary, and vertical angles	7.G.B.5

SET 57 • 5.G.B.4

MAIN

Grade 5 main question • Grade 5 • Geometry • 5.G.B.4

A triangle has sides of 6 cm, 6 cm, and 6 cm.

Which name fits it?

- A.** Obtuse
- B.** Scalene
- C.** Equilateral
- D.** Right

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q1

Grade 5 • Geometry • 5.G.B.4 • Set 57 • MAIN • Q1/5

1924

QUESTION ID

S57-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

C. Equilateral

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q1

Grade 5 • Geometry • 5.G.B.4 • Set 57 • MAIN • Q1/5

A triangle has angles of 90° , 50° , and 40° .

Classify it by its angles.

Classification: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q2

Grade 5 • Geometry • 5.G.B.4 • Set 57 • MAIN • Q2/5

1925

QUESTION ID

S57-M-Q2

TYPE

Short answer

CORRECT ANSWER

Right triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q2

Grade 5 • Geometry • 5.G.B.4 • Set 57 • MAIN • Q2/5

True or false?

Every equilateral triangle is also an isosceles triangle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q3

Grade 5 • Geometry • 5.G.B.4 • Set 57 • MAIN • Q3/5

1926

QUESTION ID

S57-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q3

Grade 5 • Geometry • 5.G.B.4 • Set 57 • MAIN • Q3/5

A triangle has sides of 3, 5, and 7 units and an angle of 120° .

Which name fits it?

- A.** Acute equilateral
- B.** Right scalene
- C.** Right isosceles
- D.** Obtuse scalene

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q4

Grade 5 • Geometry • 5.G.B.4 • Set 57 • MAIN • Q4/5

1927

QUESTION ID

S57-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. Obtuse scalene

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q4

Grade 5 • Geometry • 5.G.B.4 • Set 57 • MAIN • Q4/5

A triangle has angles of 70° , 70° , and 40° .

Classify it by its angles and by its sides.

By angles: _____

By sides: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q5

Grade 5 • Geometry • 5.G.B.4 • Set 57 • MAIN • Q5/5

1928

QUESTION ID

S57-M-Q5

TYPE

Short answer

CORRECT ANSWER

Acute; isosceles

GRADING NOTE Two equal angles mean two equal sides.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q5

Grade 5 • Geometry • 5.G.B.4 • Set 57 • MAIN • Q5/5

SET 57 • 5.G.B.4

BACKWARD 1

Right, acute, and obtuse triangles • Grade 4 • Geometry • 4.G.A.2

True or false?

A right triangle has exactly one right angle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q1

Grade 4 • Geometry • 4.G.A.2 • Set 57 • BACKWARD 1 • Q1/5

1930

QUESTION ID

S57-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q1

Grade 4 • Geometry • 4.G.A.2 • Set 57 • BACKWARD 1 • Q1/5

Which angle measure is obtuse?

- A.** 10°
- B.** 45°
- C.** 130°
- D.** 90°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q2

Grade 4 • Geometry • 4.G.A.2 • Set 57 • BACKWARD 1 • Q2/5

1931

QUESTION ID

S57-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. 130°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q2

Grade 4 • Geometry • 4.G.A.2 • Set 57 • BACKWARD 1 • Q2/5

A triangle has one angle greater than 90° .

What kind of triangle is it?

Kind: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q3

Grade 4 • Geometry • 4.G.A.2 • Set 57 • BACKWARD 1 • Q3/5

1932

QUESTION ID

S57-B1-Q3

TYPE

Short answer

CORRECT ANSWER

Obtuse triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q3

Grade 4 • Geometry • 4.G.A.2 • Set 57 • BACKWARD 1 • Q3/5

True or false?

In an acute triangle, all three angles are less than 90° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q4

Grade 4 • Geometry • 4.G.A.2 • Set 57 • BACKWARD 1 • Q4/5

1933

QUESTION ID

S57-B1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q4

Grade 4 • Geometry • 4.G.A.2 • Set 57 • BACKWARD 1 • Q4/5

Which angle measure is acute?

- A. 100°
- B. 180°
- C. 60°
- D. 90°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q5

Grade 4 • Geometry • 4.G.A.2 • Set 57 • BACKWARD 1 • Q5/5

1934

QUESTION ID

S57-B1-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. 60°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q5

Grade 4 • Geometry • 4.G.A.2 • Set 57 • BACKWARD 1 • Q5/5

SET 57 • 5.G.B.4

BACKWARD 2

Kinds of angles • Grade 4 • Geometry • 4.G.A.1

True or false?

A right angle measures 90° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 57 • BACKWARD 2 • Q1/5

1936

QUESTION ID

S57-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 57 • BACKWARD 2 • Q1/5

What kind of angle measures 35° ?

- A. Right
- B. Straight
- C. Obtuse
- D. Acute

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 57 • BACKWARD 2 • Q2/5

1937

QUESTION ID

S57-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. Acute

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 57 • BACKWARD 2 • Q2/5

What kind of angle measures 150° ?

Kind: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 57 • BACKWARD 2 • Q3/5

1938

QUESTION ID

S57-B2-Q3

TYPE

Short answer

CORRECT ANSWER

Obtuse

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 57 • BACKWARD 2 • Q3/5

True or false?

Two right angles together make 360° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q4

Grade 4 • Geometry • 4.G.A.1 • Set 57 • BACKWARD 2 • Q4/5

1939

QUESTION ID

S57-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q4

Grade 4 • Geometry • 4.G.A.1 • Set 57 • BACKWARD 2 • Q4/5

What kind of angle measures exactly 90° ?

Kind: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 57 • BACKWARD 2 • Q5/5

1940

QUESTION ID

S57-B2-Q5

TYPE

Short answer

CORRECT ANSWER

Right angle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 57 • BACKWARD 2 • Q5/5

SET 57 • 5.G.B.4

BACKWARD 3

Triangles • Grade 2 • Geometry • 2.G.A.1

How many sides does a triangle have?

Sides: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B3-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 57 • BACKWARD 3 • Q1/5

1942

QUESTION ID

S57-B3-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B3-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 57 • BACKWARD 3 • Q1/5

True or false?

A triangle has 3 angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B3-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 57 • BACKWARD 3 • Q2/5

1943

QUESTION ID

S57-B3-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B3-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 57 • BACKWARD 3 • Q2/5

Which shape has 3 sides?

- A.** Square
- B.** Hexagon
- C.** Pentagon
- D.** Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B3-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 57 • BACKWARD 3 • Q3/5

1944

QUESTION ID

S57-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B3-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 57 • BACKWARD 3 • Q3/5

True or false?

All triangles have sides of equal length.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B3-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 57 • BACKWARD 3 • Q4/5

1945

QUESTION ID

S57-B3-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B3-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 57 • BACKWARD 3 • Q4/5

How many vertices (corners) does a triangle have?

Vertices: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B3-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 57 • BACKWARD 3 • Q5/5

1946

QUESTION ID

S57-B3-Q5

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B3-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 57 • BACKWARD 3 • Q5/5

SET 57 • 5.G.B.4

FORWARD 1

Area of triangles • Grade 6 • Geometry • 6.G.A.1

A right triangle has legs that are 6 cm and 8 cm long.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 57 • FORWARD 1 • Q1/5

1948

QUESTION ID

S57-F1-Q1

TYPE

Short answer

CORRECT ANSWER

24 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 57 • FORWARD 1 • Q1/5

A triangle has a base of 10 in. and a height of 7 in.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 57 • FORWARD 1 • Q2/5

1949

QUESTION ID

S57-F1-Q2

TYPE

Short answer

CORRECT ANSWER

35 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 57 • FORWARD 1 • Q2/5

An obtuse triangle has a base of 5 m. Its height, measured outside the triangle, is 4 m.

What is its area?

- A.** 20 square meters **B.** 40 square meters
C. 10 square meters **D.** 9 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 57 • FORWARD 1 • Q3/5

1950

QUESTION ID

S57-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 10 square meters


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 57 • FORWARD 1 • Q3/5

Find the area of the triangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 57 • FORWARD 1 • Q4/5

1951

QUESTION ID

S57-F1-Q4

TYPE

Short answer

CORRECT ANSWER

20 square feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 57 • FORWARD 1 • Q4/5

True or false?

Two triangles with the same base and the same height have the same area.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 57 • FORWARD 1 • Q5/5

1952

QUESTION ID

S57-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 57 • FORWARD 1 • Q5/5

SET 57 • 5.G.B.4

FORWARD 2

Complementary, supplementary, and vertical angles • Grade 7 • Geometry •
7.G.B.5

Two angles are complementary. One measures 35° .

What is the measure of the other angle?

Angle: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q1

Grade 7 • Geometry • 7.G.B.5 • Set 57 • FORWARD 2 • Q1/5

1954

QUESTION ID

S57-F2-Q1

TYPE

Short answer

CORRECT ANSWER

55°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q1

Grade 7 • Geometry • 7.G.B.5 • Set 57 • FORWARD 2 • Q1/5

Two angles are supplementary. One measures 110° .

What is the measure of the other angle?

Angle: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q2

Grade 7 • Geometry • 7.G.B.5 • Set 57 • FORWARD 2 • Q2/5

1955

QUESTION ID

S57-F2-Q2

TYPE

Short answer

CORRECT ANSWER

70°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q2

Grade 7 • Geometry • 7.G.B.5 • Set 57 • FORWARD 2 • Q2/5

Vertical angles are always ____.

- A.** right angles
- B.** complementary
- C.** equal
- D.** supplementary

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q3

Grade 7 • Geometry • 7.G.B.5 • Set 57 • FORWARD 2 • Q3/5

1956

QUESTION ID

S57-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. equal

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q3

Grade 7 • Geometry • 7.G.B.5 • Set 57 • FORWARD 2 • Q3/5

An angle and a 72° angle together form a straight line.

What is the measure of the angle?

Angle: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q4

Grade 7 • Geometry • 7.G.B.5 • Set 57 • FORWARD 2 • Q4/5

1957

QUESTION ID

S57-F2-Q4

TYPE

Short answer

CORRECT ANSWER

108°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q4

Grade 7 • Geometry • 7.G.B.5 • Set 57 • FORWARD 2 • Q4/5

True or false?

Two adjacent angles that together form a right angle are complementary.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q5

Grade 7 • Geometry • 7.G.B.5 • Set 57 • FORWARD 2 • Q5/5

1958

QUESTION ID

S57-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q5

Grade 7 • Geometry • 7.G.B.5 • Set 57 • FORWARD 2 • Q5/5