

GRADE 4 COMMON CORE MATH

Answer Key

Main • Backward Branches • Forward 1 (Grade 5) • Forward 2 (Grade 6)

64 question sets • 1600 questions

Page numbers match the Question Collection.

Every page shows its question ID (for example S40-F2-Q3).

CONTENTS

Set 1	4.OA.A.1	Interpret a multiplication equation as a comparison	6
Set 2	4.OA.A.1	Write a comparison statement as a multiplication equation	37
Set 3	4.OA.A.2	Solve multiplicative comparison word problems by multiplying	68
Set 4	4.OA.A.2	Solve multiplicative comparison word problems by dividing	99
Set 5	4.OA.A.2	Tell multiplicative comparison from additive comparison	130
Set 6	4.OA.A.3	Solve multistep word problems and write an equation with a letter for the unknown	161
Set 7	4.OA.A.3	Interpret remainders in word problems	192
Set 8	4.OA.A.3	Use rounding and mental math to check whether an answer is reasonable	223
Set 9	4.OA.B.4	Find all factor pairs of a whole number from 1 to 100	254
Set 10	4.OA.B.4	A whole number is a multiple of each of its factors; find multiples	285
Set 11	4.OA.B.4	Decide whether a whole number from 1 to 100 is prime or composite	316
Set 12	4.OA.C.5	Generate a number or shape pattern that follows a given rule	347
Set 13	4.OA.C.5	Identify features of a pattern that the rule does not state, and explain them	378
Set 14	4.NBT.A.1	A digit in one place is worth ten times what it is worth in the place to its right	409
Set 15	4.NBT.A.1	Use place value and division to explain why one number is ten times another	440
Set 16	4.NBT.A.2	Read and write multi-digit whole numbers using numerals and number names	471
Set 17	4.NBT.A.2	Write multi-digit whole numbers in expanded form	502

CONTENTS (continued)

Set 18	4.NBT.A.2	Compare multi-digit whole numbers using $>$, $=$, and $<$	533
Set 19	4.NBT.A.3	Round multi-digit whole numbers to any place	564
Set 20	4.NBT.B.4	Add multi-digit whole numbers using the standard algorithm	595
Set 21	4.NBT.B.4	Subtract multi-digit whole numbers using the standard algorithm	626
Set 22	4.NBT.B.5	Multiply a whole number of up to four digits by a one-digit number	657
Set 23	4.NBT.B.5	Multiply two two-digit numbers	688
Set 24	4.NBT.B.5	Illustrate and explain multiplication with equations, arrays, and area models	719
Set 25	4.NBT.B.6	Divide up to four-digit dividends by one-digit divisors, with remainders	750
Set 26	4.NBT.B.6	Illustrate and explain division with equations, area models, and place value	781
Set 27	4.NF.A.1	Explain why fractions are equivalent using visual fraction models	812
Set 28	4.NF.A.1	Generate equivalent fractions	843
Set 29	4.NF.A.2	Compare two fractions by finding a common denominator or a common numerator	874
Set 30	4.NF.A.2	Compare fractions using the benchmark $\frac{1}{2}$, and only when they refer to the same	905
Set 31	4.NF.B.3.a	Understand adding and subtracting fractions as joining and separating parts of th	936
Set 32	4.NF.B.3.b	Decompose a fraction into a sum of fractions with the same denominator, and justi	967
Set 33	4.NF.B.3.c	Add mixed numbers with like denominators	998
Set 34	4.NF.B.3.c	Subtract mixed numbers with like denominators	1029

CONTENTS (continued)

Set 35	4.NF.B.3.d	Solve word problems by adding and subtracting fractions with like denominators	1060
Set 36	4.NF.B.4.a	Understand a fraction a/b as a multiple of $1/b$	1091
Set 37	4.NF.B.4.b	Multiply a fraction by a whole number: $n \times (a/b) = (n \times a)/b$	1122
Set 38	4.NF.B.4.c	Solve word problems by multiplying a fraction by a whole number	1153
Set 39	4.NF.C.5	Write tenths as hundredths and add fractions with denominators 10 and 100	1184
Set 40	4.NF.C.6	Write fractions with denominators 10 or 100 as decimals	1215
Set 41	4.NF.C.6	Locate decimals to hundredths on a number line	1246
Set 42	4.NF.C.7	Compare two decimals to hundredths and justify the comparison	1277
Set 43	4.MD.A.1	Know the relative sizes of measurement units within one system	1308
Set 44	4.MD.A.1	Express a larger unit in terms of a smaller unit and record the pairs in a table	1339
Set 45	4.MD.A.2	Solve word problems about distances and intervals of time	1370
Set 46	4.MD.A.2	Solve word problems about liquid volume, mass, and money	1401
Set 47	4.MD.A.2	Solve measurement problems with simple fractions or decimals, using number lin	1432
Set 48	4.MD.A.3	Apply the area and perimeter formulas for rectangles	1463
Set 49	4.MD.A.3	Find an unknown side length from the area or the perimeter of a rectangle	1494
Set 50	4.MD.B.4	Make a line plot of measurements in fractions of a unit ($1/2$, $1/4$, $1/8$)	1525
Set 51	4.MD.B.4	Solve addition and subtraction problems using fraction data in a line plot	1556

CONTENTS (continued)

Set 52	4.MD.C.5.a	An angle is measured as a fraction of a full circle; a one-degree angle is $\frac{1}{360}$ of	1587
Set 53	4.MD.C.5.b	An angle that turns through n one-degree angles has a measure of n degrees	1618
Set 54	4.MD.C.6	Measure angles in whole-number degrees using a protractor	1649
Set 55	4.MD.C.6	Sketch angles of a given measure using a protractor	1680
Set 56	4.MD.C.7	Angle measure is additive	1711
Set 57	4.MD.C.7	Solve for unknown angles in diagrams and real-world problems with an equation	1742
Set 58	4.G.A.1	Draw and identify points, lines, line segments, and rays	1773
Set 59	4.G.A.1	Draw and identify right, acute, and obtuse angles	1804
Set 60	4.G.A.1	Draw and identify perpendicular and parallel lines	1835
Set 61	4.G.A.2	Classify two-dimensional figures by parallel or perpendicular sides and by angles	1866
Set 62	4.G.A.2	Recognize right triangles as a category, and identify them	1897
Set 63	4.G.A.3	Recognize lines of symmetry and line-symmetric figures	1928
Set 64	4.G.A.3	Draw lines of symmetry	1959

Interpret a multiplication equation as a comparison

MAIN	Grade 4 main question	4.OA.A.1
BACKWARD 1	Products as equal groups	3.OA.A.1
BACKWARD 2	Multiplication facts within 100	3.OA.C.7
FORWARD 1	Compare the size of a product to the size of one factor	5.NF.B.5.a
FORWARD 2	Use ratio language to describe a relationship	6.RP.A.1

SET 1 • 4.OA.A.1

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1

Which statement matches $24 = 6 \times 4$?

- A. 24 is 6 more than 4.
- B. 6 is 4 times as many as 24.
- C. 24 is 4 more than 6.
- D. 24 is 6 times as many as 4.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 1 • MAIN • Q1/5

8

QUESTION ID

S1-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

D. 24 is 6 times as many as 4.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 1 • MAIN • Q1/5

Write a comparison statement for $45 = 9 \times 5$.

Statement: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 1 • MAIN • Q2/5

9

QUESTION ID

S1-M-Q2

TYPE

Short answer

CORRECT ANSWER

**45 is 9 times as
many as 5.**

GRADING NOTE "45 is 5 times as many as 9" is also correct. A statement with "more than" is not correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 1 • MAIN • Q2/5

True or false?

$56 = 7 \times 8$ can mean that 56 is 8 times as many as 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 1 • MAIN • Q3/5

10

QUESTION ID

S1-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 1 • MAIN • Q3/5

True or false?

$18 = 3 \times 6$ means that 18 is 3 more than 6.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 1 • MAIN • Q4/5

11

QUESTION ID

S1-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 1 • MAIN • Q4/5

Which equation means "63 is 7 times as many as 9"?

A. $63 = 7 + 9$

B. $7 = 63 \times 9$

C. $63 = 7 \times 9$

D. $63 = 9 - 7$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 1 • MAIN • Q5/5

12

QUESTION ID

S1-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. $63 = 7 \times 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 1 • MAIN • Q5/5

SET 1 • 4.OA.A.1

BACKWARD 1

Products as equal groups • Grade 3 • Operations & Algebraic Thinking •
3.OA.A.1

What is the total in 4 groups of 6?

Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 1 • BACKWARD 1 • Q1/5

14

QUESTION ID

S1-B1-Q1

TYPE

Short answer

CORRECT ANSWER

24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 1 • BACKWARD 1 • Q1/5

True or false?

5×3 can mean 5 groups with 3 objects in each group.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 1 • BACKWARD 1 • Q2/5

15

QUESTION ID

S1-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 1 • BACKWARD 1 • Q2/5

Which expression shows 3 groups of 7?

- A. $7 - 3$
- B. $3 + 7$
- C. $7 \div 3$
- D. 3×7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 1 • BACKWARD 1 • Q3/5

16

QUESTION ID

S1-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 3×7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 1 • BACKWARD 1 • Q3/5

Write a multiplication equation for 6 groups of 2.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 1 • BACKWARD 1 • Q4/5

17

QUESTION ID

S1-B1-Q4

TYPE

Short answer

CORRECT ANSWER

6 × 2 = 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 1 • BACKWARD 1 • Q4/5

True or false?

2×8 means 2 more than 8.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 1 • BACKWARD 1 • Q5/5

18

QUESTION ID

S1-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 1 • BACKWARD 1 • Q5/5

SET 1 • 4.OA.A.1

BACKWARD 2

Multiplication facts within 100 • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$9 \times 5$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q1/5

20

QUESTION ID

S1-B2-Q1

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q1/5

True or false?

$$7 \times 8 = 54$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q2/5

21

QUESTION ID

S1-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q2/5

$$6 \times 4 = ?$$

- A.** 10
- B.** 20
- C.** 24
- D.** 28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q3/5

22

QUESTION ID

S1-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q3/5

Multiply.

$$8 \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q4/5

23

QUESTION ID

S1-B2-Q4

TYPE

Short answer

CORRECT ANSWER

48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q4/5

Multiply.

$$7 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q5/5

24

QUESTION ID

S1-B2-Q5

TYPE

Short answer

CORRECT ANSWER

63

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q5/5

SET 1 • 4.OA.A.1

FORWARD 1

Compare the size of a product to the size of one factor • Grade 5 • Number & Operations–Fractions • 5.NF.B.5.a

Without multiplying, how does 3×25 compare with 25?

- A. It is 3 more.
- B. It is smaller than 25.
- C. It is equal to 25.
- D. It is 3 times as large.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 1 • FORWARD 1 • Q1/5

26

QUESTION ID

S1-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

D. It is 3 times as large.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 1 • FORWARD 1 • Q1/5

True or false?

$\frac{1}{2} \times 40$ is less than 40.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 1 • FORWARD 1 • Q2/5

27

QUESTION ID

S1-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 1 • FORWARD 1 • Q2/5

A rope is 12 feet long. A second rope is 4 times as long.
How long is the second rope?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 1 • FORWARD 1 • Q3/5

28

QUESTION ID

S1-F1-Q3

TYPE

Short answer

CORRECT ANSWER

48 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 1 • FORWARD 1 • Q3/5

True or false?

5×18 is less than 18.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 1 • FORWARD 1 • Q4/5

29

QUESTION ID

S1-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 1 • FORWARD 1 • Q4/5

Which product is greater than 30?

A. $\frac{1}{2} \times 30$

B. 2×30

C. $\frac{3}{4} \times 30$

D. $\frac{1}{3} \times 30$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 1 • FORWARD 1 • Q5/5

30

QUESTION ID

S1-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

B. 2×30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 1 • FORWARD 1 • Q5/5

SET 1 • 4.OA.A.1

FORWARD 2

Use ratio language to describe a relationship • Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1

A class has 12 girls and 4 boys.

Write the ratio of girls to boys.

Ratio: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1 • Set 1 • FORWARD 2 • Q1/5

32

QUESTION ID

S1-F2-Q1

TYPE

Short answer

CORRECT ANSWER

12 : 4

GRADING NOTE 3 : 1, 12 to 4, and 12/4 are also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1 • Set 1 • FORWARD 2 • Q1/5

True or false?

If there are 3 times as many cats as dogs, the ratio of cats to dogs is 3 : 1.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1 • Set 1 • FORWARD 2 • Q2/5

33

QUESTION ID

S1-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1 • Set 1 • FORWARD 2 • Q2/5

A bag has 5 red marbles for every 2 blue marbles.

Which statement describes the ratio?

- A. There are 5 more red marbles than blue.
- B. For every 5 red marbles there are 2 blue marbles.
- C. There are 2 times as many red marbles as blue.
- D. There are 7 red marbles.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1 • Set 1 • FORWARD 2 • Q3/5

34

QUESTION ID

S1-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. For every 5 red marbles there are 2 blue marbles.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1 • Set 1 • FORWARD 2 • Q3/5

There are 18 apples and 6 pears.

How many apples are there for every 1 pear?

Apples: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1 • Set 1 • FORWARD 2 • Q4/5

35

QUESTION ID

S1-F2-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1 • Set 1 • FORWARD 2 • Q4/5

True or false?

The ratio 2 : 8 means there are 2 times as many of the first quantity as the second.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1 • Set 1 • FORWARD 2 • Q5/5

36

QUESTION ID

S1-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.1 • Set 1 • FORWARD 2 • Q5/5

Write a comparison statement as a multiplication equation

MAIN	Grade 4 main question	4.OA.A.1
BACKWARD 1	Multiplication word problems within 100	3.OA.A.3
BACKWARD 2	Find the unknown number in a multiplication equation	3.OA.A.4
FORWARD 1	Write numerical expressions from words	5.OA.A.2
FORWARD 2	Write expressions that use a variable	6.EE.A.2.a

SET 2 • 4.OA.A.1

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1

Write an equation.

32 is 4 times as many as 8.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 2 • MAIN • Q1/5

39

QUESTION ID

S2-M-Q1

TYPE

Short answer

CORRECT ANSWER

$32 = 4 \times 8$

GRADING NOTE $32 = 8 \times 4$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 2 • MAIN • Q1/5

Kai has 5 stickers. Lena has 3 times as many stickers as Kai.

Which equation gives Lena's stickers, s ?

A. $s = 3 \times 5$

B. $s = 5 - 3$

C. $s = 3 + 5$

D. $s = 5 \div 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 2 • MAIN • Q2/5

40

QUESTION ID

S2-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. $s = 3 \times 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 2 • MAIN • Q2/5

Write an equation.

54 is 6 times as many as 9.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 2 • MAIN • Q3/5

41

QUESTION ID

S2-M-Q3

TYPE

Short answer

CORRECT ANSWER

54 = 6 × 9

GRADING NOTE $54 = 9 \times 6$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 2 • MAIN • Q3/5

True or false?

"40 is 8 times as many as 5" can be written as
 $40 = 8 + 5$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 2 • MAIN • Q4/5

42

QUESTION ID

S2-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 2 • MAIN • Q4/5

A tree is 7 times as tall as a 2-meter bush.

Write an equation for the tree's height, t .

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 2 • MAIN • Q5/5

43

QUESTION ID

S2-M-Q5

TYPE

Short answer

CORRECT ANSWER

$$t = 7 \times 2$$

GRADING NOTE $t = 2 \times 7$ is also correct. (The tree is 14 meters tall.)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 2 • MAIN • Q5/5

SET 2 • 4.OA.A.1

BACKWARD 1

Multiplication word problems within 100 • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3

There are 6 boxes with 8 crayons in each box.

How many crayons are there?

Crayons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 2 • BACKWARD 1 • Q1/5

45

QUESTION ID

S2-B1-Q1

TYPE

Short answer

CORRECT ANSWER

48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 2 • BACKWARD 1 • Q1/5

True or false?

5 bags with 9 apples in each bag hold 45 apples.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 2 • BACKWARD 1 • Q2/5

46

QUESTION ID

S2-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 2 • BACKWARD 1 • Q2/5

A garden has 4 rows with 7 plants in each row.

How many plants are there?

- A.** 21
- B.** 32
- C.** 28
- D.** 11

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 2 • BACKWARD 1 • Q3/5

47

QUESTION ID

S2-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 2 • BACKWARD 1 • Q3/5

Each pack has 3 juice boxes.

How many juice boxes are in 9 packs?

Juice boxes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 2 • BACKWARD 1 • Q4/5

48

QUESTION ID

S2-B1-Q4

TYPE

Short answer

CORRECT ANSWER

27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 2 • BACKWARD 1 • Q4/5

True or false?

8 teams with 5 players each have 13 players in all.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 2 • BACKWARD 1 • Q5/5

49

QUESTION ID

S2-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 2 • BACKWARD 1 • Q5/5

SET 2 • 4.OA.A.1

BACKWARD 2

Find the unknown number in a multiplication equation • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4

Find the unknown number.

$$? \times 6 = 30$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 2 • BACKWARD 2 • Q1/5

51

QUESTION ID

S2-B2-Q1

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 2 • BACKWARD 2 • Q1/5

True or false?

If $4 \times n = 36$, then $n = 8$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 2 • BACKWARD 2 • Q2/5

52

QUESTION ID

S2-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 2 • BACKWARD 2 • Q2/5

$$8 \times ? = 56$$

- A.** 8
- B.** 7
- C.** 6
- D.** 48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 2 • BACKWARD 2 • Q3/5

53

QUESTION ID

S2-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 2 • BACKWARD 2 • Q3/5

Find the unknown number.

$$3 \times ? = 27$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 2 • BACKWARD 2 • Q4/5

54

QUESTION ID

S2-B2-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 2 • BACKWARD 2 • Q4/5

True or false?

If $m \times 7 = 42$, then $m = 6$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 2 • BACKWARD 2 • Q5/5

55

QUESTION ID

S2-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 2 • BACKWARD 2 • Q5/5

SET 2 • 4.OA.A.1

FORWARD 1

Write numerical expressions from words • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2

Write an expression.

3 times the sum of 8 and 4

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 2 • FORWARD 1 • Q1/5

57

QUESTION ID

S2-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$3 \times (8 + 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 2 • FORWARD 1 • Q1/5

Which expression means "add 9 and 6, then multiply by 2"?

- A. $9 \times 6 + 2$
- B. $9 + 6 \times 2$
- C. $(9 + 6) \times 2$
- D. $2 + 9 \times 6$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 2 • FORWARD 1 • Q2/5

58

QUESTION ID

S2-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. $(9 + 6) \times 2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 2 • FORWARD 1 • Q2/5

True or false?

$5 \times (12 - 3)$ is 5 times as large as $12 - 3$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 2 • FORWARD 1 • Q3/5

59

QUESTION ID

S2-F1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 2 • FORWARD 1 • Q3/5

Write an expression.

4 times as large as $25 + 15$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 2 • FORWARD 1 • Q4/5

60

QUESTION ID

S2-F1-Q4

TYPE

Short answer

CORRECT ANSWER

$4 \times (25 + 15)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 2 • FORWARD 1 • Q4/5

True or false?

$2 \times (7 + 1)$ is 2 more than $7 + 1$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 2 • FORWARD 1 • Q5/5

61

QUESTION ID

S2-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 2 • FORWARD 1 • Q5/5

SET 2 • 4.OA.A.1

FORWARD 2

Write expressions that use a variable • Grade 6 • Expressions & Equations •
6.EE.A.2.a

Write an expression for 5 times a number n .

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 2 • FORWARD 2 • Q1/5

63

QUESTION ID

S2-F2-Q1

TYPE

Short answer

CORRECT ANSWER

5n

GRADING NOTE $5 \times n$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 2 • FORWARD 2 • Q1/5

Which expression means "8 more than y "?

- A.** $y + 8$
- B.** $8 - y$
- C.** $y - 8$
- D.** $8y$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 2 • FORWARD 2 • Q2/5

64

QUESTION ID

S2-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. $y + 8$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 2 • FORWARD 2 • Q2/5

Maya has m marbles. Jo has 4 times as many marbles as Maya.

Write an expression for Jo's marbles.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 2 • FORWARD 2 • Q3/5

65

QUESTION ID

S2-F2-Q3

TYPE

Short answer

CORRECT ANSWER

4m

GRADING NOTE $4 \times m$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 2 • FORWARD 2 • Q3/5

True or false?

"3 times the sum of x and 2" can be written as $3(x + 2)$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 2 • FORWARD 2 • Q4/5

66

QUESTION ID

S2-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 2 • FORWARD 2 • Q4/5

True or false?

"7 less than k" can be written as $7 - k$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 2 • FORWARD 2 • Q5/5

67

QUESTION ID

S2-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 2 • FORWARD 2 • Q5/5

Solve multiplicative comparison word problems by multiplying

MAIN	Grade 4 main question	4.OA.A.2
BACKWARD 1	Multiplication and division word problems within 100	3.OA.A.3
BACKWARD 2	Multiply in either order	3.OA.B.5
FORWARD 1	Solve real-world problems by multiplying by a fraction or mixed nu...	5.NF.B.6
FORWARD 2	Solve unit rate problems	6.RP.A.3.b

SET 3 • 4.OA.A.2

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2

A puppy weighs 6 pounds. Its mother weighs 8 times as much.

How much does the mother weigh?

Puppy

6

Mother

6

6

6

6

6

6

6

6

Weight: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 3 • MAIN • Q1/5

70

QUESTION ID

S3-M-Q1

TYPE

Short answer

CORRECT ANSWER

48 pounds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 3 • MAIN • Q1/5

Sam read 9 pages. Ana read 5 times as many pages as Sam.

How many pages did Ana read?

Pages: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 3 • MAIN • Q2/5

71

QUESTION ID

S3-M-Q2

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 3 • MAIN • Q2/5

A red ribbon is 7 inches long. A blue ribbon is 6 times as long.

How long is the blue ribbon?

- A.** 13 inches **B.** 48 inches
C. 1 inch **D.** 42 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 3 • MAIN • Q3/5

72

QUESTION ID

S3-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 42 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 3 • MAIN • Q3/5

A small tank holds 9 gallons. A large tank holds 7 times as much.

How much does the large tank hold?

Gallons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 3 • MAIN • Q4/5

73

QUESTION ID

S3-M-Q4

TYPE

Short answer

CORRECT ANSWER

63

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 3 • MAIN • Q4/5

True or false?

A bike costs \$80. A used car costs 100 times as much. The car costs \$800.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 3 • MAIN • Q5/5

74

QUESTION ID

S3-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 3 • MAIN • Q5/5

SET 3 • 4.OA.A.2

BACKWARD 1

Multiplication and division word problems within 100 • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3

7 vans each carry 8 students.

How many students are there in all?

Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 3 • BACKWARD 1 • Q1/5

76

QUESTION ID

S3-B1-Q1

TYPE

Short answer

CORRECT ANSWER

56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 3 • BACKWARD 1 • Q1/5

36 crayons are shared equally by 4 children.

How many crayons does each child get?

Crayons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 3 • BACKWARD 1 • Q2/5

77

QUESTION ID

S3-B1-Q2

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 3 • BACKWARD 1 • Q2/5

True or false?

6 rows of 6 chairs make 36 chairs.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 3 • BACKWARD 1 • Q3/5

78

QUESTION ID

S3-B1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 3 • BACKWARD 1 • Q3/5

A book has 9 chapters with 9 pages in each chapter.

How many pages does it have?

- A.** 18
- B.** 72
- C.** 81
- D.** 90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 3 • BACKWARD 1 • Q4/5

79

QUESTION ID

S3-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 81

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 3 • BACKWARD 1 • Q4/5

True or false?

40 cards in 5 equal piles makes 9 cards in each pile.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 3 • BACKWARD 1 • Q5/5

80

QUESTION ID

S3-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 3 • BACKWARD 1 • Q5/5

SET 3 • 4.OA.A.2

BACKWARD 2

Multiply in either order • Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5

True or false?

$$6 \times 8 = 8 \times 6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q1/5

82

QUESTION ID

S3-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q1/5

Fill in the blank.

$$9 \times 4 = 4 \times \underline{\quad}$$

Blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q2/5

83

QUESTION ID

S3-B2-Q2

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q2/5

Which is equal to 7×5 ?

- A. 5×7
- B. $7 + 5$
- C. 75
- D. $5 + 5 + 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q3/5

84

QUESTION ID

S3-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 5×7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

$$3 \times 9 = 27.$$

What is 9×3 ?

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q4/5

85

QUESTION ID

S3-B2-Q4

TYPE

Short answer

CORRECT ANSWER

27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q4/5

85

True or false?

$$8 \times 2 = 2 + 8$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q5/5

86

QUESTION ID

S3-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q5/5

SET 3 • 4.OA.A.2

FORWARD 1

Solve real-world problems by multiplying by a fraction or mixed number •
Grade 5 • Number & Operations–Fractions • 5.NF.B.6

A pup weighs 6 pounds. An adult dog weighs $4\frac{1}{2}$ times as much.

How much does the adult weigh?

Weight: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 3 • FORWARD 1 • Q1/5

88

QUESTION ID

S3-F1-Q1

TYPE

Short answer

CORRECT ANSWER

27 pounds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 3 • FORWARD 1 • Q1/5

A path is 12 miles long. Kim walked $\frac{2}{3}$ of the path.

How far did she walk?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 3 • FORWARD 1 • Q2/5

89

QUESTION ID

S3-F1-Q2

TYPE

Short answer

CORRECT ANSWER

8 miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 3 • FORWARD 1 • Q2/5

A red rope is 8 feet long. A blue rope is $1\frac{1}{4}$ times as long.

How long is the blue rope?

- A.** 10 feet **B.** $9\frac{1}{4}$ feet
C. 2 feet **D.** 6 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 3 • FORWARD 1 • Q3/5

90

QUESTION ID

S3-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 10 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 3 • FORWARD 1 • Q3/5

True or false?

A 10-cm plant grows until it is $2\frac{1}{2}$ times as tall. It is then 25 cm tall.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 3 • FORWARD 1 • Q4/5

91

QUESTION ID

S3-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 3 • FORWARD 1 • Q4/5

A recipe uses 3 cups of flour. Mia makes $\frac{1}{2}$ of the recipe.

How much flour does she use?

Flour: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 3 • FORWARD 1 • Q5/5

92

QUESTION ID

S3-F1-Q5

TYPE

Short answer

CORRECT ANSWER

1 1/2 cups

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 3 • FORWARD 1 • Q5/5

SET 3 • 4.OA.A.2

FORWARD 2

Solve unit rate problems • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.3.b

5 notebooks cost \$15.

At the same price, how much do 8 notebooks cost?

Cost: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 3 • FORWARD 2 • Q1/5

94

QUESTION ID

S3-F2-Q1

TYPE

Short answer

CORRECT ANSWER

\$24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 3 • FORWARD 2 • Q1/5

True or false?

If 4 pounds of grapes cost \$10, then 1 pound costs \$2.50.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 3 • FORWARD 2 • Q2/5

95

QUESTION ID

S3-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 3 • FORWARD 2 • Q2/5

A car goes 180 miles in 3 hours at a steady speed.

How far does it go in 5 hours?

- A.** 240 miles
- B.** 360 miles
- C.** 300 miles
- D.** 185 miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 3 • FORWARD 2 • Q3/5

96

QUESTION ID

S3-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 300 miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 3 • FORWARD 2 • Q3/5

A printer prints 42 pages in 6 minutes.

How many pages does it print per minute?

Pages per minute: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 3 • FORWARD 2 • Q4/5

97

QUESTION ID

S3-F2-Q4

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 3 • FORWARD 2 • Q4/5

True or false?

If 3 tickets cost \$27, then 7 tickets cost \$56.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 3 • FORWARD 2 • Q5/5

98

QUESTION ID

S3-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 3 • FORWARD 2 • Q5/5

Solve multiplicative comparison word problems by dividing

MAIN	Grade 4 main question	4.OA.A.2
BACKWARD 1	Division as an unknown-factor problem	3.OA.B.6
BACKWARD 2	Find the unknown number in a multiplication or division equation	3.OA.A.4
FORWARD 1	Solve division word problems with two-digit divisors	5.NBT.B.6
FORWARD 2	Solve one-step equations of the form $px = q$	6.EE.B.7

SET 4 • 4.OA.A.2

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2

A dog weighs 48 pounds. That is 6 times as much as a cat weighs.

How much does the cat weigh?

Weight: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 4 • MAIN • Q1/5

101

QUESTION ID

S4-M-Q1

TYPE

Short answer

CORRECT ANSWER

8 pounds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 4 • MAIN • Q1/5

Leo has 72 cards. That is 9 times as many cards as Ty has.

How many cards does Ty have?

Cards: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 4 • MAIN • Q2/5

102

QUESTION ID

S4-M-Q2

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 4 • MAIN • Q2/5

A building is 60 feet tall. That is 5 times as tall as a tree.

How tall is the tree?

- A. 300 feet
- B. 55 feet
- C. 65 feet
- D. 12 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 4 • MAIN • Q3/5

103

QUESTION ID

S4-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 12 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 4 • MAIN • Q3/5

A jacket costs \$56. A hat costs \$8.

The jacket costs how many times as much as the hat?

Times as much: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 4 • MAIN • Q4/5

104

QUESTION ID

S4-M-Q4

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 4 • MAIN • Q4/5

True or false?

Mo ran 36 laps. That is 4 times as many laps as Ed ran. Ed ran 9 laps.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 4 • MAIN • Q5/5

105

QUESTION ID

S4-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 4 • MAIN • Q5/5

SET 4 • 4.OA.A.2

BACKWARD 1

Division as an unknown-factor problem • Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6

Find $42 \div 6$ by thinking $6 \times ? = 42$.

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 4 • BACKWARD 1 • Q1/5

107

QUESTION ID

S4-B1-Q1

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 4 • BACKWARD 1 • Q1/5

True or false?

$54 \div 9 = 6$ because $9 \times 6 = 54$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 4 • BACKWARD 1 • Q2/5

108

QUESTION ID

S4-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 4 • BACKWARD 1 • Q2/5

Which fact helps you find $63 \div 7$?

- A. $9 + 7 = 16$
- B. $63 - 7 = 56$
- C. $7 \times 9 = 63$
- D. $7 \times 7 = 49$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 4 • BACKWARD 1 • Q3/5

109

QUESTION ID

S4-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $7 \times 9 = 63$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 4 • BACKWARD 1 • Q3/5

Divide.

$$32 \div 8$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 4 • BACKWARD 1 • Q4/5

110

QUESTION ID

S4-B1-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 4 • BACKWARD 1 • Q4/5

True or false?

$48 \div 6 = 9$ because $6 \times 9 = 48$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 4 • BACKWARD 1 • Q5/5

111

QUESTION ID

S4-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 4 • BACKWARD 1 • Q5/5

SET 4 • 4.OA.A.2

BACKWARD 2

Find the unknown number in a multiplication or division equation • Grade 3 •
Operations & Algebraic Thinking • 3.OA.A.4

Find the unknown number.

$$5 \times ? = 40$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 4 • BACKWARD 2 • Q1/5

113

QUESTION ID

S4-B2-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 4 • BACKWARD 2 • Q1/5

True or false?

If $27 \div ? = 3$, the unknown number is 9.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 4 • BACKWARD 2 • Q2/5

114

QUESTION ID

S4-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 4 • BACKWARD 2 • Q2/5

$$? \times 9 = 72$$

- A.** 63
- B.** 9
- C.** 81
- D.** 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 4 • BACKWARD 2 • Q3/5

115

QUESTION ID

S4-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 4 • BACKWARD 2 • Q3/5

Find the unknown number.

$$? \div 4 = 6$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 4 • BACKWARD 2 • Q4/5

116

QUESTION ID

S4-B2-Q4

TYPE

Short answer

CORRECT ANSWER

24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 4 • BACKWARD 2 • Q4/5

True or false?

If $6 \times ? = 36$, the unknown number is 5.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 4 • BACKWARD 2 • Q5/5

117

QUESTION ID

S4-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 4 • BACKWARD 2 • Q5/5

SET 4 • 4.OA.A.2

FORWARD 1

Solve division word problems with two-digit divisors • Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6

A truck carries 384 boxes. That is 12 times as many boxes as a van carries.

How many boxes does the van carry?

Boxes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 4 • FORWARD 1 • Q1/5

119

QUESTION ID

S4-F1-Q1

TYPE

Short answer

CORRECT ANSWER

32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 4 • FORWARD 1 • Q1/5

A school has 864 students in 24 classes of the same size.

How many students are in each class?

A. 38

B. 36

C. 34

D. 840

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 4 • FORWARD 1 • Q2/5

120

QUESTION ID

S4-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 4 • FORWARD 1 • Q2/5

True or false?

$$1,050 \div 15 = 70$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 4 • FORWARD 1 • Q3/5

121

QUESTION ID

S4-F1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 4 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$2,016 \div 36$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 4 • FORWARD 1 • Q4/5

122

QUESTION ID

S4-F1-Q4

TYPE

Short answer

CORRECT ANSWER

56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 4 • FORWARD 1 • Q4/5

122

True or false?

A farm has 630 trees in rows of 18 trees. There are 45 rows.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 4 • FORWARD 1 • Q5/5

123

QUESTION ID

S4-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 4 • FORWARD 1 • Q5/5

SET 4 • 4.OA.A.2

FORWARD 2

Solve one-step equations of the form $px = q$ • Grade 6 • Expressions & Equations • 6.EE.B.7

Solve for c.

$$6c = 48$$

c = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 4 • FORWARD 2 • Q1/5

125

QUESTION ID

S4-F2-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 4 • FORWARD 2 • Q1/5

True or false?

The solution of $9x = 72$ is $x = 8$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 4 • FORWARD 2 • Q2/5

126

QUESTION ID

S4-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 4 • FORWARD 2 • Q2/5

Solve for n.

$$5n = 65$$

- A.** 325
- B.** 60
- C.** 70
- D.** 13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 4 • FORWARD 2 • Q3/5

127

QUESTION ID

S4-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 4 • FORWARD 2 • Q3/5

A dog weighs 48 pounds, which is 6 times the weight c of a cat.

Write and solve an equation for c .

Equation: _____

$c =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 4 • FORWARD 2 • Q4/5

128

QUESTION ID

S4-F2-Q4

TYPE

Short answer

CORRECT ANSWER

**$6c = 48; c = 8$
pounds**

GRADING NOTE Any equivalent equation is correct. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 4 • FORWARD 2 • Q4/5

True or false?

The solution of $4y = 36$ is $y = 32$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 4 • FORWARD 2 • Q5/5

129

QUESTION ID

S4-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 4 • FORWARD 2 • Q5/5

Tell multiplicative comparison from additive comparison

MAIN	Grade 4 main question	4.OA.A.2
BACKWARD 1	Compare quantities by adding or subtracting	2.OA.A.1
BACKWARD 2	Multiplication facts within 100	3.OA.C.7
FORWARD 1	Interpret numerical expressions without evaluating them	5.OA.A.2
FORWARD 2	Tell an additive relationship from a multiplicative one in tables a...	6.EE.C.9

SET 5 • 4.OA.A.2

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2

Ana has 4 shells. Ben has 12 shells.

Which statement is true?

- A. Ben has 3 times as many shells as Ana.
- B. Ben has 3 more shells than Ana.
- C. Ana has 8 times as many shells as Ben.
- D. Ben has 4 more shells than Ana.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 5 • MAIN • Q1/5

132

QUESTION ID

S5-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

**A. Ben has 3 times
as many shells as
Ana.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 5 • MAIN • Q1/5

The red team scored 24 points. The blue team scored 6 points.

How many more points did the red team score? How many times as many points?

How many more: _____

How many times as many: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 5 • MAIN • Q2/5

133

QUESTION ID

S5-M-Q2

TYPE

Short answer

CORRECT ANSWER

18 more; 4 times as many

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 5 • MAIN • Q2/5

True or false?

"8 more than 5" is 40.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 5 • MAIN • Q3/5

134

QUESTION ID

S5-M-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 5 • MAIN • Q3/5

Which question is answered by multiplying?

- A.** A cat is 3 years old. A dog is 4 times as old. How old is the dog?
- B.** A cat ate 4 treats and then 3 more. How many did it eat?
- C.** A cat is 3 years old. A dog is 4 years older. How old is the dog?
- D.** A cat is 7 years old. A dog is 3 years old. How much older is the cat?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 5 • MAIN • Q4/5

135

QUESTION ID

S5-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. A cat is 3 years old. A dog is 4 times as old. How old is the dog?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 5 • MAIN • Q4/5

True or false?

A pencil is 6 inches long. A ruler that is 2 times as long is 12 inches, but a crayon that is 2 inches longer than the pencil is 8 inches.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 5 • MAIN • Q5/5

136

QUESTION ID

S5-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.2 • Set 5 • MAIN • Q5/5

SET 5 • 4.OA.A.2

BACKWARD 1

Compare quantities by adding or subtracting • Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1

Jo has 15 stamps. Ty has 9 stamps.
How many more stamps does Jo have?

Stamps: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 5 • BACKWARD 1 • Q1/5

138

QUESTION ID

S5-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 5 • BACKWARD 1 • Q1/5

True or false?

Mia has 8 beads. That is 5 more beads than Kim has. Kim has 3 beads.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 5 • BACKWARD 1 • Q2/5

139

QUESTION ID

S5-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 5 • BACKWARD 1 • Q2/5

A red rope is 34 cm long. A green rope is 18 cm long.

How much longer is the red rope?

- A.** 14 cm
- B.** 16 cm
- C.** 52 cm
- D.** 26 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 5 • BACKWARD 1 • Q3/5

140

QUESTION ID

S5-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 16 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 5 • BACKWARD 1 • Q3/5

A tower has 27 blocks. Another tower has 8 more blocks.

How many blocks does it have?

Blocks: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 5 • BACKWARD 1 • Q4/5

141

QUESTION ID

S5-B1-Q4

TYPE

Short answer

CORRECT ANSWER

35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 5 • BACKWARD 1 • Q4/5

True or false?

Sam has 20 cards. Lee has 6 fewer cards. Lee has 26 cards.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 5 • BACKWARD 1 • Q5/5

142

QUESTION ID

S5-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 5 • BACKWARD 1 • Q5/5

SET 5 • 4.OA.A.2

BACKWARD 2

Multiplication facts within 100 • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

Multiply.

$$4 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 5 • BACKWARD 2 • Q1/5

144

QUESTION ID

S5-B2-Q1

TYPE

Short answer

CORRECT ANSWER

36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 5 • BACKWARD 2 • Q1/5

True or false?

$$6 \times 7 = 42$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 5 • BACKWARD 2 • Q2/5

145

QUESTION ID

S5-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 5 • BACKWARD 2 • Q2/5

$$3 \times 8 = ?$$

- A.** 21
- B.** 24
- C.** 11
- D.** 32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 5 • BACKWARD 2 • Q3/5

146

QUESTION ID

S5-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 5 • BACKWARD 2 • Q3/5

Multiply.

$$5 \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 5 • BACKWARD 2 • Q4/5

147

QUESTION ID

S5-B2-Q4

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 5 • BACKWARD 2 • Q4/5

True or false?

$$8 \times 8 = 16$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 5 • BACKWARD 2 • Q5/5

148

QUESTION ID

S5-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 5 • BACKWARD 2 • Q5/5

SET 5 • 4.OA.A.2

FORWARD 1

Interpret numerical expressions without evaluating them • Grade 5 •
Operations & Algebraic Thinking • 5.OA.A.2

True or false?

$6 \times (25 + 9)$ is 6 times as large as $25 + 9$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • FORWARD 1 • Q1/5

150

QUESTION ID

S5-F1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • FORWARD 1 • Q1/5

How does $4 \times (17 - 3)$ compare with $17 - 3$?

- A. It is 4 times as large.
- B. It is the same.
- C. It is 4 less.
- D. It is 4 more.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • FORWARD 1 • Q2/5

151

QUESTION ID

S5-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. It is 4 times as large.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • FORWARD 1 • Q2/5

True or false?

$(48 + 6) + 3$ is 3 times as large as $48 + 6$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • FORWARD 1 • Q3/5

152

QUESTION ID

S5-F1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • FORWARD 1 • Q3/5

Without calculating, how does $10 \times (325 + 19)$ compare with $325 + 19$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • FORWARD 1 • Q4/5

153

QUESTION ID

S5-F1-Q4

TYPE

Short answer

CORRECT ANSWER

It is 10 times as large.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • FORWARD 1 • Q4/5

Which expression is 2 more than 9×7 ?

- A.** $9 \times (7 + 2)$
- B.** $2 \times 9 \times 7$
- C.** $9 \times 7 + 2$
- D.** $(9 + 2) \times 7$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • FORWARD 1 • Q5/5

154

QUESTION ID

S5-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. $9 \times 7 + 2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • FORWARD 1 • Q5/5

SET 5 • 4.OA.A.2

FORWARD 2

Tell an additive relationship from a multiplicative one in tables and equations •

Grade 6 • Expressions & Equations • 6.EE.C.9

Which equation shows that y is always 4 times x ?

- A. $y = 4x$
- B. $y = x + 4$
- C. $y = x - 4$
- D. $x = 4y$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 5 • FORWARD 2 • Q1/5

156

QUESTION ID

S5-F2-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. $y = 4x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 5 • FORWARD 2 • Q1/5

True or false?

The table fits the equation $y = 5x$.

x	1	2	3
y	5	6	7

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 5 • FORWARD 2 • Q2/5

157

QUESTION ID

S5-F2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 5 • FORWARD 2 • Q2/5

Write an equation for y in terms of x .

x	2	4	6
y	6	12	18

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 5 • FORWARD 2 • Q3/5

158

QUESTION ID

S5-F2-Q3

TYPE

Short answer

CORRECT ANSWER

$y = 3x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 5 • FORWARD 2 • Q3/5

Write an equation for y in terms of x .

x	2	4	6
y	5	7	9

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 5 • FORWARD 2 • Q4/5

159

QUESTION ID

S5-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$$y = x + 3$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 5 • FORWARD 2 • Q4/5

True or false?

In $y = x + 6$, y is always 6 more than x .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 5 • FORWARD 2 • Q5/5

160

QUESTION ID

S5-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 5 • FORWARD 2 • Q5/5

Solve multistep word problems and write an equation with a letter for the unknown

MAIN	Grade 4 main question	4.OA.A.3
BACKWARD 1	Two-step word problems	3.OA.D.8
BACKWARD 2	Add and subtract within 1000	3.NBT.A.2
FORWARD 1	Evaluate expressions with parentheses, brackets, and braces	5.OA.A.1
FORWARD 2	Use variables to write expressions for real-world problems	6.EE.B.6

SET 6 • 4.OA.A.3

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3

A school bought 8 packs of 24 pencils. It gave away 57 pencils.

Write an equation with a letter for the number of pencils left. Then solve it.

Equation: _____

Pencils left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 6 • MAIN • Q1/5

163

QUESTION ID

S6-M-Q1

TYPE

Short answer

CORRECT ANSWER

$$p = 8 \times 24 - 57;$$

$$p = 135$$

GRADING NOTE Any equivalent equation with a letter is correct. $8 \times 24 = 192$ and $192 - 57 = 135$. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 6 • MAIN • Q1/5

Ty has \$250. He buys 3 games that cost \$45 each.

Write an equation with a letter for the money left. Then solve it.

Equation: _____

Money left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 6 • MAIN • Q2/5

164

QUESTION ID

S6-M-Q2

TYPE

Short answer

CORRECT ANSWER

$$m = 250 - 3 \times 45;$$

$$m = \$115$$

GRADING NOTE Any equivalent equation with a letter is correct. $3 \times 45 = 135$ and $250 - 135 = 115$. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 6 • MAIN • Q2/5

A farmer has 6 crates with 35 apples in each crate. She sells 98 apples.

Which equation gives the number of apples left, a ?

A. $a = 6 \times 35 - 98$

B. $a = 6 + 35 - 98$

C. $a = 98 - 6 \times 35$

D. $a = 6 \times (35 - 98)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 6 • MAIN • Q3/5

165

QUESTION ID

S6-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $a = 6 \times 35 - 98$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 6 • MAIN • Q3/5

Tickets cost \$9 for adults and \$6 for children. A group buys 4 adult tickets and 7 child tickets.

Write an equation with a letter for the total cost. Then solve it.

Equation: _____

Total cost: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 6 • MAIN • Q4/5

166

QUESTION ID

S6-M-Q4

TYPE

Short answer

CORRECT ANSWER

$$c = 4 \times 9 + 7 \times 6;$$

$$c = \$78$$

GRADING NOTE Any equivalent equation with a letter is correct. $36 + 42 = 78$. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 6 • MAIN • Q4/5

True or false?

A baker makes 128 rolls and puts them in bags of 8. She sells 11 bags. The equation $b = 128 \div 8 - 11$ gives the bags left, and $b = 5$.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 6 • MAIN • Q5/5

167

QUESTION ID

S6-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 6 • MAIN • Q5/5

SET 6 • 4.OA.A.3

BACKWARD 1

Two-step word problems • Grade 3 • Operations & Algebraic Thinking •
3.OA.D.8

Ann had 45 beads. She bought 3 packs with 8 beads in each pack.

How many beads does she have now?

Beads: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 6 • BACKWARD 1 • Q1/5

169

QUESTION ID

S6-B1-Q1

TYPE

Short answer

CORRECT ANSWER

69

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 6 • BACKWARD 1 • Q1/5

True or false?

Jo has 50 cents. She spends 4 groups of 5 cents.
She has 30 cents left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 6 • BACKWARD 1 • Q2/5

170

QUESTION ID

S6-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 6 • BACKWARD 1 • Q2/5

There are 7 rows of 6 chairs. 15 chairs are taken.

How many chairs are empty?

- A.** 13
- B.** 42
- C.** 57
- D.** 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 6 • BACKWARD 1 • Q3/5

171

QUESTION ID

S6-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 6 • BACKWARD 1 • Q3/5

Leo has 3 boxes of 9 markers. He gives away 8 markers.
How many markers does he have left?

Markers: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 6 • BACKWARD 1 • Q4/5

172

QUESTION ID

S6-B1-Q4

TYPE

Short answer

CORRECT ANSWER

19

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 6 • BACKWARD 1 • Q4/5

True or false?

6 bags of 9 oranges, with 10 oranges eaten,
leaves 50 oranges.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 6 • BACKWARD 1 • Q5/5

173

QUESTION ID

S6-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 6 • BACKWARD 1 • Q5/5

SET 6 • 4.OA.A.3

BACKWARD 2

Add and subtract within 1000 • Grade 3 • Number & Operations in Base Ten •
3.NBT.A.2

Add.

$$468 + 257$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 6 • BACKWARD 2 • Q1/5

175

QUESTION ID

S6-B2-Q1

TYPE

Short answer

CORRECT ANSWER

725

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 6 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$803 - 469$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 6 • BACKWARD 2 • Q2/5

176

QUESTION ID

S6-B2-Q2

TYPE

Short answer

CORRECT ANSWER

334

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 6 • BACKWARD 2 • Q2/5

176

True or false?

$$350 + 475 = 825$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 6 • BACKWARD 2 • Q3/5

177

QUESTION ID

S6-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 6 • BACKWARD 2 • Q3/5

$$612 - 238 = ?$$

- A.** 484
- B.** 374
- C.** 386
- D.** 850

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 6 • BACKWARD 2 • Q4/5

178

QUESTION ID

S6-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 374

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 6 • BACKWARD 2 • Q4/5

True or false?

$$900 - 345 = 665$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 6 • BACKWARD 2 • Q5/5

179

QUESTION ID

S6-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 6 • BACKWARD 2 • Q5/5

SET 6 • 4.OA.A.3

FORWARD 1

Evaluate expressions with parentheses, brackets, and braces • Grade 5 •
Operations & Algebraic Thinking • 5.OA.A.1

Evaluate.

$$8 \times 24 - 57$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 6 • FORWARD 1 • Q1/5

181

QUESTION ID

S6-F1-Q1

TYPE

Short answer

CORRECT ANSWER

135

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 6 • FORWARD 1 • Q1/5

Evaluate.

$$250 - 3 \times 45$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 6 • FORWARD 1 • Q2/5

182

QUESTION ID

S6-F1-Q2

TYPE

Short answer

CORRECT ANSWER

115

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 6 • FORWARD 1 • Q2/5

Evaluate.

$$(36 + 12) \div 6$$

- A. 38
- B. 8
- C. 12
- D. 42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 6 • FORWARD 1 • Q3/5

183

QUESTION ID

S6-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 6 • FORWARD 1 • Q3/5

True or false?

$$4 \times (9 + 6) = 42$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 6 • FORWARD 1 • Q4/5

184

QUESTION ID

S6-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 6 • FORWARD 1 • Q4/5

Evaluate.

$$[40 - (5 \times 6)] \times 3$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 6 • FORWARD 1 • Q5/5

185

QUESTION ID

S6-F1-Q5

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 6 • FORWARD 1 • Q5/5

SET 6 • 4.OA.A.3

FORWARD 2

Use variables to write expressions for real-world problems • Grade 6 •
Expressions & Equations • 6.EE.B.6

Pens cost \$3 each.

Write an expression for the cost of p pens.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 6 • FORWARD 2 • Q1/5

187

QUESTION ID

S6-F2-Q1

TYPE

Short answer

CORRECT ANSWER

3p

GRADING NOTE $3 \times p$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 6 • FORWARD 2 • Q1/5

Ty has 40 stickers and gives away s stickers.

Which expression shows how many he has left?

A. $40 - s$

B. $s - 40$

C. $40s$

D. $40 + s$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 6 • FORWARD 2 • Q2/5

188

QUESTION ID

S6-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. $40 - s$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 6 • FORWARD 2 • Q2/5

A movie ticket costs \$9 and a popcorn costs \$4.

Write an expression for the cost of t tickets and one popcorn.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 6 • FORWARD 2 • Q3/5

189

QUESTION ID

S6-F2-Q3

TYPE

Short answer

CORRECT ANSWER

$9t + 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 6 • FORWARD 2 • Q3/5

True or false?

If n is the number of packs with 12 cards in each pack, then $12n$ is the total number of cards.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 6 • FORWARD 2 • Q4/5

190

QUESTION ID

S6-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 6 • FORWARD 2 • Q4/5

True or false?

The expression $5 + b$ means 5 times b .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 6 • FORWARD 2 • Q5/5

191

QUESTION ID

S6-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 6 • FORWARD 2 • Q5/5

Interpret remainders in word problems

MAIN	Grade 4 main question	4.OA.A.3
BACKWARD 1	Quotients as shares or as groups	3.OA.A.2
BACKWARD 2	Division facts within 100	3.OA.C.7
FORWARD 1	Interpret a fraction as division to write a remainder as a fraction	5.NF.B.3
FORWARD 2	Divide multi-digit numbers with the standard algorithm	6.NS.B.2

SET 7 • 4.OA.A.3

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3

29 students ride in cars that hold 4 students each.

How many cars are needed?

Cars: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 7 • MAIN • Q1/5

194

QUESTION ID

S7-M-Q1

TYPE

Short answer

CORRECT ANSWER

8

GRADING NOTE $29 \div 4 = 7 \text{ R } 1$. The 1 extra student needs another car, so 8 cars.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 7 • MAIN • Q1/5

A baker has 50 muffins. She puts 6 muffins in each box.
How many boxes can she fill completely?

Boxes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 7 • MAIN • Q2/5

ID S7-M-Q2

195

QUESTION ID

S7-M-Q2

TYPE

Short answer

CORRECT ANSWER

8

GRADING NOTE $50 \div 6 = 8 \text{ R } 2$. The 2 left over do not fill a box.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 7 • MAIN • Q2/5

ID S7-M-Q2

Ella shares 35 stickers equally among 4 friends.

How many stickers are left over?

- A. 8
- B. 3
- C. 4
- D. 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 7 • MAIN • Q3/5

196

QUESTION ID

S7-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 7 • MAIN • Q3/5

A rope 46 feet long is cut into 5-foot pieces.

How many full pieces are there, and how much rope is left over?

Full pieces: _____

Left over: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 7 • MAIN • Q4/5

197

QUESTION ID

S7-M-Q4

TYPE

Short answer

CORRECT ANSWER

9 pieces; 1 foot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 7 • MAIN • Q4/5

True or false?

70 people need tables that seat 8 people each.
They need 8 tables.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 7 • MAIN • Q5/5

198

QUESTION ID

S7-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 7 • MAIN • Q5/5

SET 7 • 4.OA.A.3

BACKWARD 1

Quotients as shares or as groups • Grade 3 • Operations & Algebraic Thinking •
3.OA.A.2

24 pencils are shared equally by 6 students.

How many pencils does each student get?

Pencils: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 7 • BACKWARD 1 • Q1/5

200

QUESTION ID

S7-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 7 • BACKWARD 1 • Q1/5

True or false?

$30 \div 5$ can mean 30 objects put into groups of 5.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 7 • BACKWARD 1 • Q2/5

201

QUESTION ID

S7-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 7 • BACKWARD 1 • Q2/5

Which question does $18 \div 3$ answer?

- A.** What is 3 more than 18?
- B.** How many groups of 3 are in 18?
- C.** What is 18 take away 3?
- D.** How many are in 18 groups of 3?

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 7 • BACKWARD 1 • Q3/5

202

QUESTION ID

S7-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

**B. How many groups
of 3 are in 18?**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 7 • BACKWARD 1 • Q3/5

40 crayons are put into boxes of 8.

How many boxes are filled?

Boxes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 7 • BACKWARD 1 • Q4/5

203

QUESTION ID

S7-B1-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 7 • BACKWARD 1 • Q4/5

True or false?

12 ÷ 4 means 12 groups of 4.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 7 • BACKWARD 1 • Q5/5

204

QUESTION ID

S7-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 7 • BACKWARD 1 • Q5/5

SET 7 • 4.OA.A.3

BACKWARD 2

Division facts within 100 • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

Divide.

$$56 \div 7$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 7 • BACKWARD 2 • Q1/5

206

QUESTION ID

S7-B2-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 7 • BACKWARD 2 • Q1/5

True or false?

$$45 \div 5 = 9$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 7 • BACKWARD 2 • Q2/5

207

QUESTION ID

S7-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 7 • BACKWARD 2 • Q2/5

$$64 \div 8 = ?$$

- A.** 56
- B.** 7
- C.** 9
- D.** 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 7 • BACKWARD 2 • Q3/5

208

QUESTION ID

S7-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 7 • BACKWARD 2 • Q3/5

Divide.

$$36 \div 4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 7 • BACKWARD 2 • Q4/5

209

QUESTION ID

S7-B2-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 7 • BACKWARD 2 • Q4/5

True or false?

$$81 \div 9 = 8$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 7 • BACKWARD 2 • Q5/5

210

QUESTION ID

S7-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 7 • BACKWARD 2 • Q5/5

SET 7 • 4.OA.A.3

FORWARD 1

Interpret a fraction as division to write a remainder as a fraction • Grade 5 •
Number & Operations–Fractions • 5.NF.B.3

3 friends share 7 pizzas equally.

How much pizza does each friend get? Write a mixed number.

Pizza: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 7 • FORWARD 1 • Q1/5

212

QUESTION ID

S7-F1-Q1

TYPE

Short answer

CORRECT ANSWER

2 $\frac{1}{3}$ pizzas

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 7 • FORWARD 1 • Q1/5

True or false?

When 9 feet of ribbon is cut into 4 equal pieces, each piece is $2\frac{1}{4}$ feet long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 7 • FORWARD 1 • Q2/5

213

QUESTION ID

S7-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 7 • FORWARD 1 • Q2/5

5 sandwiches are shared equally by 2 people.

How much does each person get?

- A. $\frac{2}{5}$ sandwich
- B. 2 sandwiches
- C. $2\frac{1}{2}$ sandwiches
- D. 3 sandwiches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 7 • FORWARD 1 • Q3/5

214

QUESTION ID

S7-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 2 1/2 sandwiches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 7 • FORWARD 1 • Q3/5

Write $17 \div 5$ as a mixed number.

Mixed number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 7 • FORWARD 1 • Q4/5

215

QUESTION ID

S7-F1-Q4

TYPE

Short answer

CORRECT ANSWER

3 2/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 7 • FORWARD 1 • Q4/5

True or false?

$$11 \div 4 = 2\frac{1}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 7 • FORWARD 1 • Q5/5

216

QUESTION ID

S7-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.3 • Set 7 • FORWARD 1 • Q5/5

SET 7 • 4.OA.A.3

FORWARD 2

Divide multi-digit numbers with the standard algorithm • Grade 6 • The Number System • 6.NS.B.2

Use the standard algorithm to divide. Show your work.

$$4,368 \div 52$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 7 • FORWARD 2 • Q1/5

218

QUESTION ID

S7-F2-Q1

TYPE

Answer with required work

CORRECT ANSWER

84

GRADING NOTE REQUIRED WORK: The standard division algorithm with every step shown (divide, multiply, subtract, bring down). A correct quotient without the algorithm earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 7 • FORWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$7,695 \div 81$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 7 • FORWARD 2 • Q2/5

219

QUESTION ID

S7-F2-Q2

TYPE

Short answer

CORRECT ANSWER

95

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 7 • FORWARD 2 • Q2/5

219

Divide.

$$9,072 \div 36$$

- A. 25
- B. 252
- C. 242
- D. 262

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 7 • FORWARD 2 • Q3/5

220

QUESTION ID

S7-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 252

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 7 • FORWARD 2 • Q3/5

Divide. Write the quotient and the remainder.

$$1,000 \div 23$$

Quotient: _____

Remainder: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 7 • FORWARD 2 • Q4/5

221

QUESTION ID

S7-F2-Q4

TYPE

Short answer

CORRECT ANSWER

43 R 11

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 7 • FORWARD 2 • Q4/5

True or false?

$$3,240 \div 45 = 72$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 7 • FORWARD 2 • Q5/5

222

QUESTION ID

S7-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 7 • FORWARD 2 • Q5/5

Use rounding and mental math to check whether an answer is reasonable

MAIN	Grade 4 main question	4.OA.A.3
BACKWARD 1	Round whole numbers to the nearest 10 or 100	3.NBT.A.1
BACKWARD 2	Check answers with rounding	3.OA.D.8
FORWARD 1	Round decimals to estimate	5.NBT.A.4
FORWARD 2	Use estimates to check computations with multi-digit decimals —...	6.NS.B.3

SET 8 • 4.OA.A.3

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3

Round each number to the nearest hundred. Then estimate the sum.

$$512 + 289$$

Rounded numbers: _____

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 8 • MAIN • Q1/5

225

QUESTION ID

S8-M-Q1

TYPE

Short answer

CORRECT ANSWER

500 and 300; 800

GRADING NOTE Both parts are required. The exact sum, 801, is not the estimate asked for.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 8 • MAIN • Q1/5

Mia says $48 \times 6 = 188$.

Round 48 to the nearest ten and estimate 48×6 . Is her answer reasonable?

Estimate: _____

Reasonable? _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 8 • MAIN • Q2/5

226

QUESTION ID

S8-M-Q2

TYPE

Short answer

CORRECT ANSWER

300; no

GRADING NOTE $50 \times 6 = 300$, which is far from 188 (the exact product is 288). Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 8 • MAIN • Q2/5

Round each number to the nearest ten. Which is the estimate of $73 + 28 + 41$?

- A. 150
- B. 142
- C. 140
- D. 130

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 8 • MAIN • Q3/5

227

QUESTION ID

S8-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 140

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 8 • MAIN • Q3/5

A store had 1,215 shirts and sold 487 of them.

Round each number to the nearest hundred to estimate how many shirts are left.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 8 • MAIN • Q4/5

228

QUESTION ID

S8-M-Q4

TYPE

Short answer

CORRECT ANSWER

700

GRADING NOTE $1,200 - 500 = 700$. The exact answer, 728, is not the estimate asked for.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 8 • MAIN • Q4/5

True or false?

Rounding each number to the nearest hundred,
 $395 + 612$ is about 900.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 8 • MAIN • Q5/5

229

QUESTION ID

S8-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.3 • Set 8 • MAIN • Q5/5

SET 8 • 4.OA.A.3

BACKWARD 1

Round whole numbers to the nearest 10 or 100 • Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1

Round 67 to the nearest ten.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 8 • BACKWARD 1 • Q1/5

231

QUESTION ID

S8-B1-Q1

TYPE

Short answer

CORRECT ANSWER

70

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 8 • BACKWARD 1 • Q1/5

True or false?

348 rounded to the nearest hundred is 400.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 8 • BACKWARD 1 • Q2/5

232

QUESTION ID

S8-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 8 • BACKWARD 1 • Q2/5

Round 452 to the nearest ten.

- A.** 400
- B.** 460
- C.** 500
- D.** 450

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 8 • BACKWARD 1 • Q3/5

233

QUESTION ID

S8-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 450

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 8 • BACKWARD 1 • Q3/5

Round 815 to the nearest hundred.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 8 • BACKWARD 1 • Q4/5

234

QUESTION ID

S8-B1-Q4

TYPE

Short answer

CORRECT ANSWER

800

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 8 • BACKWARD 1 • Q4/5

True or false?

75 rounded to the nearest ten is 80.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 8 • BACKWARD 1 • Q5/5

235

QUESTION ID

S8-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 8 • BACKWARD 1 • Q5/5

SET 8 • 4.OA.A.3

BACKWARD 2

Check answers with rounding • Grade 3 • Operations & Algebraic Thinking •
3.OA.D.8

True or false?

Rounding each number to the nearest ten,
 $38 + 51$ is about 90.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 8 • BACKWARD 2 • Q1/5

237

QUESTION ID

S8-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 8 • BACKWARD 2 • Q1/5

Leo says $297 + 102 = 499$. Rounding to the nearest hundred gives $300 + 100 = 400$.

What does the estimate show?

- A.** An estimate cannot check a sum. **B.** His answer is too big.
- C.** His answer is correct. **D.** His answer is too small.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 8 • BACKWARD 2 • Q2/5

238

QUESTION ID

S8-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. His answer is too big.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 8 • BACKWARD 2 • Q2/5

Round each number to the nearest ten. Then estimate.

$$62 - 29$$

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 8 • BACKWARD 2 • Q3/5

239

QUESTION ID

S8-B2-Q3

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 8 • BACKWARD 2 • Q3/5

True or false?

Rounding each number to the nearest hundred,
710 – 290 is about 600.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 8 • BACKWARD 2 • Q4/5

240

QUESTION ID

S8-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 8 • BACKWARD 2 • Q4/5

Round each number to the nearest ten. Then estimate.

$$47 + 33$$

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 8 • BACKWARD 2 • Q5/5

241

QUESTION ID

S8-B2-Q5

TYPE

Short answer

CORRECT ANSWER

80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 8 • BACKWARD 2 • Q5/5

SET 8 • 4.OA.A.3

FORWARD 1

Round decimals to estimate • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.4

Round each number to the nearest whole number. Then estimate.

$$4.8 + 7.3$$

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 8 • FORWARD 1 • Q1/5

243

QUESTION ID

S8-F1-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 8 • FORWARD 1 • Q1/5

True or false?

Rounding each number to the nearest whole number, $9.6 - 3.2$ is about 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 8 • FORWARD 1 • Q2/5

244

QUESTION ID

S8-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 8 • FORWARD 1 • Q2/5

Round 6.47 to the nearest tenth.

- A.** 6.4
- B.** 6
- C.** 6.5
- D.** 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 8 • FORWARD 1 • Q3/5

245

QUESTION ID

S8-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 6.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 8 • FORWARD 1 • Q3/5

Round each number to the nearest whole number. Then estimate.

$$2.9 \times 4.1$$

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 8 • FORWARD 1 • Q4/5

246

QUESTION ID

S8-F1-Q4

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 8 • FORWARD 1 • Q4/5

True or false?

Rounding each number to the nearest whole number, $12.5 + 6.5$ is about 18.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 8 • FORWARD 1 • Q5/5

247

QUESTION ID

S8-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 8 • FORWARD 1 • Q5/5

FORWARD 2

Use estimates to check computations with multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

► No Grade 6 standard directly continues this skill. This branch uses the nearest related Grade 6 standard.

Round each number to the nearest whole number. Use your estimate to decide whether $18.75 + 6.4 = 25.15$ is reasonable.

Estimate: _____

Reasonable? _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 2 • Q1/5 • NEAREST RELATED

249

QUESTION ID

S8-F2-Q1

TYPE

Short answer

CORRECT ANSWER

25; yes

GRADING NOTE $19 + 6 = 25$. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 2 • Q1/5 • NEAREST RELATED

True or false?

Rounding each number to the nearest whole number, 3.9×5.2 is about 20, so a product of 202.8 is not reasonable.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 2 • Q2/5 • NEAREST RELATED

250

QUESTION ID

S8-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 2 • Q2/5 • NEAREST RELATED

Ann computed $45.6 \div 3.8 = 1.2$. Rounding each number to the nearest whole number gives $46 \div 4$, which is about 11.

What does this show?

- A.** Her answer is too large. **B.** The estimate cannot be used. **C.** Her answer is far too small. **D.** Her answer is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 2 • Q3/5 • NEAREST RELATED

251

QUESTION ID

S8-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. Her answer is far too small.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 2 • Q3/5 • NEAREST RELATED

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$12.4 \times 3.5$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 2 • Q4/5 • NEAREST RELATED

252

QUESTION ID

S8-F2-Q4

TYPE

Short answer

CORRECT ANSWER

43.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 2 • Q4/5 • NEAREST RELATED

252

True or false?

Rounding each number to the nearest whole number, 7.1×2.9 is about 21, so a product of 2.059 is reasonable.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 2 • Q5/5 • NEAREST RELATED

253

QUESTION ID

S8-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 2 • Q5/5 • NEAREST RELATED

Find all factor pairs of a whole number from 1 to 100

MAIN	Grade 4 main question	4.OA.B.4
BACKWARD 1	Find an unknown factor	3.OA.B.6
BACKWARD 2	Arrays with up to 5 rows and 5 columns	2.OA.C.4
FORWARD 1	Use multiples to find a common denominator	5.NF.A.1
FORWARD 2	Find the greatest common factor	6.NS.B.4

SET 9 • 4.OA.B.4

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4

List all the factor pairs of 24.

Factor pairs: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 9 • MAIN • Q1/5

256

QUESTION ID

S9-M-Q1

TYPE

Short answer

CORRECT ANSWER

**1 × 24, 2 × 12,
3 × 8, 4 × 6**

GRADING NOTE All four pairs are required, in any order.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 9 • MAIN • Q1/5

List all the factor pairs of 45.

Factor pairs: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 9 • MAIN • Q2/5

257

QUESTION ID

S9-M-Q2

TYPE

Short answer

CORRECT ANSWER

1 × 45, 3 × 15, 5 × 9

GRADING NOTE All three pairs are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 9 • MAIN • Q2/5

Which is NOT a factor pair of 60?

- A.** 7×9
- B.** 5×12
- C.** 6×10
- D.** 4×15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 9 • MAIN • Q3/5

258

QUESTION ID

S9-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 7×9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 9 • MAIN • Q3/5

True or false?

36 has exactly 5 factor pairs.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 9 • MAIN • Q4/5

259

QUESTION ID

S9-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 9 • MAIN • Q4/5

How many factors does 18 have? List them.

How many: _____

Factors: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 9 • MAIN • Q5/5

260

QUESTION ID

S9-M-Q5

TYPE

Short answer

CORRECT ANSWER

6; 1, 2, 3, 6, 9, 18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 9 • MAIN • Q5/5

SET 9 • 4.OA.B.4

BACKWARD 1

Find an unknown factor • Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6

Find the unknown factor.

$$4 \times ? = 24$$

Factor: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 9 • BACKWARD 1 • Q1/5

262

QUESTION ID

S9-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 9 • BACKWARD 1 • Q1/5

True or false?

$3 \times 8 = 24$, so 3 and 8 are a factor pair of 24.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 9 • BACKWARD 1 • Q2/5

263

QUESTION ID

S9-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 9 • BACKWARD 1 • Q2/5

Which number times 5 equals 45?

- A.** 9
- B.** 50
- C.** 40
- D.** 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 9 • BACKWARD 1 • Q3/5

264

QUESTION ID

S9-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 9 • BACKWARD 1 • Q3/5

Find the unknown factor.

$$? \times 7 = 28$$

Factor: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 9 • BACKWARD 1 • Q4/5

265

QUESTION ID

S9-B1-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 9 • BACKWARD 1 • Q4/5

True or false?

$$6 \times 7 = 48$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 9 • BACKWARD 1 • Q5/5

266

QUESTION ID

S9-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 9 • BACKWARD 1 • Q5/5

SET 9 • 4.OA.B.4

BACKWARD 2

Arrays with up to 5 rows and 5 columns • Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4

How many dots are in the array?

Dots: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 9 • BACKWARD 2 • Q1/5

268

QUESTION ID

S9-B2-Q1

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 9 • BACKWARD 2 • Q1/5

True or false?

An array with 4 rows of 5 dots has 20 dots.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 9 • BACKWARD 2 • Q2/5

269

QUESTION ID

S9-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 9 • BACKWARD 2 • Q2/5

Which addition equation matches an array with 2 rows of 4?

A. $4 - 2 = 2$

B. $2 + 2 = 4$

C. $4 + 4 = 8$

D. $2 + 4 = 6$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 9 • BACKWARD 2 • Q3/5

270

QUESTION ID

S9-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $4 + 4 = 8$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 9 • BACKWARD 2 • Q3/5

Write an addition equation for the array.

Equation: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 9 • BACKWARD 2 • Q4/5

271

QUESTION ID

S9-B2-Q4

TYPE

Short answer

CORRECT ANSWER

4 + 4 + 4 = 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 9 • BACKWARD 2 • Q4/5

True or false?

An array with 5 rows of 3 dots has 8 dots.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 9 • BACKWARD 2 • Q5/5

272

QUESTION ID

S9-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 9 • BACKWARD 2 • Q5/5

SET 9 • 4.OA.B.4

FORWARD 1

Use multiples to find a common denominator • Grade 5 • Number & Operations–Fractions • 5.NF.A.1

Find the least common denominator of $\frac{1}{4}$ and $\frac{1}{6}$.

Denominator: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 9 • FORWARD 1 • Q1/5

274

QUESTION ID

S9-F1-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 9 • FORWARD 1 • Q1/5

True or false?

$\frac{2}{3}$ and $\frac{3}{4}$ can both be written with a denominator of 12.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 9 • FORWARD 1 • Q2/5

275

QUESTION ID

S9-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 9 • FORWARD 1 • Q2/5

Which is a common denominator of $\frac{1}{3}$ and $\frac{2}{5}$?

- A. 3
- B. 15
- C. 10
- D. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 9 • FORWARD 1 • Q3/5

276

QUESTION ID

S9-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 9 • FORWARD 1 • Q3/5

Add.

$$\frac{1}{2} + \frac{1}{3}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 9 • FORWARD 1 • Q4/5

277

QUESTION ID

S9-F1-Q4

TYPE

Short answer

CORRECT ANSWER

5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 9 • FORWARD 1 • Q4/5

True or false?

A common denominator of $\frac{1}{4}$ and $\frac{1}{10}$ is 14.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 9 • FORWARD 1 • Q5/5

278

QUESTION ID

S9-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 9 • FORWARD 1 • Q5/5

SET 9 • 4.OA.B.4

FORWARD 2

Find the greatest common factor • Grade 6 • The Number System • 6.NS.B.4

Find the greatest common factor of 24 and 36.

GCF: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 9 • FORWARD 2 • Q1/5

280

QUESTION ID

S9-F2-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 9 • FORWARD 2 • Q1/5

Find the greatest common factor of 18 and 45.

GCF: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 9 • FORWARD 2 • Q2/5

281

QUESTION ID

S9-F2-Q2

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 9 • FORWARD 2 • Q2/5

What is the greatest common factor of 16 and 40?

- A.** 2
- B.** 16
- C.** 4
- D.** 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 9 • FORWARD 2 • Q3/5

282

QUESTION ID

S9-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 9 • FORWARD 2 • Q3/5

True or false?

The greatest common factor of 14 and 35 is 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 9 • FORWARD 2 • Q4/5

283

QUESTION ID

S9-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 9 • FORWARD 2 • Q4/5

True or false?

The greatest common factor of 20 and 30 is 5.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 9 • FORWARD 2 • Q5/5

284

QUESTION ID

S9-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 9 • FORWARD 2 • Q5/5

A whole number is a multiple of each of its factors; find multiples

MAIN	Grade 4 main question	4.OA.B.4
BACKWARD 1	Skip count and find patterns in the multiplication table	3.OA.D.9
BACKWARD 2	Odd and even numbers	2.OA.C.3
FORWARD 1	Generate two patterns and compare their terms	5.OA.B.3
FORWARD 2	Find the least common multiple	6.NS.B.4

SET 10 • 4.OA.B.4

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4

List the first six positive multiples of 7.

Multiples: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 10 • MAIN • Q1/5

287

QUESTION ID

S10-M-Q1

TYPE

Short answer

CORRECT ANSWER

7, 14, 21, 28, 35, 42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 10 • MAIN • Q1/5

True or false?

Because 6 is a factor of 42, 42 is a multiple of 6.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 10 • MAIN • Q2/5

288

QUESTION ID

S10-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 10 • MAIN • Q2/5

Which number is a multiple of 9?

- A.** 39
- B.** 19
- C.** 54
- D.** 92

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 10 • MAIN • Q3/5

289

QUESTION ID

S10-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 54

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 10 • MAIN • Q3/5

Is 84 a multiple of 6? Explain.

Answer: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 10 • MAIN • Q4/5

290

QUESTION ID

S10-M-Q4

TYPE

Short answer

CORRECT ANSWER

Yes

GRADING NOTE $6 \times 14 = 84$ (or $84 \div 6 = 14$ with no remainder), so 6 is a factor of 84 and 84 is a multiple of 6.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 10 • MAIN • Q4/5

True or false?

70 is a multiple of 4.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 10 • MAIN • Q5/5

291

QUESTION ID

S10-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 10 • MAIN • Q5/5

SET 10 • 4.OA.B.4

BACKWARD 1

Skip count and find patterns in the multiplication table • Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9

Skip count by 6.

6, 12, 18, __, __

Next two: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 10 • BACKWARD 1 • Q1/5

293

QUESTION ID

S10-B1-Q1

TYPE

Short answer

CORRECT ANSWER

24, 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 10 • BACKWARD 1 • Q1/5

True or false?

Every number in the 5s row of the multiplication table ends in 0 or 5.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 10 • BACKWARD 1 • Q2/5

294

QUESTION ID

S10-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 10 • BACKWARD 1 • Q2/5

Which number is in the 4s row of the multiplication table?

- A. 18
- B. 30
- C. 28
- D. 26

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 10 • BACKWARD 1 • Q3/5

295

QUESTION ID

S10-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 10 • BACKWARD 1 • Q3/5

What comes next?

9, 18, 27, 36, ____

Next: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 10 • BACKWARD 1 • Q4/5

296

QUESTION ID

S10-B1-Q4

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 10 • BACKWARD 1 • Q4/5

True or false?

Every number in the 3s row of the multiplication table is odd.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 10 • BACKWARD 1 • Q5/5

297

QUESTION ID

S10-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 10 • BACKWARD 1 • Q5/5

SET 10 • 4.OA.B.4

BACKWARD 2

Odd and even numbers • Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3

True or false?

16 is even.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 10 • BACKWARD 2 • Q1/5

299

QUESTION ID

S10-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 10 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Is 23 odd or even?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 10 • BACKWARD 2 • Q2/5

300

QUESTION ID

S10-B2-Q2

TYPE

Short answer

CORRECT ANSWER

Odd

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 10 • BACKWARD 2 • Q2/5

Which number is even?

- A.** 27
- B.** 38
- C.** 41
- D.** 15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 10 • BACKWARD 2 • Q3/5

301

QUESTION ID

S10-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 38

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 10 • BACKWARD 2 • Q3/5

Write 14 as the sum of two equal addends.

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 10 • BACKWARD 2 • Q4/5

302

QUESTION ID

S10-B2-Q4

TYPE

Short answer

CORRECT ANSWER

7 + 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 10 • BACKWARD 2 • Q4/5

True or false?

An even number of objects cannot be put into two equal groups.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 10 • BACKWARD 2 • Q5/5

303

QUESTION ID

S10-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 10 • BACKWARD 2 • Q5/5

SET 10 • 4.OA.B.4

FORWARD 1

Generate two patterns and compare their terms • Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3

Pattern A starts at 0 and adds 4. Pattern B starts at 0 and adds 12.

Write the first five terms of each pattern.

Pattern A: _____

Pattern B: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 10 • FORWARD 1 • Q1/5

305

QUESTION ID

S10-F1-Q1

TYPE

Short answer

CORRECT ANSWER

Pattern A: 0, 4, 8, 12, 16; Pattern B: 0, 12, 24, 36, 48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 10 • FORWARD 1 • Q1/5

True or false?

Pattern A starts at 0 and adds 4. Pattern B starts at 0 and adds 12. Each term of B is 3 times the matching term of A.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 10 • FORWARD 1 • Q2/5

306

QUESTION ID

S10-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 10 • FORWARD 1 • Q2/5

Pattern A: 0, 5, 10, 15. Pattern B: 0, 10, 20, 30.

Which ordered pair (A, B) comes from the patterns?

- A. (15, 30)
- B. (15, 20)
- C. (30, 15)
- D. (10, 30)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 10 • FORWARD 1 • Q3/5

307

QUESTION ID

S10-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. (15, 30)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 10 • FORWARD 1 • Q3/5

Pattern A starts at 0 and adds 2. Pattern B starts at 0 and adds 10.

What is the 5th term of Pattern B?

Term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 10 • FORWARD 1 • Q4/5

308

QUESTION ID

S10-F1-Q4

TYPE

Short answer

CORRECT ANSWER

40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 10 • FORWARD 1 • Q4/5

True or false?

Each term of Pattern B is 4 times the matching term of Pattern A. When A is 9, B is 13.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 10 • FORWARD 1 • Q5/5

309

QUESTION ID

S10-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 10 • FORWARD 1 • Q5/5

SET 10 • 4.OA.B.4

FORWARD 2

Find the least common multiple • Grade 6 • The Number System • 6.NS.B.4

Find the least common multiple of 6 and 8.

LCM: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 10 • FORWARD 2 • Q1/5

311

QUESTION ID

S10-F2-Q1

TYPE

Short answer

CORRECT ANSWER

24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 10 • FORWARD 2 • Q1/5

Find the least common multiple of 5 and 7.

LCM: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 10 • FORWARD 2 • Q2/5

312

QUESTION ID

S10-F2-Q2

TYPE

Short answer

CORRECT ANSWER

35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 10 • FORWARD 2 • Q2/5

What is the least common multiple of 4 and 10?

- A.** 20
- B.** 2
- C.** 14
- D.** 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 10 • FORWARD 2 • Q3/5

313

QUESTION ID

S10-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 10 • FORWARD 2 • Q3/5

True or false?

The least common multiple of 9 and 12 is 36.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 10 • FORWARD 2 • Q4/5

314

QUESTION ID

S10-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 10 • FORWARD 2 • Q4/5

True or false?

The least common multiple of 3 and 6 is 18.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 10 • FORWARD 2 • Q5/5

315

QUESTION ID

S10-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 10 • FORWARD 2 • Q5/5

Decide whether a whole number from 1 to 100 is prime or composite

MAIN	Grade 4 main question	4.OA.B.4
BACKWARD 1	Find the unknown number in a multiplication or division equation	3.OA.A.4
BACKWARD 2	Arrays with up to 5 rows and 5 columns	2.OA.C.4
FORWARD 1	Evaluate expressions with grouping symbols	5.OA.A.1
FORWARD 2	Write and evaluate expressions with whole-number exponents	6.EE.A.1

SET 11 • 4.OA.B.4

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4

Which number is prime?

- A.** 49
- B.** 33
- C.** 29
- D.** 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 11 • MAIN • Q1/5

318

QUESTION ID

S11-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

C. 29

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 11 • MAIN • Q1/5

True or false?

51 is a prime number.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 11 • MAIN • Q2/5

319

QUESTION ID

S11-M-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 11 • MAIN • Q2/5

Is 39 prime or composite? Explain.

Answer: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 11 • MAIN • Q3/5

320

QUESTION ID

S11-M-Q3

TYPE

Short answer

CORRECT ANSWER

Composite

GRADING NOTE $39 = 3 \times 13$, so 39 has factors other than 1 and itself.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 11 • MAIN • Q3/5

List all the prime numbers between 20 and 40.

Primes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 11 • MAIN • Q4/5

321

QUESTION ID

S11-M-Q4

TYPE

Short answer

CORRECT ANSWER

23, 29, 31, 37

GRADING NOTE All four are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 11 • MAIN • Q4/5

True or false?

A composite number has more than two factors.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 11 • MAIN • Q5/5

322

QUESTION ID

S11-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.B.4 • Set 11 • MAIN • Q5/5

SET 11 • 4.OA.B.4

BACKWARD 1

Find the unknown number in a multiplication or division equation • Grade 3 •
Operations & Algebraic Thinking • 3.OA.A.4

Find the unknown number.

$$? \times 3 = 21$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 11 • BACKWARD 1 • Q1/5

324

QUESTION ID

S11-B1-Q1

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 11 • BACKWARD 1 • Q1/5

True or false?

If $7 \times ? = 49$, the unknown number is 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 11 • BACKWARD 1 • Q2/5

325

QUESTION ID

S11-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 11 • BACKWARD 1 • Q2/5

$$9 \times ? = 54$$

- A.** 7
- B.** 45
- C.** 6
- D.** 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 11 • BACKWARD 1 • Q3/5

326

QUESTION ID

S11-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 11 • BACKWARD 1 • Q3/5

Find the unknown number.

$$35 \div ? = 5$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 11 • BACKWARD 1 • Q4/5

327

QUESTION ID

S11-B1-Q4

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 11 • BACKWARD 1 • Q4/5

True or false?

If $? \times 4 = 32$, the unknown number is 9.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 11 • BACKWARD 1 • Q5/5

328

QUESTION ID

S11-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 11 • BACKWARD 1 • Q5/5

SET 11 • 4.OA.B.4

BACKWARD 2

Arrays with up to 5 rows and 5 columns • Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4

Write an addition equation for the array.

Equation: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 11 • BACKWARD 2 • Q1/5

330

QUESTION ID

S11-B2-Q1

TYPE

Short answer

CORRECT ANSWER

5 + 5 = 10

GRADING NOTE $2 + 2 + 2 + 2 + 2 = 10$ (adding the columns) is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 11 • BACKWARD 2 • Q1/5

True or false?

5 dots can make a rectangle only as 1 row of 5 or 5 rows of 1.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 11 • BACKWARD 2 • Q2/5

331

QUESTION ID

S11-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 11 • BACKWARD 2 • Q2/5

Which array has 12 dots?

- A.** 3 rows of 4
- B.** 4 rows of 4
- C.** 3 rows of 5
- D.** 2 rows of 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 11 • BACKWARD 2 • Q3/5

332

QUESTION ID

S11-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 3 rows of 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 11 • BACKWARD 2 • Q3/5

How many dots are in an array with 4 rows of 4?

Dots: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 11 • BACKWARD 2 • Q4/5

333

QUESTION ID

S11-B2-Q4

TYPE

Short answer

CORRECT ANSWER

16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 11 • BACKWARD 2 • Q4/5

True or false?

An array with 2 rows of 3 dots has 5 dots.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 11 • BACKWARD 2 • Q5/5

334

QUESTION ID

S11-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.4 • Set 11 • BACKWARD 2 • Q5/5

SET 11 • 4.OA.B.4

FORWARD 1

Evaluate expressions with grouping symbols • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1

Evaluate.

$$2 \times 3 \times 7$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 11 • FORWARD 1 • Q1/5

336

QUESTION ID

S11-F1-Q1

TYPE

Short answer

CORRECT ANSWER

42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 11 • FORWARD 1 • Q1/5

Evaluate.

$$2 \times (5 \times 5)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 11 • FORWARD 1 • Q2/5

337

QUESTION ID

S11-F1-Q2

TYPE

Short answer

CORRECT ANSWER

50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 11 • FORWARD 1 • Q2/5

Evaluate.

$$(2 \times 2) \times (3 \times 3)$$

- A. 10
- B. 36
- C. 24
- D. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 11 • FORWARD 1 • Q3/5

338

QUESTION ID

S11-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 11 • FORWARD 1 • Q3/5

True or false?

$$3 \times (2 \times 11) = 66$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 11 • FORWARD 1 • Q4/5

339

QUESTION ID

S11-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 11 • FORWARD 1 • Q4/5

True or false?

$$[2 \times (3 + 5)] \times 2 = 22$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 11 • FORWARD 1 • Q5/5

340

QUESTION ID

S11-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 11 • FORWARD 1 • Q5/5

SET 11 • 4.OA.B.4

FORWARD 2

Write and evaluate expressions with whole-number exponents • Grade 6 •
Expressions & Equations • 6.EE.A.1

Evaluate.

$$2^3 \times 3$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 11 • FORWARD 2 • Q1/5

342

QUESTION ID

S11-F2-Q1

TYPE

Short answer

CORRECT ANSWER

24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 11 • FORWARD 2 • Q1/5

Write $2 \times 2 \times 2 \times 2 \times 5$ using an exponent.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 11 • FORWARD 2 • Q2/5

343

QUESTION ID

S11-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$2^4 \times 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 11 • FORWARD 2 • Q2/5

Which expression equals 72?

- A. 6^2
- B. $2^2 \times 3^3$
- C. $2^3 \times 3^2$
- D. $2 \times 3 \times 6$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 11 • FORWARD 2 • Q3/5

344

QUESTION ID

S11-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $2^3 \times 3^2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 11 • FORWARD 2 • Q3/5

True or false?

$$3^2 \times 5 = 45$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 11 • FORWARD 2 • Q4/5

345

QUESTION ID

S11-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 11 • FORWARD 2 • Q4/5

True or false?

$$2^5 = 10$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 11 • FORWARD 2 • Q5/5

346

QUESTION ID

S11-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 11 • FORWARD 2 • Q5/5

Generate a number or shape pattern that follows a given rule

MAIN	Grade 4 main question	4.OA.C.5
BACKWARD 1	Arithmetic patterns	3.OA.D.9
BACKWARD 2	Add or subtract 10 or 100 mentally	2.NBT.B.8
FORWARD 1	Form ordered pairs from two patterns	5.OA.B.3
FORWARD 2	Write an equation for a pattern with dependent and independent v...	6.EE.C.9

SET 12 • 4.OA.C.5

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5

The rule is "add 7." The pattern starts at 4.

Write the first five terms.

Terms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 12 • MAIN • Q1/5

349

QUESTION ID

S12-M-Q1

TYPE

Short answer

CORRECT ANSWER

4, 11, 18, 25, 32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 12 • MAIN • Q1/5

The rule is "multiply by 3." The pattern starts at 2.

Write the first four terms.

Terms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 12 • MAIN • Q2/5

350

QUESTION ID

S12-M-Q2

TYPE

Short answer

CORRECT ANSWER

2, 6, 18, 54

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 12 • MAIN • Q2/5

Which pattern follows the rule "subtract 6," starting at 50?

- A. 50, 45, 40, 35
- B. 50, 44, 38, 32
- C. 50, 56, 62, 68
- D. 44, 38, 32, 26

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 12 • MAIN • Q3/5

351

QUESTION ID

S12-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 50, 44, 38, 32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 12 • MAIN • Q3/5

True or false?

The rule "add 9," starting at 15, gives 15, 24, 33, 43.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 12 • MAIN • Q4/5

352

QUESTION ID

S12-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 12 • MAIN • Q4/5

In a shape pattern, each figure has 2 more squares than the one before. The 1st figure has 3 squares.

How many squares are in the 6th figure?

Squares: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 12 • MAIN • Q5/5

353

QUESTION ID

S12-M-Q5

TYPE

Short answer

CORRECT ANSWER

13

GRADING NOTE 3, 5, 7, 9, 11, 13.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 12 • MAIN • Q5/5

SET 12 • 4.OA.C.5

BACKWARD 1

Arithmetic patterns • Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9

What comes next?

12, 16, 20, 24, ____

Next: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 12 • BACKWARD 1 • Q1/5

355

QUESTION ID

S12-B1-Q1

TYPE

Short answer

CORRECT ANSWER

28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 12 • BACKWARD 1 • Q1/5

True or false?

The pattern 5, 10, 15, 20 adds 5 each time.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 12 • BACKWARD 1 • Q2/5

356

QUESTION ID

S12-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 12 • BACKWARD 1 • Q2/5

What is the rule for 30, 27, 24, 21?

- A.** Add 3
- B.** Multiply by 3
- C.** Subtract 3
- D.** Subtract 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 12 • BACKWARD 1 • Q3/5

357

QUESTION ID

S12-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. Subtract 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 12 • BACKWARD 1 • Q3/5

What comes next?

7, 14, 21, 28, ____

Next: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 12 • BACKWARD 1 • Q4/5

358

QUESTION ID

S12-B1-Q4

TYPE

Short answer

CORRECT ANSWER

35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 12 • BACKWARD 1 • Q4/5

True or false?

The pattern 2, 4, 8, 16 adds 2 each time.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 12 • BACKWARD 1 • Q5/5

359

QUESTION ID

S12-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 12 • BACKWARD 1 • Q5/5

SET 12 • 4.OA.C.5

BACKWARD 2

Add or subtract 10 or 100 mentally • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8

ANSWER KEY

Reduced copy of the question page, with its answer

What is 10 more than 347?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8 • Set 12 • BACKWARD 2 • Q1/5

361

QUESTION ID

S12-B2-Q1

TYPE

Short answer

CORRECT ANSWER

357

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8 • Set 12 • BACKWARD 2 • Q1/5

361

True or false?

100 less than 612 is 512.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8 • Set 12 • BACKWARD 2 • Q2/5

362

QUESTION ID

S12-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8 • Set 12 • BACKWARD 2 • Q2/5

What is 100 more than 285?

- A.** 295
- B.** 385
- C.** 185
- D.** 286

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8 • Set 12 • BACKWARD 2 • Q3/5

363

QUESTION ID

S12-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 385

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8 • Set 12 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

What is 10 less than 503?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8 • Set 12 • BACKWARD 2 • Q4/5

364

QUESTION ID

S12-B2-Q4

TYPE

Short answer

CORRECT ANSWER

493

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8 • Set 12 • BACKWARD 2 • Q4/5

True or false?

10 more than 790 is 890.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8 • Set 12 • BACKWARD 2 • Q5/5

365

QUESTION ID

S12-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.8 • Set 12 • BACKWARD 2 • Q5/5

SET 12 • 4.OA.C.5

FORWARD 1

Form ordered pairs from two patterns • Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3

Pattern A starts at 1 and adds 1. Pattern B starts at 5 and adds 5.

Write the first four ordered pairs (A, B).

Ordered pairs: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 12 • FORWARD 1 • Q1/5

367

QUESTION ID

S12-F1-Q1

TYPE

Short answer

CORRECT ANSWER

(1, 5), (2, 10), (3, 15), (4, 20)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 12 • FORWARD 1 • Q1/5

True or false?

Pattern A is 0, 3, 6, 9 and Pattern B is 0, 9, 18, 27.
Each B term is 3 times the matching A term.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 12 • FORWARD 1 • Q2/5

368

QUESTION ID

S12-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 12 • FORWARD 1 • Q2/5

Pattern A starts at 0 and adds 2. Pattern B starts at 0 and adds 8.

What is the B term when the A term is 6?

A. 14

B. 12

C. 48

D. 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 12 • FORWARD 1 • Q3/5

369

QUESTION ID

S12-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER


D. 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 12 • FORWARD 1 • Q3/5

Graph the ordered pairs (0, 0), (1, 3), (2, 6), and (3, 9) from two patterns.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 12 • FORWARD 1 • Q4/5

370

QUESTION ID

S12-F1-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (0, 0), (1, 3), (2, 6), (3, 9)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 12 • FORWARD 1 • Q4/5

True or false?

Pattern A starts at 0 and adds 5. Pattern B starts at 0 and adds 10. The 4th pair is (20, 40).

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 12 • FORWARD 1 • Q5/5

371

QUESTION ID

S12-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 12 • FORWARD 1 • Q5/5

SET 12 • 4.OA.C.5

FORWARD 2

Write an equation for a pattern with dependent and independent variables •

Grade 6 • Expressions & Equations • 6.EE.C.9

Figure 1 has 4 tiles, and each figure has 4 more tiles than the one before.

Write an equation for the tiles t in figure n .

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 12 • FORWARD 2 • Q1/5

373

QUESTION ID

S12-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$t = 4n$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 12 • FORWARD 2 • Q1/5

In $t = 4n$, which variable depends on the other?

- A. t
- B. n
- C. 4
- D. Neither

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 12 • FORWARD 2 • Q2/5

374

QUESTION ID

S12-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. t

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 12 • FORWARD 2 • Q2/5

Write an equation for y in terms of x .

x	1	2	3	4
y	6	12	18	24

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 12 • FORWARD 2 • Q3/5

375

QUESTION ID

S12-F2-Q3

TYPE

Short answer

CORRECT ANSWER

$y = 6x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 12 • FORWARD 2 • Q3/5

True or false?

In $c = 8h$, when h increases by 1, c increases by 8.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 12 • FORWARD 2 • Q4/5

376

QUESTION ID

S12-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 12 • FORWARD 2 • Q4/5

True or false?

The table x: 1, 2, 3 and y: 3, 5, 7 fits $y = 3x$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 12 • FORWARD 2 • Q5/5

377

QUESTION ID

S12-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 12 • FORWARD 2 • Q5/5

Identify features of a pattern that the rule does not state, and explain them

MAIN	Grade 4 main question	4.OA.C.5
BACKWARD 1	Explain patterns in the multiplication and addition tables	3.OA.D.9
BACKWARD 2	Odd and even numbers	2.OA.C.3
FORWARD 1	Explain the relationship between two patterns	5.OA.B.3
FORWARD 2	Evaluate expressions for a given value of the variable	6.EE.A.2.c

SET 13 • 4.OA.C.5

MAIN

Grade 4 main question • Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5

The rule is "add 4," starting at 2: 2, 6, 10, 14, 18.

What do you notice about every term? Explain why it happens.

Feature: _____

Why: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 13 • MAIN • Q1/5

380

QUESTION ID

S13-M-Q1

TYPE

Short answer

CORRECT ANSWER

Every term is even.

GRADING NOTE Why: the pattern starts at an even number and adding 4 (an even number) to an even number always gives an even number. Another true feature with a correct reason (for example, the ones digits repeat 2, 6, 0, 4, 8) is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 13 • MAIN • Q1/5

The rule is "add 5," starting at 3: 3, 8, 13, 18, 23.

Which statement is true?

- A.** Every term is a multiple of 5.
- B.** Every term is even.
- C.** The ones digits alternate between 3 and 8.
- D.** Every term is odd.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 13 • MAIN • Q2/5

381

QUESTION ID

S13-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

**C. The ones digits
alternate between 3
and 8.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 13 • MAIN • Q2/5

True or false?

The rule "add 2," starting at 7, makes only odd numbers.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 13 • MAIN • Q3/5

382

QUESTION ID

S13-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 13 • MAIN • Q3/5

True or false?

The rule "add 6," starting at 1, makes terms that alternate between odd and even.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 13 • MAIN • Q4/5

383

QUESTION ID

S13-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 13 • MAIN • Q4/5

The rule is "multiply by 2," starting at 3: 3, 6, 12, 24, 48.

After the first term, are the terms odd or even? Explain why.

Answer: _____

Why: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 13 • MAIN • Q5/5

384

QUESTION ID

S13-M-Q5

TYPE

Short answer

CORRECT ANSWER

Even

GRADING NOTE Each term after the first is 2 times a whole number, and 2 times any whole number is even.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 13 • MAIN • Q5/5

SET 13 • 4.OA.C.5

BACKWARD 1

Explain patterns in the multiplication and addition tables • Grade 3 •
Operations & Algebraic Thinking • 3.OA.D.9

True or false?

4 times any whole number is even.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 13 • BACKWARD 1 • Q1/5

386

QUESTION ID

S13-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 13 • BACKWARD 1 • Q1/5

Why is every product in the 6s row of the multiplication table even?

- A. The 6s row has 10 products.
- B. 6 is greater than 5.
- C. Every number is even.
- D. 6 is 2×3 , so every product is 2 times a number.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 13 • BACKWARD 1 • Q2/5

387

QUESTION ID

S13-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 6 is 2×3 , so every product is 2 times a number.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 13 • BACKWARD 1 • Q2/5

The 10s row is 10, 20, 30, 40, ...

What is the same about every product?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 13 • BACKWARD 1 • Q3/5

388

QUESTION ID

S13-B1-Q3

TYPE

Short answer

CORRECT ANSWER

They all end in 0.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 13 • BACKWARD 1 • Q3/5

True or false?

Every product in the 9s row of the multiplication table is odd.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 13 • BACKWARD 1 • Q4/5

389

QUESTION ID

S13-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 13 • BACKWARD 1 • Q4/5

Is the sum of two odd numbers odd or even?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 13 • BACKWARD 1 • Q5/5

390

QUESTION ID

S13-B1-Q5

TYPE

Short answer

CORRECT ANSWER

Even

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 13 • BACKWARD 1 • Q5/5

SET 13 • 4.OA.C.5

BACKWARD 2

Odd and even numbers • Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3

True or false?

31 is odd.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 13 • BACKWARD 2 • Q1/5

392

QUESTION ID

S13-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 13 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Is 46 odd or even?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 13 • BACKWARD 2 • Q2/5

393

QUESTION ID

S13-B2-Q2

TYPE

Short answer

CORRECT ANSWER

Even

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 13 • BACKWARD 2 • Q2/5

Which number is odd?

- A.** 8
- B.** 14
- C.** 30
- D.** 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 13 • BACKWARD 2 • Q3/5

394

QUESTION ID

S13-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 13 • BACKWARD 2 • Q3/5

Write 18 as the sum of two equal addends.

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 13 • BACKWARD 2 • Q4/5

395

QUESTION ID

S13-B2-Q4

TYPE

Short answer

CORRECT ANSWER

9 + 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 13 • BACKWARD 2 • Q4/5

True or false?

Adding two even numbers can give an odd number.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 13 • BACKWARD 2 • Q5/5

396

QUESTION ID

S13-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.C.3 • Set 13 • BACKWARD 2 • Q5/5

SET 13 • 4.OA.C.5

FORWARD 1

Explain the relationship between two patterns • Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3

Pattern A starts at 0 and adds 6. Pattern B starts at 0 and adds 2.

Explain why each term of A is 3 times the matching term of B.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 13 • FORWARD 1 • Q1/5

398

QUESTION ID

S13-F1-Q1

TYPE

Short answer

CORRECT ANSWER

Both start at 0 and take the same number of steps, and A adds 6, which is 3×2 , at every step, so A has always added 3 times as much.

GRADING NOTE Must connect the rule amounts ($6 = 3 \times 2$) to the same start of 0 and the same number of steps.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 13 • FORWARD 1 • Q1/5

True or false?

Pattern A starts at 0 and adds 4. Pattern B starts at 0 and adds 8. Each B term is 2 times the A term because B adds twice as much at every step.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 13 • FORWARD 1 • Q2/5

399

QUESTION ID

S13-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 13 • FORWARD 1 • Q2/5

Pattern A starts at 2 and adds 2. Pattern B starts at 2 and adds 6.

Why is B NOT always 3 times A?

- A.** A has more terms.
- B.** Both rules add even numbers.
- C.** B adds less than A.
- D.** They start at the same number, not at 0.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 13 • FORWARD 1 • Q3/5

400

QUESTION ID

S13-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. They start at the same number, not at 0.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 13 • FORWARD 1 • Q3/5

Pattern A starts at 0 and adds 7. Pattern B starts at 0 and adds 21.

What is the B term when the A term is 35?

Term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 13 • FORWARD 1 • Q4/5

401

QUESTION ID

S13-F1-Q4

TYPE

Short answer

CORRECT ANSWER

105

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 13 • FORWARD 1 • Q4/5

True or false?

Two patterns start at 0 and add 5 and 10. Each B term is 5 more than the matching A term.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 13 • FORWARD 1 • Q5/5

402

QUESTION ID

S13-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 13 • FORWARD 1 • Q5/5

SET 13 • 4.OA.C.5

FORWARD 2

Evaluate expressions for a given value of the variable • Grade 6 • Expressions & Equations • 6.EE.A.2.c

Evaluate $4n + 2$ when $n = 6$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 13 • FORWARD 2 • Q1/5

404

QUESTION ID

S13-F2-Q1

TYPE

Short answer

CORRECT ANSWER

26

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 13 • FORWARD 2 • Q1/5

True or false?

The expression $2n$ gives an even number for every whole number n .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 13 • FORWARD 2 • Q2/5

405

QUESTION ID

S13-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 13 • FORWARD 2 • Q2/5

The n th term of 5, 9, 13, 17, ... is $4n + 1$.

What is the 10th term?

- A.** 40
- B.** 45
- C.** 41
- D.** 14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 13 • FORWARD 2 • Q3/5

406

QUESTION ID

S13-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 41

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 13 • FORWARD 2 • Q3/5

Evaluate $3n - 1$ when $n = 12$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 13 • FORWARD 2 • Q4/5

407

QUESTION ID

S13-F2-Q4

TYPE

Short answer

CORRECT ANSWER

35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 13 • FORWARD 2 • Q4/5

True or false?

When $n = 5$, $2n + 1 = 12$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 13 • FORWARD 2 • Q5/5

408

QUESTION ID

S13-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 13 • FORWARD 2 • Q5/5

A digit in one place is worth ten times what it is worth in the place to its right

MAIN	Grade 4 main question	4.NBT.A.1
BACKWARD 1	Hundreds, tens, and ones	2.NBT.A.1
BACKWARD 2	Multiply one-digit numbers by multiples of 10	3.NBT.A.3
FORWARD 1	Place value in decimals: 10 times and 1/10 of a digit	5.NBT.A.1
FORWARD 2	Write and evaluate powers of 10 with exponents	6.EE.A.1

SET 14 • 4.NBT.A.1

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.A.1

True or false?

In 4,440, the 4 in the hundreds place is worth 10 times the 4 in the tens place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 14 • MAIN • Q1/5

411

QUESTION ID

S14-M-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 14 • MAIN • Q1/5

The 8 in 8,325 is worth how many times the 8 in 825?

- A.** 10 times
- B.** 8 times
- C.** The same
- D.** 100 times

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 14 • MAIN • Q2/5

412

QUESTION ID

S14-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 10 times

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 14 • MAIN • Q2/5

What is the value of the 6 in 62,904?

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 14 • MAIN • Q3/5

413

QUESTION ID

S14-M-Q3

TYPE

Short answer

CORRECT ANSWER

60,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 14 • MAIN • Q3/5

Write the number that is 10 times as much as 3,070.

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 14 • MAIN • Q4/5

414

QUESTION ID

S14-M-Q4

TYPE

Short answer

CORRECT ANSWER

30,700

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 14 • MAIN • Q4/5

True or false?

In 5,555, the 5 in the tens place is worth 10 times the 5 in the hundreds place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 14 • MAIN • Q5/5

415

QUESTION ID

S14-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 14 • MAIN • Q5/5

SET 14 • 4.NBT.A.1

BACKWARD 1

Hundreds, tens, and ones • Grade 2 • Number & Operations in Base Ten •
2.NBT.A.1

How many tens make 1 hundred?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 14 • BACKWARD 1 • Q1/5

417

QUESTION ID

S14-B1-Q1

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 14 • BACKWARD 1 • Q1/5

True or false?

In 472, the 7 means 7 tens.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 14 • BACKWARD 1 • Q2/5

418

QUESTION ID

S14-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 14 • BACKWARD 1 • Q2/5

What is the value of the 3 in 360?

- A.** 3,000
- B.** 30
- C.** 3
- D.** 300

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 14 • BACKWARD 1 • Q3/5

419

QUESTION ID

S14-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 300

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 14 • BACKWARD 1 • Q3/5

Write the number with 5 hundreds, 0 tens, and 8 ones.

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 14 • BACKWARD 1 • Q4/5

420

QUESTION ID

S14-B1-Q4

TYPE

Short answer

CORRECT ANSWER

508

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 14 • BACKWARD 1 • Q4/5

True or false?

In 914, the 1 means 1 hundred.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 14 • BACKWARD 1 • Q5/5

421

QUESTION ID

S14-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 14 • BACKWARD 1 • Q5/5

SET 14 • 4.NBT.A.1

BACKWARD 2

Multiply one-digit numbers by multiples of 10 • Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$6 \times 40$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 14 • BACKWARD 2 • Q1/5

423

QUESTION ID

S14-B2-Q1

TYPE

Short answer

CORRECT ANSWER

240

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 14 • BACKWARD 2 • Q1/5

423

True or false?

$$3 \times 70 = 210$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 14 • BACKWARD 2 • Q2/5

424

QUESTION ID

S14-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 14 • BACKWARD 2 • Q2/5

$$9 \times 50 = ?$$

- A.** 45
- B.** 59
- C.** 4,500
- D.** 450

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 14 • BACKWARD 2 • Q3/5

425

QUESTION ID

S14-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 450

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 14 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$8 \times 30$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 14 • BACKWARD 2 • Q4/5

426

QUESTION ID

S14-B2-Q4

TYPE

Short answer

CORRECT ANSWER

240

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 14 • BACKWARD 2 • Q4/5

426

True or false?

$$5 \times 80 = 4,000$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 14 • BACKWARD 2 • Q5/5

427

QUESTION ID

S14-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 14 • BACKWARD 2 • Q5/5

SET 14 • 4.NBT.A.1

FORWARD 1

Place value in decimals: 10 times and $\frac{1}{10}$ of a digit • Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1

True or false?

In 3.33, the 3 in the ones place is worth 10 times the 3 in the tenths place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 14 • FORWARD 1 • Q1/5

429

QUESTION ID

S14-F1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 14 • FORWARD 1 • Q1/5

What is $\frac{1}{10}$ of 70?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 14 • FORWARD 1 • Q2/5

430

QUESTION ID

S14-F1-Q2

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 14 • FORWARD 1 • Q2/5

In 6.66, the 6 in the hundredths place is worth what part of the 6 in the tenths place?

- A. $\frac{1}{10}$
- B. The same amount
- C. 10 times as much
- D. $\frac{1}{100}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 14 • FORWARD 1 • Q3/5

431

QUESTION ID

S14-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 1/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 14 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

What is 10 times 0.4?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 14 • FORWARD 1 • Q4/5

432

QUESTION ID

S14-F1-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 14 • FORWARD 1 • Q4/5

432

True or false?

In 2.22, the 2 in the tenths place is worth 10 times the 2 in the ones place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 14 • FORWARD 1 • Q5/5

433

QUESTION ID

S14-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 14 • FORWARD 1 • Q5/5

SET 14 • 4.NBT.A.1

FORWARD 2

Write and evaluate powers of 10 with exponents • Grade 6 • Expressions & Equations • 6.EE.A.1

Write $10 \times 10 \times 10$ using an exponent.

Exponent form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 14 • FORWARD 2 • Q1/5

435

QUESTION ID

S14-F2-Q1

TYPE

Short answer

CORRECT ANSWER

10^3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 14 • FORWARD 2 • Q1/5

True or false?

$$10^4 = 10,000$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 14 • FORWARD 2 • Q2/5

436

QUESTION ID

S14-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 14 • FORWARD 2 • Q2/5

Evaluate.

10^2

- A.** 12
- B.** 20
- C.** 1,000
- D.** 100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 14 • FORWARD 2 • Q3/5

437

QUESTION ID

S14-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 14 • FORWARD 2 • Q3/5

Evaluate.

$$4 \times 10^3$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 14 • FORWARD 2 • Q4/5

438

QUESTION ID

S14-F2-Q4

TYPE

Short answer

CORRECT ANSWER

4,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 14 • FORWARD 2 • Q4/5

True or false?

10^5 has 4 zeros.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 14 • FORWARD 2 • Q5/5

439

QUESTION ID

S14-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 14 • FORWARD 2 • Q5/5

Use place value and division to explain why one number is ten times another

MAIN	Grade 4 main question	4.NBT.A.1
BACKWARD 1	A hundred is a bundle of ten tens	2.NBT.A.1.a
BACKWARD 2	Multiply one-digit numbers by multiples of 10	3.NBT.A.3
FORWARD 1	Divide whole numbers and decimals by powers of 10	5.NBT.A.2
FORWARD 2	Divide multi-digit decimals	6.NS.B.3

SET 15 • 4.NBT.A.1

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.A.1

Use place value to find $5,000 \div 500$.

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 15 • MAIN • Q1/5

442

QUESTION ID

S15-M-Q1

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 15 • MAIN • Q1/5

True or false?

$900 \div 90 = 10$ because 9 hundreds is 10 times 9 tens.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 15 • MAIN • Q2/5

443

QUESTION ID

S15-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 15 • MAIN • Q2/5

Which statement explains why $3,000 \div 300 = 10$?

- A. $3,000 - 300 = 10$
- B. 3 thousands is 10 times 3 hundreds.
- C. 3,000 has one more zero.
- D. $300 \div 3,000 = 10$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 15 • MAIN • Q3/5

444

QUESTION ID

S15-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 3 thousands is 10 times 3 hundreds.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 15 • MAIN • Q3/5

4,000 is how many times as much as 400? Explain using place value.

Answer: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 15 • MAIN • Q4/5

445

QUESTION ID

S15-M-Q4

TYPE

Short answer

CORRECT ANSWER

10 times

GRADING NOTE 4 thousands = 40 hundreds, which is 10 groups of 4 hundreds. Saying only "it has one more zero" is not a place-value explanation.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 15 • MAIN • Q4/5

True or false?

$$60 \div 6 = 100$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 15 • MAIN • Q5/5

446

QUESTION ID

S15-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 15 • MAIN • Q5/5

SET 15 • 4.NBT.A.1

BACKWARD 1

A hundred is a bundle of ten tens • Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a

True or false?

100 can be thought of as a bundle of 10 tens.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 15 • BACKWARD 1 • Q1/5

448

QUESTION ID

S15-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 15 • BACKWARD 1 • Q1/5

How many tens are in 300?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 15 • BACKWARD 1 • Q2/5

449

QUESTION ID

S15-B1-Q2

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 15 • BACKWARD 1 • Q2/5

How many hundreds are in 800?

- A.** 8
- B.** 800
- C.** 18
- D.** 80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 15 • BACKWARD 1 • Q3/5

450

QUESTION ID

S15-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 15 • BACKWARD 1 • Q3/5

How many tens are in 50?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 15 • BACKWARD 1 • Q4/5

451

QUESTION ID

S15-B1-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 15 • BACKWARD 1 • Q4/5

True or false?

400 is 4 tens.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 15 • BACKWARD 1 • Q5/5

452

QUESTION ID

S15-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 15 • BACKWARD 1 • Q5/5

SET 15 • 4.NBT.A.1

BACKWARD 2

Multiply one-digit numbers by multiples of 10 • Grade 3 • Number & Operations
in Base Ten • 3.NBT.A.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$4 \times 90$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 15 • BACKWARD 2 • Q1/5

454

QUESTION ID

S15-B2-Q1

TYPE

Short answer

CORRECT ANSWER

360

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 15 • BACKWARD 2 • Q1/5

True or false?

$$7 \times 60 = 420$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 15 • BACKWARD 2 • Q2/5

455

QUESTION ID

S15-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 15 • BACKWARD 2 • Q2/5

$$2 \times 80 = ?$$

- A.** 160
- B.** 82
- C.** 16
- D.** 1,600

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 15 • BACKWARD 2 • Q3/5

456

QUESTION ID

S15-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 160

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 15 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$9 \times 20$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 15 • BACKWARD 2 • Q4/5

457

QUESTION ID

S15-B2-Q4

TYPE

Short answer

CORRECT ANSWER

180

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 15 • BACKWARD 2 • Q4/5

457

True or false?

$$6 \times 50 = 3,000$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 15 • BACKWARD 2 • Q5/5

458

QUESTION ID

S15-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 15 • BACKWARD 2 • Q5/5

SET 15 • 4.NBT.A.1

FORWARD 1

Divide whole numbers and decimals by powers of 10 • Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$4,500 \div 100$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 15 • FORWARD 1 • Q1/5

460

QUESTION ID

S15-F1-Q1

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 15 • FORWARD 1 • Q1/5

460

True or false?

$$7,000 \div 10^3 = 7$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 15 • FORWARD 1 • Q2/5

461

QUESTION ID

S15-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 15 • FORWARD 1 • Q2/5

Divide.

$$36 \div 10$$

- A. 360
- B. 3.6
- C. 36
- D. 0.36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 15 • FORWARD 1 • Q3/5

462

QUESTION ID

S15-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 3.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 15 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$820 \div 10^2$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 15 • FORWARD 1 • Q4/5

463

QUESTION ID

S15-F1-Q4

TYPE

Short answer

CORRECT ANSWER

8.2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 15 • FORWARD 1 • Q4/5

463

True or false?

$$50 \div 10 = 500$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 15 • FORWARD 1 • Q5/5

464

QUESTION ID

S15-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 15 • FORWARD 1 • Q5/5

SET 15 • 4.NBT.A.1

FORWARD 2

Divide multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$4.5 \div 0.45$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 2 • Q1/5

466

QUESTION ID

S15-F2-Q1

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 2 • Q1/5

466

True or false?

$$0.8 \div 0.08 = 10$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 2 • Q2/5

467

QUESTION ID

S15-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 2 • Q2/5

Divide.

$$6 \div 0.6$$

- A.** 10
- B.** 0.1
- C.** 1
- D.** 100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 2 • Q3/5

468

QUESTION ID

S15-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$2.4 \div 0.3$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 2 • Q4/5

469

QUESTION ID

S15-F2-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 2 • Q4/5

469

True or false?

$$1.2 \div 0.12 = 100$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 2 • Q5/5

470

QUESTION ID

S15-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 2 • Q5/5

Read and write multi-digit whole numbers using numerals and number names

MAIN	Grade 4 main question	4.NBT.A.2
BACKWARD 1	Read and write numbers to 1000	2.NBT.A.3
BACKWARD 2	Hundreds, tens, and ones	2.NBT.A.1
FORWARD 1	Read and write decimals to thousandths	5.NBT.A.3.a
FORWARD 2	Use positive and negative numbers to describe quantities — near...	6.NS.C.5

SET 16 • 4.NBT.A.2

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.A.2

Write the number in standard form.

forty-six thousand, two hundred eight

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 16 • MAIN • Q1/5

473

QUESTION ID

S16-M-Q1

TYPE

Short answer

CORRECT ANSWER

46,208

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 16 • MAIN • Q1/5

Write 309,051 in words.

Words: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 16 • MAIN • Q2/5

474

QUESTION ID

S16-M-Q2

TYPE

Short answer

CORRECT ANSWER

**three hundred nine
thousand, fifty-one**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 16 • MAIN • Q2/5

Which is 72,016 in words?

- A.** seventy-two thousand, sixteen
- B.** seven thousand, two hundred sixteen
- C.** seventy-two thousand, one hundred six
- D.** seventy-two thousand, one hundred sixty

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 16 • MAIN • Q3/5

475

QUESTION ID

S16-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. seventy-two thousand, sixteen

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 16 • MAIN • Q3/5

True or false?

Six hundred thousand, forty is written 600,400.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 16 • MAIN • Q4/5

476

QUESTION ID

S16-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 16 • MAIN • Q4/5

Write the number in standard form.

ninety thousand, nine hundred

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 16 • MAIN • Q5/5

477

QUESTION ID

S16-M-Q5

TYPE

Short answer

CORRECT ANSWER

90,900

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 16 • MAIN • Q5/5

SET 16 • 4.NBT.A.2

BACKWARD 1

Read and write numbers to 1000 • Grade 2 • Number & Operations in Base Ten
• 2.NBT.A.3

Write the number in standard form.

four hundred seventeen

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 16 • BACKWARD 1 • Q1/5

479

QUESTION ID

S16-B1-Q1

TYPE

Short answer

CORRECT ANSWER

417

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 16 • BACKWARD 1 • Q1/5

True or false?

Six hundred five is written 650.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 16 • BACKWARD 1 • Q2/5

480

QUESTION ID

S16-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 16 • BACKWARD 1 • Q2/5

Which is 238 in words?

- A.** two hundred thirty-eight
- B.** three hundred twenty-eight
- C.** two hundred eighty-three
- D.** twenty-three eight

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 16 • BACKWARD 1 • Q3/5

481

QUESTION ID

S16-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

**A. two hundred
thirty-eight**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 16 • BACKWARD 1 • Q3/5

Write 702 in words.

Words: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 16 • BACKWARD 1 • Q4/5

482

QUESTION ID

S16-B1-Q4

TYPE

Short answer

CORRECT ANSWER

seven hundred two

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 16 • BACKWARD 1 • Q4/5

True or false?

Nine hundred ninety is written 990.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 16 • BACKWARD 1 • Q5/5

483

QUESTION ID

S16-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 16 • BACKWARD 1 • Q5/5

SET 16 • 4.NBT.A.2

BACKWARD 2

Hundreds, tens, and ones • Grade 2 • Number & Operations in Base Ten •
2.NBT.A.1

What digit is in the tens place of 586?

Digit: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 16 • BACKWARD 2 • Q1/5

485

QUESTION ID

S16-B2-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 16 • BACKWARD 2 • Q1/5

True or false?

In 249, the 2 is worth 200.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 16 • BACKWARD 2 • Q2/5

486

QUESTION ID

S16-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 16 • BACKWARD 2 • Q2/5

Which number has 7 hundreds, 3 tens, and 0 ones?

- A.** 730
- B.** 703
- C.** 73
- D.** 370

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 16 • BACKWARD 2 • Q3/5

487

QUESTION ID

S16-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 730

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 16 • BACKWARD 2 • Q3/5

How many hundreds are in 600?

Hundreds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 16 • BACKWARD 2 • Q4/5

488

QUESTION ID

S16-B2-Q4

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 16 • BACKWARD 2 • Q4/5

True or false?

In 381, the 8 is worth 8.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 16 • BACKWARD 2 • Q5/5

489

QUESTION ID

S16-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 16 • BACKWARD 2 • Q5/5

SET 16 • 4.NBT.A.2

FORWARD 1

Read and write decimals to thousandths • Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a

Write the number in standard form.

four and twenty-five thousandths

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 16 • FORWARD 1 • Q1/5

491

QUESTION ID

S16-F1-Q1

TYPE

Short answer

CORRECT ANSWER

4.025

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 16 • FORWARD 1 • Q1/5

True or false?

0.6 is read "six tenths."

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 16 • FORWARD 1 • Q2/5

492

QUESTION ID

S16-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 16 • FORWARD 1 • Q2/5

Which is 3.48 in words?

- A. thirty-four and eight tenths
- B. three hundred forty-eight
- C. three and forty-eight tenths
- D. three and forty-eight hundredths

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 16 • FORWARD 1 • Q3/5

493

QUESTION ID

S16-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

**D. three and
forty-eight
hundredths**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 16 • FORWARD 1 • Q3/5

Write 12.307 in words.

Words: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 16 • FORWARD 1 • Q4/5

494

QUESTION ID

S16-F1-Q4

TYPE

Short answer

CORRECT ANSWER

**twelve and three
hundred seven
thousandths**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 16 • FORWARD 1 • Q4/5

True or false?

Five and nine hundredths is written 5.9.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 16 • FORWARD 1 • Q5/5

495

QUESTION ID

S16-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 16 • FORWARD 1 • Q5/5

FORWARD 2

Use positive and negative numbers to describe quantities • Grade 6 • The Number System • 6.NS.C.5

► No Grade 6 standard directly continues this skill. This branch uses the nearest related Grade 6 standard.

A diver is 30 feet below sea level.

Write the diver's position as an integer.

Integer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q1

Grade 6 • The Number System • 6.NS.C.5 • Set 16 • FORWARD 2 • Q1/5 • NEAREST RELATED

497

QUESTION ID

S16-F2-Q1

TYPE

Short answer

CORRECT ANSWER

−30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q1

Grade 6 • The Number System • 6.NS.C.5 • Set 16 • FORWARD 2 • Q1/5 • NEAREST RELATED

True or false?

A gain of 8 yards can be written as +8.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q2

Grade 6 • The Number System • 6.NS.C.5 • Set 16 • FORWARD 2 • Q2/5 • NEAREST RELATED

498

QUESTION ID

S16-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q2

Grade 6 • The Number System • 6.NS.C.5 • Set 16 • FORWARD 2 • Q2/5 • NEAREST RELATED

Which integer shows a temperature of 12 degrees below zero?

- A. -12
- B. 12
- C. 0
- D. -21

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q3

Grade 6 • The Number System • 6.NS.C.5 • Set 16 • FORWARD 2 • Q3/5 • NEAREST RELATED

499

QUESTION ID

S16-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. -12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q3

Grade 6 • The Number System • 6.NS.C.5 • Set 16 • FORWARD 2 • Q3/5 • NEAREST RELATED

A deposit of \$45 is written as +45.

How is a withdrawal of \$45 written?

Integer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q4

Grade 6 • The Number System • 6.NS.C.5 • Set 16 • FORWARD 2 • Q4/5 • NEAREST RELATED

500

QUESTION ID

S16-F2-Q4

TYPE

Short answer

CORRECT ANSWER

−45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q4

Grade 6 • The Number System • 6.NS.C.5 • Set 16 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

–5 means 5 more than zero.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q5

Grade 6 • The Number System • 6.NS.C.5 • Set 16 • FORWARD 2 • Q5/5 • NEAREST RELATED

501

QUESTION ID

S16-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q5

Grade 6 • The Number System • 6.NS.C.5 • Set 16 • FORWARD 2 • Q5/5 • NEAREST RELATED

Write multi-digit whole numbers in expanded form

MAIN	Grade 4 main question	4.NBT.A.2
BACKWARD 1	Expanded form for numbers to 1000	2.NBT.A.3
BACKWARD 2	Two-digit numbers as tens and ones	1.NBT.B.2
FORWARD 1	Write decimals in expanded form	5.NBT.A.3.a
FORWARD 2	Write numbers using powers of 10 with exponents	6.EE.A.1

SET 17 • 4.NBT.A.2

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.A.2

Write 7,345 in expanded form.

Expanded form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 17 • MAIN • Q1/5

504

QUESTION ID

S17-M-Q1

TYPE

Short answer

CORRECT ANSWER

7,000 + 300 + 40 + 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 17 • MAIN • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Write the number.

$$50,000 + 2,000 + 80 + 6$$

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 17 • MAIN • Q2/5

505

QUESTION ID

S17-M-Q2

TYPE

Short answer

CORRECT ANSWER

52,086

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 17 • MAIN • Q2/5

505

Which is the expanded form of 40,209?

- A. $40,000 + 2,000 + 9$
- B. $40,000 + 20 + 9$
- C. $40,000 + 200 + 9$
- D. $4,000 + 200 + 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 17 • MAIN • Q3/5

506

QUESTION ID

S17-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $40,000 + 200 + 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 17 • MAIN • Q3/5

True or false?

$$600,000 + 3,000 + 70 = 630,070$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 17 • MAIN • Q4/5

507

QUESTION ID

S17-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 17 • MAIN • Q4/5

Write 18,504 in expanded form.

Expanded form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 17 • MAIN • Q5/5

508

QUESTION ID

S17-M-Q5

TYPE

Short answer

CORRECT ANSWER

**10,000 + 8,000
+ 500 + 4**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 17 • MAIN • Q5/5

SET 17 • 4.NBT.A.2

BACKWARD 1

Expanded form for numbers to 1000 • Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3

Write 846 in expanded form.

Expanded form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 17 • BACKWARD 1 • Q1/5

510

QUESTION ID

S17-B1-Q1

TYPE

Short answer

CORRECT ANSWER

800 + 40 + 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 17 • BACKWARD 1 • Q1/5

True or false?

$$300 + 9 = 390$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 17 • BACKWARD 1 • Q2/5

511

QUESTION ID

S17-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 17 • BACKWARD 1 • Q2/5

Which number is $500 + 20 + 7$?

- A.** 527
- B.** 572
- C.** 257
- D.** 5,207

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 17 • BACKWARD 1 • Q3/5

512

QUESTION ID

S17-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 527

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 17 • BACKWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Write the number.

$$900 + 60$$

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 17 • BACKWARD 1 • Q4/5

513

QUESTION ID

S17-B1-Q4

TYPE

Short answer

CORRECT ANSWER

960

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 17 • BACKWARD 1 • Q4/5

513

True or false?

$$200 + 40 + 1 = 241$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 17 • BACKWARD 1 • Q5/5

514

QUESTION ID

S17-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.3 • Set 17 • BACKWARD 1 • Q5/5

SET 17 • 4.NBT.A.2

BACKWARD 2

Two-digit numbers as tens and ones • Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2

How many tens and ones are in 47?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q1

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2 • Set 17 • BACKWARD 2 • Q1/5

516

QUESTION ID

S17-B2-Q1

TYPE

Short answer

CORRECT ANSWER

4 tens and 7 ones

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q1

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2 • Set 17 • BACKWARD 2 • Q1/5

True or false?

63 is 6 tens and 3 ones.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q2

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2 • Set 17 • BACKWARD 2 • Q2/5

517

QUESTION ID

S17-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q2

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2 • Set 17 • BACKWARD 2 • Q2/5

Which number is 8 tens and 2 ones?

- A.** 28
- B.** 10
- C.** 82
- D.** 802

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q3

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2 • Set 17 • BACKWARD 2 • Q3/5

518

QUESTION ID

S17-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 82

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q3

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2 • Set 17 • BACKWARD 2 • Q3/5

Write the number that is 5 tens and 0 ones.

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q4

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2 • Set 17 • BACKWARD 2 • Q4/5

519

QUESTION ID

S17-B2-Q4

TYPE

Short answer

CORRECT ANSWER

50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q4

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2 • Set 17 • BACKWARD 2 • Q4/5

True or false?

91 is 1 ten and 9 ones.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q5

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2 • Set 17 • BACKWARD 2 • Q5/5

520

QUESTION ID

S17-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q5

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.2 • Set 17 • BACKWARD 2 • Q5/5

SET 17 • 4.NBT.A.2

FORWARD 1

Write decimals in expanded form • Grade 5 • Number & Operations in Base Ten
• 5.NBT.A.3.a

Write 3.46 in expanded form.

Expanded form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 17 • FORWARD 1 • Q1/5

522

QUESTION ID

S17-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$$3 \times 1 + 4 \times (1/10) + 6 \times (1/100)$$

GRADING NOTE 3 + 0.4 + 0.06 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 17 • FORWARD 1 • Q1/5

True or false?

$$2 + 0.5 + 0.03 = 2.53$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 17 • FORWARD 1 • Q2/5

523

QUESTION ID

S17-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 17 • FORWARD 1 • Q2/5

Which number is $7 \times 1 + 2 \times \frac{1}{10} + 9 \times \frac{1}{1000}$?

- A. 7.029
- B. 7.209
- C. 72.9
- D. 7.29

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 17 • FORWARD 1 • Q3/5

524

QUESTION ID

S17-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 7.209

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 17 • FORWARD 1 • Q3/5

Write the number.

$$5 \times 10 + 1 \times 1 + 8 \times \frac{1}{100}$$

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 17 • FORWARD 1 • Q4/5

525

QUESTION ID

S17-F1-Q4

TYPE

Short answer

CORRECT ANSWER

51.08

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 17 • FORWARD 1 • Q4/5

True or false?

$$4 \times \frac{1}{10} + 1 \times \frac{1}{100} = 0.041$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 17 • FORWARD 1 • Q5/5

526

QUESTION ID

S17-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 17 • FORWARD 1 • Q5/5

SET 17 • 4.NBT.A.2

FORWARD 2

Write numbers using powers of 10 with exponents • Grade 6 • Expressions & Equations • 6.EE.A.1

Write $6,000 + 400 + 70 + 2$ using powers of 10.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 17 • FORWARD 2 • Q1/5

528

QUESTION ID

S17-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$$6 \times 10^3 + 4 \times 10^2 \\ + 7 \times 10^1 + 2$$

GRADING NOTE Writing the last term as 2×10^0 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 17 • FORWARD 2 • Q1/5

True or false?

$$3 \times 10^4 = 30,000$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 17 • FORWARD 2 • Q2/5

529

QUESTION ID

S17-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 17 • FORWARD 2 • Q2/5

Which number equals $5 \times 10^3 + 8 \times 10$?

- A. 580
- B. 5,008
- C. 5,800
- D. 5,080

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 17 • FORWARD 2 • Q3/5

530

QUESTION ID

S17-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 5,080

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 17 • FORWARD 2 • Q3/5

Evaluate.

$$2 \times 10^3 + 9 \times 10^2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 17 • FORWARD 2 • Q4/5

531

QUESTION ID

S17-F2-Q4

TYPE

Short answer

CORRECT ANSWER

2,900

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 17 • FORWARD 2 • Q4/5

True or false?

$$7 \times 10^2 = 70$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 17 • FORWARD 2 • Q5/5

532

QUESTION ID

S17-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 17 • FORWARD 2 • Q5/5

Compare multi-digit whole numbers using $>$, $=$, and $<$

MAIN	Grade 4 main question	4.NBT.A.2
BACKWARD 1	Compare three-digit numbers	2.NBT.A.4
BACKWARD 2	Compare two-digit numbers	1.NBT.B.3
FORWARD 1	Compare decimals to thousandths	5.NBT.A.3.b
FORWARD 2	Order rational numbers using their positions on a number line	6.NS.C.7.a

SET 18 • 4.NBT.A.2

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.A.2

ANSWER KEY

Reduced copy of the question page, with its answer

Write $>$, $=$, or $<$.

45,621 ____ 45,612

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 18 • MAIN • Q1/5

535

QUESTION ID

S18-M-Q1

TYPE

Short answer

CORRECT ANSWER

 $>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 18 • MAIN • Q1/5

535

Which comparison is true?

- A. $80,099 > 80,100$
- B. $80,099 = 80,100$
- C. $80,100 < 80,099$
- D. $80,099 < 80,100$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 18 • MAIN • Q2/5

536

QUESTION ID

S18-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. $80,099 < 80,100$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 18 • MAIN • Q2/5

True or false?

305,000 < 350,000

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 18 • MAIN • Q3/5

537

QUESTION ID

S18-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 18 • MAIN • Q3/5

Order from least to greatest.

27,450 24,750 27,045

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 18 • MAIN • Q4/5

538

QUESTION ID

S18-M-Q4

TYPE

Short answer

CORRECT ANSWER

**24,750, 27,045,
27,450**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 18 • MAIN • Q4/5

True or false?

9,998 > 10,001

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 18 • MAIN • Q5/5

539

QUESTION ID

S18-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 18 • MAIN • Q5/5

SET 18 • 4.NBT.A.2

BACKWARD 1

Compare three-digit numbers • Grade 2 • Number & Operations in Base Ten •
2.NBT.A.4

Write $>$, $=$, or $<$.

482 ____ 428

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 18 • BACKWARD 1 • Q1/5

541

QUESTION ID

S18-B1-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 18 • BACKWARD 1 • Q1/5

True or false?

$309 < 390$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 18 • BACKWARD 1 • Q2/5

542

QUESTION ID

S18-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 18 • BACKWARD 1 • Q2/5

Which number is greatest?

- A.** 170
- B.** 699
- C.** 701
- D.** 710

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 18 • BACKWARD 1 • Q3/5

543

QUESTION ID

S18-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 710

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 18 • BACKWARD 1 • Q3/5

Write $>$, $=$, or $<$.

555 ____ 555

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 18 • BACKWARD 1 • Q4/5

544

QUESTION ID

S18-B1-Q4

TYPE

Short answer

CORRECT ANSWER

=

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 18 • BACKWARD 1 • Q4/5

True or false?

640 > 664

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 18 • BACKWARD 1 • Q5/5

545

QUESTION ID

S18-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 18 • BACKWARD 1 • Q5/5

SET 18 • 4.NBT.A.2

BACKWARD 2

Compare two-digit numbers • Grade 1 • Number & Operations in Base Ten •
1.NBT.B.3

Write $>$, $=$, or $<$.

67 ____ 76

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q1

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 18 • BACKWARD 2 • Q1/5

547

QUESTION ID

S18-B2-Q1

TYPE

Short answer

CORRECT ANSWER

$<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q1

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 18 • BACKWARD 2 • Q1/5

True or false?

58 > 49

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q2

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 18 • BACKWARD 2 • Q2/5

548

QUESTION ID

S18-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q2

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 18 • BACKWARD 2 • Q2/5

Which number is less than 35?

- A.** 35
- B.** 53
- C.** 29
- D.** 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q3

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 18 • BACKWARD 2 • Q3/5

549

QUESTION ID

S18-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 29

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q3

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 18 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Write $>$, $=$, or $<$.

90 ____ 19

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q4

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 18 • BACKWARD 2 • Q4/5

550

QUESTION ID

S18-B2-Q4

TYPE

Short answer

CORRECT ANSWER

 $>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q4

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 18 • BACKWARD 2 • Q4/5

550

True or false?

$$42 < 24$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q5

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 18 • BACKWARD 2 • Q5/5

551

QUESTION ID

S18-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q5

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 18 • BACKWARD 2 • Q5/5

SET 18 • 4.NBT.A.2

FORWARD 1

Compare decimals to thousandths • Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b

ANSWER KEY

Reduced copy of the question page, with its answer

Write $>$, $=$, or $<$.

0.45 ____ 0.405

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 18 • FORWARD 1 • Q1/5

553

QUESTION ID

S18-F1-Q1

TYPE

Short answer

CORRECT ANSWER

 $>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 18 • FORWARD 1 • Q1/5

553

True or false?

$$3.09 < 3.1$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 18 • FORWARD 1 • Q2/5

554

QUESTION ID

S18-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 18 • FORWARD 1 • Q2/5

Which decimal is greatest?

- A.** 2.5
- B.** 2.09
- C.** 2.405
- D.** 2.48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 18 • FORWARD 1 • Q3/5

555

QUESTION ID

S18-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 2.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 18 • FORWARD 1 • Q3/5

Write $>$, $=$, or $<$.

6.70 ____ 6.7

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 18 • FORWARD 1 • Q4/5

556

QUESTION ID

S18-F1-Q4

TYPE

Short answer

CORRECT ANSWER

=

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 18 • FORWARD 1 • Q4/5

True or false?

$0.125 > 0.13$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 18 • FORWARD 1 • Q5/5

557

QUESTION ID

S18-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 18 • FORWARD 1 • Q5/5

SET 18 • 4.NBT.A.2

FORWARD 2

Order rational numbers using their positions on a number line • Grade 6 • The Number System • 6.NS.C.7.a

Write $>$, $=$, or $<$.

-8 ____ -3

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q1

Grade 6 • The Number System • 6.NS.C.7.a • Set 18 • FORWARD 2 • Q1/5

559

QUESTION ID

S18-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q1

Grade 6 • The Number System • 6.NS.C.7.a • Set 18 • FORWARD 2 • Q1/5

True or false?

$$-2 > -10$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q2

Grade 6 • The Number System • 6.NS.C.7.a • Set 18 • FORWARD 2 • Q2/5

560

QUESTION ID

S18-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q2

Grade 6 • The Number System • 6.NS.C.7.a • Set 18 • FORWARD 2 • Q2/5

Which number is least?

- A. 0
- B. -5
- C. 5
- D. -15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q3

Grade 6 • The Number System • 6.NS.C.7.a • Set 18 • FORWARD 2 • Q3/5

561

QUESTION ID

S18-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. -15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q3

Grade 6 • The Number System • 6.NS.C.7.a • Set 18 • FORWARD 2 • Q3/5

Order from least to greatest.

4, -6, 0, -1

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q4

Grade 6 • The Number System • 6.NS.C.7.a • Set 18 • FORWARD 2 • Q4/5

562

QUESTION ID

S18-F2-Q4

TYPE

Short answer

CORRECT ANSWER

-6, -1, 0, 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q4

Grade 6 • The Number System • 6.NS.C.7.a • Set 18 • FORWARD 2 • Q4/5

True or false?

$$-7 > 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q5

Grade 6 • The Number System • 6.NS.C.7.a • Set 18 • FORWARD 2 • Q5/5

563

QUESTION ID

S18-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q5

Grade 6 • The Number System • 6.NS.C.7.a • Set 18 • FORWARD 2 • Q5/5

Round multi-digit whole numbers to any place

MAIN	Grade 4 main question	4.NBT.A.3
BACKWARD 1	Round to the nearest 10 or 100	3.NBT.A.1
BACKWARD 2	Skip-count by 5s, 10s, and 100s	2.NBT.A.2
FORWARD 1	Round decimals to any place	5.NBT.A.4
FORWARD 2	Compute with decimals and round the result — nearest related (n...	6.NS.B.3

SET 19 • 4.NBT.A.3

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.A.3

Round 46,829 to the nearest thousand.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 19 • MAIN • Q1/5

566

QUESTION ID

S19-M-Q1

TYPE

Short answer

CORRECT ANSWER

47,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 19 • MAIN • Q1/5

Round 352,618 to the nearest ten thousand.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 19 • MAIN • Q2/5

567

QUESTION ID

S19-M-Q2

TYPE

Short answer

CORRECT ANSWER

350,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 19 • MAIN • Q2/5

Round 7,950 to the nearest hundred.

- A.** 7,900
- B.** 7,960
- C.** 7,000
- D.** 8,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 19 • MAIN • Q3/5

568

QUESTION ID

S19-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 8,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 19 • MAIN • Q3/5

True or false?

128,476 rounded to the nearest hundred thousand is 200,000.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 19 • MAIN • Q4/5

569

QUESTION ID

S19-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 19 • MAIN • Q4/5

A stadium has 63,548 seats.

Round the number of seats to the nearest thousand.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 19 • MAIN • Q5/5

570

QUESTION ID

S19-M-Q5

TYPE

Short answer

CORRECT ANSWER

64,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 19 • MAIN • Q5/5

SET 19 • 4.NBT.A.3

BACKWARD 1

Round to the nearest 10 or 100 • Grade 3 • Number & Operations in Base Ten •
3.NBT.A.1

Round 84 to the nearest ten.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 19 • BACKWARD 1 • Q1/5

572

QUESTION ID

S19-B1-Q1

TYPE

Short answer

CORRECT ANSWER

80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 19 • BACKWARD 1 • Q1/5

True or false?

652 rounded to the nearest hundred is 700.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 19 • BACKWARD 1 • Q2/5

573

QUESTION ID

S19-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 19 • BACKWARD 1 • Q2/5

Round 345 to the nearest ten.

- A.** 400
- B.** 350
- C.** 300
- D.** 340

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 19 • BACKWARD 1 • Q3/5

574

QUESTION ID

S19-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 350

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 19 • BACKWARD 1 • Q3/5

Round 961 to the nearest hundred.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 19 • BACKWARD 1 • Q4/5

575

QUESTION ID

S19-B1-Q4

TYPE

Short answer

CORRECT ANSWER

1,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 19 • BACKWARD 1 • Q4/5

True or false?

26 rounded to the nearest ten is 20.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 19 • BACKWARD 1 • Q5/5

576

QUESTION ID

S19-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.1 • Set 19 • BACKWARD 1 • Q5/5

SET 19 • 4.NBT.A.3

BACKWARD 2

Skip-count by 5s, 10s, and 100s • Grade 2 • Number & Operations in Base Ten
• 2.NBT.A.2

Skip-count by 100s.

300, 400, 500, ____

Next: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.2 • Set 19 • BACKWARD 2 • Q1/5

578

QUESTION ID

S19-B2-Q1

TYPE

Short answer

CORRECT ANSWER

600

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.2 • Set 19 • BACKWARD 2 • Q1/5

True or false?

Counting by 10s from 470 gives 480, 490, 500.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.2 • Set 19 • BACKWARD 2 • Q2/5

579

QUESTION ID

S19-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.2 • Set 19 • BACKWARD 2 • Q2/5

What comes next when counting by 5s?

85, 90, 95, ____

- A.** 96
- B.** 105
- C.** 100
- D.** 99

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.2 • Set 19 • BACKWARD 2 • Q3/5

580

QUESTION ID

S19-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.2 • Set 19 • BACKWARD 2 • Q3/5

Skip-count by 10s.

620, 630, 640, ____

Next: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.2 • Set 19 • BACKWARD 2 • Q4/5

581

QUESTION ID

S19-B2-Q4

TYPE

Short answer

CORRECT ANSWER

650

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.2 • Set 19 • BACKWARD 2 • Q4/5

True or false?

Counting by 100s from 700 gives 800, 900, 990.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.2 • Set 19 • BACKWARD 2 • Q5/5

582

QUESTION ID

S19-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.2 • Set 19 • BACKWARD 2 • Q5/5

SET 19 • 4.NBT.A.3

FORWARD 1

Round decimals to any place • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.4

Round 3.468 to the nearest tenth.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 19 • FORWARD 1 • Q1/5

584

QUESTION ID

S19-F1-Q1

TYPE

Short answer

CORRECT ANSWER

3.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 19 • FORWARD 1 • Q1/5

Round 14.729 to the nearest whole number.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 19 • FORWARD 1 • Q2/5

585

QUESTION ID

S19-F1-Q2

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 19 • FORWARD 1 • Q2/5

Round 0.638 to the nearest hundredth.

- A. 0.6
- B. 0.64
- C. 0.7
- D. 0.63

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 19 • FORWARD 1 • Q3/5

586

QUESTION ID

S19-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 0.64

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 19 • FORWARD 1 • Q3/5

True or false?

5.95 rounded to the nearest tenth is 6.0.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 19 • FORWARD 1 • Q4/5

587

QUESTION ID

S19-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 19 • FORWARD 1 • Q4/5

True or false?

8.249 rounded to the nearest tenth is 8.3.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 19 • FORWARD 1 • Q5/5

588

QUESTION ID

S19-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 19 • FORWARD 1 • Q5/5

FORWARD 2

Compute with decimals and round the result • Grade 6 • The Number System • 6.NS.B.3

► No Grade 6 standard directly continues this skill. This branch uses the nearest related Grade 6 standard.

Divide. Round the quotient to the nearest tenth.

$$10 \div 3$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 2 • Q1/5 • NEAREST RELATED

590

QUESTION ID

S19-F2-Q1

TYPE

Short answer

CORRECT ANSWER

3.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 2 • Q1/5 • NEAREST RELATED

True or false?

$$7.25 \times 4 = 29$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 2 • Q2/5 • NEAREST RELATED

591

QUESTION ID

S19-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 2 • Q2/5 • NEAREST RELATED

Divide. Round the quotient to the nearest hundredth.

$$2 \div 7$$

- A. 0.27
- B. 0.29
- C. 0.28
- D. 0.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 2 • Q3/5 • NEAREST RELATED

592

QUESTION ID

S19-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 0.29

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 2 • Q3/5 • NEAREST RELATED

Multiply. Round the product to the nearest whole number.

$$3.6 \times 2.4$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 2 • Q4/5 • NEAREST RELATED

593

QUESTION ID

S19-F2-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

15 ÷ 4, rounded to the nearest whole number, is 3.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 2 • Q5/5 • NEAREST RELATED

594

QUESTION ID

S19-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 2 • Q5/5 • NEAREST RELATED

Add multi-digit whole numbers using the standard algorithm

MAIN	Grade 4 main question	4.NBT.B.4
BACKWARD 1	Add within 1000	3.NBT.A.2
BACKWARD 2	Add by place value, making a ten or a hundred	2.NBT.B.7
FORWARD 1	Add decimals to hundredths	5.NBT.B.7
FORWARD 2	Add multi-digit decimals with the standard algorithm	6.NS.B.3

SET 20 • 4.NBT.B.4

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.4

Use the standard algorithm to add. Show your work.

$$4,587 + 2,946$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 20 • MAIN • Q1/5

597

QUESTION ID

S20-M-Q1

TYPE

Answer with required work

CORRECT ANSWER

7,533

GRADING NOTE REQUIRED WORK: The standard algorithm: digits lined up by place value and added from the ones place to the left, with each regrouping shown. Another method earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 20 • MAIN • Q1/5

Use the standard algorithm to add. Show your work.

$$38,209 + 15,894$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 20 • MAIN • Q2/5

598

QUESTION ID

S20-M-Q2

TYPE

Answer with required work

CORRECT ANSWER

54,103

GRADING NOTE REQUIRED WORK: The standard algorithm: digits lined up by place value and added from the ones place to the left, with each regrouping shown. Another method earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 20 • MAIN • Q2/5

Add.

$$6,078 + 3,945$$

- A. 9,023
- B. 9,923
- C. 10,013
- D. 10,023

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 20 • MAIN • Q3/5

599

QUESTION ID

S20-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 10,023

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 20 • MAIN • Q3/5

A library had 12,486 books. It got 3,758 more.

Use the standard algorithm to find how many books it has now. Show your work.

Books: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 20 • MAIN • Q4/5

600

QUESTION ID

S20-M-Q4

TYPE

Answer with required work

CORRECT ANSWER

16,244

GRADING NOTE REQUIRED WORK: The standard algorithm: digits lined up by place value and added from the ones place to the left, with each regrouping shown. Another method earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 20 • MAIN • Q4/5

True or false?

In the standard algorithm for $3,685 + 1,476$, you regroup 11 ones as 1 ten and 1 one.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 20 • MAIN • Q5/5

601

QUESTION ID

S20-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 20 • MAIN • Q5/5

SET 20 • 4.NBT.B.4

BACKWARD 1

Add within 1000 • Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$356 + 478$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 20 • BACKWARD 1 • Q1/5

603

QUESTION ID

S20-B1-Q1

TYPE

Short answer

CORRECT ANSWER

834

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 20 • BACKWARD 1 • Q1/5

603

True or false?

$$609 + 295 = 904$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 20 • BACKWARD 1 • Q2/5

604

QUESTION ID

S20-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 20 • BACKWARD 1 • Q2/5

$$147 + 268 = ?$$

- A.** 415
- B.** 315
- C.** 405
- D.** 425

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 20 • BACKWARD 1 • Q3/5

605

QUESTION ID

S20-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 415

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 20 • BACKWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$523 + 389$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 20 • BACKWARD 1 • Q4/5

606

QUESTION ID

S20-B1-Q4

TYPE

Short answer

CORRECT ANSWER

912

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 20 • BACKWARD 1 • Q4/5

True or false?

$$480 + 360 = 740$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 20 • BACKWARD 1 • Q5/5

607

QUESTION ID

S20-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 20 • BACKWARD 1 • Q5/5

SET 20 • 4.NBT.B.4

BACKWARD 2

Add by place value, making a ten or a hundred • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7

True or false?

7 ones and 5 ones make 1 ten and 2 ones.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 20 • BACKWARD 2 • Q1/5

609

QUESTION ID

S20-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 20 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Rename 16 tens as hundreds and tens.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 20 • BACKWARD 2 • Q2/5

610

QUESTION ID

S20-B2-Q2

TYPE

Short answer

CORRECT ANSWER

**1 hundred and 6
tens**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 20 • BACKWARD 2 • Q2/5

610

Add the hundreds, the tens, and the ones.

$$248 + 135$$

- A. 483
- B. 373
- C. 383
- D. 313

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 20 • BACKWARD 2 • Q3/5

611

QUESTION ID

S20-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 383

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 20 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$200 + 70 + 4 + 300 + 20 + 9$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 20 • BACKWARD 2 • Q4/5

612

QUESTION ID

S20-B2-Q4

TYPE

Short answer

CORRECT ANSWER

603

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 20 • BACKWARD 2 • Q4/5

612

True or false?

12 ones is the same as 2 tens.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 20 • BACKWARD 2 • Q5/5

613

QUESTION ID

S20-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 20 • BACKWARD 2 • Q5/5

SET 20 • 4.NBT.B.4

FORWARD 1

Add decimals to hundredths • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.7

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$35.68 + 7.45$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • FORWARD 1 • Q1/5

615

QUESTION ID

S20-F1-Q1

TYPE

Short answer

CORRECT ANSWER

43.13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • FORWARD 1 • Q1/5

615

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$4.9 + 12.36$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • FORWARD 1 • Q2/5

616

QUESTION ID

S20-F1-Q2

TYPE

Short answer

CORRECT ANSWER

17.26

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • FORWARD 1 • Q2/5

616

Add.

$$0.75 + 0.48$$

- A.** 1.13
- B.** 12.3
- C.** 1.23
- D.** 0.123

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • FORWARD 1 • Q3/5

617

QUESTION ID

S20-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 1.23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • FORWARD 1 • Q3/5

True or false?

$$6.07 + 3.9 = 9.97$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • FORWARD 1 • Q4/5

618

QUESTION ID

S20-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • FORWARD 1 • Q4/5

True or false?

$$2.5 + 1.75 = 3.80$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • FORWARD 1 • Q5/5

619

QUESTION ID

S20-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 20 • FORWARD 1 • Q5/5

SET 20 • 4.NBT.B.4

FORWARD 2

Add multi-digit decimals with the standard algorithm • Grade 6 • The Number System • 6.NS.B.3

Add.

$$128.406 + 75.89$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 2 • Q1/5

621

QUESTION ID

S20-F2-Q1

TYPE

Short answer

CORRECT ANSWER

204.296

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$9.075 + 0.98$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 2 • Q2/5

622

QUESTION ID

S20-F2-Q2

TYPE

Short answer

CORRECT ANSWER

10.055

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 2 • Q2/5

622

Add.

$$46.3 + 8.759$$

- A.** 55.059
- B.** 131.89
- C.** 55.159
- D.** 54.059

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 2 • Q3/5

623

QUESTION ID

S20-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 55.059

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 2 • Q3/5

True or false?

$$0.625 + 0.375 = 1$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 2 • Q4/5

624

QUESTION ID

S20-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 2 • Q4/5

True or false?

$$12.48 + 3.6 = 12.84$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 2 • Q5/5

625

QUESTION ID

S20-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S20-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 20 • FORWARD 2 • Q5/5

Subtract multi-digit whole numbers using the standard algorithm

MAIN	Grade 4 main question	4.NBT.B.4
BACKWARD 1	Subtract within 1000	3.NBT.A.2
BACKWARD 2	Subtract by breaking apart a ten or a hundred	2.NBT.B.7
FORWARD 1	Subtract decimals to hundredths	5.NBT.B.7
FORWARD 2	Subtract multi-digit decimals with the standard algorithm	6.NS.B.3

SET 21 • 4.NBT.B.4

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.4

Use the standard algorithm to subtract. Show your work.

$$8,253 - 4,678$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 21 • MAIN • Q1/5

628

QUESTION ID

S21-M-Q1

TYPE

Answer with required work

CORRECT ANSWER

3,575

GRADING NOTE REQUIRED WORK: The standard algorithm: digits lined up by place value and subtracted from the ones place to the left, with each regrouping (renaming) shown. Another method earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 21 • MAIN • Q1/5

Use the standard algorithm to subtract. Show your work.

$$60,000 - 27,438$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 21 • MAIN • Q2/5

629

QUESTION ID

S21-M-Q2

TYPE

Answer with required work

CORRECT ANSWER

32,562

GRADING NOTE REQUIRED WORK: The standard algorithm: digits lined up by place value and subtracted from the ones place to the left, with each regrouping (renaming) shown. Another method earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 21 • MAIN • Q2/5

Subtract.

$$7,012 - 3,456$$

- A. 4,656
- B. 3,556
- C. 4,444
- D. 3,566

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 21 • MAIN • Q3/5

630

QUESTION ID

S21-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 3,556

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 21 • MAIN • Q3/5

A school raised \$15,250. It spent \$8,795.

Use the standard algorithm to find how much money is left. Show your work.

Money left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 21 • MAIN • Q4/5

631

QUESTION ID

S21-M-Q4

TYPE

Answer with required work

CORRECT ANSWER

\$6,455

GRADING NOTE REQUIRED WORK: The standard algorithm: digits lined up by place value and subtracted from the ones place to the left, with each regrouping (renaming) shown. Another method earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 21 • MAIN • Q4/5

True or false?

To find $5,042 - 1,317$ with the standard algorithm, you rename 1 ten as 10 ones.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 21 • MAIN • Q5/5

632

QUESTION ID

S21-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 21 • MAIN • Q5/5

SET 21 • 4.NBT.B.4

BACKWARD 1

Subtract within 1000 • Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$732 - 485$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 21 • BACKWARD 1 • Q1/5

634

QUESTION ID

S21-B1-Q1

TYPE

Short answer

CORRECT ANSWER

247

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 21 • BACKWARD 1 • Q1/5

634

True or false?

$$600 - 278 = 322$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 21 • BACKWARD 1 • Q2/5

635

QUESTION ID

S21-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 21 • BACKWARD 1 • Q2/5

$$514 - 296 = ?$$

- A.** 222
- B.** 228
- C.** 218
- D.** 318

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 21 • BACKWARD 1 • Q3/5

636

QUESTION ID

S21-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 218

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 21 • BACKWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$905 - 467$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 21 • BACKWARD 1 • Q4/5

637

QUESTION ID

S21-B1-Q4

TYPE

Short answer

CORRECT ANSWER

438

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 21 • BACKWARD 1 • Q4/5

637

True or false?

$$840 - 390 = 550$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 21 • BACKWARD 1 • Q5/5

638

QUESTION ID

S21-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.2 • Set 21 • BACKWARD 1 • Q5/5

SET 21 • 4.NBT.B.4

BACKWARD 2

Subtract by breaking apart a ten or a hundred • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7

True or false?

To find $52 - 8$, you can rename 1 ten as 10 ones.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 21 • BACKWARD 2 • Q1/5

640

QUESTION ID

S21-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 21 • BACKWARD 2 • Q1/5

Rename 4 hundreds 2 tens as 3 hundreds and how many tens?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 21 • BACKWARD 2 • Q2/5

641

QUESTION ID

S21-B2-Q2

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 21 • BACKWARD 2 • Q2/5

Which shows 300 renamed so you can subtract 126?

- A. 2 hundreds 10 ones
- B. 3 hundreds 10 tens
- C. 30 tens 1 one
- D. 2 hundreds 9 tens 10 ones

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 21 • BACKWARD 2 • Q3/5

642

QUESTION ID

S21-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

**D. 2 hundreds 9 tens
10 ones**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 21 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$400 - 158$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 21 • BACKWARD 2 • Q4/5

643

QUESTION ID

S21-B2-Q4

TYPE

Short answer

CORRECT ANSWER

242

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 21 • BACKWARD 2 • Q4/5

True or false?

6 tens 3 ones = 5 tens 3 ones

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 21 • BACKWARD 2 • Q5/5

644

QUESTION ID

S21-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.7 • Set 21 • BACKWARD 2 • Q5/5

SET 21 • 4.NBT.B.4

FORWARD 1

Subtract decimals to hundredths • Grade 5 • Number & Operations in Base Ten
• 5.NBT.B.7

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$42.5 - 18.76$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • FORWARD 1 • Q1/5

646

QUESTION ID

S21-F1-Q1

TYPE

Short answer

CORRECT ANSWER

23.74

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$9 - 3.45$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • FORWARD 1 • Q2/5

647

QUESTION ID

S21-F1-Q2

TYPE

Short answer

CORRECT ANSWER

5.55

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • FORWARD 1 • Q2/5

Subtract.

$$6.03 - 2.8$$

- A.** 3.22
- B.** 3.75
- C.** 4.23
- D.** 3.23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • FORWARD 1 • Q3/5

648

QUESTION ID

S21-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 3.23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • FORWARD 1 • Q3/5

True or false?

$$10 - 0.25 = 9.75$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • FORWARD 1 • Q4/5

649

QUESTION ID

S21-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • FORWARD 1 • Q4/5

True or false?

$$5.4 - 2.15 = 3.35$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • FORWARD 1 • Q5/5

650

QUESTION ID

S21-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 21 • FORWARD 1 • Q5/5

SET 21 • 4.NBT.B.4

FORWARD 2

Subtract multi-digit decimals with the standard algorithm • Grade 6 • The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$100 - 36.875$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 2 • Q1/5

652

QUESTION ID

S21-F2-Q1

TYPE

Short answer

CORRECT ANSWER

63.125

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 2 • Q1/5

652

Subtract.

$$15.06 - 8.3$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 2 • Q2/5

653

QUESTION ID

S21-F2-Q2

TYPE

Short answer

CORRECT ANSWER

6.76

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 2 • Q2/5

Subtract.

$$4.2 - 1.375$$

- A.** 2.825
- B.** 2.925
- C.** 3.825
- D.** 3.175

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 2 • Q3/5

654

QUESTION ID

S21-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 2.825

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 2 • Q3/5

True or false?

$$50.5 - 0.505 = 49.995$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 2 • Q4/5

655

QUESTION ID

S21-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 2 • Q4/5

True or false?

$$8 - 0.08 = 0.72$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 2 • Q5/5

656

QUESTION ID

S21-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S21-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 21 • FORWARD 2 • Q5/5

Multiply a whole number of up to four digits by a one-digit number

MAIN	Grade 4 main question	4.NBT.B.5
BACKWARD 1	Multiplication facts within 100	3.OA.C.7
BACKWARD 2	Multiply one-digit numbers by multiples of 10	3.NBT.A.3
FORWARD 1	Multiply multi-digit whole numbers using the standard algorithm	5.NBT.B.5
FORWARD 2	Multiply multi-digit decimals	6.NS.B.3

SET 22 • 4.NBT.B.5

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$4,236 \times 7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 22 • MAIN • Q1/5

659

QUESTION ID

S22-M-Q1

TYPE

Short answer

CORRECT ANSWER

29,652

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 22 • MAIN • Q1/5

659

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$608 \times 5$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 22 • MAIN • Q2/5

660

QUESTION ID

S22-M-Q2

TYPE

Short answer

CORRECT ANSWER

3,040

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 22 • MAIN • Q2/5

Multiply.

$$3,049 \times 6$$

- A. 3,055
- B. 18,254
- C. 18,924
- D. 18,294

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 22 • MAIN • Q3/5

661

QUESTION ID

S22-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 18,294

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 22 • MAIN • Q3/5

A theater sells 1,275 tickets each night for 8 nights.

How many tickets does it sell?

Tickets: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 22 • MAIN • Q4/5

662

QUESTION ID

S22-M-Q4

TYPE

Short answer

CORRECT ANSWER

10,200

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 22 • MAIN • Q4/5

True or false?

$$2,513 \times 4 = 10,042$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 22 • MAIN • Q5/5

663

QUESTION ID

S22-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 22 • MAIN • Q5/5

SET 22 • 4.NBT.B.5

BACKWARD 1

Multiplication facts within 100 • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

Multiply.

$$7 \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 22 • BACKWARD 1 • Q1/5

665

QUESTION ID

S22-B1-Q1

TYPE

Short answer

CORRECT ANSWER

42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 22 • BACKWARD 1 • Q1/5

True or false?

$$9 \times 8 = 72$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 22 • BACKWARD 1 • Q2/5

666

QUESTION ID

S22-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 22 • BACKWARD 1 • Q2/5

$$4 \times 7 = ?$$

- A.** 24
- B.** 32
- C.** 11
- D.** 28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 22 • BACKWARD 1 • Q3/5

667

QUESTION ID

S22-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 22 • BACKWARD 1 • Q3/5

Multiply.

$$6 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 22 • BACKWARD 1 • Q4/5

668

QUESTION ID

S22-B1-Q4

TYPE

Short answer

CORRECT ANSWER

54

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 22 • BACKWARD 1 • Q4/5

True or false?

$$8 \times 7 = 54$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 22 • BACKWARD 1 • Q5/5

669

QUESTION ID

S22-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 22 • BACKWARD 1 • Q5/5

SET 22 • 4.NBT.B.5

BACKWARD 2

Multiply one-digit numbers by multiples of 10 • Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$7 \times 80$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 22 • BACKWARD 2 • Q1/5

671

QUESTION ID

S22-B2-Q1

TYPE

Short answer

CORRECT ANSWER

560

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 22 • BACKWARD 2 • Q1/5

True or false?

$$5 \times 60 = 300$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 22 • BACKWARD 2 • Q2/5

672

QUESTION ID

S22-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 22 • BACKWARD 2 • Q2/5

$$3 \times 90 = ?$$

- A.** 27
- B.** 2,700
- C.** 93
- D.** 270

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 22 • BACKWARD 2 • Q3/5

673

QUESTION ID

S22-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 270

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 22 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$4 \times 70$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 22 • BACKWARD 2 • Q4/5

674

QUESTION ID

S22-B2-Q4

TYPE

Short answer

CORRECT ANSWER

280

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 22 • BACKWARD 2 • Q4/5

True or false?

$$8 \times 40 = 3,200$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 22 • BACKWARD 2 • Q5/5

675

QUESTION ID

S22-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 22 • BACKWARD 2 • Q5/5

SET 22 • 4.NBT.B.5

FORWARD 1

Multiply multi-digit whole numbers using the standard algorithm • Grade 5 •
Number & Operations in Base Ten • 5.NBT.B.5

Use the standard algorithm to multiply. Show your work.

$$3,214 \times 26$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 22 • FORWARD 1 • Q1/5

677

QUESTION ID

S22-F1-Q1

TYPE

Answer with required work

CORRECT ANSWER

83,564

GRADING NOTE REQUIRED WORK: The standard algorithm: one partial product for each digit of the second factor (with regrouping), each lined up by place value, then the partial products added. Another method earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 22 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$507 \times 48$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 22 • FORWARD 1 • Q2/5

678

QUESTION ID

S22-F1-Q2

TYPE

Short answer

CORRECT ANSWER

24,336

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 22 • FORWARD 1 • Q2/5

678

Multiply.

$$1,250 \times 34$$

- A. 42,500
- B. 8,750
- C. 42,050
- D. 41,500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 22 • FORWARD 1 • Q3/5

679

QUESTION ID

S22-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 42,500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 22 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$289 \times 75$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 22 • FORWARD 1 • Q4/5

680

QUESTION ID

S22-F1-Q4

TYPE

Short answer

CORRECT ANSWER

21,675

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 22 • FORWARD 1 • Q4/5

680

True or false?

$$406 \times 52 = 21,112$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 22 • FORWARD 1 • Q5/5

681

QUESTION ID

S22-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 22 • FORWARD 1 • Q5/5

SET 22 • 4.NBT.B.5

FORWARD 2

Multiply multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

Multiply.

$$4.236 \times 7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 2 • Q1/5

683

QUESTION ID

S22-F2-Q1

TYPE

Short answer

CORRECT ANSWER

29.652

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$6.08 \times 0.5$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 2 • Q2/5

684

QUESTION ID

S22-F2-Q2

TYPE

Short answer

CORRECT ANSWER

3.04

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 2 • Q2/5

Multiply.

$$30.49 \times 0.6$$

- A. 18.94
- B. 18.294
- C. 182.94
- D. 1.8294

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 2 • Q3/5

685

QUESTION ID

S22-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 18.294

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 2 • Q3/5

True or false?

$$2.5 \times 1.6 = 4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 2 • Q4/5

686

QUESTION ID

S22-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 2 • Q4/5

True or false?

$$0.7 \times 0.08 = 0.56$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 2 • Q5/5

687

QUESTION ID

S22-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S22-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 22 • FORWARD 2 • Q5/5

Multiply two two-digit numbers

MAIN

Grade 4 main question

4.NBT.B.5

BACKWARD 1

Multiply one-digit numbers by multiples of 10

3.NBT.A.3

BACKWARD 2

Break apart a factor to multiply

3.OA.B.5

FORWARD 1

Multiply multi-digit whole numbers using the standard algorithm

5.NBT.B.5

FORWARD 2

Multiply multi-digit decimals

6.NS.B.3

SET 23 • 4.NBT.B.5

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$34 \times 27$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 23 • MAIN • Q1/5

690

QUESTION ID

S23-M-Q1

TYPE

Short answer

CORRECT ANSWER

918

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 23 • MAIN • Q1/5

690

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$58 \times 63$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 23 • MAIN • Q2/5

691

QUESTION ID

S23-M-Q2

TYPE

Short answer

CORRECT ANSWER

3,654

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 23 • MAIN • Q2/5

691

Multiply.

$$46 \times 19$$

- A.** 414
- B.** 884
- C.** 864
- D.** 874

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 23 • MAIN • Q3/5

692

QUESTION ID

S23-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 874

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 23 • MAIN • Q3/5

A box holds 24 cans.

How many cans are in 36 boxes?

Cans: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 23 • MAIN • Q4/5

693

QUESTION ID

S23-M-Q4

TYPE

Short answer

CORRECT ANSWER

864

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 23 • MAIN • Q4/5

True or false?

$$72 \times 15 = 1,008$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 23 • MAIN • Q5/5

694

QUESTION ID

S23-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 23 • MAIN • Q5/5

SET 23 • 4.NBT.B.5

BACKWARD 1

Multiply one-digit numbers by multiples of 10 • Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$3 \times 40$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 23 • BACKWARD 1 • Q1/5

696

QUESTION ID

S23-B1-Q1

TYPE

Short answer

CORRECT ANSWER

120

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 23 • BACKWARD 1 • Q1/5

696

True or false?

$$6 \times 90 = 540$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 23 • BACKWARD 1 • Q2/5

697

QUESTION ID

S23-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 23 • BACKWARD 1 • Q2/5

$$8 \times 20 = ?$$

- A.** 28
- B.** 1,600
- C.** 160
- D.** 16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 23 • BACKWARD 1 • Q3/5

698

QUESTION ID

S23-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 160

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 23 • BACKWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$9 \times 70$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 23 • BACKWARD 1 • Q4/5

699

QUESTION ID

S23-B1-Q4

TYPE

Short answer

CORRECT ANSWER

630

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 23 • BACKWARD 1 • Q4/5

True or false?

$$4 \times 50 = 2,000$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 23 • BACKWARD 1 • Q5/5

700

QUESTION ID

S23-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 23 • BACKWARD 1 • Q5/5

SET 23 • 4.NBT.B.5

BACKWARD 2

Break apart a factor to multiply • Grade 3 • Operations & Algebraic Thinking •
3.OA.B.5

True or false?

$$8 \times 7 = 8 \times 5 + 8 \times 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 23 • BACKWARD 2 • Q1/5

702

QUESTION ID

S23-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 23 • BACKWARD 2 • Q1/5

$$6 \times 9 = 6 \times 5 + 6 \times \underline{\quad}$$

Blank: _____

ID S23-B2-Q2

703

4

ID S23-B2-Q2

703

Which expression is equal to 4×8 ?

- A. $4 \times 5 \times 3$
- B. $4 \times 5 + 4 \times 3$
- C. $4 \times 5 + 3$
- D. $4 + 5 \times 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 23 • BACKWARD 2 • Q3/5

704

QUESTION ID

S23-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $4 \times 5 + 4 \times 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 23 • BACKWARD 2 • Q3/5

Find 7×6 by adding $7 \times 3 + 7 \times 3$.

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 23 • BACKWARD 2 • Q4/5

705

QUESTION ID

S23-B2-Q4

TYPE

Short answer

CORRECT ANSWER

42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 23 • BACKWARD 2 • Q4/5

True or false?

$$9 \times 6 = 9 \times 3 + 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 23 • BACKWARD 2 • Q5/5

706

QUESTION ID

S23-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 23 • BACKWARD 2 • Q5/5

SET 23 • 4.NBT.B.5

FORWARD 1

Multiply multi-digit whole numbers using the standard algorithm • Grade 5 •
Number & Operations in Base Ten • 5.NBT.B.5

Use the standard algorithm to multiply. Show your work.

$$427 \times 53$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 23 • FORWARD 1 • Q1/5

708

QUESTION ID

S23-F1-Q1

TYPE

Answer with required work

CORRECT ANSWER

22,631

GRADING NOTE REQUIRED WORK: The standard algorithm: one partial product for each digit of the second factor (with regrouping), each lined up by place value, then the partial products added. Another method earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 23 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$86 \times 145$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 23 • FORWARD 1 • Q2/5

709

QUESTION ID

S23-F1-Q2

TYPE

Short answer

CORRECT ANSWER

12,470

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 23 • FORWARD 1 • Q2/5

Multiply.

$$312 \times 64$$

- A. 18,968
- B. 19,968
- C. 19,868
- D. 1,248

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 23 • FORWARD 1 • Q3/5

710

QUESTION ID

S23-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 19,968

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 23 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$2,005 \times 18$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 23 • FORWARD 1 • Q4/5

711

QUESTION ID

S23-F1-Q4

TYPE

Short answer

CORRECT ANSWER

36,090

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 23 • FORWARD 1 • Q4/5

711

True or false?

$$95 \times 95 = 9,025$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 23 • FORWARD 1 • Q5/5

712

QUESTION ID

S23-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 23 • FORWARD 1 • Q5/5

SET 23 • 4.NBT.B.5

FORWARD 2

Multiply multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$3.4 \times 2.7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 23 • FORWARD 2 • Q1/5

714

QUESTION ID

S23-F2-Q1

TYPE

Short answer

CORRECT ANSWER

9.18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 23 • FORWARD 2 • Q1/5

714

Multiply.

$$0.58 \times 6.3$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 23 • FORWARD 2 • Q2/5

715

QUESTION ID

S23-F2-Q2

TYPE

Short answer

CORRECT ANSWER

3.654

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 23 • FORWARD 2 • Q2/5

Multiply.

$$4.6 \times 0.19$$

- A.** 4.79
- B.** 0.874
- C.** 0.0874
- D.** 8.74

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 23 • FORWARD 2 • Q3/5

716

QUESTION ID

S23-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 0.874

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 23 • FORWARD 2 • Q3/5

True or false?

$$2.4 \times 3.6 = 8.64$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 23 • FORWARD 2 • Q4/5

717

QUESTION ID

S23-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 23 • FORWARD 2 • Q4/5

True or false?

$$7.2 \times 1.5 = 1.08$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 23 • FORWARD 2 • Q5/5

718

QUESTION ID

S23-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S23-F2-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 23 • FORWARD 2 • Q5/5

Illustrate and explain multiplication with equations, arrays, and area models

MAIN	Grade 4 main question	4.NBT.B.5
BACKWARD 1	Use area to show the distributive property	3.MD.C.7.c
BACKWARD 2	Break apart an array to multiply	3.OA.B.5
FORWARD 1	Use place value and area models to multiply decimals	5.NBT.B.7
FORWARD 2	Use the distributive property to write a sum as a product	6.NS.B.4


SET 24 • 4.NBT.B.5

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.5

Complete the area model for 7×38 by writing the area of each part.

Then write the product.



Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 24 • MAIN • Q1/5

721

QUESTION ID

S24-M-Q1

TYPE

Drawing + written answer

CORRECT ANSWER

**Drawing: Areas
written in the parts:
210 (7×30) and 56
(7×8)**

Written: 266

GRADING NOTE Grade both: the two areas must be 210 and 56, and the product $210 + 56 = 266$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q1


Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 24 • MAIN • Q1/5

The area model shows
 24×13 .

Write the four partial
products and the total.

Partial products: _____

Total: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 24 • MAIN • Q2/5

722

QUESTION ID

S24-M-Q2

TYPE

Short answer

CORRECT ANSWER

200, 40, 60, 12; 312

GRADING NOTE The partial products may be listed in any order. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 24 • MAIN • Q2/5


Which equation matches the area model?

A. $6 \times 453 = 2,400 + 50 + 3$

B. $6 \times 453 = 2,400 + 300 + 18$

C. $6 \times 453 = 6 \times 400 + 53$

D. $6 + 453 = 2,718$



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 24 • MAIN • Q3/5

723

QUESTION ID

S24-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $6 \times 453 = 2,400 + 300 + 18$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 24 • MAIN • Q3/5

Use an area model or equations to multiply. Show your model or equations.

$$9 \times 2,146$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 24 • MAIN • Q4/5

724

QUESTION ID

S24-M-Q4

TYPE

Answer with required work

CORRECT ANSWER

19,314

GRADING NOTE REQUIRED WORK: An area model or equations that break 2,146 into place-value parts, for example $9 \times 2,000 = 18,000$, $9 \times 100 = 900$, $9 \times 40 = 360$ and $9 \times 6 = 54$, then $18,000 + 900 + 360 + 54 = 19,314$. The answer without a valid model or equations earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 24 • MAIN • Q4/5

Explain why $15 \times 12 = 15 \times 10 + 15 \times 2$.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 24 • MAIN • Q5/5

725

QUESTION ID

S24-M-Q5

TYPE

Short answer

CORRECT ANSWER

**12 = 10 + 2, so 15 groups of 12 are 15 groups of 10 plus 15 groups of 2;
150 + 30 = 180.**

GRADING NOTE Must show 12 split into $10 + 2$ and that multiplying each part and adding gives the same product. An array or area model split into 10 and 2 is also a correct explanation.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 24 • MAIN • Q5/5

SET 24 • 4.NBT.B.5

BACKWARD 1

Use area to show the distributive property • Grade 3 • Measurement & Data •
3.MD.C.7.c

True or false?

A rectangle that is 4 by $(5 + 3)$ has an area of $4 \times 5 + 4 \times 3$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 24 • BACKWARD 1 • Q1/5

727

QUESTION ID

S24-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 24 • BACKWARD 1 • Q1/5

A 6-by-9 rectangle is split into a 6-by-5 part and a 6-by-4 part.

What is the total area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 24 • BACKWARD 1 • Q2/5

728

QUESTION ID

S24-B1-Q2

TYPE

Short answer

CORRECT ANSWER

54 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 24 • BACKWARD 1 • Q2/5

A 3-by-8 rectangle is split into a 3-by-5 part and a 3-by-3 part.

Which expression gives its area?

A. $3 \times 8 + 3$

B. $3 \times 5 \times 3$

C. $3 + 5 + 3$

D. $3 \times 5 + 3 \times 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 24 • BACKWARD 1 • Q3/5

729

QUESTION ID

S24-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $3 \times 5 + 3 \times 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 24 • BACKWARD 1 • Q3/5

Fill in the blank.

$$7 \times 9 = 7 \times 5 + 7 \times \underline{\quad}$$

Blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 24 • BACKWARD 1 • Q4/5

730

QUESTION ID

S24-B1-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 24 • BACKWARD 1 • Q4/5

True or false?

$$5 \times 7 = 5 \times 4 + 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 24 • BACKWARD 1 • Q5/5

731

QUESTION ID

S24-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 24 • BACKWARD 1 • Q5/5


SET 24 • 4.NBT.B.5

BACKWARD 2

Break apart an array to multiply • Grade 3 • Operations & Algebraic Thinking •
3.OA.B.5

Write a multiplication equation for the array.

Equation: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 24 • BACKWARD 2 • Q1/5

733

QUESTION ID

S24-B2-Q1

TYPE

Short answer

CORRECT ANSWER

4 × 6 = 24

GRADING NOTE $6 \times 4 = 24$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S24-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 24 • BACKWARD 2 • Q1/5

The dashed line splits the array into two parts.

Which equation matches?

- A. $4 \times 7 = 4 + 5 + 2$
- B. $4 \times 7 = 4 \times 5 \times 2$
- C. $4 \times 7 = 4 \times 5 + 4 \times 2$
- D. $4 + 7 = 4 \times 5 + 2$



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 24 • BACKWARD 2 • Q2/5

734

QUESTION ID

S24-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

C.

$$4 \times 7 = 4 \times 5 + 4 \times 2$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 24 • BACKWARD 2 • Q2/5

True or false?

An array of 3 rows of 9 can be split into 3 rows of 5 and 3 rows of 4.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 24 • BACKWARD 2 • Q3/5

735

QUESTION ID

S24-B2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 24 • BACKWARD 2 • Q3/5

An array of 6 rows of 8 is split into 6 rows of 5 and 6 rows of 3.

How many dots are in the whole array?

Dots: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 24 • BACKWARD 2 • Q4/5

736

QUESTION ID

S24-B2-Q4

TYPE

Short answer

CORRECT ANSWER

48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 24 • BACKWARD 2 • Q4/5

True or false?

An array of 5 rows of 6, split into two arrays of 5 rows of 3, has 33 dots.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 24 • BACKWARD 2 • Q5/5

737

QUESTION ID

S24-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 24 • BACKWARD 2 • Q5/5

SET 24 • 4.NBT.B.5

FORWARD 1

Use place value and area models to multiply decimals • Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7

An area model splits 3×2.4 into 3×2 and 3×0.4 .

What is the product?

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 24 • FORWARD 1 • Q1/5

739

QUESTION ID

S24-F1-Q1

TYPE

Short answer

CORRECT ANSWER

7.2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 24 • FORWARD 1 • Q1/5

True or false?

$$4 \times 1.25 = 4 \times 1 + 4 \times 0.25 = 5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 24 • FORWARD 1 • Q2/5

740

QUESTION ID

S24-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 24 • FORWARD 1 • Q2/5

Which shows 6×3.5 broken apart by place value?

- A. $6 \times 3 \times 0.5$
- B. $6 \times 3 + 0.5$
- C. $6 + 3 + 0.5$
- D. $6 \times 3 + 6 \times 0.5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 24 • FORWARD 1 • Q3/5

741

QUESTION ID

S24-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $6 \times 3 + 6 \times 0.5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 24 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$5 \times 0.36$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 24 • FORWARD 1 • Q4/5

742

QUESTION ID

S24-F1-Q4

TYPE

Short answer

CORRECT ANSWER

1.8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 24 • FORWARD 1 • Q4/5

742

True or false?

$$2 \times 4.3 = 8.3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 24 • FORWARD 1 • Q5/5

743

QUESTION ID

S24-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 24 • FORWARD 1 • Q5/5

SET 24 • 4.NBT.B.5

FORWARD 2

Use the distributive property to write a sum as a product • Grade 6 • The Number System • 6.NS.B.4

Use the factor 4 to write $36 + 8$ as a product.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 24 • FORWARD 2 • Q1/5

745

QUESTION ID

S24-F2-Q1

TYPE

Short answer

CORRECT ANSWER

4(9 + 2)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 24 • FORWARD 2 • Q1/5

True or false?

$$7(10 + 3) = 70 + 21$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 24 • FORWARD 2 • Q2/5

746

QUESTION ID

S24-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 24 • FORWARD 2 • Q2/5

Which expression equals 5×47 ?

- A.** $5(40 + 7)$
- B.** $5 \times 40 + 7$
- C.** $5 + 40 \times 7$
- D.** $(5 + 40) \times 7$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 24 • FORWARD 2 • Q3/5

747

QUESTION ID

S24-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $5(40 + 7)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 24 • FORWARD 2 • Q3/5

Use the greatest common factor to write $24 + 60$ as a product.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 24 • FORWARD 2 • Q4/5

748

QUESTION ID

S24-F2-Q4

TYPE

Short answer

CORRECT ANSWER

12(2 + 5)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 24 • FORWARD 2 • Q4/5

True or false?

$$3(12 + 5) = 36 + 5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 24 • FORWARD 2 • Q5/5

749

QUESTION ID

S24-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S24-F2-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 24 • FORWARD 2 • Q5/5

Divide up to four-digit dividends by one-digit divisors, with remainders

MAIN	Grade 4 main question	4.NBT.B.6
BACKWARD 1	Division facts within 100	3.OA.C.7
BACKWARD 2	Share equally	3.OA.A.2
FORWARD 1	Divide with two-digit divisors	5.NBT.B.6
FORWARD 2	Divide multi-digit numbers with the standard algorithm	6.NS.B.2

SET 25 • 4.NBT.B.6

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.6

Divide.

$$952 \div 7$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 25 • MAIN • Q1/5

752

QUESTION ID

S25-M-Q1

TYPE

Short answer

CORRECT ANSWER

136

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 25 • MAIN • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$4,815 \div 5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 25 • MAIN • Q2/5

753

QUESTION ID

S25-M-Q2

TYPE

Short answer

CORRECT ANSWER

963

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 25 • MAIN • Q2/5

753

Divide.

$$2,184 \div 6$$

- A. 364
- B. 354
- C. 2,178
- D. 374

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 25 • MAIN • Q3/5

754

QUESTION ID

S25-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 364

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 25 • MAIN • Q3/5

Divide. Write the quotient and the remainder.

$$1,357 \div 4$$

Quotient: _____

Remainder: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 25 • MAIN • Q4/5

755

QUESTION ID

S25-M-Q4

TYPE

Short answer

CORRECT ANSWER

339 R 1

GRADING NOTE Quotient 339 and remainder 1. The question asks for a remainder, so a mixed number or decimal is not accepted.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 25 • MAIN • Q4/5

True or false?

$$3,600 \div 9 = 40$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 25 • MAIN • Q5/5

756

QUESTION ID

S25-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 25 • MAIN • Q5/5

SET 25 • 4.NBT.B.6

BACKWARD 1

Division facts within 100 • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

Divide.

$$42 \div 7$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 25 • BACKWARD 1 • Q1/5

758

QUESTION ID

S25-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 25 • BACKWARD 1 • Q1/5

True or false?

$$72 \div 8 = 9$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 25 • BACKWARD 1 • Q2/5

759

QUESTION ID

S25-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 25 • BACKWARD 1 • Q2/5

$$54 \div 6 = ?$$

- A.** 48
- B.** 7
- C.** 8
- D.** 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 25 • BACKWARD 1 • Q3/5

760

QUESTION ID

S25-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 25 • BACKWARD 1 • Q3/5

Divide.

$$27 \div 3$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 25 • BACKWARD 1 • Q4/5

761

QUESTION ID

S25-B1-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 25 • BACKWARD 1 • Q4/5

True or false?

$$63 \div 9 = 8$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 25 • BACKWARD 1 • Q5/5

762

QUESTION ID

S25-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 25 • BACKWARD 1 • Q5/5

SET 25 • 4.NBT.B.6

BACKWARD 2

Share equally • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2

28 marbles are shared equally by 4 children.

How many marbles does each child get?

Marbles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 25 • BACKWARD 2 • Q1/5

764

QUESTION ID

S25-B2-Q1

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 25 • BACKWARD 2 • Q1/5

True or false?

When 45 is split into 5 equal groups, each group has 9.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 25 • BACKWARD 2 • Q2/5

765

QUESTION ID

S25-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 25 • BACKWARD 2 • Q2/5

Which expression shows 32 shared equally among 8 people?

A. $32 - 8$

B. 32×8

C. $32 \div 8$

D. $8 \div 32$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 25 • BACKWARD 2 • Q3/5

766

QUESTION ID

S25-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $32 \div 8$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 25 • BACKWARD 2 • Q3/5

48 stickers are put into groups of 6.

How many groups are there?

Groups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 25 • BACKWARD 2 • Q4/5

767

QUESTION ID

S25-B2-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 25 • BACKWARD 2 • Q4/5

True or false?

20 shared equally by 4 people gives each person 16.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 25 • BACKWARD 2 • Q5/5

768

QUESTION ID

S25-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 25 • BACKWARD 2 • Q5/5

SET 25 • 4.NBT.B.6

FORWARD 1

Divide with two-digit divisors • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.6

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$1,736 \div 28$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 25 • FORWARD 1 • Q1/5

770

QUESTION ID

S25-F1-Q1

TYPE

Short answer

CORRECT ANSWER

62

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 25 • FORWARD 1 • Q1/5

770

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$5,904 \div 72$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 25 • FORWARD 1 • Q2/5

771

QUESTION ID

S25-F1-Q2

TYPE

Short answer

CORRECT ANSWER

82

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 25 • FORWARD 1 • Q2/5

771

Divide.

$$3,360 \div 48$$

- A. 70
- B. 7
- C. 68
- D. 700

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 25 • FORWARD 1 • Q3/5

772

QUESTION ID

S25-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 70

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 25 • FORWARD 1 • Q3/5

Divide. Write the quotient and the remainder.

$$2,000 \div 37$$

Quotient: _____

Remainder: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 25 • FORWARD 1 • Q4/5

773

QUESTION ID

S25-F1-Q4

TYPE

Short answer

CORRECT ANSWER

54 R 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 25 • FORWARD 1 • Q4/5

True or false?

$$1,125 \div 25 = 54$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 25 • FORWARD 1 • Q5/5

774

QUESTION ID

S25-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 25 • FORWARD 1 • Q5/5

SET 25 • 4.NBT.B.6

FORWARD 2

Divide multi-digit numbers with the standard algorithm • Grade 6 • The Number System • 6.NS.B.2

Use the standard algorithm to divide. Show your work.

$$9,516 \div 39$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 25 • FORWARD 2 • Q1/5

776

QUESTION ID

S25-F2-Q1

TYPE

Answer with required work

CORRECT ANSWER

244

GRADING NOTE REQUIRED WORK: The standard division algorithm with every step shown (divide, multiply, subtract, bring down). A correct quotient without the algorithm earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 25 • FORWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$27,648 \div 72$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 25 • FORWARD 2 • Q2/5

777

QUESTION ID

S25-F2-Q2

TYPE

Short answer

CORRECT ANSWER

384

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 25 • FORWARD 2 • Q2/5

777

Divide.

$$15,525 \div 45$$

- A.** 355
- B.** 345
- C.** 3,450
- D.** 335

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 25 • FORWARD 2 • Q3/5

778

QUESTION ID

S25-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 345

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 25 • FORWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$8,184 \div 62$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 25 • FORWARD 2 • Q4/5

779

QUESTION ID

S25-F2-Q4

TYPE

Short answer

CORRECT ANSWER

132

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 25 • FORWARD 2 • Q4/5

True or false?

$$20,808 \div 51 = 408$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 25 • FORWARD 2 • Q5/5

780

QUESTION ID

S25-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S25-F2-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 25 • FORWARD 2 • Q5/5

Illustrate and explain division with equations, area models, and place value

MAIN	Grade 4 main question	4.NBT.B.6
BACKWARD 1	Division as an unknown-factor problem	3.OA.B.6
BACKWARD 2	Find a missing side from the area of a rectangle	3.MD.C.7.b
FORWARD 1	Explain division with two-digit divisors using area models and equ...	5.NBT.B.6
FORWARD 2	Connect the standard division algorithm to partial quotients	6.NS.B.2


SET 26 • 4.NBT.B.6

MAIN

Grade 4 main question • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.6

Complete the area model for $744 \div 6$ by writing the missing length of each part.

Then write the quotient.



Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 26 • MAIN • Q1/5

783

QUESTION ID

S26-M-Q1

TYPE

Drawing + written answer

CORRECT ANSWER

**Drawing: Lengths
written on the parts:
100, 20 and 4**

Written: 124

GRADING NOTE Grade both: the lengths 100, 20 and 4 ($6 \times 100 = 600$, $6 \times 20 = 120$, $6 \times 4 = 24$), and the quotient 124.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 26 • MAIN • Q1/5

Explain how these equations show $852 \div 4$.

$$4 \times 200 = 800$$

$$4 \times 13 = 52$$

$$800 + 52 = 852$$

Quotient: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 26 • MAIN • Q2/5

784

QUESTION ID

S26-M-Q2

TYPE

Short answer

CORRECT ANSWER

213

GRADING NOTE Explanation: 852 is split into 800 and 52; 4 goes into them 200 times and 13 times, so 4 goes into 852 a total of 213 times.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 26 • MAIN • Q2/5

Ana finds $3,515 \div 5$ by thinking $3,500 \div 5 = 700$ and $15 \div 5 = 3$.

What is the quotient?

- A.** 7,003 **B.** 73
C. 703 **D.** 730

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 26 • MAIN • Q3/5

785

QUESTION ID

S26-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 703

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 26 • MAIN • Q3/5

Use an area model or equations to divide. Show your model or equations.

$$1,792 \div 8$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 26 • MAIN • Q4/5

786

QUESTION ID

S26-M-Q4

TYPE

Answer with required work

CORRECT ANSWER

224

GRADING NOTE REQUIRED WORK: An area model or equations that split 1,792 into parts that 8 divides, for example $8 \times 200 = 1,600$ and $8 \times 24 = 192$, with $1,600 + 192 = 1,792$, so the quotient is 224. The answer without a valid model or equations earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 26 • MAIN • Q4/5

True or false?

To find $636 \div 3$, you can divide each place:
 $600 \div 3 = 200$, $30 \div 3 = 10$, and $6 \div 3 = 2$. The quotient is 212.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 26 • MAIN • Q5/5

787

QUESTION ID

S26-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-M-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 26 • MAIN • Q5/5

SET 26 • 4.NBT.B.6

BACKWARD 1

Division as an unknown-factor problem • Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6

Find $56 \div 8$ by thinking $8 \times ? = 56$.

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 26 • BACKWARD 1 • Q1/5

789

QUESTION ID

S26-B1-Q1

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 26 • BACKWARD 1 • Q1/5

True or false?

$36 \div 9 = 4$ because $9 \times 4 = 36$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 26 • BACKWARD 1 • Q2/5

790

QUESTION ID

S26-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 26 • BACKWARD 1 • Q2/5

Which fact helps you find $45 \div 5$?

- A. $5 \times 9 = 45$
- B. $45 - 5 = 40$
- C. $9 + 5 = 14$
- D. $5 \times 5 = 25$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 26 • BACKWARD 1 • Q3/5

791

QUESTION ID

S26-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $5 \times 9 = 45$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 26 • BACKWARD 1 • Q3/5

Find the unknown factor.

$$7 \times ? = 63$$

Factor: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 26 • BACKWARD 1 • Q4/5

792

QUESTION ID

S26-B1-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 26 • BACKWARD 1 • Q4/5

True or false?

$24 \div 3 = 6$ because $3 \times 6 = 24$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 26 • BACKWARD 1 • Q5/5

793

QUESTION ID

S26-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 26 • BACKWARD 1 • Q5/5

SET 26 • 4.NBT.B.6

BACKWARD 2

Find a missing side from the area of a rectangle • Grade 3 • Measurement & Data • 3.MD.C.7.b

A rectangle has an area of 48 square units. One side is 6 units long.

How long is the other side?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 26 • BACKWARD 2 • Q1/5

795

QUESTION ID

S26-B2-Q1

TYPE

Short answer

CORRECT ANSWER

8 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 26 • BACKWARD 2 • Q1/5

True or false?

A rectangle that is 7 units by 5 units has an area of 35 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 26 • BACKWARD 2 • Q2/5

796

QUESTION ID

S26-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 26 • BACKWARD 2 • Q2/5

A rectangle has an area of 36 square feet and a width of 4 feet.

What is its length?

- A.** 32 feet **B.** 40 feet
C. 9 feet **D.** 8 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 26 • BACKWARD 2 • Q3/5

797

QUESTION ID

S26-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 9 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 26 • BACKWARD 2 • Q3/5

What is the area of a rectangle that is 8 cm by 6 cm?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 26 • BACKWARD 2 • Q4/5

798

QUESTION ID

S26-B2-Q4

TYPE

Short answer

CORRECT ANSWER

48 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 26 • BACKWARD 2 • Q4/5

True or false?

A rectangle with an area of 30 square units and one side of 5 units has another side of 25 units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 26 • BACKWARD 2 • Q5/5

799

QUESTION ID

S26-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-B2-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 26 • BACKWARD 2 • Q5/5


SET 26 • 4.NBT.B.6

FORWARD 1

Explain division with two-digit divisors using area models and equations •
Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6

The area model shows
 $1,575 \div 25$.

What is the quotient?



Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 26 • FORWARD 1 • Q1/5

801

QUESTION ID

S26-F1-Q1

TYPE

Short answer

CORRECT ANSWER

63

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 26 • FORWARD 1 • Q1/5

True or false?

An area model for $2,016 \div 48$ can use parts with areas 1,920 and 96, so the quotient is $40 + 2 = 42$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 26 • FORWARD 1 • Q2/5

802

QUESTION ID

S26-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 26 • FORWARD 1 • Q2/5

Which equations show $1,410 \div 30$?

- A. $1,410 - 30 = 1,380$
- B. $30 \times 40 = 1,200$; $30 \times 7 = 210$; $40 + 7 = 47$
- C. $30 \times 47 = 1,140$
- D. $30 \times 4 = 120$; $30 \times 7 = 210$; $4 + 7 = 11$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 26 • FORWARD 1 • Q3/5

803

QUESTION ID

S26-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

**B. $30 \times 40 = 1,200$;
 $30 \times 7 = 210$;
 $40 + 7 = 47$**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 26 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$2,262 \div 39$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 26 • FORWARD 1 • Q4/5

804

QUESTION ID

S26-F1-Q4

TYPE

Short answer

CORRECT ANSWER

58

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 26 • FORWARD 1 • Q4/5

True or false?

An area model for $1,344 \div 32$ with parts 32×40 and 32×3 shows a quotient of 43.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 26 • FORWARD 1 • Q5/5

805

QUESTION ID

S26-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 26 • FORWARD 1 • Q5/5

SET 26 • 4.NBT.B.6

FORWARD 2

Connect the standard division algorithm to partial quotients • Grade 6 • The Number System • 6.NS.B.2

Use the standard algorithm to divide. Show your work.

$$6,912 \div 24$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 26 • FORWARD 2 • Q1/5

807

QUESTION ID

S26-F2-Q1

TYPE

Answer with required work

CORRECT ANSWER

288

GRADING NOTE REQUIRED WORK: The standard division algorithm with every step shown (divide, multiply, subtract, bring down). A correct quotient without the algorithm earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 26 • FORWARD 2 • Q1/5

In the standard algorithm for $4,284 \div 12$, the first step uses $12 \times 300 = 3,600$.

What does the 300 stand for?

- A.** Part of the quotient
- B.** The remainder
- C.** Part of the divisor
- D.** The dividend

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 26 • FORWARD 2 • Q2/5

808

QUESTION ID

S26-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. Part of the quotient

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 26 • FORWARD 2 • Q2/5

True or false?

The steps of the standard algorithm for $3,705 \div 15$ match the partial quotients $200 + 40 + 7$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 26 • FORWARD 2 • Q3/5

809

QUESTION ID

S26-F2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 26 • FORWARD 2 • Q3/5

Divide.

$$10,488 \div 76$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 26 • FORWARD 2 • Q4/5

810

QUESTION ID

S26-F2-Q4

TYPE

Short answer

CORRECT ANSWER

138

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 26 • FORWARD 2 • Q4/5

True or false?

$$5,616 \div 52 = 118$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 26 • FORWARD 2 • Q5/5

811

QUESTION ID

S26-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S26-F2-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 26 • FORWARD 2 • Q5/5

Explain why fractions are equivalent using visual fraction models

MAIN	Grade 4 main question	4.NF.A.1
BACKWARD 1	Recognize equivalent fractions with a visual model	3.NF.A.3.b
BACKWARD 2	Equivalent fractions are at the same point on a number line	3.NF.A.3.a
FORWARD 1	Use equivalent fractions to add and subtract with unlike denomina...	5.NF.A.1
FORWARD 2	Find equivalent ratios	6.RP.A.3.a


SET 27 • 4.NF.A.1

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions • 4.NF.A.1

The bars show $\frac{2}{3}$ and $\frac{8}{12}$ of the same whole.

Explain how the model shows that $\frac{2}{3} = \frac{8}{12}$.



Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 27 • MAIN • Q1/5

814

QUESTION ID

S27-M-Q1

TYPE

Short answer

CORRECT ANSWER

Each third is split into 4 equal parts, so there are 4 times as many parts (12) and 4 times as many shaded parts (8); the shaded amount stays the same.

GRADING NOTE Must say that the number of parts and the number of shaded parts are both multiplied by the same number (4) while the whole and the shaded amount stay the same.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 27 • MAIN • Q1/5

A bar shows $\frac{3}{5}$ shaded. Each fifth is cut into 2 equal parts.

Which fraction now names the shaded part?

A. $\frac{6}{10}$

B. $\frac{3}{10}$

C. $\frac{6}{5}$

D. $\frac{5}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 27 • MAIN • Q2/5

815

QUESTION ID

S27-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 6/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 27 • MAIN • Q2/5

True or false?

$\frac{3}{4} = \frac{9}{12}$ because the numerator and the denominator were both multiplied by 3.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 27 • MAIN • Q3/5

816

QUESTION ID

S27-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 27 • MAIN • Q3/5

The bar shows $\frac{1}{2}$ shaded.

Draw lines to split each part into 3 equal parts. Then write the equivalent fraction.



Equivalent fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 27 • MAIN • Q4/5

817

QUESTION ID

S27-M-Q4

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: Each half split into 3 equal parts (6 parts in all), with 3 of them shaded

Written: $\frac{3}{6}$

GRADING NOTE Grade both: each half split into 3 equal parts, and the fraction $\frac{3}{6}$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 27 • MAIN • Q4/5

True or false?

$\frac{2}{5} = \frac{4}{5}$ because the numerator was multiplied by 2.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 27 • MAIN • Q5/5

818

QUESTION ID

S27-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 27 • MAIN • Q5/5

SET 27 • 4.NF.A.1

BACKWARD 1

Recognize equivalent fractions with a visual model • Grade 3 • Number & Operations–Fractions • 3.NF.A.3.b

True or false?

$$\frac{1}{2} = \frac{2}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 27 • BACKWARD 1 • Q1/5

820

QUESTION ID

S27-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 27 • BACKWARD 1 • Q1/5

The bars show the same whole.

What fraction of the second bar names the same amount as $\frac{1}{3}$?



Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 27 • BACKWARD 1 • Q2/5

821

QUESTION ID

S27-B1-Q2

TYPE

Short answer

CORRECT ANSWER

2/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 27 • BACKWARD 1 • Q2/5

Which fraction is equivalent to $\frac{3}{4}$?

A. $\frac{3}{8}$

B. $\frac{4}{6}$

C. $\frac{6}{8}$

D. $\frac{4}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 27 • BACKWARD 1 • Q3/5

822

QUESTION ID

S27-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 6/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 27 • BACKWARD 1 • Q3/5

Find the missing number.

$$\frac{1}{4} = \frac{?}{8}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 27 • BACKWARD 1 • Q4/5

823

QUESTION ID

S27-B1-Q4

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 27 • BACKWARD 1 • Q4/5

True or false?

$$\frac{2}{3} = \frac{2}{6}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 27 • BACKWARD 1 • Q5/5

824

QUESTION ID

S27-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 27 • BACKWARD 1 • Q5/5

SET 27 • 4.NF.A.1

BACKWARD 2

Equivalent fractions are at the same point on a number line • Grade 3 •
Number & Operations–Fractions • 3.NF.A.3.a

True or false?

$\frac{1}{2}$ and $\frac{2}{4}$ are at the same point on a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.a • Set 27 • BACKWARD 2 • Q1/5

826

QUESTION ID

S27-B2-Q1

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.a • Set 27 • BACKWARD 2 • Q1/5

Which fraction is at the same point on the number line as $\frac{3}{4}$?



A. $\frac{7}{8}$

B. $\frac{3}{8}$

C. $\frac{4}{8}$

D. $\frac{6}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.a • Set 27 • BACKWARD 2 • Q2/5

827

QUESTION ID

S27-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 6/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.a • Set 27 • BACKWARD 2 • Q2/5

Name a fraction in eighths that is at the same point as

$$\frac{1}{2}.$$

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.a • Set 27 • BACKWARD 2 • Q3/5

828

QUESTION ID

S27-B2-Q3

TYPE

Short answer

CORRECT ANSWER

4/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.a • Set 27 • BACKWARD 2 • Q3/5

True or false?

$\frac{1}{3}$ and $\frac{2}{6}$ are at different points on a number line.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.a • Set 27 • BACKWARD 2 • Q4/5

829

QUESTION ID

S27-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.a • Set 27 • BACKWARD 2 • Q4/5

What fraction in sixths is at the same point as $\frac{2}{3}$?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.a • Set 27 • BACKWARD 2 • Q5/5

830

QUESTION ID

S27-B2-Q5

TYPE

Short answer

CORRECT ANSWER

4/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.a • Set 27 • BACKWARD 2 • Q5/5

SET 27 • 4.NF.A.1

FORWARD 1

Use equivalent fractions to add and subtract with unlike denominators • Grade 5 • Number & Operations–Fractions • 5.NF.A.1

Add.

$$\frac{1}{3} + \frac{1}{4}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 27 • FORWARD 1 • Q1/5

832

QUESTION ID

S27-F1-Q1

TYPE

Short answer

CORRECT ANSWER

7/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 27 • FORWARD 1 • Q1/5

True or false?

$$\frac{2}{5} + \frac{3}{10} = \frac{7}{10}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 27 • FORWARD 1 • Q2/5

833

QUESTION ID

S27-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 27 • FORWARD 1 • Q2/5

Add.

$$\frac{1}{2} + \frac{3}{8}$$

A. $\frac{7}{8}$

B. $\frac{4}{8}$

C. $\frac{3}{16}$

D. $\frac{4}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 27 • FORWARD 1 • Q3/5

834

QUESTION ID

S27-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 7/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 27 • FORWARD 1 • Q3/5

Subtract.

$$\frac{5}{6} - \frac{1}{4}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 27 • FORWARD 1 • Q4/5

835

QUESTION ID

S27-F1-Q4

TYPE

Short answer

CORRECT ANSWER

7/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 27 • FORWARD 1 • Q4/5

True or false?

$$\frac{1}{2} + \frac{1}{3} = \frac{2}{5}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 27 • FORWARD 1 • Q5/5

836

QUESTION ID

S27-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 27 • FORWARD 1 • Q5/5

SET 27 • 4.NF.A.1

FORWARD 2

Find equivalent ratios • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.3.a

Find the missing value.

$$2 : 3 = 8 : ?$$

Missing value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 27 • FORWARD 2 • Q1/5

838

QUESTION ID

S27-F2-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 27 • FORWARD 2 • Q1/5

True or false?

3 : 4 and 9 : 12 are equivalent ratios.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 27 • FORWARD 2 • Q2/5

839

QUESTION ID

S27-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 27 • FORWARD 2 • Q2/5

Which ratio is equivalent to 5 : 2?

- A.** 5 : 4
- B.** 7 : 4
- C.** 15 : 6
- D.** 10 : 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 27 • FORWARD 2 • Q3/5

840

QUESTION ID

S27-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 15 : 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 27 • FORWARD 2 • Q3/5

The table shows equivalent ratios.

Find the missing value.

Cups of flour	2	4	6
Cups of milk	3	6	?

Missing value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 27 • FORWARD 2 • Q4/5

841

QUESTION ID

S27-F2-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 27 • FORWARD 2 • Q4/5

True or false?

4 : 6 and 6 : 8 are equivalent ratios.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 27 • FORWARD 2 • Q5/5

842

QUESTION ID

S27-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S27-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 27 • FORWARD 2 • Q5/5

Generate equivalent fractions

MAIN	Grade 4 main question	4.NF.A.1
BACKWARD 1	Generate simple equivalent fractions	3.NF.A.3.b
BACKWARD 2	Whole numbers written as fractions	3.NF.A.3.c
FORWARD 1	Explain equivalent fractions as multiplying by a fraction equal to 1	5.NF.B.5.b
FORWARD 2	Write fractions as percents	6.RP.A.3.c

SET 28 • 4.NF.A.1

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions • 4.NF.A.1

Find the missing number.

$$\frac{3}{5} = \frac{?}{10}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 28 • MAIN • Q1/5

845

QUESTION ID

S28-M-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 28 • MAIN • Q1/5

Find the missing number.

$$\frac{8}{12} = \frac{2}{?}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 28 • MAIN • Q2/5

846

QUESTION ID

S28-M-Q2

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 28 • MAIN • Q2/5

Which fraction is equivalent to $\frac{4}{6}$?

A. $\frac{2}{6}$

B. $\frac{6}{8}$

C. $\frac{8}{12}$

D. $\frac{4}{12}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 28 • MAIN • Q3/5

847

QUESTION ID

S28-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 8/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 28 • MAIN • Q3/5

True or false?

$$\frac{30}{100} = \frac{3}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 28 • MAIN • Q4/5

848

QUESTION ID

S28-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 28 • MAIN • Q4/5

Write two fractions that are equivalent to $\frac{1}{4}$.

Fractions: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 28 • MAIN • Q5/5

849

QUESTION ID

S28-M-Q5

TYPE

Short answer

CORRECT ANSWER

2/8 and 3/12

GRADING NOTE Any two fractions equal to $\frac{1}{4}$ are correct, for example $\frac{2}{8}$, $\frac{3}{12}$, or $\frac{25}{100}$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.1 • Set 28 • MAIN • Q5/5

SET 28 • 4.NF.A.1

BACKWARD 1

Generate simple equivalent fractions • Grade 3 • Number & Operations–Fractions • 3.NF.A.3.b

Find the missing number.

$$\frac{1}{3} = \frac{?}{6}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 28 • BACKWARD 1 • Q1/5

851

QUESTION ID

S28-B1-Q1

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 28 • BACKWARD 1 • Q1/5

True or false?

$$\frac{3}{6} = \frac{1}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 28 • BACKWARD 1 • Q2/5

852

QUESTION ID

S28-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 28 • BACKWARD 1 • Q2/5

Which fraction is equal to $\frac{1}{4}$?

A. $\frac{4}{1}$

B. $\frac{2}{4}$

C. $\frac{1}{8}$

D. $\frac{2}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 28 • BACKWARD 1 • Q3/5

853

QUESTION ID

S28-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 2/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 28 • BACKWARD 1 • Q3/5

Find the missing number.

$$\frac{2}{4} = \frac{?}{8}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 28 • BACKWARD 1 • Q4/5

854

QUESTION ID

S28-B1-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 28 • BACKWARD 1 • Q4/5

True or false?

$$\frac{3}{8} = \frac{3}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 28 • BACKWARD 1 • Q5/5

855

QUESTION ID

S28-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 28 • BACKWARD 1 • Q5/5

SET 28 • 4.NF.A.1

BACKWARD 2

Whole numbers written as fractions • Grade 3 • Number & Operations–Fractions • 3.NF.A.3.c

Write 3 as a fraction with a denominator of 1.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 28 • BACKWARD 2 • Q1/5

857

QUESTION ID

S28-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3/1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 28 • BACKWARD 2 • Q1/5

True or false?

$$\frac{4}{4} = 1$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 28 • BACKWARD 2 • Q2/5

858

QUESTION ID

S28-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 28 • BACKWARD 2 • Q2/5

Which fraction is equal to 2?

A. $\frac{2}{2}$

B. $\frac{3}{6}$

C. $\frac{6}{3}$

D. $\frac{2}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 28 • BACKWARD 2 • Q3/5

859

QUESTION ID

S28-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 6/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 28 • BACKWARD 2 • Q3/5

Write 1 as a fraction with a denominator of 8.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 28 • BACKWARD 2 • Q4/5

860

QUESTION ID

S28-B2-Q4

TYPE

Short answer

CORRECT ANSWER

8/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 28 • BACKWARD 2 • Q4/5

True or false?

$$\frac{6}{6} = 6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 28 • BACKWARD 2 • Q5/5

861

QUESTION ID

S28-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 28 • BACKWARD 2 • Q5/5

SET 28 • 4.NF.A.1

FORWARD 1

Explain equivalent fractions as multiplying by a fraction equal to 1 • Grade 5 •
Number & Operations–Fractions • 5.NF.B.5.b

True or false?

$\frac{3}{4} \times \frac{2}{2} = \frac{6}{8}$, and $\frac{6}{8} = \frac{3}{4}$ because $\frac{2}{2} = 1$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 28 • FORWARD 1 • Q1/5

863

QUESTION ID

S28-F1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 28 • FORWARD 1 • Q1/5

Which fraction equal to 1 turns $\frac{2}{5}$ into $\frac{6}{15}$?

A. $\frac{3}{3}$

B. $\frac{5}{5}$

C. $\frac{15}{15}$

D. $\frac{6}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 28 • FORWARD 1 • Q2/5

864

QUESTION ID

S28-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 3/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 28 • FORWARD 1 • Q2/5

What fraction equal to 1 can you multiply $\frac{5}{8}$ by to get $\frac{20}{32}$?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 28 • FORWARD 1 • Q3/5

865

QUESTION ID

S28-F1-Q3

TYPE

Short answer

CORRECT ANSWER

4/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 28 • FORWARD 1 • Q3/5

True or false?

$\frac{1}{2} \times \frac{3}{4} = \frac{3}{8}$ shows that $\frac{1}{2} = \frac{3}{8}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 28 • FORWARD 1 • Q4/5

866

QUESTION ID

S28-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 28 • FORWARD 1 • Q4/5

Explain why multiplying a fraction by $\frac{5}{5}$ does not change its value.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 28 • FORWARD 1 • Q5/5

867

QUESTION ID

S28-F1-Q5

TYPE

Short answer

CORRECT ANSWER

**$5/5 = 1$, and
multiplying a
number by 1 does
not change it.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.b • Set 28 • FORWARD 1 • Q5/5

SET 28 • 4.NF.A.1

FORWARD 2

Write fractions as percents • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.3.c

Write $\frac{3}{4}$ as a percent.

Percent: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 28 • FORWARD 2 • Q1/5

869

QUESTION ID

S28-F2-Q1

TYPE

Short answer

CORRECT ANSWER

75%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 28 • FORWARD 2 • Q1/5

True or false?

$$\frac{2}{5} = 40\%$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 28 • FORWARD 2 • Q2/5

870

QUESTION ID

S28-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 28 • FORWARD 2 • Q2/5

Which percent is equal to $\frac{7}{10}$?

- A. 0.7%
- B. 17%
- C. 70%
- D. 7%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 28 • FORWARD 2 • Q3/5

871

QUESTION ID

S28-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 70%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 28 • FORWARD 2 • Q3/5

Write 35% as a fraction with a denominator of 100.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 28 • FORWARD 2 • Q4/5

872

QUESTION ID

S28-F2-Q4

TYPE

Short answer

CORRECT ANSWER

35/100

GRADING NOTE 7/20 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 28 • FORWARD 2 • Q4/5

True or false?

$$\frac{1}{8} = 18\%$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 28 • FORWARD 2 • Q5/5

873

QUESTION ID

S28-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S28-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 28 • FORWARD 2 • Q5/5

Compare two fractions by finding a common denominator or a common numerator

MAIN	Grade 4 main question	4.NF.A.2
BACKWARD 1	Compare fractions with the same numerator or the same denomin...	3.NF.A.3.d
BACKWARD 2	Fractions on a number line	3.NF.A.2
FORWARD 1	Compare the size of a product to the size of one factor	5.NF.B.5.a
FORWARD 2	Compare and order rational numbers	6.NS.C.7.a

SET 29 • 4.NF.A.2

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions • 4.NF.A.2

Write $>$, $=$, or $<$.

$$\frac{3}{4} \text{ — } \frac{5}{8}$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 29 • MAIN • Q1/5

876

QUESTION ID

S29-M-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 29 • MAIN • Q1/5

Write $>$, $=$, or $<$.

$$\frac{2}{5} \text{ — } \frac{3}{10}$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 29 • MAIN • Q2/5

877

QUESTION ID

S29-M-Q2

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 29 • MAIN • Q2/5

Which comparison is true?

A. $\frac{3}{8} > \frac{3}{5}$

B. $\frac{3}{5} > \frac{3}{8}$

C. $\frac{3}{5} < \frac{3}{8}$

D. $\frac{3}{5} = \frac{3}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 29 • MAIN • Q3/5

878

QUESTION ID

S29-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $\frac{3}{5} > \frac{3}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 29 • MAIN • Q3/5

Compare $\frac{5}{6}$ and $\frac{7}{12}$. Write $>$, $=$, or $<$, and explain how you know.

Comparison: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 29 • MAIN • Q4/5

879

QUESTION ID

S29-M-Q4

TYPE

Short answer

CORRECT ANSWER

$\frac{5}{6} > \frac{7}{12}$

GRADING NOTE $\frac{5}{6} = \frac{10}{12}$, and $\frac{10}{12} > \frac{7}{12}$ because they have the same denominator and 10 parts are more than 7. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 29 • MAIN • Q4/5

True or false?

$$\frac{4}{10} < \frac{35}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 29 • MAIN • Q5/5

880

QUESTION ID

S29-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 29 • MAIN • Q5/5

SET 29 • 4.NF.A.2

BACKWARD 1

Compare fractions with the same numerator or the same denominator • Grade 3 • Number & Operations–Fractions • 3.NF.A.3.d

Write $>$, $=$, or $<$.

$$\frac{3}{8} \text{ — } \frac{5}{8}$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 29 • BACKWARD 1 • Q1/5

882

QUESTION ID

S29-B1-Q1

TYPE

Short answer

CORRECT ANSWER

$<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 29 • BACKWARD 1 • Q1/5

True or false?

$$\frac{1}{3} > \frac{1}{6}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 29 • BACKWARD 1 • Q2/5

883

QUESTION ID

S29-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 29 • BACKWARD 1 • Q2/5

Which fraction is greatest?

A. $\frac{2}{6}$

B. $\frac{2}{3}$

C. $\frac{2}{4}$

D. $\frac{2}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 29 • BACKWARD 1 • Q3/5

884

QUESTION ID

S29-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 29 • BACKWARD 1 • Q3/5

Write $>$, $=$, or $<$.

$$\frac{4}{6} \text{ — } \frac{4}{8}$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 29 • BACKWARD 1 • Q4/5

885

QUESTION ID

S29-B1-Q4

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 29 • BACKWARD 1 • Q4/5

True or false?

$$\frac{3}{4} < \frac{2}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 29 • BACKWARD 1 • Q5/5

886

QUESTION ID

S29-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B1-Q5


Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 29 • BACKWARD 1 • Q5/5

SET 29 • 4.NF.A.2

BACKWARD 2

Fractions on a number line • Grade 3 • Number & Operations–Fractions •
3.NF.A.2

What fraction is at point A?



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 29 • BACKWARD 2 • Q1/5

888

QUESTION ID

S29-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 29 • BACKWARD 2 • Q1/5

True or false?

On a number line, $\frac{5}{6}$ is closer to 1 than $\frac{1}{6}$ is.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 29 • BACKWARD 2 • Q2/5

889

QUESTION ID

S29-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 29 • BACKWARD 2 • Q2/5

Into how many equal parts is the space from 0 to 1 divided?



A. 4

B. 7

C. 8

D. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 29 • BACKWARD 2 • Q3/5

890

QUESTION ID

S29-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 29 • BACKWARD 2 • Q3/5

What fraction is at point B?



B = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 29 • BACKWARD 2 • Q4/5

891

QUESTION ID

S29-B2-Q4

TYPE

Short answer

CORRECT ANSWER

1/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 29 • BACKWARD 2 • Q4/5

True or false?

$\frac{2}{2}$ is at the same point as 2 on a number line.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 29 • BACKWARD 2 • Q5/5

892

QUESTION ID

S29-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 29 • BACKWARD 2 • Q5/5

SET 29 • 4.NF.A.2

FORWARD 1

Compare the size of a product to the size of one factor • Grade 5 • Number & Operations–Fractions • 5.NF.B.5.a

True or false?

$\frac{3}{4} \times 9$ is less than 9.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 29 • FORWARD 1 • Q1/5

894

QUESTION ID

S29-F1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 29 • FORWARD 1 • Q1/5

Which product is greater than 12?

A. $\frac{5}{4} \times 12$

B. $\frac{3}{4} \times 12$

C. $\frac{1}{2} \times 12$

D. 1×12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 29 • FORWARD 1 • Q2/5

895

QUESTION ID

S29-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. $\frac{5}{4} \times 12$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 29 • FORWARD 1 • Q2/5

Without multiplying, is $\frac{7}{8} \times 20$ greater than, less than, or equal to 20?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 29 • FORWARD 1 • Q3/5

896

QUESTION ID

S29-F1-Q3

TYPE

Short answer

CORRECT ANSWER

Less than 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 29 • FORWARD 1 • Q3/5

True or false?

$\frac{6}{6} \times 15$ is greater than 15.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 29 • FORWARD 1 • Q4/5

897

QUESTION ID

S29-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 29 • FORWARD 1 • Q4/5

Without multiplying, which is greater: $\frac{2}{3} \times 30$ or $\frac{4}{3} \times 30$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 29 • FORWARD 1 • Q5/5

898

QUESTION ID

S29-F1-Q5

TYPE

Short answer

CORRECT ANSWER

$\frac{4}{3} \times 30$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.5.a • Set 29 • FORWARD 1 • Q5/5

SET 29 • 4.NF.A.2

FORWARD 2

Compare and order rational numbers • Grade 6 • The Number System •
6.NS.C.7.a

Write $>$, $=$, or $<$.

$$-\frac{1}{2} \text{ — } -\frac{3}{4}$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q1

Grade 6 • The Number System • 6.NS.C.7.a • Set 29 • FORWARD 2 • Q1/5

900

QUESTION ID

S29-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q1

Grade 6 • The Number System • 6.NS.C.7.a • Set 29 • FORWARD 2 • Q1/5

True or false?

$$-\frac{2}{3} < \frac{1}{3}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q2

Grade 6 • The Number System • 6.NS.C.7.a • Set 29 • FORWARD 2 • Q2/5

901

QUESTION ID

S29-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q2

Grade 6 • The Number System • 6.NS.C.7.a • Set 29 • FORWARD 2 • Q2/5

Which number is least?

A. $-\frac{5}{6}$

B. 0

C. $\frac{1}{4}$

D. $-\frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q3

Grade 6 • The Number System • 6.NS.C.7.a • Set 29 • FORWARD 2 • Q3/5

902

QUESTION ID

S29-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $-\frac{5}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q3

Grade 6 • The Number System • 6.NS.C.7.a • Set 29 • FORWARD 2 • Q3/5

Order from least to greatest.

$$\frac{1}{2}, -\frac{3}{4}, -\frac{1}{4}$$

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q4

Grade 6 • The Number System • 6.NS.C.7.a • Set 29 • FORWARD 2 • Q4/5

903

QUESTION ID

S29-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$-\frac{3}{4}, -\frac{1}{4}, \frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q4

Grade 6 • The Number System • 6.NS.C.7.a • Set 29 • FORWARD 2 • Q4/5

True or false?

$$-\frac{1}{4} < -\frac{1}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q5

Grade 6 • The Number System • 6.NS.C.7.a • Set 29 • FORWARD 2 • Q5/5

904

QUESTION ID

S29-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S29-F2-Q5

Grade 6 • The Number System • 6.NS.C.7.a • Set 29 • FORWARD 2 • Q5/5

Compare fractions using the benchmark $\frac{1}{2}$, and only when they refer to the same whole

MAIN	Grade 4 main question	4.NF.A.2
BACKWARD 1	Compare fractions of the same whole	3.NF.A.3.d
BACKWARD 2	Equal parts of a shape	3.G.A.2
FORWARD 1	Use benchmark fractions to estimate and check sums and differe...	5.NF.A.2
FORWARD 2	Write and interpret statements of order for rational numbers in c...	6.NS.C.7.b

SET 30 • 4.NF.A.2

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions • 4.NF.A.2

Which fraction is greater than $\frac{1}{2}$?

A. $\frac{2}{5}$

B. $\frac{3}{8}$

C. $\frac{5}{8}$

D. $\frac{4}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 30 • MAIN • Q1/5

907

QUESTION ID

S30-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

C. 5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 30 • MAIN • Q1/5

Compare $\frac{3}{8}$ and $\frac{4}{6}$ by comparing each one to $\frac{1}{2}$. Write $>$, $=$, or $<$.

Comparison: _____

Reason: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 30 • MAIN • Q2/5

908

QUESTION ID

S30-M-Q2

TYPE

Short answer

CORRECT ANSWER

$\frac{3}{8} < \frac{4}{6}$

GRADING NOTE $\frac{3}{8}$ is less than $\frac{1}{2}$ (which is $\frac{4}{8}$) and $\frac{4}{6}$ is more than $\frac{1}{2}$ (which is $\frac{3}{6}$), so $\frac{3}{8} < \frac{4}{6}$. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 30 • MAIN • Q2/5

True or false?

$$\frac{5}{12} < \frac{1}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 30 • MAIN • Q3/5

909

QUESTION ID

S30-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 30 • MAIN • Q3/5

True or false?

Ben ate $\frac{1}{2}$ of a small pizza and Kim ate $\frac{1}{2}$ of a large pizza. They ate the same amount of pizza.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 30 • MAIN • Q4/5

910

QUESTION ID

S30-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 30 • MAIN • Q4/5

Explain why $\frac{2}{3}$ of a small cake and $\frac{2}{3}$ of a large cake are not the same amount of cake.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 30 • MAIN • Q5/5

911

QUESTION ID

S30-M-Q5

TYPE

Short answer

CORRECT ANSWER

The two wholes are different sizes, so $\frac{2}{3}$ of the large cake is more cake.

GRADING NOTE Must say that fractions can be compared only when they refer to the same whole (wholes of the same size).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.A.2 • Set 30 • MAIN • Q5/5

SET 30 • 4.NF.A.2

BACKWARD 1

Compare fractions of the same whole • Grade 3 • Number & Operations–Fractions • 3.NF.A.3.d

True or false?

$\frac{1}{4}$ of a pizza is less than $\frac{1}{2}$ of the same pizza.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 30 • BACKWARD 1 • Q1/5

913

QUESTION ID

S30-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 30 • BACKWARD 1 • Q1/5

Write $>$, $=$, or $<$.

$$\frac{2}{6} \text{ — } \frac{5}{6}$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 30 • BACKWARD 1 • Q2/5

914

QUESTION ID

S30-B1-Q2

TYPE

Short answer

CORRECT ANSWER

$<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 30 • BACKWARD 1 • Q2/5

Which fraction of the same bar is greatest?

A. $\frac{1}{8}$

B. $\frac{1}{4}$

C. $\frac{1}{3}$

D. $\frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 30 • BACKWARD 1 • Q3/5

915

QUESTION ID

S30-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 30 • BACKWARD 1 • Q3/5

Write $>$, $=$, or $<$.

$$\frac{3}{4} \text{ — } \frac{3}{6}$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 30 • BACKWARD 1 • Q4/5

916

QUESTION ID

S30-B1-Q4

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 30 • BACKWARD 1 • Q4/5

True or false?

$\frac{1}{8}$ of a ribbon is more than $\frac{1}{3}$ of the same ribbon.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 30 • BACKWARD 1 • Q5/5

917

QUESTION ID

S30-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 30 • BACKWARD 1 • Q5/5

SET 30 • 4.NF.A.2

BACKWARD 2

Equal parts of a shape • Grade 3 • Geometry • 3.G.A.2

A square is split into 4 equal parts.
What fraction of its area is each part?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q1

Grade 3 • Geometry • 3.G.A.2 • Set 30 • BACKWARD 2 • Q1/5

919

QUESTION ID

S30-B2-Q1

TYPE

Short answer

CORRECT ANSWER

1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q1

Grade 3 • Geometry • 3.G.A.2 • Set 30 • BACKWARD 2 • Q1/5

True or false?

A rectangle cut into 6 equal parts has parts that are each $\frac{1}{6}$ of its area.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q2

Grade 3 • Geometry • 3.G.A.2 • Set 30 • BACKWARD 2 • Q2/5

920

QUESTION ID

S30-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q2

Grade 3 • Geometry • 3.G.A.2 • Set 30 • BACKWARD 2 • Q2/5

A circle is cut into 8 equal parts.

What fraction of the area is 1 part?

A. $\frac{8}{1}$

B. $\frac{7}{8}$

C. $\frac{1}{4}$

D. $\frac{1}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q3

Grade 3 • Geometry • 3.G.A.2 • Set 30 • BACKWARD 2 • Q3/5

921

QUESTION ID

S30-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 1/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q3

Grade 3 • Geometry • 3.G.A.2 • Set 30 • BACKWARD 2 • Q3/5

What fraction of the shape is shaded?



Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q4

Grade 3 • Geometry • 3.G.A.2 • Set 30 • BACKWARD 2 • Q4/5

922

QUESTION ID

S30-B2-Q4

TYPE

Short answer

CORRECT ANSWER

1/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q4

Grade 3 • Geometry • 3.G.A.2 • Set 30 • BACKWARD 2 • Q4/5

True or false?

A shape cut into 2 parts of different sizes is cut into halves.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q5

Grade 3 • Geometry • 3.G.A.2 • Set 30 • BACKWARD 2 • Q5/5

923

QUESTION ID

S30-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-B2-Q5

Grade 3 • Geometry • 3.G.A.2 • Set 30 • BACKWARD 2 • Q5/5

SET 30 • 4.NF.A.2

FORWARD 1

Use benchmark fractions to estimate and check sums and differences • Grade 5 • Number & Operations–Fractions • 5.NF.A.2

True or false?

$\frac{3}{5} + \frac{4}{7}$ is greater than 1, because each fraction is greater than $\frac{1}{2}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 30 • FORWARD 1 • Q1/5

925

QUESTION ID

S30-F1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 30 • FORWARD 1 • Q1/5

Which is the best estimate of $\frac{7}{8} + \frac{1}{12}$?

- A. About 1
- B. About 0
- C. About 2
- D. About $\frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 30 • FORWARD 1 • Q2/5

926

QUESTION ID

S30-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. About 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 30 • FORWARD 1 • Q2/5

Use benchmark fractions to decide whether $\frac{2}{5} + \frac{3}{8}$ is more or less than 1.

Answer: _____

Reason: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 30 • FORWARD 1 • Q3/5

927

QUESTION ID

S30-F1-Q3

TYPE

Short answer

CORRECT ANSWER

Less than 1

GRADING NOTE Both fractions are less than $\frac{1}{2}$, so their sum is less than $\frac{1}{2} + \frac{1}{2} = 1$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 30 • FORWARD 1 • Q3/5

True or false?

$\frac{5}{6} - \frac{1}{4}$ is about 1, because both fractions are close to 1.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 30 • FORWARD 1 • Q4/5

928

QUESTION ID

S30-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 30 • FORWARD 1 • Q4/5

Use the benchmarks 0, $\frac{1}{2}$, and 1 to estimate $\frac{9}{10} + \frac{5}{12}$.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 30 • FORWARD 1 • Q5/5

929

QUESTION ID

S30-F1-Q5

TYPE

Short answer

CORRECT ANSWER

About 1 $\frac{1}{2}$

GRADING NOTE $\frac{9}{10}$ is close to 1 and $\frac{5}{12}$ is close to $\frac{1}{2}$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 30 • FORWARD 1 • Q5/5

SET 30 • 4.NF.A.2

FORWARD 2

Write and interpret statements of order for rational numbers in context • Grade 6 • The Number System • 6.NS.C.7.b

Write an inequality that compares $-\frac{3}{4}^{\circ}\text{C}$ and $-\frac{1}{2}^{\circ}\text{C}$.

Inequality: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q1

Grade 6 • The Number System • 6.NS.C.7.b • Set 30 • FORWARD 2 • Q1/5

931

QUESTION ID

S30-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$-\frac{3}{4} < -\frac{1}{2}$

GRADING NOTE $-\frac{1}{2} > -\frac{3}{4}$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q1

Grade 6 • The Number System • 6.NS.C.7.b • Set 30 • FORWARD 2 • Q1/5

True or false?

A temperature of $-\frac{1}{4}^{\circ}\text{F}$ is warmer than $-\frac{3}{4}^{\circ}\text{F}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q2

Grade 6 • The Number System • 6.NS.C.7.b • Set 30 • FORWARD 2 • Q2/5

932

QUESTION ID

S30-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q2

Grade 6 • The Number System • 6.NS.C.7.b • Set 30 • FORWARD 2 • Q2/5

Which statement is true?

A. $-\frac{2}{3} < -\frac{1}{3}$

B. $-\frac{2}{3} > -\frac{1}{3}$

C. $-\frac{1}{3} < -\frac{2}{3}$

D. $\frac{1}{3} < -\frac{2}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q3

Grade 6 • The Number System • 6.NS.C.7.b • Set 30 • FORWARD 2 • Q3/5

933

QUESTION ID

S30-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $-\frac{2}{3} < -\frac{1}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q3

Grade 6 • The Number System • 6.NS.C.7.b • Set 30 • FORWARD 2 • Q3/5

A diver at $-2\frac{1}{2}$ m is deeper than a diver at $-1\frac{1}{2}$ m.

Write an inequality for the two positions.

Inequality: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q4

Grade 6 • The Number System • 6.NS.C.7.b • Set 30 • FORWARD 2 • Q4/5

934

QUESTION ID

S30-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$-2\frac{1}{2} < -1\frac{1}{2}$

GRADING NOTE $-1\frac{1}{2} > -2\frac{1}{2}$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q4

Grade 6 • The Number System • 6.NS.C.7.b • Set 30 • FORWARD 2 • Q4/5

True or false?

$$-\frac{1}{8} < -\frac{7}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q5

Grade 6 • The Number System • 6.NS.C.7.b • Set 30 • FORWARD 2 • Q5/5

935

QUESTION ID

S30-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S30-F2-Q5

Grade 6 • The Number System • 6.NS.C.7.b • Set 30 • FORWARD 2 • Q5/5

Understand adding and subtracting fractions as joining and separating parts of the same whole

MAIN	Grade 4 main question	4.NF.B.3.a
BACKWARD 1	A fraction is a number of unit-fraction parts	3.NF.A.1
BACKWARD 2	Add to, take from, put together, and take apart within 20	1.OA.A.1
FORWARD 1	Add and subtract fractions with unlike denominators	5.NF.A.1
FORWARD 2	Solve equations of the form $x + p = q$ with fractions	6.EE.B.7

SET 31 • 4.NF.B.3.a

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions •
4.NF.B.3.a

A pizza is cut into 8 equal slices. Jo eats 3 slices and Al eats 2 slices.

What fraction of the pizza did they eat in all?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 31 • MAIN • Q1/5

938

QUESTION ID

S31-M-Q1

TYPE

Short answer

CORRECT ANSWER

5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 31 • MAIN • Q1/5

True or false?

$\frac{2}{5} + \frac{1}{5}$ means joining 2 fifths and 1 fifth of the same whole, which makes $\frac{3}{5}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 31 • MAIN • Q2/5

939

QUESTION ID

S31-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 31 • MAIN • Q2/5

A ribbon is cut into 10 equal pieces. 3 pieces are used and 7 are left.

Which equation shows this?

A. $\frac{10}{10} - \frac{3}{10} = \frac{7}{20}$

B. $\frac{3}{10} - \frac{10}{10} = \frac{7}{10}$

C. $\frac{10}{10} - \frac{3}{10} = \frac{7}{0}$

D. $\frac{10}{10} - \frac{3}{10} = \frac{7}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 31 • MAIN • Q3/5

940

QUESTION ID

S31-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D.

$10/10 - 3/10 = 7/10$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 31 • MAIN • Q3/5

True or false?

$\frac{3}{4} + \frac{1}{4} = \frac{4}{8}$, because you add the numerators and add the denominators.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 31 • MAIN • Q4/5

941

QUESTION ID

S31-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 31 • MAIN • Q4/5

Shade the bar to show $\frac{2}{6} + \frac{3}{6}$.

Then write the sum.

--	--	--	--	--	--

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 31 • MAIN • Q5/5

942

QUESTION ID

S31-M-Q5

TYPE

Drawing + written answer

CORRECT ANSWER

**Drawing: 5 of the 6
parts shaded**

Written: 5/6

GRADING NOTE Grade both: 5 of the 6 parts shaded (2 parts and 3 parts), and the sum 5/6.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.a • Set 31 • MAIN • Q5/5

SET 31 • 4.NF.B.3.a

BACKWARD 1

A fraction is a number of unit-fraction parts • Grade 3 • Number & Operations–Fractions • 3.NF.A.1

True or false?

$\frac{3}{8}$ is 3 parts of size $\frac{1}{8}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 31 • BACKWARD 1 • Q1/5

944

QUESTION ID

S31-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 31 • BACKWARD 1 • Q1/5

How many $\frac{1}{6}$ s make $\frac{5}{6}$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 31 • BACKWARD 1 • Q2/5

945

QUESTION ID

S31-B1-Q2

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 31 • BACKWARD 1 • Q2/5

What fraction is 2 parts of size $\frac{1}{3}$?

A. $\frac{2}{3}$

B. $\frac{1}{6}$

C. $\frac{3}{2}$

D. $\frac{2}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 31 • BACKWARD 1 • Q3/5

946

QUESTION ID

S31-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER


A. 2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 31 • BACKWARD 1 • Q3/5

What fraction of the bar is shaded?



Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 31 • BACKWARD 1 • Q4/5

947

QUESTION ID

S31-B1-Q4

TYPE

Short answer

CORRECT ANSWER

3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 31 • BACKWARD 1 • Q4/5

True or false?

$\frac{4}{6}$ means 6 parts of size $\frac{1}{4}$.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 31 • BACKWARD 1 • Q5/5

948

QUESTION ID

S31-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 31 • BACKWARD 1 • Q5/5

SET 31 • 4.NF.B.3.a

BACKWARD 2

Add to, take from, put together, and take apart within 20 • Grade 1 •
Operations & Algebraic Thinking • 1.OA.A.1

Sam has 7 marbles. He gets 6 more.

How many marbles does he have?

Marbles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q1

Grade 1 • Operations & Algebraic Thinking • 1.OA.A.1 • Set 31 • BACKWARD 2 • Q1/5

950

QUESTION ID

S31-B2-Q1

TYPE

Short answer

CORRECT ANSWER

13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q1

Grade 1 • Operations & Algebraic Thinking • 1.OA.A.1 • Set 31 • BACKWARD 2 • Q1/5

True or false?

There are 15 birds. 8 fly away. 7 birds are left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q2

Grade 1 • Operations & Algebraic Thinking • 1.OA.A.1 • Set 31 • BACKWARD 2 • Q2/5

951

QUESTION ID

S31-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q2

Grade 1 • Operations & Algebraic Thinking • 1.OA.A.1 • Set 31 • BACKWARD 2 • Q2/5

9 red apples and 5 green apples are put together.

How many apples are there?

- A. 14
- B. 13
- C. 4
- D. 45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q3

Grade 1 • Operations & Algebraic Thinking • 1.OA.A.1 • Set 31 • BACKWARD 2 • Q3/5

952

QUESTION ID

S31-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q3

Grade 1 • Operations & Algebraic Thinking • 1.OA.A.1 • Set 31 • BACKWARD 2 • Q3/5

A box has 12 crayons. 4 are taken out.

How many crayons are left?

Crayons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q4

Grade 1 • Operations & Algebraic Thinking • 1.OA.A.1 • Set 31 • BACKWARD 2 • Q4/5

953

QUESTION ID

S31-B2-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q4

Grade 1 • Operations & Algebraic Thinking • 1.OA.A.1 • Set 31 • BACKWARD 2 • Q4/5

True or false?

6 cats and 7 dogs make 12 pets.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q5

Grade 1 • Operations & Algebraic Thinking • 1.OA.A.1 • Set 31 • BACKWARD 2 • Q5/5

954

QUESTION ID

S31-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-B2-Q5

Grade 1 • Operations & Algebraic Thinking • 1.OA.A.1 • Set 31 • BACKWARD 2 • Q5/5

SET 31 • 4.NF.B.3.a

FORWARD 1

Add and subtract fractions with unlike denominators • Grade 5 • Number & Operations–Fractions • 5.NF.A.1

Add.

$$\frac{1}{4} + \frac{2}{3}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 31 • FORWARD 1 • Q1/5

956

QUESTION ID

S31-F1-Q1

TYPE

Short answer

CORRECT ANSWER

11/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 31 • FORWARD 1 • Q1/5

Subtract.

$$\frac{7}{10} - \frac{1}{2}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 31 • FORWARD 1 • Q2/5

957

QUESTION ID

S31-F1-Q2

TYPE

Short answer

CORRECT ANSWER

1/5

GRADING NOTE 2/10 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 31 • FORWARD 1 • Q2/5

Add.

$$\frac{3}{8} + \frac{1}{2}$$

A. $\frac{4}{10}$

B. $\frac{4}{8}$

C. $\frac{7}{8}$

D. $1\frac{1}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 31 • FORWARD 1 • Q3/5

958

QUESTION ID

S31-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 7/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 31 • FORWARD 1 • Q3/5

True or false?

$$\frac{5}{6} - \frac{1}{3} = \frac{1}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 31 • FORWARD 1 • Q4/5

959

QUESTION ID

S31-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 31 • FORWARD 1 • Q4/5

True or false?

$$\frac{1}{5} + \frac{1}{2} = \frac{2}{7}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 31 • FORWARD 1 • Q5/5

960

QUESTION ID

S31-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 31 • FORWARD 1 • Q5/5

SET 31 • 4.NF.B.3.a

FORWARD 2

Solve equations of the form $x + p = q$ with fractions • Grade 6 • Expressions & Equations • 6.EE.B.7

Solve for x.

$$x + \frac{1}{4} = \frac{3}{4}$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 31 • FORWARD 2 • Q1/5

962

QUESTION ID

S31-F2-Q1

TYPE

Short answer

CORRECT ANSWER

1/2

GRADING NOTE 2/4 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 31 • FORWARD 2 • Q1/5

True or false?

The solution of $y - \frac{2}{5} = \frac{1}{5}$ is $y = \frac{3}{5}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 31 • FORWARD 2 • Q2/5

963

QUESTION ID

S31-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 31 • FORWARD 2 • Q2/5

Solve for n.

$$n + \frac{3}{8} = 1$$

A. $1\frac{3}{8}$

B. $\frac{3}{8}$

C. $\frac{5}{8}$

D. $\frac{8}{5}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 31 • FORWARD 2 • Q3/5

964

QUESTION ID

S31-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 31 • FORWARD 2 • Q3/5

Solve for m.

$$\frac{5}{6} = m + \frac{1}{6}$$

m = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 31 • FORWARD 2 • Q4/5

965

QUESTION ID

S31-F2-Q4

TYPE

Short answer

CORRECT ANSWER

4/6

GRADING NOTE 2/3 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 31 • FORWARD 2 • Q4/5

True or false?

The solution of $x + \frac{1}{3} = \frac{2}{3}$ is $x = 1$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 31 • FORWARD 2 • Q5/5

966

QUESTION ID

S31-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S31-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 31 • FORWARD 2 • Q5/5

Decompose a fraction into a sum of fractions with the same denominator, and justify it with a model

MAIN	Grade 4 main question	4.NF.B.3.b
BACKWARD 1	Unit fractions build a fraction	3.NF.A.1
BACKWARD 2	Break apart numbers to 10 into pairs in more than one way	K.OA.A.3
FORWARD 1	Add and subtract mixed numbers with unlike denominators	5.NF.A.1
FORWARD 2	Divide fractions by thinking "how many parts of this size?"	6.NS.A.1

SET 32 • 4.NF.B.3.b

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions •
4.NF.B.3.b

Write $\frac{4}{5}$ as a sum of unit fractions.

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 32 • MAIN • Q1/5

969

QUESTION ID

S32-M-Q1

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{5} + \frac{1}{5} + \frac{1}{5} + \frac{1}{5}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 32 • MAIN • Q1/5

Write $\frac{7}{10}$ as a sum of two fractions with a denominator of 10, in two different ways.

Way 1: _____

Way 2: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 32 • MAIN • Q2/5

970

QUESTION ID

S32-M-Q2

TYPE

Short answer

CORRECT ANSWER

$\frac{3}{10} + \frac{4}{10};$

$\frac{5}{10} + \frac{2}{10}$

GRADING NOTE Any two different pairs of tenths that add to $\frac{7}{10}$ are correct (for example $\frac{1}{10} + \frac{6}{10}$ and $\frac{2}{10} + \frac{5}{10}$).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 32 • MAIN • Q2/5

Which sum is equal to $\frac{5}{6}$?

A. $\frac{1}{6} + \frac{5}{6}$

B. $\frac{2}{6} + \frac{3}{6}$

C. $\frac{2}{3} + \frac{3}{3}$

D. $\frac{4}{6} + \frac{2}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 32 • MAIN • Q3/5

971

QUESTION ID

S32-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $\frac{2}{6} + \frac{3}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 32 • MAIN • Q3/5

True or false?

$$1\frac{2}{3} = \frac{3}{3} + \frac{2}{3}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 32 • MAIN • Q4/5

972

QUESTION ID

S32-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 32 • MAIN • Q4/5

The bar shows $\frac{6}{8}$ shaded.

Circle a group of 2 eighths and a group of 4 eighths to show $\frac{6}{8} = \frac{2}{8} + \frac{4}{8}$. Then write another way to decompose $\frac{6}{8}$.



Another way: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 32 • MAIN • Q5/5

973

QUESTION ID

S32-M-Q5

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: The 6 shaded eighths circled as a group of 2 and a group of 4

Written: $\frac{3}{8} + \frac{3}{8}$

GRADING NOTE Grade both: the two circled groups (2 and 4 eighths), and any other correct sum of eighths equal to $\frac{6}{8}$, such as $\frac{1}{8} + \frac{5}{8}$ or $\frac{1}{8} + \frac{1}{8} + \frac{4}{8}$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.b • Set 32 • MAIN • Q5/5

SET 32 • 4.NF.B.3.b

BACKWARD 1

Unit fractions build a fraction • Grade 3 • Number & Operations–Fractions •
3.NF.A.1

How many $\frac{1}{8}$ s make $\frac{7}{8}$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 32 • BACKWARD 1 • Q1/5

975

QUESTION ID

S32-B1-Q1

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 32 • BACKWARD 1 • Q1/5

True or false?

$$\frac{1}{4} + \frac{1}{4} + \frac{1}{4} = \frac{3}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 32 • BACKWARD 1 • Q2/5

976

QUESTION ID

S32-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 32 • BACKWARD 1 • Q2/5

What fraction is 5 parts of size $\frac{1}{6}$?

A. $\frac{5}{1}$

B. $\frac{5}{6}$

C. $\frac{1}{30}$

D. $\frac{6}{5}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 32 • BACKWARD 1 • Q3/5

977

QUESTION ID

S32-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 32 • BACKWARD 1 • Q3/5

Write $\frac{2}{3}$ as a sum of unit fractions.

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 32 • BACKWARD 1 • Q4/5

978

QUESTION ID

S32-B1-Q4

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{3} + \frac{1}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 32 • BACKWARD 1 • Q4/5

True or false?

$$\frac{1}{2} + \frac{1}{2} = \frac{2}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 32 • BACKWARD 1 • Q5/5

979

QUESTION ID

S32-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 32 • BACKWARD 1 • Q5/5

SET 32 • 4.NF.B.3.b

BACKWARD 2

Break apart numbers to 10 into pairs in more than one way • Grade K •
Operations & Algebraic Thinking • K.OA.A.3

Write 7 as the sum of two numbers in two different ways.

Way 1: _____

Way 2: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q1

Grade K • Operations & Algebraic Thinking • K.OA.A.3 • Set 32 • BACKWARD 2 • Q1/5

981

QUESTION ID

S32-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3 + 4; 5 + 2

GRADING NOTE Any two different pairs that add to 7 are correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q1

Grade K • Operations & Algebraic Thinking • K.OA.A.3 • Set 32 • BACKWARD 2 • Q1/5

True or false?

$$6 = 2 + 4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q2

Grade K • Operations & Algebraic Thinking • K.OA.A.3 • Set 32 • BACKWARD 2 • Q2/5

982

QUESTION ID

S32-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q2

Grade K • Operations & Algebraic Thinking • K.OA.A.3 • Set 32 • BACKWARD 2 • Q2/5

Which pair of numbers makes 9?

- A.** 5 and 3
- B.** 5 and 4
- C.** 7 and 3
- D.** 6 and 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q3

Grade K • Operations & Algebraic Thinking • K.OA.A.3 • Set 32 • BACKWARD 2 • Q3/5

983

QUESTION ID

S32-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 5 and 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q3

Grade K • Operations & Algebraic Thinking • K.OA.A.3 • Set 32 • BACKWARD 2 • Q3/5

Fill in the blank.

$$8 = 5 + \underline{\quad}$$

Blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q4

Grade K • Operations & Algebraic Thinking • K.OA.A.3 • Set 32 • BACKWARD 2 • Q4/5

984

QUESTION ID

S32-B2-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q4

Grade K • Operations & Algebraic Thinking • K.OA.A.3 • Set 32 • BACKWARD 2 • Q4/5

True or false?

$$10 = 6 + 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q5

Grade K • Operations & Algebraic Thinking • K.OA.A.3 • Set 32 • BACKWARD 2 • Q5/5

985

QUESTION ID

S32-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-B2-Q5

Grade K • Operations & Algebraic Thinking • K.OA.A.3 • Set 32 • BACKWARD 2 • Q5/5

SET 32 • 4.NF.B.3.b

FORWARD 1

Add and subtract mixed numbers with unlike denominators • Grade 5 •
Number & Operations–Fractions • 5.NF.A.1

Add.

$$1\frac{1}{2} + 2\frac{1}{3}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 32 • FORWARD 1 • Q1/5

987

QUESTION ID

S32-F1-Q1

TYPE

Short answer

CORRECT ANSWER

3 5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 32 • FORWARD 1 • Q1/5

Subtract.

$$3\frac{3}{4} - 1\frac{1}{6}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 32 • FORWARD 1 • Q2/5

988

QUESTION ID

S32-F1-Q2

TYPE

Short answer

CORRECT ANSWER

2 7/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 32 • FORWARD 1 • Q2/5

Add.

$$2\frac{2}{5} + 1\frac{1}{2}$$

A. $3\frac{3}{7}$

B. $4\frac{1}{10}$

C. $3\frac{9}{10}$

D. $3\frac{3}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 32 • FORWARD 1 • Q3/5

989

QUESTION ID

S32-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 3 9/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 32 • FORWARD 1 • Q3/5

True or false?

$$4\frac{1}{2} - 1\frac{3}{4} = 2\frac{3}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 32 • FORWARD 1 • Q4/5

990

QUESTION ID

S32-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 32 • FORWARD 1 • Q4/5

True or false?

$$1\frac{2}{3} + 1\frac{1}{6} = 2\frac{3}{9}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 32 • FORWARD 1 • Q5/5

991

QUESTION ID

S32-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 32 • FORWARD 1 • Q5/5

SET 32 • 4.NF.B.3.b

FORWARD 2

Divide fractions by thinking "how many parts of this size?" • Grade 6 • The Number System • 6.NS.A.1

How many $\frac{1}{8}$ s are in $\frac{3}{4}$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 32 • FORWARD 2 • Q1/5

993

QUESTION ID

S32-F2-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 32 • FORWARD 2 • Q1/5

True or false?

$$\frac{2}{3} \div \frac{1}{6} = 4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 32 • FORWARD 2 • Q2/5

994

QUESTION ID

S32-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 32 • FORWARD 2 • Q2/5

Divide.

$$\frac{5}{6} \div \frac{5}{12}$$

A. 10

B. $\frac{25}{72}$

C. $\frac{1}{2}$

D. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 32 • FORWARD 2 • Q3/5

995

QUESTION ID

S32-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 32 • FORWARD 2 • Q3/5

Divide.

$$\frac{9}{10} \div \frac{3}{10}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 32 • FORWARD 2 • Q4/5

996

QUESTION ID

S32-F2-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 32 • FORWARD 2 • Q4/5

True or false?

$$\frac{1}{2} \div \frac{1}{4} = \frac{1}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 32 • FORWARD 2 • Q5/5

997

QUESTION ID

S32-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S32-F2-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 32 • FORWARD 2 • Q5/5

Add mixed numbers with like denominators

MAIN

Grade 4 main question

4.NF.B.3.c

BACKWARD 1

Whole numbers written as fractions

3.NF.A.3.c

BACKWARD 2

Fractions greater than 1 on a number line

3.NF.A.2

FORWARD 1

Add mixed numbers with unlike denominators

5.NF.A.1

FORWARD 2

Solve equations of the form $x + p = q$ with mixed numbers

6.EE.B.7

SET 33 • 4.NF.B.3.c

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions •
4.NF.B.3.c

Add.

$$2\frac{3}{8} + 1\frac{4}{8}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 33 • MAIN • Q1/5

1000

QUESTION ID

S33-M-Q1

TYPE

Short answer

CORRECT ANSWER

3 7/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 33 • MAIN • Q1/5

Add.

$$3\frac{4}{5} + 2\frac{3}{5}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 33 • MAIN • Q2/5

1001

QUESTION ID

S33-M-Q2

TYPE

Short answer

CORRECT ANSWER

6 2/5

GRADING NOTE 32/5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 33 • MAIN • Q2/5

Add.

$$1\frac{5}{6} + 4\frac{2}{6}$$

A. $6\frac{1}{6}$

B. $5\frac{7}{12}$

C. $6\frac{7}{12}$

D. $5\frac{1}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 33 • MAIN • Q3/5

1002

QUESTION ID

S33-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 6 1/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 33 • MAIN • Q3/5

True or false?

$$2\frac{1}{4} + 1\frac{3}{4} = 3\frac{4}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 33 • MAIN • Q4/5

1003

QUESTION ID

S33-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 33 • MAIN • Q4/5

A plant grew $1\frac{7}{10}$ inches in May and $2\frac{6}{10}$ inches in June.

How much did it grow in all?

Growth: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 33 • MAIN • Q5/5

1004

QUESTION ID

S33-M-Q5

TYPE

Short answer

CORRECT ANSWER

4 $\frac{3}{10}$ inches

GRADING NOTE $\frac{43}{10}$ inches is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 33 • MAIN • Q5/5

SET 33 • 4.NF.B.3.c

BACKWARD 1

Whole numbers written as fractions • Grade 3 • Number & Operations–Fractions • 3.NF.A.3.c

Write 2 as a fraction with a denominator of 4.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 33 • BACKWARD 1 • Q1/5

1006

QUESTION ID

S33-B1-Q1

TYPE

Short answer

CORRECT ANSWER

8/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 33 • BACKWARD 1 • Q1/5

True or false?

$$\frac{3}{3} = 1$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 33 • BACKWARD 1 • Q2/5

1007

QUESTION ID

S33-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 33 • BACKWARD 1 • Q2/5

Which fraction is equal to 1?

A. $\frac{0}{6}$

B. $\frac{6}{6}$

C. $\frac{6}{1}$

D. $\frac{1}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 33 • BACKWARD 1 • Q3/5

1008

QUESTION ID

S33-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 6/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 33 • BACKWARD 1 • Q3/5

How many halves are in 3 wholes?

Halves: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 33 • BACKWARD 1 • Q4/5

1009

QUESTION ID

S33-B1-Q4

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 33 • BACKWARD 1 • Q4/5

True or false?

$$\frac{8}{4} = 4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 33 • BACKWARD 1 • Q5/5

1010

QUESTION ID

S33-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B1-Q5


Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 33 • BACKWARD 1 • Q5/5

SET 33 • 4.NF.B.3.c

BACKWARD 2

Fractions greater than 1 on a number line • Grade 3 • Number & Operations–Fractions • 3.NF.A.2

What number is at point A? Write a fraction.



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 33 • BACKWARD 2 • Q1/5

1012

QUESTION ID

S33-B2-Q1

TYPE

Short answer

CORRECT ANSWER

5/4

GRADING NOTE 1 1/4 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 33 • BACKWARD 2 • Q1/5

True or false?

$\frac{3}{2}$ is between 1 and 2 on a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 33 • BACKWARD 2 • Q2/5

1013

QUESTION ID

S33-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 33 • BACKWARD 2 • Q2/5

Which fraction is at the same point as 1 on a number line?

A. $\frac{1}{4}$

B. $\frac{4}{1}$

C. $\frac{3}{4}$

D. $\frac{4}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 33 • BACKWARD 2 • Q3/5

1014

QUESTION ID

S33-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER


D. 4/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 33 • BACKWARD 2 • Q3/5

What number is at point B? Write a fraction.



B = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 33 • BACKWARD 2 • Q4/5

1015

QUESTION ID

S33-B2-Q4

TYPE

Short answer

CORRECT ANSWER

5/3

GRADING NOTE 1 2/3 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 33 • BACKWARD 2 • Q4/5

True or false?

$\frac{7}{8}$ is greater than 1.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 33 • BACKWARD 2 • Q5/5

1016

QUESTION ID

S33-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 33 • BACKWARD 2 • Q5/5

SET 33 • 4.NF.B.3.c

FORWARD 1

Add mixed numbers with unlike denominators • Grade 5 • Number & Operations–Fractions • 5.NF.A.1

Add.

$$3\frac{1}{4} + 1\frac{2}{3}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 33 • FORWARD 1 • Q1/5

1018

QUESTION ID

S33-F1-Q1

TYPE

Short answer

CORRECT ANSWER

4 11/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 33 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$2\frac{5}{6} + 1\frac{1}{2}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 33 • FORWARD 1 • Q2/5

1019

QUESTION ID

S33-F1-Q2

TYPE

Short answer

CORRECT ANSWER

4 1/3**GRADING NOTE** 4 2/6 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 33 • FORWARD 1 • Q2/5

Add.

$$1\frac{3}{10} + 2\frac{1}{2}$$

A. $3\frac{4}{5}$

B. $4\frac{4}{5}$

C. $3\frac{2}{5}$

D. $3\frac{4}{12}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 33 • FORWARD 1 • Q3/5

1020

QUESTION ID

S33-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 3 4/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 33 • FORWARD 1 • Q3/5

True or false?

$$4\frac{3}{8} + 2\frac{1}{4} = 6\frac{5}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 33 • FORWARD 1 • Q4/5

1021

QUESTION ID

S33-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 33 • FORWARD 1 • Q4/5

True or false?

$$1\frac{1}{2} + 1\frac{1}{3} = 2\frac{2}{5}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 33 • FORWARD 1 • Q5/5

1022

QUESTION ID

S33-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 33 • FORWARD 1 • Q5/5

SET 33 • 4.NF.B.3.c

FORWARD 2

Solve equations of the form $x + p = q$ with mixed numbers • Grade 6 •
Expressions & Equations • 6.EE.B.7

ANSWER KEY

Reduced copy of the question page, with its answer

Solve for x.

$$x + 1\frac{1}{2} = 4\frac{1}{4}$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 33 • FORWARD 2 • Q1/5

1024

QUESTION ID

S33-F2-Q1

TYPE

Short answer

CORRECT ANSWER

2 3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 33 • FORWARD 2 • Q1/5

1024

True or false?

The solution of $y - 2\frac{1}{3} = 1\frac{2}{3}$ is $y = 4$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 33 • FORWARD 2 • Q2/5

1025

QUESTION ID

S33-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 33 • FORWARD 2 • Q2/5

Solve for n.

$$n + 3\frac{3}{8} = 6$$

A. $2\frac{3}{8}$

B. $2\frac{5}{8}$

C. $3\frac{5}{8}$

D. $9\frac{3}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 33 • FORWARD 2 • Q3/5

1026

QUESTION ID

S33-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 2 5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 33 • FORWARD 2 • Q3/5

A board was $6\frac{1}{2}$ feet long. After a piece was cut off, $4\frac{3}{4}$ feet were left.

Write and solve an equation for the length p of the piece.

Equation: _____

$p =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 33 • FORWARD 2 • Q4/5

1027

QUESTION ID

S33-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$6\frac{1}{2} - p = 4\frac{3}{4};$

$p = 1\frac{3}{4}$ feet

GRADING NOTE Any equivalent equation is correct. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 33 • FORWARD 2 • Q4/5

True or false?

The solution of $x + 2\frac{1}{2} = 5$ is $x = 3\frac{1}{2}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 33 • FORWARD 2 • Q5/5

1028

QUESTION ID

S33-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S33-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 33 • FORWARD 2 • Q5/5

Subtract mixed numbers with like denominators

MAIN

Grade 4 main question

4.NF.B.3.c

BACKWARD 1

Whole numbers written as fractions

3.NF.A.3.c

BACKWARD 2

Subtract within 100

2.NBT.B.5

FORWARD 1

Subtract mixed numbers with unlike denominators

5.NF.A.1

FORWARD 2

Solve equations with subtraction and mixed numbers

6.EE.B.7

SET 34 • 4.NF.B.3.c

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions •
4.NF.B.3.c

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$5\frac{7}{8} - 2\frac{3}{8}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 34 • MAIN • Q1/5

1031

QUESTION ID

S34-M-Q1

TYPE

Short answer

CORRECT ANSWER

3 4/8**GRADING NOTE** 3 1/2 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 34 • MAIN • Q1/5

1031

Subtract.

$$4\frac{1}{5} - 1\frac{3}{5}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 34 • MAIN • Q2/5

1032

QUESTION ID

S34-M-Q2

TYPE

Short answer

CORRECT ANSWER

2 3/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 34 • MAIN • Q2/5

Subtract.

$$6 - 2\frac{5}{6}$$

A. $3\frac{5}{6}$

B. $4\frac{5}{6}$

C. $4\frac{1}{6}$

D. $3\frac{1}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 34 • MAIN • Q3/5

1033

QUESTION ID

S34-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 3 1/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 34 • MAIN • Q3/5

True or false?

$$3\frac{2}{10} - 1\frac{7}{10} = 1\frac{5}{10}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 34 • MAIN • Q4/5

1034

QUESTION ID

S34-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 34 • MAIN • Q4/5

A jug had $3\frac{1}{4}$ liters of water. Lee poured out $1\frac{3}{4}$ liters.

How much water is left?

Water left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 34 • MAIN • Q5/5

1035

QUESTION ID

S34-M-Q5

TYPE

Short answer

CORRECT ANSWER

1 $\frac{2}{4}$ liters

GRADING NOTE 1 $\frac{1}{2}$ liters is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 34 • MAIN • Q5/5

SET 34 • 4.NF.B.3.c

BACKWARD 1

Whole numbers written as fractions • Grade 3 • Number & Operations–Fractions • 3.NF.A.3.c

Write 1 as a fraction with a denominator of 6.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 1 • Q1/5

1037

QUESTION ID

S34-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 1 • Q1/5

True or false?

$$\frac{4}{4} = 1$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 1 • Q2/5

1038

QUESTION ID

S34-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 1 • Q2/5

Which fraction is equal to 3?

A. $\frac{4}{12}$

B. $\frac{3}{4}$

C. $\frac{4}{4}$

D. $\frac{12}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 1 • Q3/5

1039

QUESTION ID

S34-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 12/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 1 • Q3/5

How many thirds are in 2 wholes?

Thirds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 1 • Q4/5

1040

QUESTION ID

S34-B1-Q4

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 1 • Q4/5

True or false?

$$\frac{2}{2} = 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 1 • Q5/5

1041

QUESTION ID

S34-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.c • Set 34 • BACKWARD 1 • Q5/5

SET 34 • 4.NF.B.3.c

BACKWARD 2

Subtract within 100 • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$62 - 37$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 34 • BACKWARD 2 • Q1/5

1043

QUESTION ID

S34-B2-Q1

TYPE

Short answer

CORRECT ANSWER

25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 34 • BACKWARD 2 • Q1/5

1043

True or false?

$$80 - 26 = 54$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 34 • BACKWARD 2 • Q2/5

1044

QUESTION ID

S34-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 34 • BACKWARD 2 • Q2/5

$$71 - 48 = ?$$

- A.** 119
- B.** 23
- C.** 33
- D.** 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 34 • BACKWARD 2 • Q3/5

1045

QUESTION ID

S34-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 34 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$95 - 59$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 34 • BACKWARD 2 • Q4/5

1046

QUESTION ID

S34-B2-Q4

TYPE

Short answer

CORRECT ANSWER

36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 34 • BACKWARD 2 • Q4/5

1046

True or false?

$$43 - 18 = 35$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 34 • BACKWARD 2 • Q5/5

1047

QUESTION ID

S34-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 34 • BACKWARD 2 • Q5/5

SET 34 • 4.NF.B.3.c

FORWARD 1

Subtract mixed numbers with unlike denominators • Grade 5 • Number & Operations–Fractions • 5.NF.A.1

Subtract.

$$5\frac{1}{2} - 2\frac{1}{3}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 34 • FORWARD 1 • Q1/5

1049

QUESTION ID

S34-F1-Q1

TYPE

Short answer

CORRECT ANSWER

3 1/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 34 • FORWARD 1 • Q1/5

Subtract.

$$4 - 1\frac{3}{8}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 34 • FORWARD 1 • Q2/5

1050

QUESTION ID

S34-F1-Q2

TYPE

Short answer

CORRECT ANSWER

2 5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 34 • FORWARD 1 • Q2/5

Subtract.

$$3\frac{1}{4} - 1\frac{2}{3}$$

A. $2\frac{1}{12}$

B. $1\frac{7}{12}$

C. $1\frac{5}{12}$

D. $2\frac{7}{12}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 34 • FORWARD 1 • Q3/5

1051

QUESTION ID

S34-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 1 7/12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 34 • FORWARD 1 • Q3/5

True or false?

$$6\frac{1}{2} - 3\frac{3}{4} = 2\frac{3}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 34 • FORWARD 1 • Q4/5

1052

QUESTION ID

S34-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 34 • FORWARD 1 • Q4/5

True or false?

$$2\frac{5}{6} - 1\frac{1}{2} = 1\frac{4}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 34 • FORWARD 1 • Q5/5

1053

QUESTION ID

S34-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.1 • Set 34 • FORWARD 1 • Q5/5

SET 34 • 4.NF.B.3.c

FORWARD 2

Solve equations with subtraction and mixed numbers • Grade 6 • Expressions & Equations • 6.EE.B.7

Solve for x.

$$x - 2\frac{1}{4} = 3\frac{1}{2}$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 34 • FORWARD 2 • Q1/5

1055

QUESTION ID

S34-F2-Q1

TYPE

Short answer

CORRECT ANSWER

5 3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 34 • FORWARD 2 • Q1/5

True or false?

The solution of $y + 1\frac{5}{6} = 4$ is $y = 2\frac{1}{6}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 34 • FORWARD 2 • Q2/5

1056

QUESTION ID

S34-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 34 • FORWARD 2 • Q2/5

Solve for n.

$$7\frac{1}{3} - n = 2\frac{2}{3}$$

A. $4\frac{2}{3}$

B. 10

C. $4\frac{1}{3}$

D. $5\frac{1}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 34 • FORWARD 2 • Q3/5

1057

QUESTION ID

S34-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 4 2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 34 • FORWARD 2 • Q3/5

A tank had some water. After $3\frac{1}{2}$ gallons were used, $5\frac{1}{4}$ gallons were left.

Write and solve an equation for the starting amount w .

Equation: _____

$w =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 34 • FORWARD 2 • Q4/5

1058

QUESTION ID

S34-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$w - 3\frac{1}{2} = 5\frac{1}{4};$

$w = 8\frac{3}{4}$ gallons

GRADING NOTE Any equivalent equation is correct. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 34 • FORWARD 2 • Q4/5

True or false?

The solution of $x - 1\frac{1}{2} = 1\frac{1}{2}$ is $x = 0$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 34 • FORWARD 2 • Q5/5

1059

QUESTION ID

S34-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S34-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 34 • FORWARD 2 • Q5/5

Solve word problems by adding and subtracting fractions with like denominators

MAIN	Grade 4 main question	4.NF.B.3.d
BACKWARD 1	One- and two-step word problems within 100	2.OA.A.1
BACKWARD 2	Fractions of a whole	3.NF.A.1
FORWARD 1	Solve word problems by adding and subtracting fractions with unl...	5.NF.A.2
FORWARD 2	Solve word problems by dividing fractions	6.NS.A.1

SET 35 • 4.NF.B.3.d

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions •
4.NF.B.3.d

Mia ran $\frac{3}{10}$ mile in the morning and $\frac{5}{10}$ mile in the afternoon.

How far did she run in all?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 35 • MAIN • Q1/5

1062

QUESTION ID

S35-M-Q1

TYPE

Short answer

CORRECT ANSWER

8/10 mile

GRADING NOTE 4/5 mile is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 35 • MAIN • Q1/5

A jug had $\frac{11}{12}$ liter of juice. Tom drank $\frac{4}{12}$ liter.

How much juice is left?

Juice left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 35 • MAIN • Q2/5

1063

QUESTION ID

S35-M-Q2

TYPE

Short answer

CORRECT ANSWER

$\frac{7}{12}$ liter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 35 • MAIN • Q2/5

Ty used $1\frac{2}{4}$ cups of rice on Monday and $2\frac{3}{4}$ cups on Tuesday.

How many cups did he use in all?

- A.** $3\frac{1}{4}$ cups **B.** $3\frac{5}{8}$ cups
C. $4\frac{1}{4}$ cups **D.** $4\frac{5}{8}$ cups

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 35 • MAIN • Q3/5

1064

QUESTION ID

S35-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 4 1/4 cups

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 35 • MAIN • Q3/5

True or false?

A ribbon is $\frac{7}{8}$ yard long. Ann cuts off $\frac{3}{8}$ yard. $\frac{4}{8}$ yard is left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 35 • MAIN • Q4/5

1065

QUESTION ID

S35-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 35 • MAIN • Q4/5

A painter used $\frac{2}{6}$ of a can of paint on a door and $\frac{3}{6}$ of the can on a fence.

What fraction of the can is left?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 35 • MAIN • Q5/5

1066

QUESTION ID

S35-M-Q5

TYPE

Short answer

CORRECT ANSWER

1/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.d • Set 35 • MAIN • Q5/5

SET 35 • 4.NF.B.3.d

BACKWARD 1

One- and two-step word problems within 100 • Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1

A shelf has 46 books. 18 are taken.

How many books are left?

Books: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 35 • BACKWARD 1 • Q1/5

1068

QUESTION ID

S35-B1-Q1

TYPE

Short answer

CORRECT ANSWER

28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 35 • BACKWARD 1 • Q1/5

True or false?

Kim had 25 stickers and got 17 more. She has 42 stickers.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 35 • BACKWARD 1 • Q2/5

1069

QUESTION ID

S35-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 35 • BACKWARD 1 • Q2/5

A class has 14 boys and 15 girls.

How many students are in the class?

- A.** 39
- B.** 19
- C.** 1
- D.** 29

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 35 • BACKWARD 1 • Q3/5

1070

QUESTION ID

S35-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 29

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 35 • BACKWARD 1 • Q3/5

Jo had 50 cents. She spent 23 cents.

How much money is left?

Money left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 35 • BACKWARD 1 • Q4/5

1071

QUESTION ID

S35-B1-Q4

TYPE

Short answer

CORRECT ANSWER

27 cents

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 35 • BACKWARD 1 • Q4/5

True or false?

A bus had 36 people. 9 got off. 25 people are still on the bus.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 35 • BACKWARD 1 • Q5/5

1072

QUESTION ID

S35-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B1-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 35 • BACKWARD 1 • Q5/5

SET 35 • 4.NF.B.3.d

BACKWARD 2

Fractions of a whole • Grade 3 • Number & Operations–Fractions • 3.NF.A.1

A pie is cut into 6 equal pieces. 5 pieces are eaten.

What fraction of the pie is eaten?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 35 • BACKWARD 2 • Q1/5

1074

QUESTION ID

S35-B2-Q1

TYPE

Short answer

CORRECT ANSWER

5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 35 • BACKWARD 2 • Q1/5

True or false?

A pizza is cut into 8 equal slices and 3 are left. $\frac{3}{8}$ of the pizza is left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 35 • BACKWARD 2 • Q2/5

1075

QUESTION ID

S35-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 35 • BACKWARD 2 • Q2/5

A bar is cut into 4 equal parts.

What fraction of the bar is 1 part?

A. $\frac{3}{4}$

B. $\frac{1}{3}$

C. $\frac{1}{4}$

D. $\frac{4}{1}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 35 • BACKWARD 2 • Q3/5

1076

QUESTION ID

S35-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 35 • BACKWARD 2 • Q3/5

A garden has 3 equal sections. Beans fill 2 of them.

What fraction of the garden is beans?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 35 • BACKWARD 2 • Q4/5

1077

QUESTION ID

S35-B2-Q4

TYPE

Short answer

CORRECT ANSWER

2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 35 • BACKWARD 2 • Q4/5

True or false?

A board cut into 2 equal pieces has pieces that are each $\frac{1}{3}$ of the board.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 35 • BACKWARD 2 • Q5/5

1078

QUESTION ID

S35-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 35 • BACKWARD 2 • Q5/5

SET 35 • 4.NF.B.3.d

FORWARD 1

Solve word problems by adding and subtracting fractions with unlike denominators • Grade 5 • Number & Operations–Fractions • 5.NF.A.2

Ana walked $\frac{1}{2}$ mile and then $\frac{1}{3}$ mile.

How far did she walk in all?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 35 • FORWARD 1 • Q1/5

1080

QUESTION ID

S35-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$\frac{5}{6}$ mile

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 35 • FORWARD 1 • Q1/5

A jug had $\frac{3}{4}$ gallon of milk. Ben used $\frac{2}{3}$ gallon.

How much milk is left?

Milk left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 35 • FORWARD 1 • Q2/5

1081

QUESTION ID

S35-F1-Q2

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{12}$ gallon

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 35 • FORWARD 1 • Q2/5

Lu read $\frac{1}{4}$ of a book on Monday and $\frac{3}{8}$ of it on Tuesday.

What fraction of the book did she read?

A. $\frac{4}{12}$

B. $\frac{5}{8}$

C. $\frac{4}{8}$

D. $\frac{3}{32}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 35 • FORWARD 1 • Q3/5

1082

QUESTION ID

S35-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 35 • FORWARD 1 • Q3/5

True or false?

A board is $\frac{5}{6}$ meter long. $\frac{1}{2}$ meter is cut off. $\frac{1}{3}$ meter is left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 35 • FORWARD 1 • Q4/5

1083

QUESTION ID

S35-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 35 • FORWARD 1 • Q4/5

True or false?

Sam ate $\frac{1}{2}$ of a pizza and Lee ate $\frac{1}{3}$ of it. They ate $\frac{2}{5}$ of the pizza.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 35 • FORWARD 1 • Q5/5

1084

QUESTION ID

S35-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 35 • FORWARD 1 • Q5/5

SET 35 • 4.NF.B.3.d

FORWARD 2

Solve word problems by dividing fractions • Grade 6 • The Number System •
6.NS.A.1

How many $\frac{1}{4}$ -cup servings are in $\frac{3}{4}$ cup?

Servings: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 2 • Q1/5

1086

QUESTION ID

S35-F2-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 2 • Q1/5

True or false?

A $\frac{9}{10}$ -mile path is split into $\frac{3}{10}$ -mile sections. There are 3 sections.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 2 • Q2/5

1087

QUESTION ID

S35-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 2 • Q2/5

How many $\frac{2}{3}$ -foot pieces can be cut from 4 feet of ribbon?

- A. 6
- B. 8
- C. $\frac{1}{6}$
- D. $\frac{8}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 2 • Q3/5

1088

QUESTION ID

S35-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 2 • Q3/5

$\frac{3}{4}$ pound of nuts is shared equally among 3 bags.

How much is in each bag?

Pounds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 2 • Q4/5

1089

QUESTION ID

S35-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{4}$ pound

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 2 • Q4/5

True or false?

$\frac{1}{2}$ cup of oats fills a $\frac{1}{6}$ -cup scoop exactly 2 times.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 2 • Q5/5

1090

QUESTION ID

S35-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S35-F2-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 35 • FORWARD 2 • Q5/5

Understand a fraction a/b as a multiple of $1/b$

MAIN	Grade 4 main question	4.NF.B.4.a
BACKWARD 1	A fraction is a number of unit-fraction parts	3.NF.A.1
BACKWARD 2	Products as equal groups	3.OA.A.1
FORWARD 1	Multiply a fraction by a whole number as a part of a whole number	5.NF.B.4.a
FORWARD 2	Divide a fraction by a unit fraction	6.NS.A.1

SET 36 • 4.NF.B.4.a

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions •
4.NF.B.4.a

Write $\frac{7}{8}$ as a whole number times $\frac{1}{8}$.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.a • Set 36 • MAIN • Q1/5

1093

QUESTION ID

S36-M-Q1

TYPE

Short answer

CORRECT ANSWER

7 × 1/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.a • Set 36 • MAIN • Q1/5

Which equation shows $\frac{3}{5}$ as a multiple of $\frac{1}{5}$?

A. $\frac{3}{5} = \frac{1}{5} \div 3$

B. $\frac{3}{5} = 3 + \frac{1}{5}$

C. $\frac{3}{5} = 5 \times \frac{1}{3}$

D. $\frac{3}{5} = 3 \times \frac{1}{5}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.a • Set 36 • MAIN • Q2/5

1094

QUESTION ID

S36-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. $\frac{3}{5} = 3 \times (\frac{1}{5})$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.a • Set 36 • MAIN • Q2/5

True or false?

$$\frac{9}{4} = 9 \times \frac{1}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.a • Set 36 • MAIN • Q3/5

1095

QUESTION ID

S36-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.a • Set 36 • MAIN • Q3/5

Shade the tape diagram to show $4 \times \frac{1}{6}$.

Then write the product as a fraction.

--	--	--	--	--	--

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.a • Set 36 • MAIN • Q4/5

1096

QUESTION ID

S36-M-Q4

TYPE

Drawing + written answer

CORRECT ANSWER

**Drawing: 4 of the 6
equal parts shaded**

Written: 4/6

GRADING NOTE Grade both: 4 of the 6 parts shaded, and the fraction 4/6 (or 2/3).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.a • Set 36 • MAIN • Q4/5

True or false?

$$\frac{6}{10} = 10 \times \frac{1}{6}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.a • Set 36 • MAIN • Q5/5

1097

QUESTION ID

S36-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.a • Set 36 • MAIN • Q5/5

SET 36 • 4.NF.B.4.a

BACKWARD 1

A fraction is a number of unit-fraction parts • Grade 3 • Number & Operations–Fractions • 3.NF.A.1

How many $\frac{1}{4}$ s make $\frac{3}{4}$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 36 • BACKWARD 1 • Q1/5

1099

QUESTION ID

S36-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 36 • BACKWARD 1 • Q1/5

True or false?

$\frac{5}{8}$ is 5 parts of size $\frac{1}{8}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 36 • BACKWARD 1 • Q2/5

1100

QUESTION ID

S36-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 36 • BACKWARD 1 • Q2/5

What fraction is 4 parts of size $\frac{1}{6}$?

A. $\frac{4}{24}$

B. $\frac{1}{24}$

C. $\frac{4}{6}$

D. $\frac{6}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 36 • BACKWARD 1 • Q3/5

1101

QUESTION ID

S36-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER


C. 4/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 36 • BACKWARD 1 • Q3/5

What fraction of the bar is shaded?



Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 36 • BACKWARD 1 • Q4/5

1102

QUESTION ID

S36-B1-Q4

TYPE

Short answer

CORRECT ANSWER

5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 36 • BACKWARD 1 • Q4/5

True or false?

$\frac{2}{3}$ is 3 parts of size $\frac{1}{2}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 36 • BACKWARD 1 • Q5/5

1103

QUESTION ID

S36-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 36 • BACKWARD 1 • Q5/5

SET 36 • 4.NF.B.4.a

BACKWARD 2

Products as equal groups • Grade 3 • Operations & Algebraic Thinking •
3.OA.A.1

What is the total in 5 groups of 3?

Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 36 • BACKWARD 2 • Q1/5

1105

QUESTION ID

S36-B2-Q1

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 36 • BACKWARD 2 • Q1/5

True or false?

4×6 can mean 4 groups of 6.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 36 • BACKWARD 2 • Q2/5

1106

QUESTION ID

S36-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 36 • BACKWARD 2 • Q2/5

Which expression shows 7 groups of 2?

- A. 7×2
- B. $2 \div 7$
- C. $7 - 2$
- D. $7 + 2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 36 • BACKWARD 2 • Q3/5

1107

QUESTION ID

S36-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 7×2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 36 • BACKWARD 2 • Q3/5

Write a multiplication expression for 3 groups of 9.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 36 • BACKWARD 2 • Q4/5

1108

QUESTION ID

S36-B2-Q4

TYPE

Short answer

CORRECT ANSWER

3 × 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 36 • BACKWARD 2 • Q4/5

True or false?

6×3 means $6 + 3$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 36 • BACKWARD 2 • Q5/5

1109

QUESTION ID

S36-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 36 • BACKWARD 2 • Q5/5

SET 36 • 4.NF.B.4.a

FORWARD 1

Multiply a fraction by a whole number as a part of a whole number • Grade 5 •
Number & Operations–Fractions • 5.NF.B.4.a

Multiply.

$$\frac{2}{3} \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • FORWARD 1 • Q1/5

1111

QUESTION ID

S36-F1-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • FORWARD 1 • Q1/5

1111

True or false?

$$\frac{3}{4} \times 8 = 6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • FORWARD 1 • Q2/5

1112

QUESTION ID

S36-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • FORWARD 1 • Q2/5

What is $\frac{2}{5}$ of 15?

- A.** 10
- B.** 30
- C.** 3
- D.** 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • FORWARD 1 • Q3/5

1113

QUESTION ID

S36-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$\frac{5}{6} \times 4$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • FORWARD 1 • Q4/5

1114

QUESTION ID

S36-F1-Q4

TYPE

Short answer

CORRECT ANSWER

3 1/3**GRADING NOTE** 20/6 and 10/3 are also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • FORWARD 1 • Q4/5

1114

True or false?

$$\frac{1}{2} \times 10 = 20$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • FORWARD 1 • Q5/5

1115

QUESTION ID

S36-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 36 • FORWARD 1 • Q5/5

SET 36 • 4.NF.B.4.a

FORWARD 2

Divide a fraction by a unit fraction • Grade 6 • The Number System • 6.NS.A.1

How many $\frac{1}{5}$ s are in $\frac{4}{5}$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 36 • FORWARD 2 • Q1/5

1117

QUESTION ID

S36-F2-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 36 • FORWARD 2 • Q1/5

True or false?

$$\frac{7}{8} \div \frac{1}{8} = 7$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 36 • FORWARD 2 • Q2/5

1118

QUESTION ID

S36-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 36 • FORWARD 2 • Q2/5

Divide.

$$\frac{3}{4} \div \frac{1}{8}$$

A. $\frac{3}{32}$

B. 6

C. 3

D. $\frac{1}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 36 • FORWARD 2 • Q3/5

1119

QUESTION ID

S36-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 36 • FORWARD 2 • Q3/5

Divide.

$$2 \div \frac{1}{3}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 36 • FORWARD 2 • Q4/5

1120

QUESTION ID

S36-F2-Q4

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 36 • FORWARD 2 • Q4/5

True or false?

$$\frac{2}{3} \div \frac{1}{3} = \frac{2}{9}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 36 • FORWARD 2 • Q5/5

1121

QUESTION ID

S36-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S36-F2-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 36 • FORWARD 2 • Q5/5

Multiply a fraction by a whole number:

$$n \times (a/b) = (n \times a)/b$$

MAIN

Grade 4 main question

4.NF.B.4.b

BACKWARD 1

Multiply three numbers in any grouping

3.OA.B.5

BACKWARD 2

A fraction is a number of unit-fraction parts

3.NF.A.1

FORWARD 1

Multiply a fraction by a fraction

5.NF.B.4.a

FORWARD 2

Divide a fraction by a fraction

6.NS.A.1

SET 37 • 4.NF.B.4.b

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions •
4.NF.B.4.b

Multiply.

$$4 \times \frac{2}{3}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 37 • MAIN • Q1/5

1124

QUESTION ID

S37-M-Q1

TYPE

Short answer

CORRECT ANSWER

8/3

GRADING NOTE 2 2/3 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 37 • MAIN • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$5 \times \frac{3}{8}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 37 • MAIN • Q2/5

1125

QUESTION ID

S37-M-Q2

TYPE

Short answer

CORRECT ANSWER

15/8**GRADING NOTE** 1 7/8 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 37 • MAIN • Q2/5

1125

Which is equal to $3 \times \frac{4}{5}$?

A. $12 \times \frac{1}{5}$

B. $7 \times \frac{1}{5}$

C. $3 \times \frac{1}{5}$

D. $\frac{12}{15}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 37 • MAIN • Q3/5

1126

QUESTION ID

S37-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $12 \times (1/5)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 37 • MAIN • Q3/5

True or false?

$$6 \times \frac{2}{12} = \frac{12}{72}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 37 • MAIN • Q4/5

1127

QUESTION ID

S37-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 37 • MAIN • Q4/5

Explain why $2 \times \frac{3}{10} = 6 \times \frac{1}{10}$.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 37 • MAIN • Q5/5

1128

QUESTION ID

S37-M-Q5

TYPE

Short answer

CORRECT ANSWER

3/10 is $3 \times 1/10$, so 2 groups of 3/10 are $2 \times 3 = 6$ copies of 1/10.

GRADING NOTE Must use $3/10 = 3 \times 1/10$ (or a model with tenths) to show that 2 groups of 3 tenths is 6 tenths.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.b • Set 37 • MAIN • Q5/5

SET 37 • 4.NF.B.4.b

BACKWARD 1

Multiply three numbers in any grouping • Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5

True or false?

$$(2 \times 3) \times 5 = 2 \times (3 \times 5)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 37 • BACKWARD 1 • Q1/5

1130

QUESTION ID

S37-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 37 • BACKWARD 1 • Q1/5

$$4 \times (2 \times 3) = (4 \times 2) \times \underline{\hspace{2cm}}$$

Blank: _____

ID S37-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 37 • BACKWARD 1 • Q2/5

1131

S37-B1-Q2

Short answer

3

ID S37-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 37 • BACKWARD 1 • Q2/5

Which is equal to $3 \times 2 \times 4$?

- A.** 6×4
- B.** 5×4
- C.** 9×4
- D.** $3 + 8$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 37 • BACKWARD 1 • Q3/5

1132

QUESTION ID

S37-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 6×4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 37 • BACKWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$2 \times 4 \times 5$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 37 • BACKWARD 1 • Q4/5

1133

QUESTION ID

S37-B1-Q4

TYPE

Short answer

CORRECT ANSWER

40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 37 • BACKWARD 1 • Q4/5

1133

True or false?

$$(3 \times 2) \times 4 = 3 + 2 + 4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 37 • BACKWARD 1 • Q5/5

1134

QUESTION ID

S37-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 37 • BACKWARD 1 • Q5/5

SET 37 • 4.NF.B.4.b

BACKWARD 2

A fraction is a number of unit-fraction parts • Grade 3 • Number & Operations–Fractions • 3.NF.A.1

How many $\frac{1}{3}$ s make $\frac{2}{3}$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 2 • Q1/5

1136

QUESTION ID

S37-B2-Q1

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 2 • Q1/5

True or false?

$\frac{6}{8}$ is 6 parts of size $\frac{1}{8}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 2 • Q2/5

1137

QUESTION ID

S37-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 2 • Q2/5

What fraction is 3 parts of size $\frac{1}{4}$?

A. $\frac{1}{12}$

B. $\frac{3}{4}$

C. $\frac{3}{12}$

D. $\frac{4}{3}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 2 • Q3/5

1138

QUESTION ID

S37-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 3/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 2 • Q3/5

What fraction is 5 parts of size $\frac{1}{6}$?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 2 • Q4/5

1139

QUESTION ID

S37-B2-Q4

TYPE

Short answer

CORRECT ANSWER

5/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 2 • Q4/5

True or false?

$\frac{3}{6}$ is 6 parts of size $\frac{1}{3}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 2 • Q5/5

1140

QUESTION ID

S37-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 37 • BACKWARD 2 • Q5/5

SET 37 • 4.NF.B.4.b

FORWARD 1

Multiply a fraction by a fraction • Grade 5 • Number & Operations–Fractions •
5.NF.B.4.a

Multiply.

$$\frac{2}{3} \times \frac{3}{5}$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • FORWARD 1 • Q1/5

1142

QUESTION ID

S37-F1-Q1

TYPE

Short answer

CORRECT ANSWER

2/5

GRADING NOTE 6/15 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • FORWARD 1 • Q1/5

True or false?

$$\frac{1}{2} \times \frac{3}{4} = \frac{3}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • FORWARD 1 • Q2/5

1143

QUESTION ID

S37-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • FORWARD 1 • Q2/5

Multiply.

$$\frac{3}{4} \times \frac{2}{5}$$

A. $\frac{3}{10}$

B. $\frac{5}{9}$

C. $\frac{5}{20}$

D. $\frac{6}{9}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • FORWARD 1 • Q3/5

1144

QUESTION ID

S37-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 3/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

What is $\frac{1}{3}$ of $\frac{6}{7}$?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • FORWARD 1 • Q4/5

1145

QUESTION ID

S37-F1-Q4

TYPE

Short answer

CORRECT ANSWER

2/7**GRADING NOTE** 6/21 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • FORWARD 1 • Q4/5

1145

True or false?

$$\frac{2}{5} \times \frac{1}{2} = \frac{3}{7}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • FORWARD 1 • Q5/5

1146

QUESTION ID

S37-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.a • Set 37 • FORWARD 1 • Q5/5

SET 37 • 4.NF.B.4.b

FORWARD 2

Divide a fraction by a fraction • Grade 6 • The Number System • 6.NS.A.1

Divide.

$$\frac{2}{3} \div \frac{1}{6}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 2 • Q1/5

1148

QUESTION ID

S37-F2-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q1

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 2 • Q1/5

True or false?

$$\frac{3}{4} \div \frac{3}{8} = 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 2 • Q2/5

1149

QUESTION ID

S37-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q2

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 2 • Q2/5

Divide.

$$\frac{4}{5} \div \frac{2}{5}$$

A. 2

B. $\frac{1}{2}$

C. 4

D. $\frac{8}{25}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 2 • Q3/5

1150

QUESTION ID

S37-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q3

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 2 • Q3/5

Divide.

$$\frac{5}{6} \div \frac{1}{3}$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 2 • Q4/5

1151

QUESTION ID

S37-F2-Q4

TYPE

Short answer

CORRECT ANSWER

2 1/2

GRADING NOTE 5/2 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q4

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 2 • Q4/5

True or false?

$$\frac{1}{2} \div \frac{1}{8} = \frac{1}{16}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 2 • Q5/5

1152

QUESTION ID

S37-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S37-F2-Q5

Grade 6 • The Number System • 6.NS.A.1 • Set 37 • FORWARD 2 • Q5/5

Solve word problems by multiplying a fraction by a whole number

MAIN	Grade 4 main question	4.NF.B.4.c
BACKWARD 1	Equal-groups word problems within 100	3.OA.A.3
BACKWARD 2	Jump by a unit fraction on a number line	3.NF.A.2
FORWARD 1	Solve real-world problems by multiplying fractions and mixed num...	5.NF.B.6
FORWARD 2	Find a percent of a quantity	6.RP.A.3.c

SET 38 • 4.NF.B.4.c

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions •
4.NF.B.4.c

Each glass holds $\frac{3}{4}$ cup of milk.

How much milk is in 6 glasses?

Milk: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 38 • MAIN • Q1/5

1155

QUESTION ID

S38-M-Q1

TYPE

Short answer

CORRECT ANSWER

18/4 cups

GRADING NOTE 4 $\frac{2}{4}$, 4 $\frac{1}{2}$, and 9/2 cups are also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 38 • MAIN • Q1/5

A snail crawls $\frac{2}{5}$ meter each hour.

How far does it crawl in 4 hours?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 38 • MAIN • Q2/5

1156

QUESTION ID

S38-M-Q2

TYPE

Short answer

CORRECT ANSWER

8/5 meters

GRADING NOTE 1 $\frac{3}{5}$ meters is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 38 • MAIN • Q2/5

Each of 3 friends eats $\frac{5}{8}$ of a sandwich.

How many sandwiches do they eat in all?

A. $1\frac{7}{8}$

B. $\frac{8}{8}$

C. $\frac{15}{24}$

D. $3\frac{5}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 38 • MAIN • Q3/5

1157

QUESTION ID

S38-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 1 7/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 38 • MAIN • Q3/5

True or false?

A runner runs $\frac{7}{10}$ mile each day for 5 days. She runs $3\frac{5}{10}$ miles in all.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 38 • MAIN • Q4/5

1158

QUESTION ID

S38-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 38 • MAIN • Q4/5

A recipe uses $\frac{2}{3}$ cup of flour for each batch.

How much flour do 5 batches use, and between which two whole numbers is that amount?

Flour: _____

Between: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 38 • MAIN • Q5/5

1159

QUESTION ID

S38-M-Q5

TYPE

Short answer

CORRECT ANSWER

10/3 cups (3 $\frac{1}{3}$ cups); between 3 and 4

GRADING NOTE Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.4.c • Set 38 • MAIN • Q5/5

SET 38 • 4.NF.B.4.c

BACKWARD 1

Equal-groups word problems within 100 • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3

Each bag holds 6 oranges.

How many oranges are in 7 bags?

Oranges: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 38 • BACKWARD 1 • Q1/5

1161

QUESTION ID

S38-B1-Q1

TYPE

Short answer

CORRECT ANSWER

42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 38 • BACKWARD 1 • Q1/5

True or false?

9 boxes with 4 pens in each box hold 36 pens.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 38 • BACKWARD 1 • Q2/5

1162

QUESTION ID

S38-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 38 • BACKWARD 1 • Q2/5

A spider has 8 legs.

How many legs do 5 spiders have?

- A.** 35
- B.** 45
- C.** 13
- D.** 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 38 • BACKWARD 1 • Q3/5

1163

QUESTION ID

S38-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 38 • BACKWARD 1 • Q3/5

Each row has 9 seats.

How many seats are in 3 rows?

Seats: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 38 • BACKWARD 1 • Q4/5

1164

QUESTION ID

S38-B1-Q4

TYPE

Short answer

CORRECT ANSWER

27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 38 • BACKWARD 1 • Q4/5

True or false?

6 packs of 5 cards is 11 cards.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 38 • BACKWARD 1 • Q5/5

1165

QUESTION ID

S38-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.3 • Set 38 • BACKWARD 1 • Q5/5


SET 38 • 4.NF.B.4.c

BACKWARD 2

Jump by a unit fraction on a number line • Grade 3 • Number & Operations–Fractions • 3.NF.A.2

Start at 0 and make 3 jumps of $\frac{1}{4}$ on the number line.

Where do you land?



Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 38 • BACKWARD 2 • Q1/5

1167

QUESTION ID

S38-B2-Q1

TYPE

Short answer

CORRECT ANSWER

$\frac{3}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 38 • BACKWARD 2 • Q1/5

True or false?

5 jumps of $\frac{1}{8}$ from 0 land on $\frac{5}{8}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 38 • BACKWARD 2 • Q2/5

1168

QUESTION ID

S38-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 38 • BACKWARD 2 • Q2/5

How many jumps of $\frac{1}{3}$ from 0 reach 1?

- A. 3
- B. 2
- C. 6
- D. 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 38 • BACKWARD 2 • Q3/5

1169

QUESTION ID

S38-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 38 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Where do 4 jumps of $\frac{1}{6}$ from 0 land?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 38 • BACKWARD 2 • Q4/5

1170

QUESTION ID

S38-B2-Q4

TYPE

Short answer

CORRECT ANSWER

4/6**GRADING NOTE** 2/3 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 38 • BACKWARD 2 • Q4/5

1170

True or false?

2 jumps of $\frac{1}{2}$ from 0 land on $\frac{2}{4}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 38 • BACKWARD 2 • Q5/5

1171

QUESTION ID

S38-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 38 • BACKWARD 2 • Q5/5

SET 38 • 4.NF.B.4.c

FORWARD 1

Solve real-world problems by multiplying fractions and mixed numbers • Grade 5 • Number & Operations–Fractions • 5.NF.B.6

A recipe uses $\frac{3}{4}$ cup of oats per batch.

How many cups of oats are in $2\frac{1}{2}$ batches?

Cups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 38 • FORWARD 1 • Q1/5

1173

QUESTION ID

S38-F1-Q1

TYPE

Short answer

CORRECT ANSWER

1 $\frac{7}{8}$ cups

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 38 • FORWARD 1 • Q1/5

A garden is 10 m long. $\frac{3}{5}$ of its length is planted.

How many meters are planted?

Meters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 38 • FORWARD 1 • Q2/5

1174

QUESTION ID

S38-F1-Q2

TYPE

Short answer

CORRECT ANSWER

6 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 38 • FORWARD 1 • Q2/5

A bottle holds $1\frac{1}{2}$ liters. It is $\frac{2}{3}$ full.

How many liters are in the bottle?

- A.** $\frac{1}{2}$ liter **B.** $2\frac{1}{6}$ liters
C. 1 liter **D.** $\frac{3}{4}$ liter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 38 • FORWARD 1 • Q3/5

1175

QUESTION ID

S38-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 1 liter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 38 • FORWARD 1 • Q3/5

True or false?

A board is $4\frac{1}{2}$ feet long. Half of the board is $2\frac{1}{4}$ feet long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 38 • FORWARD 1 • Q4/5

1176

QUESTION ID

S38-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 38 • FORWARD 1 • Q4/5

True or false?

$\frac{2}{3}$ of a 9-mile trail is 3 miles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 38 • FORWARD 1 • Q5/5

1177

QUESTION ID

S38-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.6 • Set 38 • FORWARD 1 • Q5/5

SET 38 • 4.NF.B.4.c

FORWARD 2

Find a percent of a quantity • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.3.c

What is 25% of 36?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 38 • FORWARD 2 • Q1/5

1179

QUESTION ID

S38-F2-Q1

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 38 • FORWARD 2 • Q1/5

True or false?

50% of 18 is 9.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 38 • FORWARD 2 • Q2/5

1180

QUESTION ID

S38-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 38 • FORWARD 2 • Q2/5

What is 75% of 40?

- A.** 10
- B.** 35
- C.** 25
- D.** 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 38 • FORWARD 2 • Q3/5

1181

QUESTION ID

S38-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 38 • FORWARD 2 • Q3/5

A class has 20 students. 40% of them walk to school.

How many students walk?

Students: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 38 • FORWARD 2 • Q4/5

1182

QUESTION ID

S38-F2-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 38 • FORWARD 2 • Q4/5

True or false?

10% of 70 is 10.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 38 • FORWARD 2 • Q5/5

1183

QUESTION ID

S38-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S38-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 38 • FORWARD 2 • Q5/5

Write tenths as hundredths and add fractions with denominators 10 and 100

MAIN	Grade 4 main question	4.NF.C.5
BACKWARD 1	Simple equivalent fractions	3.NF.A.3.b
BACKWARD 2	A hundred is ten tens	2.NBT.A.1.a
FORWARD 1	Add decimals to hundredths	5.NBT.B.7
FORWARD 2	Write tenths and hundredths as percents	6.RP.A.3.c

SET 39 • 4.NF.C.5

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions • 4.NF.C.5

Write $\frac{6}{10}$ as an equivalent fraction with a denominator of 100.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 39 • MAIN • Q1/5

1186

QUESTION ID

S39-M-Q1

TYPE

Short answer

CORRECT ANSWER

60/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 39 • MAIN • Q1/5

Add.

$$\frac{2}{10} + \frac{45}{100}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 39 • MAIN • Q2/5

1187

QUESTION ID

S39-M-Q2

TYPE

Short answer

CORRECT ANSWER

65/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 39 • MAIN • Q2/5

$$\frac{7}{10} + \frac{9}{100} = ?$$

A. $\frac{79}{100}$

B. $\frac{16}{110}$

C. $\frac{16}{100}$

D. $\frac{79}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 39 • MAIN • Q3/5

1188

QUESTION ID

S39-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 79/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 39 • MAIN • Q3/5

True or false?

$$\frac{50}{100} = \frac{5}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 39 • MAIN • Q4/5

1189

QUESTION ID

S39-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 39 • MAIN • Q4/5

Add.

$$\frac{8}{10} + \frac{15}{100}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 39 • MAIN • Q5/5

1190

QUESTION ID

S39-M-Q5

TYPE

Short answer

CORRECT ANSWER

95/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 39 • MAIN • Q5/5

SET 39 • 4.NF.C.5

BACKWARD 1

Simple equivalent fractions • Grade 3 • Number & Operations–Fractions •
3.NF.A.3.b

Find the missing number.

$$\frac{1}{2} = \frac{?}{8}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 39 • BACKWARD 1 • Q1/5

1192

QUESTION ID

S39-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 39 • BACKWARD 1 • Q1/5

True or false?

$$\frac{2}{4} = \frac{4}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 39 • BACKWARD 1 • Q2/5

1193

QUESTION ID

S39-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 39 • BACKWARD 1 • Q2/5

Which fraction is equal to $\frac{2}{3}$?

A. $\frac{3}{6}$

B. $\frac{2}{6}$

C. $\frac{3}{2}$

D. $\frac{4}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 39 • BACKWARD 1 • Q3/5

1194

QUESTION ID

S39-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 4/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 39 • BACKWARD 1 • Q3/5

Find the missing number.

$$\frac{3}{4} = \frac{6}{?}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 39 • BACKWARD 1 • Q4/5

1195

QUESTION ID

S39-B1-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 39 • BACKWARD 1 • Q4/5

True or false?

$$\frac{1}{3} = \frac{3}{6}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 39 • BACKWARD 1 • Q5/5

1196

QUESTION ID

S39-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 39 • BACKWARD 1 • Q5/5

SET 39 • 4.NF.C.5

BACKWARD 2

A hundred is ten tens • Grade 2 • Number & Operations in Base Ten •
2.NBT.A.1.a

How many tens are in 100?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 39 • BACKWARD 2 • Q1/5

1198

QUESTION ID

S39-B2-Q1

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 39 • BACKWARD 2 • Q1/5

True or false?

7 tens is 70.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 39 • BACKWARD 2 • Q2/5

1199

QUESTION ID

S39-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 39 • BACKWARD 2 • Q2/5

How many ones are in 4 tens?

- A.** 400
- B.** 40
- C.** 14
- D.** 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 39 • BACKWARD 2 • Q3/5

1200

QUESTION ID

S39-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 39 • BACKWARD 2 • Q3/5

How many tens are in 90?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 39 • BACKWARD 2 • Q4/5

1201

QUESTION ID

S39-B2-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 39 • BACKWARD 2 • Q4/5

True or false?

10 tens make 1,000.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 39 • BACKWARD 2 • Q5/5

1202

QUESTION ID

S39-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1.a • Set 39 • BACKWARD 2 • Q5/5

SET 39 • 4.NF.C.5

FORWARD 1

Add decimals to hundredths • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.7

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$0.6 + 0.25$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 39 • FORWARD 1 • Q1/5

1204

QUESTION ID

S39-F1-Q1

TYPE

Short answer

CORRECT ANSWER

0.85

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 39 • FORWARD 1 • Q1/5

1204

True or false?

$$0.3 + 0.07 = 0.37$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 39 • FORWARD 1 • Q2/5

1205

QUESTION ID

S39-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 39 • FORWARD 1 • Q2/5

Add.

$$0.4 + 0.58$$

- A.** 0.62
- B.** 9.8
- C.** 0.98
- D.** 0.098

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 39 • FORWARD 1 • Q3/5

1206

QUESTION ID

S39-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 0.98

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 39 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$1.7 + 0.15$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 39 • FORWARD 1 • Q4/5

1207

QUESTION ID

S39-F1-Q4

TYPE

Short answer

CORRECT ANSWER

1.85

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 39 • FORWARD 1 • Q4/5

1207

True or false?

$$0.5 + 0.05 = 0.10$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 39 • FORWARD 1 • Q5/5

1208

QUESTION ID

S39-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 39 • FORWARD 1 • Q5/5

SET 39 • 4.NF.C.5

FORWARD 2

Write tenths and hundredths as percents • Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c

Write $\frac{6}{10}$ as a percent.

Percent: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 39 • FORWARD 2 • Q1/5

1210

QUESTION ID

S39-F2-Q1

TYPE

Short answer

CORRECT ANSWER

60%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 39 • FORWARD 2 • Q1/5

True or false?

$$\frac{45}{100} = 45\%$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 39 • FORWARD 2 • Q2/5

1211

QUESTION ID

S39-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 39 • FORWARD 2 • Q2/5

$\frac{3}{10} + \frac{12}{100}$ is equal to which percent?

- A. 15%
- B. 33%
- C. 42%
- D. 312%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 39 • FORWARD 2 • Q3/5

1212

QUESTION ID

S39-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 42%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 39 • FORWARD 2 • Q3/5

Write 8% as a fraction with a denominator of 100.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 39 • FORWARD 2 • Q4/5

1213

QUESTION ID

S39-F2-Q4

TYPE

Short answer

CORRECT ANSWER

8/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 39 • FORWARD 2 • Q4/5

True or false?

$$\frac{9}{10} = 9\%$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 39 • FORWARD 2 • Q5/5

1214

QUESTION ID

S39-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S39-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 39 • FORWARD 2 • Q5/5

Write fractions with denominators 10 or 100 as decimals

MAIN	Grade 4 main question	4.NF.C.6
BACKWARD 1	Dimes, pennies, and dollars	2.MD.C.8
BACKWARD 2	Hundreds, tens, and ones	2.NBT.A.1
FORWARD 1	Write thousandths as decimals	5.NBT.A.3.a
FORWARD 2	Write decimals as percents	6.RP.A.3.c

SET 40 • 4.NF.C.6

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

Write $\frac{47}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 40 • MAIN • Q1/5

1217

QUESTION ID

S40-M-Q1

TYPE

Short answer

CORRECT ANSWER

0.47

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 40 • MAIN • Q1/5

Write 0.8 as a fraction with a denominator of 10.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 40 • MAIN • Q2/5

1218

QUESTION ID

S40-M-Q2

TYPE

Short answer

CORRECT ANSWER

8/10


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 40 • MAIN • Q2/5

What decimal does the shaded part of the grid show?

- A. 0.36
- B. 3.6
- C. 36
- D. 0.036



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 40 • MAIN • Q3/5

1219

QUESTION ID

S40-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 0.36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 40 • MAIN • Q3/5

True or false?

$$\frac{5}{100} = 0.5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 40 • MAIN • Q4/5

1220

QUESTION ID

S40-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 40 • MAIN • Q4/5

A ribbon is $\frac{93}{100}$ meter long.

Write its length as a decimal.

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 40 • MAIN • Q5/5

1221

QUESTION ID

S40-M-Q5

TYPE

Short answer

CORRECT ANSWER

0.93 meter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 40 • MAIN • Q5/5

SET 40 • 4.NF.C.6

BACKWARD 1

Dimes, pennies, and dollars • Grade 2 • Measurement & Data • 2.MD.C.8

How many cents are 3 dimes and 4 pennies?

Cents: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q1

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 40 • BACKWARD 1 • Q1/5

1223

QUESTION ID

S40-B1-Q1

TYPE

Short answer

CORRECT ANSWER

34 cents

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q1

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 40 • BACKWARD 1 • Q1/5

True or false?

10 dimes are worth 1 dollar.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q2

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 40 • BACKWARD 1 • Q2/5

1224

QUESTION ID

S40-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q2

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 40 • BACKWARD 1 • Q2/5

Which coins make 25 cents?

- A.** 2 dimes and 5 pennies
- B.** 2 dimes and 2 pennies
- C.** 25 dimes
- D.** 1 dime and 5 pennies

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q3

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 40 • BACKWARD 1 • Q3/5

1225

QUESTION ID

S40-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 2 dimes and 5 pennies

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q3

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 40 • BACKWARD 1 • Q3/5

How many pennies make 1 dollar?

Pennies: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q4

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 40 • BACKWARD 1 • Q4/5

1226

QUESTION ID

S40-B1-Q4

TYPE

Short answer

CORRECT ANSWER

100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q4

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 40 • BACKWARD 1 • Q4/5

True or false?

7 dimes are worth 7 cents.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q5

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 40 • BACKWARD 1 • Q5/5

1227

QUESTION ID

S40-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B1-Q5

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 40 • BACKWARD 1 • Q5/5

SET 40 • 4.NF.C.6

BACKWARD 2

Hundreds, tens, and ones • Grade 2 • Number & Operations in Base Ten •
2.NBT.A.1

How many hundreds, tens, and ones are in 245?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 40 • BACKWARD 2 • Q1/5

1229

QUESTION ID

S40-B2-Q1

TYPE

Short answer

CORRECT ANSWER

**2 hundreds, 4 tens,
5 ones**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 40 • BACKWARD 2 • Q1/5

True or false?

In 307, the 0 means 0 tens.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 40 • BACKWARD 2 • Q2/5

1230

QUESTION ID

S40-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 40 • BACKWARD 2 • Q2/5

What is the value of the 5 in 452?

- A.** 45
- B.** 500
- C.** 5
- D.** 50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 40 • BACKWARD 2 • Q3/5

1231

QUESTION ID

S40-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 40 • BACKWARD 2 • Q3/5

Write the number that is 6 tens and 2 ones.

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 40 • BACKWARD 2 • Q4/5

1232

QUESTION ID

S40-B2-Q4

TYPE

Short answer

CORRECT ANSWER

62

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 40 • BACKWARD 2 • Q4/5

True or false?

In 180, the 8 means 8 ones.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 40 • BACKWARD 2 • Q5/5

1233

QUESTION ID

S40-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.1 • Set 40 • BACKWARD 2 • Q5/5

SET 40 • 4.NF.C.6

FORWARD 1

Write thousandths as decimals • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.3.a

Write $\frac{125}{1000}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 40 • FORWARD 1 • Q1/5

1235

QUESTION ID

S40-F1-Q1

TYPE

Short answer

CORRECT ANSWER

0.125

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 40 • FORWARD 1 • Q1/5

True or false?

$$0.009 = \frac{9}{1000}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 40 • FORWARD 1 • Q2/5

1236

QUESTION ID

S40-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 40 • FORWARD 1 • Q2/5

Which decimal is equal to $\frac{4}{1000}$?

- A. 0.04
- B. 0.004
- C. 4.000
- D. 0.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 40 • FORWARD 1 • Q3/5

1237

QUESTION ID

S40-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 0.004

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 40 • FORWARD 1 • Q3/5

Write 0.375 as a fraction with a denominator of 1,000.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 40 • FORWARD 1 • Q4/5

1238

QUESTION ID

S40-F1-Q4

TYPE

Short answer

CORRECT ANSWER

375/1000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 40 • FORWARD 1 • Q4/5

True or false?

$$\frac{72}{1000} = 0.72$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 40 • FORWARD 1 • Q5/5

1239

QUESTION ID

S40-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 40 • FORWARD 1 • Q5/5

SET 40 • 4.NF.C.6

FORWARD 2

Write decimals as percents • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.3.c

Write 0.35 as a percent.

Percent: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 40 • FORWARD 2 • Q1/5

1241

QUESTION ID

S40-F2-Q1

TYPE

Short answer

CORRECT ANSWER

35%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 40 • FORWARD 2 • Q1/5

True or false?

$$0.07 = 7\%$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 40 • FORWARD 2 • Q2/5

1242

QUESTION ID

S40-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 40 • FORWARD 2 • Q2/5

Which decimal is equal to 60%?

- A.** 0.6
- B.** 60
- C.** 0.06
- D.** 6.0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 40 • FORWARD 2 • Q3/5

1243

QUESTION ID

S40-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 0.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 40 • FORWARD 2 • Q3/5

Write 120% as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 40 • FORWARD 2 • Q4/5

1244

QUESTION ID

S40-F2-Q4

TYPE

Short answer

CORRECT ANSWER

1.2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 40 • FORWARD 2 • Q4/5

True or false?

$$0.5 = 5\%$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 40 • FORWARD 2 • Q5/5

1245

QUESTION ID

S40-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S40-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 40 • FORWARD 2 • Q5/5

Locate decimals to hundredths on a number line


MAIN	Grade 4 main question	4.NF.C.6
BACKWARD 1	Fractions on a number line	3.NF.A.2
BACKWARD 2	Whole numbers on a number line	2.MD.B.6
FORWARD 1	Round decimals using place value	5.NBT.A.4
FORWARD 2	Locate positive and negative decimals on a number line	6.NS.C.6.c

SET 41 • 4.NF.C.6

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

What decimal is at point A?



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 41 • MAIN • Q1/5

1248

QUESTION ID

S41-M-Q1

TYPE

Short answer

CORRECT ANSWER


0.7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 41 • MAIN • Q1/5

Which point is at 0.35?



A. Point A

B. Point B

C. Point C

D. Point D

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 41 • MAIN • Q2/5

1249

QUESTION ID

S41-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. Point C

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 41 • MAIN • Q2/5

Mark and label 0.4 and 0.85 on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 41 • MAIN • Q3/5

1250

QUESTION ID

S41-M-Q3

TYPE

Drawing / plotting

CORRECT ANSWER

0.4 marked at the 8th small tick after 0 and 0.85 marked at the 17th (halfway between 0.8 and 0.9), each labeled

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 41 • MAIN • Q3/5

True or false?

0.5 is halfway between 0 and 1 on a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 41 • MAIN • Q4/5

1251

QUESTION ID

S41-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 41 • MAIN • Q4/5

What decimal is at point B?



B = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 41 • MAIN • Q5/5

1252

QUESTION ID

S41-M-Q5

TYPE

Short answer

CORRECT ANSWER

2.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-M-Q5


Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 41 • MAIN • Q5/5

SET 41 • 4.NF.C.6

BACKWARD 1

Fractions on a number line • Grade 3 • Number & Operations–Fractions •
3.NF.A.2

What fraction is at point A?



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 41 • BACKWARD 1 • Q1/5

1254

QUESTION ID

S41-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4/6

GRADING NOTE 2/3 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 41 • BACKWARD 1 • Q1/5

True or false?

$\frac{1}{2}$ is halfway between 0 and 1 on a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 41 • BACKWARD 1 • Q2/5

1255

QUESTION ID

S41-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 41 • BACKWARD 1 • Q2/5

Into how many equal parts is the space from 0 to 1 divided?



A. 2

B. 5

C. 3

D. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 41 • BACKWARD 1 • Q3/5

1256

QUESTION ID

S41-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER


D. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 41 • BACKWARD 1 • Q3/5

What fraction is at point B?



B = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 41 • BACKWARD 1 • Q4/5

1257

QUESTION ID

S41-B1-Q4

TYPE

Short answer

CORRECT ANSWER

3/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 41 • BACKWARD 1 • Q4/5

True or false?

$\frac{3}{4}$ is to the left of $\frac{1}{4}$ on a number line.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 41 • BACKWARD 1 • Q5/5

1258

QUESTION ID

S41-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 41 • BACKWARD 1 • Q5/5

SET 41 • 4.NF.C.6

BACKWARD 2

Whole numbers on a number line • Grade 2 • Measurement & Data • 2.MD.B.6

What number is at point P?



P = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 41 • BACKWARD 2 • Q1/5

1260

QUESTION ID

S41-B2-Q1

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 41 • BACKWARD 2 • Q1/5

True or false?

On a number line, 12 is to the right of 9.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 41 • BACKWARD 2 • Q2/5

1261

QUESTION ID

S41-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 41 • BACKWARD 2 • Q2/5

Which number is halfway between 20 and 30 on a number line?

- A.** 24
- B.** 25
- C.** 50
- D.** 15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 41 • BACKWARD 2 • Q3/5

1262

QUESTION ID

S41-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 41 • BACKWARD 2 • Q3/5

What number is at point Q?



Q = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 41 • BACKWARD 2 • Q4/5

1263

QUESTION ID

S41-B2-Q4

TYPE

Short answer

CORRECT ANSWER

43

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 41 • BACKWARD 2 • Q4/5

True or false?

The distance from 3 to 8 on a number line is 11.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 41 • BACKWARD 2 • Q5/5

1264

QUESTION ID

S41-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-B2-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 41 • BACKWARD 2 • Q5/5

SET 41 • 4.NF.C.6

FORWARD 1

Round decimals using place value • Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4

Round 2.68 to the nearest tenth.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 41 • FORWARD 1 • Q1/5

1266

QUESTION ID

S41-F1-Q1

TYPE

Short answer

CORRECT ANSWER

2.7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 41 • FORWARD 1 • Q1/5

True or false?

On a number line, 4.17 is closer to 4.2 than to 4.1.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 41 • FORWARD 1 • Q2/5

1267

QUESTION ID

S41-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 41 • FORWARD 1 • Q2/5

Which number is closest to 5?

- A.** 5.1
- B.** 4.8
- C.** 5.09
- D.** 4.96

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 41 • FORWARD 1 • Q3/5

1268

QUESTION ID

S41-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 4.96

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 41 • FORWARD 1 • Q3/5

Round 0.734 to the nearest hundredth.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 41 • FORWARD 1 • Q4/5

1269

QUESTION ID

S41-F1-Q4

TYPE

Short answer

CORRECT ANSWER

0.73

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 41 • FORWARD 1 • Q4/5

True or false?

6.25 rounded to the nearest whole number is 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 41 • FORWARD 1 • Q5/5

1270

QUESTION ID

S41-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F1-Q5


Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 41 • FORWARD 1 • Q5/5

SET 41 • 4.NF.C.6

FORWARD 2

Locate positive and negative decimals on a number line • Grade 6 • The Number System • 6.NS.C.6.c

What number is at point A?



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q1

Grade 6 • The Number System • 6.NS.C.6.c • Set 41 • FORWARD 2 • Q1/5

1272

QUESTION ID

S41-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-1.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q1

Grade 6 • The Number System • 6.NS.C.6.c • Set 41 • FORWARD 2 • Q1/5

True or false?

–0.5 is halfway between –1 and 0 on a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q2

Grade 6 • The Number System • 6.NS.C.6.c • Set 41 • FORWARD 2 • Q2/5

1273

QUESTION ID

S41-F2-Q2

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q2

Grade 6 • The Number System • 6.NS.C.6.c • Set 41 • FORWARD 2 • Q2/5

Which point is at -0.75 ?



A. Point A

B. Point B

C. Point C

D. Point D

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q3

Grade 6 • The Number System • 6.NS.C.6.c • Set 41 • FORWARD 2 • Q3/5

1274

QUESTION ID

S41-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER


A. Point A

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q3

Grade 6 • The Number System • 6.NS.C.6.c • Set 41 • FORWARD 2 • Q3/5

Mark and label -1.2 and 0.8 on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q4

Grade 6 • The Number System • 6.NS.C.6.c • Set 41 • FORWARD 2 • Q4/5

1275

QUESTION ID

S41-F2-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

-1.2 marked one small tick to the left of -1 and 0.8 marked one small tick to the left of 1 , each labeled

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q4

Grade 6 • The Number System • 6.NS.C.6.c • Set 41 • FORWARD 2 • Q4/5

True or false?

–1.25 is to the right of –1 on a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q5

Grade 6 • The Number System • 6.NS.C.6.c • Set 41 • FORWARD 2 • Q5/5

1276

QUESTION ID

S41-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S41-F2-Q5

Grade 6 • The Number System • 6.NS.C.6.c • Set 41 • FORWARD 2 • Q5/5

Compare two decimals to hundredths and justify the comparison

MAIN	Grade 4 main question	4.NF.C.7
BACKWARD 1	Compare fractions with the same numerator or the same denomin...	3.NF.A.3.d
BACKWARD 2	Compare three-digit numbers	2.NBT.A.4
FORWARD 1	Compare decimals to thousandths	5.NBT.A.3.b
FORWARD 2	Write and interpret statements of order for decimals in context	6.NS.C.7.b

SET 42 • 4.NF.C.7

MAIN

Grade 4 main question • Grade 4 • Number & Operations–Fractions • 4.NF.C.7

Write $>$, $=$, or $<$.

0.6 ____ 0.58

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 42 • MAIN • Q1/5

1279

QUESTION ID

S42-M-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 42 • MAIN • Q1/5

Which comparison is true?

- A.** $0.1 < 0.09$
- B.** $0.09 < 0.1$
- C.** $0.09 > 0.1$
- D.** $0.09 = 0.1$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 42 • MAIN • Q2/5

1280

QUESTION ID

S42-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. $0.09 < 0.1$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 42 • MAIN • Q2/5

True or false?

$$0.40 = 0.4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 42 • MAIN • Q3/5

1281

QUESTION ID

S42-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 42 • MAIN • Q3/5

Compare 0.3 and 0.25. Write $>$, $=$, or $<$, and explain using place value or a model.

Comparison: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 42 • MAIN • Q4/5

1282

QUESTION ID

S42-M-Q4

TYPE

Short answer

CORRECT ANSWER

0.3 > 0.25

GRADING NOTE $0.3 = 0.30 = 30$ hundredths, which is more than 25 hundredths (or a hundredths grid shows 30 squares against 25). Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 42 • MAIN • Q4/5

True or false?

Jo has 0.5 of a large pizza and Sam has 0.5 of a small pizza. They have the same amount of pizza.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 42 • MAIN • Q5/5

1283

QUESTION ID

S42-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-M-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 42 • MAIN • Q5/5

SET 42 • 4.NF.C.7

BACKWARD 1

Compare fractions with the same numerator or the same denominator • Grade 3 • Number & Operations–Fractions • 3.NF.A.3.d

Write $>$, $=$, or $<$.

$$\frac{5}{8} \text{ — } \frac{3}{8}$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 42 • BACKWARD 1 • Q1/5

1285

QUESTION ID

S42-B1-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 42 • BACKWARD 1 • Q1/5

True or false?

$$\frac{1}{6} < \frac{1}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 42 • BACKWARD 1 • Q2/5

1286

QUESTION ID

S42-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 42 • BACKWARD 1 • Q2/5

Which fraction is least?

A. $\frac{2}{6}$

B. $\frac{2}{3}$

C. $\frac{2}{8}$

D. $\frac{2}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 42 • BACKWARD 1 • Q3/5

1287

QUESTION ID

S42-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 2/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 42 • BACKWARD 1 • Q3/5

Write $>$, $=$, or $<$.

$$\frac{2}{4} \text{ — } \frac{2}{4}$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 42 • BACKWARD 1 • Q4/5

1288

QUESTION ID

S42-B1-Q4

TYPE

Short answer

CORRECT ANSWER

=

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 42 • BACKWARD 1 • Q4/5

True or false?

$$\frac{1}{8} > \frac{1}{4}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 42 • BACKWARD 1 • Q5/5

1289

QUESTION ID

S42-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B1-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.d • Set 42 • BACKWARD 1 • Q5/5

SET 42 • 4.NF.C.7

BACKWARD 2

Compare three-digit numbers • Grade 2 • Number & Operations in Base Ten •
2.NBT.A.4

Write $>$, $=$, or $<$.

630 ____ 603

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 42 • BACKWARD 2 • Q1/5

1291

QUESTION ID

S42-B2-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 42 • BACKWARD 2 • Q1/5

True or false?

$458 < 485$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 42 • BACKWARD 2 • Q2/5

1292

QUESTION ID

S42-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 42 • BACKWARD 2 • Q2/5

Which number is least?

- A.** 901
- B.** 910
- C.** 291
- D.** 199

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 42 • BACKWARD 2 • Q3/5

1293

QUESTION ID

S42-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 199

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 42 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Write $>$, $=$, or $<$.

777 ____ 787

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 42 • BACKWARD 2 • Q4/5

1294

QUESTION ID

S42-B2-Q4

TYPE

Short answer

CORRECT ANSWER

 $<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 42 • BACKWARD 2 • Q4/5

1294

True or false?

$350 > 530$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 42 • BACKWARD 2 • Q5/5

1295

QUESTION ID

S42-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-B2-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.A.4 • Set 42 • BACKWARD 2 • Q5/5

SET 42 • 4.NF.C.7

FORWARD 1

Compare decimals to thousandths • Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b

ANSWER KEY

Reduced copy of the question page, with its answer

Write $>$, $=$, or $<$.

0.307 ____ 0.37

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 42 • FORWARD 1 • Q1/5

1297

QUESTION ID

S42-F1-Q1

TYPE

Short answer

CORRECT ANSWER

 $<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 42 • FORWARD 1 • Q1/5

1297

True or false?

$4.5 > 4.485$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 42 • FORWARD 1 • Q2/5

1298

QUESTION ID

S42-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 42 • FORWARD 1 • Q2/5

Which decimal is least?

- A.** 0.1
- B.** 0.19
- C.** 0.109
- D.** 0.099

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 42 • FORWARD 1 • Q3/5

1299

QUESTION ID

S42-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 0.099

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 42 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Write $>$, $=$, or $<$.

2.500 ____ 2.5

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 42 • FORWARD 1 • Q4/5

1300

QUESTION ID

S42-F1-Q4

TYPE

Short answer

CORRECT ANSWER

=

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 42 • FORWARD 1 • Q4/5

1300

True or false?

$$0.62 < 0.602$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 42 • FORWARD 1 • Q5/5

1301

QUESTION ID

S42-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 42 • FORWARD 1 • Q5/5

SET 42 • 4.NF.C.7

FORWARD 2

Write and interpret statements of order for decimals in context • Grade 6 • The Number System • 6.NS.C.7.b

Write an inequality that compares -1.5°C and -0.5°C .

Inequality: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q1

Grade 6 • The Number System • 6.NS.C.7.b • Set 42 • FORWARD 2 • Q1/5

1303

QUESTION ID

S42-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$-1.5 < -0.5$

GRADING NOTE $-0.5 > -1.5$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q1

Grade 6 • The Number System • 6.NS.C.7.b • Set 42 • FORWARD 2 • Q1/5

True or false?

A depth of -3.2 m is deeper than a depth of -2.3 m.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q2

Grade 6 • The Number System • 6.NS.C.7.b • Set 42 • FORWARD 2 • Q2/5

1304

QUESTION ID

S42-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q2

Grade 6 • The Number System • 6.NS.C.7.b • Set 42 • FORWARD 2 • Q2/5

Which statement is true?

- A. $0.3 < -0.8$
- B. $-0.3 < -0.8$
- C. $-0.8 < -0.3$
- D. $-0.8 > -0.3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q3

Grade 6 • The Number System • 6.NS.C.7.b • Set 42 • FORWARD 2 • Q3/5

1305

QUESTION ID

S42-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $-0.8 < -0.3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q3

Grade 6 • The Number System • 6.NS.C.7.b • Set 42 • FORWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Order from least to greatest.

$-0.4, 0.2, -1.1$

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q4

Grade 6 • The Number System • 6.NS.C.7.b • Set 42 • FORWARD 2 • Q4/5

1306

QUESTION ID

S42-F2-Q4

TYPE

Short answer

CORRECT ANSWER

 $-1.1, -0.4, 0.2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q4

Grade 6 • The Number System • 6.NS.C.7.b • Set 42 • FORWARD 2 • Q4/5

1306

True or false?

$$-2.75 > -2.5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q5

Grade 6 • The Number System • 6.NS.C.7.b • Set 42 • FORWARD 2 • Q5/5

1307

QUESTION ID

S42-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S42-F2-Q5

Grade 6 • The Number System • 6.NS.C.7.b • Set 42 • FORWARD 2 • Q5/5

Know the relative sizes of measurement units within one system

MAIN	Grade 4 main question	4.MD.A.1
BACKWARD 1	Grams, kilograms, and liters	3.MD.A.2
BACKWARD 2	Measure with two different units	2.MD.A.2
FORWARD 1	Convert measurement units within one system	5.MD.A.1
FORWARD 2	Use ratio reasoning to convert measurement units	6.RP.A.3.d

SET 43 • 4.MD.A.1

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.A.1

Which unit is best for measuring the length of a river?

- A.** Centimeters
- B.** Kilometers
- C.** Grams
- D.** Liters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 43 • MAIN • Q1/5

1310

QUESTION ID

S43-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. Kilometers

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 43 • MAIN • Q1/5

True or false?

1 kilogram is 1,000 times as heavy as 1 gram.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 43 • MAIN • Q2/5

1311

QUESTION ID

S43-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 43 • MAIN • Q2/5

How many ounces are in 1 pound?

Ounces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 43 • MAIN • Q3/5

1312

QUESTION ID

S43-M-Q3

TYPE

Short answer

CORRECT ANSWER

16

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 43 • MAIN • Q3/5

Which is heaviest?

- A.** 1 gram
- B.** 1 kilogram
- C.** 100 grams
- D.** 500 grams

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 43 • MAIN • Q4/5

1313

QUESTION ID

S43-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 1 kilogram

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 43 • MAIN • Q4/5

True or false?

1 liter is less than 1 milliliter.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 43 • MAIN • Q5/5

1314

QUESTION ID

S43-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 43 • MAIN • Q5/5

SET 43 • 4.MD.A.1

BACKWARD 1

Grams, kilograms, and liters • Grade 3 • Measurement & Data • 3.MD.A.2

Which object has a mass of about 1 kilogram?

- A.** A grape
- B.** A car
- C.** A large book
- D.** A paper clip

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q1

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 43 • BACKWARD 1 • Q1/5

1316

QUESTION ID

S43-B1-Q1

TYPE

Multiple choice

CORRECT ANSWER

C. A large book

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q1

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 43 • BACKWARD 1 • Q1/5

True or false?

A spoonful of water is about 1 liter.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q2

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 43 • BACKWARD 1 • Q2/5

1317

QUESTION ID

S43-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q2

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 43 • BACKWARD 1 • Q2/5

Would you measure the mass of a pencil in grams or in kilograms?

Unit: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q3

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 43 • BACKWARD 1 • Q3/5

1318

QUESTION ID

S43-B1-Q3

TYPE

Short answer

CORRECT ANSWER

Grams

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q3

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 43 • BACKWARD 1 • Q3/5

True or false?

A bucket can hold about 10 liters of water.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q4

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 43 • BACKWARD 1 • Q4/5

1319

QUESTION ID

S43-B1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q4

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 43 • BACKWARD 1 • Q4/5

A bag of flour has a mass of 2 kg. A bag of sugar has a mass of 3 kg.

What is their total mass?

Mass: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q5

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 43 • BACKWARD 1 • Q5/5

1320

QUESTION ID

S43-B1-Q5

TYPE

Short answer

CORRECT ANSWER

5 kg

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B1-Q5

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 43 • BACKWARD 1 • Q5/5

SET 43 • 4.MD.A.1

BACKWARD 2

Measure with two different units • Grade 2 • Measurement & Data • 2.MD.A.2

True or false?

A desk measured in inches gives a larger number than the same desk measured in feet.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q1

Grade 2 • Measurement & Data • 2.MD.A.2 • Set 43 • BACKWARD 2 • Q1/5

1322

QUESTION ID

S43-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q1

Grade 2 • Measurement & Data • 2.MD.A.2 • Set 43 • BACKWARD 2 • Q1/5

A table is 2 meters long.

About how many centimeters long is it?

- A.** 200
- B.** 20
- C.** 2,000
- D.** 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q2

Grade 2 • Measurement & Data • 2.MD.A.2 • Set 43 • BACKWARD 2 • Q2/5

1323

QUESTION ID

S43-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 200

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q2

Grade 2 • Measurement & Data • 2.MD.A.2 • Set 43 • BACKWARD 2 • Q2/5

A rope is 3 feet long.

Is it longer or shorter than 3 inches?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q3

Grade 2 • Measurement & Data • 2.MD.A.2 • Set 43 • BACKWARD 2 • Q3/5

1324

QUESTION ID

S43-B2-Q3

TYPE

Short answer

CORRECT ANSWER

Longer

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q3

Grade 2 • Measurement & Data • 2.MD.A.2 • Set 43 • BACKWARD 2 • Q3/5

True or false?

A book measured in centimeters gives a smaller number than the same book measured in meters.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q4

Grade 2 • Measurement & Data • 2.MD.A.2 • Set 43 • BACKWARD 2 • Q4/5

1325

QUESTION ID

S43-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q4

Grade 2 • Measurement & Data • 2.MD.A.2 • Set 43 • BACKWARD 2 • Q4/5

Which is longer: 1 foot or 1 inch?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q5

Grade 2 • Measurement & Data • 2.MD.A.2 • Set 43 • BACKWARD 2 • Q5/5

1326

QUESTION ID

S43-B2-Q5

TYPE

Short answer

CORRECT ANSWER

1 foot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-B2-Q5

Grade 2 • Measurement & Data • 2.MD.A.2 • Set 43 • BACKWARD 2 • Q5/5

SET 43 • 4.MD.A.1

FORWARD 1

Convert measurement units within one system • Grade 5 • Measurement & Data • 5.MD.A.1

Convert.

3.5 kilometers = ____ meters

Meters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 43 • FORWARD 1 • Q1/5

1328

QUESTION ID

S43-F1-Q1

TYPE

Short answer

CORRECT ANSWER

3,500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 43 • FORWARD 1 • Q1/5

True or false?

2,500 grams = 2.5 kilograms

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 43 • FORWARD 1 • Q2/5

1329

QUESTION ID

S43-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 43 • FORWARD 1 • Q2/5

How many ounces are in $2\frac{1}{2}$ pounds?

- A. 32
- B. 20
- C. 36
- D. 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 43 • FORWARD 1 • Q3/5

1330

QUESTION ID

S43-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 43 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Convert.

90 minutes = ____ hours

Hours: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 43 • FORWARD 1 • Q4/5

1331

QUESTION ID

S43-F1-Q4

TYPE

Short answer

CORRECT ANSWER

1 1/2**GRADING NOTE** 1.5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 43 • FORWARD 1 • Q4/5

1331

True or false?

400 centimeters = 40 meters

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 43 • FORWARD 1 • Q5/5

1332

QUESTION ID

S43-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F1-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 43 • FORWARD 1 • Q5/5

SET 43 • 4.MD.A.1

FORWARD 2

Use ratio reasoning to convert measurement units • Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d

There are 12 inches in 1 foot.

How many feet are in 54 inches?

Feet: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 43 • FORWARD 2 • Q1/5

1334

QUESTION ID

S43-F2-Q1

TYPE

Short answer

CORRECT ANSWER

4 1/2

GRADING NOTE 4.5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 43 • FORWARD 2 • Q1/5

True or false?

If 1 mile is about 1.6 km, then 5 miles is about 8 km.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 43 • FORWARD 2 • Q2/5

1335

QUESTION ID

S43-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 43 • FORWARD 2 • Q2/5

There are 4 quarts in 1 gallon.

How many gallons are in 26 quarts?

- A.** 104
- B.** $6\frac{1}{2}$
- C.** 30
- D.** 22

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 43 • FORWARD 2 • Q3/5

1336

QUESTION ID

S43-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 6 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 43 • FORWARD 2 • Q3/5

A recipe uses 3 cups of milk for every 2 batches.
How many cups of milk are needed for 7 batches?

Cups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 43 • FORWARD 2 • Q4/5

1337

QUESTION ID

S43-F2-Q4

TYPE

Short answer

CORRECT ANSWER

10 1/2

GRADING NOTE 10.5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 43 • FORWARD 2 • Q4/5

True or false?

If 1 inch = 2.54 cm, then 10 inches = 2.54 cm.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 43 • FORWARD 2 • Q5/5

1338

QUESTION ID

S43-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S43-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 43 • FORWARD 2 • Q5/5

Express a larger unit in terms of a smaller unit and record the pairs in a table

MAIN	Grade 4 main question	4.MD.A.1
BACKWARD 1	Multiply one-digit numbers by multiples of 10	3.NBT.A.3
BACKWARD 2	Patterns in a table	3.OA.D.9
FORWARD 1	Convert from a smaller unit to a larger unit	5.MD.A.1
FORWARD 2	Use tables of equivalent ratios to convert units	6.RP.A.3.d

SET 44 • 4.MD.A.1

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.A.1

Complete the table.

Meters	1	2	3	4
Centimeters	100	200	?	?

Missing values: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 44 • MAIN • Q1/5

1341

QUESTION ID

S44-M-Q1

TYPE

Short answer

CORRECT ANSWER

300; 400

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 44 • MAIN • Q1/5

How many ounces are in 5 pounds?

Ounces: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 44 • MAIN • Q2/5

1342

QUESTION ID

S44-M-Q2

TYPE

Short answer

CORRECT ANSWER

80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 44 • MAIN • Q2/5

A movie is 2 hours long.

How many minutes is that?

- A.** 200
- B.** 60
- C.** 120
- D.** 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 44 • MAIN • Q3/5

1343

QUESTION ID

S44-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 120

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 44 • MAIN • Q3/5

True or false?

7 kilograms = 700 grams

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 44 • MAIN • Q4/5

1344

QUESTION ID

S44-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 44 • MAIN • Q4/5

Complete the table.

Hours	1	2	3	4
Minutes	60	?	180	?

Missing values: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 44 • MAIN • Q5/5

1345

QUESTION ID

S44-M-Q5

TYPE

Short answer

CORRECT ANSWER

120; 240

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.1 • Set 44 • MAIN • Q5/5

SET 44 • 4.MD.A.1

BACKWARD 1

Multiply one-digit numbers by multiples of 10 • Grade 3 • Number & Operations
in Base Ten • 3.NBT.A.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$4 \times 60$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 44 • BACKWARD 1 • Q1/5

1347

QUESTION ID

S44-B1-Q1

TYPE

Short answer

CORRECT ANSWER

240

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 44 • BACKWARD 1 • Q1/5

1347

True or false?

$$2 \times 50 = 100$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 44 • BACKWARD 1 • Q2/5

1348

QUESTION ID

S44-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 44 • BACKWARD 1 • Q2/5

$$8 \times 60 = ?$$

- A.** 480
- B.** 48
- C.** 4,800
- D.** 68

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 44 • BACKWARD 1 • Q3/5

1349

QUESTION ID

S44-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 480

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 44 • BACKWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$3 \times 70$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 44 • BACKWARD 1 • Q4/5

1350

QUESTION ID

S44-B1-Q4

TYPE

Short answer

CORRECT ANSWER

210

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 44 • BACKWARD 1 • Q4/5

1350

True or false?

$$6 \times 60 = 3,600$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 44 • BACKWARD 1 • Q5/5

1351

QUESTION ID

S44-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B1-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 44 • BACKWARD 1 • Q5/5

SET 44 • 4.MD.A.1

BACKWARD 2

Patterns in a table • Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9

What comes next?

16, 32, 48, ____

Next: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 44 • BACKWARD 2 • Q1/5

1353

QUESTION ID

S44-B2-Q1

TYPE

Short answer

CORRECT ANSWER

64

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 44 • BACKWARD 2 • Q1/5

True or false?

In 15, 30, 45, 60, each number is 15 more than the one before.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 44 • BACKWARD 2 • Q2/5

1354

QUESTION ID

S44-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 44 • BACKWARD 2 • Q2/5

What is the rule for 10, 20, 30, 40?

- A.** Add 10
- B.** Add 1
- C.** Multiply by 2
- D.** Add 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 44 • BACKWARD 2 • Q3/5

1355

QUESTION ID

S44-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. Add 10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 44 • BACKWARD 2 • Q3/5

What comes next?

12, 24, 36, ____

Next: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 44 • BACKWARD 2 • Q4/5

1356

QUESTION ID

S44-B2-Q4

TYPE

Short answer

CORRECT ANSWER

48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 44 • BACKWARD 2 • Q4/5

True or false?

The pattern 5, 10, 20, 40 adds 5 each time.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 44 • BACKWARD 2 • Q5/5

1357

QUESTION ID

S44-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 44 • BACKWARD 2 • Q5/5

SET 44 • 4.MD.A.1

FORWARD 1

Convert from a smaller unit to a larger unit • Grade 5 • Measurement & Data •
5.MD.A.1

Convert.

48 ounces = ____ pounds

Pounds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 44 • FORWARD 1 • Q1/5

1359

QUESTION ID

S44-F1-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 44 • FORWARD 1 • Q1/5

True or false?

2,000 milliliters = 2 liters

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 44 • FORWARD 1 • Q2/5

1360

QUESTION ID

S44-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 44 • FORWARD 1 • Q2/5

Convert.

250 centimeters = ____ meters

- A. 2,500
- B. 0.25
- C. 25
- D. 2.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 44 • FORWARD 1 • Q3/5

1361

QUESTION ID

S44-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 2.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 44 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Convert.

150 seconds = ____ minutes

Minutes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 44 • FORWARD 1 • Q4/5

1362

QUESTION ID

S44-F1-Q4

TYPE

Short answer

CORRECT ANSWER

2 1/2**GRADING NOTE** 2.5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 44 • FORWARD 1 • Q4/5

1362

True or false?

36 inches = 4 feet

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 44 • FORWARD 1 • Q5/5

1363

QUESTION ID

S44-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F1-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 44 • FORWARD 1 • Q5/5

SET 44 • 4.MD.A.1

FORWARD 2

Use tables of equivalent ratios to convert units • Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d

Complete the table.

Yards	1	2	5
Feet	3	6	?

Missing value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 44 • FORWARD 2 • Q1/5

1365

QUESTION ID

S44-F2-Q1

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 44 • FORWARD 2 • Q1/5

True or false?

A table with the pairs (1, 1,000), (2, 2,000), and (3, 3,000) converts kilograms to grams.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 44 • FORWARD 2 • Q2/5

1366

QUESTION ID

S44-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 44 • FORWARD 2 • Q2/5

There are 16 ounces in 1 pound.

How many pounds are 40 ounces?

A. 640

B. $2\frac{1}{2}$

C. 24

D. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 44 • FORWARD 2 • Q3/5

1367

QUESTION ID

S44-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 2 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 44 • FORWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

1 liter = 1,000 milliliters.

How many liters are 3,500 milliliters?

Liters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 44 • FORWARD 2 • Q4/5

1368

QUESTION ID

S44-F2-Q4

TYPE

Short answer

CORRECT ANSWER

3.5**GRADING NOTE** 3 1/2 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 44 • FORWARD 2 • Q4/5

1368

True or false?

Because 1 meter = 100 cm, 0.75 meter = 7.5 cm.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 44 • FORWARD 2 • Q5/5

1369

QUESTION ID

S44-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S44-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.d • Set 44 • FORWARD 2 • Q5/5

Solve word problems about distances and intervals of time

MAIN	Grade 4 main question	4.MD.A.2
BACKWARD 1	Time intervals in minutes	3.MD.A.1
BACKWARD 2	Length word problems within 100	2.MD.B.5
FORWARD 1	Solve multistep problems that involve converting units	5.MD.A.1
FORWARD 2	Solve constant-speed problems	6.RP.A.3.b

SET 45 • 4.MD.A.2

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.A.2

A movie started at 3:45 p.m. and ended at 5:20 p.m.

How long was the movie?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 45 • MAIN • Q1/5

1372

QUESTION ID

S45-M-Q1

TYPE

Short answer

CORRECT ANSWER

1 hour 35 minutes

GRADING NOTE 95 minutes is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 45 • MAIN • Q1/5

Ty biked 2 km 350 m on Monday and 1 km 900 m on Tuesday.

How far did he bike in all? Give the answer in meters.

Meters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 45 • MAIN • Q2/5

1373

QUESTION ID

S45-M-Q2

TYPE

Short answer

CORRECT ANSWER

4,250

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 45 • MAIN • Q2/5

A race is 3 km long. Ana has run 1,850 m.

How many more meters must she run?

- A. 1,150 m
- B. 4,850 m
- C. 1,250 m
- D. 2,150 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 45 • MAIN • Q3/5

1374

QUESTION ID

S45-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 1,150 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 45 • MAIN • Q3/5

True or false?

Soccer practice starts at 4:30 p.m. and lasts 1 hour 15 minutes. It ends at 5:45 p.m.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 45 • MAIN • Q4/5

1375

QUESTION ID

S45-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 45 • MAIN • Q4/5

A bus trip takes 45 minutes each way.

How long does a round trip take? Write the answer in hours and minutes.

Time: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 45 • MAIN • Q5/5

1376

QUESTION ID

S45-M-Q5

TYPE

Short answer

CORRECT ANSWER

1 hour 30 minutes

GRADING NOTE 90 minutes is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 45 • MAIN • Q5/5

SET 45 • 4.MD.A.2

BACKWARD 1

Time intervals in minutes • Grade 3 • Measurement & Data • 3.MD.A.1

A class starts at 9:10 and ends at 9:55.

How many minutes long is it?

Minutes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q1

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 45 • BACKWARD 1 • Q1/5

1378

QUESTION ID

S45-B1-Q1

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q1

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 45 • BACKWARD 1 • Q1/5

True or false?

From 2:30 to 3:15 is 45 minutes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q2

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 45 • BACKWARD 1 • Q2/5

1379

QUESTION ID

S45-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q2

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 45 • BACKWARD 1 • Q2/5

Jo started reading at 7:20 and read for 25 minutes.

What time did she stop?

- A. 7:35
- B. 7:45
- C. 8:45
- D. 7:25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q3

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 45 • BACKWARD 1 • Q3/5

1380

QUESTION ID

S45-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 7:45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q3

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 45 • BACKWARD 1 • Q3/5

A show begins at 4:05 and lasts 50 minutes.

What time does it end?

Time: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q4

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 45 • BACKWARD 1 • Q4/5

1381

QUESTION ID

S45-B1-Q4

TYPE

Short answer

CORRECT ANSWER

4:55

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q4

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 45 • BACKWARD 1 • Q4/5

True or false?

From 10:40 to 11:00 is 40 minutes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q5

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 45 • BACKWARD 1 • Q5/5

1382

QUESTION ID

S45-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B1-Q5

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 45 • BACKWARD 1 • Q5/5

SET 45 • 4.MD.A.2

BACKWARD 2

Length word problems within 100 • Grade 2 • Measurement & Data • 2.MD.B.5

A ribbon is 64 cm long. Mia cuts off 28 cm.

How long is the ribbon now?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q1

Grade 2 • Measurement & Data • 2.MD.B.5 • Set 45 • BACKWARD 2 • Q1/5

1384

QUESTION ID

S45-B2-Q1

TYPE

Short answer

CORRECT ANSWER

36 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q1

Grade 2 • Measurement & Data • 2.MD.B.5 • Set 45 • BACKWARD 2 • Q1/5

True or false?

A 45-inch board and a 37-inch board laid end to end are 82 inches long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q2

Grade 2 • Measurement & Data • 2.MD.B.5 • Set 45 • BACKWARD 2 • Q2/5

1385

QUESTION ID

S45-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q2

Grade 2 • Measurement & Data • 2.MD.B.5 • Set 45 • BACKWARD 2 • Q2/5

A path is 90 m long. Sam has walked 55 m.

How far is left?

- A.** 45 m
- B.** 35 m
- C.** 25 m
- D.** 145 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q3

Grade 2 • Measurement & Data • 2.MD.B.5 • Set 45 • BACKWARD 2 • Q3/5

1386

QUESTION ID

S45-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 35 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q3

Grade 2 • Measurement & Data • 2.MD.B.5 • Set 45 • BACKWARD 2 • Q3/5

A tree was 38 feet tall. It grew 6 feet.

How tall is it now?

Height: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q4

Grade 2 • Measurement & Data • 2.MD.B.5 • Set 45 • BACKWARD 2 • Q4/5

1387

QUESTION ID

S45-B2-Q4

TYPE

Short answer

CORRECT ANSWER

44 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q4

Grade 2 • Measurement & Data • 2.MD.B.5 • Set 45 • BACKWARD 2 • Q4/5

True or false?

Cutting 17 cm from a 50-cm rope leaves 37 cm.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q5

Grade 2 • Measurement & Data • 2.MD.B.5 • Set 45 • BACKWARD 2 • Q5/5

1388

QUESTION ID

S45-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-B2-Q5

Grade 2 • Measurement & Data • 2.MD.B.5 • Set 45 • BACKWARD 2 • Q5/5

SET 45 • 4.MD.A.2

FORWARD 1

Solve multistep problems that involve converting units • Grade 5 •
Measurement & Data • 5.MD.A.1

A runner ran 1.5 km and then 800 m.

How many meters did she run in all?

Meters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 45 • FORWARD 1 • Q1/5

1390

QUESTION ID

S45-F1-Q1

TYPE

Short answer

CORRECT ANSWER

2,300

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q1

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 45 • FORWARD 1 • Q1/5

True or false?

A trip of 2 hours 30 minutes takes 150 minutes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 45 • FORWARD 1 • Q2/5

1391

QUESTION ID

S45-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q2

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 45 • FORWARD 1 • Q2/5

A 4-yard rope has 5 feet cut off.

How many feet are left?

- A. 17 feet
- B. 1 foot
- C. 7 feet
- D. 9 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 45 • FORWARD 1 • Q3/5

1392

QUESTION ID

S45-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 7 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q3

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 45 • FORWARD 1 • Q3/5

A train ride lasts $2\frac{1}{4}$ hours.

How many minutes is that?

Minutes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 45 • FORWARD 1 • Q4/5

1393

QUESTION ID

S45-F1-Q4

TYPE

Short answer

CORRECT ANSWER

135

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q4

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 45 • FORWARD 1 • Q4/5

True or false?

$$3 \text{ km} - 1,200 \text{ m} = 2,800 \text{ m}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 45 • FORWARD 1 • Q5/5

1394

QUESTION ID

S45-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F1-Q5

Grade 5 • Measurement & Data • 5.MD.A.1 • Set 45 • FORWARD 1 • Q5/5

SET 45 • 4.MD.A.2

FORWARD 2

Solve constant-speed problems • Grade 6 • Ratios & Proportional Relationships
• 6.RP.A.3.b

A car travels 150 miles in 3 hours at a constant speed.

What is its speed in miles per hour?

Speed: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 45 • FORWARD 2 • Q1/5

1396

QUESTION ID

S45-F2-Q1

TYPE

Short answer

CORRECT ANSWER

50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 45 • FORWARD 2 • Q1/5

True or false?

Walking 6 km in 2 hours is a speed of 3 km per hour.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 45 • FORWARD 2 • Q2/5

1397

QUESTION ID

S45-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 45 • FORWARD 2 • Q2/5

A cyclist rides 12 miles per hour.

How far does she ride in 2.5 hours?

- A.** 14.5 miles
- B.** 30 miles
- C.** 24 miles
- D.** 36 miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 45 • FORWARD 2 • Q3/5

1398

QUESTION ID

S45-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 30 miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 45 • FORWARD 2 • Q3/5

A train goes 240 km in 4 hours.

At this rate, how long does it take to go 420 km?

Time: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 45 • FORWARD 2 • Q4/5

1399

QUESTION ID

S45-F2-Q4

TYPE

Short answer

CORRECT ANSWER

7 hours

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 45 • FORWARD 2 • Q4/5

True or false?

At 60 miles per hour, a car goes 90 miles in 2 hours.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 45 • FORWARD 2 • Q5/5

1400

QUESTION ID

S45-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S45-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 45 • FORWARD 2 • Q5/5

Solve word problems about liquid volume, mass, and money

MAIN	Grade 4 main question	4.MD.A.2
BACKWARD 1	Mass and liquid volume word problems	3.MD.A.2
BACKWARD 2	Dollars and cents	2.MD.C.8
FORWARD 1	Solve money and measurement problems with decimal operations	5.NBT.B.7
FORWARD 2	Find and compare unit prices	6.RP.A.3.b

SET 46 • 4.MD.A.2

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.A.2

A jug holds 2 liters of juice. Ella pours 6 cups of 250 milliliters each.

How many milliliters are left in the jug?

Milliliters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 46 • MAIN • Q1/5

1403

QUESTION ID

S46-M-Q1

TYPE

Short answer

CORRECT ANSWER

500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 46 • MAIN • Q1/5

A box of apples has a mass of 3 kg 400 g. Another box has a mass of 2 kg 750 g.

What is their total mass in grams?

Grams: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 46 • MAIN • Q2/5

1404

QUESTION ID

S46-M-Q2

TYPE

Short answer

CORRECT ANSWER

6,150

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 46 • MAIN • Q2/5

Jo buys 3 notebooks that cost \$2.45 each.

How much does she spend?

- A. \$7.35
- B. \$6.35
- C. \$5.35
- D. \$7.45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 46 • MAIN • Q3/5

1405

QUESTION ID

S46-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. \$7.35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 46 • MAIN • Q3/5

True or false?

Lee pays for items that cost \$3.60 and \$4.15 with a \$10 bill. His change is \$3.25.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 46 • MAIN • Q4/5

1406

QUESTION ID

S46-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 46 • MAIN • Q4/5

A cat has a mass of 4 kg. A dog has 6 times as much mass.

What is the dog's mass in grams?

Grams: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 46 • MAIN • Q5/5

1407

QUESTION ID

S46-M-Q5

TYPE

Short answer

CORRECT ANSWER

24,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 46 • MAIN • Q5/5

SET 46 • 4.MD.A.2

BACKWARD 1

Mass and liquid volume word problems • Grade 3 • Measurement & Data •
3.MD.A.2

A pot holds 8 liters. 3 liters are poured out.

How many liters are left?

Liters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q1

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 46 • BACKWARD 1 • Q1/5

1409

QUESTION ID

S46-B1-Q1

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q1

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 46 • BACKWARD 1 • Q1/5

True or false?

Four 5-kg bags have a total mass of 20 kg.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q2

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 46 • BACKWARD 1 • Q2/5

1410

QUESTION ID

S46-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q2

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 46 • BACKWARD 1 • Q2/5

45 liters of water are shared equally among 9 buckets.

How many liters go in each bucket?

- A. 54
- B. 9
- C. 5
- D. 36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q3

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 46 • BACKWARD 1 • Q3/5

1411

QUESTION ID

S46-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q3

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 46 • BACKWARD 1 • Q3/5

A melon has a mass of 900 g. A pear has a mass of 200 g.

How much more mass does the melon have?

Grams: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q4

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 46 • BACKWARD 1 • Q4/5

1412

QUESTION ID

S46-B1-Q4

TYPE

Short answer

CORRECT ANSWER

700

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q4

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 46 • BACKWARD 1 • Q4/5

True or false?

Two 35-liter tubs hold 60 liters in all.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q5

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 46 • BACKWARD 1 • Q5/5

1413

QUESTION ID

S46-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B1-Q5

Grade 3 • Measurement & Data • 3.MD.A.2 • Set 46 • BACKWARD 1 • Q5/5

SET 46 • 4.MD.A.2

BACKWARD 2

Dollars and cents • Grade 2 • Measurement & Data • 2.MD.C.8

How much money is 2 quarters, 1 dime, and 3 pennies?

Cents: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q1

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 46 • BACKWARD 2 • Q1/5

1415

QUESTION ID

S46-B2-Q1

TYPE

Short answer

CORRECT ANSWER

63 cents

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q1

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 46 • BACKWARD 2 • Q1/5

True or false?

3 quarters are worth 75 cents.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q2

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 46 • BACKWARD 2 • Q2/5

1416

QUESTION ID

S46-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q2

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 46 • BACKWARD 2 • Q2/5

Ben has 2 dollar bills and 4 dimes.

How much money does he have?

- A. \$2.04
- B. \$2.40
- C. \$6.00
- D. \$2.10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q3

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 46 • BACKWARD 2 • Q3/5

1417

QUESTION ID

S46-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. \$2.40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q3

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 46 • BACKWARD 2 • Q3/5

A toy costs 85 cents. Ann pays with 1 dollar.

How much change does she get?

Change: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q4

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 46 • BACKWARD 2 • Q4/5

1418

QUESTION ID

S46-B2-Q4

TYPE

Short answer

CORRECT ANSWER

15 cents

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q4

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 46 • BACKWARD 2 • Q4/5

True or false?

5 nickels and 2 dimes are worth 50 cents.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q5

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 46 • BACKWARD 2 • Q5/5

1419

QUESTION ID

S46-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-B2-Q5

Grade 2 • Measurement & Data • 2.MD.C.8 • Set 46 • BACKWARD 2 • Q5/5

SET 46 • 4.MD.A.2

FORWARD 1

Solve money and measurement problems with decimal operations • Grade 5 •
Number & Operations in Base Ten • 5.NBT.B.7

ANSWER KEY

Reduced copy of the question page, with its answer

Pens cost \$1.25 each.

How much do 8 pens cost?

Cost: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 46 • FORWARD 1 • Q1/5

1421

QUESTION ID

S46-F1-Q1

TYPE

Short answer

CORRECT ANSWER

\$10.00

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 46 • FORWARD 1 • Q1/5

1421

True or false?

A \$20 bill pays for 3 shirts that cost \$5.99 each.
The change is \$2.03.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 46 • FORWARD 1 • Q2/5

1422

QUESTION ID

S46-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 46 • FORWARD 1 • Q2/5

A 2.4-liter bottle is shared equally among 6 cups.

How many liters go in each cup?

- A. 1.4
- B. 0.4
- C. 4
- D. 0.04

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 46 • FORWARD 1 • Q3/5

1423

QUESTION ID

S46-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 0.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 46 • FORWARD 1 • Q3/5

Grapes cost \$2.80 per pound.
How much do 3.5 pounds cost?

Cost: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 46 • FORWARD 1 • Q4/5

1424

QUESTION ID

S46-F1-Q4

TYPE

Short answer

CORRECT ANSWER

\$9.80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 46 • FORWARD 1 • Q4/5

True or false?

A 1.5-kg bag and a 0.75-kg bag have a total mass of 1.125 kg.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 46 • FORWARD 1 • Q5/5

1425

QUESTION ID

S46-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F1-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 46 • FORWARD 1 • Q5/5

SET 46 • 4.MD.A.2

FORWARD 2

Find and compare unit prices • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.3.b

A 12-pack of water costs \$4.80.

What is the price of 1 bottle?

Price: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 46 • FORWARD 2 • Q1/5

1427

QUESTION ID

S46-F2-Q1

TYPE

Short answer

CORRECT ANSWER

\$0.40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 46 • FORWARD 2 • Q1/5

True or false?

4 kg of rice for \$6 costs \$1.50 per kilogram.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 46 • FORWARD 2 • Q2/5

1428

QUESTION ID

S46-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 46 • FORWARD 2 • Q2/5

Which is the best buy?

- A.** 2 liters for \$3.20
- B.** 3 liters for \$4.50
- C.** 4 liters for \$6.40
- D.** 1 liter for \$1.70

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 46 • FORWARD 2 • Q3/5

1429

QUESTION ID

S46-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 3 liters for \$4.50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 46 • FORWARD 2 • Q3/5

5 pounds of apples cost \$8.75.

How much does 1 pound cost?

Cost: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 46 • FORWARD 2 • Q4/5

1430

QUESTION ID

S46-F2-Q4

TYPE

Short answer

CORRECT ANSWER

\$1.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 46 • FORWARD 2 • Q4/5

True or false?

A pack of 6 juice boxes for \$3.60 costs \$0.70 per box.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 46 • FORWARD 2 • Q5/5

1431

QUESTION ID

S46-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S46-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.b • Set 46 • FORWARD 2 • Q5/5

Solve measurement problems with simple fractions or decimals, using number line diagrams

MAIN	Grade 4 main question	4.MD.A.2
BACKWARD 1	Solve time problems with a number line	3.MD.A.1
BACKWARD 2	Fractions on a number line	3.NF.A.2
FORWARD 1	Solve measurement problems by adding and subtracting fractions...	5.NF.A.2
FORWARD 2	Find distances between points with the same first or second coor...	6.NS.C.8

SET 47 • 4.MD.A.2

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.A.2

A board is 6 feet long. Jo cuts off $\frac{3}{4}$ foot.

How long is the board now?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 47 • MAIN • Q1/5

1434

QUESTION ID

S47-M-Q1

TYPE

Short answer

CORRECT ANSWER

5 $\frac{1}{4}$ feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 47 • MAIN • Q1/5

Ana ran 0.5 km before lunch and 0.25 km after lunch.

How far did she run in all?

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 47 • MAIN • Q2/5

1435

QUESTION ID

S47-M-Q2

TYPE

Short answer

CORRECT ANSWER

0.75 km

GRADING NOTE 75/100 km is also correct.


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 47 • MAIN • Q2/5

The number line shows a 2-mile hike. Lu has hiked to point A.

How much farther must she hike to reach the end?



- A.** $\frac{1}{4}$ mile **B.** 2 miles **C.** $\frac{3}{4}$ mile **D.** $1\frac{1}{4}$ miles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 47 • MAIN • Q3/5

1436

QUESTION ID

S47-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $\frac{3}{4}$ mile

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 47 • MAIN • Q3/5

True or false?

A jug has 2 liters of water. Lee pours out $\frac{1}{4}$ liter.

$1\frac{3}{4}$ liters are left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 47 • MAIN • Q4/5

1437

QUESTION ID

S47-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 47 • MAIN • Q4/5

A rope is 3 meters long. Use the number line to show $\frac{1}{2}$ meter being cut off.

How much rope is left?



Rope left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 47 • MAIN • Q5/5

1438

QUESTION ID

S47-M-Q5

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: A jump from 3 back to $2\frac{1}{2}$ (or a bar from 0 to $2\frac{1}{2}$) shown on the number line

Written: $2\frac{1}{2}$ meters

GRADING NOTE Grade both: the number line shows the $\frac{1}{2}$ -meter cut from 3, and the answer $2\frac{1}{2}$ meters.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.2 • Set 47 • MAIN • Q5/5


SET 47 • 4.MD.A.2

BACKWARD 1

Solve time problems with a number line • Grade 3 • Measurement & Data •
3.MD.A.1

Ty starts at 3:00 and works for 40 minutes. Use the number line.

What time does he finish?



Time: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q1

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 47 • BACKWARD 1 • Q1/5

1440

QUESTION ID

S47-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3:40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q1

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 47 • BACKWARD 1 • Q1/5

True or false?

On a number line from 1:00 to 2:00, 1:30 is halfway.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q2

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 47 • BACKWARD 1 • Q2/5

1441

QUESTION ID

S47-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q2

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 47 • BACKWARD 1 • Q2/5

A game started at 6:15 and lasted 35 minutes.

What time did it end?

- A.** 6:40
- B.** 6:35
- C.** 7:50
- D.** 6:50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q3

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 47 • BACKWARD 1 • Q3/5

1442

QUESTION ID

S47-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 6:50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q3

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 47 • BACKWARD 1 • Q3/5

How many minutes are there from 8:20 to 9:00?

Minutes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q4

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 47 • BACKWARD 1 • Q4/5

1443

QUESTION ID

S47-B1-Q4

TYPE

Short answer

CORRECT ANSWER

40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q4

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 47 • BACKWARD 1 • Q4/5

True or false?

From 4:45 to 5:05 is 30 minutes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q5

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 47 • BACKWARD 1 • Q5/5

1444

QUESTION ID

S47-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B1-Q5


Grade 3 • Measurement & Data • 3.MD.A.1 • Set 47 • BACKWARD 1 • Q5/5

SET 47 • 4.MD.A.2

BACKWARD 2

Fractions on a number line • Grade 3 • Number & Operations–Fractions •
3.NF.A.2

What fraction is at point A?



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 47 • BACKWARD 2 • Q1/5

1446

QUESTION ID

S47-B2-Q1

TYPE

Short answer

CORRECT ANSWER

5/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 47 • BACKWARD 2 • Q1/5

True or false?

$\frac{3}{3}$ and 1 are at the same point on a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 47 • BACKWARD 2 • Q2/5

1447

QUESTION ID

S47-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 47 • BACKWARD 2 • Q2/5

Which fraction is closest to 0?

A. $\frac{1}{8}$

B. $\frac{3}{4}$

C. $\frac{1}{2}$

D. $\frac{7}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 47 • BACKWARD 2 • Q3/5

1448

QUESTION ID

S47-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER


A. 1/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 47 • BACKWARD 2 • Q3/5

What fraction is at point B?



B = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 47 • BACKWARD 2 • Q4/5

1449

QUESTION ID

S47-B2-Q4

TYPE

Short answer

CORRECT ANSWER

2/4

GRADING NOTE 1/2 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 47 • BACKWARD 2 • Q4/5

True or false?

$\frac{1}{4}$ is to the right of $\frac{3}{4}$ on a number line.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 47 • BACKWARD 2 • Q5/5

1450

QUESTION ID

S47-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.2 • Set 47 • BACKWARD 2 • Q5/5

SET 47 • 4.MD.A.2

FORWARD 1

Solve measurement problems by adding and subtracting fractions with unlike denominators • Grade 5 • Number & Operations–Fractions • 5.NF.A.2

A board is 5 feet long. $\frac{2}{3}$ foot is cut off.

How long is the board now?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 47 • FORWARD 1 • Q1/5

1452

QUESTION ID

S47-F1-Q1

TYPE

Short answer

CORRECT ANSWER

4 $\frac{1}{3}$ feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 47 • FORWARD 1 • Q1/5

True or false?

A jug had $1\frac{1}{2}$ liters. $\frac{3}{4}$ liter was used. $\frac{3}{4}$ liter is left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 47 • FORWARD 1 • Q2/5

1453

QUESTION ID

S47-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 47 • FORWARD 1 • Q2/5

Ann walked $\frac{1}{2}$ km and then $\frac{3}{5}$ km.

How far did she walk in all?

A. $1\frac{1}{5}$ km

B. $1\frac{1}{10}$ km

C. $\frac{4}{10}$ km

D. $\frac{4}{7}$ km

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 47 • FORWARD 1 • Q3/5

1454

QUESTION ID

S47-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 1 1/10 km

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 47 • FORWARD 1 • Q3/5

A rope is $4\frac{1}{2}$ m long. A piece $1\frac{2}{3}$ m long is cut off.

How much rope is left?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 47 • FORWARD 1 • Q4/5

1455

QUESTION ID

S47-F1-Q4

TYPE

Short answer

CORRECT ANSWER

2 $\frac{5}{6}$ m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 47 • FORWARD 1 • Q4/5

True or false?

$$\frac{3}{8} \text{ kg} + \frac{1}{4} \text{ kg} = \frac{4}{12} \text{ kg}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 47 • FORWARD 1 • Q5/5

1456

QUESTION ID

S47-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.A.2 • Set 47 • FORWARD 1 • Q5/5

SET 47 • 4.MD.A.2

FORWARD 2

Find distances between points with the same first or second coordinate • Grade 6 • The Number System • 6.NS.C.8

Find the distance between $(2, 5)$ and $(2, -3)$.

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q1

Grade 6 • The Number System • 6.NS.C.8 • Set 47 • FORWARD 2 • Q1/5

1458

QUESTION ID

S47-F2-Q1

TYPE

Short answer

CORRECT ANSWER

8 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q1

Grade 6 • The Number System • 6.NS.C.8 • Set 47 • FORWARD 2 • Q1/5

True or false?

The distance between $(-4, 1)$ and $(3, 1)$ is 7 units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q2

Grade 6 • The Number System • 6.NS.C.8 • Set 47 • FORWARD 2 • Q2/5

1459

QUESTION ID

S47-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q2

Grade 6 • The Number System • 6.NS.C.8 • Set 47 • FORWARD 2 • Q2/5

On a map grid, a school is at $(-2, 4)$ and a park is at $(5, 4)$.

How many units apart are they?

A. 6

B. 7

C. 9

D. 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q3

Grade 6 • The Number System • 6.NS.C.8 • Set 47 • FORWARD 2 • Q3/5

1460

QUESTION ID

S47-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q3

Grade 6 • The Number System • 6.NS.C.8 • Set 47 • FORWARD 2 • Q3/5

Find the distance between $(-6, -2)$ and $(-6, 3)$.

Distance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q4

Grade 6 • The Number System • 6.NS.C.8 • Set 47 • FORWARD 2 • Q4/5

1461

QUESTION ID

S47-F2-Q4

TYPE

Short answer

CORRECT ANSWER

5 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q4

Grade 6 • The Number System • 6.NS.C.8 • Set 47 • FORWARD 2 • Q4/5

True or false?

The distance between $(0, -5)$ and $(0, 5)$ is 0 units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q5

Grade 6 • The Number System • 6.NS.C.8 • Set 47 • FORWARD 2 • Q5/5

1462

QUESTION ID

S47-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S47-F2-Q5

Grade 6 • The Number System • 6.NS.C.8 • Set 47 • FORWARD 2 • Q5/5

Apply the area and perimeter formulas for rectangles

MAIN	Grade 4 main question	4.MD.A.3
BACKWARD 1	Area as length times width	3.MD.C.7.b
BACKWARD 2	Perimeter of polygons	3.MD.D.8
FORWARD 1	Find the area of rectangles with fractional side lengths	5.NF.B.4.b
FORWARD 2	Find the area of triangles and parallelograms	6.G.A.1

SET 48 • 4.MD.A.3

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.A.3

Find the area of the rectangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 48 • MAIN • Q1/5

1465

QUESTION ID

S48-M-Q1

TYPE

Short answer

CORRECT ANSWER

36 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 48 • MAIN • Q1/5

Find the perimeter of the rectangle.

Perimeter: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 48 • MAIN • Q2/5

1466

QUESTION ID

S48-M-Q2

TYPE

Short answer

CORRECT ANSWER

34 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 48 • MAIN • Q2/5

A rectangular rug is 8 feet by 6 feet.

What is its area?

- A.** 96 square feet
- B.** 14 square feet
- C.** 48 square feet
- D.** 28 square feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 48 • MAIN • Q3/5

1467

QUESTION ID

S48-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 48 square feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 48 • MAIN • Q3/5

True or false?

A square with sides of 7 cm has a perimeter of 49 cm.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 48 • MAIN • Q4/5

1468

QUESTION ID

S48-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 48 • MAIN • Q4/5

A garden is 15 m long and 8 m wide.

What are its area and its perimeter?

Area: _____

Perimeter: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 48 • MAIN • Q5/5

1469

QUESTION ID

S48-M-Q5

TYPE

Short answer

CORRECT ANSWER

**120 square meters;
46 meters**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 48 • MAIN • Q5/5

SET 48 • 4.MD.A.3

BACKWARD 1

Area as length times width • Grade 3 • Measurement & Data • 3.MD.C.7.b

A rectangle is 6 units by 7 units.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 48 • BACKWARD 1 • Q1/5

1471

QUESTION ID

S48-B1-Q1

TYPE

Short answer

CORRECT ANSWER

42 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 48 • BACKWARD 1 • Q1/5

True or false?

A 5-by-9 rectangle has an area of 45 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 48 • BACKWARD 1 • Q2/5

1472

QUESTION ID

S48-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 48 • BACKWARD 1 • Q2/5

Which equation gives the area of a 4-by-8 rectangle?

- A. $8 - 4 = 4$
- B. $4 + 8 = 12$
- C. $2 \times (4 + 8) = 24$
- D. $4 \times 8 = 32$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 48 • BACKWARD 1 • Q3/5

1473

QUESTION ID

S48-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $4 \times 8 = 32$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 48 • BACKWARD 1 • Q3/5

Find the area of the rectangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 48 • BACKWARD 1 • Q4/5

1474

QUESTION ID

S48-B1-Q4

TYPE

Short answer

CORRECT ANSWER

30 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 48 • BACKWARD 1 • Q4/5

True or false?

A 3-by-9 rectangle has an area of 12 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 48 • BACKWARD 1 • Q5/5

1475

QUESTION ID

S48-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 48 • BACKWARD 1 • Q5/5

SET 48 • 4.MD.A.3

BACKWARD 2

Perimeter of polygons • Grade 3 • Measurement & Data • 3.MD.D.8

A triangle has sides of 5 cm, 7 cm, and 9 cm.

What is its perimeter?

Perimeter: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q1

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 48 • BACKWARD 2 • Q1/5

1477

QUESTION ID

S48-B2-Q1

TYPE

Short answer

CORRECT ANSWER

21 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q1

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 48 • BACKWARD 2 • Q1/5

True or false?

A square with sides of 4 m has a perimeter of 16 m.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q2

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 48 • BACKWARD 2 • Q2/5

1478

QUESTION ID

S48-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q2

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 48 • BACKWARD 2 • Q2/5

What is the perimeter of a rectangle that is 6 ft by 2 ft?

- A. 12 feet
- B. 8 feet
- C. 14 feet
- D. 16 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q3

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 48 • BACKWARD 2 • Q3/5

1479

QUESTION ID

S48-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 16 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q3

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 48 • BACKWARD 2 • Q3/5

A pentagon has five sides that are each 3 inches long.
What is its perimeter?

Perimeter: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q4

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 48 • BACKWARD 2 • Q4/5

1480

QUESTION ID

S48-B2-Q4

TYPE

Short answer

CORRECT ANSWER

15 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q4

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 48 • BACKWARD 2 • Q4/5

True or false?

A rectangle that is 5 units by 3 units has a perimeter of 15 units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q5

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 48 • BACKWARD 2 • Q5/5

1481

QUESTION ID

S48-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-B2-Q5

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 48 • BACKWARD 2 • Q5/5

SET 48 • 4.MD.A.3

FORWARD 1

Find the area of rectangles with fractional side lengths • Grade 5 • Number & Operations–Fractions • 5.NF.B.4.b

Find the area of a rectangle that is $\frac{3}{4}$ m by $\frac{2}{3}$ m.

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 48 • FORWARD 1 • Q1/5

1483

QUESTION ID

S48-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{2}$ square meter

GRADING NOTE $\frac{6}{12}$ square meter is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q1

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 48 • FORWARD 1 • Q1/5

True or false?

A rectangle that is $2\frac{1}{2}$ ft by 4 ft has an area of 10 square feet.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 48 • FORWARD 1 • Q2/5

1484

QUESTION ID

S48-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q2

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 48 • FORWARD 1 • Q2/5

A square has sides that are $\frac{1}{2}$ inch long.

What is its area?

- A.** 2 square inches **B.** 1 square inch
C. $\frac{1}{4}$ square inch **D.** $\frac{1}{2}$ square inch

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 48 • FORWARD 1 • Q3/5

1485

QUESTION ID

S48-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $\frac{1}{4}$ square inch

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q3

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 48 • FORWARD 1 • Q3/5

Find the area of a rectangle that is $1\frac{1}{2}$ yd by $\frac{2}{3}$ yd.

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 48 • FORWARD 1 • Q4/5

1486

QUESTION ID

S48-F1-Q4

TYPE

Short answer

CORRECT ANSWER

1 square yard

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q4

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 48 • FORWARD 1 • Q4/5

True or false?

A $\frac{1}{3}$ -by- $\frac{1}{3}$ square has an area of $\frac{2}{3}$ square unit.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 48 • FORWARD 1 • Q5/5

1487

QUESTION ID

S48-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F1-Q5

Grade 5 • Number & Operations-Fractions • 5.NF.B.4.b • Set 48 • FORWARD 1 • Q5/5

SET 48 • 4.MD.A.3

FORWARD 2

Find the area of triangles and parallelograms • Grade 6 • Geometry • 6.G.A.1

A triangle has a base of 10 cm and a height of 6 cm.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 48 • FORWARD 2 • Q1/5

1489

QUESTION ID

S48-F2-Q1

TYPE

Short answer

CORRECT ANSWER

30 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 48 • FORWARD 2 • Q1/5

True or false?

A parallelogram with a base of 8 m and a height of 5 m has an area of 40 square meters.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 48 • FORWARD 2 • Q2/5

1490

QUESTION ID

S48-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 48 • FORWARD 2 • Q2/5

A right triangle has legs that are 4 ft and 9 ft long.

What is its area?

- A. 26 square feet
- B. 18 square feet
- C. 36 square feet
- D. 13 square feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 48 • FORWARD 2 • Q3/5

1491

QUESTION ID

S48-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 18 square feet


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 48 • FORWARD 2 • Q3/5

Find the area of the triangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 48 • FORWARD 2 • Q4/5

1492

QUESTION ID

S48-F2-Q4

TYPE

Short answer

CORRECT ANSWER

20 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 48 • FORWARD 2 • Q4/5

True or false?

A triangle with a base of 6 units and a height of 4 units has an area of 24 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 48 • FORWARD 2 • Q5/5

1493

QUESTION ID

S48-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S48-F2-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 48 • FORWARD 2 • Q5/5

Find an unknown side length from the area or the perimeter of a rectangle

MAIN	Grade 4 main question	4.MD.A.3
BACKWARD 1	Find an unknown side from the perimeter	3.MD.D.8
BACKWARD 2	Find the unknown factor	3.OA.A.4
FORWARD 1	Find a missing dimension when the volume is known	5.MD.C.5.b
FORWARD 2	Solve equations of the form $px = q$ for a missing measurement	6.EE.B.7

SET 49 • 4.MD.A.3

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.A.3

A rectangle has an area of 72 square feet and a length of 9 feet.

What is its width?

Width: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • MAIN • Q1/5

1496

QUESTION ID

S49-M-Q1

TYPE

Short answer

CORRECT ANSWER

8 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q1

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • MAIN • Q1/5

A rectangle has a perimeter of 30 cm and a length of 10 cm.

What is its width?

Width: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • MAIN • Q2/5

1497

QUESTION ID

S49-M-Q2

TYPE

Short answer

CORRECT ANSWER

5 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q2

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • MAIN • Q2/5

A rectangular patio has an area of 96 square meters.
One side is 12 m long.

How long is the other side?

- A.** 36 m **B.** 108 m
C. 84 m **D.** 8 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • MAIN • Q3/5

1498

QUESTION ID

S49-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 8 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q3

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • MAIN • Q3/5

True or false?

A square has a perimeter of 36 inches, so each side is 9 inches long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • MAIN • Q4/5

1499

QUESTION ID

S49-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q4

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • MAIN • Q4/5

A rectangle has an area of 54 square units and a width of 6 units.

Write an equation with a letter for the length. Then solve it.

Equation: _____

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • MAIN • Q5/5

1500

QUESTION ID

S49-M-Q5

TYPE

Short answer

CORRECT ANSWER

**$6 \times l = 54; l = 9$
units**

GRADING NOTE Any equivalent equation (for example $54 \div 6 = l$) is correct. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-M-Q5

Grade 4 • Measurement & Data • 4.MD.A.3 • Set 49 • MAIN • Q5/5

SET 49 • 4.MD.A.3

BACKWARD 1

Find an unknown side from the perimeter • Grade 3 • Measurement & Data •
3.MD.D.8

A triangle has a perimeter of 20 cm. Two sides are 6 cm and 8 cm long.

How long is the third side?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q1

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 49 • BACKWARD 1 • Q1/5

1502

QUESTION ID

S49-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q1

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 49 • BACKWARD 1 • Q1/5

True or false?

A square with a perimeter of 12 m has sides that are 3 m long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q2

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 49 • BACKWARD 1 • Q2/5

1503

QUESTION ID

S49-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q2

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 49 • BACKWARD 1 • Q2/5

A rectangle has a perimeter of 14 ft and a length of 5 ft.

What is its width?

- A. 7 ft
- B. 4 ft
- C. 2 ft
- D. 9 ft

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q3

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 49 • BACKWARD 1 • Q3/5

1504

QUESTION ID

S49-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 2 ft

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q3

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 49 • BACKWARD 1 • Q3/5

A rectangle has a perimeter of 18 in. and a width of 4 in.
What is its length?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q4

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 49 • BACKWARD 1 • Q4/5

1505

QUESTION ID

S49-B1-Q4

TYPE

Short answer

CORRECT ANSWER

5 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q4

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 49 • BACKWARD 1 • Q4/5

True or false?

A square with a perimeter of 20 units has sides that are 10 units long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q5

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 49 • BACKWARD 1 • Q5/5

1506

QUESTION ID

S49-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B1-Q5

Grade 3 • Measurement & Data • 3.MD.D.8 • Set 49 • BACKWARD 1 • Q5/5

SET 49 • 4.MD.A.3

BACKWARD 2

Find the unknown factor • Grade 3 • Operations & Algebraic Thinking •
3.OA.A.4

Find the unknown number.

$$8 \times ? = 64$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 49 • BACKWARD 2 • Q1/5

1508

QUESTION ID

S49-B2-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 49 • BACKWARD 2 • Q1/5

True or false?

If $9 \times w = 45$, then $w = 5$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 49 • BACKWARD 2 • Q2/5

1509

QUESTION ID

S49-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 49 • BACKWARD 2 • Q2/5

$$? \times 7 = 56$$

- A.** 7
- B.** 8
- C.** 49
- D.** 63

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 49 • BACKWARD 2 • Q3/5

1510

QUESTION ID

S49-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 49 • BACKWARD 2 • Q3/5

Find the unknown number.

$$6 \times ? = 42$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 49 • BACKWARD 2 • Q4/5

1511

QUESTION ID

S49-B2-Q4

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 49 • BACKWARD 2 • Q4/5

True or false?

If $4 \times n = 28$, then $n = 6$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 49 • BACKWARD 2 • Q5/5

1512

QUESTION ID

S49-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.4 • Set 49 • BACKWARD 2 • Q5/5

SET 49 • 4.MD.A.3

FORWARD 1

Find a missing dimension when the volume is known • Grade 5 • Measurement & Data • 5.MD.C.5.b

A box has a volume of 60 cubic inches. It is 5 in. long and 3 in. wide.

How tall is it?

Height: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • FORWARD 1 • Q1/5

1514

QUESTION ID

S49-F1-Q1

TYPE

Short answer

CORRECT ANSWER

4 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • FORWARD 1 • Q1/5

True or false?

A prism with a volume of 48 cubic cm and a base area of 12 square cm is 4 cm tall.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • FORWARD 1 • Q2/5

1515

QUESTION ID

S49-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • FORWARD 1 • Q2/5

A tank holds 120 cubic feet. Its base is 6 ft by 5 ft.

How deep is the tank?

- A. 20 feet
- B. 4 feet
- C. 10 feet
- D. 109 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • FORWARD 1 • Q3/5

1516

QUESTION ID

S49-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 4 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • FORWARD 1 • Q3/5

A prism has a volume of 90 cubic meters and a height of 5 m.

What is the area of its base?

Base area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • FORWARD 1 • Q4/5

1517

QUESTION ID

S49-F1-Q4

TYPE

Short answer

CORRECT ANSWER

18 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • FORWARD 1 • Q4/5

True or false?

A box that is 4 units by 3 units at the base and has a volume of 36 cubic units is 4 units tall.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • FORWARD 1 • Q5/5

1518

QUESTION ID

S49-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F1-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.b • Set 49 • FORWARD 1 • Q5/5

SET 49 • 4.MD.A.3

FORWARD 2

Solve equations of the form $px = q$ for a missing measurement • Grade 6 •
Expressions & Equations • 6.EE.B.7

A rectangle has an area of 7.5 square meters and a length of 3 m.

Write and solve an equation for its width w .

Equation: _____

$w =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 49 • FORWARD 2 • Q1/5

1520

QUESTION ID

S49-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$3w = 7.5; w = 2.5 \text{ m}$

GRADING NOTE Any equivalent equation is correct. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 49 • FORWARD 2 • Q1/5

True or false?

A triangle has an area of 24 square units and a base of 8 units. Solving $4h = 24$ gives a height of 6 units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 49 • FORWARD 2 • Q2/5

1521

QUESTION ID

S49-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 49 • FORWARD 2 • Q2/5

Solve for b.

$$12b = 84$$

- A. 1,008
- B. 7
- C. 72
- D. 96

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 49 • FORWARD 2 • Q3/5

1522

QUESTION ID

S49-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 49 • FORWARD 2 • Q3/5

Solve for x.

$$\frac{1}{2}x = 9$$

x = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 49 • FORWARD 2 • Q4/5

1523

QUESTION ID

S49-F2-Q4

TYPE

Short answer

CORRECT ANSWER

18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 49 • FORWARD 2 • Q4/5

True or false?

The solution of $4w = 30$ is $w = 26$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 49 • FORWARD 2 • Q5/5

1524

QUESTION ID

S49-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S49-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 49 • FORWARD 2 • Q5/5

Make a line plot of measurements in fractions of a unit ($\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$)

MAIN	Grade 4 main question	4.MD.B.4
BACKWARD 1	Read a line plot with halves and fourths	3.MD.B.4
BACKWARD 2	Line plots of whole-number lengths	2.MD.D.9
FORWARD 1	Make line plots and use operations on the data	5.MD.B.2
FORWARD 2	Display numerical data in dot plots	6.SP.B.4


SET 50 • 4.MD.B.4

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.B.4

Pencil lengths (inches): $5\frac{1}{4}$, $5\frac{1}{2}$, $5\frac{1}{4}$, 6, $5\frac{3}{4}$, $5\frac{1}{2}$, $5\frac{1}{4}$

Make a line plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 50 • MAIN • Q1/5

1527

QUESTION ID

S50-M-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

Line plot: 3 X's at $5\frac{1}{4}$, 2 X's at $5\frac{1}{2}$, 1 X at $5\frac{3}{4}$, 1 X at 6


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 50 • MAIN • Q1/5

Seedling heights (inches): $\frac{1}{8}$, $\frac{3}{8}$, $\frac{3}{8}$, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{8}$, $\frac{1}{8}$

Make a line plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 50 • MAIN • Q2/5

1528

QUESTION ID

S50-M-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

Line plot: 2 X's at $\frac{1}{8}$, 3 X's at $\frac{3}{8}$, 1 X at $\frac{1}{2}$, 1 X at $\frac{5}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 50 • MAIN • Q2/5

Shell lengths (inches): $\frac{1}{2}$, $\frac{3}{4}$, $\frac{1}{2}$, 1, $\frac{3}{4}$, $\frac{1}{2}$

In a line plot of the data, how many X's go above $\frac{1}{2}$?

X's: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 50 • MAIN • Q3/5

1529

QUESTION ID

S50-M-Q3

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 50 • MAIN • Q3/5

Which number line is best for a line plot of $\frac{1}{8}$, $\frac{3}{8}$, $\frac{5}{8}$, and $\frac{7}{8}$ inch?

- A. A number line from 1 to 2 marked in fourths
- B. A number line from 0 to 1 marked in halves
- C. A number line from 0 to 1 marked in eighths
- D. A number line from 0 to 8 marked in ones

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 50 • MAIN • Q4/5

1530

QUESTION ID

S50-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

**C. A number line
from 0 to 1 marked
in eighths**


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 50 • MAIN • Q4/5

Ribbon pieces (yards): $1\frac{1}{2}$, 2, $1\frac{1}{4}$, $1\frac{1}{2}$, $1\frac{3}{4}$, $1\frac{1}{2}$

Make a line plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 50 • MAIN • Q5/5

1531

QUESTION ID

S50-M-Q5

TYPE

Drawing / plotting

CORRECT ANSWER

Line plot: 1 X at $1\frac{1}{4}$, 3 X's at $1\frac{1}{2}$, 1 X at $1\frac{3}{4}$, 1 X at 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-M-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 50 • MAIN • Q5/5


SET 50 • 4.MD.B.4

BACKWARD 1

Read a line plot with halves and fourths • Grade 3 • Measurement & Data •
3.MD.B.4

The line plot shows leaf lengths.

How many leaves are $\frac{3}{4}$ inch long?



Leaves: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q1

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 50 • BACKWARD 1 • Q1/5

1533

QUESTION ID

S50-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q1

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 50 • BACKWARD 1 • Q1/5

True or false?

Two leaves are $\frac{1}{4}$ inch long.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q2

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 50 • BACKWARD 1 • Q2/5

1534

QUESTION ID

S50-B1-Q2

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q2

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 50 • BACKWARD 1 • Q2/5

Which leaf length is most common?



- A. $\frac{1}{4}$ inch B. $\frac{1}{2}$ inch C. $\frac{3}{4}$ inch D. 1 inch

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q3

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 50 • BACKWARD 1 • Q3/5

1535

QUESTION ID

S50-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER


C. $\frac{3}{4}$ inch

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q3

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 50 • BACKWARD 1 • Q3/5

How many leaves were measured?



Leaves: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q4

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 50 • BACKWARD 1 • Q4/5

1536

QUESTION ID

S50-B1-Q4

TYPE

Short answer

CORRECT ANSWER

7


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q4

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 50 • BACKWARD 1 • Q4/5

True or false?

No leaf is 1 inch long.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q5

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 50 • BACKWARD 1 • Q5/5

1537

QUESTION ID

S50-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B1-Q5

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 50 • BACKWARD 1 • Q5/5

SET 50 • 4.MD.B.4

BACKWARD 2

Line plots of whole-number lengths • Grade 2 • Measurement & Data •
2.MD.D.9

Lengths (cm): 4, 6, 6, 7, 6

In a line plot of the data, how many X's go above 6?

X's: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q1

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 50 • BACKWARD 2 • Q1/5

1539

QUESTION ID

S50-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q1

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 50 • BACKWARD 2 • Q1/5

True or false?

A line plot shows each measurement as a mark above a number line.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q2

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 50 • BACKWARD 2 • Q2/5

1540

QUESTION ID

S50-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q2

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 50 • BACKWARD 2 • Q2/5

Which number line fits a line plot of 2, 3, 3, and 8?

- A.** A number line from 10 to 20
- B.** A number line from 0 to 3
- C.** A number line from 0 to 10
- D.** A number line from 4 to 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q3

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 50 • BACKWARD 2 • Q3/5

1541

QUESTION ID

S50-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

**C. A number line
from 0 to 10**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q3

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 50 • BACKWARD 2 • Q3/5

Lengths (inches): 3, 5, 5, 6

Make a line plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q4

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 50 • BACKWARD 2 • Q4/5

1542

QUESTION ID

S50-B2-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

**Line plot: 1 X at 3, 2
X's at 5, 1 X at 6**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q4

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 50 • BACKWARD 2 • Q4/5

True or false?

A line plot of 1, 2, 2, 2 has 2 X's above 2.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q5

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 50 • BACKWARD 2 • Q5/5

1543

QUESTION ID

S50-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-B2-Q5

Grade 2 • Measurement & Data • 2.MD.D.9 • Set 50 • BACKWARD 2 • Q5/5

SET 50 • 4.MD.B.4

FORWARD 1

Make line plots and use operations on the data • Grade 5 • Measurement & Data • 5.MD.B.2

Water in 4 cups (liters): $\frac{1}{4}$, $\frac{1}{2}$, $\frac{1}{2}$, $\frac{3}{4}$

If the water were shared equally among the cups, how much would each cup hold?

Liters: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 50 • FORWARD 1 • Q1/5

1545

QUESTION ID

S50-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{2}$ liter

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 50 • FORWARD 1 • Q1/5

True or false?

The total of $\frac{1}{8}$, $\frac{3}{8}$, and $\frac{1}{2}$ inch is 1 inch.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 50 • FORWARD 1 • Q2/5

1546

QUESTION ID

S50-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 50 • FORWARD 1 • Q2/5

A line plot shows 3 X's at $\frac{1}{4}$ pound and 2 X's at $\frac{1}{2}$ pound.

What is the total weight?

- A.** $1\frac{3}{4}$ pounds **B.** $\frac{3}{4}$ pound
C. $1\frac{1}{4}$ pounds **D.** 5 pounds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 50 • FORWARD 1 • Q3/5

1547

QUESTION ID

S50-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 1 3/4 pounds


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 50 • FORWARD 1 • Q3/5

Rain (inches): $\frac{1}{8}$, $\frac{1}{4}$, $\frac{1}{4}$, $\frac{3}{8}$, $\frac{1}{2}$

Make a line plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 50 • FORWARD 1 • Q4/5

1548

QUESTION ID

S50-F1-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

**Line plot: 1 X at $\frac{1}{8}$,
2 X's at $\frac{1}{4}$, 1 X at
 $\frac{3}{8}$, 1 X at $\frac{1}{2}$**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 50 • FORWARD 1 • Q4/5

True or false?

The difference between the largest and smallest of $\frac{1}{8}$, $\frac{3}{8}$, and $\frac{7}{8}$ is $\frac{5}{8}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 50 • FORWARD 1 • Q5/5

1549

QUESTION ID

S50-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F1-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 50 • FORWARD 1 • Q5/5

SET 50 • 4.MD.B.4

FORWARD 2

Display numerical data in dot plots • Grade 6 • Statistics & Probability •
6.SP.B.4

Number of pets: 0, 1, 1, 2, 2, 2, 3, 5

Make a dot plot of the data.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q1

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 50 • FORWARD 2 • Q1/5

1551

QUESTION ID

S50-F2-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

**Dot plot: 1 dot at 0,
2 dots at 1, 3 dots at
2, 1 dot at 3, 1 dot
at 5**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q1

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 50 • FORWARD 2 • Q1/5

True or false?

A histogram groups data values into intervals.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q2

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 50 • FORWARD 2 • Q2/5

1552

QUESTION ID

S50-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q2

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 50 • FORWARD 2 • Q2/5

Which display shows every individual data value?

- A.** A histogram
- B.** A table of intervals
- C.** A dot plot
- D.** A box plot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q3

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 50 • FORWARD 2 • Q3/5

1553

QUESTION ID

S50-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. A dot plot

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q3

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 50 • FORWARD 2 • Q3/5

Data: 12, 15, 15, 18, 20

In a dot plot of the data, how many dots go above 15?

Dots: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q4

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 50 • FORWARD 2 • Q4/5

1554

QUESTION ID

S50-F2-Q4

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q4

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 50 • FORWARD 2 • Q4/5

True or false?

A dot plot cannot show data with repeated values.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q5

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 50 • FORWARD 2 • Q5/5

1555

QUESTION ID

S50-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S50-F2-Q5

Grade 6 • Statistics & Probability • 6.SP.B.4 • Set 50 • FORWARD 2 • Q5/5

Solve addition and subtraction problems using fraction data in a line plot

MAIN	Grade 4 main question	4.MD.B.4
BACKWARD 1	Read a line plot of lengths in fourths of an inch	3.MD.B.4
BACKWARD 2	Equivalent halves, fourths, and eighths	3.NF.A.3.b
FORWARD 1	Use operations on fractions to solve line plot problems	5.MD.B.2
FORWARD 2	Find the mean of a data set	6.SP.B.5.c


SET 51 • 4.MD.B.4

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.B.4

The line plot shows the raisins in some bags.

What is the difference between the heaviest and the lightest bag?



Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 51 • MAIN • Q1/5

1558

QUESTION ID

S51-M-Q1

TYPE

Short answer

CORRECT ANSWER


$\frac{3}{8}$ pound

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q1

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 51 • MAIN • Q1/5

What is the total weight of the bags that weigh $\frac{1}{4}$ pound each?



Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 51 • MAIN • Q2/5

1559

QUESTION ID

S51-M-Q2

TYPE

Short answer

CORRECT ANSWER


$\frac{3}{4}$ pound

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q2

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 51 • MAIN • Q2/5

How many bags weigh more than $\frac{1}{4}$ pound?



A. 2

B. 3

C. 5

D. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 51 • MAIN • Q3/5

1560

QUESTION ID

S51-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 4


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q3

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 51 • MAIN • Q3/5

True or false?

The two $\frac{1}{2}$ -pound bags weigh 1 pound in all.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 51 • MAIN • Q4/5

1561

QUESTION ID

S51-M-Q4

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q4

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 51 • MAIN • Q4/5

What is the total weight of all the bags?



Total: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q5

Grade 4 • Measurement & Data • 4.MD.B.4 • Set 51 • MAIN • Q5/5

1562

QUESTION ID

S51-M-Q5

TYPE

Short answer

CORRECT ANSWER

2 $\frac{5}{8}$ pounds

GRADING NOTE 21/8 pounds is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-M-Q5


Grade 4 • Measurement & Data • 4.MD.B.4 • Set 51 • MAIN • Q5/5

SET 51 • 4.MD.B.4

BACKWARD 1

Read a line plot of lengths in fourths of an inch • Grade 3 • Measurement & Data • 3.MD.B.4

How many crayons are $3\frac{1}{2}$ inches long?



Crayons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q1

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 51 • BACKWARD 1 • Q1/5

1564

QUESTION ID

S51-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q1

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 51 • BACKWARD 1 • Q1/5

True or false?

One crayon is 4 inches long.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q2

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 51 • BACKWARD 1 • Q2/5

1565

QUESTION ID

S51-B1-Q2

TYPE

True or false

CORRECT ANSWER


A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q2

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 51 • BACKWARD 1 • Q2/5

Which length do exactly 2 crayons have?



- A. $3\frac{1}{2}$ inches B. 4 inches C. $3\frac{1}{4}$ inches D. $3\frac{3}{4}$ inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q3

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 51 • BACKWARD 1 • Q3/5

1566

QUESTION ID

S51-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER


D. $3\frac{3}{4}$ inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q3

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 51 • BACKWARD 1 • Q3/5

How many crayons were measured?



Crayons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q4

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 51 • BACKWARD 1 • Q4/5

1567

QUESTION ID

S51-B1-Q4

TYPE

Short answer

CORRECT ANSWER

7


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q4

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 51 • BACKWARD 1 • Q4/5

True or false?

The shortest crayon is 3 inches long.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q5

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 51 • BACKWARD 1 • Q5/5

1568

QUESTION ID

S51-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B1-Q5

Grade 3 • Measurement & Data • 3.MD.B.4 • Set 51 • BACKWARD 1 • Q5/5

SET 51 • 4.MD.B.4

BACKWARD 2

Equivalent halves, fourths, and eighths • Grade 3 • Number & Operations–Fractions • 3.NF.A.3.b

Write $\frac{1}{2}$ as eighths.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 51 • BACKWARD 2 • Q1/5

1570

QUESTION ID

S51-B2-Q1

TYPE

Short answer

CORRECT ANSWER

4/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 51 • BACKWARD 2 • Q1/5

True or false?

$$\frac{1}{4} = \frac{2}{8}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 51 • BACKWARD 2 • Q2/5

1571

QUESTION ID

S51-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 51 • BACKWARD 2 • Q2/5

Which fraction is equal to $\frac{3}{4}$?

A. $\frac{5}{8}$

B. $\frac{6}{8}$

C. $\frac{4}{8}$

D. $\frac{3}{8}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 51 • BACKWARD 2 • Q3/5

1572

QUESTION ID

S51-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 6/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 51 • BACKWARD 2 • Q3/5

Find the missing number.

$$\frac{1}{2} = \frac{?}{4}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 51 • BACKWARD 2 • Q4/5

1573

QUESTION ID

S51-B2-Q4

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 51 • BACKWARD 2 • Q4/5

True or false?

$$\frac{2}{8} = \frac{1}{2}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 51 • BACKWARD 2 • Q5/5

1574

QUESTION ID

S51-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.3.b • Set 51 • BACKWARD 2 • Q5/5

SET 51 • 4.MD.B.4

FORWARD 1

Use operations on fractions to solve line plot problems • Grade 5 •
Measurement & Data • 5.MD.B.2

Juice in 3 glasses (cups): $\frac{1}{2}$, $\frac{3}{4}$, $1\frac{1}{4}$

If the juice were shared equally, how much would each glass hold?

Cups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 51 • FORWARD 1 • Q1/5

1576

QUESTION ID

S51-F1-Q1

TYPE

Short answer

CORRECT ANSWER

5/6 cup

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q1

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 51 • FORWARD 1 • Q1/5

True or false?

Water in beakers (liters): $\frac{1}{8}$, $\frac{1}{4}$, $\frac{3}{8}$. The total is $\frac{3}{4}$ liter.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 51 • FORWARD 1 • Q2/5

1577

QUESTION ID

S51-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q2

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 51 • FORWARD 1 • Q2/5

Ribbons (yards): $\frac{1}{2}$, $\frac{1}{2}$, $\frac{3}{4}$, $\frac{1}{4}$

What is the total length?

- A.** $1\frac{3}{4}$ yards **B.** $2\frac{1}{4}$ yards
C. $1\frac{1}{2}$ yards **D.** 2 yards

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 51 • FORWARD 1 • Q3/5

1578

QUESTION ID

S51-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 2 yards

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q3

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 51 • FORWARD 1 • Q3/5

Rock masses (kg): $\frac{1}{4}$, $\frac{1}{2}$, $\frac{1}{2}$, $\frac{3}{4}$

If the total mass were shared equally by the 4 rocks,
what would each rock's mass be?

Mass: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 51 • FORWARD 1 • Q4/5

1579

QUESTION ID

S51-F1-Q4

TYPE

Short answer

CORRECT ANSWER

$\frac{1}{2}$ kg

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q4

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 51 • FORWARD 1 • Q4/5

True or false?

The total of $\frac{1}{2}$, $\frac{1}{4}$, and $\frac{1}{8}$ is $\frac{3}{14}$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 51 • FORWARD 1 • Q5/5

1580

QUESTION ID

S51-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F1-Q5

Grade 5 • Measurement & Data • 5.MD.B.2 • Set 51 • FORWARD 1 • Q5/5

SET 51 • 4.MD.B.4

FORWARD 2

Find the mean of a data set • Grade 6 • Statistics & Probability • 6.SP.B.5.c

Find the mean.

4, 6, 8, 10

Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 51 • FORWARD 2 • Q1/5

1582

QUESTION ID

S51-F2-Q1

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q1

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 51 • FORWARD 2 • Q1/5

True or false?

The mean of 2, 4, and 9 is 5.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 51 • FORWARD 2 • Q2/5

1583

QUESTION ID

S51-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q2

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 51 • FORWARD 2 • Q2/5

Find the mean.

$\frac{1}{2}$, $\frac{1}{2}$, 1, 2

A. 4

B. $\frac{1}{2}$

C. 2

D. 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 51 • FORWARD 2 • Q3/5

1584

QUESTION ID

S51-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q3

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 51 • FORWARD 2 • Q3/5

Five plants grew 3, 5, 5, 6, and 6 cm.

What is the mean growth?

Mean: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 51 • FORWARD 2 • Q4/5

1585

QUESTION ID

S51-F2-Q4

TYPE

Short answer

CORRECT ANSWER

5 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q4

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 51 • FORWARD 2 • Q4/5

True or false?

The mean of 10, 10, and 40 is 10.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 51 • FORWARD 2 • Q5/5

1586

QUESTION ID

S51-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S51-F2-Q5

Grade 6 • Statistics & Probability • 6.SP.B.5.c • Set 51 • FORWARD 2 • Q5/5

An angle is measured as a fraction of a full circle; a one-degree angle is $\frac{1}{360}$ of a circle

MAIN	Grade 4 main question	4.MD.C.5.a
BACKWARD 1	Equal parts of a shape	3.G.A.2
BACKWARD 2	Turns of the minute hand on a clock	3.MD.A.1
FORWARD 1	Classify triangles by their angles	5.G.B.4
FORWARD 2	Find a percent of a full turn — nearest related (no direct Grade 6 s...	6.RP.A.3.c

SET 52 • 4.MD.C.5.a

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.C.5.a

How many one-degree angles make a full circle?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.5.a • Set 52 • MAIN • Q1/5

1589

QUESTION ID

S52-M-Q1

TYPE

Short answer

CORRECT ANSWER

360

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.5.a • Set 52 • MAIN • Q1/5

True or false?

An angle that turns through $\frac{1}{4}$ of a full circle measures 90° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.5.a • Set 52 • MAIN • Q2/5

1590

QUESTION ID

S52-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.5.a • Set 52 • MAIN • Q2/5

What fraction of a full circle does a 180° angle turn through?

A. $\frac{1}{3}$

B. $\frac{1}{2}$

C. $\frac{1}{180}$

D. $\frac{1}{4}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q3

Grade 4 • Measurement & Data • 4.MD.C.5.a • Set 52 • MAIN • Q3/5

1591

QUESTION ID

S52-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q3

Grade 4 • Measurement & Data • 4.MD.C.5.a • Set 52 • MAIN • Q3/5

An angle turns through $\frac{1}{6}$ of a full circle.

What is its measure?

Measure: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.5.a • Set 52 • MAIN • Q4/5

1592

QUESTION ID

S52-M-Q4

TYPE

Short answer

CORRECT ANSWER

60°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.5.a • Set 52 • MAIN • Q4/5

True or false?

An angle that turns through $\frac{1}{3}$ of a full circle measures 30° .

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q5

Grade 4 • Measurement & Data • 4.MD.C.5.a • Set 52 • MAIN • Q5/5

1593

QUESTION ID

S52-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-M-Q5

Grade 4 • Measurement & Data • 4.MD.C.5.a • Set 52 • MAIN • Q5/5

SET 52 • 4.MD.C.5.a

BACKWARD 1

Equal parts of a shape • Grade 3 • Geometry • 3.G.A.2

A circle is cut into 4 equal parts.

What fraction of the circle is 1 part?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q1

Grade 3 • Geometry • 3.G.A.2 • Set 52 • BACKWARD 1 • Q1/5

1595

QUESTION ID

S52-B1-Q1

TYPE

Short answer

CORRECT ANSWER

1/4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q1

Grade 3 • Geometry • 3.G.A.2 • Set 52 • BACKWARD 1 • Q1/5

True or false?

A circle cut into 2 equal parts is cut into halves.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q2

Grade 3 • Geometry • 3.G.A.2 • Set 52 • BACKWARD 1 • Q2/5

1596

QUESTION ID

S52-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q2

Grade 3 • Geometry • 3.G.A.2 • Set 52 • BACKWARD 1 • Q2/5

A circle is cut into 6 equal parts.

What fraction of the circle is each part?

A. $\frac{1}{3}$

B. $\frac{5}{6}$

C. $\frac{6}{1}$

D. $\frac{1}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q3

Grade 3 • Geometry • 3.G.A.2 • Set 52 • BACKWARD 1 • Q3/5

1597

QUESTION ID

S52-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 1/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q3

Grade 3 • Geometry • 3.G.A.2 • Set 52 • BACKWARD 1 • Q3/5

Each part of a circle is $\frac{1}{8}$ of the circle.

Into how many equal parts is the circle cut?

Parts: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q4

Grade 3 • Geometry • 3.G.A.2 • Set 52 • BACKWARD 1 • Q4/5

1598

QUESTION ID

S52-B1-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q4

Grade 3 • Geometry • 3.G.A.2 • Set 52 • BACKWARD 1 • Q4/5

True or false?

A circle cut into 3 parts of different sizes is cut into thirds.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q5

Grade 3 • Geometry • 3.G.A.2 • Set 52 • BACKWARD 1 • Q5/5

1599

QUESTION ID

S52-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B1-Q5

Grade 3 • Geometry • 3.G.A.2 • Set 52 • BACKWARD 1 • Q5/5

SET 52 • 4.MD.C.5.a

BACKWARD 2

Turns of the minute hand on a clock • Grade 3 • Measurement & Data •
3.MD.A.1

The minute hand turns from 12 to 3.

How many minutes pass?

Minutes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q1

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 52 • BACKWARD 2 • Q1/5

1601

QUESTION ID

S52-B2-Q1

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q1

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 52 • BACKWARD 2 • Q1/5

True or false?

When the minute hand makes a full turn, 60 minutes pass.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q2

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 52 • BACKWARD 2 • Q2/5

1602

QUESTION ID

S52-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q2

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 52 • BACKWARD 2 • Q2/5

The minute hand turns halfway around the clock.

How many minutes pass?

- A. 60
- B. 30
- C. 15
- D. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q3

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 52 • BACKWARD 2 • Q3/5

1603

QUESTION ID

S52-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q3

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 52 • BACKWARD 2 • Q3/5

The minute hand turns from 12 to 9.

How many minutes pass?

Minutes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q4

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 52 • BACKWARD 2 • Q4/5

1604

QUESTION ID

S52-B2-Q4

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q4

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 52 • BACKWARD 2 • Q4/5

True or false?

A quarter turn of the minute hand takes 25 minutes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q5

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 52 • BACKWARD 2 • Q5/5

1605

QUESTION ID

S52-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-B2-Q5

Grade 3 • Measurement & Data • 3.MD.A.1 • Set 52 • BACKWARD 2 • Q5/5

SET 52 • 4.MD.C.5.a

FORWARD 1

Classify triangles by their angles • Grade 5 • Geometry • 5.G.B.4

A triangle has angles of 90° , 60° , and 30° .

Classify it by its angles.

Classification: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q1

Grade 5 • Geometry • 5.G.B.4 • Set 52 • FORWARD 1 • Q1/5

1607

QUESTION ID

S52-F1-Q1

TYPE

Short answer

CORRECT ANSWER

Right triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q1

Grade 5 • Geometry • 5.G.B.4 • Set 52 • FORWARD 1 • Q1/5

True or false?

A triangle with angles of 70° , 60° , and 50° is an acute triangle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q2

Grade 5 • Geometry • 5.G.B.4 • Set 52 • FORWARD 1 • Q2/5

1608

QUESTION ID

S52-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q2

Grade 5 • Geometry • 5.G.B.4 • Set 52 • FORWARD 1 • Q2/5

A triangle has one angle of 120° .

What kind of triangle is it?

- A. Right
- B. Obtuse
- C. Acute
- D. Equilateral

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q3

Grade 5 • Geometry • 5.G.B.4 • Set 52 • FORWARD 1 • Q3/5

1609

QUESTION ID

S52-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. Obtuse

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q3

Grade 5 • Geometry • 5.G.B.4 • Set 52 • FORWARD 1 • Q3/5

Can a triangle have two right angles? Write yes or no.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q4

Grade 5 • Geometry • 5.G.B.4 • Set 52 • FORWARD 1 • Q4/5

1610

QUESTION ID

S52-F1-Q4

TYPE

Short answer

CORRECT ANSWER

No

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q4

Grade 5 • Geometry • 5.G.B.4 • Set 52 • FORWARD 1 • Q4/5

True or false?

An obtuse triangle has three angles that are each less than 90° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q5

Grade 5 • Geometry • 5.G.B.4 • Set 52 • FORWARD 1 • Q5/5

1611

QUESTION ID

S52-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F1-Q5

Grade 5 • Geometry • 5.G.B.4 • Set 52 • FORWARD 1 • Q5/5

FORWARD 2

Find a percent of a full turn • Grade 6 • Ratios & Proportional Relationships •
6.RP.A.3.c

► No Grade 6 standard directly continues this skill. This branch uses the nearest related Grade 6 standard.

What is 25% of 360° ?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 52 • FORWARD 2 • Q1/5 • NEAREST RELATED

1613

QUESTION ID

S52-F2-Q1

TYPE

Short answer

CORRECT ANSWER

90°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 52 • FORWARD 2 • Q1/5 • NEAREST RELATED

True or false?

50% of a full turn is 180° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 52 • FORWARD 2 • Q2/5 • NEAREST RELATED

1614

QUESTION ID

S52-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 52 • FORWARD 2 • Q2/5 • NEAREST RELATED

What percent of a full circle is 36° ?

- A.** 10%
- B.** 1%
- C.** 20%
- D.** 36%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 52 • FORWARD 2 • Q3/5 • NEAREST RELATED

1615

QUESTION ID

S52-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 10%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 52 • FORWARD 2 • Q3/5 • NEAREST RELATED

ANSWER KEY

Reduced copy of the question page, with its answer

What is 75% of 360° ?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 52 • FORWARD 2 • Q4/5 • NEAREST RELATED

1616

QUESTION ID

S52-F2-Q4

TYPE

Short answer

CORRECT ANSWER

 270°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 52 • FORWARD 2 • Q4/5 • NEAREST RELATED

1616

True or false?

20% of 360° is 20° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 52 • FORWARD 2 • Q5/5 • NEAREST RELATED

1617

QUESTION ID

S52-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S52-F2-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.c • Set 52 • FORWARD 2 • Q5/5 • NEAREST RELATED

An angle that turns through n one-degree angles has a measure of n degrees

MAIN	Grade 4 main question	4.MD.C.5.b
BACKWARD 1	A shape covered by n unit squares has an area of n square units	3.MD.C.5.b
BACKWARD 2	Measure length by laying units end to end	1.MD.A.2
FORWARD 1	A solid packed with n unit cubes has a volume of n cubic units	5.MD.C.3.b
FORWARD 2	Find volume by packing with unit-fraction cubes	6.G.A.2

SET 53 • 4.MD.C.5.b

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.C.5.b

An angle turns through 45 one-degree angles.

What is its measure?

Measure: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.5.b • Set 53 • MAIN • Q1/5

1620

QUESTION ID

S53-M-Q1

TYPE

Short answer

CORRECT ANSWER

45°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.5.b • Set 53 • MAIN • Q1/5

True or false?

An angle made of 120 one-degree angles measures 120° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.5.b • Set 53 • MAIN • Q2/5

1621

QUESTION ID

S53-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.5.b • Set 53 • MAIN • Q2/5

How many one-degree angles make a 75° angle?

- A. 15
- B. 360
- C. 75
- D. 285

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q3

Grade 4 • Measurement & Data • 4.MD.C.5.b • Set 53 • MAIN • Q3/5

1622

QUESTION ID

S53-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q3

Grade 4 • Measurement & Data • 4.MD.C.5.b • Set 53 • MAIN • Q3/5

A fan blade turns through 30 one-degree angles and then 20 more in the same direction.

What angle did it turn through?

Angle: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.5.b • Set 53 • MAIN • Q4/5

1623

QUESTION ID

S53-M-Q4

TYPE

Short answer

CORRECT ANSWER

50°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.5.b • Set 53 • MAIN • Q4/5

True or false?

A 90° angle is made of 9 one-degree angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q5

Grade 4 • Measurement & Data • 4.MD.C.5.b • Set 53 • MAIN • Q5/5

1624

QUESTION ID

S53-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-M-Q5

Grade 4 • Measurement & Data • 4.MD.C.5.b • Set 53 • MAIN • Q5/5

SET 53 • 4.MD.C.5.b

BACKWARD 1

A shape covered by n unit squares has an area of n square units • Grade 3 •
Measurement & Data • 3.MD.C.5.b

A shape is covered by 14 unit squares with no gaps or overlaps.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.5.b • Set 53 • BACKWARD 1 • Q1/5

1626

QUESTION ID

S53-B1-Q1

TYPE

Short answer

CORRECT ANSWER

14 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q1

Grade 3 • Measurement & Data • 3.MD.C.5.b • Set 53 • BACKWARD 1 • Q1/5

True or false?

A shape covered by 9 unit squares with no gaps has an area of 9 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.5.b • Set 53 • BACKWARD 1 • Q2/5

1627

QUESTION ID

S53-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q2

Grade 3 • Measurement & Data • 3.MD.C.5.b • Set 53 • BACKWARD 1 • Q2/5

A rectangle is covered by 20 unit squares.

What is its area?

- A. 10 square units
- B. 20 units
- C. 40 square units
- D. 20 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.5.b • Set 53 • BACKWARD 1 • Q3/5

1628

QUESTION ID

S53-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 20 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q3

Grade 3 • Measurement & Data • 3.MD.C.5.b • Set 53 • BACKWARD 1 • Q3/5

How many unit squares cover a shape with an area of 6 square units?

Unit squares: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.5.b • Set 53 • BACKWARD 1 • Q4/5

1629

QUESTION ID

S53-B1-Q4

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q4

Grade 3 • Measurement & Data • 3.MD.C.5.b • Set 53 • BACKWARD 1 • Q4/5

True or false?

A shape covered by 8 unit squares has an area of 16 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.5.b • Set 53 • BACKWARD 1 • Q5/5

1630

QUESTION ID

S53-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B1-Q5

Grade 3 • Measurement & Data • 3.MD.C.5.b • Set 53 • BACKWARD 1 • Q5/5

SET 53 • 4.MD.C.5.b

BACKWARD 2

Measure length by laying units end to end • Grade 1 • Measurement & Data •
1.MD.A.2

A pencil is as long as 6 paper clips laid end to end.

How many paper clips long is it?

Paper clips: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q1

Grade 1 • Measurement & Data • 1.MD.A.2 • Set 53 • BACKWARD 2 • Q1/5

1632

QUESTION ID

S53-B2-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q1

Grade 1 • Measurement & Data • 1.MD.A.2 • Set 53 • BACKWARD 2 • Q1/5

True or false?

Length units laid end to end must have no gaps or overlaps.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q2

Grade 1 • Measurement & Data • 1.MD.A.2 • Set 53 • BACKWARD 2 • Q2/5

1633

QUESTION ID

S53-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q2

Grade 1 • Measurement & Data • 1.MD.A.2 • Set 53 • BACKWARD 2 • Q2/5

A crayon is as long as 4 cubes in a row.

How long is the crayon?

- A. 5 cubes
- B. 4 cubes
- C. 1 cube
- D. 8 cubes

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q3

Grade 1 • Measurement & Data • 1.MD.A.2 • Set 53 • BACKWARD 2 • Q3/5

1634

QUESTION ID

S53-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 4 cubes

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q3

Grade 1 • Measurement & Data • 1.MD.A.2 • Set 53 • BACKWARD 2 • Q3/5

A book is 9 tiles long. A desk is 3 tiles longer.

How many tiles long is the desk?

Tiles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q4

Grade 1 • Measurement & Data • 1.MD.A.2 • Set 53 • BACKWARD 2 • Q4/5

1635

QUESTION ID

S53-B2-Q4

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q4

Grade 1 • Measurement & Data • 1.MD.A.2 • Set 53 • BACKWARD 2 • Q4/5

True or false?

If the cubes overlap when you measure, the count is still correct.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q5

Grade 1 • Measurement & Data • 1.MD.A.2 • Set 53 • BACKWARD 2 • Q5/5

1636

QUESTION ID

S53-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-B2-Q5

Grade 1 • Measurement & Data • 1.MD.A.2 • Set 53 • BACKWARD 2 • Q5/5

SET 53 • 4.MD.C.5.b

FORWARD 1

A solid packed with n unit cubes has a volume of n cubic units • Grade 5 •
Measurement & Data • 5.MD.C.3.b

A box is filled with 24 unit cubes with no gaps or overlaps.

What is its volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q1

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 53 • FORWARD 1 • Q1/5

1638

QUESTION ID

S53-F1-Q1

TYPE

Short answer

CORRECT ANSWER

24 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q1

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 53 • FORWARD 1 • Q1/5

True or false?

A solid built from 15 unit cubes has a volume of 15 cubic units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q2

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 53 • FORWARD 1 • Q2/5

1639

QUESTION ID

S53-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q2

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 53 • FORWARD 1 • Q2/5

A prism has 3 layers with 8 unit cubes in each layer.

What is its volume?

- A. 24 square units
- B. 11 cubic units
- C. 24 cubic units
- D. 38 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q3

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 53 • FORWARD 1 • Q3/5

1640

QUESTION ID

S53-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 24 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q3

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 53 • FORWARD 1 • Q3/5

How many unit cubes fill a box with a volume of 40 cubic units?

Unit cubes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q4

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 53 • FORWARD 1 • Q4/5

1641

QUESTION ID

S53-F1-Q4

TYPE

Short answer

CORRECT ANSWER

40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q4

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 53 • FORWARD 1 • Q4/5

True or false?

A cube with edges 1 unit long has a volume of 6 cubic units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q5

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 53 • FORWARD 1 • Q5/5

1642

QUESTION ID

S53-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F1-Q5

Grade 5 • Measurement & Data • 5.MD.C.3.b • Set 53 • FORWARD 1 • Q5/5

SET 53 • 4.MD.C.5.b

FORWARD 2

Find volume by packing with unit-fraction cubes • Grade 6 • Geometry •
6.G.A.2

How many cubes with edges $\frac{1}{2}$ unit long fill a cube with edges 1 unit long?

Cubes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 53 • FORWARD 2 • Q1/5

1644

QUESTION ID

S53-F2-Q1

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q1

Grade 6 • Geometry • 6.G.A.2 • Set 53 • FORWARD 2 • Q1/5

True or false?

A cube with edges $\frac{1}{2}$ unit long has a volume of $\frac{1}{8}$ cubic unit.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 53 • FORWARD 2 • Q2/5

1645

QUESTION ID

S53-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q2

Grade 6 • Geometry • 6.G.A.2 • Set 53 • FORWARD 2 • Q2/5

A box is packed with 16 cubes that each have edges $\frac{1}{2}$ unit long.

What is its volume?

- A.** 2 cubic units **B.** 16 cubic units
C. 4 cubic units **D.** 8 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 53 • FORWARD 2 • Q3/5

1646

QUESTION ID

S53-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 2 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q3

Grade 6 • Geometry • 6.G.A.2 • Set 53 • FORWARD 2 • Q3/5

Find the volume of a prism that is 2 units by $1\frac{1}{2}$ units by $\frac{1}{2}$ unit.

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 53 • FORWARD 2 • Q4/5

1647

QUESTION ID

S53-F2-Q4

TYPE

Short answer

CORRECT ANSWER

1 1/2 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q4

Grade 6 • Geometry • 6.G.A.2 • Set 53 • FORWARD 2 • Q4/5

True or false?

A box that is 1 unit by 1 unit by $\frac{1}{2}$ unit holds exactly 2 cubes with edges $\frac{1}{2}$ unit long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 53 • FORWARD 2 • Q5/5

1648

QUESTION ID

S53-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S53-F2-Q5

Grade 6 • Geometry • 6.G.A.2 • Set 53 • FORWARD 2 • Q5/5

Measure angles in whole-number degrees using a protractor

MAIN	Grade 4 main question	4.MD.C.6
BACKWARD 1	Measure length with a ruler	2.MD.A.1
BACKWARD 2	Shapes with a given number of angles	2.G.A.1
FORWARD 1	Attributes of a category belong to its subcategories	5.G.B.3
FORWARD 2	Write and solve $x + p = q$ to find an unknown angle — nearest re...	6.EE.B.7

SET 54 • 4.MD.C.6


MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.C.6

Use the protractor.

What is the measure of the angle?

Measure: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 54 • MAIN • Q1/5

1651

QUESTION ID

S54-M-Q1

TYPE

Short answer

CORRECT ANSWER

65°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S54-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 54 • MAIN • Q1/5

Use the protractor.

What is the measure of the angle?

Measure: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 54 • MAIN • Q2/5

1652

QUESTION ID

S54-M-Q2

TYPE

Short answer

CORRECT ANSWER

140°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S54-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 54 • MAIN • Q2/5

Use the protractor. One ray points to 180 on the outer scale.

What is the measure of the angle?

- A.** 150° **B.** 120°
C. 180° **D.** 30°



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q3

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 54 • MAIN • Q3/5

1653

QUESTION ID

S54-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 30°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S54-M-Q3

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 54 • MAIN • Q3/5

True or false?

The angle measures 90° .

- A. True
- B. False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 54 • MAIN • Q4/5

1654

QUESTION ID

S54-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S54-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 54 • MAIN • Q4/5

Use the protractor.

What is the measure of the angle?

Measure: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q5

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 54 • MAIN • Q5/5

1655

QUESTION ID

S54-M-Q5

TYPE

Short answer

CORRECT ANSWER

75°

GRADING NOTE The rays cross the scale at 40 and 115, and $115 - 40 = 75$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-M-Q5

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 54 • MAIN • Q5/5

SET 54 • 4.MD.C.6

BACKWARD 1

Measure length with a ruler • Grade 2 • Measurement & Data • 2.MD.A.1

A pencil reaches from 0 to 7 on an inch ruler.

How long is the pencil?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q1

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 54 • BACKWARD 1 • Q1/5

1657

QUESTION ID

S54-B1-Q1

TYPE

Short answer

CORRECT ANSWER

7 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q1

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 54 • BACKWARD 1 • Q1/5

True or false?

When you measure with a ruler, you can line up one end of the object with 0.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q2

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 54 • BACKWARD 1 • Q2/5

1658

QUESTION ID

S54-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q2

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 54 • BACKWARD 1 • Q2/5

A crayon starts at 2 cm and ends at 9 cm on a ruler.

How long is the crayon?

- A. 2 cm
- B. 7 cm
- C. 9 cm
- D. 11 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q3

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 54 • BACKWARD 1 • Q3/5

1659

QUESTION ID

S54-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 7 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q3

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 54 • BACKWARD 1 • Q3/5

A leaf reaches from 0 to 5 on a centimeter ruler.

How long is the leaf?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q4

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 54 • BACKWARD 1 • Q4/5

1660

QUESTION ID

S54-B1-Q4

TYPE

Short answer

CORRECT ANSWER

5 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q4

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 54 • BACKWARD 1 • Q4/5

True or false?

An eraser that reaches from 3 to 8 on a ruler is 8 units long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q5

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 54 • BACKWARD 1 • Q5/5

1661

QUESTION ID

S54-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B1-Q5

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 54 • BACKWARD 1 • Q5/5

SET 54 • 4.MD.C.6

BACKWARD 2

Shapes with a given number of angles • Grade 2 • Geometry • 2.G.A.1

How many angles does a triangle have?

Angles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 54 • BACKWARD 2 • Q1/5

1663

QUESTION ID

S54-B2-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 54 • BACKWARD 2 • Q1/5

True or false?

A square has 4 angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 54 • BACKWARD 2 • Q2/5

1664

QUESTION ID

S54-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 54 • BACKWARD 2 • Q2/5

Which shape has 6 angles?

- A.** Pentagon
- B.** Quadrilateral
- C.** Hexagon
- D.** Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 54 • BACKWARD 2 • Q3/5

1665

QUESTION ID

S54-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. Hexagon

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 54 • BACKWARD 2 • Q3/5

How many angles does a pentagon have?

Angles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 54 • BACKWARD 2 • Q4/5

1666

QUESTION ID

S54-B2-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 54 • BACKWARD 2 • Q4/5

True or false?

A circle has 4 angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 54 • BACKWARD 2 • Q5/5

1667

QUESTION ID

S54-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-B2-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 54 • BACKWARD 2 • Q5/5

SET 54 • 4.MD.C.6

FORWARD 1

Attributes of a category belong to its subcategories • Grade 5 • Geometry •
5.G.B.3

True or false?

Every right triangle has one 90° angle. An isosceles right triangle is a right triangle, so it has a 90° angle.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q1

Grade 5 • Geometry • 5.G.B.3 • Set 54 • FORWARD 1 • Q1/5

1669

QUESTION ID

S54-F1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q1

Grade 5 • Geometry • 5.G.B.3 • Set 54 • FORWARD 1 • Q1/5

A shape is a rhombus.

Which statement must be true?

- A.** Its opposite angles are equal.
- B.** All its angles are 90° .
- C.** It has 3 sides.
- D.** It has exactly one pair of parallel sides.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q2

Grade 5 • Geometry • 5.G.B.3 • Set 54 • FORWARD 1 • Q2/5

1670

QUESTION ID

S54-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. Its opposite angles are equal.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q2

Grade 5 • Geometry • 5.G.B.3 • Set 54 • FORWARD 1 • Q2/5

A quadrilateral has four 90° angles and four sides of equal length.

What is its most specific name?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q3

Grade 5 • Geometry • 5.G.B.3 • Set 54 • FORWARD 1 • Q3/5

1671

QUESTION ID

S54-F1-Q3

TYPE

Short answer

CORRECT ANSWER

Square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q3

Grade 5 • Geometry • 5.G.B.3 • Set 54 • FORWARD 1 • Q3/5

True or false?

Every parallelogram has four 90° angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q4

Grade 5 • Geometry • 5.G.B.3 • Set 54 • FORWARD 1 • Q4/5

1672

QUESTION ID

S54-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q4

Grade 5 • Geometry • 5.G.B.3 • Set 54 • FORWARD 1 • Q4/5

A triangle has angles of 45° , 45° , and 90° .

Name two categories of triangles it belongs to.

Categories: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q5

Grade 5 • Geometry • 5.G.B.3 • Set 54 • FORWARD 1 • Q5/5

1673

QUESTION ID

S54-F1-Q5

TYPE

Short answer

CORRECT ANSWER

**Right triangle and
isosceles triangle**

GRADING NOTE Both are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F1-Q5

Grade 5 • Geometry • 5.G.B.3 • Set 54 • FORWARD 1 • Q5/5

FORWARD 2

Write and solve $x + p = q$ to find an unknown angle • Grade 6 • Expressions & Equations • 6.EE.B.7

► No Grade 6 standard directly continues this skill. This branch uses the nearest related Grade 6 standard.

Two angles together make a 90° angle. One of them is 35° .

Write and solve an equation for the other angle, x .

Equation: _____

$x =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 54 • FORWARD 2 • Q1/5 • NEAREST RELATED

1675

QUESTION ID

S54-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$x + 35 = 90; x = 55^\circ$

GRADING NOTE Any equivalent equation is correct. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 54 • FORWARD 2 • Q1/5 • NEAREST RELATED

True or false?

If $x + 120 = 180$, then $x = 60$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 54 • FORWARD 2 • Q2/5 • NEAREST RELATED

1676

QUESTION ID

S54-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 54 • FORWARD 2 • Q2/5 • NEAREST RELATED

Solve for a.

$$a + 48 = 90$$

- A.** 42
- B.** 138
- C.** 48
- D.** 52

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 54 • FORWARD 2 • Q3/5 • NEAREST RELATED

1677

QUESTION ID

S54-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 54 • FORWARD 2 • Q3/5 • NEAREST RELATED

Solve for y.

$$y + 75 = 180$$

$$y = \underline{\hspace{2cm}}$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 54 • FORWARD 2 • Q4/5 • NEAREST RELATED

1678

QUESTION ID

S54-F2-Q4

TYPE

Short answer

CORRECT ANSWER

105

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 54 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

If $2x = 90$, then $x = 180$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 54 • FORWARD 2 • Q5/5 • NEAREST RELATED

1679

QUESTION ID

S54-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S54-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 54 • FORWARD 2 • Q5/5 • NEAREST RELATED

Sketch angles of a given measure using a protractor


MAIN	Grade 4 main question	4.MD.C.6
BACKWARD 1	Draw shapes with given attributes	2.G.A.1
BACKWARD 2	Defining attributes of shapes	1.G.A.1
FORWARD 1	Graph points in the first quadrant	5.G.A.2
FORWARD 2	Draw polygons in the coordinate plane	6.G.A.3

SET 55 • 4.MD.C.6

MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.C.6

Use the protractor to draw an angle of 50° . One ray is drawn for you.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 55 • MAIN • Q1/5

1682

QUESTION ID

S55-M-Q1

TYPE

Drawing / plotting

CORRECT ANSWER


A second ray drawn from the center through the 50° mark, making a 50° angle with the given ray

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 55 • MAIN • Q1/5

Use the protractor to draw an angle of 120° . One ray is drawn for you.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 55 • MAIN • Q2/5

1683

QUESTION ID

S55-M-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

A second ray drawn from the center through the 120° mark

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q2


Grade 4 • Measurement & Data • 4.MD.C.6 • Set 55 • MAIN • Q2/5

1683

Use the protractor to draw an angle of 90° . One ray is drawn for you.

What kind of angle is it?

Kind of angle: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 55 • MAIN • Q3/5

ID S55-M-Q3

1684

QUESTION ID

S55-M-Q3

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: A second ray drawn from the center through the 90° mark

Written: Right angle

GRADING NOTE Grade both: a ray through 90° , and the name "right angle".

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


Grade 4 • Measurement & Data • 4.MD.C.6 • Set 55 • MAIN • Q3/5

ID S55-M-Q3

Kim wants to draw a 70° angle. Her first ray points to 0 on the outer scale.

Where should she draw the second ray?

- A. Through 70 on the inner scale
- B. Through 0 on the inner scale
- C. Through 110 on the outer scale
- D. Through 70 on the outer scale



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 55 • MAIN • Q4/5

1685

QUESTION ID

S55-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. Through 70 on the outer scale

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S55-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 55 • MAIN • Q4/5

Use the protractor to draw an angle of 35° . One ray is drawn for you.

Is the angle acute or obtuse?

Answer: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 55 • MAIN • Q5/5

ID S55-M-Q5

1686

QUESTION ID

S55-M-Q5

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: A second ray drawn from the center through the 35° mark

Written: Acute

GRADING NOTE Grade both: a ray through 35° , and "acute".

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 4 • Measurement & Data • 4.MD.C.6 • Set 55 • MAIN • Q5/5

ID S55-M-Q5

SET 55 • 4.MD.C.6

BACKWARD 1

Draw shapes with given attributes • Grade 2 • Geometry • 2.G.A.1

A shape has 4 sides and 4 angles.

Name a shape it could be.

Shape: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 55 • BACKWARD 1 • Q1/5

1688

QUESTION ID

S55-B1-Q1

TYPE

Short answer

CORRECT ANSWER

A square

GRADING NOTE Any quadrilateral (rectangle, rhombus, trapezoid, and so on) is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 55 • BACKWARD 1 • Q1/5

True or false?

A triangle has 3 sides and 3 angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 55 • BACKWARD 1 • Q2/5

1689

QUESTION ID

S55-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 55 • BACKWARD 1 • Q2/5

Which shape has 5 sides?

- A.** Triangle
- B.** Hexagon
- C.** Pentagon
- D.** Square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 55 • BACKWARD 1 • Q3/5

1690

QUESTION ID

S55-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER


C. Pentagon

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 55 • BACKWARD 1 • Q3/5

Draw a shape that has 3 sides.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 55 • BACKWARD 1 • Q4/5

1691

QUESTION ID

S55-B1-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

**Any closed shape
with 3 straight sides
(a triangle)**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 55 • BACKWARD 1 • Q4/5

True or false?

A shape with 6 angles has 4 sides.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 55 • BACKWARD 1 • Q5/5

1692

QUESTION ID

S55-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B1-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 55 • BACKWARD 1 • Q5/5

SET 55 • 4.MD.C.6

BACKWARD 2

Defining attributes of shapes • Grade 1 • Geometry • 1.G.A.1

True or false?

A triangle can be any color or size and still be a triangle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q1

Grade 1 • Geometry • 1.G.A.1 • Set 55 • BACKWARD 2 • Q1/5

1694

QUESTION ID

S55-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q1

Grade 1 • Geometry • 1.G.A.1 • Set 55 • BACKWARD 2 • Q1/5

Which is a defining attribute of a square?

- A.** It is turned on its corner.
- B.** It is blue.
- C.** It is big.
- D.** It has 4 equal sides.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q2

Grade 1 • Geometry • 1.G.A.1 • Set 55 • BACKWARD 2 • Q2/5

1695

QUESTION ID

S55-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. It has 4 equal sides.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q2

Grade 1 • Geometry • 1.G.A.1 • Set 55 • BACKWARD 2 • Q2/5

How many corners (vertices) does a rectangle have?

Corners: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q3

Grade 1 • Geometry • 1.G.A.1 • Set 55 • BACKWARD 2 • Q3/5

1696

QUESTION ID

S55-B2-Q3

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q3

Grade 1 • Geometry • 1.G.A.1 • Set 55 • BACKWARD 2 • Q3/5

True or false?

A shape must be large to be a hexagon.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q4

Grade 1 • Geometry • 1.G.A.1 • Set 55 • BACKWARD 2 • Q4/5

1697

QUESTION ID

S55-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q4

Grade 1 • Geometry • 1.G.A.1 • Set 55 • BACKWARD 2 • Q4/5

A closed shape has 3 straight sides.

What is it called?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q5

Grade 1 • Geometry • 1.G.A.1 • Set 55 • BACKWARD 2 • Q5/5

1698

QUESTION ID

S55-B2-Q5

TYPE

Short answer

CORRECT ANSWER

Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-B2-Q5


Grade 1 • Geometry • 1.G.A.1 • Set 55 • BACKWARD 2 • Q5/5

SET 55 • 4.MD.C.6

FORWARD 1

Graph points in the first quadrant • Grade 5 • Geometry • 5.G.A.2

Plot and label the points A(2, 6), B(5, 1), and C(0, 4).



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q1

Grade 5 • Geometry • 5.G.A.2 • Set 55 • FORWARD 1 • Q1/5

1700

QUESTION ID

S55-F1-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

A plotted at (2, 6), B at (5, 1), C at (0, 4), each labeled

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q1

Grade 5 • Geometry • 5.G.A.2 • Set 55 • FORWARD 1 • Q1/5

True or false?

The point (4, 0) is on the x-axis.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q2

Grade 5 • Geometry • 5.G.A.2 • Set 55 • FORWARD 1 • Q2/5

1701

QUESTION ID

S55-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q2

Grade 5 • Geometry • 5.G.A.2 • Set 55 • FORWARD 1 • Q2/5

Which point is 3 units to the right of the origin and 5 units up?

- A. (3, 5)
- B. (5, 5)
- C. (3, 3)
- D. (5, 3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q3

Grade 5 • Geometry • 5.G.A.2 • Set 55 • FORWARD 1 • Q3/5

1702

QUESTION ID

S55-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. (3, 5)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S55-F1-Q3

Grade 5 • Geometry • 5.G.A.2 • Set 55 • FORWARD 1 • Q3/5

Plot (1, 1), (5, 1), and (1, 4),
and connect them.

What kind of angle is at (1,
1)?

Kind of angle: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 5 • Geometry • 5.G.A.2 • Set 55 • FORWARD 1 • Q4/5

ID S55-F1-Q4

1703

QUESTION ID

S55-F1-Q4

TYPE

Drawing + written answer

CORRECT ANSWER

**Drawing: Points
plotted at (1, 1), (5, 1)
and (1, 4) and joined
to make a triangle**

Written: Right angle

GRADING NOTE Grade both: the three points joined, and "right angle".

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 5 • Geometry • 5.G.A.2 • Set 55 • FORWARD 1 • Q4/5

ID S55-F1-Q4

True or false?

The point $(0, 3)$ is on the x-axis.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q5

Grade 5 • Geometry • 5.G.A.2 • Set 55 • FORWARD 1 • Q5/5

1704

QUESTION ID

S55-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F1-Q5

Grade 5 • Geometry • 5.G.A.2 • Set 55 • FORWARD 1 • Q5/5

SET 55 • 4.MD.C.6


FORWARD 2

Draw polygons in the coordinate plane • Grade 6 • Geometry • 6.G.A.3

Plot $A(-3, 2)$, $B(3, 2)$, $C(3, -2)$, and $D(-3, -2)$. Connect them in order.

What is the most specific name for the polygon?

Name: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q1

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 2 • Q1/5

1706

QUESTION ID

S55-F2-Q1

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: A, B, C and D plotted and joined in order A-B-C-D-A

Written: Rectangle

GRADING NOTE Grade both: the four points joined in order, and "rectangle" (sides 6 and 4 units, four right angles).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q1

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 2 • Q1/5

What is the length of the side from $(-2, 4)$ to $(5, 4)$?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q2

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 2 • Q2/5

1707

QUESTION ID

S55-F2-Q2

TYPE

Short answer

CORRECT ANSWER

7 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q2

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 2 • Q2/5

Three vertices of a square are $(0, 0)$, $(4, 0)$, and $(4, 4)$.

What is the fourth vertex?

- A. $(8, 4)$
- B. $(0, 8)$
- C. $(4, 8)$
- D. $(0, 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q3

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 2 • Q3/5

1708

QUESTION ID

S55-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $(0, 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q3

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 2 • Q3/5

True or false?

The points (1, 1), (1, 5), and (4, 1) are the vertices of a right triangle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q4

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 2 • Q4/5

1709

QUESTION ID

S55-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q4

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 2 • Q4/5

True or false?

The side from $(-3, -1)$ to $(2, -1)$ is 1 unit long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q5

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 2 • Q5/5

1710

QUESTION ID

S55-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S55-F2-Q5

Grade 6 • Geometry • 6.G.A.3 • Set 55 • FORWARD 2 • Q5/5

Angle measure is additive

MAIN	Grade 4 main question	4.MD.C.7
BACKWARD 1	Add within 100	2.NBT.B.5
BACKWARD 2	Area is additive	3.MD.C.7.d
FORWARD 1	Volume is additive	5.MD.C.5.c
FORWARD 2	Write expressions and equations for parts of an angle — nearest...	6.EE.B.6

SET 56 • 4.MD.C.7


MAIN

Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.C.7

Angle ABC is split into two angles of 35° and 50° .

What is the measure of angle ABC?

Measure: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 56 • MAIN • Q1/5

1713

QUESTION ID

S56-M-Q1

TYPE

Short answer

CORRECT ANSWER

85°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 56 • MAIN • Q1/5

True or false?

A 90° angle is split into two angles. One is 40° , so the other is 50° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 56 • MAIN • Q2/5

1714

QUESTION ID

S56-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 56 • MAIN • Q2/5

Angles of 65° and 25° are side by side with no overlap.

What angle do they make together?

- A. 90°
- B. 100°
- C. 80°
- D. 40°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q3

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 56 • MAIN • Q3/5

1715

QUESTION ID

S56-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 90°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q3

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 56 • MAIN • Q3/5

Angles of 30° , 45° , and 60° are side by side with no overlap.

What angle do they make together?

Measure: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 56 • MAIN • Q4/5

1716

QUESTION ID

S56-M-Q4

TYPE

Short answer

CORRECT ANSWER

135°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 56 • MAIN • Q4/5

True or false?

An angle of 120° can be split into angles of 70° and 60° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q5

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 56 • MAIN • Q5/5

1717

QUESTION ID

S56-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-M-Q5

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 56 • MAIN • Q5/5

SET 56 • 4.MD.C.7

BACKWARD 1

Add within 100 • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5

Add.

$$35 + 50$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 56 • BACKWARD 1 • Q1/5

1719

QUESTION ID

S56-B1-Q1

TYPE

Short answer

CORRECT ANSWER

85

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 56 • BACKWARD 1 • Q1/5

True or false?

$$65 + 25 = 90$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 56 • BACKWARD 1 • Q2/5

1720

QUESTION ID

S56-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 56 • BACKWARD 1 • Q2/5

$$45 + 38 = ?$$

- A.** 713
- B.** 93
- C.** 73
- D.** 83

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 56 • BACKWARD 1 • Q3/5

1721

QUESTION ID

S56-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 83

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 56 • BACKWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$27 + 46$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 56 • BACKWARD 1 • Q4/5

1722

QUESTION ID

S56-B1-Q4

TYPE

Short answer

CORRECT ANSWER

73

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 56 • BACKWARD 1 • Q4/5

1722

True or false?

$$58 + 34 = 82$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 56 • BACKWARD 1 • Q5/5

1723

QUESTION ID

S56-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B1-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 56 • BACKWARD 1 • Q5/5

SET 56 • 4.MD.C.7

BACKWARD 2

Area is additive • Grade 3 • Measurement & Data • 3.MD.C.7.d

A figure is made of two rectangles that do not overlap.
Their areas are 12 and 15 square units.

What is the area of the figure?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 56 • BACKWARD 2 • Q1/5

1725

QUESTION ID

S56-B2-Q1

TYPE

Short answer

CORRECT ANSWER

27 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 56 • BACKWARD 2 • Q1/5

True or false?

The area of a figure made of parts that do not overlap is the sum of the areas of the parts.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 56 • BACKWARD 2 • Q2/5

1726

QUESTION ID

S56-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 56 • BACKWARD 2 • Q2/5

A 4-by-3 rectangle and a 2-by-3 rectangle are joined without overlapping.

What is the total area?

- A.** 9 square units
- B.** 24 square units
- C.** 12 square units
- D.** 18 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 56 • BACKWARD 2 • Q3/5

1727

QUESTION ID

S56-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 18 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 56 • BACKWARD 2 • Q3/5

Two squares that do not overlap have areas of 9 and 16 square units.

What is their total area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 56 • BACKWARD 2 • Q4/5

1728

QUESTION ID

S56-B2-Q4

TYPE

Short answer

CORRECT ANSWER

25 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 56 • BACKWARD 2 • Q4/5

True or false?

Two rectangles of 10 and 6 square units that do not overlap have a total area of 60 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 56 • BACKWARD 2 • Q5/5

1729

QUESTION ID

S56-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-B2-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.d • Set 56 • BACKWARD 2 • Q5/5

SET 56 • 4.MD.C.7

FORWARD 1

Volume is additive • Grade 5 • Measurement & Data • 5.MD.C.5.c

Two prisms that do not overlap have volumes of 24 and 36 cubic units.

What is their total volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 56 • FORWARD 1 • Q1/5

1731

QUESTION ID

S56-F1-Q1

TYPE

Short answer

CORRECT ANSWER

60 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q1

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 56 • FORWARD 1 • Q1/5

True or false?

A figure made of a 2-by-3-by-4 prism and a 1-by-3-by-4 prism has a volume of 36 cubic units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 56 • FORWARD 1 • Q2/5

1732

QUESTION ID

S56-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q2

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 56 • FORWARD 1 • Q2/5

A figure is made of a 5-by-2-by-2 prism and a 3-by-2-by-1 prism that do not overlap.

What is its volume?

- A.** 26 cubic units **B.** 20 cubic units
C. 120 cubic units **D.** 6 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 56 • FORWARD 1 • Q3/5

1733

QUESTION ID

S56-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 26 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q3

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 56 • FORWARD 1 • Q3/5

A building is a 9-by-6-by-5 prism with a 3-by-6-by-2 prism attached.

What is its total volume?

Volume: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 56 • FORWARD 1 • Q4/5

1734

QUESTION ID

S56-F1-Q4

TYPE

Short answer

CORRECT ANSWER

306 cubic units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q4

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 56 • FORWARD 1 • Q4/5

True or false?

The volume of two prisms that touch is the product of their volumes.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 56 • FORWARD 1 • Q5/5

1735

QUESTION ID

S56-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F1-Q5

Grade 5 • Measurement & Data • 5.MD.C.5.c • Set 56 • FORWARD 1 • Q5/5

FORWARD 2

Write expressions and equations for parts of an angle • Grade 6 • Expressions & Equations • 6.EE.B.6

► No Grade 6 standard directly continues this skill. This branch uses the nearest related Grade 6 standard.

An angle is split into two parts, x° and 40° .

Write an expression for the measure of the whole angle.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 56 • FORWARD 2 • Q1/5 • NEAREST RELATED

1737

QUESTION ID

S56-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$x + 40$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 56 • FORWARD 2 • Q1/5 • NEAREST RELATED

True or false?

A 90° angle is split into x° and 25° , so
 $x + 25 = 90$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 56 • FORWARD 2 • Q2/5 • NEAREST RELATED

1738

QUESTION ID

S56-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 56 • FORWARD 2 • Q2/5 • NEAREST RELATED

Two equal angles of n° make a straight angle (180°).

Which equation is true?

A. $n + 180 = 2$

B. $2 + n = 180$

C. $n = 180$

D. $2n = 180$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 56 • FORWARD 2 • Q3/5 • NEAREST RELATED

1739

QUESTION ID

S56-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $2n = 180$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 56 • FORWARD 2 • Q3/5 • NEAREST RELATED

Three equal angles of a° make a full turn (360°).

Write an equation.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 56 • FORWARD 2 • Q4/5 • NEAREST RELATED

1740

QUESTION ID

S56-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$3a = 360$

GRADING NOTE $a + a + a = 360$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 56 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

An angle made of parts of y° and 30° measures $30y^\circ$.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 56 • FORWARD 2 • Q5/5 • NEAREST RELATED

1741

QUESTION ID

S56-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S56-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.6 • Set 56 • FORWARD 2 • Q5/5 • NEAREST RELATED

Solve for unknown angles in diagrams and real-world problems with an equation

MAIN	Grade 4 main question	4.MD.C.7
BACKWARD 1	Find an unknown in an addition or subtraction equation	2.OA.A.1
BACKWARD 2	Find an unknown in an equation within 20	1.OA.D.8
FORWARD 1	Evaluate expressions with grouping symbols	5.OA.A.1
FORWARD 2	Write and solve one-step equations for unknown angles — neares...	6.EE.B.7

SET 57 • 4.MD.C.7

MAIN


Grade 4 main question • Grade 4 • Measurement & Data • 4.MD.C.7

The whole angle is a right angle (90°).

Write an equation with a letter for the unknown part. Then solve it.

Equation: _____

Unknown angle: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q1

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 57 • MAIN • Q1/5

1744

QUESTION ID

S57-M-Q1

TYPE

Short answer

CORRECT ANSWER

$x + 28 = 90; x = 62^\circ$

GRADING NOTE Any equivalent equation with a letter is correct. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q1


Grade 4 • Measurement & Data • 4.MD.C.7 • Set 57 • MAIN • Q1/5

The whole angle is 150° .

Write an equation with a letter for the unknown part.
Then solve it.

Equation: _____

Unknown angle: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 57 • MAIN • Q2/5

1745

QUESTION ID

S57-M-Q2

TYPE

Short answer

CORRECT ANSWER

$$95 + a = 150;$$

$$a = 55^\circ$$

GRADING NOTE Any equivalent equation with a letter is correct. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S57-M-Q2

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 57 • MAIN • Q2/5

A straight angle (180°) is split into angles of 110° and m° .

Which equation can be used to find m ?

- A.** $m - 110 = 180$ **B.** $110 + m = 180$
C. $110 + m = 90$ **D.** $m = 110 + 180$



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q3

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 57 • MAIN • Q3/5

1746

QUESTION ID

S57-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $110 + m = 180$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q3

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 57 • MAIN • Q3/5

True or false?

A door opens 35° and then 40° more. It has turned through 75° in all.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 57 • MAIN • Q4/5

1747

QUESTION ID

S57-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q4

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 57 • MAIN • Q4/5

A skater turns 90° and then 135° in the same direction.
How many degrees did she turn in all? How many more
degrees would make a full turn (360°)?

Total turn: _____

More to a full turn: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q5

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 57 • MAIN • Q5/5

1748

QUESTION ID

S57-M-Q5

TYPE

Short answer

CORRECT ANSWER

225° ; 135°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-M-Q5

Grade 4 • Measurement & Data • 4.MD.C.7 • Set 57 • MAIN • Q5/5

SET 57 • 4.MD.C.7

BACKWARD 1

Find an unknown in an addition or subtraction equation • Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1

Find the unknown number.

$$28 + ? = 90$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 57 • BACKWARD 1 • Q1/5

1750

QUESTION ID

S57-B1-Q1

TYPE

Short answer

CORRECT ANSWER

62

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 57 • BACKWARD 1 • Q1/5

True or false?

If $45 + n = 80$, then $n = 35$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 57 • BACKWARD 1 • Q2/5

1751

QUESTION ID

S57-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 57 • BACKWARD 1 • Q2/5

$$? + 37 = 60$$

- A.** 97
- B.** 27
- C.** 33
- D.** 23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 57 • BACKWARD 1 • Q3/5

1752

QUESTION ID

S57-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 57 • BACKWARD 1 • Q3/5

Find the unknown number.

$$100 - ? = 64$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 57 • BACKWARD 1 • Q4/5

1753

QUESTION ID

S57-B1-Q4

TYPE

Short answer

CORRECT ANSWER

36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 57 • BACKWARD 1 • Q4/5

True or false?

If $m + 19 = 50$, then $m = 41$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 57 • BACKWARD 1 • Q5/5

1754

QUESTION ID

S57-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B1-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 57 • BACKWARD 1 • Q5/5

SET 57 • 4.MD.C.7

BACKWARD 2

Find an unknown in an equation within 20 • Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8

Find the unknown number.

$$8 + ? = 15$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q1

Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8 • Set 57 • BACKWARD 2 • Q1/5

1756

QUESTION ID

S57-B2-Q1

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q1

Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8 • Set 57 • BACKWARD 2 • Q1/5

True or false?

If $6 + n = 13$, then $n = 7$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q2

Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8 • Set 57 • BACKWARD 2 • Q2/5

1757

QUESTION ID

S57-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q2

Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8 • Set 57 • BACKWARD 2 • Q2/5

$$? - 4 = 9$$

- A.** 5
- B.** 13
- C.** 12
- D.** 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q3

Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8 • Set 57 • BACKWARD 2 • Q3/5

1758

QUESTION ID

S57-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q3

Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8 • Set 57 • BACKWARD 2 • Q3/5

Find the unknown number.

$$14 - ? = 6$$

Unknown: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q4

Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8 • Set 57 • BACKWARD 2 • Q4/5

1759

QUESTION ID

S57-B2-Q4

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q4

Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8 • Set 57 • BACKWARD 2 • Q4/5

True or false?

If $9 + n = 17$, then $n = 9$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q5

Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8 • Set 57 • BACKWARD 2 • Q5/5

1760

QUESTION ID

S57-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-B2-Q5

Grade 1 • Operations & Algebraic Thinking • 1.OA.D.8 • Set 57 • BACKWARD 2 • Q5/5

SET 57 • 4.MD.C.7

FORWARD 1

Evaluate expressions with grouping symbols • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1

Evaluate.

$$180 - (45 + 60)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 57 • FORWARD 1 • Q1/5

1762

QUESTION ID

S57-F1-Q1

TYPE

Short answer

CORRECT ANSWER

75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 57 • FORWARD 1 • Q1/5

True or false?

$$360 - (90 + 90 + 120) = 60$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 57 • FORWARD 1 • Q2/5

1763

QUESTION ID

S57-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 57 • FORWARD 1 • Q2/5

Evaluate.

$$90 - (12 + 33)$$

- A.** 45
- B.** 111
- C.** 35
- D.** 69

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 57 • FORWARD 1 • Q3/5

1764

QUESTION ID

S57-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 57 • FORWARD 1 • Q3/5

Evaluate.

$$[360 - (100 + 80)] \div 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 57 • FORWARD 1 • Q4/5

1765

QUESTION ID

S57-F1-Q4

TYPE

Short answer

CORRECT ANSWER

90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 57 • FORWARD 1 • Q4/5

True or false?

$$180 - 50 + 30 = 100$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 57 • FORWARD 1 • Q5/5

1766

QUESTION ID

S57-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F1-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 57 • FORWARD 1 • Q5/5

FORWARD 2

Write and solve one-step equations for unknown angles • Grade 6 •
Expressions & Equations • 6.EE.B.7

► No Grade 6 standard directly continues this skill. This branch uses the nearest related Grade 6 standard.

Two equal angles together make 130° .

Write and solve an equation for each angle, x .

Equation: _____

$x =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 57 • FORWARD 2 • Q1/5 • NEAREST RELATED

1768

QUESTION ID

S57-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$2x = 130; x = 65^\circ$

GRADING NOTE Any equivalent equation is correct. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q1

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 57 • FORWARD 2 • Q1/5 • NEAREST RELATED

True or false?

If 4 equal angles make a full turn of 360° , each angle is 90° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 57 • FORWARD 2 • Q2/5 • NEAREST RELATED

1769

QUESTION ID

S57-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q2

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 57 • FORWARD 2 • Q2/5 • NEAREST RELATED

Solve for x.

$$x + 72 = 180$$

- A.** 98
- B.** 108
- C.** 118
- D.** 252

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 57 • FORWARD 2 • Q3/5 • NEAREST RELATED

1770

QUESTION ID

S57-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 108

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q3

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 57 • FORWARD 2 • Q3/5 • NEAREST RELATED

Five equal angles meet at a point and make 360° .

Write and solve an equation for each angle, a .

Equation: _____

$a =$ _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 57 • FORWARD 2 • Q4/5 • NEAREST RELATED

1771

QUESTION ID

S57-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$5a = 360; a = 72^\circ$

GRADING NOTE Any equivalent equation is correct. Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q4

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 57 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

If $x + 45 = 90$, then $x = 135$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 57 • FORWARD 2 • Q5/5 • NEAREST RELATED

1772

QUESTION ID

S57-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S57-F2-Q5

Grade 6 • Expressions & Equations • 6.EE.B.7 • Set 57 • FORWARD 2 • Q5/5 • NEAREST RELATED

Draw and identify points, lines, line segments, and rays

MAIN	Grade 4 main question	4.G.A.1
BACKWARD 1	Shapes with straight sides	1.G.A.1
BACKWARD 2	Measure the length of a segment with a ruler	2.MD.A.1
FORWARD 1	Understand the coordinate plane: perpendicular axes and the orig...	5.G.A.1
FORWARD 2	Name and plot points in all four quadrants	6.NS.C.6.c


SET 58 • 4.G.A.1

MAIN

Grade 4 main question • Grade 4 • Geometry • 4.G.A.1

What is the figure called?

- A. Point
- B. Line segment
- C. Line
- D. Ray



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 58 • MAIN • Q1/5

1775

QUESTION ID

S58-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

D. Ray

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 58 • MAIN • Q1/5

What is the figure called?

- A. Angle
- B. Ray
- C. Line segment
- D. Line



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 58 • MAIN • Q2/5

1776

QUESTION ID

S58-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. Line segment

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 58 • MAIN • Q2/5

True or false?

A line goes on without end in both directions.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 58 • MAIN • Q3/5

1777

QUESTION ID

S58-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 58 • MAIN • Q3/5

Draw ray PQ. It starts at point P and goes through point Q.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q4

Grade 4 • Geometry • 4.G.A.1 • Set 58 • MAIN • Q4/5

1778

QUESTION ID

S58-M-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

A ray that starts at P, passes through Q, and has an arrow past Q

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q4

Grade 4 • Geometry • 4.G.A.1 • Set 58 • MAIN • Q4/5

True or false?

A line segment has an arrow at each end.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 58 • MAIN • Q5/5

1779

QUESTION ID

S58-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 58 • MAIN • Q5/5

SET 58 • 4.G.A.1

BACKWARD 1

Shapes with straight sides • Grade 1 • Geometry • 1.G.A.1

True or false?

A triangle has 3 straight sides.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q1

Grade 1 • Geometry • 1.G.A.1 • Set 58 • BACKWARD 1 • Q1/5

1781

QUESTION ID

S58-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q1

Grade 1 • Geometry • 1.G.A.1 • Set 58 • BACKWARD 1 • Q1/5

Which shape has no straight sides?

- A.** Square
- B.** Triangle
- C.** Circle
- D.** Rectangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q2

Grade 1 • Geometry • 1.G.A.1 • Set 58 • BACKWARD 1 • Q2/5

1782

QUESTION ID

S58-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. Circle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q2

Grade 1 • Geometry • 1.G.A.1 • Set 58 • BACKWARD 1 • Q2/5

How many straight sides does a rectangle have?

Sides: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q3

Grade 1 • Geometry • 1.G.A.1 • Set 58 • BACKWARD 1 • Q3/5

1783

QUESTION ID

S58-B1-Q3

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q3

Grade 1 • Geometry • 1.G.A.1 • Set 58 • BACKWARD 1 • Q3/5

True or false?

A closed shape with 4 straight sides is a circle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q4

Grade 1 • Geometry • 1.G.A.1 • Set 58 • BACKWARD 1 • Q4/5

1784

QUESTION ID

S58-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q4

Grade 1 • Geometry • 1.G.A.1 • Set 58 • BACKWARD 1 • Q4/5

A closed shape has 3 straight sides.

What is it called?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q5

Grade 1 • Geometry • 1.G.A.1 • Set 58 • BACKWARD 1 • Q5/5

1785

QUESTION ID

S58-B1-Q5

TYPE

Short answer

CORRECT ANSWER

Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q5

Grade 1 • Geometry • 1.G.A.1 • Set 58 • BACKWARD 1 • Q5/5

SET 58 • 4.G.A.1

BACKWARD 2

Measure the length of a segment with a ruler • Grade 2 • Measurement & Data
• 2.MD.A.1

A segment starts at 0 cm and ends at 8 cm on a ruler.

How long is it?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q1

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 58 • BACKWARD 2 • Q1/5

1787

QUESTION ID

S58-B2-Q1

TYPE

Short answer

CORRECT ANSWER

8 cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q1

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 58 • BACKWARD 2 • Q1/5

True or false?

You can measure the length of a line segment with a ruler.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q2

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 58 • BACKWARD 2 • Q2/5

1788

QUESTION ID

S58-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q2

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 58 • BACKWARD 2 • Q2/5

Which tool is best for measuring the length of a segment?

- A.** A measuring cup
- B.** A clock
- C.** A scale
- D.** A ruler

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q3

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 58 • BACKWARD 2 • Q3/5

1789

QUESTION ID

S58-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. A ruler

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q3

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 58 • BACKWARD 2 • Q3/5

A segment goes from 3 inches to 7 inches on a ruler.

How long is it?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q4

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 58 • BACKWARD 2 • Q4/5

1790

QUESTION ID

S58-B2-Q4

TYPE

Short answer

CORRECT ANSWER

4 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q4

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 58 • BACKWARD 2 • Q4/5

True or false?

A segment from 2 cm to 6 cm on a ruler is 6 cm long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q5

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 58 • BACKWARD 2 • Q5/5

1791

QUESTION ID

S58-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q5

Grade 2 • Measurement & Data • 2.MD.A.1 • Set 58 • BACKWARD 2 • Q5/5

SET 58 • 4.G.A.1

FORWARD 1

Understand the coordinate plane: perpendicular axes and the origin • Grade 5

• Geometry • 5.G.A.1

What is the point where the x-axis and the y-axis meet called?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q1

Grade 5 • Geometry • 5.G.A.1 • Set 58 • FORWARD 1 • Q1/5

1793

QUESTION ID

S58-F1-Q1

TYPE

Short answer

CORRECT ANSWER

The origin

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q1

Grade 5 • Geometry • 5.G.A.1 • Set 58 • FORWARD 1 • Q1/5

True or false?

The x-axis and the y-axis are perpendicular lines.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q2

Grade 5 • Geometry • 5.G.A.1 • Set 58 • FORWARD 1 • Q2/5

1794

QUESTION ID

S58-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q2

Grade 5 • Geometry • 5.G.A.1 • Set 58 • FORWARD 1 • Q2/5

In the ordered pair (6, 2), what does the 6 tell you?

- A. Move 6 units along the y-axis
- B. The point is on the y-axis
- C. Move 2 units to the right
- D. Move 6 units along the x-axis

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q3

Grade 5 • Geometry • 5.G.A.1 • Set 58 • FORWARD 1 • Q3/5

1795

QUESTION ID

S58-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

**D. Move 6 units
along the x-axis**


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q3

Grade 5 • Geometry • 5.G.A.1 • Set 58 • FORWARD 1 • Q3/5

What are the coordinates of point A?

A = _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q4

Grade 5 • Geometry • 5.G.A.1 • Set 58 • FORWARD 1 • Q4/5

1796

QUESTION ID

S58-F1-Q4

TYPE

Short answer

CORRECT ANSWER

(4, 7)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q4

Grade 5 • Geometry • 5.G.A.1 • Set 58 • FORWARD 1 • Q4/5

True or false?

(3, 5) and (5, 3) name the same point.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q5

Grade 5 • Geometry • 5.G.A.1 • Set 58 • FORWARD 1 • Q5/5

1797

QUESTION ID

S58-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q5

Grade 5 • Geometry • 5.G.A.1 • Set 58 • FORWARD 1 • Q5/5


SET 58 • 4.G.A.1

FORWARD 2

Name and plot points in all four quadrants • Grade 6 • The Number System •
6.NS.C.6.c

What are the coordinates of point B?

B = _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q1

Grade 6 • The Number System • 6.NS.C.6.c • Set 58 • FORWARD 2 • Q1/5

1799

QUESTION ID

S58-F2-Q1

TYPE

Short answer

CORRECT ANSWER

(-4, 3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q1

Grade 6 • The Number System • 6.NS.C.6.c • Set 58 • FORWARD 2 • Q1/5

True or false?

The point $(0, -5)$ is on the y-axis.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q2

Grade 6 • The Number System • 6.NS.C.6.c • Set 58 • FORWARD 2 • Q2/5

1800

QUESTION ID

S58-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q2

Grade 6 • The Number System • 6.NS.C.6.c • Set 58 • FORWARD 2 • Q2/5

Which ordered pair names point C?

- A. $(-3, 2)$
- B. $(-2, 3)$
- C. $(3, -2)$
- D. $(2, -3)$



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q3

Grade 6 • The Number System • 6.NS.C.6.c • Set 58 • FORWARD 2 • Q3/5

1801

QUESTION ID

S58-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER


D. $(2, -3)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q3

Grade 6 • The Number System • 6.NS.C.6.c • Set 58 • FORWARD 2 • Q3/5

Plot and label the points
 $D(-2, -4)$ and $E(5, 1)$.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q4

Grade 6 • The Number System • 6.NS.C.6.c • Set 58 • FORWARD 2 • Q4/5

1802

QUESTION ID

S58-F2-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

**D plotted at $(-2, -4)$
and E at $(5, 1)$, each
labeled**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q4

Grade 6 • The Number System • 6.NS.C.6.c • Set 58 • FORWARD 2 • Q4/5

True or false?

The point $(-1, -1)$ is in Quadrant II.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q5

Grade 6 • The Number System • 6.NS.C.6.c • Set 58 • FORWARD 2 • Q5/5

1803

QUESTION ID

S58-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q5

Grade 6 • The Number System • 6.NS.C.6.c • Set 58 • FORWARD 2 • Q5/5

Draw and identify right, acute, and obtuse angles

MAIN	Grade 4 main question	4.G.A.1
BACKWARD 1	Shapes with a given number of angles	2.G.A.1
BACKWARD 2	Rectangles and squares have square corners	3.G.A.1
FORWARD 1	Classify triangles by their angles	5.G.B.4
FORWARD 2	Use the right angle of a right triangle to find its area — nearest re...	6.G.A.1

SET 59 • 4.G.A.1

MAIN

Grade 4 main question • Grade 4 • Geometry • 4.G.A.1

What kind of angle is shown?

- A. Acute
- B. Right
- C. Obtuse
- D. Straight



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 59 • MAIN • Q1/5

1806

QUESTION ID

S59-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

C. Obtuse

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 59 • MAIN • Q1/5

What kind of angle is shown?

- A. Acute
- B. Obtuse
- C. Right
- D. Straight



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 59 • MAIN • Q2/5

1807

QUESTION ID

S59-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. Acute

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 59 • MAIN • Q2/5

True or false?

A right angle measures exactly 180° .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 59 • MAIN • Q3/5

1808

QUESTION ID

S59-M-Q3

TYPE

True or false

CORRECT ANSWER


B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 59 • MAIN • Q3/5

Draw an obtuse angle.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q4

Grade 4 • Geometry • 4.G.A.1 • Set 59 • MAIN • Q4/5

1809

QUESTION ID

S59-M-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

Two rays from one point that form an angle greater than 90° and less than 180°

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q4

Grade 4 • Geometry • 4.G.A.1 • Set 59 • MAIN • Q4/5

Classify each angle as acute, right, or obtuse.

15° 90° 165°

Answers: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 59 • MAIN • Q5/5

1810

QUESTION ID

S59-M-Q5

TYPE

Short answer

CORRECT ANSWER

acute; right; obtuse

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 59 • MAIN • Q5/5

SET 59 • 4.G.A.1

BACKWARD 1

Shapes with a given number of angles • Grade 2 • Geometry • 2.G.A.1

How many angles does a hexagon have?

Angles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 59 • BACKWARD 1 • Q1/5

1812

QUESTION ID

S59-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 59 • BACKWARD 1 • Q1/5

True or false?

A quadrilateral has 4 angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 59 • BACKWARD 1 • Q2/5

1813

QUESTION ID

S59-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 59 • BACKWARD 1 • Q2/5

Which shape has 3 angles?

- A.** Triangle
- B.** Pentagon
- C.** Square
- D.** Hexagon

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 59 • BACKWARD 1 • Q3/5

1814

QUESTION ID

S59-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. Triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 59 • BACKWARD 1 • Q3/5

How many angles does a rectangle have?

Angles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 59 • BACKWARD 1 • Q4/5

1815

QUESTION ID

S59-B1-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 59 • BACKWARD 1 • Q4/5

True or false?

A pentagon has 6 angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 59 • BACKWARD 1 • Q5/5

1816

QUESTION ID

S59-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 59 • BACKWARD 1 • Q5/5

SET 59 • 4.G.A.1

BACKWARD 2

Rectangles and squares have square corners • Grade 3 • Geometry • 3.G.A.1

True or false?

Every rectangle has 4 square corners.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 59 • BACKWARD 2 • Q1/5

1818

QUESTION ID

S59-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 59 • BACKWARD 2 • Q1/5

Which shape always has 4 square corners?

- A.** Trapezoid
- B.** Triangle
- C.** Square
- D.** Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 59 • BACKWARD 2 • Q2/5

1819

QUESTION ID

S59-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. Square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 59 • BACKWARD 2 • Q2/5

How many square corners does a square have?

Square corners: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 59 • BACKWARD 2 • Q3/5

1820

QUESTION ID

S59-B2-Q3

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 59 • BACKWARD 2 • Q3/5

True or false?

Every quadrilateral has 4 square corners.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 59 • BACKWARD 2 • Q4/5

1821

QUESTION ID

S59-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 59 • BACKWARD 2 • Q4/5

Name a quadrilateral that has 4 square corners but is not a square.

Shape: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 59 • BACKWARD 2 • Q5/5

1822

QUESTION ID

S59-B2-Q5

TYPE

Short answer

CORRECT ANSWER

Rectangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 59 • BACKWARD 2 • Q5/5

SET 59 • 4.G.A.1

FORWARD 1

Classify triangles by their angles • Grade 5 • Geometry • 5.G.B.4

A triangle has angles of 100° , 40° , and 40° .

Classify it by its angles.

Classification: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q1

Grade 5 • Geometry • 5.G.B.4 • Set 59 • FORWARD 1 • Q1/5

1824

QUESTION ID

S59-F1-Q1

TYPE

Short answer

CORRECT ANSWER

Obtuse triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q1

Grade 5 • Geometry • 5.G.B.4 • Set 59 • FORWARD 1 • Q1/5

True or false?

A right triangle has exactly one right angle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q2

Grade 5 • Geometry • 5.G.B.4 • Set 59 • FORWARD 1 • Q2/5

1825

QUESTION ID

S59-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q2

Grade 5 • Geometry • 5.G.B.4 • Set 59 • FORWARD 1 • Q2/5

Which kind of triangle has three acute angles?

- A.** An obtuse triangle
- B.** An acute triangle
- C.** A straight triangle
- D.** A right triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q3

Grade 5 • Geometry • 5.G.B.4 • Set 59 • FORWARD 1 • Q3/5

1826

QUESTION ID

S59-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. An acute triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q3

Grade 5 • Geometry • 5.G.B.4 • Set 59 • FORWARD 1 • Q3/5

A triangle has angles of 55° , 35° , and 90° .

Classify it by its angles.

Classification: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q4

Grade 5 • Geometry • 5.G.B.4 • Set 59 • FORWARD 1 • Q4/5

1827

QUESTION ID

S59-F1-Q4

TYPE

Short answer

CORRECT ANSWER

Right triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q4

Grade 5 • Geometry • 5.G.B.4 • Set 59 • FORWARD 1 • Q4/5

True or false?

An acute triangle can have one obtuse angle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q5

Grade 5 • Geometry • 5.G.B.4 • Set 59 • FORWARD 1 • Q5/5

1828

QUESTION ID

S59-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q5

Grade 5 • Geometry • 5.G.B.4 • Set 59 • FORWARD 1 • Q5/5

SET 59 • 4.G.A.1

FORWARD 2

Use the right angle of a right triangle to find its area • Grade 6 • Geometry • 6.G.A.1

► No Grade 6 standard directly continues this skill. This branch uses the nearest related Grade 6 standard.

A right triangle has legs that are 6 cm and 10 cm long.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 59 • FORWARD 2 • Q1/5 • NEAREST RELATED

1830

QUESTION ID

S59-F2-Q1

TYPE

Short answer

CORRECT ANSWER

30 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 59 • FORWARD 2 • Q1/5 • NEAREST RELATED

True or false?

In a right triangle, the two sides that form the right angle can be used as the base and the height.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 59 • FORWARD 2 • Q2/5 • NEAREST RELATED

1831

QUESTION ID

S59-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 59 • FORWARD 2 • Q2/5 • NEAREST RELATED

1831

An 8-by-5 rectangle is cut along a diagonal into two triangles.

What is the area of each triangle?

- A.** 40 square units **B.** 13 square units
C. 20 square units **D.** 10 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 59 • FORWARD 2 • Q3/5 • NEAREST RELATED

1832

QUESTION ID

S59-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 20 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 59 • FORWARD 2 • Q3/5 • NEAREST RELATED

A triangle has a base of 12 m and a height of 7 m.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 59 • FORWARD 2 • Q4/5 • NEAREST RELATED

1833

QUESTION ID

S59-F2-Q4

TYPE

Short answer

CORRECT ANSWER

42 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 59 • FORWARD 2 • Q4/5 • NEAREST RELATED

1833

True or false?

An obtuse triangle does not have a height.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 59 • FORWARD 2 • Q5/5 • NEAREST RELATED

1834

QUESTION ID

S59-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 59 • FORWARD 2 • Q5/5 • NEAREST RELATED

Draw and identify perpendicular and parallel lines

MAIN	Grade 4 main question	4.G.A.1
BACKWARD 1	Split a rectangle into rows and columns of squares	2.G.A.2
BACKWARD 2	Quadrilaterals share attributes	3.G.A.1
FORWARD 1	Attributes of a category belong to all its subcategories	5.G.B.3
FORWARD 2	Use coordinates to find parallel and perpendicular sides of polygo...	6.G.A.3


SET 60 • 4.G.A.1

MAIN

Grade 4 main question • Grade 4 • Geometry • 4.G.A.1

How are the two lines related?

- A. Parallel
- B. Perpendicular
- C. Neither
- D. They are the same line



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 60 • MAIN • Q1/5

1837

QUESTION ID

S60-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. Perpendicular


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q1

Grade 4 • Geometry • 4.G.A.1 • Set 60 • MAIN • Q1/5

How are the two lines related?

- A. Parallel
- B. Perpendicular
- C. Neither
- D. They are the same line



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 60 • MAIN • Q2/5

1838

QUESTION ID

S60-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. Parallel

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q2

Grade 4 • Geometry • 4.G.A.1 • Set 60 • MAIN • Q2/5

True or false?

Parallel lines never meet.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 60 • MAIN • Q3/5

1839

QUESTION ID

S60-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q3

Grade 4 • Geometry • 4.G.A.1 • Set 60 • MAIN • Q3/5

Draw a line through point P
that is parallel to line m.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 4 • Geometry • 4.G.A.1 • Set 60 • MAIN • Q4/5

ID S60-M-Q4

1840

QUESTION ID

S60-M-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

A line through P that never meets line m (a line through P going the same direction as m), with arrows at both ends

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 4 • Geometry • 4.G.A.1 • Set 60 • MAIN • Q4/5

ID S60-M-Q4

True or false?

Perpendicular lines meet to form four obtuse angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 60 • MAIN • Q5/5

1841

QUESTION ID

S60-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q5

Grade 4 • Geometry • 4.G.A.1 • Set 60 • MAIN • Q5/5

SET 60 • 4.G.A.1

BACKWARD 1

Split a rectangle into rows and columns of squares • Grade 2 • Geometry •
2.G.A.2

A rectangle is split into 2 rows of 3 same-size squares.

How many squares are there?

Squares: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q1

Grade 2 • Geometry • 2.G.A.2 • Set 60 • BACKWARD 1 • Q1/5

1843

QUESTION ID

S60-B1-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q1

Grade 2 • Geometry • 2.G.A.2 • Set 60 • BACKWARD 1 • Q1/5

True or false?

A rectangle split into 3 rows of 4 same-size squares has 12 squares.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q2

Grade 2 • Geometry • 2.G.A.2 • Set 60 • BACKWARD 1 • Q2/5

1844

QUESTION ID

S60-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q2

Grade 2 • Geometry • 2.G.A.2 • Set 60 • BACKWARD 1 • Q2/5

A rectangle has 2 rows of 4 same-size squares.

How many squares are there?

- A.** 8
- B.** 6
- C.** 2
- D.** 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q3

Grade 2 • Geometry • 2.G.A.2 • Set 60 • BACKWARD 1 • Q3/5

1845

QUESTION ID

S60-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q3

Grade 2 • Geometry • 2.G.A.2 • Set 60 • BACKWARD 1 • Q3/5

How many squares are in 5 rows of 2 squares?

Squares: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q4

Grade 2 • Geometry • 2.G.A.2 • Set 60 • BACKWARD 1 • Q4/5

1846

QUESTION ID

S60-B1-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q4

Grade 2 • Geometry • 2.G.A.2 • Set 60 • BACKWARD 1 • Q4/5

True or false?

A rectangle split into 2 rows and 2 columns of squares has 2 squares.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q5

Grade 2 • Geometry • 2.G.A.2 • Set 60 • BACKWARD 1 • Q5/5

1847

QUESTION ID

S60-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q5

Grade 2 • Geometry • 2.G.A.2 • Set 60 • BACKWARD 1 • Q5/5

SET 60 • 4.G.A.1

BACKWARD 2

Quadrilaterals share attributes • Grade 3 • Geometry • 3.G.A.1

True or false?

A rhombus, a rectangle, and a square are all quadrilaterals.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 60 • BACKWARD 2 • Q1/5

1849

QUESTION ID

S60-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 60 • BACKWARD 2 • Q1/5

Which shape is a quadrilateral?

- A.** Pentagon
- B.** Triangle
- C.** Circle
- D.** Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 60 • BACKWARD 2 • Q2/5

1850

QUESTION ID

S60-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 60 • BACKWARD 2 • Q2/5

How many sides does every quadrilateral have?

Sides: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 60 • BACKWARD 2 • Q3/5

1851

QUESTION ID

S60-B2-Q3

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 60 • BACKWARD 2 • Q3/5

True or false?

A triangle is a quadrilateral.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 60 • BACKWARD 2 • Q4/5

1852

QUESTION ID

S60-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 60 • BACKWARD 2 • Q4/5

Name a quadrilateral that is not a rectangle.

Shape: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 60 • BACKWARD 2 • Q5/5

1853

QUESTION ID

S60-B2-Q5

TYPE

Short answer

CORRECT ANSWER

A rhombus

GRADING NOTE Any quadrilateral that is not a rectangle (for example a trapezoid or a kite) is correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 60 • BACKWARD 2 • Q5/5

SET 60 • 4.G.A.1

FORWARD 1

Attributes of a category belong to all its subcategories • Grade 5 • Geometry •
5.G.B.3

True or false?

All parallelograms have two pairs of parallel sides.
A rectangle is a parallelogram, so every rectangle has two pairs of parallel sides.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q1

Grade 5 • Geometry • 5.G.B.3 • Set 60 • FORWARD 1 • Q1/5

1855

QUESTION ID

S60-F1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q1

Grade 5 • Geometry • 5.G.B.3 • Set 60 • FORWARD 1 • Q1/5

Which shape must have two pairs of parallel sides?

- A.** Triangle
- B.** Kite
- C.** Trapezoid
- D.** Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q2

Grade 5 • Geometry • 5.G.B.3 • Set 60 • FORWARD 1 • Q2/5

1856

QUESTION ID

S60-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q2

Grade 5 • Geometry • 5.G.B.3 • Set 60 • FORWARD 1 • Q2/5

Do the sides of every square meet at right angles?
Explain.

Answer: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q3

Grade 5 • Geometry • 5.G.B.3 • Set 60 • FORWARD 1 • Q3/5

1857

QUESTION ID

S60-F1-Q3

TYPE

Short answer

CORRECT ANSWER

Yes

GRADING NOTE A square is a rectangle, and a rectangle has four right angles, so its sides that meet are perpendicular.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q3

Grade 5 • Geometry • 5.G.B.3 • Set 60 • FORWARD 1 • Q3/5

True or false?

Every quadrilateral has at least one pair of parallel sides.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q4

Grade 5 • Geometry • 5.G.B.3 • Set 60 • FORWARD 1 • Q4/5

1858

QUESTION ID

S60-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q4

Grade 5 • Geometry • 5.G.B.3 • Set 60 • FORWARD 1 • Q4/5

Which shape has exactly one pair of parallel sides?

- A. A square
- B. A trapezoid with only one pair of parallel sides
- C. A rectangle
- D. A rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q5

Grade 5 • Geometry • 5.G.B.3 • Set 60 • FORWARD 1 • Q5/5

1859

QUESTION ID

S60-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

B. A trapezoid with only one pair of parallel sides

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q5

Grade 5 • Geometry • 5.G.B.3 • Set 60 • FORWARD 1 • Q5/5

SET 60 • 4.G.A.1

FORWARD 2

Use coordinates to find parallel and perpendicular sides of polygons • Grade 6

• Geometry • 6.G.A.3

True or false?

The segment from $(1, 2)$ to $(5, 2)$ is parallel to the segment from $(1, -3)$ to $(5, -3)$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q1

Grade 6 • Geometry • 6.G.A.3 • Set 60 • FORWARD 2 • Q1/5

1861

QUESTION ID

S60-F2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q1

Grade 6 • Geometry • 6.G.A.3 • Set 60 • FORWARD 2 • Q1/5

What is the length of the side from $(-3, -1)$ to $(-3, 4)$?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q2

Grade 6 • Geometry • 6.G.A.3 • Set 60 • FORWARD 2 • Q2/5

1862

QUESTION ID

S60-F2-Q2

TYPE

Short answer

CORRECT ANSWER

5 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q2

Grade 6 • Geometry • 6.G.A.3 • Set 60 • FORWARD 2 • Q2/5

Which segment is perpendicular to the segment from (0, 0) to (6, 0)?

- A. From (0, 1) to (6, 1)
- B. From (2, 0) to (2, 5)
- C. From (1, 1) to (4, 4)
- D. From (0, 0) to (6, 3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q3

Grade 6 • Geometry • 6.G.A.3 • Set 60 • FORWARD 2 • Q3/5

1863

QUESTION ID

S60-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. From (2, 0) to (2, 5)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S60-F2-Q3

Grade 6 • Geometry • 6.G.A.3 • Set 60 • FORWARD 2 • Q3/5

Plot $(-2, 1)$, $(4, 1)$, $(4, -3)$, and $(-2, -3)$. Connect them in order.

How many pairs of parallel sides does the polygon have?

Pairs: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q4

Grade 6 • Geometry • 6.G.A.3 • Set 60 • FORWARD 2 • Q4/5

1864

QUESTION ID

S60-F2-Q4

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: The four points plotted and joined in order

Written: 2

GRADING NOTE Grade both: the four points joined in order, and the answer 2.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q4

Grade 6 • Geometry • 6.G.A.3 • Set 60 • FORWARD 2 • Q4/5

True or false?

The segment from $(0, 1)$ to $(3, 1)$ is perpendicular to the segment from $(0, 4)$ to $(3, 4)$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q5

Grade 6 • Geometry • 6.G.A.3 • Set 60 • FORWARD 2 • Q5/5

1865

QUESTION ID

S60-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q5

Grade 6 • Geometry • 6.G.A.3 • Set 60 • FORWARD 2 • Q5/5

Classify two-dimensional figures by parallel or perpendicular sides and by angles

MAIN	Grade 4 main question	4.G.A.2
BACKWARD 1	Quadrilaterals as a category	3.G.A.1
BACKWARD 2	Triangles, quadrilaterals, pentagons, and hexagons	2.G.A.1
FORWARD 1	Classify quadrilaterals in a hierarchy	5.G.B.4
FORWARD 2	Find the area of parallelograms, rhombuses, and trapezoids	6.G.A.1

SET 61 • 4.G.A.2

MAIN

Grade 4 main question • Grade 4 • Geometry • 4.G.A.2

Which shape has two pairs of parallel sides and no right angles?

- A. A square
- B. A rhombus that is not a square
- C. A rectangle
- D. A right triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q1

Grade 4 • Geometry • 4.G.A.2 • Set 61 • MAIN • Q1/5

1868

QUESTION ID

S61-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. A rhombus that is not a square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q1

Grade 4 • Geometry • 4.G.A.2 • Set 61 • MAIN • Q1/5

1868

A quadrilateral has exactly one pair of parallel sides.

What is it called?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q2

Grade 4 • Geometry • 4.G.A.2 • Set 61 • MAIN • Q2/5

1869

QUESTION ID

S61-M-Q2

TYPE

Short answer

CORRECT ANSWER

Trapezoid

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q2

Grade 4 • Geometry • 4.G.A.2 • Set 61 • MAIN • Q2/5

True or false?

A rectangle has two pairs of parallel sides and four right angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q3

Grade 4 • Geometry • 4.G.A.2 • Set 61 • MAIN • Q3/5

1870

QUESTION ID

S61-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q3

Grade 4 • Geometry • 4.G.A.2 • Set 61 • MAIN • Q3/5

Which shape always has perpendicular sides?

- A.** Rhombus
- B.** Parallelogram
- C.** Square
- D.** Trapezoid

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q4

Grade 4 • Geometry • 4.G.A.2 • Set 61 • MAIN • Q4/5

1871

QUESTION ID

S61-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. Square

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q4

Grade 4 • Geometry • 4.G.A.2 • Set 61 • MAIN • Q4/5

The shape has one pair of parallel sides and two right angles.

What kind of quadrilateral is it?



Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q5

Grade 4 • Geometry • 4.G.A.2 • Set 61 • MAIN • Q5/5

1872

QUESTION ID

S61-M-Q5

TYPE

Short answer

CORRECT ANSWER

Trapezoid

GRADING NOTE "Right trapezoid" is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q5

Grade 4 • Geometry • 4.G.A.2 • Set 61 • MAIN • Q5/5

SET 61 • 4.G.A.2

BACKWARD 1

Quadrilaterals as a category • Grade 3 • Geometry • 3.G.A.1

True or false?

Squares and rectangles are both quadrilaterals.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 61 • BACKWARD 1 • Q1/5

1874

QUESTION ID

S61-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 61 • BACKWARD 1 • Q1/5

What is a closed shape with 4 straight sides called?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 61 • BACKWARD 1 • Q2/5

1875

QUESTION ID

S61-B1-Q2

TYPE

Short answer

CORRECT ANSWER

Quadrilateral

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 61 • BACKWARD 1 • Q2/5

Which shape is NOT a quadrilateral?

- A.** Square
- B.** Rectangle
- C.** Pentagon
- D.** Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 61 • BACKWARD 1 • Q3/5

1876

QUESTION ID

S61-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. Pentagon

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 61 • BACKWARD 1 • Q3/5

True or false?

All quadrilaterals are squares.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 61 • BACKWARD 1 • Q4/5

1877

QUESTION ID

S61-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 61 • BACKWARD 1 • Q4/5

Name two different quadrilaterals.

Shapes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 61 • BACKWARD 1 • Q5/5

1878

QUESTION ID

S61-B1-Q5

TYPE

Short answer

CORRECT ANSWER

**Square and
rectangle**

GRADING NOTE Any two different quadrilaterals (square, rectangle, rhombus, trapezoid, kite) are correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 61 • BACKWARD 1 • Q5/5

SET 61 • 4.G.A.2

BACKWARD 2

Triangles, quadrilaterals, pentagons, and hexagons • Grade 2 • Geometry •
2.G.A.1

What is a shape with 5 sides called?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 61 • BACKWARD 2 • Q1/5

1880

QUESTION ID

S61-B2-Q1

TYPE

Short answer

CORRECT ANSWER

Pentagon

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 61 • BACKWARD 2 • Q1/5

True or false?

A hexagon has 6 sides.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 61 • BACKWARD 2 • Q2/5

1881

QUESTION ID

S61-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 61 • BACKWARD 2 • Q2/5

Which shape has 4 sides?

- A.** Quadrilateral
- B.** Triangle
- C.** Pentagon
- D.** Hexagon

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 61 • BACKWARD 2 • Q3/5

1882

QUESTION ID

S61-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. Quadrilateral

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 61 • BACKWARD 2 • Q3/5

How many sides does a triangle have?

Sides: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 61 • BACKWARD 2 • Q4/5

1883

QUESTION ID

S61-B2-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 61 • BACKWARD 2 • Q4/5

True or false?

A pentagon has 8 sides.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 61 • BACKWARD 2 • Q5/5

1884

QUESTION ID

S61-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 61 • BACKWARD 2 • Q5/5

SET 61 • 4.G.A.2

FORWARD 1

Classify quadrilaterals in a hierarchy • Grade 5 • Geometry • 5.G.B.4

Which list goes from the most general category to the most specific?

- A. Parallelogram, quadrilateral, square, rhombus
- B. Quadrilateral, parallelogram, rhombus, square
- C. Rhombus, square, quadrilateral, parallelogram
- D. Square, rhombus, parallelogram, quadrilateral

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q1

Grade 5 • Geometry • 5.G.B.4 • Set 61 • FORWARD 1 • Q1/5

1886

QUESTION ID

S61-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

**B. Quadrilateral,
parallelogram,
rhombus, square**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q1

Grade 5 • Geometry • 5.G.B.4 • Set 61 • FORWARD 1 • Q1/5

True or false?

Every square is a rhombus.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q2

Grade 5 • Geometry • 5.G.B.4 • Set 61 • FORWARD 1 • Q2/5

1887

QUESTION ID

S61-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q2

Grade 5 • Geometry • 5.G.B.4 • Set 61 • FORWARD 1 • Q2/5

Which of these categories does every rectangle belong to?

quadrilateral, parallelogram, rhombus, square

Categories: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q3

Grade 5 • Geometry • 5.G.B.4 • Set 61 • FORWARD 1 • Q3/5

1888

QUESTION ID

S61-F1-Q3

TYPE

Short answer

CORRECT ANSWER

**Quadrilateral and
parallelogram**

GRADING NOTE Both are required; rhombus and square are wrong.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q3

Grade 5 • Geometry • 5.G.B.4 • Set 61 • FORWARD 1 • Q3/5

1888

True or false?

Every rhombus is a rectangle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q4

Grade 5 • Geometry • 5.G.B.4 • Set 61 • FORWARD 1 • Q4/5

1889

QUESTION ID

S61-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q4

Grade 5 • Geometry • 5.G.B.4 • Set 61 • FORWARD 1 • Q4/5

A quadrilateral has 4 sides of equal length and no right angles.

What is its most specific name?

- A.** Rhombus
- B.** Quadrilateral
- C.** Square
- D.** Rectangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q5

Grade 5 • Geometry • 5.G.B.4 • Set 61 • FORWARD 1 • Q5/5

1890

QUESTION ID

S61-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. Rhombus

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q5

Grade 5 • Geometry • 5.G.B.4 • Set 61 • FORWARD 1 • Q5/5

SET 61 • 4.G.A.2

FORWARD 2

Find the area of parallelograms, rhombuses, and trapezoids • Grade 6 •
Geometry • 6.G.A.1

A parallelogram has a base of 9 cm and a height of 4 cm.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 61 • FORWARD 2 • Q1/5

1892

QUESTION ID

S61-F2-Q1

TYPE

Short answer

CORRECT ANSWER

36 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 61 • FORWARD 2 • Q1/5

True or false?

A rhombus with a base of 6 m and a height of 5 m has an area of 30 square meters.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 61 • FORWARD 2 • Q2/5

1893

QUESTION ID

S61-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 61 • FORWARD 2 • Q2/5

A trapezoid has bases of 4 ft and 8 ft and a height of 5 ft.

What is its area?

- A.** 40 square feet **B.** 17 square feet
C. 30 square feet **D.** 60 square feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 61 • FORWARD 2 • Q3/5

1894

QUESTION ID

S61-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 30 square feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 61 • FORWARD 2 • Q3/5

A trapezoid has bases of 6 units and 10 units and a height of 3 units.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 61 • FORWARD 2 • Q4/5

1895

QUESTION ID

S61-F2-Q4

TYPE

Short answer

CORRECT ANSWER

24 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 61 • FORWARD 2 • Q4/5

True or false?

A parallelogram with a base of 10 units, slanted sides of 6 units, and a height of 5 units has an area of 60 square units.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 61 • FORWARD 2 • Q5/5

1896

QUESTION ID

S61-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 61 • FORWARD 2 • Q5/5

Recognize right triangles as a category, and identify them

MAIN	Grade 4 main question	4.G.A.2
BACKWARD 1	Triangles	2.G.A.1
BACKWARD 2	Square corners	3.G.A.1
FORWARD 1	Right triangles share the attributes of all triangles	5.G.B.3
FORWARD 2	Find the area of right triangles	6.G.A.1

SET 62 • 4.G.A.2

MAIN

Grade 4 main question • Grade 4 • Geometry • 4.G.A.2

A triangle has angles of 90° , 50° , and 40° .

Is it a right triangle? Explain.

Answer: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-M-Q1

Grade 4 • Geometry • 4.G.A.2 • Set 62 • MAIN • Q1/5

1899

QUESTION ID

S62-M-Q1

TYPE

Short answer

CORRECT ANSWER

Yes

GRADING NOTE It has a 90° angle, which is a right angle.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S62-M-Q1

Grade 4 • Geometry • 4.G.A.2 • Set 62 • MAIN • Q1/5

True or false?

The triangle shown is a right triangle.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-M-Q2

Grade 4 • Geometry • 4.G.A.2 • Set 62 • MAIN • Q2/5

1900

QUESTION ID

S62-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-M-Q2

Grade 4 • Geometry • 4.G.A.2 • Set 62 • MAIN • Q2/5

Which could be the angles of a right triangle?

- A. $70^\circ, 70^\circ, 40^\circ$
- B. $100^\circ, 50^\circ, 30^\circ$
- C. $90^\circ, 60^\circ, 30^\circ$
- D. $80^\circ, 60^\circ, 40^\circ$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-M-Q3

Grade 4 • Geometry • 4.G.A.2 • Set 62 • MAIN • Q3/5

1901

QUESTION ID

S62-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $90^\circ, 60^\circ, 30^\circ$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-M-Q3

Grade 4 • Geometry • 4.G.A.2 • Set 62 • MAIN • Q3/5

True or false?

A right triangle can have two right angles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-M-Q4

Grade 4 • Geometry • 4.G.A.2 • Set 62 • MAIN • Q4/5

1902

QUESTION ID

S62-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S62-M-Q4

Grade 4 • Geometry • 4.G.A.2 • Set 62 • MAIN • Q4/5

Draw a right triangle on the grid and mark its right angle.

How many right angles does your triangle have?

Right angles: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 4 • Geometry • 4.G.A.2 • Set 62 • MAIN • Q5/5

ID S62-M-Q5

1903

QUESTION ID

S62-M-Q5

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: A triangle with two sides along grid lines that meet at a square corner, with the right angle marked

Written: 1

GRADING NOTE Grade both: a right triangle with its right angle marked, and the answer 1.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 4 • Geometry • 4.G.A.2 • Set 62 • MAIN • Q5/5

ID S62-M-Q5

SET 62 • 4.G.A.2

BACKWARD 1

Triangles • Grade 2 • Geometry • 2.G.A.1

How many sides does every triangle have?

Sides: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B1-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 62 • BACKWARD 1 • Q1/5

1905

QUESTION ID

S62-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B1-Q1

Grade 2 • Geometry • 2.G.A.1 • Set 62 • BACKWARD 1 • Q1/5

True or false?

A triangle has 3 corners.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B1-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 62 • BACKWARD 1 • Q2/5

1906

QUESTION ID

S62-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B1-Q2

Grade 2 • Geometry • 2.G.A.1 • Set 62 • BACKWARD 1 • Q2/5

Which describes a triangle?

- A. A closed shape with 4 straight sides
- B. A closed shape with 3 straight sides
- C. A round shape
- D. A closed shape with 5 corners

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B1-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 62 • BACKWARD 1 • Q3/5

1907

QUESTION ID

S62-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

**B. A closed shape
with 3 straight sides**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B1-Q3

Grade 2 • Geometry • 2.G.A.1 • Set 62 • BACKWARD 1 • Q3/5

How many angles does a triangle have?

Angles: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B1-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 62 • BACKWARD 1 • Q4/5

1908

QUESTION ID

S62-B1-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B1-Q4

Grade 2 • Geometry • 2.G.A.1 • Set 62 • BACKWARD 1 • Q4/5

True or false?

All triangles are the same size.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B1-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 62 • BACKWARD 1 • Q5/5

1909

QUESTION ID

S62-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B1-Q5

Grade 2 • Geometry • 2.G.A.1 • Set 62 • BACKWARD 1 • Q5/5

SET 62 • 4.G.A.2

BACKWARD 2

Square corners • Grade 3 • Geometry • 3.G.A.1

True or false?

A square corner is a right angle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B2-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 62 • BACKWARD 2 • Q1/5

1911

QUESTION ID

S62-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B2-Q1

Grade 3 • Geometry • 3.G.A.1 • Set 62 • BACKWARD 2 • Q1/5

Which shape always has a square corner?

- A. Oval
- B. Hexagon
- C. Rectangle
- D. Circle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B2-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 62 • BACKWARD 2 • Q2/5

1912

QUESTION ID

S62-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. Rectangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B2-Q2

Grade 3 • Geometry • 3.G.A.1 • Set 62 • BACKWARD 2 • Q2/5

How many square corners does a rectangle have?

Square corners: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B2-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 62 • BACKWARD 2 • Q3/5

1913

QUESTION ID

S62-B2-Q3

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B2-Q3

Grade 3 • Geometry • 3.G.A.1 • Set 62 • BACKWARD 2 • Q3/5

True or false?

A triangle can never have a square corner.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B2-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 62 • BACKWARD 2 • Q4/5

1914

QUESTION ID

S62-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B2-Q4

Grade 3 • Geometry • 3.G.A.1 • Set 62 • BACKWARD 2 • Q4/5

Which can you use to check for a square corner: the corner of a sheet of paper or a pencil?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B2-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 62 • BACKWARD 2 • Q5/5

1915

QUESTION ID

S62-B2-Q5

TYPE

Short answer

CORRECT ANSWER

**The corner of a
sheet of paper**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-B2-Q5

Grade 3 • Geometry • 3.G.A.1 • Set 62 • BACKWARD 2 • Q5/5

SET 62 • 4.G.A.2

FORWARD 1

Right triangles share the attributes of all triangles • Grade 5 • Geometry •
5.G.B.3

True or false?

All triangles have 3 sides. A right triangle is a triangle, so it has 3 sides.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F1-Q1

Grade 5 • Geometry • 5.G.B.3 • Set 62 • FORWARD 1 • Q1/5

1917

QUESTION ID

S62-F1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F1-Q1

Grade 5 • Geometry • 5.G.B.3 • Set 62 • FORWARD 1 • Q1/5

An isosceles right triangle belongs to which categories?

- A. Right triangles and isosceles triangles
- B. Only isosceles triangles
- C. Only right triangles
- D. Equilateral triangles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F1-Q2

Grade 5 • Geometry • 5.G.B.3 • Set 62 • FORWARD 1 • Q2/5

1918

QUESTION ID

S62-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

**A. Right triangles
and isosceles
triangles**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F1-Q2

Grade 5 • Geometry • 5.G.B.3 • Set 62 • FORWARD 1 • Q2/5

Can a right triangle be scalene? Write yes or no.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F1-Q3

Grade 5 • Geometry • 5.G.B.3 • Set 62 • FORWARD 1 • Q3/5

1919

QUESTION ID

S62-F1-Q3

TYPE

Short answer

CORRECT ANSWER

Yes

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F1-Q3

Grade 5 • Geometry • 5.G.B.3 • Set 62 • FORWARD 1 • Q3/5

True or false?

An equilateral triangle can be a right triangle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F1-Q4

Grade 5 • Geometry • 5.G.B.3 • Set 62 • FORWARD 1 • Q4/5

1920

QUESTION ID

S62-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F1-Q4

Grade 5 • Geometry • 5.G.B.3 • Set 62 • FORWARD 1 • Q4/5

A right triangle has sides of 3, 4, and 5 units.

Is it isosceles, equilateral, or scalene?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F1-Q5

Grade 5 • Geometry • 5.G.B.3 • Set 62 • FORWARD 1 • Q5/5

1921

QUESTION ID

S62-F1-Q5

TYPE

Short answer

CORRECT ANSWER

Scalene

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F1-Q5

Grade 5 • Geometry • 5.G.B.3 • Set 62 • FORWARD 1 • Q5/5

SET 62 • 4.G.A.2

FORWARD 2

Find the area of right triangles • Grade 6 • Geometry • 6.G.A.1

A right triangle has legs that are 8 m and 5 m long.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F2-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 62 • FORWARD 2 • Q1/5

1923

QUESTION ID

S62-F2-Q1

TYPE

Short answer

CORRECT ANSWER

20 square meters

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F2-Q1

Grade 6 • Geometry • 6.G.A.1 • Set 62 • FORWARD 2 • Q1/5

True or false?

Two copies of the same right triangle can be put together to make a rectangle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F2-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 62 • FORWARD 2 • Q2/5

1924

QUESTION ID

S62-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F2-Q2

Grade 6 • Geometry • 6.G.A.1 • Set 62 • FORWARD 2 • Q2/5

A right triangle has legs that are 12 in. and 6 in. long.

What is its area?

- A.** 9 square inches
- B.** 36 square inches
- C.** 18 square inches
- D.** 72 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F2-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 62 • FORWARD 2 • Q3/5

1925

QUESTION ID

S62-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 36 square inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F2-Q3

Grade 6 • Geometry • 6.G.A.1 • Set 62 • FORWARD 2 • Q3/5

A 10-by-4 rectangle is cut along a diagonal into two right triangles.

What is the area of each triangle?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F2-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 62 • FORWARD 2 • Q4/5

1926

QUESTION ID

S62-F2-Q4

TYPE

Short answer

CORRECT ANSWER

20 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F2-Q4

Grade 6 • Geometry • 6.G.A.1 • Set 62 • FORWARD 2 • Q4/5

True or false?

A right triangle with legs of 7 and 4 units has an area of 28 square units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F2-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 62 • FORWARD 2 • Q5/5

1927

QUESTION ID

S62-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-F2-Q5

Grade 6 • Geometry • 6.G.A.1 • Set 62 • FORWARD 2 • Q5/5

Recognize lines of symmetry and line-symmetric figures

MAIN	Grade 4 main question	4.G.A.3
BACKWARD 1	Split circles and rectangles into equal shares	2.G.A.3
BACKWARD 2	Halves and fourths	1.G.A.3
FORWARD 1	Graph points that match across a line of symmetry	5.G.A.2
FORWARD 2	Reflect points across the axes	6.NS.C.6.b

SET 63 • 4.G.A.3


MAIN

Grade 4 main question • Grade 4 • Geometry • 4.G.A.3

True or false?

The dashed line is a line of symmetry of the triangle.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-M-Q1

Grade 4 • Geometry • 4.G.A.3 • Set 63 • MAIN • Q1/5

1930

QUESTION ID

S63-M-Q1

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-M-Q1

Grade 4 • Geometry • 4.G.A.3 • Set 63 • MAIN • Q1/5

True or false?

The dashed line is a line of symmetry of the rectangle.



- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-M-Q2

Grade 4 • Geometry • 4.G.A.3 • Set 63 • MAIN • Q2/5

1931

QUESTION ID

S63-M-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-M-Q2

Grade 4 • Geometry • 4.G.A.3 • Set 63 • MAIN • Q2/5

How many lines of symmetry does a square have?

- A.** 1
- B.** 4
- C.** 0
- D.** 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-M-Q3

Grade 4 • Geometry • 4.G.A.3 • Set 63 • MAIN • Q3/5

1932

QUESTION ID

S63-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-M-Q3

Grade 4 • Geometry • 4.G.A.3 • Set 63 • MAIN • Q3/5

How many lines of symmetry does a rectangle that is not a square have?

Lines: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-M-Q4

Grade 4 • Geometry • 4.G.A.3 • Set 63 • MAIN • Q4/5

1933

QUESTION ID

S63-M-Q4

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-M-Q4

Grade 4 • Geometry • 4.G.A.3 • Set 63 • MAIN • Q4/5

Which capital letter has a vertical line of symmetry?

- A.** R
- B.** J
- C.** A
- D.** F

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-M-Q5

Grade 4 • Geometry • 4.G.A.3 • Set 63 • MAIN • Q5/5

1934

QUESTION ID

S63-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. A

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-M-Q5

Grade 4 • Geometry • 4.G.A.3 • Set 63 • MAIN • Q5/5

SET 63 • 4.G.A.3

BACKWARD 1

Split circles and rectangles into equal shares • Grade 2 • Geometry • 2.G.A.3

True or false?

A rectangle cut into 2 equal shares is cut into halves.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B1-Q1

Grade 2 • Geometry • 2.G.A.3 • Set 63 • BACKWARD 1 • Q1/5

1936

QUESTION ID

S63-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B1-Q1

Grade 2 • Geometry • 2.G.A.3 • Set 63 • BACKWARD 1 • Q1/5

A circle is cut into 4 equal shares.

What is one share called?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B1-Q2

Grade 2 • Geometry • 2.G.A.3 • Set 63 • BACKWARD 1 • Q2/5

1937

QUESTION ID

S63-B1-Q2

TYPE

Short answer

CORRECT ANSWER

A fourth

GRADING NOTE "A quarter" is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B1-Q2

Grade 2 • Geometry • 2.G.A.3 • Set 63 • BACKWARD 1 • Q2/5

A rectangle is cut into 3 equal shares.

What are the shares called?

- A. Fifths
- B. Halves
- C. Thirds
- D. Fourths

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B1-Q3

Grade 2 • Geometry • 2.G.A.3 • Set 63 • BACKWARD 1 • Q3/5

1938

QUESTION ID

S63-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. Thirds

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B1-Q3

Grade 2 • Geometry • 2.G.A.3 • Set 63 • BACKWARD 1 • Q3/5

How many halves make a whole?

Halves: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B1-Q4

Grade 2 • Geometry • 2.G.A.3 • Set 63 • BACKWARD 1 • Q4/5

1939

QUESTION ID

S63-B1-Q4

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B1-Q4

Grade 2 • Geometry • 2.G.A.3 • Set 63 • BACKWARD 1 • Q4/5

True or false?

Equal shares of the same whole must have the same shape.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B1-Q5

Grade 2 • Geometry • 2.G.A.3 • Set 63 • BACKWARD 1 • Q5/5

1940

QUESTION ID

S63-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B1-Q5

Grade 2 • Geometry • 2.G.A.3 • Set 63 • BACKWARD 1 • Q5/5

SET 63 • 4.G.A.3

BACKWARD 2

Halves and fourths • Grade 1 • Geometry • 1.G.A.3

A square is cut into 2 equal parts.

What is each part called?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B2-Q1

Grade 1 • Geometry • 1.G.A.3 • Set 63 • BACKWARD 2 • Q1/5

1942

QUESTION ID

S63-B2-Q1

TYPE

Short answer

CORRECT ANSWER

A half

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B2-Q1

Grade 1 • Geometry • 1.G.A.3 • Set 63 • BACKWARD 2 • Q1/5

True or false?

Cutting a circle into 4 equal parts makes smaller parts than cutting it into 2 equal parts.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B2-Q2

Grade 1 • Geometry • 1.G.A.3 • Set 63 • BACKWARD 2 • Q2/5

1943

QUESTION ID

S63-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B2-Q2

Grade 1 • Geometry • 1.G.A.3 • Set 63 • BACKWARD 2 • Q2/5

How many fourths make a whole?

- A.** 2
- B.** 8
- C.** 4
- D.** 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B2-Q3

Grade 1 • Geometry • 1.G.A.3 • Set 63 • BACKWARD 2 • Q3/5

1944

QUESTION ID

S63-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B2-Q3

Grade 1 • Geometry • 1.G.A.3 • Set 63 • BACKWARD 2 • Q3/5

A pizza is cut into 4 equal parts.

What is one part called?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B2-Q4

Grade 1 • Geometry • 1.G.A.3 • Set 63 • BACKWARD 2 • Q4/5

1945

QUESTION ID

S63-B2-Q4

TYPE

Short answer

CORRECT ANSWER

A fourth

GRADING NOTE "A quarter" is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B2-Q4

Grade 1 • Geometry • 1.G.A.3 • Set 63 • BACKWARD 2 • Q4/5

True or false?

Halves are smaller than fourths of the same whole.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B2-Q5

Grade 1 • Geometry • 1.G.A.3 • Set 63 • BACKWARD 2 • Q5/5

1946

QUESTION ID

S63-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-B2-Q5

Grade 1 • Geometry • 1.G.A.3 • Set 63 • BACKWARD 2 • Q5/5


SET 63 • 4.G.A.3

FORWARD 1

Graph points that match across a line of symmetry • Grade 5 • Geometry •
5.G.A.2

The line through $(4, 0)$ and $(4, 8)$ is a line of symmetry.

Plot the point that matches $(2, 5)$ on the other side of the line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F1-Q1

Grade 5 • Geometry • 5.G.A.2 • Set 63 • FORWARD 1 • Q1/5

1948

QUESTION ID

S63-F1-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

A point plotted at (6, 5)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F1-Q1

Grade 5 • Geometry • 5.G.A.2 • Set 63 • FORWARD 1 • Q1/5

True or false?

Across the line through $(3, 0)$ and $(3, 5)$, the point $(1, 2)$ matches the point $(5, 2)$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F1-Q2

Grade 5 • Geometry • 5.G.A.2 • Set 63 • FORWARD 1 • Q2/5

1949

QUESTION ID

S63-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F1-Q2

Grade 5 • Geometry • 5.G.A.2 • Set 63 • FORWARD 1 • Q2/5

Across the line through (5, 0) and (5, 8), which point matches (7, 4)?

- A. (5, 4)
- B. (2, 4)
- C. (7, 6)
- D. (3, 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F1-Q3

Grade 5 • Geometry • 5.G.A.2 • Set 63 • FORWARD 1 • Q3/5

1950

QUESTION ID

S63-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. (3, 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F1-Q3

Grade 5 • Geometry • 5.G.A.2 • Set 63 • FORWARD 1 • Q3/5

Across the line through $(4, 0)$ and $(4, 8)$, which point matches $(1, 6)$?

Point: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F1-Q4

Grade 5 • Geometry • 5.G.A.2 • Set 63 • FORWARD 1 • Q4/5

1951

QUESTION ID

S63-F1-Q4

TYPE

Short answer

CORRECT ANSWER

(7, 6)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F1-Q4

Grade 5 • Geometry • 5.G.A.2 • Set 63 • FORWARD 1 • Q4/5

True or false?

Across the line through $(2, 0)$ and $(2, 5)$, the point $(0, 3)$ matches the point $(3, 3)$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F1-Q5

Grade 5 • Geometry • 5.G.A.2 • Set 63 • FORWARD 1 • Q5/5

1952

QUESTION ID

S63-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F1-Q5

Grade 5 • Geometry • 5.G.A.2 • Set 63 • FORWARD 1 • Q5/5

SET 63 • 4.G.A.3

FORWARD 2

Reflect points across the axes • Grade 6 • The Number System • 6.NS.C.6.b

Reflect (3, 4) across the y-axis.

What are the coordinates of the image?

Image: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F2-Q1

Grade 6 • The Number System • 6.NS.C.6.b • Set 63 • FORWARD 2 • Q1/5

1954

QUESTION ID

S63-F2-Q1

TYPE

Short answer

CORRECT ANSWER

(-3, 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F2-Q1

Grade 6 • The Number System • 6.NS.C.6.b • Set 63 • FORWARD 2 • Q1/5

True or false?

Reflecting $(2, -5)$ across the x-axis gives $(2, 5)$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F2-Q2

Grade 6 • The Number System • 6.NS.C.6.b • Set 63 • FORWARD 2 • Q2/5

1955

QUESTION ID

S63-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F2-Q2

Grade 6 • The Number System • 6.NS.C.6.b • Set 63 • FORWARD 2 • Q2/5

Which point is the reflection of $(-4, 1)$ across the x-axis?

- A. $(4, 1)$
- B. $(-4, -1)$
- C. $(1, -4)$
- D. $(4, -1)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F2-Q3

Grade 6 • The Number System • 6.NS.C.6.b • Set 63 • FORWARD 2 • Q3/5

1956

QUESTION ID

S63-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $(-4, -1)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F2-Q3

Grade 6 • The Number System • 6.NS.C.6.b • Set 63 • FORWARD 2 • Q3/5

Reflect $(-6, -2)$ across the y-axis.

What are the coordinates of the image?

Image: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F2-Q4

Grade 6 • The Number System • 6.NS.C.6.b • Set 63 • FORWARD 2 • Q4/5

1957

QUESTION ID

S63-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$(6, -2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F2-Q4

Grade 6 • The Number System • 6.NS.C.6.b • Set 63 • FORWARD 2 • Q4/5

True or false?

Reflecting $(5, 0)$ across the x -axis gives $(-5, 0)$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F2-Q5

Grade 6 • The Number System • 6.NS.C.6.b • Set 63 • FORWARD 2 • Q5/5

1958

QUESTION ID

S63-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S63-F2-Q5

Grade 6 • The Number System • 6.NS.C.6.b • Set 63 • FORWARD 2 • Q5/5

Draw lines of symmetry


MAIN	Grade 4 main question	4.G.A.3
BACKWARD 1	Split circles and rectangles into equal shares	2.G.A.3
BACKWARD 2	Put shapes together to make new shapes	1.G.A.2
FORWARD 1	Graph points to make and check symmetric figures	5.G.A.2
FORWARD 2	Draw polygons in the coordinate plane and reflect them across an...	6.G.A.3

SET 64 • 4.G.A.3

MAIN

Grade 4 main question • Grade 4 • Geometry • 4.G.A.3

Draw all the lines of symmetry of the rectangle.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-M-Q1

Grade 4 • Geometry • 4.G.A.3 • Set 64 • MAIN • Q1/5

1961

QUESTION ID

S64-M-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

Two lines: one vertical line through the middle and one horizontal line through the middle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S64-M-Q1

Grade 4 • Geometry • 4.G.A.3 • Set 64 • MAIN • Q1/5

Draw all the lines of
symmetry of the square.

How many are there?

Lines: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 4 • Geometry • 4.G.A.3 • Set 64 • MAIN • Q2/5

ID S64-M-Q2

1962

QUESTION ID

S64-M-Q2

TYPE

Drawing + written answer

CORRECT ANSWER

**Drawing: Four lines:
vertical, horizontal, and
both diagonals, each
through the center**

Written: 4

GRADING NOTE Grade both: all four lines drawn, and the answer 4.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


Grade 4 • Geometry • 4.G.A.3 • Set 64 • MAIN • Q2/5

ID S64-M-Q2

Draw the line of symmetry of the triangle, which has two sides of equal length.

How many lines of symmetry does it have?

Lines: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-M-Q3

Grade 4 • Geometry • 4.G.A.3 • Set 64 • MAIN • Q3/5

1963

QUESTION ID

S64-M-Q3

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: A line from the top vertex straight down to the middle of the base

Written: 1

GRADING NOTE Grade both: the line from the top vertex to the middle of the base, and the answer 1.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-M-Q3

Grade 4 • Geometry • 4.G.A.3 • Set 64 • MAIN • Q3/5

Complete the figure so that the dashed line is a line of symmetry.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-M-Q4

Grade 4 • Geometry • 4.G.A.3 • Set 64 • MAIN • Q4/5

1964

QUESTION ID

S64-M-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

The mirror image drawn on the right of the dashed line: a segment from (3, 0) to (5, 0), up to (5, 2), to (4, 3), and back to (3, 3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-M-Q4

Grade 4 • Geometry • 4.G.A.3 • Set 64 • MAIN • Q4/5

A regular hexagon has 6 equal sides and 6 equal angles.

How many lines of symmetry does it have?

Lines: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-M-Q5

Grade 4 • Geometry • 4.G.A.3 • Set 64 • MAIN • Q5/5

1965

QUESTION ID

S64-M-Q5

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-M-Q5

Grade 4 • Geometry • 4.G.A.3 • Set 64 • MAIN • Q5/5

SET 64 • 4.G.A.3

BACKWARD 1

Split circles and rectangles into equal shares • Grade 2 • Geometry • 2.G.A.3

A square is cut into 4 equal shares.

How many shares make the whole?

Shares: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B1-Q1

Grade 2 • Geometry • 2.G.A.3 • Set 64 • BACKWARD 1 • Q1/5

1967

QUESTION ID

S64-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B1-Q1

Grade 2 • Geometry • 2.G.A.3 • Set 64 • BACKWARD 1 • Q1/5

True or false?

A circle can be cut into 3 equal shares called thirds.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B1-Q2

Grade 2 • Geometry • 2.G.A.3 • Set 64 • BACKWARD 1 • Q2/5

1968

QUESTION ID

S64-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B1-Q2

Grade 2 • Geometry • 2.G.A.3 • Set 64 • BACKWARD 1 • Q2/5

Which one shows halves?

- A. A circle cut into 4 equal parts
- B. A rectangle cut into 2 unequal parts
- C. A rectangle cut into 2 equal parts
- D. A circle cut into 3 equal parts

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B1-Q3

Grade 2 • Geometry • 2.G.A.3 • Set 64 • BACKWARD 1 • Q3/5

1969

QUESTION ID

S64-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

**C. A rectangle cut
into 2 equal parts**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B1-Q3

Grade 2 • Geometry • 2.G.A.3 • Set 64 • BACKWARD 1 • Q3/5

A rectangle is cut into 3 equal shares.

What is one share called?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B1-Q4

Grade 2 • Geometry • 2.G.A.3 • Set 64 • BACKWARD 1 • Q4/5

1970

QUESTION ID

S64-B1-Q4

TYPE

Short answer

CORRECT ANSWER

A third

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B1-Q4

Grade 2 • Geometry • 2.G.A.3 • Set 64 • BACKWARD 1 • Q4/5

True or false?

A circle cut into 2 parts of different sizes shows halves.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B1-Q5

Grade 2 • Geometry • 2.G.A.3 • Set 64 • BACKWARD 1 • Q5/5

1971

QUESTION ID

S64-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B1-Q5

Grade 2 • Geometry • 2.G.A.3 • Set 64 • BACKWARD 1 • Q5/5

SET 64 • 4.G.A.3

BACKWARD 2

Put shapes together to make new shapes • Grade 1 • Geometry • 1.G.A.2

True or false?

Two matching right triangles can be put together to make a rectangle.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B2-Q1

Grade 1 • Geometry • 1.G.A.2 • Set 64 • BACKWARD 2 • Q1/5

1973

QUESTION ID

S64-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B2-Q1

Grade 1 • Geometry • 1.G.A.2 • Set 64 • BACKWARD 2 • Q1/5

Which two shapes can be put together to make a square?

- A. Two matching rectangles
- B. Two circles
- C. Three circles
- D. A circle and a triangle

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B2-Q2

Grade 1 • Geometry • 1.G.A.2 • Set 64 • BACKWARD 2 • Q2/5

1974

QUESTION ID

S64-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. Two matching rectangles

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B2-Q2

Grade 1 • Geometry • 1.G.A.2 • Set 64 • BACKWARD 2 • Q2/5

How many squares do you need to make a rectangle that is 2 squares long and 1 square wide?

Squares: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B2-Q3

Grade 1 • Geometry • 1.G.A.2 • Set 64 • BACKWARD 2 • Q3/5

1975

QUESTION ID

S64-B2-Q3

TYPE

Short answer

CORRECT ANSWER

2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B2-Q3

Grade 1 • Geometry • 1.G.A.2 • Set 64 • BACKWARD 2 • Q3/5

True or false?

Two half-circles can be put together to make a square.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B2-Q4

Grade 1 • Geometry • 1.G.A.2 • Set 64 • BACKWARD 2 • Q4/5

1976

QUESTION ID

S64-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B2-Q4

Grade 1 • Geometry • 1.G.A.2 • Set 64 • BACKWARD 2 • Q4/5

Two matching trapezoids are put together to make a shape with 6 sides.

What is the shape called?

Name: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B2-Q5

Grade 1 • Geometry • 1.G.A.2 • Set 64 • BACKWARD 2 • Q5/5

1977

QUESTION ID

S64-B2-Q5

TYPE

Short answer

CORRECT ANSWER

Hexagon

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-B2-Q5

Grade 1 • Geometry • 1.G.A.2 • Set 64 • BACKWARD 2 • Q5/5

SET 64 • 4.G.A.3


FORWARD 1

Graph points to make and check symmetric figures • Grade 5 • Geometry •
5.G.A.2

Plot (1, 1), (3, 4), and (5, 1)
and connect them. Then draw
the line of symmetry.

Where does the line of
symmetry cross the x-axis?

Crosses at: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 5 • Geometry • 5.G.A.2 • Set 64 • FORWARD 1 • Q1/5

ID S64-F1-Q1

1979

QUESTION ID

S64-F1-Q1

TYPE

Drawing + written answer

CORRECT ANSWER

**Drawing: Triangle with
vertices (1, 1), (3, 4)
and (5, 1), and a
vertical line through
 $x = 3$**

Written: (3, 0)

GRADING NOTE Grade both: the triangle and its vertical line of symmetry, and the point (3, 0).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

Grade 5 • Geometry • 5.G.A.2 • Set 64 • FORWARD 1 • Q1/5

ID S64-F1-Q1

True or false?

The rectangle with corners (1, 1), (5, 1), (5, 3), and (1, 3) is symmetric about the line through (3, 0) and (3, 4).

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F1-Q2

Grade 5 • Geometry • 5.G.A.2 • Set 64 • FORWARD 1 • Q2/5

1980

QUESTION ID

S64-F1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F1-Q2

Grade 5 • Geometry • 5.G.A.2 • Set 64 • FORWARD 1 • Q2/5

A shape has a line of symmetry through $(4, 0)$ and $(4, 6)$. The point $(2, 3)$ is on the shape.

Which point must also be on it?

- A.** $(2, 5)$ **B.** $(4, 3)$
C. $(8, 3)$ **D.** $(6, 3)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F1-Q3

Grade 5 • Geometry • 5.G.A.2 • Set 64 • FORWARD 1 • Q3/5

1981

QUESTION ID

S64-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER


D. $(6, 3)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F1-Q3

Grade 5 • Geometry • 5.G.A.2 • Set 64 • FORWARD 1 • Q3/5

Plot (2, 2), (2, 5), and (6, 2).
Then plot one more point so
that the four points are the
corners of a rectangle.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F1-Q4

Grade 5 • Geometry • 5.G.A.2 • Set 64 • FORWARD 1 • Q4/5

1982

QUESTION ID

S64-F1-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

**Points plotted at (2,
2), (2, 5), (6, 2) and
(6, 5)**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F1-Q4

Grade 5 • Geometry • 5.G.A.2 • Set 64 • FORWARD 1 • Q4/5

True or false?

The points (1, 4) and (7, 4) match across the line through (3, 0) and (3, 6).

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F1-Q5

Grade 5 • Geometry • 5.G.A.2 • Set 64 • FORWARD 1 • Q5/5

1983

QUESTION ID

S64-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F1-Q5


Grade 5 • Geometry • 5.G.A.2 • Set 64 • FORWARD 1 • Q5/5

SET 64 • 4.G.A.3

FORWARD 2

Draw polygons in the coordinate plane and reflect them across an axis • Grade 6 • Geometry • 6.G.A.3

Plot $(2, 3)$, $(5, 3)$, and $(5, 1)$.
Then reflect each point
across the y -axis and plot the
images.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F2-Q1

Grade 6 • Geometry • 6.G.A.3 • Set 64 • FORWARD 2 • Q1/5

1985

QUESTION ID

S64-F2-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

**Points plotted at $(2, 3)$, $(5, 3)$, $(5, 1)$ and
their images at $(-2, 3)$, $(-5, 3)$, $(-5, 1)$**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F2-Q1

Grade 6 • Geometry • 6.G.A.3 • Set 64 • FORWARD 2 • Q1/5

True or false?

The rectangle with vertices $(-3, 2)$, $(3, 2)$, $(3, -2)$, and $(-3, -2)$ is symmetric about the y-axis.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F2-Q2

Grade 6 • Geometry • 6.G.A.3 • Set 64 • FORWARD 2 • Q2/5

1986

QUESTION ID

S64-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F2-Q2

Grade 6 • Geometry • 6.G.A.3 • Set 64 • FORWARD 2 • Q2/5

A square has vertices $(-2, -2)$, $(2, -2)$, and $(2, 2)$.

What is the fourth vertex?

- A. $(-2, 2)$
- B. $(2, -4)$
- C. $(-2, 4)$
- D. $(0, 2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F2-Q3

Grade 6 • Geometry • 6.G.A.3 • Set 64 • FORWARD 2 • Q3/5

1987

QUESTION ID

S64-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $(-2, 2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F2-Q3

Grade 6 • Geometry • 6.G.A.3 • Set 64 • FORWARD 2 • Q3/5

A polygon has vertices $(1, 4)$, $(4, 4)$, and $(4, 1)$.

What is the image of $(4, 1)$ when it is reflected across the x -axis?

Image: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F2-Q4

Grade 6 • Geometry • 6.G.A.3 • Set 64 • FORWARD 2 • Q4/5

1988

QUESTION ID

S64-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$(4, -1)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F2-Q4

Grade 6 • Geometry • 6.G.A.3 • Set 64 • FORWARD 2 • Q4/5

True or false?

The segment from $(-4, 1)$ to $(4, 1)$ is 4 units long.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F2-Q5

Grade 6 • Geometry • 6.G.A.3 • Set 64 • FORWARD 2 • Q5/5

1989

QUESTION ID

S64-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S64-F2-Q5

Grade 6 • Geometry • 6.G.A.3 • Set 64 • FORWARD 2 • Q5/5