

GRADE 5 COMMON CORE MATH

Answer Key

Main • Backward Branches • Forward 1 (Grade 6) • Forward 2 (Grade 7)

71 question sets • 1930 questions

Page numbers match the Question Collection.

Every page shows its question ID (for example S40-F2-Q3).

CONTENTS

Set 1	5.OA.A.1	Evaluate expressions that use parentheses	7
Set 2	5.OA.A.1	Evaluate expressions with brackets and braces	44
Set 3	5.OA.A.1	Place grouping symbols to make an equation true	81
Set 4	5.OA.A.2	Write numerical expressions from words	118
Set 5	5.OA.A.2	Interpret numerical expressions without evaluating them	155
Set 6	5.OA.B.3	Generate two numerical patterns and compare their terms	192
Set 58	5.OA.B.3	Explain why two patterns have the relationship they do	223
Set 7	5.OA.B.3	Form ordered pairs from two patterns and graph them	254
Set 8	5.NBT.A.1	A digit is worth 10 times as much as the same digit one place to its right	291
Set 9	5.NBT.A.1	A digit is worth 1/10 of the same digit one place to its left	328
Set 10	5.NBT.A.2	Multiply and divide whole numbers by powers of 10; write powers of 10 with expon	365
Set 11	5.NBT.A.2	Place the decimal point when multiplying or dividing a decimal by a power of 10	396
Set 59	5.NBT.A.2	Explain patterns in the number of zeros and the placement of the decimal point	427
Set 12	5.NBT.A.3.a	Read and write decimals to thousandths using numerals and words	458
Set 13	5.NBT.A.3.a	Write decimals to thousandths in expanded form	495
Set 14	5.NBT.A.3.b	Compare decimals to thousandths	526
Set 15	5.NBT.A.4	Round decimals to any place	557

CONTENTS (continued)

Set 16	5.NBT.B.5	Multiply multi-digit whole numbers using the standard algorithm	588
Set 17	5.NBT.B.6	Divide with up to four-digit dividends and two-digit divisors	625
Set 18	5.NBT.B.6	Explain division using area models and equations	662
Set 60	5.NBT.B.6	Draw division models and explain the strategy	699
Set 19	5.NBT.B.7	Add decimals to hundredths	730
Set 61	5.NBT.B.7	Subtract decimals to hundredths	767
Set 62	5.NBT.B.7	Use place-value models to add and subtract decimals and explain the method	798
Set 20	5.NBT.B.7	Multiply decimals to hundredths	829
Set 63	5.NBT.B.7	Use models and place value to multiply decimals and explain the method	866
Set 21	5.NBT.B.7	Divide decimals to hundredths	897
Set 64	5.NBT.B.7	Use models and place value to divide decimals and explain the method	934
Set 22	5.NBT.B.7	Solve real-world problems with decimal operations	965
Set 23	5.NF.A.1	Add fractions with unlike denominators	996
Set 24	5.NF.A.1	Subtract fractions with unlike denominators	1033
Set 25	5.NF.A.1	Add mixed numbers with unlike denominators	1070
Set 65	5.NF.A.1	Subtract mixed numbers with unlike denominators	1107
Set 26	5.NF.A.2	Solve word problems by adding and subtracting fractions	1138

CONTENTS (continued)

Set 27	5.NF.A.2	Use benchmark fractions to estimate and to check answers	1175
Set 28	5.NF.B.3	Interpret a fraction as division of the numerator by the denominator	1206
Set 29	5.NF.B.3	Solve sharing problems whose answers are fractions or mixed numbers	1243
Set 30	5.NF.B.4.a	Multiply a fraction by a whole number	1274
Set 31	5.NF.B.4.a	Multiply a fraction by a fraction	1311
Set 66	5.NF.B.4.a	Interpret fraction products with tape diagrams and area models	1342
Set 32	5.NF.B.4.b	Find the area of a rectangle with fractional side lengths	1373
Set 67	5.NF.B.4.b	Tile a rectangle with unit-fraction squares and connect the tiling to the area	1410
Set 33	5.NF.B.5.a	Compare the size of a product to the size of one factor without multiplying	1441
Set 34	5.NF.B.5.b	Explain the effect of multiplying by a fraction greater than, less than, or equal to 1	1472
Set 68	5.NF.B.5.b	Explain equivalent fractions as multiplying by a fraction equal to 1	1503
Set 35	5.NF.B.6	Solve real-world problems by multiplying fractions and mixed numbers	1534
Set 36	5.NF.B.6	Solve real-world problems by multiplying mixed numbers	1571
Set 37	5.NF.B.7.a	Divide a unit fraction by a whole number	1608
Set 69	5.NF.B.7.a	Use models to divide a unit fraction by a whole number and check with multiplicati	1645
Set 38	5.NF.B.7.b	Divide a whole number by a unit fraction	1676
Set 70	5.NF.B.7.b	Use models to divide a whole number by a unit fraction and check with multiplicati	1707

CONTENTS (continued)

Set 39	5.NF.B.7.c	Solve word problems that divide unit fractions and whole numbers	1738
Set 40	5.MD.A.1	Convert from a larger unit to a smaller unit	1769
Set 41	5.MD.A.1	Convert from a smaller unit to a larger unit	1806
Set 42	5.MD.A.1	Solve multistep problems that involve converting units	1843
Set 43	5.MD.B.2	Make a line plot of measurements in fractions of a unit	1874
Set 44	5.MD.B.2	Use operations on fractions to solve problems with line plot data	1911
Set 45	5.MD.C.3.a	Understand a unit cube and a cubic unit of volume	1948
Set 46	5.MD.C.3.b	A solid packed with n unit cubes has a volume of n cubic units	1979
Set 47	5.MD.C.4	Measure volume by counting unit cubes	2010
Set 48	5.MD.C.5.a	Relate packing with unit cubes to the formulas $V = l \times w \times h$ and $V = b \times h$	2041
Set 49	5.MD.C.5.b	Apply $V = l \times w \times h$ and $V = b \times h$ to solve real-world problems	2072
Set 50	5.MD.C.5.b	Find a missing dimension when the volume is known	2103
Set 51	5.MD.C.5.c	Find the volume of a figure made of two rectangular prisms	2134
Set 52	5.G.A.1	Understand the coordinate plane: axes, origin, and coordinates	2165
Set 53	5.G.A.2	Graph points in the first quadrant	2196
Set 54	5.G.A.2	Solve real-world problems by graphing points and interpreting coordinates	2227
Set 55	5.G.B.3	Attributes of a category belong to all of its subcategories	2258

CONTENTS (continued)

Set 56	5.G.B.4	Classify quadrilaterals in a hierarchy based on their properties	2295
Set 57	5.G.B.4	Classify triangles by their sides and angles	2326
Set 71	5.G.B.4	Place triangles in a hierarchy of categories and subcategories	2363

Evaluate expressions that use parentheses

MAIN	Grade 5 main question	5.OA.A.1
BACKWARD 1	Do the work in parentheses first	3.OA.D.8
BACKWARD 2	Multiplication and division facts	3.OA.C.7
BACKWARD 3	Adding and subtracting multi-digit numbers	4.NBT.B.4
FORWARD 1	Evaluate expressions with variables	6.EE.A.2.c
FORWARD 2	Evaluate expressions with negative numbers	7.NS.A.3

SET 1 • 5.OA.A.1

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1

Evaluate.

$$6 \times (8 + 5)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q1/5

9

QUESTION ID

S1-M-Q1

TYPE

Short answer

CORRECT ANSWER

78

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q1/5

Evaluate.

$$(35 - 11) \div 4$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q2/5

10

QUESTION ID

S1-M-Q2

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q2/5

Evaluate.

$$50 - (6 \times 7)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q3/5

11

QUESTION ID

S1-M-Q3

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q3/5

Evaluate.

$$3 + (24 \div 6) \times 5$$

- A. 35
- B. 135
- C. 27
- D. 23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q4/5

12

QUESTION ID

S1-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q4/5

Evaluate.

$$(9 + 3) \times (10 - 4)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q5/5

13

QUESTION ID

S1-M-Q5

TYPE

Short answer

CORRECT ANSWER

72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 1 • MAIN • Q5/5

SET 1 • 5.OA.A.1

BACKWARD 1

Do the work in parentheses first • Grade 3 • Operations & Algebraic Thinking •
3.OA.D.8

True or false?

In $4 \times (2 + 5)$, you add $2 + 5$ first.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q1/5

15

QUESTION ID

S1-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q1/5

Evaluate.

$$(6 + 4) \times 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q2/5

16

QUESTION ID

S1-B1-Q2

TYPE

Short answer

CORRECT ANSWER

20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q2/5

Which step comes first in $18 - (3 \times 4)$?

- A. Subtract $18 - 4$
- B. Multiply 3×4
- C. Subtract $18 - 3$
- D. Add $3 + 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q3/5

17

QUESTION ID

S1-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. Multiply 3×4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q3/5

Evaluate.

$$20 - (5 + 5)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q4/5

18

QUESTION ID

S1-B1-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q4/5

True or false?

$$(10 - 4) + 3 = 10 - 7$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q5/5

19

QUESTION ID

S1-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 1 • BACKWARD 1 • Q5/5

SET 1 • 5.OA.A.1

BACKWARD 2

Multiplication and division facts • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$7 \times 8$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q1/5

21

QUESTION ID

S1-B2-Q1

TYPE

Short answer

CORRECT ANSWER

56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q1/5

Divide.

$$24 \div 6$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q2/5

22

QUESTION ID

S1-B2-Q2

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q2/5

True or false?

$$9 \times 7 = 56$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q3/5

23

QUESTION ID

S1-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q3/5

$$48 \div 8 = ?$$

- A.** 8
- B.** 5
- C.** 7
- D.** 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q4/5

24

QUESTION ID

S1-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$3 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q5/5

25

QUESTION ID

S1-B2-Q5

TYPE

Short answer

CORRECT ANSWER

27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 1 • BACKWARD 2 • Q5/5

25

SET 1 • 5.OA.A.1

BACKWARD 3

Adding and subtracting multi-digit numbers • Grade 4 • Number & Operations
in Base Ten • 4.NBT.B.4

Add.

$$348 + 275$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q1/5

27

QUESTION ID

S1-B3-Q1

TYPE

Short answer

CORRECT ANSWER

623

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$502 - 168$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q2/5

28

QUESTION ID

S1-B3-Q2

TYPE

Short answer

CORRECT ANSWER

334

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q2/5

28

True or false?

$$1,250 - 375 = 985$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q3/5

29

QUESTION ID

S1-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q3/5

$$609 + 194 = ?$$

- A.** 793
- B.** 703
- C.** 813
- D.** 803

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q4/5

30

QUESTION ID

S1-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 803

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$1,000 - 432$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q5/5

31

QUESTION ID

S1-B3-Q5

TYPE

Short answer

CORRECT ANSWER

568

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-B3-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 1 • BACKWARD 3 • Q5/5

31

SET 1 • 5.OA.A.1

FORWARD 1

Evaluate expressions with variables • Grade 6 • Expressions & Equations •
6.EE.A.2.c

Evaluate $4(x + 3)$ when $x = 5$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q1/5

33

QUESTION ID

S1-F1-Q1

TYPE

Short answer

CORRECT ANSWER

32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q1/5

Evaluate $20 - 2y$ when $y = 6$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q2/5

34

QUESTION ID

S1-F1-Q2

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q2/5

Evaluate $(a + b) \div 3$ when $a = 10$ and $b = 8$.

- A.** 4
- B.** 9
- C.** 54
- D.** 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q3/5

35

QUESTION ID

S1-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q3/5

Evaluate $3m + 2$ when $m = 7$.

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q4/5

36

QUESTION ID

S1-F1-Q4

TYPE

Short answer

CORRECT ANSWER

23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q4/5

True or false?

When $n = 4$, the value of $5(n - 1)$ is 19.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q5/5

37

QUESTION ID

S1-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.c • Set 1 • FORWARD 1 • Q5/5

SET 1 • 5.OA.A.1

FORWARD 2

Evaluate expressions with negative numbers • Grade 7 • The Number System •
7.NS.A.3

Find the value.

$$-3 \times (4 - 9)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q1/5

39

QUESTION ID

S1-F2-Q1

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q1/5

Find the value.

$$(-12 + 4) \div 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q2/5

40

QUESTION ID

S1-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q2/5

Find the value.

$$6 - (2 - 10)$$

- A.** -2
- B.** 2
- C.** 14
- D.** 18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q3/5

41

QUESTION ID

S1-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q3/5

Find the value.

$$(-5) \times (-2) + (-7)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q4/5

42

QUESTION ID

S1-F2-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q4/5

True or false?

$$(-20) \div (3 + 2) = 4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q5/5

43

QUESTION ID

S1-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S1-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 1 • FORWARD 2 • Q5/5

Evaluate expressions with brackets and braces

MAIN	Grade 5 main question	5.OA.A.1
BACKWARD 1	Do the work in parentheses first	3.OA.D.8
BACKWARD 2	Multiplication and division facts	3.OA.C.7
BACKWARD 3	Adding and subtracting within 100	2.NBT.B.5
FORWARD 1	Evaluate expressions with whole-number exponents	6.EE.A.1
FORWARD 2	Grouping symbols with negative numbers	7.NS.A.3

SET 2 • 5.OA.A.1

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1

Evaluate.

$$2 \times [5 + (3 \times 4)]$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q1/5

46

QUESTION ID

S2-M-Q1

TYPE

Short answer

CORRECT ANSWER

34

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q1/5

Evaluate.

$$[20 - (2 + 6)] \div 3$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q2/5

47

QUESTION ID

S2-M-Q2

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q2/5

Evaluate.

$$4 \times \{3 + [10 - (2 \times 4)]\}$$

- A. 36
- B. 20
- C. 44
- D. 26

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q3/5

48

QUESTION ID

S2-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q3/5

Evaluate.

$$60 \div [3 \times (7 - 5)]$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q4/5

49

QUESTION ID

S2-M-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q4/5

Evaluate.

$$\{18 - [2 \times (4 + 1)]\} + 9$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q5/5

50

QUESTION ID

S2-M-Q5

TYPE

Short answer

CORRECT ANSWER

17

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 2 • MAIN • Q5/5

SET 2 • 5.OA.A.1

BACKWARD 1

Do the work in parentheses first • Grade 3 • Operations & Algebraic Thinking •
3.OA.D.8

Evaluate.

$$(12 - 5) \times 3$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q1/5

52

QUESTION ID

S2-B1-Q1

TYPE

Short answer

CORRECT ANSWER

21

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q1/5

True or false?

In $(8 + 2) \div 5$, you divide $2 \div 5$ first.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q2/5

53

QUESTION ID

S2-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q2/5

Evaluate.

$$4 \times (9 - 6)$$

- A. 33
- B. 10
- C. 30
- D. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q3/5

54

QUESTION ID

S2-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q3/5

Evaluate.

$$30 \div (2 + 4)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q4/5

55

QUESTION ID

S2-B1-Q4

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q4/5

True or false?

$$(3 + 5) \times 2 = 16$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q5/5

56

QUESTION ID

S2-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 2 • BACKWARD 1 • Q5/5

SET 2 • 5.OA.A.1

BACKWARD 2

Multiplication and division facts • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

Multiply.

$$8 \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q1/5

58

QUESTION ID

S2-B2-Q1

TYPE

Short answer

CORRECT ANSWER

48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q1/5

Divide.

$$56 \div 7$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q2/5

59

QUESTION ID

S2-B2-Q2

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q2/5

True or false?

$$36 \div 4 = 8$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q3/5

60

QUESTION ID

S2-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q3/5

$$7 \times 9 = ?$$

- A.** 63
- B.** 56
- C.** 72
- D.** 49

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q4/5

61

QUESTION ID

S2-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

A. 63

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q4/5

Divide.

$$81 \div 9$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q5/5

62

QUESTION ID

S2-B2-Q5

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 2 • BACKWARD 2 • Q5/5

SET 2 • 5.OA.A.1

BACKWARD 3

Adding and subtracting within 100 • Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$46 + 37$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q1/5

64

QUESTION ID

S2-B3-Q1

TYPE

Short answer

CORRECT ANSWER

83

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q1

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$72 - 28$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q2/5

65

QUESTION ID

S2-B3-Q2

TYPE

Short answer

CORRECT ANSWER

44

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q2

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q2/5

65

True or false?

$$55 + 29 = 74$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q3/5

66

QUESTION ID

S2-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q3

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q3/5

$$90 - 47 = ?$$

- A.** 47
- B.** 43
- C.** 53
- D.** 33

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q4/5

67

QUESTION ID

S2-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 43

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q4

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$38 + 54$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q5/5

68

QUESTION ID

S2-B3-Q5

TYPE

Short answer

CORRECT ANSWER

92

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-B3-Q5

Grade 2 • Number & Operations in Base Ten • 2.NBT.B.5 • Set 2 • BACKWARD 3 • Q5/5

68

SET 2 • 5.OA.A.1

FORWARD 1

Evaluate expressions with whole-number exponents • Grade 6 • Expressions & Equations • 6.EE.A.1

Evaluate.

$$2 \times (3 + 1)^2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q1/5

70

QUESTION ID

S2-F1-Q1

TYPE

Short answer

CORRECT ANSWER

32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q1/5

Evaluate.

$$[10 - 2^3] \times 5$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q2/5

71

QUESTION ID

S2-F1-Q2

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q2/5

Evaluate.

$$4^2 - (6 + 2)$$

- A.** 8
- B.** 2
- C.** 0
- D.** 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q3/5

72

QUESTION ID

S2-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q3/5

Evaluate.

$$(5^2 - 1) \div 6$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q4/5

73

QUESTION ID

S2-F1-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q4/5

True or false?

$$3 \times 2^2 = 36$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q5/5

74

QUESTION ID

S2-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 2 • FORWARD 1 • Q5/5

SET 2 • 5.OA.A.1

FORWARD 2

Grouping symbols with negative numbers • Grade 7 • The Number System •
7.NS.A.3

Find the value.

$$2 \times [-3 + (8 \div (-4))]$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q1/5

76

QUESTION ID

S2-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q1/5

Find the value.

$$[(-6) + 15] \div (-3)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q2/5

77

QUESTION ID

S2-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q2/5

Find the value.

$$-4 \times [5 - (-1)]$$

- A.** 16
- B.** -16
- C.** -24
- D.** 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q3/5

78

QUESTION ID

S2-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. -24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q3/5

Find the value.

$$\{10 - [2 \times (-3)]\} \div 4$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q4/5

79

QUESTION ID

S2-F2-Q4

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q4/5

True or false?

$$[-8 - (-2)] \times 3 = -30$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q5/5

80

QUESTION ID

S2-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S2-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 2 • FORWARD 2 • Q5/5

Place grouping symbols to make an equation true

MAIN	Grade 5 main question	5.OA.A.1
BACKWARD 1	Do the work in parentheses first	3.OA.D.8
BACKWARD 2	When regrouping keeps the same value	3.OA.B.5
BACKWARD 3	Multiplication and division facts	3.OA.C.7
FORWARD 1	Use parentheses to write equivalent expressions	6.EE.A.3
FORWARD 2	Expand and factor expressions with rational coefficients	7.EE.A.1

SET 3 • 5.OA.A.1

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1

Insert parentheses to make the equation true.

$$4 + 6 \times 3 = 30$$

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q1/5

83

QUESTION ID

S3-M-Q1

TYPE

Short answer

CORRECT ANSWER

$$(4 + 6) \times 3 = 30$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q1/5

Insert parentheses to make the equation true.

$$20 - 8 - 2 = 14$$

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q2/5

84

QUESTION ID

S3-M-Q2

TYPE

Short answer

CORRECT ANSWER

$$20 - (8 - 2) = 14$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q2/5

Which placement of parentheses makes the equation true?

$$2 \times 5 + 3 \times 4 = 52$$

A. $2 \times (5 + 3) \times 4 = 52$ **B.** $(2 \times 5 + 3) \times 4 = 52$

C. $2 \times (5 + 3 \times 4) = 52$ **D.** $2 \times 5 + (3 \times 4) = 52$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q3/5

85

QUESTION ID

S3-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B.

$(2 \times 5 + 3) \times 4 = 52$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q3/5

Insert parentheses to make the equation true.

$$36 \div 6 - 2 = 9$$

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q4/5

86

QUESTION ID

S3-M-Q4

TYPE

Short answer

CORRECT ANSWER

$$36 \div (6 - 2) = 9$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q4/5

Insert brackets and parentheses to make the equation true.

$$2 \times 9 - 3 + 1 = 10$$

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q5/5

87

QUESTION ID

S3-M-Q5

TYPE

Short answer

CORRECT ANSWER

$$2 \times [9 - (3 + 1)] \\ = 10$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.1 • Set 3 • MAIN • Q5/5

SET 3 • 5.OA.A.1

BACKWARD 1

Do the work in parentheses first • Grade 3 • Operations & Algebraic Thinking •
3.OA.D.8

Evaluate.

$$(4 + 6) \times 3$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q1/5

89

QUESTION ID

S3-B1-Q1

TYPE

Short answer

CORRECT ANSWER

30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q1/5

Evaluate.

$$4 + (6 \times 3)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q2/5

90

QUESTION ID

S3-B1-Q2

TYPE

Short answer

CORRECT ANSWER

22

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q2/5

True or false?

$$(20 - 8) - 2 = 20 - (8 - 2)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q3/5

91

QUESTION ID

S3-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q3/5

Evaluate.

$$36 \div (6 - 2)$$

- A.** 4
- B.** 34
- C.** 9
- D.** 7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q4/5

92

QUESTION ID

S3-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q4/5

Evaluate.

$$(36 \div 6) - 2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q5/5

93

QUESTION ID

S3-B1-Q5

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.8 • Set 3 • BACKWARD 1 • Q5/5

SET 3 • 5.OA.A.1

BACKWARD 2

When regrouping keeps the same value • Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5

True or false?

$$(2 \times 3) \times 4 = 2 \times (3 \times 4)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q1/5

95

QUESTION ID

S3-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q1/5

True or false?

$$(12 \div 6) \div 2 = 12 \div (6 \div 2)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q2/5

96

QUESTION ID

S3-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q2/5

Which equation is true?

- A. $(5 + 2) + 3 = 5 + (2 + 3)$
- B. $(9 - 4) - 1 = 9 - (4 - 1)$
- C. $(16 \div 4) \div 2 = 16 \div (4 \div 2)$
- D. $(7 - 3) - 2 = 7 - (3 - 2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q3/5

97

QUESTION ID

S3-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A.

$(5 + 2) + 3 = 5 + (2 + 3)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q3/5

True or false?

$$4 \times (5 \times 2) = (4 \times 5) \times 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q4/5

98

QUESTION ID

S3-B2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q4/5

Fill in the blank.

$$(6 \times 2) \times 5 = 6 \times (2 \times \underline{\quad})$$

Blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q5/5

99

QUESTION ID

S3-B2-Q5

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.5 • Set 3 • BACKWARD 2 • Q5/5

SET 3 • 5.OA.A.1

BACKWARD 3

Multiplication and division facts • Grade 3 • Operations & Algebraic Thinking •
3.OA.C.7

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$9 \times 4$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q1/5

101

QUESTION ID

S3-B3-Q1

TYPE

Short answer

CORRECT ANSWER

36

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q1/5

101

Divide.

$$42 \div 6$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q2/5

102

QUESTION ID

S3-B3-Q2

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q2/5

True or false?

$$8 \times 7 = 54$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q3/5

103

QUESTION ID

S3-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q3/5

$$64 \div 8 = ?$$

- A.** 6
- B.** 7
- C.** 8
- D.** 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q4/5

104

QUESTION ID

S3-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$6 \times 7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q5/5

105

QUESTION ID

S3-B3-Q5

TYPE

Short answer

CORRECT ANSWER

42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 3 • BACKWARD 3 • Q5/5

105

SET 3 • 5.OA.A.1

FORWARD 1

Use parentheses to write equivalent expressions • Grade 6 • Expressions & Equations • 6.EE.A.3

Expand.

$$3(x + 5)$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q1/5

107

QUESTION ID

S3-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$3x + 15$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q1/5

Expand.

$$4(2y - 1)$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q2/5

108

QUESTION ID

S3-F1-Q2

TYPE

Short answer

CORRECT ANSWER

$8y - 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q2/5

Which expression is equivalent to $6(a + 2)$?

- A. $6a + 2$
- B. $a + 12$
- C. $6a + 12$
- D. $8a$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q3/5

109

QUESTION ID

S3-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $6a + 12$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q3/5

Factor.

$$5m + 20$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q4/5

110

QUESTION ID

S3-F1-Q4

TYPE

Short answer

CORRECT ANSWER

5(m + 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q4/5

True or false?

$$2(x + 7) = 2x + 7$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q5/5

111

QUESTION ID

S3-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.3 • Set 3 • FORWARD 1 • Q5/5

SET 3 • 5.OA.A.1

FORWARD 2

Expand and factor expressions with rational coefficients • Grade 7 •
Expressions & Equations • 7.EE.A.1

ANSWER KEY

Reduced copy of the question page, with its answer

Expand.

$$-2(3x - 4)$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q1/5

113

QUESTION ID

S3-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$$-6x + 8$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q1/5

113

Expand.

$$\frac{1}{2}(6y + 10)$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q2/5

114

QUESTION ID

S3-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$3y + 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q2/5

Which expression is equivalent to $-5(n + 2)$?

- A. $-5n + 2$
- B. $-5n - 10$
- C. $-5n + 10$
- D. $5n - 10$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q3/5

115

QUESTION ID

S3-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $-5n - 10$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q3/5

Factor out 3.

$$3x - 12$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q4/5

116

QUESTION ID

S3-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$3(x - 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q4/5

True or false?

$$0.5(4a - 8) = 2a - 8$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q5/5

117

QUESTION ID

S3-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S3-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 3 • FORWARD 2 • Q5/5

Write numerical expressions from words

MAIN	Grade 5 main question	5.OA.A.2
BACKWARD 1	Products as equal groups	3.OA.A.1
BACKWARD 2	Quotients as equal shares	3.OA.A.2
BACKWARD 3	Sums and differences	2.OA.A.1
FORWARD 1	Write expressions with variables	6.EE.A.2.a
FORWARD 2	Write and solve equations from words	7.EE.B.4.a

SET 4 • 5.OA.A.2

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2

Write an expression for "add 9 and 6, then multiply by 4."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q1/5

120

QUESTION ID

S4-M-Q1

TYPE

Short answer

CORRECT ANSWER

$(9 + 6) \times 4$

GRADING NOTE $4 \times (9 + 6)$ is also correct. Parentheses are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q1/5

Write an expression for "subtract 5 from 30, then divide by 5."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q2/5

121

QUESTION ID

S4-M-Q2

TYPE

Short answer

CORRECT ANSWER

$(30 - 5) \div 5$

GRADING NOTE Parentheses are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q2/5

Which expression shows "triple the sum of 12 and 8"?

- A. $12 + 8 \times 3$
- B. $3 \times 12 + 8$
- C. $3 \times (12 + 8)$
- D. $(3 + 12) \times 8$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q3/5

122

QUESTION ID

S4-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $3 \times (12 + 8)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q3/5

Write an expression for "divide 40 by 8, then add 7."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q4/5

123

QUESTION ID

S4-M-Q4

TYPE

Short answer

CORRECT ANSWER

$(40 \div 8) + 7$

GRADING NOTE $40 \div 8 + 7$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q4/5

Write an expression for "the product of 6 and the difference of 15 and 9."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q5/5

124

QUESTION ID

S4-M-Q5

TYPE

Short answer

CORRECT ANSWER

$6 \times (15 - 9)$

GRADING NOTE $(15 - 9) \times 6$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 4 • MAIN • Q5/5

SET 4 • 5.OA.A.2

BACKWARD 1

Products as equal groups • Grade 3 • Operations & Algebraic Thinking •
3.OA.A.1

True or false?

5×7 can mean 5 groups of 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q1/5

126

QUESTION ID

S4-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q1/5

Which expression shows 4 groups of 6?

- A.** 46
- B.** $6 - 4$
- C.** $4 + 6$
- D.** 4×6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q2/5

127

QUESTION ID

S4-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 4×6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q2/5

Write a multiplication expression for 8 groups of 3.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q3/5

128

QUESTION ID

S4-B1-Q3

TYPE

Short answer

CORRECT ANSWER

8 × 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q3/5

True or false?

$$3 + 3 + 3 + 3 = 3 \times 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q4/5

129

QUESTION ID

S4-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q4/5

What is the product of 7 and 5?

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q5/5

130

QUESTION ID

S4-B1-Q5

TYPE

Short answer

CORRECT ANSWER

35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B1-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 4 • BACKWARD 1 • Q5/5

SET 4 • 5.OA.A.2

BACKWARD 2

Quotients as equal shares • Grade 3 • Operations & Algebraic Thinking •
3.OA.A.2

True or false?

15 ÷ 3 can mean 15 shared equally into 3 groups.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q1/5

132

QUESTION ID

S4-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q1/5

Which expression shows 20 apples shared equally among 4 bags?

- A. 20×4
- B. $4 \div 20$
- C. $20 \div 4$
- D. $20 - 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q2/5

133

QUESTION ID

S4-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. $20 \div 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q2/5

What is the quotient of 18 and 6?

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q3/5

134

QUESTION ID

S4-B2-Q3

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q3/5

Write a division expression for 32 split into groups of 8.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q4/5

135

QUESTION ID

S4-B2-Q4

TYPE

Short answer

CORRECT ANSWER

32 ÷ 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q4/5

True or false?

The quotient of 12 and 2 is 24.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q5/5

136

QUESTION ID

S4-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 4 • BACKWARD 2 • Q5/5

SET 4 • 5.OA.A.2

BACKWARD 3

Sums and differences • Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1

What is the sum of 14 and 9?

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q1/5

138

QUESTION ID

S4-B3-Q1

TYPE

Short answer

CORRECT ANSWER

23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q1

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q1/5

What is the difference of 20 and 7?

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q2/5

139

QUESTION ID

S4-B3-Q2

TYPE

Short answer

CORRECT ANSWER

13

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q2

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q2/5

True or false?

The difference of 15 and 6 is 21.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q3/5

140

QUESTION ID

S4-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q3

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q3/5

Which word names the answer to an addition problem?

- A.** Difference
- B.** Quotient
- C.** Product
- D.** Sum

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q4/5

141

QUESTION ID

S4-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. Sum

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q4

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q4/5

Write an expression for "7 more than 25."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q5/5

142

QUESTION ID

S4-B3-Q5

TYPE

Short answer

CORRECT ANSWER

25 + 7

GRADING NOTE 7 + 25 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-B3-Q5

Grade 2 • Operations & Algebraic Thinking • 2.OA.A.1 • Set 4 • BACKWARD 3 • Q5/5

SET 4 • 5.OA.A.2

FORWARD 1

Write expressions with variables • Grade 6 • Expressions & Equations •
6.EE.A.2.a

Write an expression for "the sum of n and 8, times 3."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q1/5

144

QUESTION ID

S4-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$3(n + 8)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q1/5

Write an expression for "y divided by 5, then minus 2."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q2/5

145

QUESTION ID

S4-F1-Q2

TYPE

Short answer

CORRECT ANSWER

$y \div 5 - 2$

GRADING NOTE $y/5 - 2$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q2/5

Which expression means "4 less than the product of 2 and x "?

- A. $4 - 2x$
- B. $2x - 4$
- C. $2(x - 4)$
- D. $2 + x - 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q3/5

146

QUESTION ID

S4-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $2x - 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q3/5

Write an expression for "twice the difference of m and 6."

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q4/5

147

QUESTION ID

S4-F1-Q4

TYPE

Short answer

CORRECT ANSWER

$2(m - 6)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q4/5

True or false?

"9 more than k " can be written as $k + 9$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q5/5

148

QUESTION ID

S4-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.a • Set 4 • FORWARD 1 • Q5/5

SET 4 • 5.OA.A.2

FORWARD 2

Write and solve equations from words • Grade 7 • Expressions & Equations •
7.EE.B.4.a

Three times the sum of a number and 4 is 27.
Write and solve an equation to find the number.

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q1/5

150

QUESTION ID

S4-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$3(n + 4) = 27; n = 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q1/5

Half of a number, minus 6, is 10.

Write and solve an equation to find the number.

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q2/5

151

QUESTION ID

S4-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$$(1/2)n - 6 = 10;$$
$$n = 32$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q2/5

Which equation represents "2 less than 5 times a number is 33"?

- A. $5n + 2 = 33$
- B. $5n - 2 = 33$
- C. $2 - 5n = 33$
- D. $5(n - 2) = 33$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q3/5

152

QUESTION ID

S4-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $5n - 2 = 33$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q3/5

A number divided by 4, plus 3, is 9.

Write and solve an equation to find the number.

Equation and solution: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q4/5

153

QUESTION ID

S4-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$$n \div 4 + 3 = 9; n = 24$$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q4/5

True or false?

The solution of $2(x + 3) = 18$ is $x = 7$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q5/5

154

QUESTION ID

S4-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S4-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.4.a • Set 4 • FORWARD 2 • Q5/5

Interpret numerical expressions without evaluating them

MAIN	Grade 5 main question	5.OA.A.2
BACKWARD 1	Multiplicative comparison	4.OA.A.1
BACKWARD 2	Groups of a sum	3.OA.A.1
BACKWARD 3	Equal shares	3.OA.A.2
FORWARD 1	Identify parts of an expression	6.EE.A.2.b
FORWARD 2	Rewrite expressions to show how quantities are related	7.EE.A.2

SET 5 • 5.OA.A.2

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2

How does $4 \times (563 + 218)$ compare to $563 + 218$?

- A. It is 4 more.
- B. It is 4 times as large.
- C. It is 4 less.
- D. It is one-fourth as large.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q1/5

157

QUESTION ID

S5-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. It is 4 times as large.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q1/5

True or false?

$(7,215 - 1,005) \div 5$ is one-fifth as large as $7,215 - 1,005$.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q2/5

158

QUESTION ID

S5-M-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q2/5

Without calculating, how many times as large is
 $9 \times (48 + 27)$ as $48 + 27$?

Times as large: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q3/5

159

QUESTION ID

S5-M-Q3

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q3/5

Which expression is twice as large as 356×12 ?

- A. $(356 + 2) \times 12$
- B. $356 \times 12 + 2$
- C. 356×14
- D. $2 \times (356 \times 12)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q4/5

160

QUESTION ID

S5-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. $2 \times (356 \times 12)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q4/5

True or false?

$6 \times 25 + 4$ is 6 times as large as $25 + 4$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q5/5

161

QUESTION ID

S5-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.A.2 • Set 5 • MAIN • Q5/5

SET 5 • 5.OA.A.2

BACKWARD 1

Multiplicative comparison • Grade 4 • Operations & Algebraic Thinking •
4.OA.A.1

True or false?

35 is 5 times as many as 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q1/5

163

QUESTION ID

S5-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q1/5

Fill in the blank.

48 is ____ times as many as 6.

Blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q2/5

164

QUESTION ID

S5-B1-Q2

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q2/5

Which equation shows "36 is 4 times as many as 9"?

A. $9 = 4 \times 36$

B. $36 = 4 + 9$

C. $36 - 9 = 4$

D. $36 = 4 \times 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q3/5

165

QUESTION ID

S5-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $36 = 4 \times 9$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q3/5

True or false?

30 is 3 times as many as 27.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q4/5

166

QUESTION ID

S5-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q4/5

Tom has 6 cards. Ana has 3 times as many cards.

How many cards does Ana have?

Cards: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q5/5

167

QUESTION ID

S5-B1-Q5

TYPE

Short answer

CORRECT ANSWER

18

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.A.1 • Set 5 • BACKWARD 1 • Q5/5

SET 5 • 5.OA.A.2

BACKWARD 2

Groups of a sum • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1

True or false?

$3 \times (4 + 1)$ means 3 groups of $(4 + 1)$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q1/5

169

QUESTION ID

S5-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q1/5

Which expression means 6 groups of $(10 + 2)$?

- A.** $6 \times (10 + 2)$
- B.** $(6 + 10) \times 2$
- C.** $6 \times 10 + 2$
- D.** $6 + (10 + 2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q2/5

170

QUESTION ID

S5-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. $6 \times (10 + 2)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q2/5

How many groups of $(5 + 4)$ are in $7 \times (5 + 4)$?

Groups: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q3/5

171

QUESTION ID

S5-B2-Q3

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q3/5

True or false?

$$2 \times (8 + 1) = (8 + 1) + 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q4/5

172

QUESTION ID

S5-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q4/5

Write 4 groups of 9 as a multiplication expression.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q5/5

173

QUESTION ID

S5-B2-Q5

TYPE

Short answer

CORRECT ANSWER

4 × 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.1 • Set 5 • BACKWARD 2 • Q5/5

SET 5 • 5.OA.A.2

BACKWARD 3

Equal shares • Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2

True or false?

12 shared equally among 3 people is 4 each.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q1/5

175

QUESTION ID

S5-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q1/5

A 20-inch ribbon is cut into 5 equal pieces.

How long is each piece?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q2/5

176

QUESTION ID

S5-B3-Q2

TYPE

Short answer

CORRECT ANSWER

4 inches

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q2/5

Which expression finds one of 4 equal shares of 28?

- A. $28 - 4$
- B. $28 \div 4$
- C. 28×4
- D. $4 \div 28$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q3/5

177

QUESTION ID

S5-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $28 \div 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q3/5

True or false?

Dividing a number by 2 splits it into 2 equal shares.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q4/5

178

QUESTION ID

S5-B3-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q4/5

30 crayons are shared equally among 6 children.

How many crayons does each child get?

Crayons: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q5/5

179

QUESTION ID

S5-B3-Q5

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.A.2 • Set 5 • BACKWARD 3 • Q5/5

SET 5 • 5.OA.A.2

FORWARD 1

Identify parts of an expression • Grade 6 • Expressions & Equations •
6.EE.A.2.b

In $5(x + 2)$, what is 5?

- A.** A term of $x + 2$
- B.** A quotient
- C.** A sum
- D.** A factor

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q1/5

181

QUESTION ID

S5-F1-Q1

TYPE

Multiple choice

CORRECT ANSWER

D. A factor

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q1/5

How many terms are in $4a + 7b - 1$?

Terms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q2/5

182

QUESTION ID

S5-F1-Q2

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q2/5

What is the coefficient of m in $9m + 4$?

Coefficient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q3/5

183

QUESTION ID

S5-F1-Q3

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q3/5

True or false?

In $3(y + 6)$, the quantity $(y + 6)$ is a sum of two terms.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q4/5

184

QUESTION ID

S5-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q4/5

What is the expression $12 \div (n + 1)$ called?

- A.** A coefficient
- B.** A quotient
- C.** A sum
- D.** A product

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q5/5

185

QUESTION ID

S5-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

B. A quotient

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.2.b • Set 5 • FORWARD 1 • Q5/5

SET 5 • 5.OA.A.2

FORWARD 2

Rewrite expressions to show how quantities are related • Grade 7 •
Expressions & Equations • 7.EE.A.2

A price p is increased by 5%.

Which expression shows the new price?

- A. $0.05p$
- B. $1.05p$
- C. $5p$
- D. $p + 5$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q1/5

187

QUESTION ID

S5-F2-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. $1.05p$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q1/5

True or false?

$$x + 0.3x = 0.4x$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q2/5

188

QUESTION ID

S5-F2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q2/5

Write $n - 0.4n$ as one term.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q3/5

189

QUESTION ID

S5-F2-Q3

TYPE

Short answer

CORRECT ANSWER

0.6n

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q3/5

Which expression is equivalent to $2(3t)$?

- A. $5t$
- B. $2t + 3t$
- C. $6t$
- D. $3t + 2$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q4/5

190

QUESTION ID

S5-F2-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. $6t$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q4/5

A sale price is $0.75p$, where p is the original price.

What percent of the original price is taken off?

Percent: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q5/5

191

QUESTION ID

S5-F2-Q5

TYPE

Short answer

CORRECT ANSWER

25%

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S5-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.2 • Set 5 • FORWARD 2 • Q5/5

Generate two numerical patterns and compare their terms

MAIN	Grade 5 main question	5.OA.B.3
BACKWARD 1	Patterns that follow a rule	4.OA.C.5
BACKWARD 2	Multiplication facts	3.OA.C.7
FORWARD 1	Equations relating dependent and independent variables	6.EE.C.9
FORWARD 2	Equations for proportional relationships	7.RP.A.2.c

SET 6 • 5.OA.B.3

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3

Pattern A starts at 0 and adds 6.

Pattern B starts at 0 and adds 18.

Write the first 5 terms of each pattern.

Pattern A: _____

Pattern B: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q1/5

194

QUESTION ID

S6-M-Q1

TYPE

Short answer

CORRECT ANSWER

Pattern A: 0, 6, 12, 18, 24; Pattern B: 0, 18, 36, 54, 72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q1/5

Pattern A: 0, 4, 8, 12, 16

Pattern B: 0, 12, 24, 36, 48

How does each term in Pattern B compare to the matching term in Pattern A?

- A.** 8 more **B.** 12 more
C. 4 times as large **D.** 3 times as large

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q2/5

195

QUESTION ID

S6-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

D. 3 times as large

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q2/5

Pattern A starts at 0 and adds 5. Pattern B starts at 0 and adds 10.

What is the 6th term of each pattern?

Pattern A: _____

Pattern B: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q3/5

196

QUESTION ID

S6-M-Q3

TYPE

Short answer

CORRECT ANSWER

**Pattern A: 25;
Pattern B: 50**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q3/5

True or false?

Pattern A starts at 0 and adds 2. Pattern B starts at 0 and adds 8. Each term in Pattern B is 4 times the matching term in Pattern A.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q4/5

197

QUESTION ID

S6-M-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q4/5

Pattern A starts at 0 and adds 7. Pattern B starts at 0 and adds 21.

When Pattern A is 28, what is the matching term in Pattern B?

Term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q5/5

198

QUESTION ID

S6-M-Q5

TYPE

Short answer

CORRECT ANSWER

84

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 6 • MAIN • Q5/5

SET 6 • 5.OA.B.3

BACKWARD 1

Patterns that follow a rule • Grade 4 • Operations & Algebraic Thinking •
4.OA.C.5

The rule is "add 6." The pattern starts at 0.

Write the first five terms.

Terms: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q1/5

200

QUESTION ID

S6-B1-Q1

TYPE

Short answer

CORRECT ANSWER

0, 6, 12, 18, 24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q1/5

True or false?

The rule "add 4," starting at 0, gives 0, 4, 8, 16.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q2/5

201

QUESTION ID

S6-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q2/5

What is the rule for the pattern?

0, 9, 18, 27, 36

- A. Add 9
- B. Add 18
- C. Multiply by 9
- D. Add 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q3/5

202

QUESTION ID

S6-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. Add 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q3/5

The rule is "add 11." The pattern starts at 0.

What is the 4th term?

Term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q4/5

203

QUESTION ID

S6-B1-Q4

TYPE

Short answer

CORRECT ANSWER

33

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q4/5

What comes next?

0, 15, 30, 45, ____

Next term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q5/5

204

QUESTION ID

S6-B1-Q5

TYPE

Short answer

CORRECT ANSWER

60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 6 • BACKWARD 1 • Q5/5

SET 6 • 5.OA.B.3

BACKWARD 2

Multiplication facts • Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7

Multiply.

$$4 \times 7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q1/5

206

QUESTION ID

S6-B2-Q1

TYPE

Short answer

CORRECT ANSWER

28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q1/5

True or false?

$$6 \times 8 = 42$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q2/5

207

QUESTION ID

S6-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q2/5

What number times 3 equals 24?

- A.** 8
- B.** 7
- C.** 21
- D.** 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q3/5

208

QUESTION ID

S6-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q3/5

Multiply.

$$5 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q4/5

209

QUESTION ID

S6-B2-Q4

TYPE

Short answer

CORRECT ANSWER

45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q4/5

What number times 6 equals 42?

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q5/5

210

QUESTION ID

S6-B2-Q5

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 6 • BACKWARD 2 • Q5/5

SET 6 • 5.OA.B.3

FORWARD 1

Equations relating dependent and independent variables • Grade 6 •
Expressions & Equations • 6.EE.C.9

Each box holds 6 cans.

Write an equation for the number of cans c in b boxes.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q1/5

212

QUESTION ID

S6-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$c = 6b$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q1/5

In $c = 6b$, which variable is the dependent variable?

- A. b
- B. c
- C. 6
- D. Neither

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q2/5

213

QUESTION ID

S6-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. c

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q2/5

Write an equation for y in terms of x .

x	1	2	3	4
y	5	10	15	20

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q3/5

214

QUESTION ID

S6-F1-Q3

TYPE

Short answer

CORRECT ANSWER

$y = 5x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q3/5

True or false?

In $y = x + 4$, y is the independent variable.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q4/5

215

QUESTION ID

S6-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q4/5

A plant grows 2 cm each week.

Write an equation for its growth g after w weeks.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q5/5

216

QUESTION ID

S6-F1-Q5

TYPE

Short answer

CORRECT ANSWER

$g = 2w$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 6 • FORWARD 1 • Q5/5

SET 6 • 5.OA.B.3

FORWARD 2

Equations for proportional relationships • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c

Pencils cost \$0.35 each.

Write an equation for the cost c of n pencils.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q1/5

218

QUESTION ID

S6-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$c = 0.35n$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q1/5

The table shows a proportional relationship.

Write an equation for y in terms of x .

x	4	6	10
y	10	15	25

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q2/5

219

QUESTION ID

S6-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$y = 2.5x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q2/5

Which equation represents a proportional relationship?

- A. $y = 1.5$
- B. $y = x + 1.5$
- C. $y = 1.5x + 2$
- D. $y = 1.5x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q3/5

220

QUESTION ID

S6-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $y = 1.5x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q3/5

A train travels 150 miles in 2 hours at a constant speed.

Write an equation for the distance d after t hours.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q4/5

221

QUESTION ID

S6-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$d = 75t$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q4/5

True or false?

$y = \frac{3}{4}x$ represents a proportional relationship.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q5/5

222

QUESTION ID

S6-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S6-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.c • Set 6 • FORWARD 2 • Q5/5

Explain why two patterns have the relationship they do

MAIN	Grade 5 main question	5.OA.B.3
BACKWARD 1	Notice features of a pattern that the rule does not state	4.OA.C.5
BACKWARD 2	Explain patterns in the multiplication table	3.OA.D.9
FORWARD 1	Use an equation to describe how two quantities change together	6.EE.C.9
FORWARD 2	Identify the constant of proportionality	7.RP.A.2.b

SET 58 • 5.OA.B.3

MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3

Pattern A starts at 0 and adds 4. Pattern B starts at 0 and adds 8.

Each term in Pattern B is twice the matching term in Pattern A.

Explain why.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 58 • MAIN • Q1/5

225

QUESTION ID

S58-M-Q1

TYPE

Short answer

CORRECT ANSWER

Both patterns start at 0 and take the same number of steps, and B adds 8, which is 2×4 , at every step, so B has always added twice as much as A.

GRADING NOTE Must connect the rule amounts (8 is twice 4) to the same start (0) and the same number of steps. Only restating "B is double A" or checking a few terms is not a full explanation.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 58 • MAIN • Q1/5

Pattern A starts at 0 and adds 3. Pattern B starts at 0 and adds 15.

Why is each term in Pattern B 5 times the matching term in Pattern A?

- A.** Both start at 0, and B adds 5 times as much as A at every step.
- B.** Pattern B starts 5 higher than Pattern A.
- C.** Pattern B has 5 more terms than Pattern A.
- D.** Each term in B is 12 more than the matching term in A.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 58 • MAIN • Q2/5

226

QUESTION ID

S58-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

**A. Both start at 0,
and B adds 5 times
as much as A at
every step.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 58 • MAIN • Q2/5

True or false?

Pattern A starts at 0 and adds 2. Pattern B starts at 0 and adds 6. Each term in B is 3 times the matching term in A because B adds 3 times as much at every step.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 58 • MAIN • Q3/5

227

QUESTION ID

S58-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 58 • MAIN • Q3/5

True or false?

Pattern A starts at 1 and adds 2. Pattern B starts at 1 and adds 4. Each term in Pattern B is twice the matching term in Pattern A.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 58 • MAIN • Q4/5

228

QUESTION ID

S58-M-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 58 • MAIN • Q4/5

Pattern A starts at 0 and adds 5. Pattern B starts at 0 and adds 20.

Without listing the terms, how does the 10th term of B compare with the 10th term of A? Explain.

Comparison: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 58 • MAIN • Q5/5

229

QUESTION ID

S58-M-Q5

TYPE

Short answer

CORRECT ANSWER

B's 10th term is 4 times A's 10th term (180 and 45).

GRADING NOTE Explanation: both start at 0 and reach the 10th term after the same 9 steps; B adds 20 and A adds 5 each step, and 20 is 4×5 , so B has added 4 times as much. The values 180 and 45 are not required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 58 • MAIN • Q5/5

SET 58 • 5.OA.B.3

BACKWARD 1

Notice features of a pattern that the rule does not state • Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5

True or false?

The rule is "add 2," starting at 1. Every term is odd.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 58 • BACKWARD 1 • Q1/5

231

QUESTION ID

S58-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 58 • BACKWARD 1 • Q1/5

The rule is "add 4," starting at 0. Which is true of every term?

- A. It is a multiple of 4.
- B. It is odd.
- C. It ends in 4.
- D. It is a multiple of 8.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 58 • BACKWARD 1 • Q2/5

232

QUESTION ID

S58-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. It is a multiple of 4.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 58 • BACKWARD 1 • Q2/5

The rule is "add 10," starting at 5.

What do you notice about the ones digit of every term?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 58 • BACKWARD 1 • Q3/5

233

QUESTION ID

S58-B1-Q3

TYPE

Short answer

CORRECT ANSWER

**The ones digit is
always 5.**

GRADING NOTE Accept any statement that every term ends in 5.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 58 • BACKWARD 1 • Q3/5

True or false?

The rule is "add 5," starting at 0. The terms alternate between ending in 0 and ending in 5.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 58 • BACKWARD 1 • Q4/5

234

QUESTION ID

S58-B1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 58 • BACKWARD 1 • Q4/5

The rule is "add 3," starting at 1: 1, 4, 7, 10, 13.

Which describes the terms?

- A.** They alternate odd, even, odd, even.
- B.** They are all odd.
- C.** They are all even.
- D.** They are all multiples of 3.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 58 • BACKWARD 1 • Q5/5

235

QUESTION ID

S58-B1-Q5

TYPE

Multiple choice

CORRECT ANSWER

**A. They alternate
odd, even, odd,
even.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 58 • BACKWARD 1 • Q5/5

SET 58 • 5.OA.B.3

BACKWARD 2

Explain patterns in the multiplication table • Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9

True or false?

Every product in the 4s row of the multiplication table is even.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 58 • BACKWARD 2 • Q1/5

237

QUESTION ID

S58-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 58 • BACKWARD 2 • Q1/5

Why is each product in the 6s row twice the product in the 3s row, in the same column?

- A. 6 is 2×3 , so $6 \times n$ is $2 \times (3 \times n)$.
- B. 6 is 3 more than 3.
- C. The 6s row has twice as many products.
- D. Products in later rows are always even.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 58 • BACKWARD 2 • Q2/5

238

QUESTION ID

S58-B2-Q2

TYPE

Multiple choice

CORRECT ANSWER

**A. 6 is 2×3 , so
 $6 \times n$ is $2 \times (3 \times n)$.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 58 • BACKWARD 2 • Q2/5

True or false?

Every product in the 5s row ends in 5.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 58 • BACKWARD 2 • Q3/5

239

QUESTION ID

S58-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 58 • BACKWARD 2 • Q3/5

The 2s row is 2, 4, 6, 8, 10, ...

What is the same about every product?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 58 • BACKWARD 2 • Q4/5

240

QUESTION ID

S58-B2-Q4

TYPE

Short answer

CORRECT ANSWER

They are all even.

GRADING NOTE Accept "even", "multiples of 2", or "end in 0, 2, 4, 6 or 8".

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 58 • BACKWARD 2 • Q4/5

True or false?

In the 9s row, 9×4 is 9 more than 9×3 .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 58 • BACKWARD 2 • Q5/5

241

QUESTION ID

S58-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.D.9 • Set 58 • BACKWARD 2 • Q5/5

SET 58 • 5.OA.B.3

FORWARD 1

Use an equation to describe how two quantities change together • Grade 6 •
Expressions & Equations • 6.EE.C.9

Write an equation for y in terms of x .

Explain how the table shows it.

x	1	2	3	4
y	7	14	21	28

Equation: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 58 • FORWARD 1 • Q1/5

243

QUESTION ID

S58-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$$y = 7x$$

GRADING NOTE Explanation: each y -value is 7 times its x -value (or y increases by 7 when x increases by 1, starting from 0).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 58 • FORWARD 1 • Q1/5

Each time x increases by 1, y increases by 5, and y is 0 when x is 0.

Which equation fits?

A. $y = 5x$

B. $y = 5$

C. $y = x + 5$

D. $x = 5y$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 58 • FORWARD 1 • Q2/5

244

QUESTION ID

S58-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. $y = 5x$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 58 • FORWARD 1 • Q2/5

True or false?

In $y = x + 3$, each y-value is 3 times its x-value.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 58 • FORWARD 1 • Q3/5

245

QUESTION ID

S58-F1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 58 • FORWARD 1 • Q3/5

A gym charges \$9 for each class.

Write an equation for the cost c of n classes.

Equation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 58 • FORWARD 1 • Q4/5

246

QUESTION ID

S58-F1-Q4

TYPE

Short answer

CORRECT ANSWER

$c = 9n$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 58 • FORWARD 1 • Q4/5

True or false?

For $y = 4x$, when x doubles, y also doubles.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 58 • FORWARD 1 • Q5/5

247

QUESTION ID

S58-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.C.9 • Set 58 • FORWARD 1 • Q5/5

SET 58 • 5.OA.B.3

FORWARD 2

Identify the constant of proportionality • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b

The table shows a proportional relationship.

What is the constant of proportionality?

x	2	5	8
y	6	15	24

Constant: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b • Set 58 • FORWARD 2 • Q1/5

249

QUESTION ID

S58-F2-Q1

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b • Set 58 • FORWARD 2 • Q1/5

What is the constant of proportionality in $y = 0.6x$?

- A. 0.6
- B. 0
- C. 6
- D. 1.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b • Set 58 • FORWARD 2 • Q2/5

250

QUESTION ID

S58-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 0.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b • Set 58 • FORWARD 2 • Q2/5

True or false?

In the table x: 4, 6, 10 and y: 2, 3, 5, the constant of proportionality is 2.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b • Set 58 • FORWARD 2 • Q3/5

251

QUESTION ID

S58-F2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b • Set 58 • FORWARD 2 • Q3/5

A car travels 50 miles on every 2 gallons of gas.

What is the constant of proportionality, in miles per gallon?

Constant: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b • Set 58 • FORWARD 2 • Q4/5

252

QUESTION ID

S58-F2-Q4

TYPE

Short answer

CORRECT ANSWER

25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b • Set 58 • FORWARD 2 • Q4/5

True or false?

A proportional relationship graphs as a line through $(0, 0)$ and $(1, 7)$. Its constant of proportionality is 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b • Set 58 • FORWARD 2 • Q5/5

253

QUESTION ID

S58-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S58-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.b • Set 58 • FORWARD 2 • Q5/5

Form ordered pairs from two patterns and graph them

MAIN	Grade 5 main question	5.OA.B.3
BACKWARD 1	Patterns that follow a rule	4.OA.C.5
BACKWARD 3	Read a scaled bar graph	3.MD.B.3
BACKWARD 4	Whole numbers on a number line	2.MD.B.6
FORWARD 1	Plot pairs of values from a ratio table	6.RP.A.3.a
FORWARD 2	Use a graph to decide whether a relationship is proportional	7.RP.A.2.a

SET 7 • 5.OA.B.3


MAIN

Grade 5 main question • Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3

Pattern A (x): start at 0 and add 1.

Pattern B (y): start at 0 and add 2.

Graph the ordered pairs for the first 5 terms.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q1/5

256

QUESTION ID

S7-M-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (0, 0), (1, 2), (2, 4), (3, 6), (4, 8)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q1

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q1/5

Graph the ordered pairs from the two patterns.

Pattern A	0	2	4	6
Pattern B	0	3	6	9



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q2/5

257

QUESTION ID

S7-M-Q2

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (0, 0), (2, 3), (4, 6), (6, 9)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q2

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q2/5

Pattern A starts at 0 and adds 3. Pattern B starts at 0 and adds 9.

Write the first four ordered pairs (A, B).

Ordered pairs: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q3/5

258

QUESTION ID

S7-M-Q3

TYPE

Short answer

CORRECT ANSWER

**(0, 0), (3, 9), (6, 18),
(9, 27)**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S7-M-Q3

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q3/5

The points come from two patterns.

Which statement is true?

- A.** The y-values increase by 1 each time. **B.** Each y-value is 4 times its x-value.
- C.** Each x-value is 4 times its y-value. **D.** Each y-value is 4 more than its x-value.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q4/5

259

QUESTION ID

S7-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. Each y-value is 4 times its x-value.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S7-M-Q4

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q4/5

Pattern A (x): start at 0 and add 2.

Pattern B (y): start at 0 and add 1.

Graph the ordered pairs for the first 4 terms.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q5/5

260

QUESTION ID

S7-M-Q5

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (0, 0), (2, 1), (4, 2), (6, 3)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-M-Q5

Grade 5 • Operations & Algebraic Thinking • 5.OA.B.3 • Set 7 • MAIN • Q5/5

SET 7 • 5.OA.B.3

BACKWARD 1

Patterns that follow a rule • Grade 4 • Operations & Algebraic Thinking •
4.OA.C.5

The rule is "add 3." The pattern starts at 0.

What is the 5th term?

Term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q1/5

262

QUESTION ID

S7-B1-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q1

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q1/5

True or false?

The pattern 0, 5, 10, 15 follows the rule "add 5."

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q2/5

263

QUESTION ID

S7-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q2

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q2/5

Which pattern follows the rule "add 2," starting at 0?

- A.** 0, 2, 4, 6
- B.** 2, 4, 6, 8
- C.** 0, 1, 2, 3
- D.** 0, 2, 4, 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q3/5

264

QUESTION ID

S7-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 0, 2, 4, 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q3

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q3/5

What is the rule for the pattern?

0, 8, 16, 24

Rule: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q4/5

265

QUESTION ID

S7-B1-Q4

TYPE

Short answer

CORRECT ANSWER

Add 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q4

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q4/5

The rule is "add 10." The pattern starts at 0.

What is the 6th term?

Term: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q5

Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q5/5

266

QUESTION ID

S7-B1-Q5

TYPE

Short answer

CORRECT ANSWER

50

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B1-Q5


Grade 4 • Operations & Algebraic Thinking • 4.OA.C.5 • Set 7 • BACKWARD 1 • Q5/5

SET 7 • 5.OA.B.3

BACKWARD 3

Read a scaled bar graph • Grade 3 • Measurement & Data • 3.MD.B.3

How many books does each grid line on the scale stand for?



- A.** 4 **B.** 1 **C.** 12 **D.** 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q1/5

268

QUESTION ID

S7-B3-Q1

TYPE

Multiple choice

CORRECT ANSWER


D. 2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q1

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q1/5

How many books were read on Tuesday?



Books: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q2/5

269

QUESTION ID

S7-B3-Q2

TYPE

Short answer

CORRECT ANSWER


10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q2

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q2/5

How many votes did Green get?



Votes: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q3/5

270

QUESTION ID

S7-B3-Q3

TYPE

Short answer

CORRECT ANSWER


25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q3

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q3/5

How many more books were read on Tuesday than on Wednesday?



Books: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q4/5

271

QUESTION ID

S7-B3-Q4

TYPE

Short answer

CORRECT ANSWER

6


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q4

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q4/5

True or false?

Red got 5 more votes than Yellow.



A. True

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q5/5

272

QUESTION ID

S7-B3-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B3-Q5

Grade 3 • Measurement & Data • 3.MD.B.3 • Set 7 • BACKWARD 3 • Q5/5

SET 7 • 5.OA.B.3

BACKWARD 4

Whole numbers on a number line • Grade 2 • Measurement & Data • 2.MD.B.6

What number is at point A?



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B4-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 7 • BACKWARD 4 • Q1/5

274

QUESTION ID

S7-B4-Q1

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B4-Q1

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 7 • BACKWARD 4 • Q1/5

True or false?

From 0 to 4 on this number line there are 4 equal spaces.

**A.** True**B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B4-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 7 • BACKWARD 4 • Q2/5

275

QUESTION ID

S7-B4-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B4-Q2

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 7 • BACKWARD 4 • Q2/5

The spaces on a number line are equal and each stands for 1.

Which number is 3 spaces to the right of 5?

A. 8

B. 2

C. 53

D. 15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B4-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 7 • BACKWARD 4 • Q3/5

276

QUESTION ID

S7-B4-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B4-Q3

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 7 • BACKWARD 4 • Q3/5

What number is at point B?



B = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B4-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 7 • BACKWARD 4 • Q4/5

277

QUESTION ID

S7-B4-Q4

TYPE

Short answer

CORRECT ANSWER

14

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B4-Q4

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 7 • BACKWARD 4 • Q4/5

True or false?

On a number line, 9 is to the left of 6.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B4-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 7 • BACKWARD 4 • Q5/5

278

QUESTION ID

S7-B4-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-B4-Q5

Grade 2 • Measurement & Data • 2.MD.B.6 • Set 7 • BACKWARD 4 • Q5/5


SET 7 • 5.OA.B.3

FORWARD 1

Plot pairs of values from a ratio table • Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a

Plot the pairs of values from the ratio table on the coordinate plane.

Cups of rice	1	2	3
Cups of water	2	4	6



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q1/5

280

QUESTION ID

S7-F1-Q1

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (1, 2), (2, 4), (3, 6)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q1

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q1/5

The table shows equivalent ratios.

Find the missing value.

Laps	2	4	6	8
Minutes	5	10	?	20

Missing value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q2/5

281

QUESTION ID

S7-F1-Q2

TYPE

Short answer

CORRECT ANSWER

15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q2

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q2/5

Which point comes from the ratio table?

Boxes	1	2	3
Pens	6	12	18

- A. (2, 6) B. (12, 2)
C. (2, 12) D. (3, 12)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q3/5

282

QUESTION ID

S7-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. (2, 12)


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q3

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q3/5

Plot the pairs of values from the ratio table on the coordinate plane.

Hours	1	2	3	4
Dollars	8	16	24	32



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q4/5

283

QUESTION ID

S7-F1-Q4

TYPE

Drawing / plotting

CORRECT ANSWER

Points plotted at (1, 8), (2, 16), (3, 24), (4, 32)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q4

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q4/5

True or false?

The points (1, 3), (2, 6), and (3, 9) come from a ratio table with the ratio 1 : 3.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q5/5

284

QUESTION ID

S7-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F1-Q5

Grade 6 • Ratios & Proportional Relationships • 6.RP.A.3.a • Set 7 • FORWARD 1 • Q5/5

SET 7 • 5.OA.B.3


FORWARD 2

Use a graph to decide whether a relationship is proportional • Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a

True or false?

The points lie on a straight line through the origin, so the relationship is proportional.

- A.** True
- B.** False



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q1/5

286

QUESTION ID

S7-F2-Q1

TYPE

True or false

CORRECT ANSWER

A. True


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q1

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q1/5

Which statement about the graph is true?

- A. It is not proportional because the line does not pass through $(0, 0)$.
- B. It is not proportional because the points are not on a line.
- C. It is proportional because the points are on a line.
- D. It is proportional because y increases by 2.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q2

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q2/5

287

QUESTION ID

S7-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. It is not proportional because the line does not pass through $(0, 0)$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q2


Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q2/5

Graph the pairs (1, 4), (2, 8), and (3, 12).

Is the relationship proportional? Explain using your graph.

Answer: _____

Reason: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q3/5

288

QUESTION ID

S7-F2-Q3

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: Points plotted at (1, 4), (2, 8) and (3, 12)

Written: Yes; the points lie on a straight line through (0, 0)

GRADING NOTE Grade the drawing and the written answer. Drawing: all three points at the correct places. Written: "yes" (proportional) with a reason from the graph: the points are on a straight line that passes through the origin (or each y is 4 times its x).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q3

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q3/5

True or false?

The points (1, 2), (2, 5), and (3, 8) show a proportional relationship.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q4/5

289

QUESTION ID

S7-F2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q4

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q4/5

Which set of points shows a proportional relationship?

- A. (1, 1), (2, 4), (3, 9)
- B. (1, 2), (2, 3), (3, 4)
- C. (0, 3), (1, 6), (2, 9)
- D. (2, 5), (4, 10), (6, 15)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q5/5

290

QUESTION ID

S7-F2-Q5

TYPE

Multiple choice

CORRECT ANSWER

D. (2, 5), (4, 10), (6, 15)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S7-F2-Q5

Grade 7 • Ratios & Proportional Relationships • 7.RP.A.2.a • Set 7 • FORWARD 2 • Q5/5

A digit is worth 10 times as much as the same digit one place to its right

MAIN	Grade 5 main question	5.NBT.A.1
BACKWARD 1	Each place is worth 10 times the place to its right	4.NBT.A.1
BACKWARD 2	Tenths and hundredths as decimals	4.NF.C.6
BACKWARD 3	Tenths as hundredths	4.NF.C.5
FORWARD 1	Compute with multi-digit decimals	6.NS.B.3
FORWARD 2	Real-world problems with rational numbers	7.NS.A.3

SET 8 • 5.NBT.A.1

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.1

In 5,550, how does the value of the 5 in the hundreds place compare to the value of the 5 in the tens place?

- A. It is 100 times as much.
- B. It is 10 times as much.
- C. It is the same.
- D. It is $\frac{1}{10}$ as much.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q1/5

293

QUESTION ID

S8-M-Q1

TYPE

Multiple choice

CORRECT ANSWER

B. It is 10 times as much.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q1/5

In 3.33, the first 3 is in the ones place and the second 3 is in the tenths place.

How many times as much is the first 3 worth as the second 3?

Times as much: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q2/5

294

QUESTION ID

S8-M-Q2

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q2/5

True or false?

In 0.77, the 7 in the tenths place is worth 10 times as much as the 7 in the hundredths place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q3/5

295

QUESTION ID

S8-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q3/5

Find the value of the 4 in 642.18 and the value of the 4 in 6,421.8.

How many times as much is the second 4 worth?

4 in 642.18: _____

4 in 6,421.8: _____

Times as much: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q4/5

296

QUESTION ID

S8-M-Q4

TYPE

Short answer

CORRECT ANSWER

40; 400; 10 times as much

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q4/5

In which number is the 6 worth 10 times as much as the 6 in 3.6?

- A. 0.36
- B. 3.06
- C. 46.1
- D. 60.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q5/5

297

QUESTION ID

S8-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

C. 46.1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 8 • MAIN • Q5/5

SET 8 • 5.NBT.A.1

BACKWARD 1

Each place is worth 10 times the place to its right • Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1

True or false?

In 880, the 8 in the hundreds place is worth 10 times as much as the 8 in the tens place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q1/5

299

QUESTION ID

S8-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q1/5

What is the value of the 7 in 2,740?

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q2/5

300

QUESTION ID

S8-B1-Q2

TYPE

Short answer

CORRECT ANSWER

700

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q2/5

Which number is 10 times as much as 60?

- A.** 600
- B.** 6,000
- C.** 70
- D.** 6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q3/5

301

QUESTION ID

S8-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 600

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q3/5

How many tens are in 1 hundred?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q4/5

302

QUESTION ID

S8-B1-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q4/5

True or false?

70 is 10 times as much as 7.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q5/5

303

QUESTION ID

S8-B1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 8 • BACKWARD 1 • Q5/5

SET 8 • 5.NBT.A.1

BACKWARD 2

Tenths and hundredths as decimals • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

Write $\frac{3}{10}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q1/5

305

QUESTION ID

S8-B2-Q1

TYPE

Short answer

CORRECT ANSWER

0.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q1/5

Write $\frac{47}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q2/5

306

QUESTION ID

S8-B2-Q2

TYPE

Short answer

CORRECT ANSWER

0.47

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q2/5

True or false?

$$0.6 = \frac{6}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q3/5

307

QUESTION ID

S8-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q3/5

Which decimal shows 5 hundredths?

- A.** 0.5
- B.** 0.05
- C.** 0.005
- D.** 5.0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q4/5

308

QUESTION ID

S8-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 0.05


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q4/5

What decimal does the shaded part of the grid show?

Decimal: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q5/5

309

QUESTION ID

S8-B2-Q5

TYPE

Short answer

CORRECT ANSWER

0.23

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 8 • BACKWARD 2 • Q5/5

SET 8 • 5.NBT.A.1

BACKWARD 3

Tenths as hundredths • Grade 4 • Number & Operations–Fractions • 4.NF.C.5

True or false?

$$\frac{1}{10} = \frac{10}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q1/5

311

QUESTION ID

S8-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q1/5

How many hundredths are in 1 tenth?

Hundredths: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q2/5

312

QUESTION ID

S8-B3-Q2

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q2/5

Which fraction is equal to $\frac{4}{10}$?

A. $\frac{4}{100}$

B. $\frac{400}{100}$

C. $\frac{14}{100}$

D. $\frac{40}{100}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q3/5

313

QUESTION ID

S8-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 40/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q3/5

Find the missing number.

$$\frac{7}{10} = \frac{?}{100}$$

Missing number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q4/5

314

QUESTION ID

S8-B3-Q4

TYPE

Short answer

CORRECT ANSWER

70

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q4/5

True or false?

$$\frac{3}{10} + \frac{5}{100} = \frac{35}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q5/5

315

QUESTION ID

S8-B3-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 8 • BACKWARD 3 • Q5/5

SET 8 • 5.NBT.A.1

FORWARD 1

Compute with multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$27.6 + 4.38$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q1/5

317

QUESTION ID

S8-F1-Q1

TYPE

Short answer

CORRECT ANSWER

31.98

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q1/5

317

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$50.2 - 7.65$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q2/5

318

QUESTION ID

S8-F1-Q2

TYPE

Short answer

CORRECT ANSWER

42.55

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q2/5

318

Multiply.

$$1.2 \times 0.4$$

- A.** 4.8
- B.** 0.48
- C.** 0.048
- D.** 1.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q3/5

319

QUESTION ID

S8-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 0.48

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$7.5 \div 2.5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q4/5

320

QUESTION ID

S8-F1-Q4

TYPE

Short answer

CORRECT ANSWER

3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q4/5

320

True or false?

$$0.3 \times 0.3 = 0.9$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q5/5

321

QUESTION ID

S8-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 8 • FORWARD 1 • Q5/5

SET 8 • 5.NBT.A.1

FORWARD 2

Real-world problems with rational numbers • Grade 7 • The Number System •
7.NS.A.3

A diver at -4.5 m descends 2.25 m.

What is the diver's new position?

Position: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q1/5

323

QUESTION ID

S8-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-6.75 m

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q1/5

The temperature was 3.5°F . It fell 6.2°F .

What is the new temperature?

Temperature: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q2/5

324

QUESTION ID

S8-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-2.7°F

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q2/5

A stock's value changed by $-\$0.75$ each day for 4 days.

What was the total change?

- A. $-\$0.30$
- B. $-\$4.75$
- C. $\$3.00$
- D. $-\$3.00$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q3/5

325

QUESTION ID

S8-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $-\$3.00$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q3/5

A bank balance of $-\$12.40$ increases by $\$20.00$.

What is the new balance?

Balance: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q4/5

326

QUESTION ID

S8-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$\$7.60$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q4/5

True or false?

$$-1.5 \times 4 = 6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q5/5

327

QUESTION ID

S8-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S8-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 8 • FORWARD 2 • Q5/5

A digit is worth $\frac{1}{10}$ of the same digit one place to its left

MAIN	Grade 5 main question	5.NBT.A.1
BACKWARD 1	One place to the right is worth $\frac{1}{10}$ as much	4.NBT.A.1
BACKWARD 2	Unit fractions	3.NF.A.1
BACKWARD 3	Decimals for tenths and hundredths	4.NF.C.6
FORWARD 1	Divide multi-digit decimals	6.NS.B.3
FORWARD 2	Write fractions as decimals using long division	7.NS.A.2.d

SET 9 • 5.NBT.A.1

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.1

True or false?

In 44.4, the 4 in the tenths place is worth $\frac{1}{10}$ of the 4 in the ones place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q1/5

330

QUESTION ID

S9-M-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q1/5

In 2.22, the 2 in the hundredths place is worth what part of the 2 in the tenths place?

- A. 10 times as much
- B. $\frac{1}{10}$
- C. The same amount
- D. $\frac{1}{100}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q2/5

331

QUESTION ID

S9-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 1/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q2/5

What is $\frac{1}{10}$ of 50?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q3/5

332

QUESTION ID

S9-M-Q3

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q3/5

What is $\frac{1}{10}$ of 0.8?

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q4/5

333

QUESTION ID

S9-M-Q4

TYPE

Short answer

CORRECT ANSWER

0.08

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q4/5

In which number is the 9 worth $\frac{1}{10}$ of the 9 in 19.4?

- A. 5.92
- B. 3.009
- C. 9.01
- D. 90.1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q5/5

334

QUESTION ID

S9-M-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. 5.92

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.1 • Set 9 • MAIN • Q5/5

SET 9 • 5.NBT.A.1

BACKWARD 1

One place to the right is worth $\frac{1}{10}$ as much • Grade 4 • Number & Operations
in Base Ten • 4.NBT.A.1

True or false?

In 330, the 3 in the tens place is worth $\frac{1}{10}$ of the 3 in the hundreds place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q1/5

336

QUESTION ID

S9-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$400 \div 10$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q2/5

337

QUESTION ID

S9-B1-Q2

TYPE

Short answer

CORRECT ANSWER

40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q2/5

337

Which number is $\frac{1}{10}$ of 3,000?

- A. 3
- B. 300
- C. 30,000
- D. 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q3/5

338

QUESTION ID

S9-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 300

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q3/5

How many hundreds are in 1 thousand?

Hundreds: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q4/5

339

QUESTION ID

S9-B1-Q4

TYPE

Short answer

CORRECT ANSWER

10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q4/5

True or false?

$$60 \div 10 = 600$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q5/5

340

QUESTION ID

S9-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 9 • BACKWARD 1 • Q5/5

SET 9 • 5.NBT.A.1

BACKWARD 2

Unit fractions • Grade 3 • Number & Operations–Fractions • 3.NF.A.1

True or false?

$\frac{1}{8}$ means 1 of 8 equal parts of a whole.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q1/5

342

QUESTION ID

S9-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q1

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q1/5

A bar is cut into 6 equal parts.

What fraction of the bar is one part?

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q2/5

343

QUESTION ID

S9-B2-Q2

TYPE

Short answer

CORRECT ANSWER

1/6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q2

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q2/5

Which fraction is greater?

A. $\frac{1}{8}$

B. $\frac{1}{2}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q3/5

344

QUESTION ID

S9-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 1/2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q3

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q3/5

True or false?

A whole cut into 4 equal parts has parts that are each $\frac{1}{3}$ of the whole.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q4/5

345

QUESTION ID

S9-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q4

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q4/5

What fraction of the bar is shaded?



Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q5/5

346

QUESTION ID

S9-B2-Q5

TYPE

Short answer

CORRECT ANSWER

1/8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B2-Q5

Grade 3 • Number & Operations-Fractions • 3.NF.A.1 • Set 9 • BACKWARD 2 • Q5/5

SET 9 • 5.NBT.A.1

BACKWARD 3

Decimals for tenths and hundredths • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

Write $\frac{9}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q1/5

348

QUESTION ID

S9-B3-Q1

TYPE

Short answer

CORRECT ANSWER

0.09

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q1/5

Write 0.8 as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q2/5

349

QUESTION ID

S9-B3-Q2

TYPE

Short answer

CORRECT ANSWER

8/10

GRADING NOTE 4/5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q2/5

True or false?

0.4 and 0.04 have the same value.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q3/5

350

QUESTION ID

S9-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q3/5

Which decimal is equal to $\frac{6}{10}$?

- A. 6.0
- B. 0.06
- C. 6.10
- D. 0.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q4/5

351

QUESTION ID

S9-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 0.6


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q4/5

What decimal does the shaded part of the grid show?

Decimal: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q5/5

352

QUESTION ID

S9-B3-Q5

TYPE

Short answer

CORRECT ANSWER

0.70**GRADING NOTE** 0.7 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 9 • BACKWARD 3 • Q5/5

SET 9 • 5.NBT.A.1

FORWARD 1

Divide multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$4.8 \div 0.4$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q1/5

354

QUESTION ID

S9-F1-Q1

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q1/5

354

Divide.

$$9.36 \div 3$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q2/5

355

QUESTION ID

S9-F1-Q2

TYPE

Short answer

CORRECT ANSWER

3.12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q2/5

Divide.

$$0.56 \div 0.7$$

- A.** 80
- B.** 0.08
- C.** 8
- D.** 0.8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q3/5

356

QUESTION ID

S9-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 0.8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$15 \div 0.25$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q4/5

357

QUESTION ID

S9-F1-Q4

TYPE

Short answer

CORRECT ANSWER

60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q4/5

357

True or false?

$$6.3 \div 0.9 = 0.7$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q5/5

358

QUESTION ID

S9-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 9 • FORWARD 1 • Q5/5

SET 9 • 5.NBT.A.1

FORWARD 2

Write fractions as decimals using long division • Grade 7 • The Number System
• 7.NS.A.2.d

Use long division to write $\frac{7}{8}$ as a decimal. Show your work.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q1/5

360

QUESTION ID

S9-F2-Q1

TYPE

Answer with required work

CORRECT ANSWER

0.875

GRADING NOTE REQUIRED WORK: Long division of the numerator by the denominator, shown step by step, until the remainder is 0 or the digits start to repeat. A correct decimal without the division earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q1/5

Use long division to write $\frac{2}{9}$ as a decimal. Show your work.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q2/5

361

QUESTION ID

S9-F2-Q2

TYPE

Answer with required work

CORRECT ANSWER

0.222... (the 2 repeats)

GRADING NOTE REQUIRED WORK: Long division of the numerator by the denominator, shown step by step, until the remainder is 0 or the digits start to repeat. A correct decimal without the division earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q2/5

Which fraction has a terminating decimal?

A. $\frac{5}{6}$

B. $\frac{4}{7}$

C. $\frac{1}{3}$

D. $\frac{3}{20}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q3/5

362

QUESTION ID

S9-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 3/20

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q3/5

Use long division to write $\frac{9}{20}$ as a decimal. Show your work.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q4/5

363

QUESTION ID

S9-F2-Q4

TYPE

Answer with required work

CORRECT ANSWER

0.45

GRADING NOTE REQUIRED WORK: Long division of the numerator by the denominator, shown step by step, until the remainder is 0 or the digits start to repeat. A correct decimal without the division earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q4/5

True or false?

The decimal form of $\frac{1}{11}$ repeats.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q5/5

364

QUESTION ID

S9-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S9-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 9 • FORWARD 2 • Q5/5

Multiply and divide whole numbers by powers of 10; write powers of 10 with exponents

MAIN	Grade 5 main question	5.NBT.A.2
BACKWARD 1	Multiplying and dividing by 10	4.NBT.A.1
BACKWARD 2	Multiplying by multiples of 10	3.NBT.A.3
FORWARD 1	Write and evaluate whole-number exponents	6.EE.A.1
FORWARD 2	Multiply and divide negative numbers by powers of 10 — nearest...	7.NS.A.2.c

SET 10 • 5.NBT.A.2

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.2

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$37 \times 1,000$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q1/5

367

QUESTION ID

S10-M-Q1

TYPE

Short answer

CORRECT ANSWER

37,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q1/5

367

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$45,000 \div 100$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q2/5

368

QUESTION ID

S10-M-Q2

TYPE

Short answer

CORRECT ANSWER

450

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q2/5

368

Write $10 \times 10 \times 10 \times 10$ as a power of 10.

Power of 10: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q3/5

369

QUESTION ID

S10-M-Q3

TYPE

Short answer

CORRECT ANSWER

10^4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q3/5

$$6 \times 10^3 = ?$$

- A.** 60,000
- B.** 6,000
- C.** 18
- D.** 600

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q4/5

370

QUESTION ID

S10-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 6,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q4/5

True or false?

$$820 \div 10^2 = 82$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q5/5

371

QUESTION ID

S10-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 10 • MAIN • Q5/5

SET 10 • 5.NBT.A.2

BACKWARD 1

Multiplying and dividing by 10 • Grade 4 • Number & Operations in Base Ten •
4.NBT.A.1

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$25 \times 10$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q1/5

373

QUESTION ID

S10-B1-Q1

TYPE

Short answer

CORRECT ANSWER

250

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q1/5

373

True or false?

300 is 10 times as much as 30.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q2/5

374

QUESTION ID

S10-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q2/5

Which number is 10 times as much as 450?

- A.** 4,500
- B.** 45,000
- C.** 460
- D.** 45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q3/5

375

QUESTION ID

S10-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 4,500

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q3/5

How many tens are in 800?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q4/5

376

QUESTION ID

S10-B1-Q4

TYPE

Short answer

CORRECT ANSWER

80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$7,000 \div 10$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q5/5

377

QUESTION ID

S10-B1-Q5

TYPE

Short answer

CORRECT ANSWER

700

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 10 • BACKWARD 1 • Q5/5

377

SET 10 • 5.NBT.A.2

BACKWARD 2

Multiplying by multiples of 10 • Grade 3 • Number & Operations in Base Ten •
3.NBT.A.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$4 \times 60$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q1/5

379

QUESTION ID

S10-B2-Q1

TYPE

Short answer

CORRECT ANSWER

240

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q1

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q1/5

379

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$9 \times 80$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q2/5

380

QUESTION ID

S10-B2-Q2

TYPE

Short answer

CORRECT ANSWER

720

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q2

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q2/5

True or false?

$$7 \times 30 = 2,100$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q3/5

381

QUESTION ID

S10-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q3

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q3/5

$$5 \times 90 = ?$$

- A.** 4,500
- B.** 450
- C.** 45
- D.** 95

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q4/5

382

QUESTION ID

S10-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 450

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q4

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$8 \times 70$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q5/5

383

QUESTION ID

S10-B2-Q5

TYPE

Short answer

CORRECT ANSWER

560

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-B2-Q5

Grade 3 • Number & Operations in Base Ten • 3.NBT.A.3 • Set 10 • BACKWARD 2 • Q5/5

383

SET 10 • 5.NBT.A.2

FORWARD 1

Write and evaluate whole-number exponents • Grade 6 • Expressions & Equations • 6.EE.A.1

Evaluate.

3^4

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q1/5

385

QUESTION ID

S10-F1-Q1

TYPE

Short answer

CORRECT ANSWER

81

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q1/5

Write $5 \times 5 \times 5$ using an exponent.

Exponent form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q2/5

386

QUESTION ID

S10-F1-Q2

TYPE

Short answer

CORRECT ANSWER

5^3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q2/5

$$2^5 = ?$$

- A.** 25
- B.** 10
- C.** 64
- D.** 32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q3/5

387

QUESTION ID

S10-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q3/5

Evaluate.

$$10^3 + 2^2$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q4/5

388

QUESTION ID

S10-F1-Q4

TYPE

Short answer

CORRECT ANSWER

1,004

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q4/5

True or false?

$$4^3 = 12$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q5/5

389

QUESTION ID

S10-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 10 • FORWARD 1 • Q5/5

FORWARD 2

Multiply and divide negative numbers by powers of 10 • Grade 7 • The Number System • 7.NS.A.2.c

► No Grade 7 standard directly continues this skill. This branch uses the nearest related Grade 7 standard.

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$-3.5 \times 100$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q1/5 • NEAREST RELATED

391

QUESTION ID

S10-F2-Q1

TYPE

Short answer

CORRECT ANSWER

−350

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q1/5 • NEAREST RELATED

391

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$-420 \div 10$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q2/5 • NEAREST RELATED

392

QUESTION ID

S10-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q2/5 • NEAREST RELATED

392

$$-0.06 \times 1,000 = ?$$

- A.** -60
- B.** -0.006
- C.** -6
- D.** 60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q3/5 • NEAREST RELATED

393

QUESTION ID

S10-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. -60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q3/5 • NEAREST RELATED

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$7.2 \div (-10)$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q4/5 • NEAREST RELATED

394

QUESTION ID

S10-F2-Q4

TYPE

Short answer

CORRECT ANSWER

−0.72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q4/5 • NEAREST RELATED

394

True or false?

$$(-10) \times (-10) \times (-10) = -1,000$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q5/5 • NEAREST RELATED

395

QUESTION ID

S10-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S10-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 10 • FORWARD 2 • Q5/5 • NEAREST RELATED

Place the decimal point when multiplying or dividing a decimal by a power of 10

MAIN	Grade 5 main question	5.NBT.A.2
BACKWARD 1	Decimal notation for fractions	4.NF.C.6
BACKWARD 2	Place value when multiplying by 10 or 100	4.NBT.A.1
FORWARD 1	Compute fluently with multi-digit decimals	6.NS.B.3
FORWARD 2	Powers of 10 with negative rational numbers — nearest related (n...	7.NS.A.2.c

SET 11 • 5.NBT.A.2

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.2

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$3.82 \times 100$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q1/5

398

QUESTION ID

S11-M-Q1

TYPE

Short answer

CORRECT ANSWER

382

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q1/5

398

Divide.

$$56.4 \div 10$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q2/5

399

QUESTION ID

S11-M-Q2

TYPE

Short answer

CORRECT ANSWER

5.64

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q2/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$0.075 \times 10^2$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q3/5

400

QUESTION ID

S11-M-Q3

TYPE

Short answer

CORRECT ANSWER

7.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q3/5

400

Divide.

$$2.9 \div 10^3$$

- A. 0.029
- B. 0.29
- C. 0.0029
- D. 2,900

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q4/5

401

QUESTION ID

S11-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 0.0029

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q4/5

True or false?

When you multiply a number by 1,000, each digit moves 3 places to the left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q5/5

402

QUESTION ID

S11-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 11 • MAIN • Q5/5

SET 11 • 5.NBT.A.2

BACKWARD 1

Decimal notation for fractions • Grade 4 • Number & Operations–Fractions •
4.NF.C.6

Write $\frac{35}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q1/5

404

QUESTION ID

S11-B1-Q1

TYPE

Short answer

CORRECT ANSWER

0.35

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q1/5

True or false?

$$0.7 = \frac{7}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q2/5

405

QUESTION ID

S11-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q2/5

Which decimal is $2\frac{4}{10}$?

- A. 24
- B. 2.4
- C. 0.24
- D. 2.04

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q3/5

406

QUESTION ID

S11-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 2.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q3/5

Write 0.09 as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q4/5

407

QUESTION ID

S11-B1-Q4

TYPE

Short answer

CORRECT ANSWER

9/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q4/5

True or false?

$$1.5 = 1\frac{5}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q5/5

408

QUESTION ID

S11-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 11 • BACKWARD 1 • Q5/5

SET 11 • 5.NBT.A.2

BACKWARD 2

Place value when multiplying by 10 or 100 • Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1

True or false?

When a whole number is multiplied by 10, each digit moves one place to the left.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q1/5

410

QUESTION ID

S11-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$64 \times 100$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q2/5

411

QUESTION ID

S11-B2-Q2

TYPE

Short answer

CORRECT ANSWER

6,400

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q2/5

411

$$3,500 \div 10 = ?$$

- A.** 350
- B.** 3,510
- C.** 35
- D.** 35,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q3/5

412

QUESTION ID

S11-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 350

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$9,000 \div 100$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q4/5

413

QUESTION ID

S11-B2-Q4

TYPE

Short answer

CORRECT ANSWER

90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q4/5

413

True or false?

$$500 \div 10 = 5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q5/5

414

QUESTION ID

S11-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 11 • BACKWARD 2 • Q5/5

SET 11 • 5.NBT.A.2

FORWARD 1

Compute fluently with multi-digit decimals • Grade 6 • The Number System •
6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$2.4 \times 0.35$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q1/5

416

QUESTION ID

S11-F1-Q1

TYPE

Short answer

CORRECT ANSWER

0.84

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q1/5

416

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$1.44 \div 0.12$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q2/5

417

QUESTION ID

S11-F1-Q2

TYPE

Short answer

CORRECT ANSWER

12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q2/5

417

Multiply.

$$12.5 \times 0.8$$

- A.** 100
- B.** 10
- C.** 0.1
- D.** 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q3/5

418

QUESTION ID

S11-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q3/5

Add.

$$0.875 + 12.4$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q4/5

419

QUESTION ID

S11-F1-Q4

TYPE

Short answer

CORRECT ANSWER

13.275

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q4/5

True or false?

$$4.5 \div 0.05 = 9$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q5/5

420

QUESTION ID

S11-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 11 • FORWARD 1 • Q5/5

FORWARD 2

Powers of 10 with negative rational numbers • Grade 7 • The Number System •
7.NS.A.2.c

► No Grade 7 standard directly continues this skill. This branch uses the nearest related Grade 7 standard.

Find the value.

$$-0.45 \times 100$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q1/5 • NEAREST RELATED

422

QUESTION ID

S11-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q1/5 • NEAREST RELATED

ANSWER KEY

Reduced copy of the question page, with its answer

Find the value.

$$-63.5 \div 1,000$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q2/5 • NEAREST RELATED

423

QUESTION ID

S11-F2-Q2

TYPE

Short answer

CORRECT ANSWER

−0.0635

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q2/5 • NEAREST RELATED

423

Find the value.

$$(-2.7) \times (-10)$$

- A. -0.27
- B. -27
- C. 0.27
- D. 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q3/5 • NEAREST RELATED

424

QUESTION ID

S11-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q3/5 • NEAREST RELATED

Find the value.

$$0.8 \times (-100)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q4/5 • NEAREST RELATED

425

QUESTION ID

S11-F2-Q4

TYPE

Short answer

CORRECT ANSWER

−80

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

$$-5.2 \div 100 = -0.052$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q5/5 • NEAREST RELATED

426

QUESTION ID

S11-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S11-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 11 • FORWARD 2 • Q5/5 • NEAREST RELATED

Explain patterns in the number of zeros and the placement of the decimal point

MAIN	Grade 5 main question	5.NBT.A.2
BACKWARD 1	A digit is worth 10 times as much as in the place to its right	4.NBT.A.1
BACKWARD 2	Tenths as hundredths	4.NF.C.5
FORWARD 1	Explain decimal placement when multiplying and dividing decima...	6.NS.B.3
FORWARD 2	Write fractions as decimals and explain why they terminate or rep...	7.NS.A.2.d

SET 59 • 5.NBT.A.2

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.2

Explain why $46 \times 1,000 = 46,000$ has three more zeros than 46.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 59 • MAIN • Q1/5

429

QUESTION ID

S59-M-Q1

TYPE

Short answer

CORRECT ANSWER

Multiplying by 1,000 makes each digit worth 1,000 times as much, so each digit moves 3 places to the left; the 3 empty places (hundreds, tens, ones) are filled with zeros.

GRADING NOTE Must use place value: each factor of 10 moves every digit one place to the left ($1,000 = 10 \times 10 \times 10$, so three places) and zeros fill the empty places. "Just add three zeros" without the place-value reason is not enough.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 59 • MAIN • Q1/5

Why is $5.7 \times 100 = 570$?

- A. You write two zeros after 5.7.
- B. Each digit becomes worth 100 times as much, so it moves 2 places to the left.
- C. Each digit becomes worth $\frac{1}{100}$ as much.
- D. You move the decimal point 2 places to the left.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 59 • MAIN • Q2/5

430

QUESTION ID

S59-M-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. Each digit becomes worth 100 times as much, so it moves 2 places to the left.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 59 • MAIN • Q2/5

True or false?

$38 \div 10 = 3.8$ because dividing by 10 makes each digit worth $\frac{1}{10}$ as much, so each digit moves one place to the right.

- A. True
- B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 59 • MAIN • Q3/5

431

QUESTION ID

S59-M-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 59 • MAIN • Q3/5

Mia says $2.4 \times 10 = 2.40$ because "multiplying by 10 adds a zero."

Give the correct product and explain her mistake.

Correct product: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 59 • MAIN • Q4/5

432

QUESTION ID

S59-M-Q4

TYPE

Short answer

CORRECT ANSWER

24

GRADING NOTE Explanation: 2.40 has the same value as 2.4, so writing a zero after the decimal does not multiply by 10. Multiplying by 10 makes each digit worth 10 times as much (2 ones become 2 tens, 4 tenths become 4 ones), so the product is 24.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 59 • MAIN • Q4/5

$$10^3 = 1,000.$$

Explain how the exponent tells you the number of zeros.

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 59 • MAIN • Q5/5

433

QUESTION ID

S59-M-Q5

TYPE

Short answer

CORRECT ANSWER

The exponent 3 means 10 is used as a factor 3 times ($10 \times 10 \times 10$); each factor of 10 moves the 1 one place to the left, so 1,000 has 3 zeros.

GRADING NOTE Must connect each factor of 10 to one place-value shift (one more zero).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.2 • Set 59 • MAIN • Q5/5

SET 59 • 5.NBT.A.2

BACKWARD 1

A digit is worth 10 times as much as in the place to its right • Grade 4 •
Number & Operations in Base Ten • 4.NBT.A.1

True or false?

In 770, the 7 in the hundreds place is worth 10 times the 7 in the tens place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 59 • BACKWARD 1 • Q1/5

435

QUESTION ID

S59-B1-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 59 • BACKWARD 1 • Q1/5

Why is $30 \times 10 = 300$?

- A. The 3 tens become 3 hundreds.
- B. The 3 moves one place to the right.
- C. Each digit becomes worth less.
- D. You add 10 to 30.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 59 • BACKWARD 1 • Q2/5

436

QUESTION ID

S59-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

**A. The 3 tens
become 3 hundreds.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 59 • BACKWARD 1 • Q2/5

How many tens are equal to 6 hundreds?

Tens: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 59 • BACKWARD 1 • Q3/5

437

QUESTION ID

S59-B1-Q3

TYPE

Short answer

CORRECT ANSWER

60

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 59 • BACKWARD 1 • Q3/5

True or false?

In 5,505, the 5 in the thousands place is worth 10 times the 5 in the ones place.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 59 • BACKWARD 1 • Q4/5

438

QUESTION ID

S59-B1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 59 • BACKWARD 1 • Q4/5

Write the number that is 10 times as much as 408.

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 59 • BACKWARD 1 • Q5/5

439

QUESTION ID

S59-B1-Q5

TYPE

Short answer

CORRECT ANSWER

4,080

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.1 • Set 59 • BACKWARD 1 • Q5/5

SET 59 • 5.NBT.A.2

BACKWARD 2

Tenths as hundredths • Grade 4 • Number & Operations–Fractions • 4.NF.C.5

Write $\frac{3}{10}$ as a fraction with denominator 100.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 59 • BACKWARD 2 • Q1/5

441

QUESTION ID

S59-B2-Q1

TYPE

Short answer

CORRECT ANSWER

30/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 59 • BACKWARD 2 • Q1/5

True or false?

$$\frac{6}{10} = \frac{60}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 59 • BACKWARD 2 • Q2/5

442

QUESTION ID

S59-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 59 • BACKWARD 2 • Q2/5

$$\frac{40}{100} = ?$$

A. $\frac{40}{10}$

B. $\frac{400}{10}$

C. $\frac{4}{10}$

D. $\frac{4}{100}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 59 • BACKWARD 2 • Q3/5

443

QUESTION ID

S59-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 4/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 59 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$\frac{2}{10} + \frac{5}{100}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 59 • BACKWARD 2 • Q4/5

444

QUESTION ID

S59-B2-Q4

TYPE

Short answer

CORRECT ANSWER

25/100**GRADING NOTE** 1/4 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 59 • BACKWARD 2 • Q4/5

True or false?

$$\frac{7}{10} = \frac{7}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 59 • BACKWARD 2 • Q5/5

445

QUESTION ID

S59-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 59 • BACKWARD 2 • Q5/5

SET 59 • 5.NBT.A.2

FORWARD 1

Explain decimal placement when multiplying and dividing decimals • Grade 6 •
The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$0.3 \times 0.2$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 59 • FORWARD 1 • Q1/5

447

QUESTION ID

S59-F1-Q1

TYPE

Short answer

CORRECT ANSWER

0.06

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 59 • FORWARD 1 • Q1/5

447

Why does $0.4 \times 0.03 = 0.012$ have three decimal places?

- A. Because $4 \times 3 = 12$.
- B. Tenths times hundredths gives thousandths.
- C. Because 0.03 is greater than 0.4.
- D. Because the product is greater than 1.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 59 • FORWARD 1 • Q2/5

448

QUESTION ID

S59-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

**B. Tenths times
hundredths gives
thousandths.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 59 • FORWARD 1 • Q2/5

Divide.

$$7.2 \div 0.08$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 59 • FORWARD 1 • Q3/5

449

QUESTION ID

S59-F1-Q3

TYPE

Short answer

CORRECT ANSWER

90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 59 • FORWARD 1 • Q3/5

True or false?

$$1.25 \times 0.4 = 0.5$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 59 • FORWARD 1 • Q4/5

450

QUESTION ID

S59-F1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 59 • FORWARD 1 • Q4/5

Explain why $4.8 \div 0.6$ has the same quotient as $48 \div 6$.

Quotient: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 59 • FORWARD 1 • Q5/5

451

QUESTION ID

S59-F1-Q5

TYPE

Short answer

CORRECT ANSWER

8

GRADING NOTE Both numbers were multiplied by 10 (4.8 becomes 48 and 0.6 becomes 6), which does not change the quotient.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 59 • FORWARD 1 • Q5/5

FORWARD 2

Write fractions as decimals and explain why they terminate or repeat • Grade 7

• The Number System • 7.NS.A.2.d

► No Grade 7 standard directly continues this skill. This branch uses the nearest related Grade 7 standard.

Use long division to write $\frac{3}{8}$ as a decimal. Show your work.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 59 • FORWARD 2 • Q1/5 • NEAREST RELATED

453

QUESTION ID

S59-F2-Q1

TYPE

Answer with required work

CORRECT ANSWER

0.375

GRADING NOTE REQUIRED WORK: Long division of the numerator by the denominator, shown step by step, until the remainder is 0 or the digits start to repeat. A correct decimal without the division earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 59 • FORWARD 2 • Q1/5 • NEAREST RELATED

True or false?

$\frac{3}{40}$ can be written as a decimal that ends.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 59 • FORWARD 2 • Q2/5 • NEAREST RELATED

454

QUESTION ID

S59-F2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 59 • FORWARD 2 • Q2/5 • NEAREST RELATED

Which decimal equals $\frac{7}{25}$?

- A. 0.35
- B. 0.28
- C. 2.8
- D. 0.07

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 59 • FORWARD 2 • Q3/5 • NEAREST RELATED

455

QUESTION ID

S59-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 0.28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 59 • FORWARD 2 • Q3/5 • NEAREST RELATED

Use long division to write $\frac{5}{12}$ as a decimal. Show your work.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 59 • FORWARD 2 • Q4/5 • NEAREST RELATED

456

QUESTION ID

S59-F2-Q4

TYPE

Answer with required work

CORRECT ANSWER

0.41666... (the 6 repeats)

GRADING NOTE REQUIRED WORK: Long division of the numerator by the denominator, shown step by step, until the remainder is 0 or the digits start to repeat. A correct decimal without the division earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 59 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

$$\frac{2}{3} = 0.67 \text{ exactly.}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 59 • FORWARD 2 • Q5/5 • NEAREST RELATED

457

QUESTION ID

S59-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S59-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 59 • FORWARD 2 • Q5/5 • NEAREST RELATED

Read and write decimals to thousandths using numerals and words

MAIN	Grade 5 main question	5.NBT.A.3.a
BACKWARD 1	Decimals for tenths and hundredths	4.NF.C.6
BACKWARD 2	Reading and writing whole numbers	4.NBT.A.2
BACKWARD 3	Naming tenths and hundredths	4.NF.C.5
FORWARD 1	Find and position rational numbers on a number line	6.NS.C.6.c
FORWARD 2	Write fractions as decimals	7.NS.A.2.d

SET 12 • 5.NBT.A.3.a

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.3.a

Write the number in standard form.

four and twenty-six hundredths

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q1/5

460

QUESTION ID

S12-M-Q1

TYPE

Short answer

CORRECT ANSWER

4.26

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q1/5

Write 3.508 in words.

Words: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q2/5

461

QUESTION ID

S12-M-Q2

TYPE

Short answer

CORRECT ANSWER

**three and five
hundred eight
thousandths**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q2/5

Which number is nine and forty-one thousandths?

- A.** 9.410
- B.** 9.41
- C.** 9.0041
- D.** 9.041

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q3/5

462

QUESTION ID

S12-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 9.041

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q3/5

Write the number in standard form.

seventeen and three tenths

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q4/5

463

QUESTION ID

S12-M-Q4

TYPE

Short answer

CORRECT ANSWER

17.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q4/5

True or false?

0.072 is read "seventy-two hundredths."

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q5/5

464

QUESTION ID

S12-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 12 • MAIN • Q5/5

SET 12 • 5.NBT.A.3.a

BACKWARD 1

Decimals for tenths and hundredths • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

Write $\frac{6}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q1/5

466

QUESTION ID

S12-B1-Q1

TYPE

Short answer

CORRECT ANSWER

0.06

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q1/5

True or false?

$$0.5 = \frac{5}{10}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q2/5

467

QUESTION ID

S12-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q2/5

Which decimal is equal to $\frac{12}{100}$?

- A. 1.2
- B. 12.0
- C. 0.12
- D. 0.012

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q3/5

468

QUESTION ID

S12-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 0.12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q3/5

Write $3\frac{7}{10}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q4/5

469

QUESTION ID

S12-B1-Q4

TYPE

Short answer

CORRECT ANSWER

3.7


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q4/5

What decimal does the shaded part of the grid show?

Decimal: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q5/5

470

QUESTION ID

S12-B1-Q5

TYPE

Short answer

CORRECT ANSWER

0.58

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 12 • BACKWARD 1 • Q5/5

SET 12 • 5.NBT.A.3.a

BACKWARD 2

Reading and writing whole numbers • Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2

Write the number in standard form.

two thousand, four hundred six

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q1/5

472

QUESTION ID

S12-B2-Q1

TYPE

Short answer

CORRECT ANSWER

2,406

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q1/5

True or false?

5,030 is read "five thousand three hundred."

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q2/5

473

QUESTION ID

S12-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q2/5

Which number is eighty thousand, nine hundred?

- A.** 80,900
- B.** 8,900
- C.** 89,000
- D.** 80,090

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q3/5

474

QUESTION ID

S12-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 80,900

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q3/5

Write 607 in words.

Words: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q4/5

475

QUESTION ID

S12-B2-Q4

TYPE

Short answer

CORRECT ANSWER

six hundred seven

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q4/5

Write the number in standard form.

twelve thousand, fifty

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q5/5

476

QUESTION ID

S12-B2-Q5

TYPE

Short answer

CORRECT ANSWER

12,050

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 12 • BACKWARD 2 • Q5/5

SET 12 • 5.NBT.A.3.a

BACKWARD 3

Naming tenths and hundredths • Grade 4 • Number & Operations–Fractions •
4.NF.C.5

True or false?

Three tenths is equal to thirty hundredths.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q1/5

478

QUESTION ID

S12-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q1/5

How many hundredths are in 4 tenths?

Hundredths: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q2/5

479

QUESTION ID

S12-B3-Q2

TYPE

Short answer

CORRECT ANSWER

40

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q2/5

Which fraction is "five hundredths"?

A. $\frac{100}{5}$

B. $\frac{5}{10}$

C. $\frac{50}{100}$

D. $\frac{5}{100}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q3/5

480

QUESTION ID

S12-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 5/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q3/5

Write "nine tenths" as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q4/5

481

QUESTION ID

S12-B3-Q4

TYPE

Short answer

CORRECT ANSWER

9/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q4/5

True or false?

$$\frac{60}{100} = \frac{6}{10}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q5/5

482

QUESTION ID

S12-B3-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-B3-Q5


Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 12 • BACKWARD 3 • Q5/5

SET 12 • 5.NBT.A.3.a

FORWARD 1

Find and position rational numbers on a number line • Grade 6 • The Number System • 6.NS.C.6.c

What number does point P represent?



P = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q1

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q1/5

484

QUESTION ID

S12-F1-Q1

TYPE

Short answer

CORRECT ANSWER

-0.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q1

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q1/5

Plot and label point Q at 0.45 on the number line.



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q2

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q2/5

485

QUESTION ID

S12-F1-Q2

TYPE

Drawing / plotting

CORRECT ANSWER


Point Q plotted at 0.45, the fifth tick after 0.4 (halfway between 0.4 and 0.5), and labeled

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q2

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q2/5

Which point is at -1.25 ?



A. Point A

B. Point B

C. Point C

D. Point D

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q3

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q3/5

486

QUESTION ID

S12-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER


C. Point C

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q3

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q3/5

What number does point R represent?



R = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q4

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q4/5

487

QUESTION ID

S12-F1-Q4

TYPE

Short answer

CORRECT ANSWER

2.7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q4

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q4/5

True or false?

On a number line, -0.6 is to the left of -0.5 .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q5

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q5/5

488

QUESTION ID

S12-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F1-Q5

Grade 6 • The Number System • 6.NS.C.6.c • Set 12 • FORWARD 1 • Q5/5

SET 12 • 5.NBT.A.3.a

FORWARD 2

Write fractions as decimals • Grade 7 • The Number System • 7.NS.A.2.d

Use long division to write $\frac{3}{8}$ as a decimal. Show your work.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q1/5

490

QUESTION ID

S12-F2-Q1

TYPE

Answer with required work

CORRECT ANSWER

0.375

GRADING NOTE REQUIRED WORK: Long division of the numerator by the denominator, shown step by step, until the remainder is 0 or the digits start to repeat. A correct decimal without the division earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q1/5

Use long division to write $\frac{5}{12}$ as a decimal. Show your work.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q2/5

491

QUESTION ID

S12-F2-Q2

TYPE

Answer with required work

CORRECT ANSWER

0.41666... (the 6 repeats)

GRADING NOTE REQUIRED WORK: Long division of the numerator by the denominator, shown step by step, until the remainder is 0 or the digits start to repeat. A correct decimal without the division earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q2/5

$$\frac{11}{20} = ?$$

- A.** 0.55
- B.** 5.5
- C.** 0.2
- D.** 0.11

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q3/5

492

QUESTION ID

S12-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 0.55

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q3/5

Use long division to write $\frac{4}{9}$ as a decimal. Show your work.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q4/5

493

QUESTION ID

S12-F2-Q4

TYPE

Answer with required work

CORRECT ANSWER

0.444... (the 4 repeats)

GRADING NOTE REQUIRED WORK: Long division of the numerator by the denominator, shown step by step, until the remainder is 0 or the digits start to repeat. A correct decimal without the division earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q4/5

True or false?

$$\frac{7}{25} = 0.32$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q5/5

494

QUESTION ID

S12-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S12-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 12 • FORWARD 2 • Q5/5

Write decimals to thousandths in expanded form

MAIN	Grade 5 main question	5.NBT.A.3.a
BACKWARD 1	Expanded form of whole numbers	4.NBT.A.2
BACKWARD 2	Decimals and fractions with denominators 10 and 100	4.NF.C.6
FORWARD 1	Write expanded form with exponents	6.EE.A.1
FORWARD 2	Decimal expansions of fractions — nearest related (no direct Gra...	7.NS.A.2.d

SET 13 • 5.NBT.A.3.a

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.3.a

Write 352.68 in expanded form.

Expanded form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q1/5

497

QUESTION ID

S13-M-Q1

TYPE

Short answer

CORRECT ANSWER

$$\begin{aligned} &3 \times 100 + 5 \times 10 \\ &+ 2 \times 1 + 6 \times (1/10) \\ &+ 8 \times (1/100) \end{aligned}$$

GRADING NOTE 300 + 50 + 2 + 0.6 + 0.08 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q1/5

Write the number in standard form.

$$4 \times 10 + 7 \times 1 + 3 \times \frac{1}{10} + 9 \times \frac{1}{1000}$$

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q2/5

498

QUESTION ID

S13-M-Q2

TYPE

Short answer

CORRECT ANSWER

47.309

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q2/5

Which is the expanded form of 6.045?

- A. $6 + 45$
- B. $6 \times 10 + 4 \times \frac{1}{100} + 5 \times \frac{1}{1000}$
- C. $6 \times 1 + 4 \times \frac{1}{100} + 5 \times \frac{1}{1000}$
- D. $6 \times 1 + 4 \times \frac{1}{10} + 5 \times \frac{1}{100}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q3/5

499

QUESTION ID

S13-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C.

**$6 \times 1 + 4 \times (1/100)$
 $+ 5 \times (1/1000)$**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q3/5

Write the number in standard form.

$$8 \times 100 + 2 \times \frac{1}{10} + 6 \times \frac{1}{100}$$

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q4/5

500

QUESTION ID

S13-M-Q4

TYPE

Short answer

CORRECT ANSWER

800.26

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q4/5

True or false?

$$0.908 = 9 \times \frac{1}{10} + 8 \times \frac{1}{1000}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q5/5

501

QUESTION ID

S13-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.a • Set 13 • MAIN • Q5/5

SET 13 • 5.NBT.A.3.a

BACKWARD 1

Expanded form of whole numbers • Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2

Write 4,371 in expanded form.

Expanded form: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q1/5

503

QUESTION ID

S13-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4,000 + 300 + 70 + 1

GRADING NOTE $4 \times 1,000 + 3 \times 100 + 7 \times 10 + 1 \times 1$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q1/5

True or false?

$$6,052 = 6,000 + 500 + 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q2/5

504

QUESTION ID

S13-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q2/5

Which number is $7,000 + 400 + 9$?

- A.** 7,409
- B.** 7,490
- C.** 74,009
- D.** 7,049

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q3/5

505

QUESTION ID

S13-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 7,409

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q3/5

Write $3 \times 1,000 + 8 \times 100 + 5 \times 1$ in standard form.

Number: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q4/5

506

QUESTION ID

S13-B1-Q4

TYPE

Short answer

CORRECT ANSWER

3,805

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q4/5

True or false?

$$900 + 20 + 4 = 9,024$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q5/5

507

QUESTION ID

S13-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.2 • Set 13 • BACKWARD 1 • Q5/5

SET 13 • 5.NBT.A.3.a

BACKWARD 2

Decimals and fractions with denominators 10 and 100 • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

Write 0.6 as a fraction.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q1/5

509

QUESTION ID

S13-B2-Q1

TYPE

Short answer

CORRECT ANSWER

6/10

GRADING NOTE 3/5 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q1/5

True or false?

$$\frac{4}{100} = 0.4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q2/5

510

QUESTION ID

S13-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q2/5

Which fraction is equal to 0.25?

A. $\frac{1}{25}$

B. $\frac{25}{100}$

C. $\frac{25}{10}$

D. $\frac{2}{5}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q3/5

511

QUESTION ID

S13-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 25/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q3/5

Write $2 + \frac{3}{10} + \frac{7}{100}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q4/5

512

QUESTION ID

S13-B2-Q4

TYPE

Short answer

CORRECT ANSWER

2.37

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q4/5

True or false?

$$\frac{9}{10} = 0.09$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q5/5

513

QUESTION ID

S13-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 13 • BACKWARD 2 • Q5/5

SET 13 • 5.NBT.A.3.a

FORWARD 1

Write expanded form with exponents • Grade 6 • Expressions & Equations •
6.EE.A.1

Write $5,000 + 300 + 20 + 7$ using powers of 10.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q1/5

515

QUESTION ID

S13-F1-Q1

TYPE

Short answer

CORRECT ANSWER

**$5 \times 10^3 + 3 \times 10^2$
 $+ 2 \times 10^1 + 7$**

GRADING NOTE Writing the last term as 7×10^0 or 7×1 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q1

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q1/5

Evaluate.

$$4 \times 10^3 + 6 \times 10^1$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q2/5

516

QUESTION ID

S13-F1-Q2

TYPE

Short answer

CORRECT ANSWER

4,060

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q2

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q2/5

Which number is equal to 10^4 ?

- A. 40
- B. 100,000
- C. 1,000
- D. 10,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q3/5

517

QUESTION ID

S13-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 10,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q3

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q3/5

Write $600 + 90 + 1$ using powers of 10.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q4/5

518

QUESTION ID

S13-F1-Q4

TYPE

Short answer

CORRECT ANSWER

$6 \times 10^2 + 9 \times 10^1 + 1$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q4

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q4/5

True or false?

$$2 \times 10^2 + 5 = 250$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q5/5

519

QUESTION ID

S13-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F1-Q5

Grade 6 • Expressions & Equations • 6.EE.A.1 • Set 13 • FORWARD 1 • Q5/5

FORWARD 2

Decimal expansions of fractions • Grade 7 • The Number System • 7.NS.A.2.d

► No Grade 7 standard directly continues this skill. This branch uses the nearest related Grade 7 standard.

Write $\frac{3}{4}$ as a decimal.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q1/5 • NEAREST RELATED

521

QUESTION ID

S13-F2-Q1

TYPE

Short answer

CORRECT ANSWER

0.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q1/5 • NEAREST RELATED

Use long division to write $\frac{1}{6}$ as a decimal. Show your work.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q2/5 • NEAREST RELATED

522

QUESTION ID

S13-F2-Q2

TYPE

Answer with required work

CORRECT ANSWER

0.1666... (the 6 repeats)

GRADING NOTE REQUIRED WORK: Long division of the numerator by the denominator, shown step by step, until the remainder is 0 or the digits start to repeat. A correct decimal without the division earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q2/5 • NEAREST RELATED

Which fraction is equal to 0.666... (the 6 repeats)?

A. $\frac{3}{5}$

B. $\frac{6}{10}$

C. $\frac{2}{3}$

D. $\frac{1}{6}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q3/5 • NEAREST RELATED

523

QUESTION ID

S13-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q3/5 • NEAREST RELATED

Use long division to write $\frac{5}{8}$ as a decimal. Show your work.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q4/5 • NEAREST RELATED

524

QUESTION ID

S13-F2-Q4

TYPE

Answer with required work

CORRECT ANSWER

0.625

GRADING NOTE REQUIRED WORK: Long division of the numerator by the denominator, shown step by step, until the remainder is 0 or the digits start to repeat. A correct decimal without the division earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q4/5 • NEAREST RELATED

True or false?

$$\frac{2}{5} = 0.4$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q5/5 • NEAREST RELATED

525

QUESTION ID

S13-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S13-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 13 • FORWARD 2 • Q5/5 • NEAREST RELATED

Compare decimals to thousandths

MAIN	Grade 5 main question	5.NBT.A.3.b
BACKWARD 1	Comparing decimals to hundredths	4.NF.C.7
BACKWARD 2	The symbols $>$, $<$, and $=$	1.NBT.B.3
FORWARD 1	Order rational numbers	6.NS.C.7.b
FORWARD 2	Compare fractions and decimals using decimal expansions	7.NS.A.2.d

SET 14 • 5.NBT.A.3.b

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.3.b

Write $>$, $<$, or $=$ to compare.

0.47 ____ 0.405

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q1/5

528

QUESTION ID

S14-M-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q1/5

Write $>$, $<$, or $=$ to compare.

3.06 ____ 3.060

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q2/5

529

QUESTION ID

S14-M-Q2

TYPE

Short answer

CORRECT ANSWER

=

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q2/5

Which number is greatest?

- A.** 5.2
- B.** 5.19
- C.** 5.093
- D.** 5.199

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q3/5

530

QUESTION ID

S14-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 5.2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q3/5

Order from least to greatest.

2.31, 2.301, 2.13, 2.3

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q4/5

531

QUESTION ID

S14-M-Q4

TYPE

Short answer

CORRECT ANSWER

**2.13, 2.3, 2.301,
2.31**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q4/5

True or false?

$$0.8 < 0.79$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q5/5

532

QUESTION ID

S14-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.3.b • Set 14 • MAIN • Q5/5

SET 14 • 5.NBT.A.3.b

BACKWARD 1

Comparing decimals to hundredths • Grade 4 • Number & Operations–Fractions
• 4.NF.C.7

Write $>$, $<$, or $=$ to compare.

0.6 ____ 0.58

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q1/5

534

QUESTION ID

S14-B1-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q1/5

True or false?

$$0.3 = 0.03$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q2/5

535

QUESTION ID

S14-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q2/5

Which number is less?

A. 0.09

B. 0.1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q3/5

536

QUESTION ID

S14-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 0.09

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q3/5

Write $>$, $<$, or $=$ to compare.

0.75 ____ 0.8

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q4/5

537

QUESTION ID

S14-B1-Q4

TYPE

Short answer

CORRECT ANSWER

$<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q4/5

True or false?

$0.42 > 0.5$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q5/5

538

QUESTION ID

S14-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B1-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.7 • Set 14 • BACKWARD 1 • Q5/5

SET 14 • 5.NBT.A.3.b

BACKWARD 2

The symbols $>$, $<$, and $=$ • Grade 1 • Number & Operations in Base Ten •
1.NBT.B.3

Which symbol means "is less than"?

A. $<$

B. $>$

C. $=$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q1

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q1/5

540

QUESTION ID

S14-B2-Q1

TYPE

Multiple choice

CORRECT ANSWER

A. $<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q1

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q1/5

True or false?

$$9 > 6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q2

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q2/5

541

QUESTION ID

S14-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q2

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q2/5

Write $>$, $<$, or $=$ to compare.

52 ____ 25

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q3

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q3/5

542

QUESTION ID

S14-B2-Q3

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q3

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q3/5

True or false?

The symbol $>$ means "is less than."

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q4

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q4/5

543

QUESTION ID

S14-B2-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q4

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q4/5

Which statement is true?

- A.** $14 < 41$
- B.** $14 = 41$
- C.** $14 > 41$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q5

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q5/5

544

QUESTION ID

S14-B2-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. $14 < 41$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-B2-Q5

Grade 1 • Number & Operations in Base Ten • 1.NBT.B.3 • Set 14 • BACKWARD 2 • Q5/5

SET 14 • 5.NBT.A.3.b

FORWARD 1

Order rational numbers • Grade 6 • The Number System • 6.NS.C.7.b

Write $>$, $<$, or $=$ to compare.

-0.4 ____ -0.45

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q1

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q1/5

546

QUESTION ID

S14-F1-Q1

TYPE

Short answer

CORRECT ANSWER

$>$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q1

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q1/5

Which number is least?

- A. -2
- B. -2.5
- C. 0.5
- D. -2.05

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q2

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q2/5

547

QUESTION ID

S14-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. -2.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q2

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q2/5

Order from least to greatest.

-1.2 , 0.3 , -1.25 , 0

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q3

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q3/5

548

QUESTION ID

S14-F1-Q3

TYPE

Short answer

CORRECT ANSWER

-1.25 , -1.2 , 0 , 0.3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q3

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q3/5

True or false?

$$-3.7 > -3.6$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q4

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q4/5

549

QUESTION ID

S14-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q4

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q4/5

A temperature of -2.5°C is colder than a temperature of -1.8°C .

Write an inequality to show this.

Inequality: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q5

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q5/5

550

QUESTION ID

S14-F1-Q5

TYPE

Short answer

CORRECT ANSWER

$-2.5 < -1.8$

GRADING NOTE $-1.8 > -2.5$ is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F1-Q5

Grade 6 • The Number System • 6.NS.C.7.b • Set 14 • FORWARD 1 • Q5/5

SET 14 • 5.NBT.A.3.b

FORWARD 2

Compare fractions and decimals using decimal expansions • Grade 7 • The Number System • 7.NS.A.2.d

Write $\frac{5}{8}$ as a decimal.

Is $\frac{5}{8}$ greater than or less than 0.6?

Decimal: _____

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q1/5

552

QUESTION ID

S14-F2-Q1

TYPE

Short answer

CORRECT ANSWER

**0.625; greater than
0.6**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q1/5

Which number is greatest?

- A. $\frac{4}{5}$
- B. 0.7
- C. $\frac{3}{4}$
- D. 0.78

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q2/5

553

QUESTION ID

S14-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. 4/5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q2/5

Order from least to greatest.

$\frac{2}{3}$, 0.6, $\frac{5}{8}$

Order: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q3/5

554

QUESTION ID

S14-F2-Q3

TYPE

Short answer

CORRECT ANSWER

0.6, 5/8, 2/3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q3/5

True or false?

$$\frac{1}{3} > 0.33$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q4/5

555

QUESTION ID

S14-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q4/5

Write $>$, $<$, or $=$ to compare.

$$\frac{7}{20} \text{ ____ } 0.4$$

Symbol: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q5/5

556

QUESTION ID

S14-F2-Q5

TYPE

Short answer

CORRECT ANSWER

$<$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S14-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.d • Set 14 • FORWARD 2 • Q5/5

Round decimals to any place

MAIN

Grade 5 main question

5.NBT.A.4

BACKWARD 1

Rounding whole numbers

4.NBT.A.3

BACKWARD 2

Decimals on a number line

4.NF.C.6

FORWARD 1

Estimate to check computations with decimals

6.NS.B.3

FORWARD 2

Use estimation to judge whether an answer is reasonable

7.EE.B.3

SET 15 • 5.NBT.A.4

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.A.4

Round 6.483 to the nearest tenth.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q1/5

559

QUESTION ID

S15-M-Q1

TYPE

Short answer

CORRECT ANSWER

6.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q1/5

Round 12.749 to the nearest hundredth.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q2/5

560

QUESTION ID

S15-M-Q2

TYPE

Short answer

CORRECT ANSWER

12.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q2/5

Round 0.865 to the nearest whole number.

- A.** 0.9
- B.** 1
- C.** 0
- D.** 0.87

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q3/5

561

QUESTION ID

S15-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 1

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q3/5

Round 39.96 to the nearest tenth.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q4/5

562

QUESTION ID

S15-M-Q4

TYPE

Short answer

CORRECT ANSWER

40.0

GRADING NOTE 40 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q4/5

True or false?

4.351 rounded to the nearest hundredth is 4.36.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q5/5

563

QUESTION ID

S15-M-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.A.4 • Set 15 • MAIN • Q5/5

SET 15 • 5.NBT.A.4

BACKWARD 1

Rounding whole numbers • Grade 4 • Number & Operations in Base Ten •
4.NBT.A.3

Round 4,682 to the nearest hundred.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q1/5

565

QUESTION ID

S15-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4,700

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q1/5

True or false?

350 rounded to the nearest hundred is 300.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q2/5

566

QUESTION ID

S15-B1-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q2/5

Round 7,249 to the nearest thousand.

- A. 7,200
- B. 7,000
- C. 7,250
- D. 8,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q3/5

567

QUESTION ID

S15-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 7,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q3/5

Round 85 to the nearest ten.

Rounded: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q4/5

568

QUESTION ID

S15-B1-Q4

TYPE

Short answer

CORRECT ANSWER

90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q4/5

True or false?

1,349 rounded to the nearest hundred is 1,400.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q5/5

569

QUESTION ID

S15-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.A.3 • Set 15 • BACKWARD 1 • Q5/5

SET 15 • 5.NBT.A.4

BACKWARD 2

Decimals on a number line • Grade 4 • Number & Operations–Fractions •
4.NF.C.6

What decimal is at point A?



A = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q1/5

571

QUESTION ID

S15-B2-Q1

TYPE

Short answer

CORRECT ANSWER

0.6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q1/5

True or false?

0.7 is closer to 1 than to 0.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q2/5

572

QUESTION ID

S15-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q2/5

Is 0.43 closer to 0.4 or to 0.5?

A. 0.4

B. 0.5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q3/5

573

QUESTION ID

S15-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 0.4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q3/5

What decimal is at point B?



B = _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q4/5

574

QUESTION ID

S15-B2-Q4

TYPE

Short answer

CORRECT ANSWER

3.2

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q4/5

True or false?

2.5 is halfway between 2 and 3.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q5/5

575

QUESTION ID

S15-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 15 • BACKWARD 2 • Q5/5

SET 15 • 5.NBT.A.4

FORWARD 1

Estimate to check computations with decimals • Grade 6 • The Number System
• 6.NS.B.3

Round each number to the nearest whole number. Then add to estimate.

$$18.7 + 6.25$$

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q1/5

577

QUESTION ID

S15-F1-Q1

TYPE

Short answer

CORRECT ANSWER

25

GRADING NOTE $19 + 6 = 25$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q1/5

Which is the best estimate of 4.9×6.1 ?

- A. 36
- B. 30
- C. 24
- D. 11

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q2/5

578

QUESTION ID

S15-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

B. 30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q2/5

Estimate $31.8 \div 7.9$ by rounding each number to the nearest whole number.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q3/5

579

QUESTION ID

S15-F1-Q3

TYPE

Short answer

CORRECT ANSWER

4

GRADING NOTE $32 \div 8 = 4$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q3/5

True or false?

29.6 – 10.2 is about 40.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q4/5

580

QUESTION ID

S15-F1-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q4/5

Kim says $3.9 \times 2.1 = 81.9$.

Use an estimate to decide whether her answer is reasonable. Write yes or no.

Answer: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q5/5

581

QUESTION ID

S15-F1-Q5

TYPE

Short answer

CORRECT ANSWER

No

GRADING NOTE 3.9×2.1 is about $4 \times 2 = 8$, so 81.9 is far too large (the exact product is 8.19).

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 15 • FORWARD 1 • Q5/5

SET 15 • 5.NBT.A.4

FORWARD 2

Use estimation to judge whether an answer is reasonable • Grade 7 •
Expressions & Equations • 7.EE.B.3

A \$24.75 shirt is 20% off.

Round the price to the nearest dollar. Then use the rounded price to estimate the sale price.

Rounded price: _____

Estimated sale price: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q1/5

583

QUESTION ID

S15-F2-Q1

TYPE

Short answer

CORRECT ANSWER

\$25; \$20

GRADING NOTE $\$25 - 20\% \text{ of } \$25 = \$25 - \$5 = \$20$ (or $0.8 \times \$25$). Both parts are required. The exact sale price, \$19.80, is not the estimate asked for.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q1/5

A worker earns \$19.85 per hour for 9.75 hours.

Which is the best estimate of her pay?

- A. \$20
- B. \$2,000
- C. \$200
- D. \$100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q2/5

584

QUESTION ID

S15-F2-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. \$200

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q2/5

True or false?

A 6.2% tax on \$49.50 is about \$3.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q3/5

585

QUESTION ID

S15-F2-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q3/5

Nina says $\frac{3}{4} \times 39.8$ is about 40.

Round 39.8 to the nearest whole number and estimate

$\frac{3}{4} \times 39.8$. Is her estimate reasonable?

Your estimate: _____

Reasonable? _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q4/5

586

QUESTION ID

S15-F2-Q4

TYPE

Short answer

CORRECT ANSWER

30; no

GRADING NOTE $\frac{3}{4} \times 40 = 30$, so 40 is not reasonable (the exact value is 29.85). Both parts are required.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q4/5

A board is $8\frac{1}{4}$ feet long. It is cut into pieces that are $1\frac{7}{8}$ feet long.

Estimate how many whole pieces can be cut.

Estimate: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q5/5

587

QUESTION ID

S15-F2-Q5

TYPE

Short answer

CORRECT ANSWER

4 pieces

GRADING NOTE About $8 \div 2 = 4$; the exact quotient is 4.4, so 4 whole pieces.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S15-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.B.3 • Set 15 • FORWARD 2 • Q5/5

Multiply multi-digit whole numbers using the standard algorithm

MAIN	Grade 5 main question	5.NBT.B.5
BACKWARD 1	Multiplying by a one-digit or two-digit number	4.NBT.B.5
BACKWARD 2	Multiplication facts	3.OA.C.7
BACKWARD 3	Adding partial products	4.NBT.B.4
FORWARD 1	Multiply multi-digit decimals	6.NS.B.3
FORWARD 2	Multiply integers	7.NS.A.2.c

SET 16 • 5.NBT.B.5

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.5

Use the standard algorithm to multiply. Show your work.

$$246 \times 37$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q1/5

590

QUESTION ID

S16-M-Q1

TYPE

Answer with required work

CORRECT ANSWER

9,102

GRADING NOTE REQUIRED WORK: The standard algorithm: one partial product for each digit of the second factor (with regrouping), each lined up by place value, then the partial products added. Another method (area model, repeated addition) earns partial credit.

Partial products: $246 \times 7 = 1,722$ and $246 \times 30 = 7,380$; $1,722 + 7,380 = 9,102$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q1/5

Use the standard algorithm to multiply. Show your work.

$$1,385 \times 24$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q2/5

591

QUESTION ID

S16-M-Q2

TYPE

Answer with required work

CORRECT ANSWER

33,240

GRADING NOTE REQUIRED WORK: The standard algorithm: one partial product for each digit of the second factor (with regrouping), each lined up by place value, then the partial products added. Another method (area model, repeated addition) earns partial credit.

Partial products: $1,385 \times 4 = 5,540$ and $1,385 \times 20 = 27,700$; $5,540 + 27,700 = 33,240$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q2/5

This is the standard algorithm for 508×63 with one partial product missing.

What is the missing partial product?

$$\begin{array}{r} 508 \\ \times 63 \\ \hline 1,524 \\ + ? \\ \hline 32,004 \end{array}$$

A. 1,524

C. 30,480

B. 31,904

D. 3,048

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q3/5

592

QUESTION ID

S16-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 30,480

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q3/5

Use the standard algorithm to multiply. Show your work.

$$79 \times 86$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q4/5

593

QUESTION ID

S16-M-Q4

TYPE

Answer with required work

CORRECT ANSWER

6,794

GRADING NOTE REQUIRED WORK: The standard algorithm: one partial product for each digit of the second factor (with regrouping), each lined up by place value, then the partial products added. Another method (area model, repeated addition) earns partial credit.

Partial products: $79 \times 6 = 474$ and $79 \times 80 = 6,320$; $474 + 6,320 = 6,794$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q4/5

A theater has 48 rows with 125 seats in each row.

Use the standard algorithm to find how many seats are in the theater. Show your work.

Seats: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q5/5

594

QUESTION ID

S16-M-Q5

TYPE

Answer with required work

CORRECT ANSWER

6,000

GRADING NOTE REQUIRED WORK: The standard algorithm: one partial product for each digit of the second factor (with regrouping), each lined up by place value, then the partial products added. Another method (area model, repeated addition) earns partial credit.

Partial products: $125 \times 8 = 1,000$ and $125 \times 40 = 5,000$; $1,000 + 5,000 = 6,000$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.5 • Set 16 • MAIN • Q5/5

SET 16 • 5.NBT.B.5

BACKWARD 1

Multiplying by a one-digit or two-digit number • Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$346 \times 7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q1/5

596

QUESTION ID

S16-B1-Q1

TYPE

Short answer

CORRECT ANSWER

2,422

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q1/5

596

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$23 \times 45$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q2/5

597

QUESTION ID

S16-B1-Q2

TYPE

Short answer

CORRECT ANSWER

1,035

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q2/5

597

True or false?

$$1,203 \times 4 = 4,082$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q3/5

598

QUESTION ID

S16-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q3/5

$$62 \times 18 = ?$$

- A.** 1,126
- B.** 496
- C.** 1,116
- D.** 1,006

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q4/5

599

QUESTION ID

S16-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 1,116

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$58 \times 30$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q5/5

600

QUESTION ID

S16-B1-Q5

TYPE

Short answer

CORRECT ANSWER

1,740

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 16 • BACKWARD 1 • Q5/5

SET 16 • 5.NBT.B.5

BACKWARD 2

Multiplication facts • Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7

Multiply.

$$7 \times 6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q1/5

602

QUESTION ID

S16-B2-Q1

TYPE

Short answer

CORRECT ANSWER

42

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$8 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q2/5

603

QUESTION ID

S16-B2-Q2

TYPE

Short answer

CORRECT ANSWER

72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q2/5

603

True or false?

$$6 \times 9 = 56$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q3/5

604

QUESTION ID

S16-B2-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q3/5

$$4 \times 8 = ?$$

- A.** 24
- B.** 36
- C.** 32
- D.** 28

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q4/5

605

QUESTION ID

S16-B2-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 32

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$9 \times 9$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q5/5

606

QUESTION ID

S16-B2-Q5

TYPE

Short answer

CORRECT ANSWER

81

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 16 • BACKWARD 2 • Q5/5

SET 16 • 5.NBT.B.5

BACKWARD 3

Adding partial products • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.4

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$7,380 + 1,722$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q1/5

608

QUESTION ID

S16-B3-Q1

TYPE

Short answer

CORRECT ANSWER

9,102

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q1/5

608

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$27,700 + 5,540$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q2/5

609

QUESTION ID

S16-B3-Q2

TYPE

Short answer

CORRECT ANSWER

33,240

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q2/5

609

True or false?

$$30,480 + 1,524 = 31,904$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q3/5

610

QUESTION ID

S16-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

$$6,400 + 394 = ?$$

- A.** 6,784
- B.** 6,794
- C.** 7,794
- D.** 6,694

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q4/5

611

QUESTION ID

S16-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 6,794

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q4/5

611

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$4,800 + 1,200$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q5/5

612

QUESTION ID

S16-B3-Q5

TYPE

Short answer

CORRECT ANSWER

6,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-B3-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 16 • BACKWARD 3 • Q5/5

612

SET 16 • 5.NBT.B.5

FORWARD 1

Multiply multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$2.46 \times 3.7$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q1/5

614

QUESTION ID

S16-F1-Q1

TYPE

Short answer

CORRECT ANSWER

9.102

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q1/5

614

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$13.85 \times 2.4$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q2/5

615

QUESTION ID

S16-F1-Q2

TYPE

Short answer

CORRECT ANSWER

33.24

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q2/5

615

Multiply.

$$5.08 \times 6.3$$

- A.** 31.904
- B.** 320.04
- C.** 3.2004
- D.** 32.004

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q3/5

616

QUESTION ID

S16-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 32.004

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$0.79 \times 8.6$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q4/5

617

QUESTION ID

S16-F1-Q4

TYPE

Short answer

CORRECT ANSWER

6.794

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q4/5

617

True or false?

$$1.25 \times 4.8 = 60$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q5/5

618

QUESTION ID

S16-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 16 • FORWARD 1 • Q5/5

SET 16 • 5.NBT.B.5

FORWARD 2

Multiply integers • Grade 7 • The Number System • 7.NS.A.2.c

Find the product.

$$(-24) \times 15$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q1/5

620

QUESTION ID

S16-F2-Q1

TYPE

Short answer

CORRECT ANSWER

−360

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q1/5

Find the product.

$$(-12) \times (-35)$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q2/5

621

QUESTION ID

S16-F2-Q2

TYPE

Short answer

CORRECT ANSWER

420

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q2/5

Find the product.

$$18 \times (-21)$$

- A. 378
- B. -378
- C. -39
- D. -388

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q3/5

622

QUESTION ID

S16-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. -378

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q3/5

Find the product.

$$(-3) \times (-4) \times (-25)$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q4/5

623

QUESTION ID

S16-F2-Q4

TYPE

Short answer

CORRECT ANSWER

−300

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q4/5

True or false?

$$(-6)(-7) = -42$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q5/5

624

QUESTION ID

S16-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S16-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.c • Set 16 • FORWARD 2 • Q5/5

Divide with up to four-digit dividends and two-digit divisors

MAIN	Grade 5 main question	5.NBT.B.6
BACKWARD 1	Dividing by a one-digit number	4.NBT.B.6
BACKWARD 2	Multiplying to check a quotient	4.NBT.B.5
BACKWARD 3	Division facts	3.OA.C.7
FORWARD 1	Divide multi-digit numbers using the standard algorithm	6.NS.B.2
FORWARD 2	Divide integers	7.NS.A.2.b

SET 17 • 5.NBT.B.6

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.6

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$2,016 \div 24$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q1/5

627

QUESTION ID

S17-M-Q1

TYPE

Short answer

CORRECT ANSWER

84

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q1/5

627

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$7,830 \div 45$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q2/5

628

QUESTION ID

S17-M-Q2

TYPE

Short answer

CORRECT ANSWER

174

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q2/5

628

Divide.

$$952 \div 17$$

- A.** 54
- B.** 46
- C.** 56
- D.** 57

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q3/5

629

QUESTION ID

S17-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$3,724 \div 38$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q4/5

630

QUESTION ID

S17-M-Q4

TYPE

Short answer

CORRECT ANSWER

98

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q4/5

630

Divide. Write the quotient and the remainder.

$$1,000 \div 32$$

Quotient: _____

Remainder: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q5/5

631

QUESTION ID

S17-M-Q5

TYPE

Short answer

CORRECT ANSWER

31 R 8

GRADING NOTE Quotient 31 and remainder 8 (31 R 8, or "31 remainder 8"). The question asks for a remainder, so a mixed number or decimal (31 $\frac{1}{4}$, 31.25) is not accepted.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 17 • MAIN • Q5/5

SET 17 • 5.NBT.B.6

BACKWARD 1

Dividing by a one-digit number • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.6

Divide.

$$852 \div 6$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q1/5

633

QUESTION ID

S17-B1-Q1

TYPE

Short answer

CORRECT ANSWER

142

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$1,935 \div 5$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q2/5

634

QUESTION ID

S17-B1-Q2

TYPE

Short answer

CORRECT ANSWER

387

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q2/5

634

True or false?

$$728 \div 8 = 901$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q3/5

635

QUESTION ID

S17-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q3/5

$$504 \div 7 = ?$$

- A.** 82
- B.** 71
- C.** 62
- D.** 72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q4/5

636

QUESTION ID

S17-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 72

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q4/5

Divide. Write the quotient and the remainder.

$$95 \div 4$$

Quotient and remainder: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q5/5

637

QUESTION ID

S17-B1-Q5

TYPE

Short answer

CORRECT ANSWER

23 R 3

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 17 • BACKWARD 1 • Q5/5

SET 17 • 5.NBT.B.6

BACKWARD 2

Multiplying to check a quotient • Grade 4 • Number & Operations in Base Ten •
4.NBT.B.5

True or false?

To check $2,016 \div 24 = 84$, you can multiply 24×84 .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q1/5

639

QUESTION ID

S17-B2-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply to check $2,016 \div 24 = 84$.

24×84

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q2/5

640

QUESTION ID

S17-B2-Q2

TYPE

Short answer

CORRECT ANSWER

2,016

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q2/5

Which product checks $952 \div 17 = 56$?

- A. $17 + 56$
- B. 17×56
- C. $56 - 17$
- D. 952×17

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q3/5

641

QUESTION ID

S17-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. 17×56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Multiply.

$$38 \times 98$$

Product: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q4/5

642

QUESTION ID

S17-B2-Q4

TYPE

Short answer

CORRECT ANSWER

3,724

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q4/5

True or false?

$$32 \times 31 + 8 = 1,000$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q5/5

643

QUESTION ID

S17-B2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B2-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.5 • Set 17 • BACKWARD 2 • Q5/5

SET 17 • 5.NBT.B.6

BACKWARD 3

Division facts • Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7

Divide.

$$72 \div 8$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q1/5

645

QUESTION ID

S17-B3-Q1

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q1/5

Divide.

$$54 \div 9$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q2/5

646

QUESTION ID

S17-B3-Q2

TYPE

Short answer

CORRECT ANSWER

6

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q2/5

True or false?

$$63 \div 7 = 8$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q3/5

647

QUESTION ID

S17-B3-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q3/5

$$40 \div 5 = ?$$

- A.** 6
- B.** 7
- C.** 8
- D.** 9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q4/5

648

QUESTION ID

S17-B3-Q4

TYPE

Multiple choice

CORRECT ANSWER

C. 8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q4/5

Divide.

$$35 \div 7$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q5/5

649

QUESTION ID

S17-B3-Q5

TYPE

Short answer

CORRECT ANSWER

5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-B3-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.C.7 • Set 17 • BACKWARD 3 • Q5/5

SET 17 • 5.NBT.B.6

FORWARD 1

Divide multi-digit numbers using the standard algorithm • Grade 6 • The Number System • 6.NS.B.2

Use the standard algorithm to divide. Show your work.

$$6,432 \div 48$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q1/5

651

QUESTION ID

S17-F1-Q1

TYPE

Answer with required work

CORRECT ANSWER

134

GRADING NOTE REQUIRED WORK: The standard division algorithm with every step shown (divide, multiply, subtract, bring down). A correct quotient without the algorithm earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q1/5

Use the standard algorithm to divide. Show your work.

$$25,875 \div 69$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q2/5

652

QUESTION ID

S17-F1-Q2

TYPE

Answer with required work

CORRECT ANSWER

375

GRADING NOTE REQUIRED WORK: The standard division algorithm with every step shown (divide, multiply, subtract, bring down). A correct quotient without the algorithm earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q2/5

Divide.

$$14,040 \div 52$$

- A.** 207
- B.** 2,700
- C.** 270
- D.** 27

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q3/5

653

QUESTION ID

S17-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 270

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q3/5

Use the standard algorithm to divide. Show your work.

$$9,594 \div 41$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q4/5

654

QUESTION ID

S17-F1-Q4

TYPE

Answer with required work

CORRECT ANSWER

234

GRADING NOTE REQUIRED WORK: The standard division algorithm with every step shown (divide, multiply, subtract, bring down). A correct quotient without the algorithm earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q4/5

True or false?

$$11,700 \div 45 = 2,600$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q5/5

655

QUESTION ID

S17-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F1-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 17 • FORWARD 1 • Q5/5

SET 17 • 5.NBT.B.6

FORWARD 2

Divide integers • Grade 7 • The Number System • 7.NS.A.2.b

Find the quotient.

$$-2,016 \div 24$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q1/5

657

QUESTION ID

S17-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-84

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q1

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q1/5

Find the quotient.

$$(-952) \div (-17)$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q2/5

658

QUESTION ID

S17-F2-Q2

TYPE

Short answer

CORRECT ANSWER

56

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q2

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q2/5

Find the quotient.

$$780 \div (-15)$$

- A.** -52
- B.** -53
- C.** -765
- D.** 52

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q3/5

659

QUESTION ID

S17-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. -52

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q3

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q3/5

Find the quotient.

$$-(144 \div 12)$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q4/5

660

QUESTION ID

S17-F2-Q4

TYPE

Short answer

CORRECT ANSWER

-12

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q4

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q4/5

True or false?

$$(-90) \div 18 = 90 \div (-18)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q5/5

661

QUESTION ID

S17-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S17-F2-Q5

Grade 7 • The Number System • 7.NS.A.2.b • Set 17 • FORWARD 2 • Q5/5

Explain division using area models and equations

MAIN	Grade 5 main question	5.NBT.B.6
BACKWARD 1	Area models for dividing by a one-digit number	4.NBT.B.6
BACKWARD 2	Area as length times width	3.MD.C.7.b
BACKWARD 3	Splitting a rectangle to find its area	3.MD.C.7.c
FORWARD 1	Use the distributive property with the greatest common factor	6.NS.B.4
FORWARD 2	Factor and expand linear expressions	7.EE.A.1


SET 18 • 5.NBT.B.6

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.6

The area model shows
 $1,248 \div 24$.

What is the quotient?



Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q1/5

664

QUESTION ID

S18-M-Q1

TYPE

Short answer

CORRECT ANSWER

52

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION


ID S18-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q1/5

The area model shows

$$1,692 \div 36.$$

What is the quotient?



Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q2/5

665

QUESTION ID

S18-M-Q2

TYPE

Short answer

CORRECT ANSWER

47


REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q2/5

Which equation matches the area model?

- A. $1,332 \div 74 = 20$
- B. $1,332 \div 18 = 74$
- C. $18 \times 50 = 1,332$
- D. $900 \div 18 = 74$



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q3/5

666

QUESTION ID

S18-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $1,332 \div 18 = 74$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q3/5

Use an area model or equations to divide. Show your model or equations.

$$2,184 \div 28$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q4/5

667

QUESTION ID

S18-M-Q4

TYPE

Answer with required work

CORRECT ANSWER

78

GRADING NOTE REQUIRED WORK: An area model or equations that split 2,184 into parts that 28 divides, for example $28 \times 70 = 1,960$ and $28 \times 8 = 224$, with $1,960 + 224 = 2,184$, so the quotient is $70 + 8 = 78$. The answer 78 without a valid model or equations earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q4/5

True or false?

$$1,248 \div 24 = (960 \div 24) + (288 \div 24)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q5/5

668

QUESTION ID

S18-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 18 • MAIN • Q5/5

SET 18 • 5.NBT.B.6


BACKWARD 1

Area models for dividing by a one-digit number • Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6

The area model shows

$$576 \div 4.$$

What is the quotient?



Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q1/5

670

QUESTION ID

S18-B1-Q1

TYPE

Short answer

CORRECT ANSWER

144

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q1/5

True or false?

$$468 \div 3 = (300 \div 3) + (150 \div 3) + (18 \div 3)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q2/5

671

QUESTION ID

S18-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q2/5

Which shows $245 \div 5$ split into easier parts?

- A. $(200 \div 5) + (45 \div 5)$
- B. $(245 \div 2) + (245 \div 3)$
- C. $200 \div (5 + 45)$
- D. $(200 \div 5) \times (45 \div 5)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q3/5

672

QUESTION ID

S18-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A.

$(200 \div 5) + (45 \div 5)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q3/5

Divide.

$$735 \div 7$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q4/5

673

QUESTION ID

S18-B1-Q4

TYPE

Short answer

CORRECT ANSWER

105

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q4/5

A rectangle has an area of 312 square units and a width of 6 units.

What is its length?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q5/5

674

QUESTION ID

S18-B1-Q5

TYPE

Short answer

CORRECT ANSWER

52 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 18 • BACKWARD 1 • Q5/5

SET 18 • 5.NBT.B.6

BACKWARD 2

Area as length times width • Grade 3 • Measurement & Data • 3.MD.C.7.b

A rectangle is 9 units long and 7 units wide.

What is its area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q1/5

676

QUESTION ID

S18-B2-Q1

TYPE

Short answer

CORRECT ANSWER

63 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q1/5

True or false?

A rectangle with an area of 40 square units and a side of 5 units has another side of 8 units.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q2/5

677

QUESTION ID

S18-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q2/5

Which equation gives the area of a 6-by-8 rectangle?

- A. $8 - 6 = 2$
- B. $6 + 8 = 14$
- C. $6 \times 8 = 48$
- D. $2 \times (6 + 8) = 28$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q3/5

678

QUESTION ID

S18-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. $6 \times 8 = 48$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q3/5

A rectangle has an area of 36 square units. One side is 4 units long.

How long is the other side?

Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q4/5

679

QUESTION ID

S18-B2-Q4

TYPE

Short answer

CORRECT ANSWER

9 units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q4

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q4/5

Find the area of the rectangle.

Area: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q5/5

680

QUESTION ID

S18-B2-Q5

TYPE

Short answer

CORRECT ANSWER

30 square cm

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B2-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.b • Set 18 • BACKWARD 2 • Q5/5

SET 18 • 5.NBT.B.6

BACKWARD 3

Splitting a rectangle to find its area • Grade 3 • Measurement & Data •
3.MD.C.7.c

True or false?

The area of a rectangle that is 4 by $(10 + 3)$ equals $4 \times 10 + 4 \times 3$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q1/5

682

QUESTION ID

S18-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q1

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q1/5

A 5-by-12 rectangle is split into a 5-by-10 rectangle and a 5-by-2 rectangle.

What is the total area?

Area: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q2/5

683

QUESTION ID

S18-B3-Q2

TYPE

Short answer

CORRECT ANSWER

60 square units

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q2

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q2/5

A 7-by-13 rectangle is split into a 7-by-10 part and a 7-by-3 part.

Which expression gives its area?

A. $7 \times 10 + 7 \times 3$

B. $7 \times 10 + 3$

C. $7 + 10 + 3$

D. $7 \times 10 \times 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q3/5

684

QUESTION ID

S18-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. $7 \times 10 + 7 \times 3$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q3

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q3/5

Blank: _____

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q4/5

685

4

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q4/5

True or false?

$$8 \times 12 = 8 \times 10 + 2$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q5/5

686

QUESTION ID

S18-B3-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-B3-Q5

Grade 3 • Measurement & Data • 3.MD.C.7.c • Set 18 • BACKWARD 3 • Q5/5

SET 18 • 5.NBT.B.6

FORWARD 1

Use the distributive property with the greatest common factor • Grade 6 • The Number System • 6.NS.B.4

Use the greatest common factor to write $36 + 48$ as a product.

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q1/5

688

QUESTION ID

S18-F1-Q1

TYPE

Short answer

CORRECT ANSWER

12(3 + 4)

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q1

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q1/5

Find the greatest common factor of 32 and 56.

GCF: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q2/5

689

QUESTION ID

S18-F1-Q2

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q2

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q2/5

Which expression is equal to $45 + 60$ and uses the greatest common factor?

- A. $15(3 + 6)$
- B. $15(3 + 4)$
- C. $3(15 + 20)$
- D. $5(9 + 12)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q3/5

690

QUESTION ID

S18-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. $15(3 + 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q3

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q3/5

Complete the equation.

$$24 + 40 = 8(\underline{\quad} + \underline{\quad})$$

First blank: _____

Second blank: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q4/5

691

QUESTION ID

S18-F1-Q4

TYPE

Short answer

CORRECT ANSWER

3 and 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q4

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q4/5

True or false?

$$18 + 27 = 9(2 + 3)$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q5/5

692

QUESTION ID

S18-F1-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F1-Q5

Grade 6 • The Number System • 6.NS.B.4 • Set 18 • FORWARD 1 • Q5/5

SET 18 • 5.NBT.B.6

FORWARD 2

Factor and expand linear expressions • Grade 7 • Expressions & Equations •
7.EE.A.1

Factor using the greatest common factor.

$$12x + 30$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q1/5

694

QUESTION ID

S18-F2-Q1

TYPE

Short answer

CORRECT ANSWER

$6(2x + 5)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q1

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q1/5

Expand.

$$7(4y - 3)$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q2/5

695

QUESTION ID

S18-F2-Q2

TYPE

Short answer

CORRECT ANSWER

$28y - 21$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q2

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q2/5

Which expression is equivalent to $18a - 24$?

- A. $3(6a - 4)$
- B. $6(3a - 24)$
- C. $18(a - 6)$
- D. $6(3a - 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q3/5

696

QUESTION ID

S18-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $6(3a - 4)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q3

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q3/5

Factor out -4 .

$$-8n - 20$$

Expression: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q4/5

697

QUESTION ID

S18-F2-Q4

TYPE

Short answer

CORRECT ANSWER

$-4(2n + 5)$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q4

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q4/5

True or false?

$$4(2.5x + 3) = 10x + 3$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q5/5

698

QUESTION ID

S18-F2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S18-F2-Q5

Grade 7 • Expressions & Equations • 7.EE.A.1 • Set 18 • FORWARD 2 • Q5/5

Draw division models and explain the strategy

MAIN	Grade 5 main question	5.NBT.B.6
BACKWARD 1	Area models for dividing by a one-digit number	4.NBT.B.6
BACKWARD 2	Division as an unknown-factor problem	3.OA.B.6
FORWARD 1	Connect the standard division algorithm to partial quotients	6.NS.B.2
FORWARD 2	Solve real-world problems by dividing rational numbers	7.NS.A.3


SET 60 • 5.NBT.B.6

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.6

Complete the area model for $1,472 \div 32$ by writing the area of each part.

Then write the quotient.



Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 60 • MAIN • Q1/5

701

QUESTION ID

S60-M-Q1

TYPE

Drawing + written answer

CORRECT ANSWER

**Drawing: Areas
written in the parts:
1,280 (32×40) and
192 (32×6)**

Written: 46

GRADING NOTE Grade both: the two areas must be 1,280 and 192 (they add to 1,472), and the quotient $40 + 6 = 46$.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 60 • MAIN • Q1/5

Draw an area model to divide $1,615 \div 19$.

Explain how your model shows the quotient.

Quotient: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 60 • MAIN • Q2/5

702

QUESTION ID

S60-M-Q2

TYPE

Answer with required work

CORRECT ANSWER

85

GRADING NOTE REQUIRED WORK: An area model with side 19 split into parts whose areas add to 1,615 (for example $19 \times 80 = 1,520$ and $19 \times 5 = 95$); the explanation says the part lengths ($80 + 5$) add up to the quotient because the part areas add up to the dividend.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 60 • MAIN • Q2/5

Lena finds $1,380 \div 23$ by thinking $23 \times 60 = 1,380$.

Which statement explains her strategy?

- A.** She multiplied 1,380 by 23 to get 60. **B.** She divided 23 by 1,380 to get 60.
- C.** Division finds the missing factor: $23 \times ? = 1,380$, so the quotient is 60. **D.** She subtracted 23 from 1,380 to get 60.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 60 • MAIN • Q3/5

703

QUESTION ID

S60-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

**C. Division finds the missing factor:
 $23 \times ? = 1,380$, so the quotient is 60.**

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 60 • MAIN • Q3/5

Explain how these equations show $2,345 \div 35$.

$$35 \times 60 = 2,100$$

$$35 \times 7 = 245$$

$$2,100 + 245 = 2,345$$

Quotient: _____

Explanation: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 60 • MAIN • Q4/5

704

QUESTION ID

S60-M-Q4

TYPE

Short answer

CORRECT ANSWER

67

GRADING NOTE Explanation: 2,345 is split into 2,100 and 245; 35 goes into them 60 times and 7 times, so it goes into 2,345 a total of $60 + 7 = 67$ times.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 60 • MAIN • Q4/5

True or false?

An area model for $1,512 \div 36$ can use parts with areas 1,440 and 72, so the quotient is $40 + 2 = 42$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 60 • MAIN • Q5/5

705

QUESTION ID

S60-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.6 • Set 60 • MAIN • Q5/5

SET 60 • 5.NBT.B.6


BACKWARD 1

Area models for dividing by a one-digit number • Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6

The area model shows

$$384 \div 6.$$

What is the missing length?



Length: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 60 • BACKWARD 1 • Q1/5

707

QUESTION ID

S60-B1-Q1

TYPE

Short answer

CORRECT ANSWER

4

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 60 • BACKWARD 1 • Q1/5

True or false?

An area model for $528 \div 4$ can be split into $400 \div 4$, $120 \div 4$, and $8 \div 4$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 60 • BACKWARD 1 • Q2/5

708

QUESTION ID

S60-B1-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 60 • BACKWARD 1 • Q2/5

An area model for $945 \div 9$ has parts with areas 900 and 45.

What are the lengths of the parts?

- A.** 100 and 5 **B.** 90 and 5
C. 10 and 5 **D.** 100 and 45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 60 • BACKWARD 1 • Q3/5

709

QUESTION ID

S60-B1-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 100 and 5

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 60 • BACKWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Divide.

$$672 \div 8$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 60 • BACKWARD 1 • Q4/5

710

QUESTION ID

S60-B1-Q4

TYPE

Short answer

CORRECT ANSWER

84

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 60 • BACKWARD 1 • Q4/5

710

True or false?

In an area model for $945 \div 9$, the side length 9 is the quotient.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 60 • BACKWARD 1 • Q5/5

711

QUESTION ID

S60-B1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.6 • Set 60 • BACKWARD 1 • Q5/5

SET 60 • 5.NBT.B.6

BACKWARD 2

Division as an unknown-factor problem • Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6

Find the unknown factor.

$$6 \times ? = 42$$

Factor: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 60 • BACKWARD 2 • Q1/5

713

QUESTION ID

S60-B2-Q1

TYPE

Short answer

CORRECT ANSWER

7

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q1

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 60 • BACKWARD 2 • Q1/5

True or false?

$32 \div 4 = 8$ because $4 \times 8 = 32$.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 60 • BACKWARD 2 • Q2/5

714

QUESTION ID

S60-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q2

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 60 • BACKWARD 2 • Q2/5

Which multiplication fact helps you find $56 \div 7$?

- A. $8 + 7 = 15$
- B. $7 \times 7 = 49$
- C. $56 \times 7 = 392$
- D. $7 \times 8 = 56$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 60 • BACKWARD 2 • Q3/5

715

QUESTION ID

S60-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. $7 \times 8 = 56$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q3

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 60 • BACKWARD 2 • Q3/5

Find the unknown factor.

$$? \times 9 = 81$$

Factor: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 60 • BACKWARD 2 • Q4/5

716

QUESTION ID

S60-B2-Q4

TYPE

Short answer

CORRECT ANSWER

9

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q4

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 60 • BACKWARD 2 • Q4/5

True or false?

To find $27 \div 3$, you can ask "27 times what number is 3?"

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 60 • BACKWARD 2 • Q5/5

717

QUESTION ID

S60-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-B2-Q5

Grade 3 • Operations & Algebraic Thinking • 3.OA.B.6 • Set 60 • BACKWARD 2 • Q5/5

SET 60 • 5.NBT.B.6

FORWARD 1

Connect the standard division algorithm to partial quotients • Grade 6 • The Number System • 6.NS.B.2

Use the standard algorithm to divide. Show your work.

$$8,640 \div 36$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 60 • FORWARD 1 • Q1/5

719

QUESTION ID

S60-F1-Q1

TYPE

Answer with required work

CORRECT ANSWER

240

GRADING NOTE REQUIRED WORK: The standard division algorithm with every step shown (divide, multiply, subtract, bring down). A correct quotient without the algorithm earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q1

Grade 6 • The Number System • 6.NS.B.2 • Set 60 • FORWARD 1 • Q1/5

In the standard algorithm for $5,712 \div 28$, the first step uses $28 \times 200 = 5,600$.

What does the 200 stand for?

- A. Part of the quotient
- B. The dividend
- C. The remainder
- D. Part of the divisor

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 60 • FORWARD 1 • Q2/5

720

QUESTION ID

S60-F1-Q2

TYPE

Multiple choice

CORRECT ANSWER

A. Part of the quotient

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q2

Grade 6 • The Number System • 6.NS.B.2 • Set 60 • FORWARD 1 • Q2/5

True or false?

The steps of the standard algorithm for $1,836 \div 17$ match an area model with parts 17×100 and 17×8 .

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 60 • FORWARD 1 • Q3/5

721

QUESTION ID

S60-F1-Q3

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q3

Grade 6 • The Number System • 6.NS.B.2 • Set 60 • FORWARD 1 • Q3/5

Use the standard algorithm to divide. Show your work.

$$13,248 \div 46$$

Quotient: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 60 • FORWARD 1 • Q4/5

722

QUESTION ID

S60-F1-Q4

TYPE

Answer with required work

CORRECT ANSWER

288

GRADING NOTE REQUIRED WORK: The standard division algorithm with every step shown (divide, multiply, subtract, bring down). A correct quotient without the algorithm earns partial credit.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q4

Grade 6 • The Number System • 6.NS.B.2 • Set 60 • FORWARD 1 • Q4/5

True or false?

$$3,825 \div 45 = 95$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 60 • FORWARD 1 • Q5/5

723

QUESTION ID

S60-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F1-Q5

Grade 6 • The Number System • 6.NS.B.2 • Set 60 • FORWARD 1 • Q5/5

SET 60 • 5.NBT.B.6

FORWARD 2

Solve real-world problems by dividing rational numbers • Grade 7 • The Number System • 7.NS.A.3

A diver goes down 126 feet in 18 equal stages.

Write the change in depth for each stage as a signed number.

Change: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 60 • FORWARD 2 • Q1/5

725

QUESTION ID

S60-F2-Q1

TYPE

Short answer

CORRECT ANSWER

–7 feet

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q1

Grade 7 • The Number System • 7.NS.A.3 • Set 60 • FORWARD 2 • Q1/5

Which number shows the change each month?

- A.** $-\$108$ **B.** $\$180$
C. $-\$1,800$ **D.** $-\$180$

ID S60-F2-02

Grade 7 • The Number System • 7.NS.A.3 • Set 60 • FORWARD 2 • Q2/5

726

S60-F2-Q2

Multiple choice

D. -\$180

ID S60-F2-Q2

Grade 7 • The Number System • 7.NS.A.3 • Set 60 • FORWARD 2 • Q2/5

The temperature fell 22.5°F in 9 hours at a steady rate.

Write the change per hour as a signed number.

Change: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 60 • FORWARD 2 • Q3/5

727

QUESTION ID

S60-F2-Q3

TYPE

Short answer

CORRECT ANSWER

-2.5°F

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q3

Grade 7 • The Number System • 7.NS.A.3 • Set 60 • FORWARD 2 • Q3/5

True or false?

A change of $-\$1,512$ shared equally over 36 weeks is a change of $-\$42$ each week.

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 60 • FORWARD 2 • Q4/5

728

QUESTION ID

S60-F2-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q4

Grade 7 • The Number System • 7.NS.A.3 • Set 60 • FORWARD 2 • Q4/5

A tank loses $\frac{3}{4}$ gallon every hour.

After how many hours is the change in the amount of water -6 gallons?

Hours: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 60 • FORWARD 2 • Q5/5

729

QUESTION ID

S60-F2-Q5

TYPE

Short answer

CORRECT ANSWER

8

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S60-F2-Q5

Grade 7 • The Number System • 7.NS.A.3 • Set 60 • FORWARD 2 • Q5/5

Add decimals to hundredths

MAIN

Grade 5 main question

5.NBT.B.7

BACKWARD 1 Adding multi-digit whole numbers

4.NBT.B.4

BACKWARD 2 Adding tenths and hundredths

4.NF.C.5

BACKWARD 3 Writing decimals with the same number of places

4.NF.C.6

FORWARD 1 Add multi-digit decimals

6.NS.B.3

FORWARD 2 Add rational numbers

7.NS.A.1.d

SET 19 • 5.NBT.B.7

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.7

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$23.45 + 8.7$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q1/5

732

QUESTION ID

S19-M-Q1

TYPE

Short answer

CORRECT ANSWER

32.15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q1/5

732

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$15.3 + 6.48$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q2/5

733

QUESTION ID

S19-M-Q2

TYPE

Short answer

CORRECT ANSWER

21.78

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q2/5

733

Add.

$$4.06 + 12.9$$

- A. 16.15
- B. 16.069
- C. 5.35
- D. 16.96

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q3/5

734

QUESTION ID

S19-M-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 16.96

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$9.65 + 0.8$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q4/5

735

QUESTION ID

S19-M-Q4

TYPE

Short answer

CORRECT ANSWER

10.45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q4/5

735

Maya had \$18.50. She earned \$6.75 more.

How much money does she have now?

Money: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q5/5

736

QUESTION ID

S19-M-Q5

TYPE

Short answer

CORRECT ANSWER

\$25.25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 19 • MAIN • Q5/5

SET 19 • 5.NBT.B.7

BACKWARD 1

Adding multi-digit whole numbers • Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$2,345 + 870$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q1/5

738

QUESTION ID

S19-B1-Q1

TYPE

Short answer

CORRECT ANSWER

3,215

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q1/5

738

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$1,530 + 648$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q2/5

739

QUESTION ID

S19-B1-Q2

TYPE

Short answer

CORRECT ANSWER

2,178

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q2/5

739

True or false?

$$406 + 1,290 = 1,596$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q3/5

740

QUESTION ID

S19-B1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q3/5

$$1,265 + 735 = ?$$

- A.** 2,100
- B.** 2,000
- C.** 1,900
- D.** 1,990

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q4/5

741

QUESTION ID

S19-B1-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 2,000

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$1,850 + 675$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q5/5

742

QUESTION ID

S19-B1-Q5

TYPE

Short answer

CORRECT ANSWER

2,525

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 19 • BACKWARD 1 • Q5/5

742

SET 19 • 5.NBT.B.7

BACKWARD 2

Adding tenths and hundredths • Grade 4 • Number & Operations–Fractions •
4.NF.C.5

Add.

$$\frac{3}{10} + \frac{45}{100}$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q1/5

744

QUESTION ID

S19-B2-Q1

TYPE

Short answer

CORRECT ANSWER

75/100

GRADING NOTE 3/4 or 0.75 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q1/5

True or false?

$$\frac{6}{10} + \frac{2}{100} = \frac{8}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q2/5

745

QUESTION ID

S19-B2-Q2

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q2/5

$$\frac{7}{10} + \frac{15}{100} = ?$$

A. $\frac{85}{100}$

B. $\frac{22}{100}$

C. $\frac{22}{110}$

D. $\frac{85}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q3/5

746

QUESTION ID

S19-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 85/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q3/5

Write $\frac{4}{10}$ as hundredths.

Fraction: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q4/5

747

QUESTION ID

S19-B2-Q4

TYPE

Short answer

CORRECT ANSWER

40/100

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q4/5

True or false?

$$\frac{5}{10} + \frac{5}{100} = \frac{10}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q5/5

748

QUESTION ID

S19-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.5 • Set 19 • BACKWARD 2 • Q5/5

SET 19 • 5.NBT.B.7

BACKWARD 3

Writing decimals with the same number of places • Grade 4 • Number & Operations–Fractions • 4.NF.C.6

True or false?

$$8.7 = 8.70$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q1/5

750

QUESTION ID

S19-B3-Q1

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q1/5

Write 15.3 with two decimal places.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q2/5

751

QUESTION ID

S19-B3-Q2

TYPE

Short answer

CORRECT ANSWER

15.30

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q2/5

Which decimal is equal to 20?

- A.** 20.00
- B.** 0.20
- C.** 2.00
- D.** 200.0

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q3/5

752

QUESTION ID

S19-B3-Q3

TYPE

Multiple choice

CORRECT ANSWER

A. 20.00

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q3/5

True or false?

$$6.4 = 6.04$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q4/5

753

QUESTION ID

S19-B3-Q4

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q4/5

Write 12.9 with a digit in the hundredths place, without changing its value.

Decimal: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q5/5

754

QUESTION ID

S19-B3-Q5

TYPE

Short answer

CORRECT ANSWER

12.90

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-B3-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.C.6 • Set 19 • BACKWARD 3 • Q5/5

SET 19 • 5.NBT.B.7

FORWARD 1

Add multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$128.47 + 9.605$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q1/5

756

QUESTION ID

S19-F1-Q1

TYPE

Short answer

CORRECT ANSWER

138.075

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q1/5

756

Add.

$$54.2 + 18.376$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q2/5

757

QUESTION ID

S19-F1-Q2

TYPE

Short answer

CORRECT ANSWER

72.576

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q2/5

Add.

$$0.952 + 3.48 + 11.6$$

- A. 16.132
- B. 4.53
- C. 15.032
- D. 16.032

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q3/5

758

QUESTION ID

S19-F1-Q3

TYPE

Multiple choice

CORRECT ANSWER

D. 16.032

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q3/5

ANSWER KEY

Reduced copy of the question page, with its answer

Add.

$$99.6 + 0.485$$

Sum: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q4/5

759

QUESTION ID

S19-F1-Q4

TYPE

Short answer

CORRECT ANSWER

100.085

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q4/5

759

True or false?

$$7.3 + 2.145 = 2.875$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q5/5

760

QUESTION ID

S19-F1-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 19 • FORWARD 1 • Q5/5

SET 19 • 5.NBT.B.7

FORWARD 2

Add rational numbers • Grade 7 • The Number System • 7.NS.A.1.d

Find the value.

$$-12.5 + 4.75$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q1

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q1/5

762

QUESTION ID

S19-F2-Q1

TYPE

Short answer

CORRECT ANSWER

-7.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q1

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q1/5

Find the value.

$$3.2 + (-8.45)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q2

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q2/5

763

QUESTION ID

S19-F2-Q2

TYPE

Short answer

CORRECT ANSWER

-5.25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q2

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q2/5

Find the value.

$$-6.3 + (-2.85)$$

- A. 9.15
- B. -9.15
- C. -3.45
- D. 3.45

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q3

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q3/5

764

QUESTION ID

S19-F2-Q3

TYPE

Multiple choice

CORRECT ANSWER

B. -9.15

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q3

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q3/5

Find the value.

$$-4.6 + 10.25$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q4

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q4/5

765

QUESTION ID

S19-F2-Q4

TYPE

Short answer

CORRECT ANSWER

5.65

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q4

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q4/5

True or false?

$$-1.5 + 1.5 = 0$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q5

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q5/5

766

QUESTION ID

S19-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S19-F2-Q5

Grade 7 • The Number System • 7.NS.A.1.d • Set 19 • FORWARD 2 • Q5/5

Subtract decimals to hundredths

MAIN

Grade 5 main question

5.NBT.B.7

BACKWARD 1

Subtracting multi-digit whole numbers

4.NBT.B.4

BACKWARD 2

Subtracting mixed numbers in tenths and hundredths

4.NF.B.3.c

FORWARD 1

Subtract multi-digit decimals

6.NS.B.3

FORWARD 2

Subtract rational numbers

7.NS.A.1.d

SET 61 • 5.NBT.B.7

MAIN

Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.7

Subtract.

$$15.3 - 6.48$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 61 • MAIN • Q1/5

769

QUESTION ID

S61-M-Q1

TYPE

Short answer

CORRECT ANSWER

8.82

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 61 • MAIN • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$20 - 7.35$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 61 • MAIN • Q2/5

770

QUESTION ID

S61-M-Q2

TYPE

Short answer

CORRECT ANSWER

12.65

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q2

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 61 • MAIN • Q2/5

770

Maya had \$18.50. She spent \$6.75.

How much money does she have left?

Money left: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 61 • MAIN • Q3/5

771

QUESTION ID

S61-M-Q3

TYPE

Short answer

CORRECT ANSWER

\$11.75

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q3

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 61 • MAIN • Q3/5

Subtract.

$$9.04 - 3.7$$

- A. 6.34
- B. 5.34
- C. 8.67
- D. 5.44

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 61 • MAIN • Q4/5

772

QUESTION ID

S61-M-Q4

TYPE

Multiple choice

CORRECT ANSWER

B. 5.34

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q4

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 61 • MAIN • Q4/5

True or false?

$$6.5 - 2.75 = 3.75$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 61 • MAIN • Q5/5

773

QUESTION ID

S61-M-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-M-Q5

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 61 • MAIN • Q5/5

SET 61 • 5.NBT.B.7

BACKWARD 1

Subtracting multi-digit whole numbers • Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$1,530 - 648$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 61 • BACKWARD 1 • Q1/5

775

QUESTION ID

S61-B1-Q1

TYPE

Short answer

CORRECT ANSWER

882

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q1

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 61 • BACKWARD 1 • Q1/5

775

$$2,000 - 735 = ?$$

- A.** 2,735
- B.** 1,275
- C.** 1,265
- D.** 1,365

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 61 • BACKWARD 1 • Q2/5

776

QUESTION ID

S61-B1-Q2

TYPE

Multiple choice

CORRECT ANSWER

C. 1,265

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q2

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 61 • BACKWARD 1 • Q2/5

Subtract.

$$1,850 - 675$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 61 • BACKWARD 1 • Q3/5

777

QUESTION ID

S61-B1-Q3

TYPE

Short answer

CORRECT ANSWER

1,175

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q3

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 61 • BACKWARD 1 • Q3/5

True or false?

$$5,000 - 1,234 = 3,766$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 61 • BACKWARD 1 • Q4/5

778

QUESTION ID

S61-B1-Q4

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q4

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 61 • BACKWARD 1 • Q4/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$4,206 - 1,519$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 61 • BACKWARD 1 • Q5/5

779

QUESTION ID

S61-B1-Q5

TYPE

Short answer

CORRECT ANSWER

2,687

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B1-Q5

Grade 4 • Number & Operations in Base Ten • 4.NBT.B.4 • Set 61 • BACKWARD 1 • Q5/5

SET 61 • 5.NBT.B.7

BACKWARD 2

Subtracting mixed numbers in tenths and hundredths • Grade 4 • Number & Operations–Fractions • 4.NF.B.3.c

Subtract.

$$5\frac{3}{10} - 2\frac{6}{10}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 61 • BACKWARD 2 • Q1/5

781

QUESTION ID

S61-B2-Q1

TYPE

Short answer

CORRECT ANSWER

2 7/10

GRADING NOTE 27/10 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q1

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 61 • BACKWARD 2 • Q1/5

True or false?

$$4 - \frac{35}{100} = 3\frac{65}{100}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 61 • BACKWARD 2 • Q2/5

782

QUESTION ID

S61-B2-Q2

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q2

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 61 • BACKWARD 2 • Q2/5

$$6\frac{2}{10} - 1\frac{9}{10} = ?$$

A. $5\frac{7}{10}$

B. $4\frac{7}{10}$

C. $4\frac{3}{10}$

D. $5\frac{3}{10}$

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 61 • BACKWARD 2 • Q3/5

783

QUESTION ID

S61-B2-Q3

TYPE

Multiple choice

CORRECT ANSWER

C. 4 3/10

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q3

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 61 • BACKWARD 2 • Q3/5

Subtract.

$$3\frac{40}{100} - 1\frac{25}{100}$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 61 • BACKWARD 2 • Q4/5

784

QUESTION ID

S61-B2-Q4

TYPE

Short answer

CORRECT ANSWER

2 15/100

GRADING NOTE 2 3/20 is also correct.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q4

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 61 • BACKWARD 2 • Q4/5

True or false?

$$2\frac{1}{10} - \frac{5}{10} = 2\frac{4}{10}$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 61 • BACKWARD 2 • Q5/5

785

QUESTION ID

S61-B2-Q5

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-B2-Q5

Grade 4 • Number & Operations-Fractions • 4.NF.B.3.c • Set 61 • BACKWARD 2 • Q5/5

SET 61 • 5.NBT.B.7

FORWARD 1

Subtract multi-digit decimals • Grade 6 • The Number System • 6.NS.B.3

Subtract.

$$54.2 - 18.376$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 61 • FORWARD 1 • Q1/5

787

QUESTION ID

S61-F1-Q1

TYPE

Short answer

CORRECT ANSWER

35.824

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q1

Grade 6 • The Number System • 6.NS.B.3 • Set 61 • FORWARD 1 • Q1/5

ANSWER KEY

Reduced copy of the question page, with its answer

Subtract.

$$100 - 0.485$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 61 • FORWARD 1 • Q2/5

788

QUESTION ID

S61-F1-Q2

TYPE

Short answer

CORRECT ANSWER

99.515

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q2

Grade 6 • The Number System • 6.NS.B.3 • Set 61 • FORWARD 1 • Q2/5

788

True or false?

$$7.3 - 2.145 = 5.245$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 61 • FORWARD 1 • Q3/5

789

QUESTION ID

S61-F1-Q3

TYPE

True or false

CORRECT ANSWER

B. False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q3

Grade 6 • The Number System • 6.NS.B.3 • Set 61 • FORWARD 1 • Q3/5

Subtract.

$$12.06 - 4.875$$

Difference: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 61 • FORWARD 1 • Q4/5

790

QUESTION ID

S61-F1-Q4

TYPE

Short answer

CORRECT ANSWER

7.185

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q4

Grade 6 • The Number System • 6.NS.B.3 • Set 61 • FORWARD 1 • Q4/5

Subtract.

$$30 - 0.009$$

- A.** 29.991
- B.** 30.009
- C.** 29.001
- D.** 29.91

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 61 • FORWARD 1 • Q5/5

791

QUESTION ID

S61-F1-Q5

TYPE

Multiple choice

CORRECT ANSWER

A. 29.991

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F1-Q5

Grade 6 • The Number System • 6.NS.B.3 • Set 61 • FORWARD 1 • Q5/5

SET 61 • 5.NBT.B.7

FORWARD 2

Subtract rational numbers • Grade 7 • The Number System • 7.NS.A.1.d

Find the value.

$$3.2 - 8.45$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q1

Grade 7 • The Number System • 7.NS.A.1.d • Set 61 • FORWARD 2 • Q1/5

793

QUESTION ID

S61-F2-Q1

TYPE

Short answer

CORRECT ANSWER

−5.25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q1

Grade 7 • The Number System • 7.NS.A.1.d • Set 61 • FORWARD 2 • Q1/5

Find the value.

$$-4.6 - (-10.25)$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q2

Grade 7 • The Number System • 7.NS.A.1.d • Set 61 • FORWARD 2 • Q2/5

794

QUESTION ID

S61-F2-Q2

TYPE

Short answer

CORRECT ANSWER

5.65

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q2

Grade 7 • The Number System • 7.NS.A.1.d • Set 61 • FORWARD 2 • Q2/5

Find the value.

$$-2.75 - 4.5$$

Value: _____

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q3

Grade 7 • The Number System • 7.NS.A.1.d • Set 61 • FORWARD 2 • Q3/5

795

QUESTION ID

S61-F2-Q3

TYPE

Short answer

CORRECT ANSWER

-7.25

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q3

Grade 7 • The Number System • 7.NS.A.1.d • Set 61 • FORWARD 2 • Q3/5

Find the value.

$$1.2 - (-3.65)$$

- A. 2.45
- B. -4.85
- C. -2.45
- D. 4.85

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q4

Grade 7 • The Number System • 7.NS.A.1.d • Set 61 • FORWARD 2 • Q4/5

796

QUESTION ID

S61-F2-Q4

TYPE

Multiple choice

CORRECT ANSWER

D. 4.85

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q4

Grade 7 • The Number System • 7.NS.A.1.d • Set 61 • FORWARD 2 • Q4/5

True or false?

$$-8.1 - (-8.1) = 0$$

- A.** True
- B.** False

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q5

Grade 7 • The Number System • 7.NS.A.1.d • Set 61 • FORWARD 2 • Q5/5

797

QUESTION ID

S61-F2-Q5

TYPE

True or false

CORRECT ANSWER

A. True

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S61-F2-Q5

Grade 7 • The Number System • 7.NS.A.1.d • Set 61 • FORWARD 2 • Q5/5

Use place-value models to add and subtract decimals and explain the method

MAIN	Grade 5 main question	5.NBT.B.7
BACKWARD 1	Add tenths and hundredths	4.NF.C.5
BACKWARD 2	Rename a unit as ten of the next smaller unit	4.NBT.A.1
FORWARD 1	Add and subtract multi-digit decimals with the standard algorithm	6.NS.B.3
FORWARD 2	Add and subtract rational numbers	7.NS.A.1.d

SET 62 • 5.NBT.B.7

MAIN


Grade 5 main question • Grade 5 • Number & Operations in Base Ten •
5.NBT.B.7

Shade the grid to show

$$0.4 + 0.25.$$

Then write the sum.

Sum: _____



REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 62 • MAIN • Q1/5

800

QUESTION ID

S62-M-Q1

TYPE

Drawing + written answer

CORRECT ANSWER

Drawing: 65 of the 100 squares shaded: 40 squares (4 columns) for 0.4 and 25 more for 0.25

Written: 0.65

GRADING NOTE Grade both: 65 squares shaded, and the sum 0.65.

REFERENCE LABEL — NOT PART OF THE STUDENT QUESTION

ID S62-M-Q1

Grade 5 • Number & Operations in Base Ten • 5.NBT.B.7 • Set 62 • MAIN • Q1/5